REQUEST FOR PROPOSAL

TO PROVIDE SECURITY SYSTEM EQUIPMENT MAINTENANCE, REPAIRS, REPLACEMENT, INSTALLATION, ETC. OF AN EXISTING SECURITY ACCESS AND VIDEO MANAGEMENT SYSTEM FOR THE DEPARTMENT OF GENERAL SERVICES-SECURITY DIVISION

RFP No.: 0345

Proposal Receipt Date: July 1, 2016

Proposal Receipt Time: 4:30 P.M.

Jefferson Parish
Department of Purchasing
P. O. Box 9
Gretna, Louisiana 70054
(504)364-2678

Revision Date: 09.15.2014

TABLE OF CONTENTS

PART I. ADMINISTRATIVE AND GENERAL INFORMATION

1.1 Background 3
1.2 Purpose 4
1.3 Goals and Objectives 4
1.4 Proposer Minimum Requirements 5
1.5 Schedule of Events 7
1.6 Proposal Submittal 8
THIS SECTION INTENTIONALLY LEFT BLANK 8
1.7 Proposal Response Format 9
1.8 Number of Response Copies 10
1.9 Legibility/Clarity 10
1.10 Pre-proposal Conference 11
1.11 Written Inquiries 11
1.12 Inquiry Periods 11
1.13 Required Signed and Notarized Affidavits 12
1.14 Proposal Guarantee 13
1.15 Performance Bond 13
1.16 Fidelity Bond Requirements 13
1.17 Proposal Validity 13
1.18 Changes, Addenda, Withdrawals 14
1.19 Cost of Offer Preparation 14
1.20 Acceptance of Proposal Content 14
1.21 Written or Oral Discussions/Presentations 14
1.22 Standard Terms and Conditions and Non-negotiable Contract Terms 14
1.24 Taxes 15
1.25 Selected Proposer's Responsibilities 15
1.26 Sub-Contractor Requirements 15
1.27 Insurance Requirements 15
1.28 Subcontractor Insurance 15
1.29 No Guarantee of Quantities 16
1.30 Contract Negotiations 16
1.31 Cancellation of RFP or Rejection of Proposals 16
1.32 Evaluation and Selection 17
1.34 Payment for Services 19
1.36 Assignment 20
1.37 EEOC and ADA Compliance 20
1.38 Audit of Records 21
1.39 Record Retention 21
1.40 Record Ownership 21

1.41 Content of Contract/Order of Precedence 21
1.43 Substitution of Personnel 22
1.44 Force Majeure 22
1.45 Governing Law 22
1.46 Claims or Controversies 22
2.1 Scope of Work/Services 23
2.2 Period of Agreement 27
2.3 Cost Proposal (Price Schedule) 27
2.4 Deliverables 28
2.5 Location 28
2.7 (A) Technical 28
2.7(B) Qualifications and Experience 29
3.1 Evaluation Criteria 30
4.1 Performance Requirements 31
4.2 Performance Measurement/Evaluation 31

ATTACHMENT "A" Insurance Requirements
ATTACHMENT "B" Equipment list
ATTACHMENT "B" - Part 2, Maintenance Proposal and Contractors Specifications
ATTACHMENT "C" Price Schedule
ATTACHMENT "D" Current Jefferson Parish Sites

SIGNATURE PAGE
COROPRATE RESOLUTION
REQUEST FOR PROPOSAL AFFIDAVIT INSTRUCTIONS
REQUEST FOR PROPOSAL AFFIDAVIT

COPY OF ADVERTISEMENT

REQUEST FOR PROPOSAL

TO PROVIDE SECURITY SYSTEM EQUIPMENT MAINTENANCE, REPAIRS, REPLACEMENT, INSTALLATION, ETC. OF AN EXISTING SECURITY ACCESS AND VIDEO MANAGEMENT SYSTEM FOR THE DEPARTMENT OF GENERAL SERVICES-SECURITY DIVISION

1.1 Background

Over the past decade, Jefferson Parish has used a "Security Access and Video management System". A Frontier Security System-Frontier R4.5. Access Control system is currently used as the Parish's security access and video management system. While, the parish desires to build on, and maintain, the existing Frontier Security System-Frontier R4.5 access control platform, we invite all qualified proposers to submit proposals to provide the following:

- Installation of a new card access swipe/proximity readers to work with existing Card Access Control Hardware/Software on an as needed basis.
- Installation of a new security video cameras and associated equipment including but not limited to recorders, software, etc. on an as needed basis.
- Repair, maintenance or replacement of all equipment of an existing Access Control Hardware and Software (ACHS) systems, card readers with and without Personal Identification Number (PIN) code key pads, audio and/or visual equipment, computer equipment (hardware and software) for the operation and management of existing ACHS and an Identification Management System including badge printers, cameras, access cards, and all associated primary and peripheral equipment including Uninterrupted Power Supply (UPS) units needed to provide a full security systems.
- Provide security systems consulting and security system design and engineering.

<u>Security management system description</u>

The Security Management System shall function as an electronic access control system and shall integrate alarm monitoring, CCTV, digital video, digital recording of all video, ID badging and database management into a single platform. A modular and network-enabled architecture shall allow maximum versatility for tailoring secure and dependable access and alarm monitoring solutions.

1.2 Purpose

The purpose of this Request for Proposal (RFP) is to obtain competitive proposals as allowed by Jefferson Parish Code of Ordinances Section 2-895 et. seq. from bona fide, qualified proposers who are interested in providing equipment and maintenance of an existing security system consisting of, but not limited to, Access Control Hardware/Software (ACHS), card swipe with and without code access, audio and/or visual equipment, computer equipment (hardware and software) and an Identification Management System including printers, cameras, access cards, and all associated primary and peripheral equipment needed to provide a full security systems. Proposal evaluation will be based upon proposing organization's response to requirements specified herein. Jefferson Parish reserves the right to refuse any or all proposals.
By submitting a proposal, proposer agrees to comply with all provisions of Louisiana law as well as compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish (hereinafter sometimes referred to as the "Parish") standard terms and conditions as adopted by Jefferson Parish Council Resolution.

1.3 Goals and Objectives

While Jefferson Parish desires to build on, and maintain, the existing Frontier Security System-Frontier R4.5 access control platform, Jefferson Parish desires to obtain a qualified firm to provide Control Hardware/Software (ACHS) and an Identification Management System security system consisting of, but not limited to, Access Control Hardware/Software (ACHS), card readers with and without PIN keypads, audio and/or visual equipment, computer equipment (hardware and software) and an Identification Management System including printers, cameras, access cards, and all associated primary and peripheral equipment needed to provide a full security system. The qualified firm must also be able to provide maintenance of existing or proposed new equipment, replacement parts and maintenance.

An equal system to the existing system will be allowed as per the vendor's proposal. If the successful vendor proposes an equal and this proposal is accepted, it will be the responsibility of the vendor to replace all current equipment in order for the Security/ID Management Operations to remain the same or better than the existing system at no additional cost to Jefferson Parish.

1.4 Proposer Minimum Requirements

Vendor Qualifications –Vendor must have a minimum of 5 years of experience in providing maintenance and support of similar sized systems and complexities, and also meet the following requirements:

1. Proposer must be a licensed contractor in the State of Louisiana and supply copy of license certificate with proposal.
2. Proposer and all sub-contractor(s) must be licensed by the Louisiana State Fire Marshall for security dealers and supply a copy of license with proposal.
3. Proposer must be an authorized Frontier Security System-Frontier R4.5 access control dealer and have a minimum of 5 technicians with Frontier Security System Certification of Master level training on local staff at time of bid. Statement remains true if proposer utilizes new equipment and programming for that manufacturer.
4. Proposer must have a Microsoft Certified Engineer on local staff at time of bid.
5. Proposer must have an office with a response time of 30 minutes of Jefferson Parish.
6. Proposer shall provide at least three references of similar size access control systems.
7. Proposer must be experienced at providing systems similar in nature and complexity to the project outlined in this Request For Proposal.
8. Proposer must possess a Louisiana State Licensing Board for Contractors "Commercial" license per LSA-R.S. 37:2150-2163 in the classification of Security and furnish a copy of the current license with its proposal.
9. Be a franchised dealer and service facility for the major manufacturer's products furnished under this contract.
10. Maintain a fully staffed and equipped service facility.

References:

Proposers must provide a minimum of three (3) references (governmental and/or private), for whom equal or larger scope of services are either currently being provided or have been provided in the past two years. Contact person(s), addresses and telephone numbers for each reference shall be included.

The Proposer may satisfy the Proposer Qualifications through the use of a subcontractor.

Warranties:

The proposer shall provide a complete inventory of equipment installed, including description, manufacturer, model, and serial number, and submit any manufacturer's warranty or registration forms. If the manufacturer's warranty is longer than one year; such warranty shall be provided to the owner. The proposer shall warrant all equipment to be free of defects in materials and workmanship for one year from the date of substantial completion of the project. For any failures within the warranty period, provide answers to service calls and requests for information within a 24-hour period and repair or replace any faulty item within a 23-hour period without charge, including parts and labor.

Industry Standards/Tests/Recommendations:
The following are standards, tests, and recommended methods that apply to this work.

A. Reference Standards: Systems specified in this Section shall meet or exceed the requirements of the following:

1. Federal Communications Commission (FCC):

   a. FCC Part 15 – Radio Frequency Device

   b. FCC Part 68 – Connection of Terminal Equipment to the Telephone Network

2. Underwriters Laboratories (UL):

   a. UL294 – Access Control System Units

   b. UL1076 – Proprietary Burglar Alarm Units and Systems

3. National Fire Protection Association (NFPA):

   a. NFPA70 – National Electrical Code

4. Electronic Industries Alliance (EIA):

   a. RS232C – Interface between Data Terminal Equipment and Data Communications Equipment Employing Serial Binary Data Interchange

   b. RS485 – Electrical Characteristics of Generators and Receivers for use in Balanced Digital Multi-Point Systems

5. Federal Information Processing Standards (FIPS):

   a. Advanced Encryption Standard (AES) (FIPS 197)

   b. FIPS 201: Personal Identity Verification (PIV) of Federal Employees and Contractors

6. Homeland Security Presidential Directive 12 (HSPD-12)

1.5 Schedule of Events

Note: Purchasing Department will complete actual dates and times for items 1-4. Evaluation Committee Meeting Date will be scheduled according to committee members' availability and therefore, Items 5-7 will be determined at later dates.

		Date	Time (CST)
1.	RFP mailed to prospective proposers	6/01/2016	At least 30 days prior to the last day that proposals will be accepted
2.	Pre-Proposal Conference	6/17/2016	10-14 days after RFP mailed
3.	Deadline to receive written inquiries	6/24/2016	7-10 days after Pre-proposal Conference
4.	Proposal Receipt Date and Time	7/01/2016	4:30 PM
5.	RFP Evaluation Committee Meeting		TBD

Proposers are encouraged to check the general information board in the General Government Building located at 200 Derbigny St., Gretna and the Joseph S. Yenni Building located at 1221 Elmwood Park Blvd., Jefferson. Additionally proposers may check for meeting information posted on the Jefferson Parish website.

6.	Council Selection via resolution	To be scheduled
7.	Contract Ratification via resolution	To be scheduled

NOTE: The Parish of Jefferson reserves the right to deviate from these dates.

1.6 Proposal Submittal

All proposals including mandated affidavits in accordance with Section 2-895 of the Jefferson Parish Code of Ordinances shall be received by the Jefferson Parish Purchasing Department ***no later than date and time shown in the Schedule of Events in order to be considered responsive.***

Important – Clearly mark outside of envelope, box or package with the following information and format:

- Proposal Name: Provide security system equipment maintenance, repairs, replacement, installation, etc. of an existing Security Access and Video Management System for the Department of General Services – Security Division.
- Proposal No. RFP 0345
- Proposal Receipt Date and Time: FRIDAY, JULY 1, 2016 at 4:30 PM

Proposals will be received at:

Jefferson Parish Purchasing Department
200 Derbigny Street, Suite 4400
Gretna, Louisiana 70053

Proposer is solely responsible for ensuring that its courier service provider makes inside deliveries to our physical location. Jefferson Parish Purchasing is not responsible for any delays caused by the proposer's chosen means of proposal delivery.

Proposer is solely responsible for the timely delivery of its proposal. Late proposals will not be accepted.

PROPOSALS SHALL NOT BE OPENED PUBLICLY. Cost proposals (Price Schedules) shall be submitted in separate, sealed envelopes and shall remain sealed until the RFP Evaluation Committee meeting. PRICES SHALL NOT BE READ UNTIL THE COMPLETION OF THE TECHNICAL EVALUATION. Cost shall be worth twenty-five percent (25%) of the total points assigned. Evaluation of cost shall take place after technical evaluation has been completed.

THIS SECTION INTENTIONALLY LEFT BLANK

1.7 Proposal Response Format

Proposals submitted for consideration should follow the format and order of presentation described below:

A. Cover Letter: Containing summary of Proposer's ability to perform the services described in the RFP and confirms that Proposer is willing to perform those services and negotiate a contract with the Parish. The letter shall be signed by a person having authority to negotiate and to commit the Proposer to a contract. If proposer is a sole-proprietorship, proposer must include a statement that the company is a sole-proprietorship signed by the owner. If proposer is an agency, corporation, partnership or other legal entity, the president, vice-president, secretary or treasurer, or an authorized agent shall sign the proposal, **and** satisfactory evidence of the authority of the person signing for the agency, corporation, partnership or other legal entity shall be attached to the proposal. A sample corporate resolution may be downloaded from the Purchasing Department webpage of the Jefferson Parish website.

   Proposers should exhibit their understanding and approach to the project and address how each element will be accomplished. Proposers are advised that except as otherwise provided by law, all documents submitted to the Parish under this RFP are subject to the Louisiana Public Records Act, LSA-R.S. 44:1 et seq., and may be released when a public records request is made in accordance with the law.

B. Table of Contents: Organized in the order cited in the format contained herein.

C. Technical Proposal: Illustrating and describing compliance with the RFP requirements defined in the Scope of Work/Services (Part II) and Proposer Qualifications

D. Proposer Qualifications and Experience: History and background of Proposer, including but not limited to status with related services to government entities existing customer satisfaction, demonstrated volume of merchants, etc..

E. Innovative Concepts: Present innovative concepts, if any, not discussed above for consideration.

F. Project Schedule: Detailed schedule of implementation plan for pilot (if applicable) and full implementation. This schedule is to include implementation actions, timelines, responsible parties, etc.

G. Financial Profile: Firms are requested to submit documentation from the past three (3) years demonstrating firm's financial stability. Documentation may include audited financial statements including balance sheets, income statements, documentation regarding retained earnings, assets, liabilities, etc. Such information should be included in the technical portion of the proposal submission and MUST NOT be included with the cost proposals.

H. Cost Proposal: Proposer's fees and other costs shall be submitted in a **separate sealed envelope** with proposal submission in accordance with section 1.3 above. This cost proposal shall include any and all costs the Proposer wishes to have considered in the proposed contractual arrangement with the Parish of Jefferson. Cost shall be worth twenty-five percent (25%) of the total points assigned. Evaluation of cost shall take place after technical evaluation has been completed.

1.8 Number of Response Copies

Each Proposer shall submit one (1) signed original response along with six (6) additional copies of the proposal, including mandatory affidavits (signed and properly notarized) in original format. In addition, proposer must submit a copy on CD-R/CD-RW media or flash drive as long as data on the disc and/or flash drive is formatted to open in the standard Microsoft Office suite programs (.xls, .doc, .ppt). PDF files are also acceptable. Cost proposals ***should not*** be included in the electronic submission.

Cost proposals must be submitted in a separate sealed envelope, which contains one (1) original and six (6) additional copies. The envelope will remain sealed until the evaluation committee meets and scores all technical components of this RFP as indicated in the evaluation criteria.

1.9 Legibility/Clarity

Responses to the requirements of this RFP in the formats requested are desirable with all questions answered in as much detail as practicable. The proposer's response shall demonstrate an understanding of the requirements. Proposals shall be prepared simply and economically, providing straightforward, concise descriptions of the proposer's ability to meet the requirements of the RFP. Each Proposer is solely responsible for the accuracy and completeness of its proposal.

1.10 Pre-proposal Conference

A MANDATORY pre-proposal conference will be held at **2:00 PM, *Friday, June 17, 2016 at the General Government Building, 200 Derbigny Street, Suite 4400, Gretna, LA 70053.*** Prospective proposers shall participate in the conference to obtain clarification of the requirements of the RFP and to receive answers to relevant questions thereto. Any firm intending to submit a proposal should have at least one authorized representative attend the Pre-proposal Conference.

Although impromptu questions will be permitted and spontaneous answers will be provided during the conference, the only official answer or position of the Parish of Jefferson will be stated in writing in response to written questions in the form of addenda provided to all prospective proposers.

Failure to attend this MANDATORY pre-proposal conference will disqualify any proposal.

1.11 Written Inquiries

The Parish shall only consider written and timely communications from proposers. No negotiations, decisions, or actions shall be binding as a result of any oral discussions with any Parish employee or Parish consultant. Answers to questions that materially change or substantially clarify the RFP shall be addressed by addendum and provided to all prospective proposers.

1.12 Inquiry Periods

An initial inquiry period is hereby firmly set for all interested proposers to perform a detailed review of the RFP documents and to submit any written questions relative thereto. *Without exception*, all questions MUST be in writing (even if an answer has already been given to an oral question during the Pre-proposal conference) and received by the close of business on the Inquiry Deadline date set forth in the Schedule of Events. Initial inquiries shall not be entertained thereafter. All official responses to inquiries will be communicated in the form of an addendum.

The Parish of Jefferson shall not and cannot permit an open-ended inquiry period, as this creates an unwarranted delay in the procurement cycle and operations of our agency and departments. The Parish of Jefferson reasonably expects and requires responsible and interested proposers to conduct their in-depth proposal review and submit initial inquiries in a timely manner.

A final 3-day inquiry period may be granted, if additional questions or requests for clarification are received as a result of an addendum. Questions relative to the addendum shall be

submitted no later than three full working days, 4:30pm, from the date the addendum is posted. If necessary, another addendum will be issued to address any final questions received. Thereafter, all proposal documents, including but not limited to the specifications, terms, conditions, plans, etc., will stand as written and/or amended clarified by any addendum issued as a result of the final inquiry period.

Said written inquiries submitted by the proposer, shall clearly cross-reference the relevant RFP section. The Parish shall only respond to those inquiries received by the established deadline. Answers to questions that change or substantially clarify the solicitation shall be issued by addendum and provided to all prospective proposers.

Inquiries in accordance with this section may be delivered by regular mail, express courier, e-mail, hand, or fax to:

Jefferson Parish Purchasing Department
200 Derbigny Street, Suite 4400
Gretna, Louisiana 70053
Phone: (504)364-2678 Fax: (504)364-2693
Buyer Email: ***sduffy@jeffparish.net***

1.13 Required Signed and Notarized Affidavits

Affidavits in accordance with Section 2-895 et. seq. of the Jefferson Parish Code of Ordinances are required with proposal submission. For the convenience of vendors, these affidavits have been combined into one form entitled, *Request for Proposal Affidavit.* **This affidavit (Request for Proposal Affidavit) must be completed, signed, properly notarized and submitted in its original format with the proposal submission. Failure to submit or properly execute the RFP Affidavit will result in the proposal being deemed non-responsive in accordance with Section 2-895(b) of the Jefferson Parish Code of Ordinances.**

***Pre-placed emergency contracts, as defined by Section 2-917 of the Jefferson Parish Code of Ordinances, shall be exempted from submitting the Sub-contractor Affidavit. As such, this section is NOT required to be completed in the Request for Proposal Affidavit. However, a list of all sub-contractors used in the performance of the pre-placed emergency contracts shall be submitted prior to payment on the contract.**

All persons or firms who are under contract which were awarded on a non-bid basis with Jefferson Parish or with any of its agencies, divisions or special districts or who submit responses to any request for submittals to contract on a non-bid basis with Jefferson Parish or with any of its agencies, divisions or special districts must identify all subcontractors and persons, excluding full time employees of the firm, who would assist in providing services or materials under the contract or who would share in any fees, commissions or other remuneration under the contract. Each such subcontractor or person shall submit all documents and information required by this section. Substitutions or subsequent addition of subcontractor(s) or other persons to this RFP and any ensuing contract must be requested in writing and ratified by Council resolution. Said written request shall provide to the detailed justification of the compelling need for such addition substitution

1.14 Proposal Guarantee

Each proposal shall be accompanied by a proposal guarantee in the form of a bond (from a surety licensed to conduct business in the State of Louisiana), or a certified or cashier's check or money order made payable to Jefferson Parish in the amount of ($5,000.00) Five Thousand dollars. Proposal guarantee may be forfeited for failure on the part of the selected proposer to execute the proposed agreement within one-hundred and twenty (120) days after such proposed agreement is submitted to proposer in conformity with the terms, conditions, and specifications of this RFP. Proposal guarantee, not otherwise forfeited herein under shall be returned to proposer(s) upon the award of a contract.

1.15 Performance Bond

The successful proposer shall be required to provide a performance (surety) bond in the amount of Five Hundred Thousand dollars ($500,000.00) to insure the successful performance of the agreement in accordance with the negotiated terms and conditions of the parties. The proposer acknowledges and agrees that the performance bond may be forfeited for successful proposer's failure to fully and faithfully perform its obligations in accordance with the negotiated and executed agreement.

1.16 Fidelity Bond Requirements

NOT REQUIRED FOR THIS RFP

1.17 Proposal Validity

All proposals shall be irrevocable and considered valid from the receipt date for acceptance until such time an agreement is executed.

1.18 Changes, Addenda, Withdrawals

If the proposer needs to submit changes or addenda, proposers shall submit changes or addenda in writing, signed by an authorized representative of the proposer. All addenda and changes must cross-reference the relevant RFP section. Said changes or addenda shall be delivered prior to the RFP proposal receipt date and submitted in a sealed envelope to be opened contemporaneously with the proposal submission. Proposer(s) request(s) for withdrawal of responses to this RFP must be submitted in writing and received prior to the RFP receipt date as set forth in the Schedule of Events.

1.19 Cost of Offer Preparation

All submissions in response to this RFP shall be at the sole cost and expense of the proposer and shall not be subject to reimbursement by the Parish of Jefferson.

1.20 Acceptance of Proposal Content

Proposer's submission to this RFP shall be construed as an acceptance to be bound by the terms and conditions stated herein. Any action in contradiction of this acceptance may result in rejection by the Council.

1.21 Written or Oral Discussions/Presentations

The Parish may conduct written or oral discussions with Proposer(s) to clarify and/or enhance the Parish's understanding of submitted material. Any commitments or representations made during these discussions, if conducted, may become formally recorded in the final contract. Conversely, the Parish may make awards based on initial offers. Neither negotiations nor changes to proposals will be allowed during these discussions.

1.22 Standard Terms and Conditions and Non-negotiable Contract Terms

1.22(A) The standard general terms and conditions used by the Parish of Jefferson may be found in Resolution No. 113646. A copy may be obtained from the Parish Clerk's Office, 6th Floor, General Government Building, 200 Derbigny Street, Gretna, LA 70053, 364-2626. A copy of the resolution may also be downloaded by viewing the Purchasing Department webpage of Jefferson Parish's website, www.jeffparish.net.

1.22(B) Non-negotiable contract terms include but are not limited to taxes, assignment of contract, audit of records, EEOC and ADA compliance, record retention, content of contract/order of precedence, contract changes, force majeure, governing law, including ethics statements, claims or controversies, and termination based on contingency of appropriation of funds.

1.22(C) It shall be the duty of every Parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the Parish and the duty of every applicant for certification of eligibility for a Parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10 (19). By submitting a proposal, proposer acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

1.24 Taxes

Any applicable taxes shall be assumed to be included within the proposer's pricing schedule.

1.25 Selected Proposer's Responsibilities

The selected proposer shall be required to provide all items and services offered in his proposal. The proposer shall be the sole point of contact for all contractual matters, including payment of any and all charges resulting under the contract.

1.26 Sub-Contractor Requirements

If the proposer intends to subcontract portions of the work or to satisfy any of the Proposer Requirements referenced in Section 1.1.2 through the use of a subcontractor, the proposer shall include the name of the subcontractor and specific designations of the tasks to be performed or Vendor Requirements to be met by respective subcontractor(s). The information requested of the proposer under the terms of this RFP shall also be supplied for each subcontractor and shall be included in the proposal. Unless specifically permitted in the contract with the Parish of Jefferson, the successful proposer(s) shall not contract with any other party for furnishing any of the work herein contracted without the ratification by Jefferson Parish Council resolution.

1.27 Insurance Requirements

Proposer shall furnish the Parish with certificates of insurance evidencing mandating coverage(s) pursuant to Resolution No. 113646 and Attachment "A". A copy of Resolution No. 113646 may be downloaded from the Purchasing Department webpage on the Jefferson Parish website, www.jeffparish.net.

1.28 Subcontractor Insurance

The proposer shall include all subcontractors as insured under its policies or shall furnish separate certificates for each subcontractor. All coverages for subcontractors shall be in conformity with Resolution No. 113646. A copy of Resolution No. 113646 may be downloaded from the Purchasing Department webpage on the Jefferson Parish website, www.jeffParish.net.

1.29 No Guarantee of Quantities

The Parish of Jefferson does not guaranty quantity or services required in the scope of work defined in Part II. The Proposer shall provide all materials, labor, and equipment, whether specified or not, to provide a complete working system.

The quantities of items or extent of scope of work are estimated values. In the event a greater or lesser quantity is required, the Parish reserves the right to increase or decrease said values in accordance with the pricing schedule.

1.30 Contract Negotiations

The Parish administration shall negotiate the details of service delivery, the terms of the contract, and the contract price most advantageous to the Parish with the proposer(s) selected by the Jefferson Parish Council (sometimes referred to throughout this document as the "Council") and submit the contract, in final form, to the Council for ratification. Contract negotiations are limited by section 1.11 Non-negotiable Contract Terms in this RFP. In the event a contract cannot be successfully negotiated, the RFP evaluation committee shall seek authorization from the Council to negotiate a contract with another proposer under that RFP.

1.31 Cancellation of RFP or Rejection of Proposals

In accordance with Section 2-895 of the Parish of Jefferson Code of Ordinances, the Parish through its Council may reject any or all proposals received in response to this RFP, or cancel this RFP prior to proposal receipt date if in the best interest of the Parish.

THIS SECTION INTENTIONALLY LEFT BLANK

1.32 Evaluation and Selection

In conformity with Section 2-895 of the Jefferson Parish Code of Ordinances, all Proposer submissions will be evaluated by the RFP Evaluation Committee. Before beginning the evaluation process, the evaluation committee must review the RFP, concerning not only the task of description but also the qualifications and the evaluation criteria. The Evaluation Committee shall be comprised of members from requesting department(s), Research and Budget, Purchasing, Finance and Legal Department (Parish Attorney's Office). The representative of the Legal Department shall act as secretary of the evaluation committee, and is solely responsible for disseminating all information received during the review process. Also, if deemed necessary and duly authorized by Council resolution, additional employees of Jefferson Parish may be appointed as members of the RFP Evaluation Committee. After completion and tallying of the technical evaluation scores, each scoring evaluation committee member shall sign and date his individual score sheet. After the secretary of the evaluation committee collects all individual score sheets, the Purchasing Department and the requesting department shall tally the individual scores to obtain a total technical evaluation score for each proposer. Following the tabulation of technical scores, the Purchasing Department shall open the sealed pricing proposals, and shall read the pertinent portions of those pricing proposals aloud. To the extent necessary, the evaluation committee may further review and analyze the cost proposals and/or request and receive clarification of the pricing information provided by the proposers for submission to the Council. After discussion of all price proposals, the Finance Department shall calculate the cost evaluation portion of the scoring sheet, using the pricing proposals submitted by proposers and the formula below. The cost evaluation shall constitute twenty-five percent (25%) of the total points assigned, and will be based upon standard cost rates submitted by the proposers.

The proposer with the lowest cost shall receive the highest cost evaluation score. Other proposers will receive a cost score computed as follows:

CS = (LPC/PC*X)

Where: CS = Computed cost score for Proposer

LPC = Lowest proposed cost of all Proposers

PC = Proposer's cost

X = 25% of the total number of points assigned.

THIS SECTION INTENTIONALLY LEFT BLANK

After the Finance Department completes the cost evaluation scores, the Purchasing Department and the requesting department shall each add the cost evaluation scores for each proposer to the tabulated technical scores of each proposer, totaling the final number of points assigned to each proposer. The tabulated score sheet shall be signed and dated by the Purchasing Department and the requesting department. The secretary of the evaluation committee shall collect all individual and tabulated score sheets and deliver them to the Parish Clerk. The Evaluation Committee shall prepare and forward to the Council a memorandum identifying the qualified firms and explaining their rationale. Attached to the memorandum shall be copies of the cost proposals received in accordance with the RFP, along with any analysis or clarification completed regarding those pricing criteria. A list of names of the responsive and responsible proposers shall be submitted to the Council along with a list of the non-responsive and non-responsible offers. Responsibility of a proposer shall be determined in accordance with competitive sealed bids in the Revised Statutes of the State of Louisiana. Responsiveness shall be determined considering the materials that the proposer has submitted and the core requirements of the RFP. Proposers are invited to attend the evaluation meeting(s) and are encouraged to check the Jefferson Parish website, www.jeffparish.net, for meeting details.

Upon completions of its analysis, the Council may either (i) adopt the resolution selecting the proposer(s) to supply the non-standard item(s) or perform the statement of work or scope of services; or (ii) reject all proposals. The Council shall select the proposal which received the highest cumulative score from the evaluation committee; except that the Council may select a proposer other than the highest-ranked proposer provided that proposer selected has been given a cumulative score by the committee that is no more than ten percent (10%) lower than the cumulative score for the highest-ranked proposer.

Award of the contract may be made without discussions after proposals are received and evaluated. Proposals should, therefore, be submitted on the most favorable terms which the proposer can submit, from a technical standpoint; and from a price standpoint. If the evaluation committee determines that discussions are necessary, written submissions or oral discussions/presentations may be required from all proposers.

1.33 Indemnification

Proposer shall agree to indemnify and hold the Parish of Jefferson, its departments, agencies, boards and commissions, officers, agents, servants and employees, including volunteers, harmless against any and all claims, demands, suits, costs, liabilities or judgments for sums of money, and fines or penalties asserted by any party, firm or organization for loss of life or injury or damages to person or property, growing out of, resulting from, or by reason of any negligent acts, errors, and/or omissions by proposer, its agents, servants or employees, while engaged upon or in connection with the services required to be performed by proposer under this RFP.

Further, proposer shall agree to indemnify the Parish of Jefferson, its departments, agencies, boards and commissions, officers, agents, servants and employees, including volunteers for all reasonable expenses and attorney's fees incurred by or imposed in connection therewith for any loss, damage, injury or other casualty pursuant to this RFP. Proposer additionally shall agree to pay all reasonable expenses and attorney's fees incurred by the Parish of Jefferson, its departments, agencies, boards and commissions, officers, agents, servants and employees, including volunteers in establishing the right to indemnity pursuant to the provisions stated herein.

1.34 Payment for Services

The proposer shall address and send the invoice to the **General Services Department- Security Division** pursuant to the payment terms negotiated in the agreement. Payments will be made by the **General Services Department- Security Division** no earlier than thirty (30) days after receipt of a properly executed invoice, and approval by the **General Services Department- Security Division.** Invoices shall include the contract and order number, using department and product purchased. Invoices submitted without the referenced documentation will not be approved for payment until the required information is provided.

With each invoice submitted, the person or firm holding said non-bid contract shall acknowledge that no subcontractors or other persons have been added to the contract without prior Council approval by resolution. Failure to comply with this section shall result in penalties imposed upon the person or firm under contract as set forth in section 2-935.1 for professional service providers.

Successful proposers submitting payment requests for services in connection with pre-placed emergency contracts, as defined by Section 2-917 of the Jefferson Parish Code of Ordinances shall provide a list of all sub-contractors used in the performance of the pre-placed emergency contracts prior to payment on the contract.

THIS SECTION INTENTIONALLY LEFT BLANK

1.35 Termination

The proposer affirmatively acknowledges and agrees that the terms of any ensuing agreement shall be binding upon the parties hereto until the work has been completed and accepted by the Parish; but said agreement may be terminated under any or all of the following conditions:

A. By mutual agreement and consent of the parties hereto.

B. By the Parish as a consequence of the failure of successful proposer(s) to comply with the terms or quality of work in a satisfactory manner, proper allowance being made for circumstances beyond the control of successful proposer(s) provided the Parish will give successful proposer(s) written notice of any such failure and ten (10) days (or more if authorized in writing by the manager) to cure any such failure.

C. By either party upon failure of the other party to fulfill its obligation as set forth in the Agreement.

D. By the Parish for convenience by issuing successful proposer(s) thirty (30) days written notice.

The continuance of this contract is contingent upon the appropriation of funds to fulfill the requirements of the contract by the Council. If the Council fails to appropriate sufficient monies to provide for the continuation of the contract, or if such appropriation is reduced by the veto of the Parish President to prevent the total appropriation for the year from exceeding revenues for that year, or for any other lawful purpose, and the effect of such reduction is to provide insufficient monies for the continuation of the contract, the contract shall terminate on the date of the beginning of the first fiscal year for which funds are not appropriated.

1.36 Assignment

The proposer affirmatively acknowledges and agrees that any ensuing agreement shall be binding upon the successors and assigns for the parties hereto. The ensuing agreement being for the personal services of the successful proposer(s) shall not be assigned or subcontracted in whole or in part by said successful proposer(s) as to the services to be performed hereunder without the written consent of the Parish, in the Parish's sole discretion.

1.37 EEOC and ADA Compliance

The proposer agrees to abide by the requirements of the following as applicable: Title VI and VII of the Civil Rights Act of 1964, as amended by the Equal Opportunity Act of 1972, Federal Executive Order 11246, the Federal Rehabilitation Act of 1973, as amended, the Vietnam Era Veteran's Readjustment Assistant Act of 1974, Title IX of the Education Amendments of 1972, the Age Discrimination in Employment Act of 1972, and the Contracting Party agrees to abide by the requirements of the American with Disabilities Act of 1990.

The proposer shall keep informed of and comply with all federal, state and local laws, ordinances and regulations which affect his employees or prospective employees.

Any act of discrimination committed by the proposer, or failure to comply with these statutory obligations, when applicable, shall be grounds for termination of this contract.

1.38 Audit of Records

Proposer(s) affirmatively acknowledges and agrees that pursuant to any ensuring contract, successful proposer shall maintain adequate books of account with respect to its services, in accordance with generally accepted accounting principles (GAAP) in a form and method acceptable to the Parish. Successful proposer(s) shall permit Parish and Parish's agents from time-to-time within forty-eight (48) hours written notice, to inspect, copy and audit during successful proposer(s) normal business office hours, the books and records pertaining to the services provided under this Agreement. Parish's right to audit, inspect, and make copies of FIRM's records shall be at the sole expense of Parish.

Periodic and/or Annual Reports. At any time, the Parish may request that the successful proposer(s) with the minimum of thirty (30) days written notice, prepare and/or produce a report of the results of operations, as it pertains to any ensuring agreement, in the previous fiscal year prepared in accordance with generally accepted accounting principles (GAAP). The report must be prepared and certified by an independent certified public accounting firm. (For purposes of said agreement, each "fiscal year" begins on January 1 and ends on December 31 of the same year.)

1.39 Record Retention

The proposer shall maintain all records in relation to this proposed agreement at its location for a period of at least three (3) years upon expiration or earlier termination of the contract or for a period stipulated by the governing State and Federal regulations, whichever is longer.

1.40 Record Ownership

The proposer acknowledges and agrees that all records, reports, documents, or other material(s) developed or resulting from this RFP shall be the sole property of the Parish of Jefferson, and shall be returned to the Parish by proposer upon request at expiration or earlier termination of this agreement.

1.41 Content of Contract/Order of Precedence

In the event of a conflict among documents, the order of precedence which shall govern is as follows: 1) the final contract; and, 2) the Request for Proposal (RFP) and addenda (if any); and, 3) the proposer's proposal; and, 4) Resolution No. 113646 and any amendments thereto.

1.42 Contract Changes

Upon negotiation of a bona-fide agreement between the parties, no additional changes, amendments, or modifications may be completed without the prior ratification of the Council.

1.43 Substitution of Personnel

In conformity with Section 1.6, substitution of personnel shall be ratified by the Council. In addition to the foregoing, if during the term of the contract, the proposer cannot provide the personnel or subcontractor as stated in its submission, proposer shall submit a written request for substitution supported by resume of qualifications and written certification that said substitution shall meet or exceed the requirements stated herein. Said substitution shall be at the Parish's sole discretion.

1.44 Force Majeure

The proposer or Parish of Jefferson shall be exempted from performance under the terms and conditions of the negotiated agreement if the proposer or Parish is prevented from performing any services in whole or in part as a result of any act of God, strike, war, civil disturbance, epidemic or court order; provided the proposer or Parish of Jefferson has prudently and promptly acted to undertake any and all corrective steps that the respective parties can perform. Subject to this provision, such nonperformance shall not be construed as considered cause or grounds for early termination of this agreement.

1.45 Governing Law

All activities associated with this RFP process shall be interpreted under the laws of the State of Louisiana All proposal submissions shall be governed in accordance with provisions of Louisiana State laws and Jefferson Parish Code of Ordinances; standard terms and conditions; Resolution No. 113646.

1.46 Claims or Controversies

Proposer, as evidenced by his signature, agrees that the agreement shall be made in accordance with the laws of the State of Louisiana. The proposer hereby agrees to the exclusive jurisdiction and venue of the 24th Judicial District Court for the Parish of Jefferson, State of Louisiana.

PART II SCOPE OF WORK/SERVICES

2.1 Scope of Work/Services

The qualified proposer shall provide the following services:

- Provide new equipment for card access, Identification Management, and CCTV on an as needed basis to upgrade existing parish wide security systems. This new equipment shall operate with the current Jefferson Parish systems. This equipment is for new projects and will be paid for separately from the annual maintenance on an as needed basis.
- Provide replacement equipment as needed to replace existing equipment which may become non-operational on an existing Frontier Security System-Frontier R4.5 Access Control Hardware/Software (ACHS) and an Identification Management System Security System consisting of, but not limited to, Access Control Hardware/Software (ACHS), card swipe with and without PIN code access, audio and/or visual equipment, recorders, etc. for a complete video management system, computer equipment (hardware and software) and an Identification Management System including printers, cameras, access cards, and all associated primary and peripheral equipment needed to provide a full security system. An equal system to the existing system will be allowed as per the vendor's proposal. If the successful vendor proposes an equal and this proposal is accepted, it will be the responsibility of the vendor to replace all current equipment in order for the Security/ID Management Operations to remain the same or better than the existing system. This work will be part of the annual maintenance cost.
- Provide required maintenance of an existing Frontier Security System-Frontier R4.5 Access Control Hardware/Software (ACHS) and an Identification Management System Security System consisting of, but not limited to, Access Control Hardware/Software (ACHS), card swipe with and without code access, audio and/or visual equipment, recorders, etc. for a complete video management system computer equipment (hardware and software) and an Identification Management System including printers, cameras, access cards, and all associated primary and peripheral equipment needed to provide a full security system. An equal system to the existing system will be allowed as per the vendor's proposal. If the successful vendor proposes an equal and this proposal is accepted, it will be the responsibility of the vendor to replace all current equipment in order for the Security/ID Management Operations to remain the same or better than the existing system. This work will be part of the annual maintenance cost.
- Provide security consulting service on all updates and Provide annual software support and maintenance. This work will be part of the annual maintenance cost.
- Provide training/operator support services. This work will be part of the annual maintenance cost.
- Provide labor for a minimum of 100 hours for on-site end user assistance.

- Provide drawings of all facilities with card access and/or video system to indicate the location of the existing and newly installed security devices.
- Proposer should read and understand the circumstances and procedures under which this request is written. Proposer's response to the request for proposal signifies acceptance of the obligations and rights specified herein.

Warranties: The vendor shall provide a complete inventory of equipment installed, including description, manufacturer, model, and serial number, and submit any manufacturer's warranty or registration forms. If the manufacturer's warranty is longer than one year; such warranty shall be provided to the owner.

The vendor shall warrant all equipment to be free of defects in materials and workmanship for one year from the date of substantial completion of the project. For any failures within the warranty period, provide answers to service calls and requests for information within a 24-hour period and repair or replace any faulty item within a 23-hour period without charge, including parts and labor.

All existing equipment shall be maintained, repaired or replaced under this contract at no additional cost to Jefferson Parish.

All new equipment, software, hardware, etc. installed during this contract will be part of the "maintain, repair or replacement" agreement.

References: The following are standards, tests, and recommended methods that applies to this work.

Published standards, tests or recommended methods that apply to the work where sited below:

a) National Electrical Code (NEC)
b) National Electrical Manufacturer's Association (NEMA)
c) American National Safety Institute (ANSI)
d) Underwriter's Laboratory (UL)
e) Electronics Industries Association (EIA)
f) Occupational Safety and Health Administration (OSHA)
g) Society of Motion Picture and Television Engineers (SMPTE)
h) Society of Cable Telecommunications Engineers (SCTE)
i) Building Industry Consulting Service International (BICSI)
j) Audio System Design and Installation (ASDI)

PRODUCTS

Existing access control system to be maintained is a Frontier Security System-Frontier R4.5.

Existing video platforms are IP based.

Vendor shall supply and install Frontier Security System-Frontier R4.5access control software support and current version software release(s) to keep the existing system up to date with latest software updates.

Vendor shall support and maintain all existing parish owned video management software, recording/playback hardware, camera licenses, and cameras which are part of the parish security platform.

All future video management software must be 100% compatible with existing Frontier Security System-Frontier R4.5 access control software and database to provide 100% seamless operation of both systems from a single software platform on a single Client PC Workstation and have the capability of multiple simultaneous system access from a minimum of seven client PC workstations.

The future Video Management platform shall provide the following capabilities at a minimum:

GENERAL

The VMS shall be based on a true open architecture that shall allow for use of non-proprietary workstation and server hardware, non-proprietary network infrastructure and non-proprietary storage.

The VMS shall offer a complete and scalable video surveillance solution which allows cameras to be added on a unit-by-unit basis.

The VMS shall interface with analog-to-digital video encoders and IP cameras and with and digital-to-analog video decoders, hereafter referred to as digital video servers (DVS). The VMS shall support DVS from various manufacturers.

All video streams supplied from analog cameras or IP cameras shall be digitally encoded in MPEG-4, MPEG-2, MJPEG, H.264, Wavelet or JPEG2000 compression formats and recorded simultaneously in real time.

The VMS shall support the following industry standards to interface to IP-based physical security products: ONVIF

Each camera's bit rate, frame rate and resolution will be set independently from other cameras in the system, and altering these settings will not affect the recording and display settings of other cameras.

Whenever multiple video streams are available from the same camera, users shall be free to use any one of them based on their assigned usage. The standard video stream usages are: Live, Recording, Remote, Low resolution, High resolution

ARCHIVING

The Archiver (role) shall use an event and timestamp database for advanced search of audio/video archives. This database shall be a Microsoft SQL 2012 or Microsoft SQL 2014.

The Archiver shall protect archived audio/video files and the system database against network access and non-administrative user access.

The Archiver shall digitally sign recorded video using 248-bit RSA public/private key cryptography.

The Archiver shall allow the video quality to vary according to predefined schedules. Such schedules shall have the same configuration flexibility as the recording schedules mentioned earlier. The video quality shall be based on, but not limited to, the following parameters: Maximum bit rate, Maximum frame rate, Image quality, Key frame interval, etc.

The Archiver shall have the ability to dynamically boost the quality of the "recording stream" (see previous bullet) based on specific events:
When recording is started manually by a user
When recording is triggered by a macro, an alarm or detected motion

The Archiver shall have the capacity to communicate with DVS using 128 bits SSL encryption.

The Archiver shall have the capacity to communicate with DVS using HTTPS secure protocol.

The Archiver shall have the capacity to receive multicast UDP streams directly from the DVS.

For network topologies that restrict the DVS from sending multicast UDP streams, the Archiver shall redirect audio/video streams to active viewing clients on the network using multicast UDP.

The Archiver shall have the capacity to redirect audio/video stream to active viewing clients on the network using unicast UDP or TCP.

The Archiver shall empower the administrator with a full range of disk management options:

The Archiver shall support DVS with edge recording capabilities and offer the following capacity: The ability to playback at different speeds the video recorded on the DVS.

The ability to offload (video trickling) on schedule, on event or manually the video recorded on the DVS to store it on the Archiver.

The Frontier Security System-Frontier R4.5 is an access control plugin that allows Frontier Security System-Frontier R4.5 access control system to be seamlessly integrated to the VMS. The Frontier Security System-Frontier R4.5 plugin shall enable the parish's System Operators to do the following:

- Create links between Frontier Security System-Frontier R4.5 -controlled devices door and input points, and the cameras monitoring them in the VMS.
- View live and playback video associated Frontier Security System-Frontier R4.5 access control event.
- Receive forwarded alarms as VMS alarms.
- Alarms acknowledged that can be automatically acknowledged in VMS
- Acknowledge alarms from VMS
- Search for access control event history by: Device ID, Panel Name, Device Name, Entered Area Name, Exited Area Name, Card Number, Cardholder, Security Center Event Text, Panel ID, Security Center Event ID, VMS Event ID, Event Text, and Exited Area ID

The qualified organization shall provide a security system as per the specifications attached hereto as "Attachment B - Part 1 Equipment List", or an equal product.

The qualified organization will provide maintenance, hardware, software, equipment, materials, supplies, and labor as provided in the detailed specifications identified in "Attachment B - Part 2 Maintenance Proposal and Contractors Specifications" in accordance with State and Parish codes whether stated or implied.

2.2 Period of Agreement

The term of any contract shall be for three (3) years commencing on date of execution and shall expire on the anniversary thereafter.

If the scope of work as described in Section 2.1 of this RFP pertains to an emergency pre-placed contract, as defined in Section 2-917 of the Jefferson Parish Code of Ordinances, and if Jefferson Parish has not entered into a new contract for the same scope of work prior to May 1st of the year in which this agreement is set to expire, then this contract shall be automatically extended until the end of the calendar year of the same year that this contract is set to expire.

2.3 Cost Proposal (Price Schedule)

Cost proposals must be submitted in separate sealed envelopes which will remain sealed until such time after the evaluation committee makes its evaluation of the proposals on all factors and criteria state in the RFP. The cost proposals shall not be included in the evaluation criteria.

Cost shall be worth twenty-five percent (25%) of the total points assigned. Evaluation of cost shall take place after technical evaluation has been completed.

Pricing must be submitted on the Cost Proposal (Price Schedule) furnished in Attachment "C". All proposed pricing shall be inclusive of all additional costs and expenses, including shipment. Prices submitted shall remain firm for the term of the contract, unless otherwise negotiated.

2.4 Deliverables

The deliverables listed in this section are the minimum desired from the successful Proposer. Every proposer should describe what deliverables will be provided per their proposal, and how the proposed deliverables will be provided.

2.5 Location

The locations where service is to be performed are Parish wide. See Attachment "D" for existing facilities; however is not limited to the listed facilities as additional facilities may require work during this contract.

2.6 Financial Profile

Firms are requested to submit documentation from the past 3 years demonstrating firm's financial stability. Documentation may include audited financial statements including balance sheets, income statements, documentation regarding retained earnings, assets, liabilities, etc.

Proposer must include information demonstrating the proposer's financial stability and ability to obtain and maintain bonding and insurance requirements in order to be eligible to be assigned a higher score. Proposals which lack the description of the company's financial status or the required certification of bonding and insurance requirements may be assigned a lower score

2.7 Proposal Elements

2.7 (A) Technical

Each proposer shall address how the firm will achieve/meet the scope of work as stated in Section 2.1. Technical approach shall detail the following:

Proposer must provide detailed proposals and each item must be addressed. Exceptions or substitutions to any of the requirements or specifications must be detailed on a separate sheet

of paper entitled "Exception Listing" indicating which specification is accepted and the scope of the exception or substitution.

Plans and/or schedule of implementation, orientation, and/or installation, etc. (whichever is relevant to the RFP requirements).

Plans for necessary training, where applicable.

Information demonstrating an affirmative statement shall be required that the proposer has reviewed the scope of work, understands the nature thereof and is willing and capable of providing the services thereof

Proposer shall likewise include any information concerning any innovative concepts pursuant to this RFP and terms and conditions that the proposer desires consideration by the Parish.

2.7(B) Qualifications and Experience

Proposers shall provide a detailed statement of related services to government entities or private entities which identifies customer satisfaction, demonstrated volume of merchants, etc. Proposer must provide a detailed description of customer service capabilities, including resumes of personnel assigned, total number of personnel and timeline of customer inquiries and complaints, as applicable.

Resumes for account manager(s), designated customer service representative(s) and any and all key personnel anticipated to be assigned to this project. Resumes of any and all subcontractors shall likewise be included.

THIS SECTION INTENTIONALLY LEFT BLANK

PART III EVALUATION

3.1 Evaluation Criteria

The proposed evaluation criteria shall be looked upon as standards which measure how well a proposer's approach meets desired performance requirements, and which permit an evaluation of the differences between desired performance characteristics and what the proposer proposes to do.

The proposed evaluation criteria shall measure how well a proposer's approach meets desired minimum performance standards defined in the RFP, and shall allow for the quantification of the differences between those stated minimum standards and what the proposer intends to do. In accordance with Section 2-895 of the Code of Ordinances for Jefferson Parish a scoring system must be devised and impartially applied to each proposal to assure objectivity and thoroughness in comparative analysis.

Cost shall be worth twenty-five percent (25%) of the total points assigned. Evaluation of cost shall take place after technical evaluation has been completed.

1) TECHNICAL PROPOSAL (Maximum of 75 Points)

"The following criteria shall measure the qualifications, technical capabilities and core competency of the proposers and their submissions:"

A. Scope of Services	10
B. Product Quality	10
C. Project Schedule	10
E. Specific Experience – similar or larger scope of services currently being provided	15
F. Personnel- experience of management staff, experience in similar projects, etc.	10
G. Audiovisual Services Capabilities – amount of available full-time, part-time or temporary employees, etc.	10
D. Responsiveness to the RFP	5
H. Financial Profile of Company	5

2) COST PROPOSAL

The proposer with the lowest cost shall receive the highest cost evaluation score. Other proposers will receive a cost score computed as follows:

CS = (LPC/PC*X)

Where: CS = Computed cost score for Proposer

LPC = Lowest proposed cost of all Proposers

PC = Proposer's cost

X = 25% of the total number of points assigned Maximum # of Points 25

TOTAL MAXIMUM POINTS FOR THIS RFP 100

PART IV. PERFORMANCE STANDARDS

4.1 Performance Requirements

- Proposer's shall provide monthly reports indicating the following:
  - All callouts with time and date received.
  - Date, time and name of all technician visits to Jefferson Parish facilitate.
  - Repair, maintenance, etc. performed.
- Proposer's submission of accurate and itemized invoices.
- Proposer's adherence to timely response to callouts.
- Proposer's ability to provide key personnel with knowledge and technical expertise.

4.2 Performance Measurement/Evaluation

- Timely repairs of all existing equipment.
- Timely installation of new equipment.
- Timely response to Parish correspondence.
- Were complaints/problems resolved in a reasonable and cooperative manner?
- Was the proposer reasonable and responsive to Parish needs?
- Was the final product usable for the purpose intended?
- Were changes in key personnel made? How often? With or without notice?

ATTACHMENT "A"

INSURANCE REQUIREMENTS

All insurance requirements shall conform to Jefferson Parish Resolution No. 113646 dated 12/09/2009.

The proposer shall not commence work under this contract until it has obtained all insurance and complied with the insurance requirements of the specifications and Resolution No. 113646.

WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be $1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than $500,000 per occurrence.

COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: $1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability $1,000,000.00 each person; $1,000,000.00 each occurrence. Property Damage Liability $1,000,000.00 each occurrence.

DEDUCTIBLES

No insurance required shall include a deductible greater than $10,000.00. The cost of the deductible is borne by the proposer.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

ATTACHMENT "B"- PART 1

BOSCH	DESCRIPTION	UNIT PRICING WITH INSTALLATION
D7212GV3	8 TO 40 POINT CONTROL COMMUNICATOR WITH ENHANCED PERFORMANCE AND FEATURES - NO ENCLOSURE	
D7212GV3K1	D7212GV3 WITH TRANSFORMER, D1255 KEYPAD, D8103 ENCLOSURE, LOCK AND KEY AND 2 DS835I MOTION DETECTORS	
D7212GV3K1W	D7212GV3 WITH TRANSFORMER, D1255W KEYPAD, D8103 ENCLOSURE, LOCK AND KEY AND 2 DS835I MOTION DETECTORS	
D7212GV3K6	D7212GV3 WITH TRANSFORMER, D1260 ATM STYLE KEYPAD, DX4020 NETWORK INTERFACE, D8103 ENCLOSURE LOCK AND KEY	
D7212GV3K7	D7212GV3 WITH TRANSFORMER, D1255 KEYPAD, D8103 ENCLOSURE, LOCK AND KEY, D8128D OCTOPOPIT MODULE AND 1 DS835I MOTION DETECTOR	
D7412GV3	8 TO 75 POINT CONTROL COMMUNICATOR WITH ENHANCED PERFORMANCE AND FEATURES FOR INTRUSION, FIRE AND ACCESS - NO ENCLOSURE	
D7412GV3-A	D7412GV3 WITH TRANSFORMER, D8108A ATTACK RESISTANT ENCLOSURE, LOCK AND KEY	
D7412GV3-C	D7412GV3 WITH TRANSFORMER, D8103 STANDARD ENCLOSURE, LOCK AND KEY	
D7412GV3-D	D7412GV3 WITH TRANSFORMER, D6103 SMALL ENCLOSURE, LOCK AND KEY	
D9412GV3	8 TO 246 POINT CONTROL COMMUNICATOR WITH ENHANCED PERFORMANCE AND FEATURES FOR INTRUSION, FIRE AND ACCESS - NO ENCLOSURE	
D9412GV3-A	D9412GV3 WITH TRANSFORMER, D8108A ATTACK RESISTANT ENCLOSURE, LOCK AND KEY	
D9412GV3-C	D9412GV3 WITH TRANSFORMER, D8103 STANDARD ENCLOSURE, LOCK AND KEY	
D7212GV2	8 TO 40 POINT CONTROL COMMUNICATOR WITH ENHANCED USER INTERFACE FEATURES - NO ENCLOSURE	
D7212GV2-CA	D7212GV2 FOR CANADA	
D7212GV2K1	D7212GV2 WITH TRANSFORMER, D1255 KEYPAD, D8103 ENCLOSURE, LOCK AND KEY AND 2 DS835I MOTION DETECTORS	
D7212GV2K1TDPL	D7212GV2 PACKAGE, KIT1, TDPL	
D7212GV2K1W	D7212GV2 WITH TRANSFORMER, D1255W KEYPAD, D8103 ENCLOSURE, LOCK AND KEY AND 2 DS835I MOTION DETECTORS	
D7212GV2K2	D7212GV2 WITH TRANSFORMER, D1260 KEYPAD, D8103 ENCLOSURE, LOCK AND KEY AND 2 DS835I MOTION DETECTORS	

ATTACHMENT "B"- PART 1

D7212GV2K3	D7212GV2 WITH TRANSFORMER, D1255 KEYPAD, D8103 ENCLOSURE, LOCK AND KEY, D8125 EXPANSION MODULE AND 10 D9127U POPITS	
D7212GV2K3W	D7212GV2 WITH TRANSFORMER, D1255W KEYPAD, D8103 ENCLOSURE, LOCK AND KEY, D8125 EXPANSION MODULE AND 10 D9127U POPITS	
D7212GV2K4	D7212GV2 WITH TRANSFORMER, D1260 KEYPAD, D8103 ENCLOSURE, LOCK AND KEY, D8125 EXPANSION MODULE AND 10 D9127U POPITS	
D7212GV2K5	D7212GV2 WITH TRANSFORMER, D1255 KEYPAD, DX4020 NETWORK INTERFACE, D8103 ENCLOSURE LOCK AND KEY	
D7212GV2K5W	D7212GV2 KIT 5 W/WHITE KP	
D7212GV2K6	D7212GV2 WITH TRANSFORMER, D1260 ATM STYLE KEYPAD, DX4020 NETWORK INTERFACE, D8103 ENCLOSURE LOCK AND KEY	
D7212GV2K7	D7212GV2 WITH TRANSFORMER, D1255 KEYPAD, D8103 ENCLOSURE, LOCK AND KEY, D8128D OCTOPOPIT MODULE AND 1 DS835I MOTION DETECTOR	
D7212GV2K8	D7212GV2 WITH TRANSFORMER, D1260 KEYPAD, D8103 ENCLOSURE, LOCK AND KEY, D8128D OCTOPOPIT MODULE AND 1 DS835I MOTION DETECTOR	
D7412GV2	8 TO 75 POINT CONTROL COMMUNICATOR WITH ENHANCED USER INTERFACE FEATURES FOR INTRUSION, FIRE AND ACCESS - NO ENCLOSURE	
D7412GV2-A	D7412GV2 WITH TRANSFORMER, D8108A ATTACK RESISTANT ENCLOSURE, LOCK AND KEY	
D7412GV2-B	D74212GV2 FIRE PACKAGE. INCLUDES D7412GV2, TRANSFORMER, D8109 FIRE ENCLOSURE, D928 DUAL PHONE LINE SWITCHER, 2 D161 PHONE CORDS, AND D122 DUAL BATTERY HARNESS	
D7412GV2-C	D7412GV2 WITH TRANSFORMER, D8103 STANDARD ENCLOSURE, LOCK AND KEY	
D7412GV2-CA	D7412GV2 FOR CANADA	
D7412GV2-D	D7412GV2 WITH TRANSFORMER, D6103 SMALL ENCLOSURE, LOCK AND KEY	
D9412GV2	8 TO 246 POINT CONTROL COMMUNICATOR WITH ENHANCED USER INTERFACE FEATURES FOR INTRUSION, FIRE AND ACCESS - NO ENCLOSURE	
D9412GV2-A	D9412GV2 WITH TRANSFORMER, D8108A ATTACK RESISTANT ENCLOSURE, LOCK AND KEY	

ATTACHMENT "B"- PART 1

D9412GV2-B	D94212GV2 FIRE PACKAGE. INCLUDES D9412GV2, TRANSFORMER, D8109 FIRE ENCLOSURE, D928 DUAL PHONE LINE SWITCHER, 2 D161 PHONE CORDS, AND D122 DUAL BATTERY HARNESS	
D9412GV2-C	D9412GV2 WITH TRANSFORMER, D8103 STANDARD ENCLOSURE, LOCK AND KEY	
D9412GV2-CA	D9412GV2 FOR CANADA	
D1255	ALPHA NUMERIC COMMAND CENTER WITH VACUUM FLUORESCENT DISPLAY - OFF-WHITE ENCLOSURE	
D1255B	ALPHA NUMERIC COMMAND CENTER WITH VACUUM FLUORESCENT DISPLAY - GRAY AND WHITE ENCLOSURE	
D1255RB	FULL FUNCTION FIRE KEYPAD WITH VACUUM FLORESCENT DISPLAY	
D1255-USA	D1255 FOR GOVT APPLICATIONS	
D1255W	ALPHA NUMERIC COMMAND CENTER WITH VACUUM FLUORESCENT DISPLAY - WHITE ENCLOSURE	
D1256RB	FIRE ANNUNCIATOR/KEYPAD WITH VACUUM FLORESCENT DISPLAY	
D1257RB	TWO BUTTON FIRE ANNUNCIATOR WITH VACUUM FLORESCENT DISPLAY	
D1260	ATM STYLE ALPHA COMMAND CENTER WITH LCD DISPLAY - OFF-WHITE ENCLOSURE	
D1260B	ATM STYLE ALPHA COMMAND CENTER WITH LCD DISPLAY - GREY AND WHITE ENCLOSURE	
D1260BLK	ATM STYLE ALPHA COMMAND CENTER WITH LCD DISPLAY - BLACK ENCLOSURE	
D1260R	ATM STYLE ALPHA COMMAND CENTER WITH LCD DISPLAY - RED ENCLOSURE	
D1260W	ATM STYLE ALPHA COMMAND CENTER WITH LCD DISPLAY - WHITE ENCLOSURE	
D1265	G SERIES TOUCH SCREEN KEYPAD	
D720	LED COMMAND CENTER - OFF-WHITE ENCLOSURE	
D720B	LED COMMAND CENTER - GRAY AND WHITE ENCLOSURE	
D720W	LED COMMAND CENTER - WHITE ENCLOSURE	
D54B	FLUSH MOUNT KIT FOR D1255 STYLE COMMAND CENTER - BRASS	
D54B-1260	FLUSH MOUNT KIT FOR D1260 STYLE COMMAND CENTER - BRASS	
D54C	FLUSH MOUNT KIT FOR D1255 STYLE COMMAND CENTER - STAINLESS STEEL	
D54C-1260	FLUSH MOUNT KIT FOR D1260 STYLE COMMAND CENTER - STAINLESS STEEL	
D55	DESK TOP STAND FOR COMMAND CENTERS	
D56	CONDUIT BX COMMAND CENTER OFF-WHITE	
D56R	CONDUIT BOX FOR COMMAND CENTERS - RED	

ATTACHMENT "B"- PART 1

D57	SINGLE GANG SURFACE BOX	
D9210B	26-BIT WIEGAND READER INTERFACE IN METAL ENCLOSURE	
D9210BLC	26-BIT WIEGAND READER INTERFACE WITHOUT ENCLOSURE	
ACA-IC2K26-10	2K, 26-BIT iCLASS ADHESIVE TAG - 10Pk	
ACD-IC16K26-50	16K, 26-BIT iCLASS CARD - 50PK	
ACD-IC16KP26-50	16K, 26-BIT DUAL TECH iCLASS CARD (COMBINATION PROXIMITY AND SMART CARD TECHNOLOGY) - 50PK	
D8230-25	MAGSTRIPE CARDS 26-BIT (NON-PHOTO)- 25PK	
D8231-10	WIEGAND SWIPE CARDS 26-BIT - 10PK	
D8235A-10	PROX CARDS NON-PHOTO (USED WITH D8225D/R) - 10PK	
D8236-10	HID PROX CARDS, 26-BIT - 10PK	
ACT-IC16K26-10	16K, 26-BIT iCLASS KEYFOB - 10PK	
ACT-IC2K26-10	2K, 26-BIT iCLASS KEYFOB - 10PK	
D8236KF-10	HID PROX KEYFOB, 26BIT - 10PK	
ACA-IC16K26-10	16K, 26-BIT iCLASS ADHESIVE TAG - 10PK	
ACA-IC2K26-10	2K, 26-BIT iCLASS ADHESIVE TAG - 10Pk	
D8236TG-10	HID PROX ADHESIVE TAG, 26BIT - 10PK	
ARD-R10	ICLASS MULLION READER	
ARD-R40	ICLASS SWITCH PLATE READER	
D8223	HID PROX PRO READER	
D8224	HID MULLION PROXIMITY READER	
D8224-SP	HID SWITCH PLATE PROXIMITY READER	
D8225	HID MINI MULLION PROXIMITY READER	
D8229	ACCESS KEYPAD (26-BIT WIEGAND OUTPUT)	
D4412	8 TO 24 POINT CONTROL/COMMUNICATOR - INCLUDES ENCLOSURE AND TRANSFORMER	
D4412-BLUEKITA	D4412 WITH D623B LCD COMMAND CENTER, D116 SIREN, D160 CORD, D166 JACK AND ISM-BLD1-P-F1 MOTION DETECTOR	
D4412-BLUEKITB	D4412 WITH D621B LED COMMAND CENTER, D116 SIREN, D160 CORD, D166 JACK AND ISM-BLD1-P-F1 MOTION DETECTOR	
D4412-BLUEKITC	D4412 WITH D623B LCD COMMAND CENTER, D116 SIREN, D160 CORD, D166 JACK AND 2 ISM-BLP1-P MOTION DETECTORS	
D4412-BLUEKITD	D4412 WITH D621B LED COMMAND CENTER, D116 SIREN, D160 CORD, D166 JACK AND 2 ISM-BLP1-P MOTION DETECTORS	
D4412C621	D4412 WITH D621 (OFF-WHITE) LED COMMAND CENTER	
D4412C621W	D4412 WITH D621W (WHITE) LED COMMAND CENTER	
D4412C623	D4412 WITH D623 (OFF-WHITE) LCD COMMAND CENTER	
D4412C623W	D4412 WITH D623W (WHITE) LCD COMMAND CENTER	
D4412C625	D4412 WITH D625 (OFF-WHITE) VACUUM FLUORESCENT COMMAND CENTER	
D4412LC	D4412 CIRCUIT BOARD ONLY	
4412APACK	D4412/D623 SYSTEM KIT INCLUDES CONTROL PANEL, D623 LCD KEYPAD, DS835I TRITECH, SIREN, PHONE CORD AND PHONE JACK	

ATTACHMENT "B"- PART 1

4412AWPACK	D4412/D623W SYSTEM KIT INCLUDES CONTROL PANEL, D623W LCD KEYPAD, DS835I TRITECH, SIREN, PHONE CORD AND PHONE JACK	
4412BPACK	D4412/D621 SYSTEM KIT INCLUDES CONTROL PANEL, D621 LED KEYPAD, DS835I TRITECH, SIREN, PHONE CORD AND PHONE JACK	
4412BWPACK	D4412/D621W SYSTEM KIT INCLUDES CONTROL PANEL, D621W LED KEYPAD, DS835I TRITECH, SIREN, PHONE CORD AND PHONE JACK	
D6412	8 TO 40 POINT CONTROL/COMMUNICATOR - INCLUDES ENCLOSURE AND TRANSFORMER	
D6412C621	D6412 WITH D621 (OFF-WHITE) LED COMMAND CENTER	
D6412C621W	D6412 WITH D621W (WHITE) LED COMMAND CENTER	
D6412C623	D6412 WITH D623 (OFF-WHITE) LCD COMMAND CENTER	
D6412C623W	D6412 WITH D623W (WHITE) LCD COMMAND CENTER	
D6412C625	D6412 WITH D625 (OFF-WHITE) VACUUM FLUORESCENT COMMAND CENTER	
D6412C625W	D6412 WITH D625W (WHITE) VACUUM FLUORESCENT COMMAND CENTER	
D6412LC	D6412 BOARD ONLY	
D6412M	D6412 BOARD AND MOUNTING SKIRT	
D621	LED COMMAND CENTER 16 POINTS - OFF WHITE ENCLOSURE	
D621B	LED COMMAND CENTER 16 POINTS - GRAY AND WHITE ENCLOSURE	
D621W	LED COMMAND CENTER 16 POINTS - WHITE ENCLOSURE	
D623	ALPHA NUMERIC COMMAND CENTER WITH LCD DISPLAY - OFF WHITE ENCLOSURE	
D623B	ALPHA NUMERIC COMMAND CENTER WITH LCD DISPLAY - GRAY AND WHITE ENCLOSURE	
D623W	ALPHA NUMERIC COMMAND CENTER WITH LCD DISPLAY - WHITE ENCLOSURE	
D625	ALPHA NUMERIC COMMAND CENTER WITH VACUUM FLUORESCENT DISPLAY - OFF WHITE ENCLOSURE	
D625B	ALPHA NUMERIC COMMAND CENTER WITH VACUUM FLUORESCENT DISPLAY - GRAY AND WHITE ENCLOSURE	
D625W	ALPHA NUMERIC COMMAND CENTER WITH VACUUM FLUORESCENT DISPLAY - WHITE ENCLOSURE	
D2212B	CONTROL 8 ZONE	
D2212BC202A	D2212B W/D202A LED KEYPAD	
D2212BC202AW	D2212B W/D202AW LED KEYPAD	
D2212BC220A	D2212B W/D220A LED KEYPAD	
D2212BC220AW	D2212B W/D220AW LED KEYPAD	
D2212BC222A	D2212B W/D222A LCD KEYPAD	

ATTACHMENT "B"- PART 1

D2212BC222AW	D2212B D222AW LCD KEYPAD	
D2212BC223A	D2212B W/D223A LCD KEYPAD	
D2212BC223AW	D2212B W/D223AW LCD KEYPAD	
D2212BE	CONT/COMM 8 ZN, ENCL, XFMR D2212BE	
D2212BEC202A	D2212BE W/D202A LED KEYPAD	
D2212BEC202AW	D2212BE W/D202AW LED KEYPAD	
D2212BEC220A	D2212BE W/D220A LED KEYPAD	
D2212BEC220AW	D2212BE W/D220AW LED KEYPAD	
D2212BEC223A	D2212BE W/D223A LCD KEYPAD	
D2212BEC223AW	D22I2BE W/D223AW LCD KEYPAD	
D2212BELC	CONT/COMM LESS ENCL	
D2212BELT	CONT/COMM 8 ZN LESS XFMR	
D2212BLC	CONT/COMM LESS ENCL D2212BLC	
D2212BLT	CONT/COMM 8 ZN LESS XFMR D2212BLT	
D2212BM	D2212BLC USE W/D8103	
D2412UC220A	CONT/COMM W/220A	
D2412UC222A	CONT/COMM W/222A	
D2412UC222AW	CONT/COMM W/222AW	
D2412UC223A	CONT/COMM W/223A	
D2412UC223AW	CONT/COMM W/223AW	
D2412UEC223A	D2412UE W/D223A LCD KEYPAD	
D2412UELT	CONT/COMM 6 ZN LESS XFMR	
D2412ULC	LESS ENCL	
D2412ULT	CONT/COMM, UPLINK LESS XFMR	
D2412UM	D2412ULC USE W/ D8103	
D202A	VERTICAL LED KEYPAD, OFF-WHITE	
D202AW	VERTICAL LED KEYPAD, WHITE	
D208	HARDWIRE EX-8 PTS, W/ENCL	
D208LC	HARDWIRE EX-8 PTS, NO ENCL	
D2203	ENCLOSURE, D2212B, D2412U	
D220A	HORIZONTAL LED KEYPAD, OFF-WHITE	
D220AW	HORIZONTAL LED KEYPAD, WHITE	
D222A	LCD TEXT KEYPAD, W/UPLINK	
D222AW	HORIZONTAL TEXT KEYPAD W/EXP, WHITE	
D223A	D223A LCT TEXT KEYPAD W/ UPLINK	
D223AW	HORIZONTAL TEXT KEYPAD, NO EXP WHITE	
D2402	MTG SKIRT D2012/D8103	
ICP-EZ2AXU-01	EASY SERIES KIT FOR US WITH ENGLISH VOICE MODULE	
ICP-EZM2-LC	EASY SERIES CONTROL PANEL ONLY	
ICP-EZM2-NA	EASY SERIES CONTROL PANEL AND ENCLOSURE	
ICP-EZPK	PROGRAMMING KEY FOR EASY SERIES	
ICP-EZPS	110VAC/240VAC POWER SUPPLY FOR EASY SERIES	
ICP-EZTS	EASY SERIES DUAL (COVER AND WALL) TAMPER SWITCH	
IUI-EZ1	EASY SERIES CONTROL CENTER ("KEYPAD")	

ATTACHMENT "B"- PART 1

IUI-EZT-5	EASY SERIES TOKEN (5 PACK)	
ICP-EZV2-ENF	ENGLISH VOICE MODULE FOR EASY SERIES	
ICP-EZV2-BGF	EZV2 BULGARIAN/CYRILLIC VOICE MODULE	
ICP-EZV2-CSF	EZV2 CZECH VOICE MODULE	
ICP-EZV2-DAF	EZV2 DANISH VOICE MODULE	
ICP-EZV2-DEF	EZV2 GERMAN VOICE MODULE	
ICP-EZV2-ELF	EZV2 GREEK VOICE MODULE	
ICP-EZV2-ENUKF	EZV2 ENGLISH/UK VOICE MODULE	
ICP-EZV2-ESF	EZV2 SPANISH/EU VOICE MODULE	
ICP-EZV2-ESLXF	EZV2 LATIN AMERICAN SPANISH VOICE MODULE	
ICP-EZV2-FIF	EZV2 FINNISH VOICE MODULE	
ICP-EZV2-FRF	EZV2 FRENCH VOICE MODULE	
ICP-EZV2-HRF	EZV2 CROATIAN VOICE MODULE	
ICP-EZV2-HUF	EZV2 HUNGARIAN VOICE MODULE	
ICP-EZV2-ITF	EZV2 ITALIAN VOICE MODULE	
ICP-EZV2-JAF	EZV2 JAPANESE VOICE MODULE	
ICP-EZV2-NLBEF	EZV2 FLEMISH VOICE MODULE	
ICP-EZV2-NLF	EZV2 DUTCH VOICE MODULE	
ICP-EZV2-NOF	EZV2 NORWEGIAN VOICE MODULE	
ICP-EZV2-PLF	EZV2 POLISH VOICE MODULE	
ICP-EZV2-PTBRF	EZV2 LATIN AMERICAN PORTUGUESE VOICE MODULE	
ICP-EZV2-PTF	EZV2 EUROPEAN PORTUGUESE VOICE MODULE	
ICP-EZV2-ROF	EZV2 ROMANIAN VOICE MODULE	
ICP-EZV2-RUF	EZV2 RUSSIAN VOICE MODULE	
ICP-EZV2-SKF	EZV2 SLOVAK VOICE MODULE	
ICP-EZV2-SLF	EZV2 SLOVENIAN VOICE MODULE	
ICP-EZV2-SRF	EZV2 SERBIAN VOICE MODULE	
ICP-EZV2-SVF	EZV2 SWEDISH VOICE MODULE	
ICP-EZV2-TRF	EZV2 TURKISH VOICE MODULE	
ICP-EZV2-ZHF	EZV2 CHINESE/MANDARIN VOICE MODULE	
D1224	BATTERY, 12V 24 AH	
D1238	BATTERY, 12V 38 AH	
D126	BATTERY, 12V 7 AH	
D126-10	BATTERY, 12V, 7 AH 10/PKG	
D118	SPEAKER, 12V 15 WATT	
D119	SPEAKER, 12V 30 WATT	
AL600ULX	6AMP POWER SUPPLY/ BATTERY CHARGER	
D116	SIREN, 12V 15 WATT	
D117	SIREN, 12V 30 WATT	
D2440	WALL TRANSFORMER 24V 40AV	
D279A	INDEPENDENT ZONE CONTROL	
D2803	ENCLOSURE, D2412UE, D2212BE	
D4103	ENCLOSURE D4112	
D5060	MUX POINT PROGRAMMER	

ATTACHMENT "B"- PART 1

D8125	POPEX ZONE EXPANDER FOR G SERIES	
D8125INV	INOVONICS INTERFACE MODULE FOR G SERIES	
D8125MUX	MULTIPLEX ZONE EXPANDER FOR G SERIES	
D8128D	OCTOPOPIT 8 ZONE EXPANDER FOR G SERIES	
D8129	OCTO-RELAY 8 RELAY MODULE FOR G SERIES	
D9127T	POPIT WITH TAMPER SWITCH	
D9127U	POPIT WITH NO TAMPER SWITCH	
D928-CA	D928 Dual Phone line Monitor Canada	
DS7432	8 INPUT MULTIPLEX MODULE	
DS7457I	SINGLE POINT MULTIPLEX MODULE WITH FLYING LEADS	
DS7457IF	SINGLE POINT MULTIPLEX MODULE WITH FLYING LEADS FOR FIRE	
DS7460I	TWO POINT MULTIPLEX MODULE IN ENCLOSURE	
DS7461i	SINGLE POINT MULTIPLEX MODULE IN ENCLOSURE	
DS7465I	INPUT/OUTPUT MULTIPLEX MODULE IN ENCLOSURE	
DX2010	POINT/ZONE EXPANDER FOR D4412/D6412	
DX2011	DX2010 W/D203 ENCLOSURE	
DX2012	DX2010 W/AE20 ENCLOSURE	
DX3010	OCTO OUTPUT MODULE FOR D4412/D6412	
DX3011	DX3010 W/D203 ENCLOSURE	
DX3012	DX3010 W/AE20 ENCLOSURE	
DX4020	E-NET INTERFACE FOR G SERIES	
ICP-SDI-9114	SDI BUS SPLITTER MODULE FOR G SERIES	
MX775I	MUX COMMERCIAL WALL PIR	
MX794I	80' & 200' LONG RANGE MULTIPLEX PIR	
MX934I	MUX RESIDENTIAL WALL PIR	
MX938I	MUX COMMERCIAL CEILING	
ZX776Z	50' ZONEX PIR WITH SUPERVISION	
ZX794Z	PIR MOTION SENSOR 80 FT	
ZX835	35' BY 35' ZONEX PIR/MICROWAVE TRITECH	
ZX935Z	PIR MOTION SENSOR 35FT POPIT	
ZX938Z	PIR MOTION DETECTOR 60FT W/POPIT	
AE1	SMALL GREY UNIVERSAL ENCLOSURE	
AE20	UNIVERSAL PLASTIC ENCLOSURE	
AE3	LARGE GREY UNIVERSAL ENCLOSURE	
C319	POWER SUPPLY CABLE D50060	
C320	MUX PROGRAMMING CABLE FOR D5060	
CTS1-70	ENCLOSURE TAMPER KIT/SWITCH	
CX4010	TRANSFORMER, 18VAC 22VA	
D101	LOCK & KEY SET, STANDARD	
D101X	LOCK & KEY SET, D2803 ENCLOSURES	
D102	KEY FOR D101 LOCK STANDARD	
D110	TAMPER SWITCH, 2/PKG	
D110X	TAMPER SWITCH,D2803 ENCL	
D127	REVERSING RELAY MODULE	

ATTACHMENT "B"- PART 1

D130	RELAY MODULE 5 AMP	
D133	RELAY MODULE, 2 AMP 12VDC	
D134	DUAL RELAY MODULE,2AMP,12VDC	
D135A	LOW BATTERY CUTOFF MODULE	
D136	RELAY (OPTIONAL PLUG-IN)	
D137	MOUNTING BRACKET	
D160	7 FT PHONE CORD, PLUG TO SPADE LUGS	
D161	PHONE CORD-7FT DUAL MODULAR	
D162	PHONE CORD-2FT DUAL MODULAR	
D1625	PLUG-IN TRANFORMER,16VAC,25VA	
D163	PHONE CORD-7FT GROUND START	
D164	PHONE CORD 8COND SML LUG 7F	
D1640	PLUG-IN TRANSFORMER, 16VAC 40VA	
D166	RJ31X PHONE JACK	
D167	EARTH GROUND CLAMP	
D203	ENCLOSURE 3/5 MODULE	
D6103	ENCLOSURE FOR D6112	
D8103	UNIVERSAL ENCLOSURE	
D8103-36	UNIVERSAL ENCLOSURE, 36	
D8108A	ENCLOSURE ATTACK RESISTANT (UL APPR)	
D811	ARM STATUS RELAY MODULE	
D9131A	PRINTER INTERFACE MODULE (NON B1)	
D940	SUPER LOOP MODULE	
ICP-1K22AWG-10	RESISTOR PACK 1Kohm 22awg EOL-10	
ICP-TR1822-CAN	XFMR-110V PLUG IN, CANADA	
P110BL	2.2K 1/2W EOL RES 8/PKG	
IPP-AL400-ULKT1	AL400, ENCLOSURE AND PD4UL	
IPP-AL400-ULKT2	AL400, ENCLOSURE, PD4UL AND DX4020	
TR1850	TRANSFORMER, 18VAC,50VA	
D5500C-LITE-USB	RPS LATE KIT ON CD-USB	
D5500C-USB	RPS KIT ON CD-USB DONGLE	
D5360	RAM IV PNL DIRECT-CONNECT MOD	
D5203A	PROGRAMMER CORD, Y TYPE	
D5204	CORD CONNECTOR, RS-232	
D5208	CARRYING CASE, D5200	
D5215	MEMORY EXPANSION MODULE FOR D5200	
D5360	RAM IV PNL DIRECT-CONNECT MOD	
D5370-USB	RPS SECURITY BLOCK -USB	
D5371-USB	RPS LITE SEC.BLOCK-USB	
DX4010V2	USB / SERIAL INTERFACE MODULE	
MODEM-KIT-2400B	MODEM-2400	
ISW-EN1210	SINGLE INPUT UNIVERSAL TRANSMITTER	
ISW-EN1210EOL	SINGLE INPUT UNIVERSAL TRANSMITTER, EOL PROTECTION	
ISW-EN1210SK	SURVEY KIT UNIVERSAL TRANSMITTER	

ATTACHMENT "B"- PART 1

ISW-EN1210W	DOOR/WINDOW TRANSMITTER WITH REED SWITCH	
ISW-EN1215EOL	UNIVERSAL TRANSMITTER WITH WALL TAMPER	
ISW-EN1215WEOL	DOOR/WINDOW TRANSMITTER WITH WALL TAMPER AND REED SWITCH	
ISW-EN1223D	DOUBLE-BUTTON WATER-RESISTANT PENDANT TRANSMITTER	
ISW-EN1223S	SINGLE-BUTTON WATER-RESISTANT PENDANT TRANSMITTER	
ISW-EN1223SK	SURVEY KIT PENDANT TRANSMITTER	
ISW-EN1233D	DOUBLE-BUTTON PENDANT TRANSMITTER	
ISW-EN1233S	SINGLE-BUTTON PENDANT TRANSMITTER	
ISW-EN1235D	DOUBLE-BUTTON BELT CLIP PENDANT TRANSMITTER	
ISW-EN1235DF	DOUBLE-BUTTON FIXED POSITION HOLD UP TRANSMITTER	
ISW-EN1235S	SINGLE-BUTTON BELT CLIP PENDANT TRANSMITTER	
ISW-EN1235SF	SINGLE-BUTTON FIXED POSITION HOLD UP TRANSMITTER	
ISW-EN1242	SMOKE DETECTOR TRANSMITTER	
ISW-EN1247	GLASSBREAK DETECTOR TRANSMITTER	
ISW-EN1249	BILL TRAP	
ISW-EN1260	WALL MOUNT MOTION DETECTOR	
ISW-EN1261HT	HIGH TRAFFIC MOTION DETECTOR	
ISW-EN1262	MOTION DETECTOR WITH PET IMMUNITY	
ISW-EN1265	360° CEILING MOUNT MOTION DETECTOR	
ISW-EN4200	SECURITY ONLY SERIAL RECEIVER	
ISW-EN4204R	FOUR ZONE ADD-ON RECEIVER WITH RELAY OUTPUTS	
ISW-EN4216R	16 ZONE ADD-ON RECEIVER WITH RELAY OUTPUTS	
ISW-EN5040-T	HIGH POWER REPEATER WITH TRANSFORMER	
ISW-EN7016	WIRELESS SURVEY KIT	
ISW-EN7280	RECEIVER KIT FOR BOSCH COMMERCIAL WIRELESS	
ISW-D8125CW	COMMERCIAL WIRELESS INTERFACE MODULE	
ISW-D8125CW-V2	COMMERCIAL WIRELESS INTERFACE MODULE	
ISW-CWKIT-01	COMMERCIAL WIRELESS INTERFACE KIT - INCLUDES ISW-D8125CW-V2 INTERFACE/TRANSLATOR PLUS ISW-EN4200 RECEIVER	
ISW-ACC603L	SIMULATED LEATHER NECKLACE FOR ISW-EN1223	
ISW-ACC603M	SIMULATED METAL NECKLACE FOR ISW-EN1223	
ISW-ACC603P	SIMULATED PLASTIC NECKLACE - ISW-EN1223	
ISW-ACC623A	NECKLACE + BELTCLP - WHITE - ISW-EN1223	
ISW-ACC623B	NECKLACE + BELTCLP - BLACK - ISW-EN1223	
ISW-ACC623S	SMALL WRIST STRAP FOR ISW-EN1223 PENDANT	
ISW-ACC623L	LARGE WRIST STRAP FOR ISW-EN1223 PENDANT	
ISW-ACC672CT	CURTAIN LENS FOR ISW-EN1260	
ISW-ACC672LR	LONG RANGE LENS FOR ISW-EN1260	
ISW-ACC672PA	PET ALLEY LENS FOR ISW-EN1260	
ISW-ACC665	WALL/CEILING BRACKET FOR ISW-EN1261HT	
ISW-ACC667	WHITE LIGHT FILTER FOR ISW-EN1261HT	
ISW-ACC668	LONG RANGE LENS FOR ISW-EN1261HT	

ATTACHMENT "B"- PART 1

ISW-BAT610	RPL BATT FOR ISW-EN1261HT	
ISW-ACC664	RPL CABLE FOR EN7280 SECURITY INTERFACE	
ISW-ACC640	NEMA ENCL KIT FOR OUTDOOR RPTR INSTALLS	
ISW-ACC610	REPLACEMENT TRANSFORMER FOR REPEATER	
ISW-BAT850	REPLACEMENT BATTERY FOR REPEATER	
ISW-ACC669	LONG RANGE LENS FOR ISW-EN1265 (25FT)	
RF1100	WIRELESS GLASS BREAK DETECTOR	
RF280THS	WIRELESS SMOKE DETECTOR	
RF3224	RF RECEIVER FOR D4412/D6412	
RF3226	GE/ITI RF RECEIVER FOR D6412 AND D4412	
RF3332	2-BUTTON KEYFOB	
RF3334	4-BUTTON KEYFOB	
RF3341	RF KEYPAD, 16 BUTTON	
RF3401	SINGLE INPUT/DOOR/WINDOW TRANSMITTER	
RF3402	RECESSED MOUNT DOOR/WINDOW TRANSMITTER	
RF3502	2-BUTTON PANIC KEYFOB	
RF835	WIRELESS TRITECH 35 FT. 100 LB PET IMMUNITY	
RF920	WIRELESS PIR 40 FT BY 40 FT	
RF-START-UP-KIT	KIT INCLUDES 1 RF3224 RECEIVER, 2 RF3334 KEYFOBS, 2 RF3401 DOOR/WINDOW TRANSMITTERS AND 1 RF835 TRI-TECH	
RF-Basic-KIT	DSRF KIT INCLUDES 1 RF3224 RECEIVER, 1 RF835 TRITECH MOTION DETECTOR AND 6 RF3401 TRANSMITTERS	
D208RF	GE/ITI RECEIVER FOR D2212B - 8 POINTS	
D216RF	GE/ITI RECEIVER FOR D2212B - 16 POINTS	
60-362-10-319.5	STANDARD D/W SENSOR WHITE	
60-362-11-319.5	STANDARD D/W SENSOR BROWN	
60-452-10-319.5	PENDANT PANIC SENSOR	
60-457-10-319.5	PANIC SENSOR, DBL BUTTON	
60-458-10-319.5	PANIC SENSOR, SINGLE BUTTON	
60-462-10-319.5	GLASS GUARD SENSOR-WHITE	
60-462-11-319.5	GLASS GUARD SENSOR-BROWN	
60-499-10-319.5	SLIM D/W SENSOR WHITE	
60-499-11-319.5	SLIM D/W SENSOR BROWN	
60-504-10-319.5	FREEZE SENSOR 45 DEGREES	
60-511-01-95	PIR MOTION DETECTOR DS924I	
60-511-02-95	PIR MOTION DET DS924IPET	
60-555-10	EXTRA MAGNETS-WHITE 10/PKG	
60-578-10-95	WATER RESISTANT PENDANT	
60-589-319.5	FIRE PULL STATION SENSOR	
60-606-319.5	4-BUTTON KEYCHAIN TOUCHPAD	
60-607-319.5	2-BUTTON KEYCHAIN TOUCHPAD	
60-641-11-95	D/W SENSOR, LONG-LIFE BROWN	
60-641-95	D/W SENSOR, LONG-LIFE WHITE	
60-660-01-95R	GE/ITI QUIK BRIDGE RECEIVER 16 POINTS	

ATTACHMENT "B"- PART 1

60-688-11-95	MICRO DR/WINDOW SENSOR BROWN	
60-688-95	MICRO DR/WINDOW SENSOR WHITE	
60-741-95	RECESSED MOUNT DOOR/WINDOW TRANSMITTER - WHITE	
60-834-95	AUDIO GLASS BREAKAGE DETECTOR - WIRELESS	
60-886-95	SHOCK SENSOR - WHITE	
80-116	WALL MOUNT BRKT(60-578-10-95) 5/PK	
TX-6010-01-1	GE/ITI LEARN MODE WIRELESS SMOKE DETC.	
60-711	ALKALINE BATTERY (12 V)	
60-713	BATTERY,9V 1.2AH ULTRALITE	
60-401	RADIO FREQUENCY SNIFFER	
13-005	SHOCK DETECTOR SURFACE MT, WHITE	
13-011	LITTON SHOCK DETECTOR (BROWN)	
13-161	LEATHER HOLSTER (BLACK)	
13-214	LITTON SHOCK DETECTOR (INTERIOR MOUNT)	
13-332	SOUND SENSOR TESTER	
30-006	ANNUNCIATOR, ITI QUIKBRIDGE	
34-026	LITHIUM BATTERY (3.5 V)	
40-149	STEEL DOOR MAGNET ADAPTOR BROWN	
60-261	SENSOR CASE (BROWN)	
60-268	CASES SHOCK SENSOR-BROWN 5/PK	
FA113	KEYCHAIN REMOTE CONTROL	
FA116	EXECUTIVE PROGRAMMER	
FA202	PHOTOELECTRIC SMOKE DETECTOR	
FA203D	TWO-BUTTON PENDANT TRANSMITTER	
FA203S	SINGLE-BUTTON PENDANT TRANSMITTER	
FA205D	TWO-BUTTON BELT TRANSMITTER	
FA206B	40' BY 40' PIR MOTION DETECTOR WITH PET IMMUNITY	
FA206C	CEILING MOUNT PIR MOTION DETECTOR	
FA206DS	50 FT BY 50 FT INOVONICS PIR	
FA206I	FA206I PIR TRANSMITTER INOVONICS	
FA207	WIRELESS GLASS BREAK - INOVONICS	
FA209	BILLTRAP TRANSMITTER	
FA210	REDUCED-SIZE UNIVERSAL TRANSMITTERS	
FA210W	WIDE GAP MINIATURE TRANSMITTER - INOVONICS	
FA223D	DOUBLE BUTTON WATER RESISTANT PENDANT	
FA223S	SINGLE BUTTON WATER RESISTANT PENDANT	
FA250	HIGH POWER UNIVERSAL TRANSMITTER	
FA400	REMOTE RECEIVER INOVONICS	
FA404R	4 POINT UNIVERSAL INOVONICS RECEIVER	
FA416R	16 POINT UNIVERSAL INOVONICS RECEIVER	
FA570	INDOOR INOVONICS REPEATER	
FA575	HIGH POWER INOVONICS REPEATER	
FA715	INOVONICS SITE SURVEY KIT	
60-619	BATTERY,3.6V LITHIUM AA 6/PK	

ATTACHMENT "B"- PART 1

D6100I-01	2-LINE CENTRAL STATION RECEIVER WITH CONETTIX IP	
D6600	COMMUNICATIONS RECEIVER/GATEWAY	
D6610	CPU BOARD	
D6615	CPU TERMINATOR CARD (D6615)	
D6641	TELCO LINE CARD D6641	
D6645	TELCO LINE TERMINATOR CARD	
D6672	D6600 COM1 EXPANSION KIT	
P6601	D6600 BATTERY CABLE	
P6603	SPARE ACKNOWLEDGE BUTTON	
D6100RMK	D6100 RACK MOUNT KIT	
P6602	D6600 I/O CABLE	
C900V2	DIALER CAPTURE TO IP MODULE 12/24 VDC	
D6201-500-USB	500 ACCOUNT USB KEY FOR CONETTIX IP	
D6201-USB	3200 ACCOUNT USB KEY FOR CONETTIX IP	
ITS-D6682-UL	CONETTIX IP ETHERNET ADAPTOR FOR D6600 - 120VAC	
DX4020	E-NET INTERFACE FOR G SERIES	
R21-DX40XX-ROM	ROM UPDATE KIT V2.23	
C601	FASTLINK ENCODER	
ISC-PDL1-W18G	60' PROFESSIONAL SERIES PIR/MICROWAVE TRITECH	
ISC-PPR1-W16	60' PROFESSIONAL SERIES PIR	
ISC-PDL1-WA18G	60' PROFESSIONAL SERIES PIR/MICROWAVE TRITECH WITH MULTI-POINT ANTIMASK	
ISC-PDL1-WA18GB	60' PROFESSIONAL SERIES PIR/MICROWAVE TRITECH WITH MULTI-POINT ANTIMASK, FORM B (N/O) RELAY	
ISC-PPR1-WA16G	60' PROFESSIONAL SERIES PIR WITH MULTI-POINT ANTIMASK	
ISM-BLP1	40 FT BY 40' BLUE LINE PIR	
ISM-BLP1-P	40' BY 40' BLUE LINE PIR WITH PET IMMUNITY	
ISM-BLQ1	40' BY 40' BLUE LINE QUAD PIR	
ISM-BLD1-P-F1	35' BY 35' BLUE LINE TRITECH PIR/MICROWAVE WITH PET IMMUNITY	
ISM-BLA1-CC-N	BLUE LINE COLOR CAMERA MODULE	
ISM-BLA1-LM	BLUE LINE LED ADD-ON MODULE	
ISM-BLA1-SM	BLUE LINE SOUNDER ADD -ON MODULE	
DS307	50' PIR WITH SUPERVISION	
DS308EA	50 FT. QUAD PIR W/ANTIMASK	
DS860	60 FT X 60 FT PIR/MICROWAVE TRITECH	
DS950	50 FT BY 50 FT PIR/MICROWAVE TRITECH WITH ANTI-MASK	
DS970	70' TRITECH PIR/MW, HIGH PERFORMANCE	
DS720I	300 FT PIR/MICROWAVE TRITECH	
DS778	200' LONG RANGE PIR	
DS794Z	80' & 200' LONG RANGE PIR	
DS936	LOW PROFILE CEILING MOUNT PIR	
DS9360	50' DIAMETER COMMERCIAL CEILING MOUNT PIR/MICROWAVE TRITECH	

ATTACHMENT "B"- PART 1

DS937	50' DIAMETER PIR	
DS9370	70' DIAMETER CEILING MOUNT TRITECH - WHITE	
DS9371	70' DIAMETER CEILING MOUNT TRITECH - BLACK	
DS938Z	50' DIAMETER COMMERCIAL CEILING MOUNT PIR	
DS939	70' DIAMETER CEILING MOUNT PIR	
ISN-CC1-100N	NARROW COVERAGE CEILING MOUNT PIR	
ISN-CC1-50W	WIDE COVERAGE CEILING MOUNT PIR	
CAM940C	PIR-40 FT./CAMERA COLOR	
DS915	30' RECESSED MOUNT PIR	
DS940	40FT PIR	
DS940P	40FT PIR W/PET IMMUNITY	
DS940PT	40FT PIR W/TAMPER & PET IMMUNITY	
DS940Q	40 FT. QUAD PIR	
DS940T	40FT PIR W/TAMPER	
DS820	20' TRITECH PIR/MW	
DS820I	20 FT X 20 FT PIR/MICROWAVE TRITECH WITH PET IMMUNITY	
DS820IT	20 FT X 20 FT PIR/MICROWAVE TRITECH WITH PET IMMUNITY AND TAMPER SWITCH	
DS825	25 FT BY 25 FT MIRRORED PIR/MICROWAVE TRITECH	
DS835	35' TRITECH PIR/MW	
DS835I	35 FT X 35 FT PIR/MICROWAVE TRITECH WITH PET IMMUNITY	
DS835IT	35 FT X 35 FT PIR/MICROWAVE TRITECH WITH PET IMMUNITY AND TAMPER SWITCH	
DS840	40' MIRRORED PIR/MICROWAVE TRITECH	
DS840T	25 FT BY 25 FT MIRRORED PIR/MICROWAVE TRITECH WITH TAMPER	
OD850-F1	50 FT BY 50 FT OUTDOOR PIR/MICROWAVE TRITECH	
DS150I	PIR REQUEST TO EXIT SENSOR GRAY	
DS150ITP160	DS150I WITH TP160 PLATE	
DS151I	PIR REQUEST TO EXIT SENSOR BLACK	
DS160	PIR REQUEST TO EXIT SENSOR WITH SOUNDER GRAY	
DS161	PIR REQUEST TO EXIT SENSOR WITH SOUNDER BACK	
TP160	TRIM PLATE FOR DS150/DS160	
TP161	TRIM PLATE FOR DS151/DS161	
DS1101I	GLASS BREAK ROUND 25 FT	
DS1102I	GLASS BREAK SQUARE 25 FT	
DS1103I	GLASS BREAK FLUSH 25 FT	
DS1108I	GLASS BREAK ROUND 25FT	
DS1109I	GLASS BREAK, FRAME MOUNT 10 ft	
DS1110I	GLASS BREAK TESTER	
ISN-SM-50	SEISMIC DETECTOR 50 METER SQ	
ISN-SM-80	SEISMIC DETECTOR 80 METER SQ	
ISN-SMS-W7	SENSOR TOOL PC SOFTWARE	
ISN-GMA-S6	FIXING DEVICE	

ATTACHMENT "B"- PART 1

ISN-GMX-B0	FLOOR BOX	
ISN-GMX-D7	ANTI DRILL PROTECTION	
ISN-GMX-P0	DETECTOR MOUNTING PLATE	
ISN-GMX-P3S	SWIVEL PLATE	
ISN-GMX-P3S2	2MM SPACER FOR SWIVEL PLATE	
ISN-GMX-P3S4	4MM SPACER FOR SWIVEL PLATE	
ISN-GMX-PZ	SWIVEL PLATE	
ISN-GMX-S1	TEST TRANSMITTER	
ISN-GMX-W0	WALL RECESS SET	
ISN-GMXW-G0	WATER TIGHT HOUSING	
DS415I	INDOOR PHOTOELECTRIC 500 FT	
DS415IDC	INDOOR PHOTOELECTRIC 500FT DC	
DS416	PE-30FT SINGLE BEAM OUTDOOR	
DS422I	PE-65FT TWIN BEAM OUTDOOR	
DS426I	PE-200FT TWIN BEAM OUTDO	
DS433I	PE 100FT FLUSH MOUNT	
DS435I	INDOOR PE 500FT W/ALARM MEMORY	
DS453Q	QUAD IN/OUTDOOR PE 360FT	
DS455Q	QUAD IN/OUTDOOR PE 500FT	
DS484Q	QUAD IN/OD PE BEAM 400FT	
DS486Q	QUAD IN/OD PE BEAM 660FT	
AR13-18-3	DS938 MIRROR 13' TO 18' CEILING	
B328	SWIVEL MOUNTING BRACKET	
B335-3	SWIVEL MOUNT FOR 774/932 SERIES	
B338	UNIVERSAL CEILING BRACKET	
B800	CEILING MOUNT BRACKET	
MP1	OUTDOOR PE 3' MOUNTING POLE	
MP2	OUTDOOR PE 4' MOUNTING POLE	
MP3	CURVED OUTDOOR PE MOUNT POLE	
OA120-2	DS794 120' OPTICAL ARRAY MODULE	
OLP91-3	PET AVOIDANCE LENS	
OLP94-3	PET LENS KIT	
OLR94-3	LONG RANGE BARRIER LENS KIT	
OLW94-3	DENSE WIDE ANGLE LENS KIT	
OMB77-3	DS775/7706Z/777Z BARRIER LENS	
OMB93-3	BARRIER COVERAGE OPT MIRROR	
OMLR77-3	DS775/7706Z/777Z LONG RANGE LENS	
OMLR93-3	L/R OPT MIRROR 70FT 3/PKG	
PC1A	WEATHER ENCLOSURE	
PC3A	BACK TO BACK BOX	
PEH2	HEATING ELEMENT	
TC6000	TEST CORD	
ISN-C22-W	3/4" COMPACT ROLLER BALL CONTACT WITH TERMINALS WHITE 10PK	

ATTACHMENT "B"- PART 1

ISN-CMINI-10B	3/8" MINIATURE RECESSED CONTACT BROWN 10 PK	
ISN-CMINI-10DW	3/8" MINIATURE RECESSED CONTACT WHITE WITH THIN MAGNET 10 PK	
ISN-CMINI-10W	3/8" MINIATURE RECESSED CONTACT WHITE 10 PK	
ISN-CMINI-15W	1/4" MINIATURE RECESSED CONTACT WHITE 10 PK	
ISN-CRFM-25W	1/4" OVAL FLANGE CONTACT WHITE 10 PK	
ISN-CSD70-B	3/4" STUBBY RECESSED CONTACT BROWN - 10 PK	
ISN-CSD70-W	3/4" STUBBY RECESSED CONTACT WHITE - 10 PK	
ISN-CSD80-W	1" STUBBY RECESSED CONTACT WHITE - 10 PK	
ISN-CSTB-10W	3/8" STUBBY CONTACT WHITE -10 PACK	
ISN-CSTB-TCW	3/8" STUBBY CONTACT WHITE -10 PACK	
ISN-CTAP-10FW	3/8" WHITE RECESSED CONTACT WITH FLAT MAGNET -10PK	
ISN-CTC75-B	3/4" CONTACT WITH TERMINAL CONNECTION BROWN	
ISN-CTC75-W	3/4" CONTACT WITH TERMINAL CONNECTION WHITE	
ISN-C45-W	MINIATURE STICK-ON CONTACT WHITE 10 PK	
ISN-C50-W	SURFACE CONTACT WITH COVER WHITE 10 PK	
ISN-C60-B	SLIM SURFACE CONTACT WITH TERMINALS BROWN 10 PK	
ISN-C60-W	SLIM SURFACE CONTACT WITH TERMINALS WHITE 10 PK	
ISN-C66	TRACK MOUNT OVERHEAD DOOR CONTACT	
ISN-CFM-102B	FLANGE MOUNT CONTACT WITH SIDE LEADS BROWN -10PK	
ISN-CFM-102W	FLANGE MOUNT CONTACT WITH SIDE LEADS WHITE -10PK	
ISN-CFM-106B	FLANGE MOUNT CONTACT WITH CENTER LEADS BROWN -10PK	
ISN-CFM-106W	FLANGE MOUNT CONTACT WITH CENTER LEADS WHITE -10PK	
ISN-CMET-200AR	COMMERCIAL METAL CONTACT	
ISN-CMET-4418	OVERHEAD DOOR CONTACT	
ISN-CMICRO-B	MINIATURE SURFACE MOUNT CONTACT BROWN 10PK	
ISN-CMICRO-W	MINIATURE SURFACE MOUNT CONTACT WHITE 10PK	
ISN-CSM20-WGB	SURFACE MOUNT COMMERCIAL CONTACT WHITE	
ISN-CSM20-WGW	SURFACE MOUNT COMMERCIAL CONTACT WHITE	
ISN-CSM35-W	SURFACE MOUNT CONTACT WHITE - 10 PACK	
ISN-CSM35-WGW	SURFACE MOUNT WIDE GAP CONTACT WHITE - 10 PACK	
DEDICATED MICROS		
DM/ECO4/USB	4 ch 60PPS @ 2CIF recorder, USB, VGA, Ext USB drive	
DM/ECO4/500	4 ch 60PPS @ 2CIF recorder, USB, VGA,500GB	
DM/ECS1/250/04A	4 ch,120PPS, VGA, 1 USB, 250GB	
DM/ECS1/250/08A	8 ch, 120PPS, VGA, 3 USB, DVD, 250GB	
DM/ECS1/500/08A	8 ch, 120PPS, VGA, 3 USB, DVD, 500GB	
DM/ECS1/1T0/08A	8 ch, 120 pps, VGA, 3 USB, DVD, 1 TB	
DM/ECS1/250/16A	16 ch, 120PPS, VGA, 3 USB, DVD, 250GB	
DM/ECS1/500/16A	16 ch, 120PPS, VGA, 3 USB, DVD, 500GB	
DM/ECS1/1T0/16A	16 ch, 120PPS, VGA, 3 USB, DVD, 1TB	
DM/ECS2/500/16A	16 ch, 240 PPS, VGA, 3 USB, DVD, 500GB	
DM/ECS2/1T0/16A	16 ch, 240 PPS, VGA, 3 USB, DVD, 1TB	
ECOSense Accessories		

ATTACHMENT "B"- PART 1

DM/RACK-KIT-2U	2U Rack Mount Kit for EcoSense-Black	
AS-PCB-RSI21	5x 9 PIN RS485/422 telemetry converter	
VS-FSP075DMCA-1	EcoSense 9V Power Supply	
DM/SD04N30/A	SD 4 channel 5pps/c 30 days CD 30 PPS @ 4CIF	
DM/SD04N60/A	SD 4 channel 5 pps/c 60 days CD 30 PPS @ 4CIF	
DM/SD08N30/A	SD 8 channel 5pps/c 30 days CD 60 PPS @ 4CIF 250 GB	
DM/SD08N60/A	SD 8 channel 5pps/c 60 days CD 60 PPS @ 4CIF 500 GB	
DM/SD12N30/A	SD 12 channel 5pps/c 30 days CD 90 PPS @ 4CIF 500 GB	
DM/SD12N60/A	SD 12 channel 5pps/c 60 days CD 90 PPS @ 4CIF 750GB	
DM/SD16M30/A	SD 16 channel 2pps/c 30 days CD 60 PPS @ 4CIF 320 GB	
DM/SD16N30/A	SD 16 channel 5pps/c 30 days CD 120 PPS @ 4CIF 500GB	
DM/SD16N60/A	SD 16 channel 5pps/c 60 days CD 120 PPS @ 4CIF 1TB	
DM/SD32L30/A	SD 32 channel 1pps/c 30 days CD 60 PPS @ 4CIF 500 GB	
DM/SD32L60/A	SD 32 channel 1pps/c 60 days CD 60 PPS @ 4CIF 1 TB	
DM/SD32M30/A	SD 32 channel 2pps/c 30 days CD 120 PPS @ 4CIF 750 GB	
DM/SD32M60/A	SD 32 channel 2pps/c 60 days CD 120 PPS @ 4CIF 1.5 TB	
DM/SDACP08MIN/A	8Ch Anlg/CIP NVR 240PPS @ 2 CIF 1TB HDMI	
DM/SDACP16MIN/A	16Ch Anlg/CIP NVR 480PPS @ 2 CIF 1TB HDMI	
DM/SDACP16MAX/A	16Ch Anlg/CIP NVR 480PPS @ 2 CIF 4TB HDMI	
DM/SDACP32MAX/A	32Ch Anlg/CIP NVR 480PPS @ 4 CIF 4TB HDMI	
DM/SDEXC16MAX/A	16Ch Anlg/IP NVR 480PPS @ 4 CIF 4TB HDMI	
DM/NSW/CP	16 port Enhanced Closed IP Netswitch	
DM/NSW/CPP	16 port Enhanced Closed IP Netswitch POE	
DM/KBC2	Keyboard with joystick for SD Series DVR	
DM/KBC1	Keyboard for SD Seriese DVR	
DM/KBC/ACC/A	Remote Keyboard accessory kit (Compatible with KBC1/2)	
RC06	IR Remote for SD, DV-IP (RT) and NetVu Console	
DM/LS/IPC-1	Third Party IP Camera License, 1 Ch	
DM/LS/IPC-4	Third Party IP Camera License, 4 Ch	
DM/LS/IPC-8	Third Party IP Camera License, 8 Ch	
DM/LS/IPC-16	Third Party IP Camera License, 16 Ch	
DM/LS/IPC-32	Third Party IP Camera License, 32 Ch	
ECO4-160GB	4 channel 160GB DVMR w/PPP, w/Networking, compact 30 PPS	
ECO4CD-160GB	4 channel, 160GB DVMR w/CD, PPP, w/ Networking, compact, 30 PPS	
ECO 9 CD (60 PPS)		
ECO9B CD-160GB	9 channel, 160GB DVMR w/CD, PPP, w/ Networking, compact, 60 PPS	
ECO9B CD-300GB	9 channel, 300GB DVMR w/CD, PPP, w/ Networking, compact, 60 PPS	
ECO16B CD-160GB	16 channel, 160GB DVMR w/CD, PPP, w/ Networking, compact, 60 PPS	
ECO16B CD-300GB	16 channel, 300GB DVMR w/CD, PPP, w/ Networking, compact, 60 PPS	
ECO16B CD-500GB	16 channel, 500GB DVMR w/CD, PPP, w/ Networking, compact, 60 PPS	
D4A 4CD-160GB	4 channel 160GB DVMR w/PPP, w/Networking, audio 60 PPS, CD	

ATTACHMENT "B"- PART 1

D4A 4RSCD-160GB	4 channel 160GB DVMR w/PPP, w/Networking, audio 60 PPS, CD, RS	
D4A 4RSCD-300GB	4 channel 300GB DVMR w/PPP, w/Networking, audio 60 PPS, CD, RS	
DS2AD 6 160	6 channel DVMR 160GB, w/Networking, audio, DVD, 60 PPS	
DS2AD 6 320	6 channel DVMR 320GB, w/Networking, audio, DVD, 60 PPS	
DS2AD 9 160	9 channel DVMR 160GB, w/Networking, audio, DVD, 60 PPS	
DS2AD 9 320	9 channel DVMR 320GB, w/Networking, audio, DVD, 60 PPS	
DS2AD 9 600	9 channel DVMR 600GB, w/Networking, audio,DVD, 60 PPS	
DS2AD 16 160	16 channel DVMR 160GB, w/Networking, audio, DVD, 60 PPS	
DS2AD 16 320	16 channel DVMR 320GB, w/Networking, audio, DVD, 60 PPS	
DS2AD 16 600	16 channel DVMR 600GB, w/Networking, audio, DVD, 60 PPS	
DS2PD 6 250GB	6 channel DVMR 250GB, w/Networking, audio, DVD, 120 PPS	
DS2PD 6 500GB	6 channel DVMR 500GB, w/Networking, audio, DVD, 120 PPS	
DS2PD 6 750GB	6 channel DVMR 750GB, w/Networking, audio,DVD, 120 PPS	
DS2PD 6 1.5TB	6 channel DVMR 1.5 TB, w/Networking, audio,DVD, 120 PPS	
DS2PD 9 250GB	9 channel DVMR 250GB, w/Networking, audio, DVD, 120 PPS	
DS2PD 9 500GB	9 channel DVMR 500GB, w/Networking, audio, DVD, 120 PPS	
DS2PD 9 750GB	9 channel DVMR 750GB, w/Networking, audio,DVD, 120 PPS	
DS2PD 16 250GB	16 channel DVMR 250GB, w/Networking, audio, DVD, 120 PPS	
DS2PD 16 500GB	16 channel DVMR 500GB, w/Networking, audio, DVD, 120 PPS	
DS2PD 16 750GB	16 channel DVMR 750GB, w/Networking, audio, DVD, 120 PPS	
DS2PD 16 1TB	16 channel DVMR 1 TeraByte, w/Networking, audio, DVD, 120 PPS	
DS2PD 16 1.5TB	16 channel DVMR 1.5 TeraByte, w/Networking, audio, DVD, 120 PPS	
BX2D-T	16 channel DVMR 1.2 Terabyte, w/Networking, DVD, audio, NetVu, 120 PPS	
BX2D-2T0	16 channel DVMR 2.0 Terabyte, w/Networking, DVD, audio, NetVu, 120 PPS	
BX2D-3T0	16 channel DVMR 3.0 Terabyte, w/Networking, DVD, audio, NetVu, 120 PPS	
BX2DCA-600	16 channel DVMR, Continuous Archive unit with 2 months recording	
CA-CDY-600	Hot-swappable hard drive caddies, 300GB each	
BX2DCA-1T	16 channel DVMR, Continuous Archive unit with 3 months recording	
CA-CDY-1T	Hot-swappable hard drive caddies, 500GB each	
CA VIEW	USB Viewer, PC playback viewer hardware for use with BX2 CA caddies	
KBS 3A	Digital Keyboard - NetVu	
IRC	Infrared Remote Control	
DM/JBOD/4T	4TB external hard disk storage	
DM/RAID5/R8/8T0	8 TB Raid 5 External Drive storage (8x hot swappable 1TB drives)	
DM/RAID5/R8/16T0	16 TB Raid 5 External Drive storage (8x hot swappable 2TB drives)	
DM/MSUA5T0/A	5 TB Managed Storage unit for SATA NetVu Connected SD DVRs	
DM/MSUA10T0/A	10 TB Managed Storage unit for SATA NetVu Connected SD DVRs	
DM/CX02/16/16US	Cbus Video Switcher - 16 inputs X 16 outputs Switchers Main and/or Spot Monitors for multiple cbus unit network	
DM/CJ01	Junction Box - Converts MMJ cables to/from twisted pair for remote keyboards. Also to feed power to cbus accessories & keyboards	

ATTACHMENT "B"- PART 1

VS-PSU-EXT/43W	+5v/12v 43 watt Power Supply - Powers main multiplexer - Analog units	
VS-PSU-EXT/65W	+5v/12v 65 watt Power Supply - Power main multiplexter - Digital units	
VS-PSU-CBUS	12V Power Supply - Powers cbus keyboards & accessories via a cbus junction box	
DM/CI01/16	Remote Alarm Module - Provides 16 alarm inputs for Cbus machines	
DM/CI02/16	Relay Output Module - Provides relay closure per activity camera	
DM/CC01A	485 bus to RS 232 PC control	
DM/CC0232A	converts 485 bus to RS 232 for fiber use	
DM/IR01	infared remote extender	
DM/KBS3A	Digital Keyboard - NetVu	
SA-IRC	Infrared Remote Control	
SIDG	POS Interface Box	
PJ/TXTSRV2/A02	ATM Interface, Text Server, ATMi	
DM/DVIP/NV1		
AMERICAN FIBERTEK		
C10e	10-Port IP Network Security Switch	
C10p	10-Port IP Network Security Switch- with gigE Pluggable ports	
C10e-PoE	10-Port IP Network Security Switch with 8 port 802.3af PoE	
C10p-PoE	10-Port IP Network Security Switch with 8 ports of 802.3af PoE gigE Pluggable ports	
PoE-12S	Power over Ethernet 12 Volts	
PoE-24S	Power over Ethernet 24 Volts	
SS1	Scout 10 Probe/10 Contacts In/10 Contacts Out	
N-664	Six Contact Inputs/Six Contact Outputs/Four Data Streams	
C10-FSM	Flush Mounting Kit, Commander C10	
C10-HRM	Rack Mounting Kit,1 Commander C10 Half 1U	
C10-FRM	Rack Mounting Kit, 2 Commanders C10 Full 1U	
SFP-SX	850nm-500m MM Dual Fiber Industrial Temp	
SFP-LX	1310nm-10km SM Dual Fiber Industrial Temp	
SFP-ZX	1550nm-80km SM Dual Fiber Industrial Temp	
P-TA	Temperature/Airflow Probe	
P-TAH	Temperature/Airflow/Humidity Probe	
P-VFP	Voltage/Frequency/Power	
P-RB	Mounting Bracket	
MX1M-FX-ST	Miniature Fast Ethernet Fiber Optic Data TCVR Module, 10/100/Base-TX, 1300nm, (1) RJ 45 copper port, (2) fiber TX/RX port, ST, MM, 2KM Distance	
MX1M-FX-SC	Miniature Fast Ethernet Fiber Optic Data TCVR Module, 10/100/Base-TX, 1300nm, (1) RJ 45 copper port, (2) fiber TX/RX port, SC, MM, 2KM Distance	
MX2-MM-FX-SC	Fast Ethernet Fiber Optic Data TCVR Module, 10/100/Base-TX, 1300nm, (2) RJ 45 copper ports, (2) fiber TX/RX ports, SC, MM, 2KM Distance	

ATTACHMENT "B"- PART 1

MXR2-MM-FX-SC	Fast Ethernet Fiber Optic Data TCVR Rack Card, 10/100/Base- TX, 1300nm, (2) RJ 45 copper ports, (2) fiber TX/RX ports, SC, MM, 2KM Distance	
MX2-MM-LX-SC	Gigabit Fiber Optic Data TCVR Module, 10/100/1000-Base TX, 1300nm, (2) RJ45 copper ports, (2) fiber TX/RX ports, SC, MM, 500M Distance	
MXR2-MM-LX-SC	Gigabit Fiber Optic Data TCVR Rack Card, 10/100/1000Base-TX, 1300nm, (2) RJ45 copper ports, (2) fiber TX/RX ports, SC, MM, 500M Distance	
MX2-SM-FX-SC	Fast Ethernet Fiber Optic Data TCVR Module, 10/100/Base-TX, 1300nm, (2)RJ 45 copper ports, (2) fiber TX/RX ports, SC, SM, 20KM Distance	
MXR2-SM-FX-SC	Fast Ethernet Fiber Optic Data TCVR Rack Card, 10/100/Base-TX, 1300nm, (2)RJ 45 copper ports, (2) fiber TX/RX ports, SC, SM, 20KM Distance	
MX2-SM-LX-SC	Gigabit Fiber Optic Data TCVR Module, 10/100/1000Base-TX, 1300nm, (2) RJ45 copper ports, (2) fiber TX/RX ports, SC, SM, 20KM Distance	
MXR2-SM-LX-SC	Gigabit Fiber Optic Data TCVR Rack Card, 10/100/1000-TX 1300nm optics, (2) RJ45 copper ports, (2) fiber TX/RX ports, SC, SM, 20KM Distance	
MX4-100TX	Fast Ethernet 4-Port Data TCVR Module, 10/100/Base-TX	
MXR4-100TX	Fast Ethernet 4-Port Data TCVR Rack Card, 10/100/Base-TX	
MX4-1000T	Gigabit 4-Port Data TCVR Module, 10/100/1000/Base-T	
MXR4-1000T	Gigabit 4-Port Data TCVR Rack Card, 10/100/1000/Base-T	
MXRC-1	Rack for MXR units including Power Supply	
MXRCPS-1	Power Supply for MXRC-1 Subrack	
MRC	Module to Rack Card Conversion Kit	
MWM	Rack mount to Module Conversion Kit	
MXRBP-1	One Slot Blank Panel Cover	
PLS-4	DSS-T1DG Server loaded with a 4 Channel Pilot Lite License (1)-1 TB HDD SATA II Drive. Dual Graphics Card allowing for self contained Client Server operation.	
PLS-8	DSS-T1DG Server loaded with an 8 Channel Pilot Lite License (1)-1 TB HDD SATA II Drive. Dual Graphics Card allowing for self contained Client Server operation.	
PLS-16	DSS-T1DG Server loaded with a 16 Channel Pilot Lite License (1)-1 TB HDD SATA II Drive, Dual Graphics Card allowing for self contained Client/Server operation.	
PLS-4-1C	DSS-T1DG Server loaded with a 4 Channel Pilot Lite License (1)-1 TB HDD SATA II Drive. Dual Graphics Card allowing for self contained Client Server operation. (1) Commander switch C10e. (1) Power Probe for voltage, frequency, and power P-VFP. Rack mount hardware.	

ATTACHMENT "B"- PART 1

PLS-8-1C	DSS-T1DG Server loaded with a 8 Channel Pilot Lite License (1)-1 TB HDD SATA II Drive. Dual Graphics Card allowing for self contained Client Server operation. (1) Commander switch C10e. (1) Power Probe for voltage, frequency, and power P-VFP. Rack mount hardware.	
PLS-16-2C	DSS-T1DG Server loaded with a 16 Channel Pilot Lite License (1)-1 TB HDD SATA II Drive, Dual Graphics Card allowing for self contained Client/Server operation, (2) Commander switch C10e. (1) Power Probe for voltage, frequency, and power P-VFP. (1) Temperature/humidity/airflow probe P-TAH. Rack mount hardware.	
PLS-4-1CPoE	DSS-T1DG Server loaded with a 4 Channel Pilot Lite License (1)-1 TB HDD SATA II Drive. Dual Graphics Card allowing for self contained Client Server operation. (1) Commander switch C10e-PoE. (1) Power Probe for voltage, frequency, and power P-VFP. Rack mount hardware.	
PLS-8-1CPoE	DSS-T1DG Server loaded with a 8 Channel Pilot Lite License (1)-1 TB HDD SATA II Drive. Dual Graphics Card allowing for self contained Client Server operation. (1) Commander switch C10e-PoE (1) Power Probe for voltage, frequency, and power P-VFP. Rack mount hardware.	
PLS-16-2CPoE	DSS-T1DG Server loaded with a 16 Channel Pilot Lite License (1)-1 TB HDD SATA II Drive, Dual Graphics Card allowing for self contained Client/Server operation, (2) Commander switch C10e-PoE (1) Power Probe for voltage, frequency, and power P-VFP. (1) Temperature/humidity/airflow probe P-TAH. Rack mount hardware.	
IDD-2T	Internal Disk Drive Two Terabyte (2000 gigabytes)	
PL-04	Pilot Lite per 4 channels	
PL-08	Pilot Lite per 8 channels	
PL-16	Pilot Lite per 16 channels	
PE-XXX	1 to 100 Channels of Video	
(X = number of	101 to 250 Channels of Video	
channels)	250 + Channels of Video	
PWS-X (X = # of web sessions)	PWS is access to Pilot via a web browser. One web access session is included with Pilot software. Additional access sessions must be ordered separately.	
DSS-T2	E8500 Processor Video Recorder/Server with Separate OS Disc Drive and Two Terabytes of Storage - Requires Separate Client for Viewing	
DSS-T2DG	E8500 Processor Video Recorder/Server with Separate OS Disc Drive and Two Terabytes of Storage - Includes a Dual Graphics Card for On Board Client Viewing	
DMS16DE	16 Bay Storage rack mount drive housing. Accepts up to sixteen 3.5 Drives * Drives are ordered separately. (see part number IDD-1T below)	
	*For systems requiring over 32 Terabytes of storage consult factory.	
IDD-2T	Internal Disk Drive Two Terabyte (2000 gigabytes)	

ATTACHMENT "B"- PART 1

DSC-100	Joystick Controller Provides PTZ/NVR Mouse Control for Pilot Enterprise Software	
IDD-2T	Internal Disk Drive Two Terabyte (2000 gigabytes)	
MT-05B	Module TX - Audio Input, MM	
RT-05B	Rack Card TX - Audio Input, MM	
MR-05B	Module RX - Audio Output, MM	
RR-05B	Rack Card RX - Audio Output, MM	
MT-05B-13	Module TX - Audio Input, 1300nm, MM	
RT-05B-13	Rack Card TX - Audio Input, 1300nm, MM	
MR-05B-13	Module RX - Audio Output, 1300nm, MM	
RR-05B-13	Rack Card RX - Audio Output, 1300nm, MM	
MT-05B-S	Module TX - Audio Input - 1300nm, SM	
RT-05B-S	Rack Card TX - Audio Input - 1300nm, SM	
MR-05B-S	Module RX - Audio Output - 1300nm, SM	
RR-05B-S	Rack Card RX - Audio Output - 1300nm, SM	
MT-86	Module TX - Handset Device Interface, MM	
RT-86	Rack Card TX - Handset Device Interface, MM	
MR-86	Module RX - Phone Line Interface, MM	
RR-86	Rack Card RX - Phone Line Interface, MM	
MT-86-2F8	Module TX - Handset Device Interface, 2 Fiber, MM, 850nm	
MR-86-2F8	Module RX - Phone Line Interface, 2 Fiber, MM, 850nm	
RR-86-2F8	Rack Card RX - Phone Line Interface, 2 Fiber, MM, 850nm	
MT-86-2F13	Module TX - Handset Device Interface, 2 Fiber, MM, 1300nm	
MR-86-2F13	Module RX - Phone Line Interface, 2 Fiber, MM, 1300nm	
RR-86-2F13	Rack Card RX - Phone Line Interface, 2 Fiber, MM, 1300nm	
MX-86A	Module TCVR - Requires MX-86B or RX-86B to complete link, MM	
MX-86B	Module TCVR - Requires MX-86A or RX-86A to complete link, MM	
RX-86A	Rack Card TCVR - Requires MX-86B or RX-86B to complete link, MM	
RX-86B	Rack Card TCVR - Requires MX-86A or RX-86A to complete link, MM	
MT-89A-AX	Module TX for Aiphone AX Intercoms, Station, MM	
RT-89A-AX	Rack Card TX for Aiphone AX Intercoms, Station, MM	
MR-89A-AX	Module RX for Aiphone AX Intercoms, Master, MM	
RR-89A-AX	Rack Card RX for Aiphone AX Intercoms, Master, MM	
MT-89A-AX-SL	Module TX for Aiphone AX Intercoms, Station, SM	
RT-89A-AX-SL	Rack Card TX for Aiphone AX Intercoms, Station, SM	
MR-89A-AX-SL	Module RX for Aiphone AX Intercoms, Master, SM	
RR-89A-AX-SL	Rack Card RX for Aiphone AX Intercoms, Master, SM	
MT-89A-L	Module TX for Aiphone LEF Intercoms, Station, MM	
RT-89A-L	Rack Card TX for Aiphone LEF Intercoms, Station, MM	
MR-89A-L	Module RX for Aiphone LEF Intercoms, Master, MM	
RR-89A-L	Rack Card RX for Aiphone LEF Intercoms, Master, MM	
MT-89A-N	Module TX for Aiphone NEM Intercoms, Station, MM	
RT-89A-N	Rack Card TX for Aiphone NEM Intercoms, Station, MM	
MR-89A-N	Module RX for Aiphone NEM Intercoms, Master, MM	

ATTACHMENT "B"- PART 1

RR-89A-N	Rack Card RX for Aiphone NEM Intercoms, Master, MM	
MT-89D	Module TX for Dukane Intercoms, Station, MM	
RT-89D	Rack Card TX for Dukane Intercoms, Station, MM	
MR-89D	Module RX for Dukane Intercoms, Master, MM	
RR-89D	Rack Card RX for Dukane Intercoms, Master, MM	
MT-89P	Module TX for Stento 9600 Intercoms, Station, MM	
RT-89P	Rack Card TX for Stento 9600 Intercoms, Station, MM	
MR-89P	Module RX for Stento 9600 Intercoms, Master, MM	
RR-89P	Rack Card RX for Stento 9600 Intercoms, Master, MM	
MT-89TX	Module TX for TOA Intercoms, Station, MM	
RT-89TX	Rack Card TX for TOA Intercoms, Station, MM	
MR-89TX	Module RX for TOA Intercoms, Master, MM	
RR-89TX	Rack Card RX for TOA Intercoms, Master, MM	
MT-0880	Module TX - Dual 4 Wire Audio, 2-Way, MM	
RT-0880	Rack Card TX - Dual 4 Wire Audio, 2-Way, MM	
MR-0880	Module RX - Dual 4 Wire Audio, 2-Way, MM	
RR-0880	Rack Card RX - Dual 4 Wire Audio, 2-Way, MM	
MT-0890	Module TX - 4 Wire Audio/contact closure, 2-Way, MM	
RT-0890	Rack Card TX - 4 Wire Audio/contact closure, 2-Way, MM	
MR-0890	Module RX - 4 Wire Audio/contact closure, 2-Way, MM	
RR-0890	Rack Card RX - 4 Wire Audio/contact closure, 2-Way, MM	
MT-1	Mini Video Module, Camera Mount TX, MM	
MT-10	Module Video TX, MM	
RT-10	Rack Card Video TX, MM	
RT-20	2-Channel Rack Card Video TX, 2 Fiber, MM	
MR-10	Module Video RX, MM	
MR-10M	Module Video RX, MM, Manual Gain	
RR-10	Rack Card Video RX, MM	
RR-20	2-Channel Video Rack Card RX, 2 Fiber, MM	
MTM-1C	Mini FM Video Module Camera Mount TX, MM	
MTM-100C	Module FM Video TX, MM	
RTM-100C	Rack Card FM Video TX, MM	
RTM-30C	3-Channel Rack Card FM Video TX, 3 Fiber, MM	
MRM-100C	Module FM Video RX - Low Profile, MM	
RRM-100C	Rack Card FM Video RX, MM	
RRM-30C	3-Channel FM Video Rack Card RX, 3 Fiber, MM	
MTM-3C	Mini Video Module, Camera Mount TX, MM	
MTM-300C	Module FM Video TX, 1300nm, MM	
RTM-300C	Rack Card FM Video TX, 1300nm, MM	
RTM-33C	3-Channel Rack Card FM Video TX, 3 Fiber, 1300nm, MM	
MRM-300C	Module FM Video RX, 1300nm, MM	
RRM-300C	Rack Card FM Video RX, 1300nm, MM	
RRM-33C	3-Channel Video Rack Card RX, 3 Fiber, MM	
VKM-1C	Video Kit, Mini TX, MM	

ATTACHMENT "B"- PART 1

VKM-100	Video Kit, MM	
MTM-300C-S	Module FM Video TX, SM	
RTM-300C-S	Rack Card FM Video TX, SM	
RTM-33C-S	3-Channel Rack Card FM Video TX, 3 Fiber, SM	
MRM-300C-S	Module FM Video RX, SM	
RRM-300C-S	Rack Card FM Video RX, SM	
RRM-33C-S	3-Channel FM Video Rack Card RX, 3 Fiber, SM	
MT-108	Module TX - Video/Audio Input, MM	
RT-108	Rack Card TX - Video/Audio Input, MM	
MR-108	Module RX - Video/Audio Output, MM	
RR-108	Rack Card RX - Video/Audio Output, MM	
MT-188	Module TX - Video/Stereo Audio Input, MM	
RT-188	Rack Card TX - Video/Stereo Audio Input, MM	
MR-188	Module RX - Video/Stereo Audio Output, MM	
RR-188	Rack Card RX - Video/Stereo Audio Output, MM	
MT-308	Module TX - Video/Audio Input, 1300nm, MM	
RT-308	Rack Card TX - Video/Audio Input, 1300nm, MM	
MR-308	Module RX - Video/Audio Output, 1300nm, MM	
RR-308	Rack Card RX - Video/Audio Output, 1300nm, MM	
MT-388	Module TX - Video/Stereo Audio Input, 1300nm, MM	
RT-388	Rack Card TX - Video/Stereo Audio Input, 1300nm, MM	
MR-388	Module RX - Video/Stereo Audio Output, 1300nm, MM	
RR-388	Rack Card RX - Video/Stereo Audio Output, 1300nm, MM	
MT-308SL	Module TX - Video/Audio Input, SM	
RT-308SL	Rack Card TX - Video/Audio Input, SM	
MR-308SL	Module RX - Video/Audio Output, SM	
RR-308SL	Rack Card RX - Video/Audio Output, SM	
MT-388SL	Module TX - Video/Stereo Audio Input, SM	
RT-388SL	Rack Card TX - Video/Stereo Audio Input, SM	
MR-388SL	Module RX - Video/Stereo Audio Output, SM	
RR-388SL	Rack Card RX - Video/Stereo Audio Output, SM	
MT-109	Module TX - Video/Contact Closure Input, MM	
RT-109	Rack Card TX - Video/Contact Closure Input, MM	
MR-109	Module RX - Video/Contact Closure Output, MM	
RR-109	Rack Card RX - Video/Contact Closure Output, MM	
MT-309	Module TX - Video/Contact Closure Input, 1300nm, MM	
RT-309	Rack Card TX - Video/Contact Closure Input, 1300nm, MM	
MR-309	Module RX - Video/Contact Closure Output, 1300nm, MM	
RR-309	Rack Card RX - Video/Contact Closure Output, 1300nm, MM	
MT-309SL	Module TX - Video/Contact Closure Input, SM	
RT-309SL	Rack Card TX - Video/Contact Closure Input, SM	
MR-309SL	Module RX - Video/Contact Closure Output, SM	
RR-309SL	Rack Card RX - Video/Contact Closure Output, SM	
MTM-61	Video/Sensornet Module TX, MM	

ATTACHMENT "B"- PART 1

RTM-61	Video/Sensornet Rack Card TX, MM	
MRM-61	Video/Sensornet Module RX, MM	
RRM-61	Video/Sensornet Rack Card RX, MM	
MTM-61-2F8	Video/Sensornet Module TX, 2 Fiber, MM	
RTM-61-2F8	Video/Sensornet Rack Card TX, 2 Fiber, MM	
MRM-61-2F8	Video/Sensornet Module RX, 2 Fiber, MM	
RRM-61-2F8	Video/Sensornet Rack Card RX, 2 Fiber, MM	
MTM-1200B	Video/Manchester Data Module TX, MM	
RTM-1200B	Video/Manchester Data Rack Card TX, MM	
MRM-1200B	Video/Manchester Data Module RX, MM	
RRM-1200B	Video/Manchester Data Rack Card RX, MM	
MTM-1400	Video/RS422 Module TX, MM	
RTM-1400	Video/RS422 Rack Card TX, MM	
MRM-1400	Video/RS422 Module RX, MM	
RRM-1400	Video/RS422 Rack Card RX, MM	
MTM-1410	Video/Pelco "P" or "D" Protocol Dome Mount TX, Pelco Backbox, MM	
MRM-1410	Video/Pelco "P" or "D" Protocol Module RX, MM	
RRM-1410	Video/Pelco "P" or "D" Protocol Rack Card RX, MM	
RRM-1420	Video/Pelco "P" or "D" Protocol 2-Up Rack Card RX, MM	
MTM-1450	Video/RS422 Dome Mount TX - Ademco Dome, MM	
MRM-1450	Video/RS422 Module RX, MM	
RRM-1450	Video/RS422 Rack Card RX, MM	
MTM-1460	Video/Multi-Protocol Control Dome Mount TX - AD Dome, MM	
MTM-1485	Video/RS-485 Module TX, MM	
RTM-1485	Video/RS-485 Rack Card TX, MM	
MRM-1485	Video/RS-485 Module RX, MM	
RRM-1485	Video/RS-485 Rack Card RX, MM	
MTM-1485-2F8	Video/RS-485 Module TX, 2 Fiber, MM	
RTM-1485-2F8	Video/RS-485 Rack Card TX, 2 Fiber, MM	
MRM-1485-2F8	Video/RS-485 Module RX, 2 Fiber, MM	
RRM-1485-2F8	Video/RS-485 Rack Card RX, 2 Fiber, MM	
MTM-1605	Video/"Up the Coax" Module TX, MM	
RTM-1605	Video/" Up the Coax" Rack Card TX, MM	
MRM-1605	Video/" Up the Coax" Module RX, MM	
RRM-1605	Video/" Up the Coax" Rack Card RX, MM	
MTM-1615	Video/Pelco Coaxitron Dome Mount, Pelco Blackbox, MM	
MTM-1605P	Video/Panasonic Proteus Module TX, MM	
RTM-1605P	Video/Panasonic Proteus Rack Card TX, MM	
MRM-1605P	Video/Panasonic Proteus Module RX, MM	
RRM-1605P	Video/Panasonic Proteus Rack Card RX, MM	
MT-1200B	Video/Manchester Data Module TX, MM	
RT-1200B	Video/Manchester Data Rack Card TX, MM	
MR-1200B	Video/Manchester Data Module RX, MM	
RR-1200B	Video/Manchester Data Rack Card RX, MM	

ATTACHMENT "B"- PART 1

MT-1400	Video/RS422 Module TX, MM	
RT-1400	Video/RS422 Rack Card TX, MM	
MR-1400	Video/RS422 Module RX, MM	
RR-1400	Video/RS422 Rack Card RX, MM	
MT-1485-2	Video/RS-485 2 Wire Module TX, MM	
RT-1485-2	Video/RS-485 2 Wire Rack Card TX, MM	
MR-1485-2	Video/RS-485 2 Wire Module RX, MM	
RR-1485-2	Video/RS-485 2 Wire Rack Card RX, MM	
MT-1485-4	Video/RS-485 4 Wire Module TX, MM	
RT-1485-4	Video/RS-485 4 Wire Rack Card TX, MM	
MR-1485-4	Video/RS-485 4 Wire Module RX, MM	
RR-1485-4	Video/RS-485 4 Wire Rack Card RX, MM	
MT-1600	Video/"Up the Coax" Module TX, MM	
RT-1600	Video/" Up the Coax" Rack Card TX, MM	
MR-1600	Video/" Up the Coax" Module RX, MM	
RR-1600	Video/" Up the Coax" Rack Card RX, MM	
MT-1400E	Video/RS422 Module TX, MM, Extended Length	
RT-1400E	Video/RS422 Rack Card TX, MM, Extended Length	
MR-1400E	Video/RS422 Module RX, MM, Extended Length	
RR-1400E	Video/RS422 Rack Card RX, MM, Extended Length	
MT-1600E	Video/"Up the Coax" Module TX, MM, Extended Length	
RT-1600E	Video/" Up the Coax" Rack Card TX, MM, Extended Length	
MR-1600E	Video/" Up the Coax" Module RX, MM, Extended Length	
RR-1600E	Video/" Up the Coax" Rack Card RX, MM, Extended Length	
MT-2400	Bi-Directional Video/RS422 Module TX, MM	
RT-2400	Bi-Directional Video/RS422 Rack Card TX, MM	
MR-2400	Bi-Directional Video/RS422 Module RX, MM	
RR-2400	Bi-Directional Video/RS422 Rack Card RX, MM	
MT-2800	Bi-Directional Video/Audio Module TX, MM	
RT-2800	Bi-Directional Video/Audio Rack Card TX, MM	
MR-2800	Bi-Directional Video/Audio Module RX, MM	
RR-2800	Bi-Directional Video/Audio Rack Card RX, MM	
MTM-3200B	Video/Manchester Data Module TX, SM	
RTM-3200B	Video/Manchester Data Rack Card TX, SM	
MRM-3200B	Video/Manchester Data Module RX, SM	
RRM-3200B	Video/Manchester Data Rack Card RX, SM	
MTM-3400	Video/RS422 Module TX, SM	
RTM-3400	Video/RS422 Rack Card TX, SM	
MRM-3400	Video/RS422 Module RX, SM	
RRM-3400	Video/RS422 Rack Card RX, SM	
MTM-3485-2	Video/RS485 Module TX, 2 Wire, SM	
RTM-3485-2	Video/RS485 Rack Card TX , 2 Wire, SM	
MRM-3485-2	Video/RS485 Module RX, 2 Wire, SM	
RRM-3485-2	Video/RS485 Rack Card RX, 2 Wire, SM	

ATTACHMENT "B"- PART 1

MTM-3485-4	Video/RS485 Module TX, 4 Wire, SM	
RTM-3485-4	Video/RS485 Rack Card TX, 4 Wire, SM	
MRM-3485-4	Video/RS485 Module RX, 4 Wire, SM	
RRM-3485-4	Video/RS485 Rack Card RX, 4 Wire, SM	
MTM-3600	Video/"Up the Coax" Module TX, SM	
RTM-3600	Video/"Up the Coax" Rack Card TX, SM	
MRM-3600	Video/"Up the Coax" Module RX, SM	
RRM-3600	Video/"Up the Coax" Rack Card RX, SM	
MTM-3600P	Video/Panasonic VD-2 Module TX, SM	
RTM-3600P	Video/Panasonic VD-2 Rack Card TX, SM	
MRM-3600P	Video/Panasonic VD-2 Module RX, SM	
RRM-3600P	Video/Panasonic VD-2 Rack Card RX, SM	
MT-220C	2-Channel FM Video Module TX, MM	
RT-220C	2-Channel FM Video Rack Card TX, MM	
MR-220C	2-Channel FM Video Module RX, MM	
RR-220C	2-Channel FM Video Rack Card RX, MM	
MT-404C	4-Channel FM Video Module TX, 6dB, MM	
RT-404C	4-Channel FM Video Rack Card TX, 6dB, MM	
MR-404C	4-Channel FM Video Module RX, 6dB, MM	
RR-404C	4-Channel FM Video Rack Card RX, 6dB, MM	
MT-440C	4-Channel FM Video Module TX, 12dB, MM	
RT-440C	4-Channel FM Video Rack Card TX, 12dB, MM	
MR-440C	4-Channel FM Video Module RX, 12dB, MM	
RR-440C	4-Channel FM Video Rack Card RX, 12dB, MM	
MRT-860C	6-Channel FM Video Module/Rack TX, MM	
MRR-860C	6-Channel FM Video Module/Rack RX, MM	
MRT-880C	8-Channel FM Video Module/Rack TX, MM	
MRR-880C	8-Channel FM Video Module/Rack RX, MM	
MT-220C-SL	2-Channel FM Video Module TX, SM	
RT-220C-SL	2-Channel FM Video Rack Card TX, SM	
MR-220C-SL	2-Channel FM Video Module RX, SM	
RR-220C-SL	2-Channel FM Video Rack Card RX, SM	
MT-440C-SL	4-Channel FM Video Module TX, SM	
RT-440C-SL	4-Channel FM Video Rack Card TX, SM	
MR-440C-SL	4-Channel FM Video Module RX, SM	
RR-440C-SL	4-Channel FM Video Rack Card RX, SM	
MRT-860C-SL	6-Channel FM Video Module/Rack TX, SM	
MRR-860C-SL	6-Channel FM Video Module/Rack RX, SM	
MRT-880C-SL	8-Channel FM Video Module/Rack TX, SM	
MRR-880C-SL	8-Channel FM Video Module/Rack RX, SM	
MTX-8485C	4-Channel FM Video Module/Rack TX-Data TCVR, MM	
MRX-8485C	4-Channel FM Video Module/Rack RX-Data TCVR, MM	
MTX-8685C	6-Channel FM Video Module/Rack TX-Data TCVR, MM	
MRX-8685C	6-Channel FM Video Module/Rack RX-Data TCVR, MM	

ATTACHMENT "B"- PART 1

MTX-8885C	8-Channel FM Video Module/Rack TX-Data TCVR, MM	
MRX-8885C	8-Channel FM Video Module/Rack RX-Data TCVR, MM	
MTX-8485C-SL	4-Channel FM Video Module/Rack TX-Data TCVR, SM	
MRX-8485C-SL	4-Channel FM Video Module/Rack RX-Data TCVR, SM	
MTX-8685C-SL	6-Channel FM Video Module/Rack TX-Data TCVR, SM	
MRX-8685C-SL	6-Channel FM Video Module/Rack RX-Data TCVR, SM	
MTX-8885C-SL	8-Channel FM Video Module/Rack TX-Data TCVR, SM	
MRX-8885C-SL	8-Channel FM Video Module/Rack RX-Data TCVR, SM	
MT-910	10-Bit Digital Module Video TX, MM	
RT-910	10-Bit Digital Rack Card Video TX, MM	
MR-910	10-Bit Digital Module Video RX, MM	
RR-910	10-Bit Digital Rack Card Video RX, MM	
MT-911	10-Bit Digital Module Video TX/Sensornet Data, MM	
RT-911	10-Bit Digital Rack Card Video TX/Sensornet Data, MM	
MR-911	10-Bit Digital Module Video RX/Sensornet Data, MM	
RR-911	10-Bit Digital Rack Card Video RX/Sensornet Data, MM	
MT-913	10-Bit Digital Module Video TX/3-Ch Data TCVR, MM	
RT-913	10-Bit Digital Rack Card Video TX/3-Ch Data TCVR, MM	
MR-913	10-Bit Digital Module Video RX/3-Ch Data TCVR, MM	
RR-913	10-Bit Digital Rack Card Video RX/3-Ch Data TCVR, MM	
MT-915	10-Bit Digital Module Video TX/Data + CC TCVR, MM	
RT-915	10-Bit Digital Rack Card Video TX/Data + CC TCVR, MM	
MR-915	10-Bit Digital Module Video RX/Data + CC TCVR, MM	
RR-915	10-Bit Digital Rack Card Video RX/Data + CC TCVR, MM	
MT-91P088	10-Bit Digital Module Video TX/2-Ch Audio TCVR, MM	
RT-91P088	10-Bit Digital Rack Card Video TX/2-Ch Audio TCVR, MM	
MR-91P088	10-Bit Digital Module Video RX/2-Ch Audio TCVR, MM	
RR-91P088	10-Bit Digital Rack Card Video RX/2-Ch Audio TCVR, MM	
MT-91P558	10-Bit Digital Module Video TX/Audio & 2-Ch Data TCVR, MM	
RT-91P558	10-Bit Digital Rack Card Video TX/Audio & 2-Ch Data TCVR, MM	
MR-91P558	10-Bit Digital Module Video RX/Audio & 2-Ch Data TCVR, MM	
RR-91P558	10-Bit Digital Rack Card Video RX/Audio & 2-Ch Data TCVR, MM	
MT-91P589	10-Bit Digital Module Video TX/Data + Audio + CC TCVR, MM	
RT-91P589	10-Bit Digital Rack Card Video TX/Data + Audio + CC TCVR, MM	
MR-91P589	10-Bit Digital Module Video RX/Data + Audio + CC TCVR, MM	
RR-91P589	10-Bit Digital Rack Card Video RX/Data + Audio + CC TCVR, MM	
MT-91P899	10-Bit Digital Module Video TX/Audio & 2-Ch CC TCVR, MM	
RT-91P899	10-Bit Digital Rack Card Video TX/Audio & 2-Ch CC TCVR, MM	
MR-91P899	10-Bit Digital Module Video RX/Audio & 2-Ch CC TCVR, MM	
RR-91P899	10-Bit Digital Rack Card Video RX/Audio & 2-Ch CC TCVR, MM	
MT-92P338	10-Bit Digital Module 2 Videos TX/Audio & 2-Ch RS232 TCVR, MM	
RT-92P338	10-Bit Digital Rack Card 2 Videos TX/Audio & 2-Ch RS232 TCVR, MM	
MR-92P338	10-Bit Digital Module 2 Videos RX/Audio & 2-Ch RS232 TCVR, MM	
RR-92P338	10-Bit Digital Rack Card 2 Videos RX/Audio & 2-Ch RS232 TCVR, MM	

ATTACHMENT "B"- PART 1

MT-920	10-Bit Digital 2-Channel Module Video TX, MM	
RT-920	10-Bit Digital 2-Channel Rack Card Video TX, MM	
MR-920	10-Bit Digital 2-Channel Module Video RX, MM	
RR-920	10-Bit Digital 2-Channel Rack Card Video RX, MM	
MT-940	10-Bit Digital 4-Channel Module Video TX, MM	
RT-940	10-Bit Digital 4-Channel Rack Card Video TX, MM	
MR-940	10-Bit Digital 4-Channel Module Video RX, MM	
RR-940	10-Bit Digital 4-Channel Rack Card Video RX, MM	
MT-980	10-Bit Digital 8-Channel Module Video TX, MM	
RT-980	10-Bit Digital 8-Channel Rack Card Video TX, MM	
MR-980	10-Bit Digital 8-Channel Module Video RX, MM	
RR-980	10-Bit Digital 8-Channel Rack Card Video RX, MM	
MRT-980	10-Bit Digital 8-Channel Module/Rack Video TX, MM	
MRR-980	10-Bit Digital 8-Channel Module/Rack Video RX, MM	
MRT-91600	10-Bit Digital 16-Channel Module/Rack Video TX, MM	
MRR-91600	10-Bit Digital 16-Channel Module/Rack Video RX, MM	
MT-925	10-Bit Digital 2-Channel Module Video TX/2-Ch Data TCVR, MM	
RT-925	10-Bit Digital 2-Channel Rack Card Video TX/2-Ch Data TCVR, MM	
MR-925	10-Bit Digital 2-Channel Module Video RX/2-Ch Data TCVR, MM	
RR-925	10-Bit Digital 2-Channel Rack Card Video RX/2-Ch Data TCVR, MM	
MT-926	10-Bit Digital 2-Channel Module Video TX/Data + CC TCVR, MM	
RT-926	10-Bit Digital 2-Channel Rack Card Video TX/Data + CC TCVR, MM	
MR-926	10-Bit Digital 2-Channel Module Video RX/Data + CC TCVR, MM	
RR-926	10-Bit Digital 2-Channel Rack Card Video RX/Data + CC TCVR, MM	
MT-944	10-Bit Digital 4-Channel Module Video TX/Data TCVR, MM	
RT-944	10-Bit Digital 4-Channel Rack Card Video TX/Data TCVR, MM	
MR-944	10-Bit Digital 4-Channel Module Video RX/Data TCVR, MM	
RR-944	10-Bit Digital 4-Channel Rack Card Video RX/Data TCVR, MM	
MT-945	10-Bit Digital 4-Channel Module Video TX/2-Ch Data TCVR, MM	
RT-945	10-Bit Digital 4-Channel Rack Card Video TX/2-Ch Data TCVR, MM	
MR-945	10-Bit Digital 4-Channel Module Video RX/2-Ch Data TCVR, MM	
RR-945	10-Bit Digital 4-Channel Rack Card Video RX/2-Ch Data TCVR, MM	
MT-946	10-Bit Digital 4-Channel Module Video TX/Data + CC TCVR, MM	
RT-946	10-Bit Digital 4-Channel Rack Card Video TX/Data + CC TCVR, MM	
MR-946	10-Bit Digital 4-Channel Module Video RX/Data + CC TCVR, MM	
RR-946	10-Bit Digital 4-Channel Rack Card Video RX/Data + CC TCVR, MM	
MT-985	10-Bit Digital 8-Channel Module Video TX/2-Ch Data TCVR, MM	
MR-985	10-Bit Digital 8-Channel Module Video RX/2-Ch Data TCVR, MM	
MTX-985	10-Bit Digital 8-Channel Module/Rack Video TX/2-Ch Data TCVR, MM	
MRX-985	10-Bit Digital 8-Channel Module/Rack Video RX/2-Ch Data TCVR, MM	
MT-986	10-Bit Digital 8-Channel Module Video TX/Data + CC TCVR, MM	
MR-986	10-Bit Digital 8-Channel Module Video RX/Data + CC TCVR, MM	
MTX-986	10-Bit Digital 8-Channel Module/Rack Video TX/Data + CC TCVR, MM	
MRX-986	10-Bit Digital 8-Channel Module/Rack Video RX/Data + CC TCVR, MM	

ATTACHMENT "B"- PART 1

MTX-986-UTP	10-Bit Digital 8-Channel Module/Rack Video TX/Data TCVR with Active UTP MM	
MRX-986-UTP	10-Bit Digital 8-Channel Module/Rack Video RX/Data RCVR with UTP MM	
MTX-91685	10-Bit Digital 16-Channel Module/Rack Video TX/2-Ch Data TCVR, MM	
MRX-91685	10-Bit Digital 16-Channel Module/Rack Video RX/2-Ch Data TCVR, MM	
MT-910SL	10-Bit Digital Module Video TX, SM	
RT-910SL	10-Bit Digital Rack Card Video TX, SM	
MR-910SL	10-Bit Digital Module Video RX, SM	
RR-910SL	10-Bit Digital Rack Card Video RX, SM	
MT-911SL	10-Bit Digital Module Video TX/Sensornet Data, SM	
RT-911SL	10-Bit Digital Rack Card Video TX/Sensornet Data, SM	
MR-911SL	10-Bit Digital Module Video RX/Sensornet Data, SM	
RR-911SL	10-Bit Digital Rack Card Video RX/Sensornet Data, SM	
MT-913SL	10-Bit Digital Module Video TX/3-Ch Data TCVR, SM	
RT-913SL	10-Bit Digital Rack Card Video TX/3-Ch Data TCVR, SM	
MR-913SL	10-Bit Digital Module Video RX/3-Ch Data TCVR, SM	
RR-913SL	10-Bit Digital Rack Card Video RX/3-Ch Data TCVR, SM	
MT-915SL	10-Bit Digital Module Video TX/Data + CC TCVR, SM	
RT-915SL	10-Bit Digital Rack Card Video TX/Data + CC TCVR, SM	
MR-915SL	10-Bit Digital Module Video RX/Data + CC TCVR, SM	
RR-915SL	10-Bit Digital Rack Card Video RX/Data + CC TCVR, SM	
MT-91PE	10-Bit Digital Video Module Tx. (2) 10/100Base Tx. Ethernet , 2km, MM	
RT-91PE	10-Bit Digital Video Rack Card Tx. (2) 10/100Base Tx. Ethernet , 2km, MM	
MR-91PE	10-Bit Digital Video Module Rx. (2) 10/100Base Tx. Ethernet , 2km, MM	
RR-91PE	10-Bit Digital Video Rack Card Rx. (2) 10/100Base Tx. Ethernet , 2km, MM	
MT-91PE-SL	10-Bit Digital Video Module Tx. (2) 10/100Base Tx. Ethernet , 20km, MM	
RT-91PE-SL	10-Bit Digital Video Rack Card Tx. (2) 10/100Base Tx. Ethernet , 20km, MM	
MR-91PE-SL	10-Bit Digital Video Module Rx. (2) 10/100Base Tx. Ethernet , 20km, MM	
RR-91PE-SL	10-Bit Digital Video Rack Card Rx. (2) 10/100Base Tx. Ethernet , 20km, MM	
MT-91P088SL	10-Bit Digital Module Video TX/2-Ch Audio TCVR, SM	
RT-91P088SL	10-Bit Digital Rack Card Video TX/2-Ch Audio TCVR, SM	
MR-91P088SL	10-Bit Digital Module Video RX/2-Ch Audio TCVR, SM	
RR-91P088SL	10-Bit Digital Rack Card Video RX/2-Ch Audio TCVR, SM	
MT-91P558SL	10-Bit Digital Module Video TX/2-Ch Data & Audio TCVR, SM	
RT-91P558SL	10-Bit Digital Rack Card Video TX/2-Ch Data & Audio TCVR, SM	
MR-91P558SL	10-Bit Digital Module Video RX/2-Ch Data & Audio TCVR, SM	
RR-91P558SL	10-Bit Digital Rack Card Video RX/2-Ch Data & Audio TCVR, SM	
MT-91P589SL	10-Bit Digital Module Video TX/Data + Audio + CC TCVR, SM	
RT-91P589SL	10-Bit Digital Rack Card Video TX/Data + Audio + CC TCVR, SM	

ATTACHMENT "B"- PART 1

MR-91P589SL	10-Bit Digital Module Video RX/Data + Audio + CC TCVR, SM	
RR-91P589SL	10-Bit Digital Rack Card Video RX/Data + Audio + CC TCVR, SM	
MT-91P899SL	10-Bit Digital Module Video TX/Audio & 2-Ch CC TCVR, SM	
RT-91P899SL	10-Bit Digital Rack Card Video TX/Audio & 2-Ch CC TCVR, SM	
MR-91P899SL	10-Bit Digital Module Video RX/Audio & 2-Ch CC TCVR, SM	
RR-91P899SL	10-Bit Digital Rack Card Video RX/Audio & 2-Ch CC TCVR, SM	
MT-920SL	10-Bit Digital 2-Channel Module Video TX, SM	
RT-920SL	10-Bit Digital 2-Channel Rack Card Video TX, SM	
MR-920SL	10-Bit Digital 2-Channel Module Video RX, SM	
RR-920SL	10-Bit Digital 2-Channel Rack Card Video RX, SM	
MT-940SL	10-Bit Digital 4-Channel Module Video TX, SM	
RT-940SL	10-Bit Digital 4-Channel Rack Card Video TX, SM	
MR-940SL	10-Bit Digital 4-Channel Module Video RX, SM	
RR-940SL	10-Bit Digital 4-Channel Rack Card Video RX, SM	
MT-980SL	10-Bit Digital 8-Channel Module Video TX, SM	
RT-980SL	10-Bit Digital 8-Channel Rack Card Video TX, SM	
MR-980SL	10-Bit Digital 8-Channel Module Video RX, SM	
RR-980SL	10-Bit Digital 8-Channel Rack Card Video RX, SM	
MRT-980SL	10-Bit Digital 8-Channel Module/Rack Video TX, SM	
MRR-980SL	10-Bit Digital 8-Channel Module/Rack Video RX, SM	
MRT-91600SL	10-Bit Digital 16-Channel Module/Rack Video TX, SM	
MRR-91600SL	10-Bit Digital 16-Channel Module/Rack Video RX, SM	
RT-92400SL	10-Bit Digital 24-Channel Rack Card Video TX, SM	
RR-92400SL	10-Bit Digital 24-Channel Rack Card Video RX, SM	
RT-93200SL	10-Bit Digital 32-Channel Rack Card Video TX, SM	
RR-93200SL	10-Bit Digital 32-Channel Rack Card Video RX, SM	
RT-94000SL	10-Bit Digital 40-Channel Rack Card Video TX, SM	
RR-94000SL	10-Bit Digital 40-Channel Rack Card Video RX, SM	
RT-94800SL	10-Bit Digital 48-Channel Rack Card Video TX, SM	
RR-94800SL	10-Bit Digital 48-Channel Rack Card Video RX, SM	
RT-95600SL	10-Bit Digital 56-Channel Rack Card Video TX, SM	
RR-95600SL	10-Bit Digital 56-Channel Rack Card Video RX, SM	
RT-96400SL	10-Bit Digital 64-Channel Rack Card Video TX, SM	
RR-96400SL	10-Bit Digital 64-Channel Rack Card Video RX, SM	
MT-925SL	10-Bit Digital 2-Channel Module Video TX/2-Ch Data TCVR, SM	
RT-925SL	10-Bit Digital 2-Channel Rack Card Video TX/2-Ch Data TCVR, SM	
MR-925SL	10-Bit Digital 2-Channel Module Video RX/2-Ch Data TCVR, SM	
RR-925SL	10-Bit Digital 2-Channel Rack Card Video RX/2-Ch Data TCVR, SM	
MT-926SL	10-Bit Digital 2-Channel Module Video TX/Data + CC TCVR, SM	
RT-926SL	10-Bit Digital 2-Channel Rack Card Video TX/Data + CC TCVR, SM	
MR-926SL	10-Bit Digital 2-Channel Module Video RX/Data + CC TCVR, SM	
RR-926SL	10-Bit Digital 2-Channel Rack Card Video RX/Data + CC TCVR, SM	
MT-944SL	10-Bit Digital 4-Channel Module Video TX/Data TCVR, SM	
RT-944SL	10-Bit Digital 4-Channel Rack Card Video TX/Data TCVR, SM	

ATTACHMENT "B"- PART 1

MR-944SL	10-Bit Digital 4-Channel Module Video RX/Data TCVR, SM	
RR-944SL	10-Bit Digital 4-Channel Rack Card Video RX/Data TCVR, SM	
MT-945SL	10-Bit Digital 4-Channel Module Video TX/2-Ch Data TCVR, SM	
RT-945SL	10-Bit Digital 4-Channel Rack Card Video TX/2-Ch Data TCVR, SM	
MR-945SL	10-Bit Digital 4-Channel Module Video RX/2-Ch Data TCVR, SM	
RR-945SL	10-Bit Digital 4-Channel Rack Card Video RX/2-Ch Data TCVR, SM	
MT-946SL	10-Bit Digital 4-Channel Module Video TX/Data + CC TCVR, SM	
RT-946SL	10-Bit Digital 4-Channel Rack Card Video TX/Data + CC TCVR, SM	
MR-946SL	10-Bit Digital 4-Channel Module Video RX/Data + CC TCVR, SM	
RR-946SL	10-Bit Digital 4-Channel Rack Card Video RX/Data + CC TCVR, SM	
MT-985SL	10-Bit Digital 8-Channel Module Video TX/2-Ch Data TCVR, SM	
MR-985SL	10-Bit Digital 8-Channel Module Video RX/2-Ch Data TCVR, SM	
MTX-985SL	10-Bit Digital 8-Channel Module/Rack Video TX/2-Ch Data TCVR, SM	
MRX-985SL	10-Bit Digital 8-Channel Module/Rack Video RX/2-Ch Data TCVR, SM	
MT-986SL	10-Bit Digital 8-Channel Module Video TX/Data + CC TCVR, SM	
MR-986SL	10-Bit Digital 8-Channel Module Video RX/Data + CC TCVR, SM	
MTX-986SL	10-Bit Digital 8-Channel Module/Rack Video TX/Data + CC TCVR, SM	
MRX-986SL	10-Bit Digital 8-Channel Module/Rack Video RX/Data + CC TCVR, SM	
MTX-986-UTP-SL	10-Bit Digital 8-Channel Module/Rack Video TX/Data TCVR with Active UTP MM	
MRX-986-UTP-SL	10-Bit Digital 8-Channel Module/Rack Video RX/Data RCVR with UTP MM	
MTX-91685SL	10-Bit Digital 16-Channel Module/Rack Video TX/2-Ch Data TCVR, SM	
MRX-91685SL	10-Bit Digital 16-Channel Module/Rack Video RX/2-Ch Data TCVR, SM	
RT-92485SL	10-Bit Digital 24-Channel Rack Card Video TX/Data TCVR, SM	
RR-92485SL	10-Bit Digital 24-Channel Rack Card Video RX/Data TCVR, SM	
RT-93285SL	10-Bit Digital 32-Channel Rack Card Video TX/Data TCVR, SM	
RR-93285SL	10-Bit Digital 32-Channel Rack Card Video RX/Data TCVR, SM	
RT-94085SL	10-Bit Digital 40-Channel Rack Card Video TX/Data TCVR, SM	
RR-94085SL	10-Bit Digital 40-Channel Rack Card Video RX/Data TCVR, SM	
RT-94885SL	10-Bit Digital 48-Channel Rack Card Video TX/Data TCVR, SM	
RR-94885SL	10-Bit Digital 48-Channel Rack Card Video RX/Data TCVR, SM	
RT-95685SL	10-Bit Digital 56-Channel Rack Card Video TX/Data TCVR, SM	
RR-95685SL	10-Bit Digital 56-Channel Rack Card Video RX/Data TCVR, SM	
MT-81	8-Ch Contact Closure Module TX w/Power Fail Safe, MM	
RT-81	8-Ch Contact Closure Rack Card TX w/Power Fail Safe, MM	
MR-81	8-Ch Contact Closure Module RX w/Power Fail Safe, MM	
RR-81	8-Ch Contact Closure Rack Card RX w/Power Fail Safe, MM	
MT-82	16-Ch Contact Closure Module TX w/Power Fail Safe, MM	
RT-82	16-Ch Contact Closure Rack Card TX w/Power Fail Safe, MM	
MR-82	16-Ch Contact Closure Module RX w/Power Fail Safe, MM	
RR-82	16-Ch Contact Closure Rack Card RX w/Power Fail Safe, MM	
MT-81SL	8-Ch Contact Closure Module TX w/Power Fail Safe, SM	
RT-81SL	8-Ch Contact Closure Rack Card TX w/Power Fail Safe, SM	

ATTACHMENT "B"- PART 1

MR-81SL	8-Ch Contact Closure Module RX w/Power Fail Safe, SM	
RR-81SL	8-Ch Contact Closure Rack Card RX w/Power Fail Safe, SM	
MT-82SL	16-Ch Contact Closure Module TX w/Power Fail Safe, SM	
RT-82SL	16-Ch Contact Closure Rack Card TX w/Power Fail Safe, SM	
MR-82SL	16-Ch Contact Closure Module RX w/Power Fail Safe, SM	
RR-82SL	16-Ch Contact Closure Rack Card RX w/Power Fail Safe, SM	
MTX-81B	4-Ch Two-Way Contact Closure Module TX w/Power Fail Safe, MM	
RTX-81B	4-Ch Two-Way Contact Closure Rack Card TX w/Power Fail Safe, MM	
MRX-81B	4-Ch Two-Way Contact Closure Module RX w/Power Fail Safe, MM	
RRX-81B	4-Ch Two-Way Contact Closure Rack Card RX w/Power Fail Safe, MM	
MTX-81B-SL	4-Ch Two-Way Contact Closure Module TX w/Power Fail Safe, SM	
RTX-81B-SL	4-Ch Two-Way Contact Closure Rack Card TX w/Power Fail Safe, SM	
MRX-81B-SL	4-Ch Two-Way Contact Closure Module RX w/Power Fail Safe, SM	
RRX-81B-SL	4-Ch Two-Way Contact Closure Rack Card RX w/Power Fail Safe, SM	
MT-88	8-Ch Supervised Contact Closure Module Tx. w/Power Fail Safe, MM	
RT-88	8-Ch Supervised Contact Closure Rack Card Tx. w/Power Fail Safe, MM	
MR-88	8-Ch Supervised Contact Closure Module Rx. w/Power Fail Safe, MM	
RR-88	8-Ch Supervised Contact Closure Rack Card Rx. w/Power Fail Safe, MM	
MX-46-FX-ST	10/100 Ethernet Module TCVR, 2 Fiber, ST Connector, MM	
RX-46-FX-ST	10/100 Ethernet Rack Card TCVR, 2 Fiber, ST Connector, MM	
MX-46-FX-SC	10/100 Ethernet Module TCVR, 2 Fiber, SC Connector, MM	
RX-46-FX-SC	10/100 Ethernet Rack Card TCVR, 2 Fiber, SC Connector, MM	
MTX-46-FX-ST	10/100 Ethernet Module TX, 1 Fiber, ST Connector, MM	
RTX-46-FX-ST	10/100 Ethernet Rack Card TX, 1 Fiber, ST Connector, MM	
MRX-46-FX-ST	10/100 Ethernet Module RX, 1 Fiber, ST Connector, MM	
RRX-46-FX-ST	10/100 Ethernet Rack Card RX, 1 Fiber, ST Connector, MM	
MTX-46-FX-SC	10/100 Ethernet Module TX, 1 Fiber, SC Connector, MM	
RTX-46-FX-SC	10/100 Ethernet Rack Card TX, 1 Fiber, SC Connector, MM	
MRX-46-FX-SC	10/100 Ethernet Module RX, 1 Fiber, SC Connector, MM	
RRX-46-FX-SC	10/100 Ethernet Rack Card RX, 1 Fiber, SC Connector, MM	
MX-48-SX-ST	10/100/1000 Ethernet Module TCVR, 2 Fiber, ST, 850nm, MM	
RX-48-SX-ST	10/100/1000 Ethernet Rack Card TCVR, 2 Fiber, ST, 850nm, MM	
MX-48-LX-ST	10/100/1000 Ethernet Module TCVR, 2 Fiber, ST, 1300nm, MM	
RX-48-LX-ST	10/100/1000 Ethernet Rack Card TCVR, 2 Fiber, ST, 1300nm, MM	
MTX-48-LX-ST	10/100/1000 Ethernet Module TX, 1 Fiber, ST, MM	
RTX-48-LX-ST	10/100/1000 Ethernet Rack Card TX, 1 Fiber, ST, MM	
MRX-48-LX-ST	10/100/1000 Ethernet Module RX, 1 Fiber, ST, MM	
RRX-48-LX-ST	10/100/1000 Ethernet Rack Card RX, 1 Fiber, ST, MM	
MTX-48-LX-SC	10/100/1000 Ethernet Module TX, 1 Fiber, SC, MM	
RTX-48-LX-SC	10/100/1000 Ethernet Rack Card TX, 1 Fiber, SC, MM	
MRX-48-LX-SC	10/100/1000 Ethernet Module RX, 1 Fiber, SC, MM	
RRX-48-LX-SC	10/100/1000 Ethernet Rack Card RX, 1 Fiber, SC, MM	
MX-49-SX-ST	10/100/1000 Ethernet Module Drop & Repeat, 2 Fiber, 850 nm, ST, MM	

ATTACHMENT "B"- PART 1

MX-49-SX-SC	10/100/1000 Ethernet Module Drop & Repeat, 2 Fiber, 850 nm, SC, MM	
MX-49-LX-ST	10/100/1000 Ethernet Module Drop & Repeat, 2 Fiber, 1300 nm, ST, MM	
MX-49-LX-SC	10/100/1000 Ethernet Module Drop & Repeat, 2 Fiber, 1300 nm, SC, MM	
MX-49-LX-1F-ST	10/100/1000 Ethernet Module Drop & Repeat, 1 fiber, ST, MM	
MX-49-LX-1F-SC	10/100/1000 Ethernet Module Drop & Repeat, 1 fiber, SC, MM	
MX-46-FX-ST-PoE	2 Fiber 10/100 Ethernet PoE, 1300nm, 2km, ST,MM	
MTX-46-FX-ST-PoE	1 Fiber 10/100 Ethernet PoE, 1300/1550nm, 2km, ST,MM	
MX-48-SX-ST-PoE	2 Fiber 10/100/1000 Ethernet PoE, 850nm, 220m, ST, MM	
MX-48-LX-ST-PoE	2 Fiber 10/100/1000 Ethernet PoE, 1330nm, 550m, ST, MM	
MTX-48-LX-ST-PoE	1 Fiber 10/100/1000 Ethernet PoE, 1300/1550nm, 550m, ST, MM	
MX-49-SX-ST-PoE	2 Fiber 10/100/1000 Drop & Repeat Ethernet PoE, 850nm, 220m, ST, MM	
MX-49-LX-ST-PoE	2 Fiber 10/100/1000 Drop & Repeat Ethernet PoE, 1300nm, 550m, ST,MM	
MX-49-LX-1F-ST-PoE	1 Fiber 10/100/1000 Drop & Repeat Ethernet PoE, 1300nm, 550m, ST, MM	
MX-46-FX-SC-PoE	2 Fiber 10/100 Ethernet PoE, 1300nm, 2km, SC,MM	
MTX-46-FX-SC-PoE	1 Fiber 10/100 Ethernet PoE, 1300/1550nm, 2km, SC,MM	
MX-48-SX-SC-PoE	2 Fiber 10/100/1000 Ethernet PoE, 850nm, 220m, SC, MM	
MX-48-LX-SC-PoE	2 Fiber 10/100/1000 Ethernet PoE, 1330nm, 550m, SC, MM	
MTX-48-LX-SC-PoE	1 Fiber 10/100/1000 Ethernet PoE, 1300/1550nm, 550m, SC, MM	
MX-49-SX-SC-PoE	2 Fiber 10/100/1000 Drop & Repeat Ethernet PoE, 850nm, 220m, SC, MM	
MX-49-LX-SC-PoE	2 Fiber 10/100/1000 Drop & Repeat Ethernet PoE, 1300nm, 550m, SC,MM	
MX-49-LX-1F-SC-PoE	1 Fiber 10/100/1000 Drop & Repeat Ethernet PoE, 1300/1550nm, SC, MM	
MX-46-FX-SL-ST	10/100 Ethernet Module TCVR, 2 Fiber, ST Connector, SM	
RX-46-FX-SL-ST	10/100 Ethernet Rack Card TCVR, 2 Fiber, ST Connector, SM	
MX-46-FX-SL-SC	10/100 Ethernet Module TCVR, 2 Fiber, SC Connector, SM	
RX-46-FX-SL-SC	10/100 Ethernet Rack Card TCVR, 2 Fiber, SC Connector, SM	
MTX-46-FX-SL-ST	10/100 Ethernet Module TX, 1 Fiber, ST Connector, MM	
RTX-46-FX-SL-ST	10/100 Ethernet Rack Card TX, 1 Fiber, ST Connector, MM	
MRX-46-FX-SL-ST	10/100 Ethernet Module RX, 1 Fiber, ST Connector, MM	
RRX-46-FX-SL-ST	10/100 Ethernet Rack Card RX, 1 Fiber, ST Connector, MM	
MTX-46-FX-SL-SC	10/100 Ethernet Module TX, 1 Fiber, SC Connector, MM	
RTX-46-FX-SL-SC	10/100 Ethernet Rack Card TX, 1 Fiber, SC Connector, MM	
MRX-46-FX-SL-SC	10/100 Ethernet Module RX, 1 Fiber, SC Connector, MM	
RRX-46-FX-SL-SC	10/100 Ethernet Rack Card RX, 1 Fiber, SC Connector, MM	
MX-48-LX-SL-SC	10/100/1000 Ethernet Module TCVR, 2 Fiber, SC, SM	
RX-48-LX-SL-SC	10/100/1000 Ethernet Rack Card TCVR, 2 Fiber, SC, SM	
MTX-48-LX-SL-SC	10/100/1000 Ethernet Module TX, 1 Fiber, SC, SM	
RTX-48-LX-SL-SC	10/100/1000 Ethernet Rack Card TX, 1 Fiber, SC, SM	
MRX-48-LX-SL-SC	10/100/1000 Ethernet Module RX, 1 Fiber, SC, SM	

ATTACHMENT "B"- PART 1

RRX-48-LX-SL-SC	10/100/1000 Ethernet Rack Card RX, 1 Fiber, SC, SM	
MX-49-LX-SL-SC	10/100/1000 Ethernet Module Drop & Repeat, 2 Fiber, SC, SM	
MX-49-LX-SL-1F-SC	10/100/1000 Ethernet Module Drop & Repeat, 1 Fiber, SC, SM	
MX-46-LX-SL-SC-PoE	2 Fiber 10/100 Ethernet PoE, 1300nm, 20km, SC, SM	
MTX-46-FX-SL-SC-PoE	2 fiber 10/100 Ethernet PoE, 1300/1550nm, 20km, SC, SM	
MX-48-LX-SL-SC-PoE	2 Fiber 10/100/1000 Ethernet PoE, 1330nm, 10km, SC, SM	
MTX-48-LX-SL-SC-PoE	1 Fiber 10/100/1000 Ethernet PoE, 1300/1550nm, 10 Km, SC, SM	
MX-49-LX-SL-SC-PoE	2 Fiber 10/100/1000 Drop & Repeat Ethernet PoE, 1300nm, 10 Km, SC, SM	
MX-49-LX-SL-1F-SC-PoE	1 Fiber 10/100/1000 Drop & Repeat Ethernet PoE, 1300/1550nm, 10Km, SC, SM	
MX-46-LX-SL-ST-PoE	2 Fiber 10/100 Ethernet PoE, 1300nm, 20km, ST, SM	
MTX-46-FX-SL-ST-PoE	2 fiber 10/100 Ethernet PoE, 1300/1550nm, 20km, ST, SM	
MX-48-LX-SL-ST-PoE	2 Fiber 10/100/1000 Ethernet PoE, 1330nm, 10km, ST, SM	
MTX-48-LX-SL-ST-PoE	1 Fiber 10/100/1000 Ethernet PoE, 1300/1550nm, 10 Km, ST, SM	
MX-49-LX-SL-ST-PoE	2 Fiber 10/100/1000 Drop & Repeat Ethernet PoE, 1300nm, 10 Km, ST, SM	
MX-49-LX-SL-1F-ST-PoE	1 Fiber 10/100/1000 Drop & Repeat Ethernet PoE, 1300/1550nm, 10Km, ST, SM	
MX-03	RS232 Module TCVR, 2 Fiber, MM	
RX-03	RS232 Rack Card TCVR, 2 Fiber, MM	
MX-04	RS422 Module TCVR, 2 Fiber, MM	
RX-04	RS422 Rack Card TCVR, 2 Fiber, MM	
MX-480	RS485/422/232/Manchester Module TCVR, 2 Fiber, MM	
RX-480	RS485/422/232/Manchester Rack Card TCVR, 2 Fiber, MM	
MTX-480	RS485/422/232/Manchester Module TX, MM	
RTX-480	RS485/422/232/Manchester Rack Card TX, MM	
MRX-480	RS485/422/232/Manchester Module RX, MM	
RRX-480	RS485/422/232/Manchester Rack Card RX, MM	
MX-481T-SC	Drop and Repeat RS485 Module TCVR, 2 Fiber, SC, MM	
MX-481T-ST	Drop and Repeat RS485 Module TCVR, 2 Fiber, ST, MM	
MX-481T-1F-SC	Drop and Repeat RS485 Module TCVR, SC, MM	
MX-481T-1F-ST	Drop and Repeat RS485 Module TCVR, ST, MM	
MX-482	2-Ch RS485/422/232/Manchester Module TCVR, 2 Fiber, MM	
RX-482	2-Ch RS485/422/232/Manchester Rack Card TCVR, 2 Fiber, MM	
MTX-482	2-Ch RS485/422/232/Manchester Module TX, MM	
RTX-482	2-Ch RS485/422/232/Manchester Rack Card TX, MM	
MRX-482	2-Ch RS485/422/232/Manchester Module RX, MM	
RRX-482	2-Ch RS485/422/232/Manchester Rack Card RX, MM	
MX-483T-SC	Drop and Repeat RS232 Module TCVR, 2 Fiber, SC, MM	

ATTACHMENT "B"- PART 1

MX-483T-ST	Drop and Repeat RS232 Module TCVR, 2 Fiber, ST, MM	
MX-483T-1F-SC	Drop and Repeat RS232 Module TCVR, SC, MM	
MX-483T-1F-ST	Drop and Repeat RS232 Module TCVR, ST, MM	
MX-484	RS485/RS422 Module TCVR, 2 Mb/s, 2 Fiber, MM	
RX-484	RS485/RS422 Rack Card TCVR, 2 Mb/s, 2 Fiber, MM	
MTX-484	RS485/RS422 Module TX, 2 Mb/s, MM	
RTX-484	RS485/RS422 Rack Card TX, 2 Mb/s, MM	
MRX-484	RS485/RS422 Module RX, 2 Mb/s, MM	
RRX-484	RS485/RS422 Rack Card RX, 2 Mb/s, MM	
MX-485	RS485, 2/4 Wire or RS422 Module TCVR, 2 Fiber, MM	
RX-485	RS485, 2/4 Wire or RS422 Rack Card TCVR, 2 Fiber, MM	
MTX-486	Panasonic PS Data Module TX, MM	
RTX-486	Panasonic PS Rack Card TX, MM	
MRX-486	Panasonic PS Module RX, MM	
RRX-486	Panasonic PS Rack Card RX, MM	
MTX-487	2-Ch RS485, 2/4 Wire or RS422 Module TX, MM	
RTX-487	2-Ch RS485, 2/4 Wire or RS422 Rack Card TX, MM	
MRX-487	2-Ch RS485, 2/4 Wire or RS422 Module RX, MM	
RRX-487	2-Ch RS485, 2/4 Wire or RS422 Rack Card RX, MM	
MTX-480-SL	RS485/422/232/Manchester Module TX, SM	
RTX-480-SL	RS485/422/232/Manchester Rack Card TX, SM	
MRX-480-SL	RS485/422/232/Manchester Module RX, SM	
RRX-480-SL	RS485/422/232/Manchester Rack Card RX, SM	
MX-481T-1F-SL-SC	Drop and Repeat RS485 Module TCVR, SC, SM	
MX-481T-1F-SL-ST	Drop and Repeat RS485 Module TCVR, ST, SM	
MTX-482SL	2-Ch RS485/422/232/Manchester Module TX, SM	
RTX-482SL	2-Ch RS485/422/232/Manchester Rack Card TX, SM	
MRX-482SL	2-Ch RS485/422/232/Manchester Module RX, SM	
RRX-482SL	2-Ch RS485/422/232/Manchester Rack Card RX, SM	
MX-483T-1F-SL-SC	Drop and Repeat RS232 Module TCVR, SC, SM	
MX-483T-1F-SL-ST	Drop and Repeat RS232 Module TCVR, ST, SM	
MTX-484SL	RS485/RS422 Module TX, 2 Mb/s, SM	
RTX-484SL	RS485/RS422 Rack Card TX, 2 Mb/s, SM	
MRX-484SL	RS485/RS422 Module RX, 2 Mb/s, SM	
RRX-484SL	RS485/RS422 Rack Card RX, 2 Mb/s, SM	
MX-485-S	RS485, 2/4 Wire, or RS422 Module TCVR, 2 Fiber, SM	
RX-485-S	RS485, 2/4 Wire, or RS422 Rack Card TCVR, 2 Fiber, SM	
MTX-486SL	Panasonic PS Data Module TX, SM	
RTX-486SL	Panasonic PS Rack Card TX, SM	
MRX-486SL	Panasonic PS Module RX, SM	
RRX-486SL	Panasonic PS Rack Card RX, SM	
MTX-487SL	2-Ch RS485, 2/4 Wire, or RS422 Module TX, SM	
RTX-487SL	2-Ch RS485, 2/4 Wire, or RS422 Rack Card TX, SM	
MRX-487SL	2-Ch RS485, 2/4 Wire, or RS422 Module RX, SM	

ATTACHMENT "B"- PART 1

RRX-487SL	2-Ch RS485, 2/4 Wire, or RS422 Rack Card RX, SM	
SR-20/2	EIA 19" Frame with PSR-2 Power Supply	
SR-20D/2	Diagnostic Capable EIA 19" Frame with PSR-2 Power Supply	
SR-20R/1	EIA 19" Frame with Redundant PSR-1M and PSR-1S Power Supplies	
SR-20H/2	EIA 19" Frame with 2 Load Sharing PSR-2 Power Supplies	
PSR-2	Switching 100W Universal Power Supply, included in SR-20/2 and SR-20D/2	
PSR-1M	Master Linear 75W DC Power Supply, included in SR-20R/1	
PSR-1S	Slave Linear 75W DC Power Supply, included in SR-20R/2	
BPS-1	One Slot Blank Panel Cover	
BPS-2	Two Slot Blank Panel Cover	
BPS-4	Four Slot Blank Panel Cover	
RD-20D	Diagnostic Control Rack Card	
PS-12	12 Volt DC Plug in Power Supply	
PS-12AC	12 Volt AC Plug in Power Supply	
PS-12D	12 Volt Regulated DC Plug in Power Supply	
PS-24	24 Volt AC Plug in Power Supply	
PS-24CT-T	24 Volt Center Tap Plug in Power Supply	
PS-24CT-230	24 Volt Center Tap Universal Input Power Supply	
PS-24DC	24 Volt DC Power Supply	
PS-VR2T	24 Volt AC / 12 Volt DC Converter	
WIC-012ST	Wall Mounted Patch Panel with 12 ST Connectors	
WIC-024ST	Wall Mounted Patch Panel with 24 ST Connectors	
RIC - 012ST	Rack Mounted Patch Panel with 12 ST Connectors	
RIC - 024ST	Rack Mounted Patch Panel with 24 ST Connectors	
PCST - 01MS	1 Meter MM Simplex Patchcord, ST to ST	
PCST - 02MS	2 Meter MM Simplex Patchcord, ST to ST	
PCST - 03MS	3 Meter MM Simplex Patchcord, ST to ST	
PCST - 05MS	5 Meter MM Simplex Patchcord, ST to ST	
PCST - 10MS	10 Meter MM Simplex Patchcord, ST to ST	
PCST - 01MD	1 Meter MM Duplex Patchcord, ST to ST	
PCST - 02MD	2 Meter MM Duplex Patchcord, ST to ST	
PCST - 03MD	3 Meter MM Duplex Patchcord, ST to ST	
PCST - 05MD	5 Meter MM Duplex Patchcord, ST to ST	
PCST - 10MD	10 Meter MM Duplex Patchcord, ST to ST	
PCTW - 01MS	1 Meter MM Simplex Patchcord, ST to SC	
PCTW - 02MS	2 Meter MM Simplex Patchcord, ST to SC	
PCTW - 03MS	3 Meter MM Simplex Patchcord, ST to SC	
PCTW - 05MS	5 Meter MM Simplex Patchcord, ST to SC	
PCTW - 10MS	10 Meter MM Simplex Patchcord, ST to SC	
PCTW - 01MD	1 Meter MM Duplex Patchcord, ST to SC	
PCTW - 02MD	2 Meter MM Duplex Patchcord, ST to SC	
PCTW - 03MD	3 Meter MM Duplex Patchcord, ST to SC	
PCTW - 05MD	5 Meter MM Duplex Patchcord, ST to SC	

ATTACHMENT "B"- PART 1

PCTW - 10MD	10 Meter MM Duplex Patchcord, ST to SC	
PCSC - 01MS	1 Meter MM Simplex Patchcord, SC to SC	
PCSC - 02MS	2 Meter MM Simplex Patchcord, SC to SC	
PCSC - 03MS	3 Meter MM Simplex Patchcord, SC to SC	
PCSC - 05MS	5 Meter MM Simplex Patchcord, SC to SC	
PCSC - 10MS	10 Meter MM Simplex Patchcord, SC to SC	
PCSC - 01MD	1 Meter MM Duplex Patchcord, SC to SC	
PCSC - 02MD	2 Meter MM Duplex Patchcord, SC to SC	
PCSC - 03MD	3 Meter MM Duplex Patchcord, SC to SC	
PCSC - 05MD	5 Meter MM Duplex Patchcord, SC to SC	
PCSC - 10MD	10 Meter MM Duplex Patchcord, SC to SC	
PCST - 01SS	1 Meter SM Simplex Patchcord, ST to ST	
PCST - 03SS	3 Meter SM Simplex Patchcord, ST to ST	
PCST - 05SS	5 Meter SM Simplex Patchcord, ST to ST	
PCST - 10SS	10 Meter SM Simplex Patchcord, ST to ST	
PELCO		
13M15-50	Lens 1/3 inch 3 Mega Pixel 15-50 MM F/1.5-2.1	
13M2.2-6	Lens 1/3 inch 3 Mega Pixel 2.2-6 MM F/1.3-2.0	
13M2.8-12	Lens 1/3 inch 3 Mega Pixel 2.8-12 MM F/1.4-2.7	
13M2.8-8	Lens 1/3 inch 3 Mega Pixel 2.8-8 MM F/1.2-1.9	
13VA1-3	Lens 1/3 in. Zm 1.6-3.4mm f1.4-Close	
13VA2.8-12	Lens 1/3 in. Zm 2.8-12mm f1.4-Close	
13VA3-8	Lens 1/3 in. Zm 3-8mm f1.0-Close	
13VA5-40	Lens 1/3 in. Zm 5-40mm f1.6-Close	
13VA5-50	Lens 1/3 in. Zm 5-50mm f1.6-Close	
13VD1-3	Lens 1/3 in. Zm 1.6-3.4mm f1.4-360 AI DC Drive	
13VD15-50	LENS,1/3"VDCL 15-50MM F1.5 DC AI CAMCLOSURE 2	
13VD2.5-6	Lens 1/3 in. Zm 2.5-6mm f1.4-360 AI DC Drive	
13VD2.8-12	Lens 1/3 in. Zm 2.8-12mm f1.4-360 AI	
13VD3-8	Lens 1/3 in. Zm 3-8mm f1.0-360 AI DC Drive Drive	
13VD5-40	Lens 1/3 in. Zm 5-40mm f1.6-360 AI DC Drive Drive	
13VD5-50	Lens 1/3 in. Zm 5-50mm f1.6-360 AI DC Drive Drive	
13VD5.5-82.5	Lens 1/3 in. Zm 5.5-82.5mm f1.8 AI DC Drive Drive	
13VDIR2.8-11	Lens 1/3 in. 2.8-11mm IR corrected AI Direct Drive	
13VDIR3-8.5	Lens 1/3 in. 3-8.5mm IR corrected AI Direct Drive	
13VDIR7.5-50	Lens 1/3 in. 7.5-50mm IR corrected AI Direct Drive	
13ZD5.5X30	Lens 1/3 in. Mzd Zm 30X 5.5-165mm AI DC Drive	
13ZD5.5X30P	Lens 1/3 in. Mzd Zm 30X 5.5-165mm AI DC Drive Pre	
13ZD5.6X20	Lens 1/3 in. Mzd Zm 20X 5.6-112mm AI DC Drive	
13ZD5.6X20P	Lens 1/3 in. Mzd Zm 20X 5.6-112mm AI DC Drive Pre	
13ZD6X10	Lens 1/3 in. Mzd Zm 10X 6-60mm AI DC Drive	
13ZD6X10P	Lens 1/3 in. Mzd Zm 10X 6-60mm AI DC Drive Pre	

ATTACHMENT "B"- PART 1

13ZD6X15P	Lens 1/3 in. Mzd Zm 15X 6-90mm AI DC Drive Pre	
13ZD6X8	Lens 1/3 in. Mzd Zm 6X 6-48mm AI DC Drive	
3390-00290	DVD factory upgrade option	
3390-00295	DVD field upgrade option	
3512-10003	DS DMS SCSI-2	
3512-10003-x	DS DMS FBR	
3530-10052-DVX	SATA 404S 4HDD-HS 2TB Raid 0-DVX	
3530-10053	SATA 404S SATA 500GB HDD & Carrier	
3530-10055	SATA 404S SCSI Cable EDS-EHDDS	
3530-10056	SATA 404S Non-HS PS	
3530-10057	SATA 404S Kit-2 Cbls PS & 500GB HDD	
3540-04250	DS XD 4 Channel 250GB 20ips	
3540-04500	DS XD 4 Channel 500GB 20ips	
3540-09250	DS XD 9 Channel 250GB 120ips	
3540-09500	DS XD 9 Channel 500GB 120ips	
3540-161000	DS XD 16 Channel 1TB 120ips	
3540-161000	DS XD 16 Channel 1TB 120ips	
3540-16250	DS XD 16 Channel 250GB 120ips	
3540-16500	DS XD 16 Channel 500GB 120ips	
35401V1C1D0S	DS X 16 Channel 16 Alarm 250GB 120IPS	
35401V1C2D0S	DS X 16 Channel 16 Alarm 500GB 120IPS	
35401V1C4D0S	DS X 16 Channel 16 Alarm 1TB 120IPS	
35401V2C2D0S	DS X 32 Channel 32 Alarm 500GB 240IPS	
35401V2C4D0S	DS X 32 Channel 32 Alarm 1TB 240IPS	
35401V2C5D0S	DS X 32 Channel 32 Alarm 2TB 240IPS	
35401V2C6D0S	DS X 32 Channel 32 Alarm 4TB 240IPS	
35401V4C2D0S	DS X 64 Channel 64 Alarm 500GB 480IPS	
35401V4C4D0S	DS X 64 Channel 64 Alarm 1TB 480IPS	
35401V4C5D0S	DS X 64 Channel 64 Alarm 2TB 480IPS	
35401V4C6D0S	DS X 64 Channel 64 Alarm 4TB 480IPS	
35402V1C2D0S	DS X 32 Channel 16 Alarm 500GB 120IPS	
35402V1C4D0S	DS X 32 Channel 16 Alarm 1TB 120IPS	
35402V1C5D0S	DS X 32 Channel 16 Alarm 2TB 120IPS	
35402V1C6D0S	DS X 32 Channel 16 Alarm 4TB 120IPS	
35402V2C2D0S	DS X 64 Channel 32 Alarm 500GB 240IPS	
35402V2C4D0S	DS X 64 Channel 32 Alarm 1TB 240IPS	
35402V2C5D0S	DS X 64 Channel 32 Alarm 2TB 240IPS	
35402V2C6D0S	DS X 64 Channel 32 Alarm 4TB 240IPS	
35402V4C4D0S	DS X 128 Channel 64 Alarm 1TB 480IPS	
35402V4C5D0S	DS X 128 Channel 64 Alarm 2TB 480IPS	
35402V4C6D0S	DS X 128 Channel 64 Alarm 4TB 480IPS	
35403V1C1D0S	DS X 16 Channel 16 Alarm 250GB 120IPS	
35403V1C2D0S	DS X 16 Channel 16 Alarm 500GB 120IPS	
35403V1C4D0S	DS X 16 Channel 16 Alarm 1TB 120IPS	

ATTACHMENT "B"- PART 1

35403V1C6D0S	DS X 16 Channel 16 Alarm 4TB 120IPS	
35403V2C1D0S	DS X 16 Channel 16 Alarm 250GB 240IPS	
35403V2C2D0S	DS X 16 Channel 16 Alarm 500GB 240IPS	
35403V2C4D0S	DS X 16 Channel 16 Alarm 1TB 240IPS	
35403V2C6D0S	DS X 16 Channel 16 Alarm 4TB 240IPS	
35403V4C2D0S	DS X 16 Channel 16 Alarm 500GB 480IPS	
35403V4C4D0S	DS X 16 Channel 16 Alarm 1TB 480IPS	
35403V4C5D0S	DS X 16 Channel 16 Alarm 2TB 480IPS	
35403V4C6D0S	DS X 16 Channel 16 Alarm 4TB 480IPS	
35404V2C1D0S	DS X 32 Channel 16 Alarm 250GB 240IPS	
35404V2C2D0S	DS X 32 Channel 16 Alarm 500GB 240IPS	
35404V2C4D0S	DS X 32 Channel 16 Alarm 1TB 240IPS	
35404V2C5D0S	DS X 32 Channel 16 Alarm 2TB 240IPS	
35404V2C6D0S	DS X 32 Channel 16 Alarm 4TB 240IPS	
35404V4C2D0S	DS X 32 Channel 16 Alarm 500GB 480IPS	
35404V4C4D0S	DS X 32 Channel 16 Alarm 1TB 480IPS	
35404V4C5D0S	DS X 32 Channel 16 Alarm 2TB 480IPS	
3541-04500	DS XD 4 Channel, 500GB 120ips	
35501V1C1D0S	DS X 16 Channel 16 Alarm 250GB 120IPS VAU	
35501V2C4D0S	DS X 32 Channel 32 Alarm 1TB 240IPS VAU	
35501V2C5D0S	DS X 32 Channel 32 Alarm 2TB 240IPS VAU	
35503V4C2D0S	DS X 16 Channel 16 Alarm 500GB 480IPS VAU	
3552-10002	DS E VAU 32 Channel XMUX2-16	
3552-10004	DS E VAU 64 Channel XMUX2-16	
3556-10002	DS E SAVR 32 Channel XMUX2-16	
3556-10004	DS E SAVR 64 Channel XMUX2-16	
3558-10004	DS E SAVR 128 Channel XMUX2-32	
3590-00502	ActiveAlert 3.0.1 2-Camera System	
3590-00504	ActiveAlert 3.0.1 4-Camera System	
3590-00961	4U Spare Kit iVEX XMUX2-16	
3590-00979	DS XPress XMUX2-32 Only Upgrade Kit	
3590-00980	DS X XMUX2-16 Spares Kit	
3590-00981	DS X XMUX2-32 Spares Kit	
3590-00983	DS X TX-400/XMUX2-16 Upgrade Kit	
3590-00984	DS X TX-400/XMUX2-32 Upgrade Kit	
3590-00988	DS X XMUX2-16 Upgrade Kit	
3590-00989	DS E/DS X Field Upgrade Kit	
3590-00989	DS E/DS X Field Upgrade Kit	
3590-10142-NL	DS NVR Language Pak - NL	
3590-40046	DS X 500GB Upgrade Kit	
AH1000	Manual Adjustable Pan/Tilt Head for EH4700 Series	
AH2000	Manual Adjustable Pan/Tilt Head for EH5700 Series	
ALM-1	USB Alarm Accessory for IP Cameras	
ALM2064	64 input alarm interface unit	

ATTACHMENT "B"- PART 1

AUD-1	USB Audito Accessory for IP Cameras	
AUSVR-SW-1L	Archive Utility SW w/1 DVMS License	
B5-F	Spectra® HD Backbox, Flush	
B5-F-E	Spectra® HD Backbox, Environmental Flush	
B5-PB	Spectra® HD Backbox, Standard Pendant Mount, Black	
B5-PG	Spectra® HD Backbox, Standard Pendant Mount, Gray	
B5-PG-E	Spectra® HD Backbox, Std Env Pendant Mount, Gray	
BB4-F	Spectra® IV SE Back Box In-ceiling Mt Standard	
BB4-F-E	Spectra® IV SE Back Box In-ceiling Mt Env	
BB4-PB	Spectra® IV SE Back Box Pend Mt Blk Std	
BB4-PG	Spectra® IV SE Back Box Pend Mt Gray Std	
BB4-PG-E	Spectra® IV SE Back Box Pend Mt Env Gray	
BB4-PR-E	Spectra® IV SE Back Box Pend Mt Env Gray Pres	
BB4-PRM-E	Spectra® IV SE Back Box Pend Mt Env Gray Pres	
BB4-PRS-E	Spectra® IV SE Back Box Pend Mt Env Gray Pres	
BB4-PSG-E	Spectra® IV SE SS Back Box Pend Mt Env Gray	
BB4-SMB	Spectra® IV SE Back Box Surface Mt Blk	
BB4-SMW	Spectra® IV SE Back Box Surface Mt White	
BB4E-F	Spectra® IV IP H.264 Backbox Flush	
BB4E-F-E	Spectra® IV IP H.264 Backbox Flush Environmental	
BB4E-PB	Spectra® IV IP H.264 Backbox Standard Pendant Blk	
BB4E-PG	Spectra® IV IP H.264 Backbox Standard Pendant Gray	
BB4E-PG-E	Spectra® IV IP H.264 Backbox Env Pendant Gray	
BB4E-PSG-E	Spectra® IV IP H.264 SSteel Backbox Env Pnd Gry	
BB4EHD-F	Spectra® IV IP H.264 Heavy Duty Backbox Flush	
BB4EHD-PG	Spectra® IV IP H.264 Heavy Duty BackBox Pnd Gray	
BB4EHD-PG-E	Spectra® IV IP H.264 Heavy Duty Bckbx Env Pnd Gray	
BB4HD-F	Spectra® IV Back Box In-ceiling Heavy-duty	
BB4HD-PG	Spectra® IV SE Back Box Heavy-duty Pend Gray	
BB4HD-PG-E	Spectra® IV SE Back Box Heavy-duty Env Pend Gy	
BB4N-F	Spectra® IV IP Backbox Flush TXB-IP-F	
BB4N-F-E	Spectra® IV IP Backbox FLSH TXB-IP-F	
BB4N-PB	Spectra® IV IP Backbox Std Pend Blk TXB-IP-P	
BB4N-PG	Spectra® IV IP Backbox Std Pend Gry TXB-IP-P	
BB4N-PG-E	Spectra® IV IP Backbox Env Pend Gray TXB-IP-P	
BB4N-PSG-E	Spectra® IV IP Backbox Env Pend Gray TXB-IP-P	
BB4NHD-F	Spectra® IV IP Heavy Duty Backbox FLSH TXB-IP-F	
BB4NHD-PG	Spectra® IV IP HeavyDuty BackBox PendGray TXB-IP-P	
BB4NHD-PG-E	Spectra® IV IP Heavy Duty Backbox ENVPnd TXB-IP-P	
BB4NT-F	Spectra® IV IP Backbox Flush TXB-IP-F	
BB4NT-F-E	Spectra® IV IP Backbox Flush Env TXB-IP-F	
BB4NT-PG	Spectra® IV IP Backbox Std Pend Gray TXB-IP-P	
BB4NT-PG-E	Spectra® IV IP Backbox Env Pend Gray TXB-IP-P	
BB4T-F	Spectra® IV Back Box In-ceiling Mt Std	

ATTACHMENT "B"- PART 1

BB4T-F-E	Spectra® IV Back Box In-ceiling Mt Env	
BB4T-PB	Spectra® IV Back Box Pend Mt Blk Std	
BB4T-PG	Spectra® IV Back Box Pend Mt Gray Std	
BB4T-PG-E	Spectra® IV Back Box Pend Mt Env Gray	
BB4T-SMB	Spectra® IV Back Box Surf Mt Blk	
BB4T-SMW	Spectra® IV Back Box Surf Mt White	
BB5-PCA-BK	Spectra® II Black Pendant Adapter	
BB5-PCA-BK	Spectra® II Black Pendant Adapter	
BB5-PCA-GY	Spectra® II Gray Pendant Adapter	
BB5-PCA-GY	Spectra® II Gray Pendant Adapter	
BK3512-1	Blower Kit for EH3512 EH3515 120VAC	
BK3512-2	Blower Kit for EH3512 EH3515 24VAC	
BK47-1	Blower Kit for EH4700 Series No PCB 120VAC	
BK47-2	Blower Kit for EH4700 Series No PCB 24VAC	
BK57-1	Blower Kit for EH5700 Series 120VAC	
BK57-2	Blower Kit for EH5700 Series 24VAC	
BK700	Blower Kit for E706 E708 E710 120VAC	
BK700/24	Blower Kit for E706 E708 E710 24VAC	
BKX4000	Blower Kit for EHX4E 120VAC	
BKX4024	Blower Kit for EHX4E 24VDC	
BKX6000	Blower Kit for EHX6E EHX8E EHX10E 120VAC	
BKX6024	Blower Kit for EHX6E EHX8E EHX10E 24VAC	
BS1750	Adjustable Swivel-Head with T-Bar Clip	
C10-UM	Universal C10 Series camera mount	
C10CH-6	Camera 1/3 in. High Res Color Compact 12/24V NTSC	
C10CH-6R11A	CameraPak® 1/3 in. Hi Res Cmpct Col 2.8-11mm IR	
C10CH-6R3A	CameraPak® 1/3 in. Hi Res Cmpct Col 3-8.5mm IR	
C10CH-6R75A	CameraPak® 1/3 in. Hi Res Cmpct Col 7.5-50mm IR	
C10CH-6V1	CameraPak® 1/3 in. Hi Res Cmpct Col 1-3mm	
C10CH-6V1A	CameraPak® 1/3 in. Hi Res Cmpct Col 1-3mm Al	
C10CH-6V1AU	CameraPak® 1/3 in. Hi Res Cmpct Col 1-3mm Al Mt	
C10CH-6V1U	CameraPak® 1/3 in. Hi Res Cmpct Col 1-3mm Mt	
C10CH-6V21	CameraPak® 1/3 in. Hi Res Cmpct Col 2.8-12mm	
C10CH-6V21A	CameraPak® 1/3 in. Hi Res Cmpct Col 2.8-12mm Al	
C10CH-6V21AU	CameraPak® 1/3 in. Hi Res Cmpct Col 2.8-12mm Al Mt	
C10CH-6V21U	CameraPak® 1/3 in. Hi Res Cmpct Col 2.8-12mm Mt	
C10CH-6V2A	CameraPak® 1/3 in. Hi Res Cmpct Col 2.5-6mm Al	
C10CH-6V2AU	CameraPak® 1/3 in. Hi Res Cmpct Col 2.5-6mmAl Mt	
C10CH-6V3	CameraPak® 1/3 in. Hi Res Cmpct Col 3-8mm	
C10CH-6V3A	CameraPak® 1/3 in. Hi Res Cmpct Col 3-8mm Al	
C10CH-6V3AU	CameraPak® 1/3 in. Hi Res Cmpct Col 3-8mm Al Mt	
C10CH-6V3U	CameraPak® 1/3 in. Hi Res Cmpct Col 3-8mm Mt	
C10CH-6V5	CameraPak® 1/3 in. Hi Res Cmpct Col 5-40mm	
C10CH-6V50A	CameraPak® 1/3 in. Hi Res Cmpct Col 5-50mm Al	

ATTACHMENT "B"- PART 1

C10CH-6V50AU	CameraPak® 1/3 in. Hi Res Cmpct Col 5-50mm AI Mt	
C10CH-6V50U	CameraPak® 1/3 in. Hi Res Cmpct Col 5-50mm Mt	
C10CH-6V55A	CameraPak® 1/3 in. Hi Res Cmpct Col 5.5-82.5mm AI	
C10CH-6V55AU	CameraPak® 1/3 in. Hi Res Cmp Col 5.5-82.5mm AI Mt	
C10CH-6V5A	CameraPak® 1/3 in. Hi Res Cmpct Col 5-40mm AI	
C10CH-6V5AU	CameraPak® 1/3 in. Hi Res Cmpct Col 5-40mm AI Mt	
C10CH-6V5U	CameraPak® 1/3 in. Hi Res Cmpct Col 5-40mm Mt	
C10DN-6	Camera 1/3 in. High Res D/N 12/24V Compact NTSC	
C10DN-6R11A	CameraPak® 1/3 in. Hi Res Cmpct D/N 2.8-11mm IR	
C10DN-6R11AU	CameraPak® High Res D/N 2.8-11MM IR Mt.	
C10DN-6R3A	CameraPak® 1/3 in. Hi Res Cmpct D/N 3-8.5mm IR	
C10DN-6R3AU	CameraPak® 1/3 in. Hi Res Cmpct D/N 3-8.5mm IR Mt	
C10DN-6R75A	CameraPak® 1/3 in. Hi Res Cmpct D/N 7.5-50mm IR	
C10DN-6V1A	CameraPak® 1/3 in. Hi Res Cmpct D/N 1-3mm AI	
C10DN-6V21	CameraPak® 1/3 in. Hi Res Cmpct D/N 2.8-12mm	
C10DN-6V21A	CameraPak® 1/3 in. Hi Res Cmpct D/N 2.8-12mm AI	
C10DN-6V21AU	CameraPak® 1/3 in. Hi Res Cmpct D/N 2.8-12mm AI Mt	
C10DN-6V2A	CameraPak® 1/3 in. Hi Res Cmpct D/N 2.5-6mm AI	
C10DN-6V3	CameraPak® 1/3 in. Hi Res Cmpct D/N 3-8mm	
C10DN-6V3A	CameraPak® 1/3 in. Hi Res Cmpct D/N 3-8mm AI	
C10DN-6V50	CameraPak® 1/3 in. Hi Res Cmpct D/N 5-50mm	
C10DN-6V50A	CameraPak® 1/3 in. Hi Res Cmpct D/N 5-50mm AI	
C10DN-6V55A	CameraPak® 1/3 in. Hi Res Cmpct D/N 5.5-82.5mm AI	
C10DN-6V5A	CameraPak® 1/3 in. Hi Res Cmpct D/N 5-40mm AI	
C1390H-6R11A	CameraPak® 1/3 in. HRes Cmpct D/N 2.8-11mm AI IR	
C1390H-6R11AU	CameraPak® 1/3 in. HRes Cmpct D/N 2.8-11mm IR Mt	
C1390H-6R3A	CameraPak® 1/3 in. Hi Res Cmpct D/N 3-8.5mm AI IR	
C1390H-6R75A	CameraPak® 1/3 in. HRes Cmpct D/N 7.5-50mm AI IR	
C1390H-6V1A	CameraPak® 1/3 in. Hi Res Cmpct D/N 1-3mm AI	
C1390H-6V21A	CameraPak® 1/3 in. Hi Res Day/Night 2.8-12mm AI	
C1390H-6V21AU	CameraPak® 1/3 in. Hi Res D/N 2.8-12mm AI Mt	
C1390H-6V2A	CameraPak® 1/3 in. Hi Res Day/Night 2.5-6mm AI	
C1390H-6V3A	CameraPak® 1/3 in. Hi Res Day/Night 5-40mm AI	
C1390H-6V50A	CameraPak® 1/3 in. Hi Res Day/Night 5-50mm AI	
C1390H-6V55A	CameraPak® 1/3 in. Hi Res Day/Night 5.5-82.5mm AI	
C1390H-6V5A	CameraPak® 1/3 in. Hi Res Day/Night 5-40mm AI	
C3701H-2R11A	CameraPak® 1/3 in. Hi Res EDR Col 2.8-11mm AI IR	
C3701H-2R3A	CameraPak® 1/3 in. Hi Res EDR Col 3-8.5mm IR	
C3701H-2R75A	CameraPak® 1/3 in. Hi Res EDR Col 7.5-50mm AI IR	
C3701H-2R75AW	CameraPak® 1/3 in. Hi Res EDR Col 7.5-50MM IR Mt	
C3701H-2V1	CameraPak® 1/3 in. High Res EDR Col 1-3mm	
C3701H-2V1A	CameraPak® 1/3 in. High Res EDR Col 1-3mm AI	
C3701H-2V1AW	CameraPak® 1/3 in. High Res EDR Col 1-3mm AI Mt	
C3701H-2V21	CameraPak® 1/3 in. High Res EDR Col 2.8-12mm	

ATTACHMENT "B"- PART 1

C3701H-2V21A	CameraPak® 1/3 in. High Res EDR Col 2.8-12mm AI	
C3701H-2V21AW	CameraPak® 1/3 in. High Res EDR Col 2.8-12mm AI Mt	
C3701H-2V21W	CameraPak® 1/3 in. High Res EDR Col 2.8-12mm Mt	
C3701H-2V2A	CameraPak® 1/3 in. High Res EDR Col 2.5-6mm AI	
C3701H-2V2AW	CameraPak® 1/3 in. High Res EDR Col 2.5-6mm AI Mt	
C3701H-2V3	CameraPak® 1/3 in. High Res EDR Col 3-8mm	
C3701H-2V3A	CameraPak® 1/3 in. High Res EDR Col 3-8mm AI	
C3701H-2V3AW	CameraPak® 1/3 in. High Res EDR Col 3-8mm AI Mt	
C3701H-2V3W	CameraPak® 1/3 in. High Res EDR Col 3-8mm Mt	
C3701H-2V5	CameraPak® 1/3 in. High Res EDR Col 5-40mm	
C3701H-2V50	CameraPak® 1/3 in. High Res EDR Col 5-50mm	
C3701H-2V50A	CameraPak® 1/3 in. High Res EDR Col 5-50mm AI	
C3701H-2V50AW	CameraPak® 1/3 in. High Res EDR Col 5-50mm AI Mt	
C3701H-2V50W	CameraPak® 1/3 in. High Res EDR Col 5-50mm Mt	
C3701H-2V55A	CameraPak® 1/3 in. High Res EDR Col 5-83mm AI	
C3701H-2V55AW	CameraPak® 1/3 in. High Res EDR Col 5-83mm AI Mt	
C3701H-2V5A	CameraPak® 1/3 in. High Res EDR Col 5-40mm AI	
C3701H-2V5AW	CameraPak® 1/3 in. High Res EDR Col 5-40mm AI Mt	
C3701H-2V5W	CameraPak® 1/3 in. High Res EDR Col 5-40mm Mt	
C3751H-2R3A	CameraPak® 1/3 in. Hi Res DSS Col 3-8.5mm AI IR	
C3751H-2R75A	CameraPak® 1/3 in. Hi Res DSS Col 7.5-50mm AI IR	
C3751H-2V1	CameraPak® 1/3 in. High Res DSS Col 1-3mm	
C3751H-2V1A	CameraPak® 1/3 in. High Res DSS Col 1.6-3.4mm AI	
C3751H-2V1AW	CameraPak® 1/3 in. Hi Res DSS Col 1.6-3.4mm AI Mt	
C3751H-2V21	CameraPak® 1/3 in. High Res DSS Col 2.8-12mm	
C3751H-2V21A	CameraPak® 1/3 in. High Res DSS Col 2.8-12mm AI	
C3751H-2V21AW	CameraPak® 1/3 in. High Res DSS Col 2.8-12mm AI Mt	
C3751H-2V21W	CameraPak® 1/3 in. High Res DSS Col 2.8-12mm Mt	
C3751H-2V2A	CameraPak® 1/3 in. High Res DSS Col 2.5-6mm AI	
C3751H-2V2AW	CameraPak® 1/3 in. High Res DSS Col 2.5-6mm AI Mt	
C3751H-2V3	CameraPak® 1/3 in. High Res DSS Col 3-8mm	
C3751H-2V3A	CameraPak® 1/3 in. High Res DSS Col 3-8mm	
C3751H-2V3AW	CameraPak® 1/3 in. High Res DSS Col 3-8mm AI	
C3751H-2V3W	CameraPak® 1/3 in. High Res DSS Col 3-8mm AI Mt	
C3751H-2V5	CameraPak® 1/3 in. High Res DSS Col 5-40mm	
C3751H-2V50	CameraPak® 1/3 in. High Res DSS Col 5-50mm	
C3751H-2V50A	CameraPak® 1/3 in. High Res DSS Col 5-50mm AI	
C3751H-2V50AW	CameraPak® 1/3 in. High Res DSS Col 5-50mm AI Mt	
C3751H-2V50W	CameraPak® 1/3 in. High Res DSS Col 5-50mm Mt	
C3751H-2V55A	CameraPak® 1/3 in. High Res DSS Col 5.5-82.5mm AI	
C3751H-2V55AW	CameraPak® 1/3 in. Hi Res DSS Col 5.5-82.5mm AI Mt	
C3751H-2V5A	CameraPak® 1/3 in. High Res DSS Col 5-40mm AI	
C3751H-2V5AW	CameraPak® 1/3 in. High Res DSS Col 5-40mm AI Mt	
C3751H-2V5W	CameraPak® 1/3 in. High Res DSS Col 5-40mm Mt	

ATTACHMENT "B"- PART 1

CC3701H-2	Camera 1/3 in. High Res NTSC Col 24VAC	
CC3751H-2	Camera 1/3 in. High Res NTSC 24VAC AI	
CCC1390H-6	Camera 1/3 in. High Res D/N Compact NTSC 12/24VAC	
CM100	Corner Adapter Wall Mt for WM2000	
CM1300	Medium-Duty Camera Mt Wall Low Cost	
CM1450	Light-Duty Camera Mt Wall	
CM1750	Universal Camera Mt 5-inches up to 7lbs	
CM1750-BK	Universal Camera Mt 5-inches up to 7lbs Blk	
CM1750EXT	4 in. Ext. Tube Use with CM1750 TB1750 Mt	
CM1750EXT-BK	4 in. Ext. Tube Use with CM1750 TB1750 Mt Blk	
CM1750S	Universal Camera Mt 3-inches up to 7lbs	
CM1750S-BK	Universal Camera Mt 3-inches up to 7lbs Blk	
CM3512	Corner Mt adapter for EM3512	
CM400	Corner Adapter for LWM41 IWM or I4018	
CM4400	Light-Duty Camera Mt Ceiling J-Mount	
CM4450	Light-Duty J-Mt Feedthrough & Swivel head	
CM6700-MXB2	CM6700 Matrix 16 In X 2 Out 120VAC	
CM6700-MXB4	CM6700 Matrix 16 In X 4 Out 120VAC	
CM6700-VMC2	CM6700 Monitor Expansion Card NTSC	
CM6800-32X6	CM6800 Matrix 32 In X 6 Out 120VAC	
CM6800-96X16	CM6800 Matrix 96 In X 16 Out 120VAC	
CM6800E-48X8	Expandable Matrix Switcher 48 In X 8 Out NTSC	
CM6800E-KIT	Expansion Cables for CM6800E Switcher	
CM9700-CBL-06FT	16 Ch Coaxial Ribbon Cable, 6'	
CM9700-CBL-10FT	16 Ch Coaxial Ribbon Cable, 10'	
CM9700-CC1	CPU Controller for Large Matrix	
CM9700-MPS	Matrix Power Supply, Spare	
CM9700-SER	Matrix SERCOM-8 Card CM9700	
CM9700-SER-32	32 Port expansion card and panel	
CM9700-VPP	32 channel video patch panel	
CM9700-VPP-RK	Rack for Mounting 16 CM9700-VPP	
CM9700UTP16A	16 Channel Active Hub, 1 Output 1 RIB	
CM9700UTP16A-US	16 Channel Active Hub, 1 Output, 1 RIB US	
CM9700UTP32A-US	32 Channel Active Hub, 1 output, 1 RIB	
CM9760-ALM	CM9760 Matrix Alarm Interface up to 64 Inputs	
CM9760-ALM	CM9760 Matrix Alarm Interface up to 64 Inputs	
CM9760-CCC	CM9760 Matrix computer changeover control	
CM9760-CDU-T	CM9760 Matrix code distribution unit	
CM9760-CDU-T	CM9760 Matrix code distribution unit	
CM9760-CPS	CM9760 Matrix computer peripheral switch	
CM9760-CXTA	CM9760 Coaxitron® Translator with D & P Protocol	
CM9760-CXTA	CM9760 Coaxitron® Translator with D & P Protocol	
CM9760-DMR	CM9760 Matrix data manager	
CM9760-DMR	CM9760 Matrix data manager	

ATTACHMENT "B"- PART 1

CM9760-DT	CM9760 Matrix data translator	
CM9760-DT4	CM9760 Matrix Data Translator RS-232 RS-422 120VAC	
CM9760-DT4-X	CM9760 Matrix Data Translator RS-232 RS-422 230VAC	
CM9760-HS	CM9760 Matrix hot switch System	
CM9760-HS	CM9760 Matrix hot switch System	
CM9760-KBD-B-US	CM9760 Desktop fulfunc keybrd w/US power cord, blk	
CM9760-KBD-E80	Version 8.0 Upgrade for CM9760 Keyboard	
CM9760-KBD-US	CM9760 Desktop Keyboard w/US power cord	
CM9760-KBR-US	CM9760 Keyboard Rack Mt w/US power cord	
CM9760-MDA	CM9760 Master Distribution Amplifier 16-Ch 120VAC	
CM9760-MDA	CM9760 Master Distribution Amplifier 16-Ch 120VAC	
CM9760-REL	CM9760 Matrix Relay Interface Cage 64 Outputs	
CM9760-REL	CM9760 Matrix Relay Interface Cage 64 Outputs	
CM9760-SAT	CM9760 Matrix Satellite Switch 16X4 120VAC	
CM9760-SAT	CM9760 Matrix Satellite Switch 16X4 120VAC	
CM9760-SEU	CM9760 Matrix Serial Expansion Unit	
CM9765-128X16	CM9765-128X16 System	
CM9765-160X16	CM9765-160X16 System	
CM9765-192X16	CM9765-192X16 System	
CM9765-224X16	CM9765-224X16 System	
CM9765-256X16	CM9765-256X16 System	
CM9765-32X16	CM9765-32X16 System	
CM9765-64X16	CM9765-64X16 System	
CM9765-96X16	CM9765-96X16 System	
CM9765-DFC	Matrix Downframe Card CM9765	
CM9765-DFL	Matrix Downframe Card CM9765 Loop	
CM9765-MXB	Matrix Bay CM9765 with power supply 120V	
CM9765-RPC	Matrix Rear Panel BNC Input-32 CM9765	
CM9765-RPM	Matrix Rear Panel BNC Output-16 CM9765	
CM9765-RPS	Matrix Rear Panel Side and Dwnfrm CM9765	
CM9765-VCC	32 Input Video Camera Card	
CM9765-VMC	16 Output Video Monitor Card	
CM9765L-128X16	CM9765L-128X16 System LP	
CM9765L-160X16	CM9765L-160X16 System LP	
CM9765L-192X16	CM9765L-192X16 System LP	
CM9765L-224X16	CM9765L-224X16 System LP	
CM9765L-256X16	CM9765L-256X16 System LP	
CM9765L-32X16	CM9765L-32X16 System LP	
CM9765L-64X16	CM9765L-64X16 System LP	
CM9765L-96X16	CM9765L-96X16 System LP	
CM9780-MXB	Matrix Bay for CM9780	
CMXM100	ExSite® Corner Mt adapter	
CMXM100	ExSite® Corner Mt adapter	
CX9024RX-PP	Coaxitron® Receiver for 24VAC Pan/Tilt 32 Pre 120V	

ATTACHMENT "B"- PART 1

CX9115RX-PP	Coaxitron®Receiver for 120VAC Pan/Tilt 32 Pre 120V	
D5118	Spectra HD 1.3MP 18X Dome Drive	
DA104DT	Video Distribution Amplifier 1 In X 4 Out 120VAC	
DD4	Spectra® Mini dome drive NTSC	
DD4-B	Spectra® mini dome drive Black NTSC	
DD423	Spectra® IV 23X Day/Night Dome Drive NTSC	
DD427	Spectra® IV 27X Day/Night Dome Drive NTSC	
DD4CBW35	Spectra® IV SE 35X D/N Dome Drive NTSC	
DD4CBW35	Spectra® IV SE 35X D/N Dome Drive NTSC	
DD4H35	Spectra IV Horizon Dome Drive CBW 35X NTSC	
DD4N	Spectra® Mini IP Dome Drive White NTSC	
DD4N-B	Spectra® Mini IP Dome Drive Blk NTSC	
DD5-FM	Removable fixed mt camera bracket for Spectra®	
DD5-FM	Removable fixed mt camera bracket for Spectra®	
DD5-FM	Removable fixed mt camera bracket for Spectra®	
DF5-0	Fixed Mt In-ceiling Smk Dome	
DF5-0	Fixed Mt In-ceiling Smk Dome	
DF5-0	Fixed Mt In-ceiling Smk Dome	
DF5-0F	Fixed Mt In-ceiling Smk Flat Acrylic Sheet	
DF5-1	Fixed Mt In-ceiling Clr Dome	
DF5-1	Fixed Mt In-ceiling Clr Dome	
DF5-1	Fixed Mt In-ceiling Clr Dome	
DF5-2	Fixed Mt In-ceiling Chrome Dome	
DF5-2	Fixed Mt In-ceiling Chrome Dome	
DF5-2	Fixed Mt In-ceiling Chrome Dome	
DF5-3	Fixed Mt In-ceiling Gold Dome	
DF5-3	Fixed Mt In-ceiling Gold Dome	
DF5-3	Fixed Mt In-ceiling Gold Dome	
DF5-PB-0	Fixed Mt Indoor Smk Blk Pend No Cam	
DF5-PB-0	Fixed Mt Indoor Smk Blk Pend No Cam	
DF5-PB-0	Fixed Mt Indoor Smk Blk Pend No Cam	
DF5-PB-1	Fixed Mt Indoor Clr Blk Pend No Camera	
DF5-PB-1	Fixed Mt Indoor Clr Blk Pend No Camera	
DF5-PB-1	Fixed Mt Indoor Clr Blk Pend No Camera	
DF5-PG-0	Fixed Mt Indoor Smk Gray Pend No Camera	
DF5-PG-0	Fixed Mt Indoor Smk Gray Pend No Camera	
DF5-PG-0	Fixed Mt Indoor Smk Gray Pend No Camera	
DF5-PG-1	Fixed Mt Indoor Clr Gray Pend No Camera	
DF5-PG-1	Fixed Mt Indoor Clr Gray Pend No Camera	
DF5-PG-1	Fixed Mt Indoor Clr Gray Pend No Camera	
DF5-PG-E0	Fixed Mt Outdoor Smk Gray Pend No Camera	
DF5-PG-E0	Fixed Mt Outdoor Smk Gray Pend No Camera	
DF5-PG-E0	Fixed Mt Outdoor Smk Gray Pend No Camera	
DF5-PG-E1	Fixed Mt Outdoor Clr Gray Pend No Camera	

ATTACHMENT "B"- PART 1

DF5-PG-E1	Fixed Mt Outdoor Clr Gray Pend No Camera	
DF5-PG-E1	Fixed Mt Outdoor Clr Gray Pend No Camera	
DF5AJ-0FV2A	DomePak® Smoked Flat Plate Col 2.5-6mm AI	
DF5AJ-0R11A	DomePak® In-ceiling Smoked Col 2.8-11mm IR	
DF5AJ-0R3A	DomePak® In-ceiling Smoked Col 3-8.5mm IR	
DF5AJ-0R75A	DomePak® In-ceiling Smoked Col 7.5-50mm IR	
DF5AJ-0V1A	DomePak® In-ceiling Smoked Col 1-3mm AI	
DF5AJ-0V21	DomePak® In-ceiling Smoked Col 2.8-12mm	
DF5AJ-0V21A	DomePak® In-ceiling Smoked Col 2.8-12mm AI	
DF5AJ-0V2A	DomePak® In-ceiling Smoked Col 2.5-6mm AI	
DF5AJ-0V3	DomePak® In-ceiling Smoked Col 3-8mm	
DF5AJ-0V3A	DomePak® In-ceiling Smoked Col 3-8mm AI	
DF5AJ-0V50	DomePak® In-ceiling Smoked Col 5-50mm	
DF5AJ-0V50A	DomePak® In-ceiling Smoked Col 5-50mm AI	
DF5AJ-1R11A	DomePak® In-ceiling Clear Col 2.8-11mm IR	
DF5AJ-1R3A	DomePak® In-ceiling Clear Col 3-8.5mm IR	
DF5AJ-1R75A	DomePak® In-ceiling Clear Col 7.5-50mm IR	
DF5AJ-1V1	DomePak® In-ceiling Clear Col 1-3mm	
DF5AJ-1V1A	DomePak® In-ceiling Clear Col 1-3mm AI	
DF5AJ-1V21	DomePak® In-ceiling Clear Col 2.8-12mm	
DF5AJ-1V21A	DomePak® In-ceiling Clear Col 2.8-12mm AI	
DF5AJ-1V2A	DomePak® In-ceiling Clear Col 2.5-6mm AI	
DF5AJ-1V3	DomePak® In-ceiling Clear Col 3-8mm	
DF5AJ-1V3A	DomePak® In-ceiling Clear Col 3-8mm AI	
DF5AJ-1V50	DomePak® In-ceiling Clear Col 5-50mm	
DF5AJ-1V50A	DomePak® In-ceiling Clear Col 5-50mm AI	
DF5AJ-2V21	DomePak® In-ceiling Chrome Col 2.8-12mm	
DF5AJ-2V3	DomePak® In-ceiling Chrome Col 3-8mm	
DF5AJ-2V3A	DomePak® In-ceiling Chrome Col 3-8mm AI	
DF5AJ-2V50	DomePak® In-ceiling Chrome Col 5-50mm	
DF5AJ-3V21	DomePak® In-ceiling Gold Col 2.8-12mm	
DF5AJ-3V21A	DomePak® In-ceiling Gold Col 2.8-12mm AI	
DF5AJ-3V3	DomePak® In-ceiling Gold Col 3-8mm	
DF5AJ-3V3A	DomePak® In-ceiling Gold Col 3-8mm AI	
DF5AJ-3V50	DomePak® In-ceiling Gold Col 5-50mm	
DF5AJ-3V50A	DomePak® In-ceiling Gold Col 5-50mm AI	
DF5AJ-PB-0R3A	DomePak® Smoked Black Pend Col 3-8.5mm IR	
DF5AJ-PB-0V1	DomePak® Smoked Black Pend Col 1-3mm	
DF5AJ-PB-0V1A	DomePak® Smoked Black Pend Col 1-3mm AI	
DF5AJ-PB-0V21	DomePak® Smoked Black Pend Col 2.8-12mm	
DF5AJ-PB-0V21A	DomePak® Smoked Black Pend Col 2.8-12mm AI	
DF5AJ-PB-0V2A	DomePak® Smoked Black Pend Col 2.5-6mm AI	
DF5AJ-PB-0V3	DomePak® Smoked Black Pend Col 3-8mm	
DF5AJ-PB-0V3A	DomePak® Smoked Black Pend Col 3-8mm AI	

ATTACHMENT "B"- PART 1

DF5AJ-PB-0V50	DomePak® Smoked Black Pend Col 5-50mm	
DF5AJ-PB-0V50A	DomePak® Smoked Black Pend Col 5-50mm AI	
DF5AJ-PB-1V1A	DomePak® Clear Black Pend Col 1-3mm AI	
DF5AJ-PB-1V21	DomePak® Clear Black Pend Col 2.8-12mm	
DF5AJ-PB-1V21A	DomePak® Clear Black Pend Col 2.8-12mm AI	
DF5AJ-PB-1V2A	DomePak® Clear Black Pend Col 2.5-6mm AI	
DF5AJ-PB-1V3	DomePak® Clear Black Pend Col 3-8mm	
DF5AJ-PB-1V3A	DomePak® Clear Black Pend Col 3-8mm AI	
DF5AJ-PB-1V50	DomePak® Clear Black Pend Col 5-50mm	
DF5AJ-PB-1V50A	DomePak® Clear Black Pend Col 5-50mm AI	
DF5AJ-PG-0R3A	DomePak® Smoked Gray Pend Col 3-8.5mm IR	
DF5AJ-PG-0R75A	DomePak® Smoked Gray Pend Col 7.5-50mm IR	
DF5AJ-PG-0V1A	DomePak® Smoked Gray Pend Col 1-3mm AI	
DF5AJ-PG-0V21	DomePak® Smoked Gray Pend Col 2.8-12mm	
DF5AJ-PG-0V21A	DomePak® Smoked Gray Pend Col 2.8-12mm AI	
DF5AJ-PG-0V2A	DomePak® Smoked Gray Pend Col 2.5-6mm AI	
DF5AJ-PG-0V3	DomePak® Smoked Gray Pend Col 3-8mm	
DF5AJ-PG-0V3A	DomePak® Smoked Gray Pend Col 3-8mm AI	
DF5AJ-PG-0V50	DomePak® Smoked Gray Pend Col 5-50mm	
DF5AJ-PG-0V50A	DomePak® Smoked Gray Pend Col 5-50mm AI	
DF5AJ-PG-1V1A	DomePak® Clear Gray Pend Col 1-3mm AI	
DF5AJ-PG-1V21	DomePak® Clear Gray Pend Col 2.8-12mm	
DF5AJ-PG-1V21A	DomePak® Clear Gray Pend Col 2.8-12mm AI	
DF5AJ-PG-1V2A	DomePak® Clear Gray Pend Col 2.5-6mm AI	
DF5AJ-PG-1V3A	DomePak® Clear Gray Pend Col 3-8mm AI	
DF5AJ-PG-1V50	DomePak® Clear Gray Pend Col 5-50mm	
DF5AJ-PG-1V50A	DomePak® Clear Gray Pend Col 5-50mm AI	
DF5AJ-PG-1V5A	DomePak® Clear Gray Pend Col 5-40mm AI	
DF5AJ-PG-E0R3A	DomePak® Smoked Env Gray Pend Col 3-8.5mm IR	
DF5AJ-PG-E0V1A	DomePak® Smoked Env Gray Pend Col 1-3mm AI	
DF5AJ-PG-E0V21	DomePak® Smoked Env Gray Pend Col 2.8-12mm	
DF5AJ-PG-E0V21A	DomePak® Smoked Env Gray Pend Col 2.8-12mm AI	
DF5AJ-PG-E0V2A	DomePak® Smoked Env Gray Pend Col 2.5-6mm AI	
DF5AJ-PG-E0V3	DomePak® Smoked Env Gray Pend Col 3-8mm	
DF5AJ-PG-E0V3A	DomePak® Smoked Env Gray Pend Col 3-8mm AI	
DF5AJ-PG-E0V50	DomePak® Smoked Env Gray Pend Col 5-50mm	
DF5AJ-PG-E0V50A	DomePak® Smoked Env Gray Pend Col 5-50mm AI	
DF5AJ-PG-E1R11A	DomePak® Clear Env Gray Pend Col 2.8-11mm IR	
DF5AJ-PG-E1V1A	DomePak® Clear Env Gray Pend Col 1-3mm AI	
DF5AJ-PG-E1V21	DomePak® Clear Env Gray Pend Col 2.8-12mm	
DF5AJ-PG-E1V21A	DomePak® Clear Env Gray Pend Col 2.8-12mm AI	
DF5AJ-PG-E1V2A	DomePak® Clear Env Gray Pend Col 2.5-6mm AI	
DF5AJ-PG-E1V3	DomePak® Clear Env Gray Pend Col 3-8mm	
DF5AJ-PG-E1V3A	DomePak® Clear Env Gray Pend Col 3-8mm AI	

ATTACHMENT "B"- PART 1

DF5AJ-PG-E1V50	DomePak® Clear Env Gray Pend Col 5-50mm	
DF5AJ-PG-E1V50A	DomePak® Clear Env Gray Pend Col 5-50mm AI	
DF5AM-0R11A	DomePak® In-ceiling Smoked D/N 2.8-11MM IR	
DF5AM-0V21	DomePak® In-ceiling Smoked D/N 2.8-12MM	
DF5AM-0V21A	DomePak® In-ceiling Smoked D/N 2.8-12MM AI	
DF5AM-0V2A	DomePak® In-ceiling Smoked D/N 2.5-6MM AI	
DF5AM-0V3A	DomePak® In-ceiling Smoked D/N 3-8MM AI	
DF5AM-1R3A	DomePak® In-ceiling Clear D/N 3-8.5MM IR	
DF5AM-1V1A	DomePak® In-ceiling Clear D/N 1-3MM AI	
DF5AM-1V50A	DomePak® In-ceiling Clear D/N 5-50MM AI	
DF5AM-PB-0R75A	DomePak® Smoked Black Pend D/N 7.5-50MM IR	
DF5AM-PB-1R3A	DomePak® Clear Black Pend D/N 3-8.5MM IR	
DF5AM-PB-1R75A	DomePak® Clear Black Pend D/N 7.5-50MM IR	
DF5AM-PG-0R11A	DomePak® Smoked Gray Pend D/N 2.8-11MM IR	
DF5AM-PG-0R75A	DomePak® Smoked Gray Pend D/N 7.5-50MM IR	
DF5AM-PG-0V21A	DomePak® Smoked Gray Pend D/N 2.8-12MM AI	
DF5AM-PG-0V3A	DomePak® Smoked Gray Pend D/N 3-8MM AI	
DF5AM-PG-E0R11A	DomePak® Smoked Env Gray Pend D/N 2.8-11MM IR	
DF5AM-PG-E0R3A	DomePak® Smoked Env Gray Pend D/N 3-8.5MM IR	
DF5AM-PG-E0R75A	DomePak® Smoked Env Gray Pend D/N 7.5-50MM IR	
DF5AM-PG-E0V21	DomePak® Smoked Env Gray Pend D/N 2.8-12MM	
DF5AM-PG-E0V21A	DomePak® Smoked Env Gray Pend D/N 2.8-12MM AI	
DF5AM-PG-E0V3A	DomePak® Smoked Env Gray Pend D/N 3-8MM AI	
DF5AM-PG-E0V50	DomePak® Smoked Env Gray Pend D/N 5-50MM	
DF5AM-PG-E0V50A	DomePak® Smoked Env Gray Pend D/N 5-50MM AI	
DF5AM-PG-E1R11A	DomePak® Clear Env Gray Pend D/N 11MM	
DF5AM-PG-E1R3A	DomePak® Clear Env Gray Pend D/N 3-8.5MM IR	
DF5AM-PG-E1R75A	DomePak® Clear Env Gray Pend D/N 7.5-50MM IR	
DF5AM-PG-E1V21	DomePak® Clear Env Gray Pend D/N 2.8-12MM	
DF5AM-PG-E1V21A	DomePak® Clear Env Gray Pend D/N 2.8-12MM AI	
DF5AM-PG-E1V3A	DomePak® Clear Env Gray Pend D/N 3-8MM AI	
DF5AM-PG-E1V50	DomePak® Clear Env Gray Pend D/N 5-50MM	
DF5AM-PG-E1V50A	DomePak® Clear Env Gray Pend D/N 5-50MM AI	
DF5AM-PG-E1V5A	DomePak® Clear Env Gray Pend D/N 5-40MM AI	
DF5HD-1	Heavy-Duty In-ceiling Back Box Clr No Camera	
DF5HD-PG-1	Heavy-Duty Dome Gray Pend Clr No Camera	
DF5HD-PG-E1	Heavy-Duty Dome Gray Pend Clr Env No Camera	
DF5KW-0FR3A	DomePak® Smoked Flat Plate D/N IR 3-8.5mm	
DF5KW-0FV1A	DomePak® Smoked Flat Plate D/N 1-3mm AI	
DF5KW-0R11A	DomePak® In-ceiling Smoked D/N 2.8-11mm IR	
DF5KW-0R3A	DomePak® In-ceiling Smoked D/N 3-8.5mm IR	
DF5KW-0R75A	DomePak® In-ceiling Smoked D/N 7.5-50mm IR	
DF5KW-0V21	DomePak® In-ceiling Smoked D/N 2.8-12mm	
DF5KW-0V21A	DomePak® In-ceiling Smoked D/N 2.8-12mm AI	

ATTACHMENT "B"- PART 1

DF5KW-0V2A	DomePak® In-ceiling Smoked D/N 2.5-6mm AI	
DF5KW-0V3A	DomePak® In-ceiling Smoked D/N 3-8mm AI	
DF5KW-0V50	DomePak® In-ceiling Smoked D/N 5-50mm	
DF5KW-0V50A	DomePak® In-ceiling Smoked D/N 5-50mm AI	
DF5KW-1R11A	DomePak® In-ceiling Clear D/N 2.8-11mm IR	
DF5KW-1R3A	DomePak® In-ceiling Clear D/N 3-8mm IR	
DF5KW-1R75A	DomePak® In-ceiling Clear D/N 7.5-50mm IR	
DF5KW-1V1A	DomePak® In-ceiling Clear D/N 1-3mm AI	
DF5KW-1V21	DomePak® In-ceiling Clear D/N 2.8-12mm	
DF5KW-1V21A	DomePak® In-ceiling Clear D/N 2.8-12mm AI	
DF5KW-1V3	DomePak® In-ceiling Clear D/N 3-8mm	
DF5KW-1V3A	DomePak® In-ceiling Clear D/N 3-8mm AI	
DF5KW-1V50	DomePak® In-ceiling Clear D/N 5-50mm	
DF5KW-1V50A	DomePak® In-ceiling Clear D/N 5-50mm AI	
DF5KW-2V21A	DomePak® In-ceiling Chrome D/N 2.8-12mm AI	
DF5KW-2V2A	DomePak® In-ceiling Chrome D/N 2.5-6mm AI	
DF5KW-PB-0V1A	DomePak® Smoked Black Pend D/N 1-3mm AI	
DF5KW-PB-0V21	DomePak® Smoked Black Pend D/N 2.8-12mm	
DF5KW-PB-0V21A	DomePak® Smoked Black Pend D/N 2.8-12mm AI	
DF5KW-PB-0V2A	DomePak® Smoked Black Pend D/N 2.5-6mm AI	
DF5KW-PB-0V3A	DomePak® Smoked Black Pend D/N 3-8mm AI	
DF5KW-PB-0V50A	DomePak® Smoked Black Pend D/N 5-50mm AI	
DF5KW-PB-1R3A	DomePak® Clear Black Pend D/N 3-8.5mm IR	
DF5KW-PB-1V1A	DomePak® Clear Black Pend D/N 1-3mm AI	
DF5KW-PB-1V21A	DomePak® Clear Black Pend D/N 2.8-12mm AI	
DF5KW-PB-1V3A	DomePak® Clear Black Pend D/N 3-8mm AI	
DF5KW-PB-1V50	DomePak® Clear Black Pend D/N 5-50mm	
DF5KW-PB-1V50A	DomePak® Clear Black Pend D/N 5-50mm AI	
DF5KW-PG-0R11A	DomePak® Smoked Gray Pend D/N 2.8-11mm IR	
DF5KW-PG-0R3A	DomePak® Smoked Gray Pend D/N 3-8.5mm IR	
DF5KW-PG-0R75A	DomePak® Smoked Gray Pend D/N 7.5-50mm IR	
DF5KW-PG-0V21	DomePak® Smoked Gray Pend D/N 2.8-12mm	
DF5KW-PG-0V21A	DomePak® Smoked Gray Pend D/N 2.8-12mm AI	
DF5KW-PG-0V3A	DomePak® Smoked Gray Pend D/N 3-8mm AI	
DF5KW-PG-0V50	DomePak® Smoked Gray Pend D/N 5-50mm	
DF5KW-PG-0V50A	DomePak® Smoked Gray Pend D/N 5-50mm AI	
DF5KW-PG-1R11A	DomePak® Clear Gray Pend D/N 2.8-11mm IR	
DF5KW-PG-1R3A	DomePak® Clear Gray Pend D/N 3-8.5mm IR	
DF5KW-PG-1R75A	DomePak® Clear Gray Pend D/N 7.5-50mm IR	
DF5KW-PG-1V1A	DomePak® Clear Gray Pend D/N 1-3mm AI	
DF5KW-PG-1V21A	DomePak® Clear Gray Pend D/N 2.8-12mm AI	
DF5KW-PG-1V2A	DomePak® Clear Gray Pend D/N 2.5-6mm AI	
DF5KW-PG-1V3A	DomePak® Clear Gray Pend D/N 3-8mm AI	
DF5KW-PG-1V50A	DomePak® Clear Gray Pend D/N 5-50mm AI	

ATTACHMENT "B"- PART 1

DF5KW-PG-1V5A	DomePak® Clear Gray Pend D/N 5-40mm AI	
DF5KW-PG-E0R11A	DomePak® Smoked Env Gray Pend D/N 2.8-11mm IR	
DF5KW-PG-E0R3A	DomePak® Smoked Env Gray Pend D/N 3-8.5mm IR	
DF5KW-PG-E0R75A	DomePak® Smoked Env Gray Pend D/N 7.5-50mm IR	
DF5KW-PG-E0V1A	DomePak® Smoked Env Gray Pend D/N 1-3mm AI	
DF5KW-PG-E0V21	DomePak® Smoked Env Gray Pend D/N 2.8-12mm	
DF5KW-PG-E0V21A	DomePak® Smoked Env Gray Pend D/N 2.8-12mm AI	
DF5KW-PG-E0V2A	DomePak® Smoked Env Gray Pend D/N 2.5-6mm AI	
DF5KW-PG-E0V3	DomePak® Smoked Env Gray Pend D/N 3-8mm	
DF5KW-PG-E0V3A	DomePak® Smoked Env Gray Pend D/N 3-8mm AI	
DF5KW-PG-E0V50	DomePak® Smoked Env Gray Pend D/N 5-50mm	
DF5KW-PG-E0V50A	DomePak® Smoked Env Gray Pend D/N 5-50mm AI	
DF5KW-PG-E1R11A	DomePak® Clear Env Gray Pend D/N 2.8-11mm IR	
DF5KW-PG-E1R3A	DomePak® Clear Env Gray Pend D/N 3-8.5mm IR	
DF5KW-PG-E1R75A	DomePak® Clear Env Gray Pend D/N 7.5-50mm IR	
DF5KW-PG-E1V1A	DomePak® Clear Env Gray Pend D/N 1-3mm AI	
DF5KW-PG-E1V21	DomePak® Clear Env Gray Pend D/N 2.8-12mm	
DF5KW-PG-E1V21A	DomePak® Clear Env Gray Pend D/N 2.8-12mm AI	
DF5KW-PG-E1V2A	DomePak® Clear Env Gray Pend D/N 2.5-6mm AI	
DF5KW-PG-E1V3A	DomePak® Clear Env Gray Pend D/N 3-8mm AI	
DF5KW-PG-E1V50	DomePak® Clear Env Gray Pend D/N 5-50mm	
DF5KW-PG-E1V50A	DomePak® Clear Env Gray Pend D/N 5-50mm AI	
DF5KW-PG-E1V5A	DomePak® Clear Env Gray Pend D/N 5-40mm AI	
DF5LINERKIT	Slotted Liner Kit for Opaque Domes	
DF5S-0	Fixed Mt Indoor Short Back Box Smk No Camera	
DF5S-1	Fixed Mt Indoor Short Back Box Clr No Camera	
DF5S-SMKIT	Mt Kit for Surface Mt DF5S	
DF5SAJ-0V1A	DomePak® Short Back Box Smoked Col 1-3mm AI	
DF5SAJ-0V21	DomePak® Short Back Box Smoked Col 2.8-12mm	
DF5SAJ-0V21A	DomePak® Short Back Box Smoked Col 2.8-12mm AI	
DF5SAJ-0V2A	DomePak® Short Back Box Smoked Col 2.5-6mm AI	
DF5SAJ-0V3	DomePak® Short Back Box Smoked Col 3-8mm	
DF5SAJ-0V3A	DomePak® Short Back Box Smoked Col 3-8mm AI	
DF5SAJ-0V50	DomePak® Short Back Box Smoked Col 5-50mm	
DF5SAJ-0V50A	DomePak® Short Back Box Smoked Col 5-50mm AI	
DF5SAJ-1V1A	DomePak® Short Back Box Clear Col 1-3mm AI	
DF5SAJ-1V21	DomePak® Short Back Box Clear Col 2.8-12mm	
DF5SAJ-1V21A	DomePak® Short Back Box Clear Col 2.8-12mm AI	
DF5SAJ-1V2A	DomePak® Short Back Box Clear Col 2.5-6mm AI	
DF5SAJ-1V3	DomePak® Short Back Box Clear Col 3-8mm	
DF5SAJ-1V3A	DomePak® Short Back Box Clear Col 3-8mm AI	
DF5SAJ-1V50	DomePak® Short Back Box Clear Col 5-50mm	
DF5SAJ-1V50A	DomePak® Short Back Box Clear Col 5-50mm AI	
DF5SAM-0V3A	DomePak® Short Back Box Smoked D/N 3-8MM AI	

ATTACHMENT "B"- PART 1

DF5SAM-1V1A	DomePak® Short Back Box Clear D/N 1-3MM AI	
DF5SKW-0R11A	DomePak® Short Back Box Smoked D/N 2.8-11mm IR	
DF5SKW-0R75A	DomePak® Short Back Box Smoked D/N 7.5-50mm IR	
DF5SKW-0V21A	DomePak® Short Back Box Smoked D/N 2.8-12mm AI	
DF5SKW-0V2A	DomePak® Short Back Box Smoked D/N 2.5-6mm AI	
DF5SKW-0V3	DomePak® Short Back Box Smoked D/N 3-8mm	
DF5SKW-0V3A	DomePak® Short Back Box Clr D/N 3-8mm AI	
DF5SKW-0V50A	DomePak® Short Back Box Clr D/N 5-50mm AI	
DF5SKW-1R3A	DomePak® Short Back Box Clear D/N 3-8.5mm IR	
DF5SKW-1V1A	DomePak® Short Back Box Smoked D/N 1.6-3.4mm AI	
DF5SKW-1V21A	DomePak® Short Back Box Clear D/N 2.8-12mm AI	
DF5SKW-1V2A	DomePak® Short Back Box Clear D/N 2.5-6mm AI	
DF5SKW-1V3A	DomePak® Short Back Box Smoked D/N 3-8mm AI	
DF8-PB-0	DomePak® 8 in. Fixed Mt Smk Blk Pend No Camera	
DF8-PB-0	DomePak® 8 in. Fixed Mt Smk Blk Pend No Camera	
DF8-PB-1	DomePak® 8 in. Fixed Mt Clr Blk Pend No Camera	
DF8-PB-1	DomePak® 8 in. Fixed Mt Clr Blk Pend No Camera	
DF8-PG-0	DomePak® 8 in. Fixed Mt Smk Gray Pend No Camera	
DF8-PG-0	DomePak® 8 in. Fixed Mt Smk Gray Pend No Camera	
DF8-PG-1	DomePak® 8 in. Fixed Mt Clr Gray Pend No Camera	
DF8-PG-1	DomePak® 8 in. Fixed Mt Clr Gray Pend No Camera	
DF8-PG-E0	DomePak® 8 in. Fix Mt Outdoor Smk Gray Pend No Cam	
DF8-PG-E0	DomePak® 8 in. Fix Mt Outdoor Smk Gray Pend No Cam	
DF8-PG-E1	DomePak® 8 in. Fix Mt Outdoor Clr Gray Pend No Cam	
DF8-PG-E1	DomePak® 8 in. Fix Mt Outdoor Clr Gray Pend No Cam	
DF8A	In-ceiling Smk for Fixed Camera	
DF8A	In-ceiling Smk for Fixed Camera	
DF8A-0	In-ceiling Blk Smk Window for Fixed Camera	
DF8A-0	In-ceiling Blk Smk Window for Fixed Camera	
DF8A-1	In-ceiling Blk Clr Window for Fixed Camera	
DF8A-1	In-ceiling Blk Clr Window for Fixed Camera	
DF8A-10	In-ceiling White Clr Window for Fixed Camera	
DF8A-10	In-ceiling White Clr Window for Fixed Camera	
DF8A-P	Dome Ceiling Mt Aluminum Panel for DF8A Series	
DF8A-P	Dome Ceiling Mt Aluminum Panel for DF8A Series	
DF8A-R	Dome Ceiling Mt Support Rails	
DF8A-R	Dome Ceiling Mt Support Rails	
DF8AJ-0V1A	DomePak® In-ceiling Smoked Col 1-3mm AI	
DF8AJ-0V21	DomePak® In-ceiling Smoked Col 2.8-12mm	
DF8AJ-0V21A	DomePak® In-ceiling Smoked Col 2.8-12mm AI	
DF8AJ-0V2A	DomePak® In-ceiling Smoked Col 2.5-6mm AI	
DF8AJ-0V3A	DomePak® In-ceiling Smoked Col 3-8mm AI	
DF8AJ-0V50	DomePak® In-ceiling Smoked Col 5-50mm	
DF8AJ-0V50A	DomePak® In-ceiling Smoked Col 5-50mm AI	

ATTACHMENT "B"- PART 1

DF8AJ-0V5A	DomePak® In-ceiling Smoked Col 5-40mm AI	
DF8AJ-1R3A	DomePak® In-ceiling Clear Col 3-8.5mm IR	
DF8AJ-1V21	DomePak® In-ceiling Clear Col 2.8-12mm	
DF8AJ-1V21A	DomePak® In-ceiling Clear Col 2.8-12mm AI	
DF8AJ-1V3A	DomePak® In-ceiling Clear Col 3-8mm AI	
DF8AJ-1V50	DomePak® In-ceiling Clear Col 5-50mm	
DF8AJ-1V50A	DomePak® In-ceiling Clear Col 5-50mm AI	
DF8AJ-1V5A	DomePak® In-ceiling Clear Col 5-40mm AI	
DF8AJ-PB-0V21	DomePak® Smoked Black Pend Col 2.8-12mm	
DF8AJ-PB-0V21A	DomePak® Smoked Black Pend Col 2.8-12mm AI	
DF8AJ-PB-0V3A	DomePak® Smoked Black Pend Col 3-8mm AI	
DF8AJ-PB-0V50	DomePak® Smoked Black Pend Col 5-50mm	
DF8AJ-PB-0V5A	DomePak® Smoked Black Pend Col 5-40mm AI	
DF8AJ-PB-1V50A	DomePak® Clear Black Pend Col 5-50mm AI	
DF8AJ-PG-0V21	DomePak® Smoked Gray Pend Col 2.8-12mm	
DF8AJ-PG-0V21A	DomePak® Smoked Gray Pend Col 2.8-12mm AI	
DF8AJ-PG-0V2A	DomePak® Smoked Gray Pend Col 2.5-6mm AI	
DF8AJ-PG-0V3	DomePak® Smoked Gray Pend Col 3-8mm	
DF8AJ-PG-0V3A	DomePak® Smoked Gray Pend Col 3-8mm AI	
DF8AJ-PG-0V50A	DomePak® Smoked Gray Pend Col 5-50mm AI	
DF8AJ-PG-0V5A	DomePak® Smoked Gray Pend Col 5-40mm AI	
DF8AJ-PG-1V21A	DomePak® Clear Gray Pend Col 2.8-12mm AI	
DF8AJ-PG-1V2A	DomePak® Clear Gray Pend Col 2.5-6mm AI	
DF8AJ-PG-1V3A	DomePak® Clear Gray Pend Col 3-8mm AI	
DF8AJ-PG-1V50A	DomePak® Clear Gray Pend Col 5-50mm AI	
DF8AJ-PG-E0V21A	DomePak® Smoked Env Gray Pend Col 2.8-12mm AI	
DF8AJ-PG-E0V2A	DomePak® Smoked Env Gray Pend Col 2.5-6mm AI	
DF8AJ-PG-E0V3	DomePak® Smoked Env Gray Pend Col 3-8mm	
DF8AJ-PG-E0V3A	DomePak® Smoked Env Gray Pend Col 3-8mm AI	
DF8AJ-PG-E0V50A	DomePak® Smoked Env Gray Pend Col 5-50mm AI	
DF8AJ-PG-E0V5A	DomePak® Smoked Env Gray Pend Col 5-40mm AI	
DF8AJ-PG-E1V21	DomePak® Clear Env Gray Pend Col 2.8-12mm	
DF8AJ-PG-E1V21A	DomePak® Clear Env Gray Pend Col 2.8-12mm AI	
DF8AJ-PG-E1V2A	DomePak® Clear Env Gray Pend Col 2.5-6mm AI	
DF8AJ-PG-E1V3A	DomePak® Clear Env Gray Pend Col 3-8mm AI	
DF8AJ-PG-E1V50	DomePak® Clear Env Gray Pend Col 5-50mm	
DF8AJ-PG-E1V50A	DomePak® Clear Env Gray Pend Col 5-50mm AI	
DF8AJ-PG-E1V55A	DomePak® Clear Env Gray Pend Col 5.5-82.5mm AI	
DF8AJ-PG-E1V5A	DomePak® Clear Env Gray Pend Col 5-40mm AI	
DF8AJ-V3	DomePak® In-ceiling Smoked Col 3-8mm	
DF8AJ-V3A	DomePak® In-ceiling Smoked Col 3-8mm AI	
DF8AJ-V50A	DomePak® In-ceiling Smoked Col 5-50mm AI	
DF8AM-0V21	DomePak® In-ceiling Smoked D/N 2.8-12mm	
DF8AM-0V21A	DomePak® In-ceiling Smoked D/N 2.8-12mm AI	

ATTACHMENT "B"- PART 1

DF8AM-0V2A	DomePak® In-ceiling Smoked D/N 2.5-6mm AI	
DF8AM-0V3A	DomePak® In-ceiling Smoked D/N 3-8mm AI	
DF8AM-0V5	DomePak® In-ceiling Smoked D/N 5-40mm	
DF8AM-0V5A	DomePak® In-ceiling Smoked D/N 5-40mm AI	
DF8AM-1R11A	DomePak® In-ceiling Clear D/N 2.8-11mm IR	
DF8AM-1V21	DomePak® In-ceiling Clear D/N 2.8-12mm	
DF8AM-1V21A	DomePak® In-ceiling Clear D/N 2.8-12mm AI	
DF8AM-1V3A	DomePak® In-ceiling Clear D/N 3-8mm AI	
DF8AM-1V50A	DomePak® In-ceiling Clear D/N 5-50mm AI	
DF8AM-PB-0V3A	DomePak® Smoked Black Pend D/N 3-8mm AI	
DF8AM-PB-1R3A	DomePak® Clear Black Pend D/N 3-8.5mm IR	
DF8AM-PB-1R75A	DomePak® Clear Black Pend D/N 7.5-50mm IR	
DF8AM-PB-1V3A	DomePak® Clear Black Pend D/N 3-8mm AI	
DF8AM-PG-0V21A	DomePak® Smoked Gray Pend D/N 2.8-12mm AI	
DF8AM-PG-0V3A	DomePak® Smoked Gray Pend D/N 3-8mm AI	
DF8AM-PG-0V50A	DomePak® Smoked Gray Pend D/N 5-50mm AI	
DF8AM-PG-1R11A	DomePak® Clear Gray Pend D/N 2.8-11mm IR	
DF8AM-PG-1R3A	DomePak® Clear Gray Pend D/N 3-8.5mm IR	
DF8AM-PG-1R75A	DomePak® Clear Gray Pend D/N 7.5-50mm IR	
DF8AM-PG-1V21A	DomePak® Clear Gray Pend D/N 2.8-12mm AI	
DF8AM-PG-1V3A	DomePak® Clear Gray Pend D/N 3-8mm AI	
DF8AM-PG-1V50A	DomePak® Clear Gray Pend D/N 5-50mm AI	
DF8AM-PG-E0R11A	DomePak® Smoked Env Gray Pend D/N 2.8-11mm IR	
DF8AM-PG-E0R75A	DomePak® Smoked Env Gray Pend D/N 7.5-50mm IR	
DF8AM-PG-E0V21A	DomePak® Smoked Env Gray Pend D/N 2.8-12mm AI	
DF8AM-PG-E0V2A	DomePak® Smoked Env Gray Pend D/N 2.5-6mm AI	
DF8AM-PG-E0V3A	DomePak® Smoked Env Gray Pend D/N 3-8mm AI	
DF8AM-PG-E0V50A	DomePak® Smoked Env Gray Pend D/N 5-50mm AI	
DF8AM-PG-E0V55A	DomePak® Smoked Env Gray Pend D/N 5.5-82.5mm AI	
DF8AM-PG-E1R11A	DomePak® Clear Env Gray Pend D/N 2.8-11mm AI	
DF8AM-PG-E1R3A	DomePak® Clear Env Gray Pend D/N 3-8.5mm IR	
DF8AM-PG-E1R75A	DomePak® Clear Env Gray Pend D/N 7.5-50mm IR	
DF8AM-PG-E1V21A	DomePak® Clear Env Gray Pend D/N 2.8-12mm AI	
DF8AM-PG-E1V2A	DomePak® Clear Env Gray Pend D/N 2.5-6mm AI	
DF8AM-PG-E1V3A	DomePak® Clear Env Gray Pend D/N 3-8mm AI	
DF8AM-PG-E1V5	DomePak® Clear Env Gray Pend D/N 5-40mm	
DF8AM-PG-E1V50	DomePak® Clear Env Gray Pend D/N 5-50mm	
DF8AM-PG-E1V50A	DomePak® Clear Env Gray Pend D/N 5-50mm AI	
DF8AM-PG-E1V55A	DomePak® Clear Env Gray Pend D/N 5.5-82.5mm AI	
DF8AM-PG-E1V5A	DomePak® Clear Env Gray Pend D/N 5-40mm AI	
DF8CB-0V1A	DomePak® In-ceiling Smoked Col 1-3mm AI	
DF8CB-0V21	DomePak® In-ceiling Smoked Col 2.8-12mm	
DF8CB-0V21A	DomePak® In-ceiling Smoked Col 2.8-12mm AI	
DF8CB-0V2A	DomePak® In-ceiling Smoked Col 2.5-6mm AI	

ATTACHMENT "B"- PART 1

DF8CB-0V3A	DomePak® In-ceiling Smoked Col 3-8mm Al	
DF8CB-0V5	DomePak® In-ceiling Smoked Col 5-40mm	
DF8CB-0V50	DomePak® In-ceiling Smoked Col 5-50mm	
DF8CB-0V50A	DomePak® In-ceiling Smoked Col 5-50mm Al	
DF8CB-0V55A	DomePak® In-ceiling Smoked Col 5.5-82.5mm Al	
DF8CB-0V5A	DomePak® In-ceiling Smoked Col 5-40mm Al	
DF8CB-1V21	DomePak® In-ceiling Clear Col 2.8-12mm	
DF8CB-1V21A	DomePak® In-ceiling Clear Col 2.8-12mm Al	
DF8CB-1V3	DomePak® In-ceiling Clear Col 3-8mm	
DF8CB-1V50A	DomePak® In-ceiling Clear Col 5-50mm Al	
DF8CB-1V5A	DomePak® In-ceiling Clear Col 5-40mm Al	
DF8CB-PB-0V21A	DomePak® Smoked Black Pend Col 2.8-12mm Al	
DF8CB-PB-0V3A	DomePak® Smoked Black Pend Col 3-8mm Al	
DF8CB-PB-0V50	DomePak® Smoked Black Pend Col 5-50mm	
DF8CB-PB-1V3A	DomePak® Clear Black Pend Col 3-8mm Al	
DF8CB-PG-0V21	DomePak® Smoked Gray Pend Col 2.8-12mm	
DF8CB-PG-0V21A	DomePak® Smoked Gray Pend Col 2.8-12mm Al	
DF8CB-PG-0V3A	DomePak® Smoked Gray Pend Col 3-8mm Al	
DF8CB-PG-0V50	DomePak® Smoked Gray Pend Col 5-50mm	
DF8CB-PG-0V50A	DomePak® Smoked Gray Pend Col 5-50mm Al	
DF8CB-PG-1V21	DomePak® Clear Gray Pend Col 2.8-12mm	
DF8CB-PG-1V21A	DomePak® Clear Gray Pend Col 2.8-12mm Al	
DF8CB-PG-1V3A	DomePak® Clear Gray Pend Col 3-8mm Al	
DF8CB-PG-1V50	DomePak® Clear Gray Pend Col 5-50mm	
DF8CB-PG-1V50A	DomePak® Clear Gray Pend Col 5-50mm Al	
DF8CB-PG-E0V21A	DomePak® Smoked Env Gray Pend Col 2.8-12mm Al	
DF8CB-PG-E0V3A	DomePak® Smoked Env Gray Pend Col 3-8mm Al	
DF8CB-PG-E0V50A	DomePak® Smoked Env Gray Pend Col 5-50mm Al	
DF8CB-PG-E1V21	DomePak® Clear Env Gray Pend Col 2.8-12mm	
DF8CB-PG-E1V21A	DomePak® Clear Env Gray Pend Col 2.8-12mm Al	
DF8CB-PG-E1V3A	DomePak® Clear Env Gray Pend Col 3-8mm Al	
DF8CB-PG-E1V50	DomePak® Clear Env Gray Pend Col 5-50mm	
DF8CB-PG-E1V50A	DomePak® Clear Env Gray Pend Col 5-50mm Al	
DF8CB-PG-E1V55A	DomePak® Clear Env Gray Pend Col 5.5-82.5mm Al	
DF8CL-0V21	DomePak® In-ceiling Smoked Col 2.8-12mm	
DF8CL-0V21A	DomePak® In-ceiling Smoked Col 2.8-12mm Al	
DF8CL-0V2A	DomePak® In-ceiling Smoked Col 2.5-6mm Al	
DF8CL-0V3A	DomePak® In-ceiling Smoked Col 3-8mm Al	
DF8CL-0V50	DomePak® In-ceiling Smoked Col 5-50mm	
DF8CL-0V50A	DomePak® In-ceiling Smoked Col 5-50mm Al	
DF8CL-1V1	DomePak® In-ceiling Clear Col 1-3mm	
DF8CL-1V21	DomePak® In-ceiling Clear Col 2.8-12mm	
DF8CL-1V21A	DomePak® In-ceiling Clear Col 2.8-12mm Al	
DF8CL-1V3A	DomePak® In-ceiling Clear Col 3-8mm Al	

ATTACHMENT "B"- PART 1

DF8CL-1V50	DomePak® In-ceiling Clear Col 5-50mm	
DF8CL-1V50A	DomePak® In-ceiling Clear Col 5-50mm Al	
DF8CL-1V55A	DomePak® In-ceiling Clear Col 5.5-82.5mm Al	
DF8CL-PB-0V21	DomePak® Smoked Black Pend Col 2.8-12mm	
DF8CL-PB-0V21A	DomePak® Smoked Black Pend Col 2.8-12mm Al	
DF8CL-PB-0V3A	DomePak® Smoked Black Pend Col 3-8mm Al	
DF8CL-PB-0V50A	DomePak® Smoked Black Pend Col 5-50mm Al	
DF8CL-PB-1V3A	DomePak® Clear Black Pend Col 3-8mm Al	
DF8CL-PB-1V55A	DomePak® Clear Black Pend Col 5.5-82.5mm Al	
DF8CL-PG-0V21A	DomePak® Smoked Gray Pend Col 2.8-12mm Al	
DF8CL-PG-0V3A	DomePak® Smoked Gray Pend Col 3-8mm Al	
DF8CL-PG-0V50	DomePak® Smoked Gray Pend Col 5-50mm	
DF8CL-PG-0V50A	DomePak® Smoked Gray Pend Col 5-50mm Al	
DF8CL-PG-0V5A	DomePak® Smoked Gray Pend Col 5-40mm Al	
DF8CL-PG-1V21A	DomePak® Clear Gray Pend Col 2.8-12mm Al	
DF8CL-PG-1V2A	DomePak® Clear Gray Pend Col 2.5-6mm Al	
DF8CL-PG-1V3A	DomePak® Clear Gray Pend Col 3-8mm Al	
DF8CL-PG-1V50	DomePak® Clear Gray Pend Col 5-50mm	
DF8CL-PG-1V50A	DomePak® Clear Gray Pend Col 5-50mm Al	
DF8CL-PG-1V5A	DomePak® Clear Gray Pend Col 5-40mm Al	
DF8CL-PG-E0V1A	DomePak® Smoked Env Gray Pend Col 1-3mm Al	
DF8CL-PG-E0V21	DomePak® Smoked Env Gray Pend Col 2.8-12mm	
DF8CL-PG-E0V21A	DomePak® Smoked Env Gray Pend Col 2.8-12mm Al	
DF8CL-PG-E0V2A	DomePak® Smoked Env Gray Pend Col 2.5-6mm Al	
DF8CL-PG-E0V3A	DomePak® Smoked Env Gray Pend Col 3-8mm Al	
DF8CL-PG-E0V50	DomePak® Smoked Env Gray Pend Col 5-50mm	
DF8CL-PG-E0V50A	DomePak® Smoked Env Gray Pend Col 5-50mm Al	
DF8CL-PG-E0V55A	DomePak® Smoked Env Gray Pend Col 5.5-82.5mm Al	
DF8CL-PG-E1V21	DomePak® Clear Env Gray Pend Col 2.8-12mm	
DF8CL-PG-E1V21A	DomePak® Clear Env Gray Pend Col 2.8-12mm Al	
DF8CL-PG-E1V2A	DomePak® Clear Env Gray Pend Col 2.5-6mm Al	
DF8CL-PG-E1V3	DomePak® Clear Env Gray Pend Col 3-8mm	
DF8CL-PG-E1V3A	DomePak® Clear Env Gray Pend Col 3-8mm Al	
DF8CL-PG-E1V50	DomePak® Clear Env Gray Pend Col 5-50mm	
DF8CL-PG-E1V50A	DomePak® Clear Env Gray Pend Col 5-50mm Al	
DF8CL-PG-E1V55A	DomePak® Clear Env Gray Pend Col 5.5-82.5mm Al	
DF8CL-PG-E1V5A	DomePak® Clear Env Gray Pend Col 5-40mm Al	
DF8KW-0R11A	DomePak® In-ceiling Smoked D/N 2.8-11mm IR	
DF8KW-0R3A	DomePak® In-ceiling Smoked D/N 3-8.5mm IR	
DF8KW-0R75A	DomePak® In-ceiling Smoked D/N 7.5-50mm IR	
DF8KW-0V21	DomePak® In-ceiling Smoked D/N 2.8-12mm	
DF8KW-0V21A	DomePak® In-ceiling Smoked D/N 2.8-12mm	
DF8KW-0V3A	DomePak® In-ceiling Smoked D/N 3-8mm Al	
DF8KW-0V50	DomePak® In-ceiling Smoked D/N 5-50mm	

ATTACHMENT "B"- PART 1

DF8KW-0V50A	DomePak® In-ceiling Smoked D/N 5-50mm AI	
DF8KW-0V55A	DomePak® In-ceiling Smoked D/N 5.5-82.5mm AI	
DF8KW-PB-0R3A	DomePak® Smoked Black Pend D/N 3-8.5mm IR	
DF8KW-PB-0V3A	DomePak® Smoked Black Pend D/N 3-8mm AI	
DF8KW-PB-0V50A	DomePak® Smoked Black Pend D/N 5-50mm AI	
DF8KW-PB-1R75A	DomePak® Clear Black Pend D/N 7.5-50mm IR	
DF8KW-PB-1V21A	DomePak® Clear Black Pend D/N 2.8-12mm AI	
DF8KW-PB-1V5A	DomePak® Clear Black Pend D/N 5-40mm AI	
DF8KW-PG-0V21	DomePak® Smoked Gray Pend D/N 2.8-12mm	
DF8KW-PG-0V21A	DomePak® Smoked Gray Pend D/N 2.8-12mm AI	
DF8KW-PG-0V3A	DomePak® Smoked Gray Pend D/N 3-8mm AI	
DF8KW-PG-0V50A	DomePak® Smoked Gray Pend D/N 5-50mm AI	
DF8KW-PG-1R75A	DomePak® Clear Gray Pend D/N 7.5-50mm IR	
DF8KW-PG-E0R11A	DomePak® Smoked Env Gray Pend D/N 2.8-11mm IR	
DF8KW-PG-E0R3A	DomePak® Smoked Env Gray Pend D/N 3-8.5mm IR	
DF8KW-PG-E0R75A	DomePak® Smoked Env Gray Pend D/N 7.5-50mm IR	
DF8KW-PG-E0V21A	DomePak® Clear Env Gray Pend D/N 2.8-12mm AI	
DF8KW-PG-E0V3A	DomePak® Smoked Env Gray Pend D/N 3-8mm AI	
DF8KW-PG-E0V50A	DomePak® Clear Env Gray Pend D/N 5-50mm AI	
DF8KW-PG-E0V55A	DomePak® Clear Env Gray Pend D/N 5.5-82.5mm AI	
DF8KW-PG-E1R11A	DomePak® Clear Env Gray Pend D/N 2.8-11mm IR	
DF8KW-PG-E1R3A	DomePak® Clear Env Gray Pend D/N 3-8.5mm IR	
DF8KW-PG-E1R75A	DomePak® Clear Env Gray Pend D/N 7.5-50mm IR	
DF8KW-PG-E1V21A	DomePak® Clear Env Gray Pend D/N 2.8-12mm AI	
DF8KW-PG-E1V3A	DomePak® Clear Env Gray Pend D/N 3-8mm AI	
DF8KW-PG-E1V50A	DomePak® Clear Env Gray Pend D/N 5-50mm AI	
DF8KW-PG-E1V55A	DomePak® Clear Env Gray Pend D/N 5.5-82.5mm AI	
DF8KW-PG-E1V5A	DomePak® Clear Env Gray Pend D/N 5-40mm AI	
DH5AJ-1V1A	DomePak® HD In-ceiling Clear Col 1-3mm AI	
DH5AJ-1V21A	DomePak® HD In-ceiling Clear Col 2.8-12mm AI	
DH5AJ-1V2A	DomePak® HD In-ceiling Clear Col 2.5-6mm AI	
DH5AJ-1V3A	DomePak® HD In-ceiling Clear Col 3-8mm AI	
DH5AJ-1V50A	DomePak® HD In-ceiling Clear Col 5-50mm AI	
DH5AJ-PG-1V21A	DomePak® HD Clear Gray Pend Col 2.8-12mm AI	
DH5AJ-PG-1V3A	DomePak® HD Clear Gray Pend Col 3-8mm AI	
DH5AJ-PG-1V50A	DomePak® HD Clear Gray Pend Col 5-50mm AI	
DH5AJ-PG-E1V21A	DomePak® HD Clear Env Gray Pend Col 2.8-12mm AI	
DH5AJ-PG-E1V2A	DomePak® HD Clear Env Gray Pend Col 2.5-6mm AI	
DH5AJ-PG-E1V3A	DomePak® HD Clear Env Gray Pend Col 3-8mm AI	
DH5AJ-PG-E1V50A	DomePak® HD Clear Env Gray Pend Col 5-50mm AI	
DH5AM-1R11A	DomePak® HD In-ceiling Clear D/N 2.8-11MM IR	
DH5AM-PG-1R3A	DomePak® HD Clear Gray Pend D/N 3-8.5MM IR	
DH5AM-PG-E1R11A	DomePak® HD Clear Env Gray Pend D/N 2.8-11MM IR	
DH5AM-PG-E1R75A	DomePak® HD Clear Env Gray Pend D/N 7.5-50MM IR	

ATTACHMENT "B"- PART 1

DH5AM-PG-E1V21A	DomePak® HD Clear Env Gray Pend D/N 2.8-12MM AI	
DH5AM-PG-E1V3A	DomePak® HD Clear Env Gray Pend D/N 3-8MM AI	
DH5AM-PG-E1V50A	DomePak® HD Clear Env Gray Pend D/N 5-50MM AI	
DH5KW-1R11A	DomePak® HD In-ceiling Clear D/N 2.8-11mm IR	
DH5KW-1R3A	DomePak® HD In-ceiling Clear D/N 3-8.5mm IR	
DH5KW-1V21A	DomePak® HD In-ceiling Clear D/N 2.8-12mm AI	
DH5KW-1V2A	DomePak® HD In-ceiling Clear D/N 2.5-6mm AI	
DH5KW-1V3A	DomePak® HD In-ceiling Clear D/N 3-8mm AI	
DH5KW-1V50A	DomePak® HD In-ceiling Clear D/N 5-50mm AI	
DH5KW-PG-1V21A	DomePak® HD Clear Pendant D/N 2.8-12mm AI	
DH5KW-PG-1V2A	DomePak® HD Clear Gray Pend D/N 2.5-6mm AI	
DH5KW-PG-1V50A	DomePak® HD Clear Gray Pend D/N 5-50mm AI	
DH5KW-PG-E1R11A	DomePak® HD Clear Env Gray Pend D/N 2.8-11mm IR	
DH5KW-PG-E1R3A	DomePak® HD Clear Env Gray Pend D/N 3-8.5mm IR	
DH5KW-PG-E1R75A	DomePak® HD Clear Env Gray Pend D/N 7.5-50mm IR	
DH5KW-PG-E1V21A	DomePak® HD Clear Env Gray Pend D/N 2.8-12mm AI	
DH5KW-PG-E1V3A	DomePak® HD Clear Env Gray Pend D/N 3-8mm AI	
DH5KW-PG-E1V50A	DomePak® HD Clear Env Gray Pend D/N 5-50mm AI	
DS-NVS-NC	DS-NVS-NC Base Software	
DS-SW-CAM	DS Camera License Fee for IP Cameras	
DSD040500	DS RV-D 4 Channel 500GB 120FPS	
DSD041000	DS RV-D 4 Channel 1TB 120FPS	
DSD080500	DS RV-D 8 Channel 500GB 240FPS	
DSD081000	DS RV-D 8 Channel1TB 240FPS	
DSD160500	DS RV-D 16 Channel 500GB 480FPS	
DSD161000	DS RV-D 16 Channel 1TB 480FPS	
DSF161000	DS 1000 16 Channel 1TB 160IPS	
DSF162000	DS 1000 16 Channel 2TB 160IPS	
DSF16500	DS 1000 16 Channel 500GB 160IPS	
DSF16500	DS 1000 16 Channel 500GB 160IPS	
DSF321000	DS 1000 32 Channel 1TB 160IPS	
DSF322000	DS 1000 32 Channel 2TB 160IPS	
DSF32500	DS 1000 32 Channel 500GB 160IPS	
DSNVR04500	NVR 4 Channel 500GB	
DSNVR04500-v	NVR 4 Channel 500GB VAU	
DSNVR162000	NVR 16 Channel 2000GB	
DSNVR164000	NVR 16 Channel 4000GB	
DSNVR16500	NVR 16 Channel 500GB	
DSNVR16500-v	NVR 16 Channel 500GB VAU	
DSNVR322000	NVR 32 Channel 2000GB	
DSNVR324000	NVR 32 Channel 4000GB	
DSNVR32500	NVR 32 Channel 500GB	
DSNVR32500-v	NVR 32 Channel 500GB VAU	
DSR080500	DS RV-X 8 Channel 500GB 240FPS	

ATTACHMENT "B"- PART 1

DSR080500	DS RV-X 8 Channel 500GB 240FPS	
DSR081000	DS RV-X 8 Channel 1000GB 240FPS	
DSR081000	DS RV-X 8 Channel 1000GB 240FPS	
DSR082000	DS RV-X 8 Channel 2000GB 240FPS	
DSR082000	DS RV-X 8 Channel 2000GB 240FPS	
DSR082000-v	DS RV-X 8 Channel 2000GB 240FPS VAU	
DSR082000-v	DS RV-X 8 Channel 2000GB 240FPS VAU	
DSR160500	DS RV-X 16 Channel 500GB 480FPS	
DSR160500	DS RV-X 16 Channel 500GB 480FPS	
DSR161000	DS RV-X 16 Channel 1000GB 480FPS	
DSR161000	DS RV-X 16 Channel 1000GB 480FPS	
DSR161000-v	DS RV-X 16 Channel 1000GB 480FPS VAU	
DSR162000	DS RV-X 16 Channel 2000GB 480FPS	
DSR164000	DS RV-X 16 Channel 4000GB 480FPS	
DSR320500	DS RV-X 32 Channel 500GB 960FPS	
DSR320500	DS RV-X 32 Channel 500GB 960FPS	
DSR320500-v	DS RV-X 32 Channel 500GB 960FPS VAU	
DSR320500-v	DS RV-X 32 Channel 500GB 960FPS VAU	
DSR321000	DS RV-X 32 Channel 1000GB 960FPS	
DSR321000	DS RV-X 32 Channel 1000GB 960FPS	
DSR322000	DS RV-X 32 Channel 2000GB 960FPS	
DSR322000	DS RV-X 32 Channel 2000GB 960FPS	
DSR322000-v	DS RV-X 32 Channel 2000GB 960FPS VAU	
DSR322000-v	DS RV-X 32 Channel 2000GB 960FPS VAU	
DSR324000	DS RV-X 32CH 4000GB 960FPS	
DSX08-8080	DS RV-R1 8 Channel 80GB S2 240FPS	
DSX08-8080	DS RV-R1 8 Channel 80GB S2 240FPS	
DSX0842000-5	DS RV-R5 8CH 6TB S2 240FPS	
DSX084500	DS RV-R10 8 Channel 1TB S2 240FPS	
DSX084500	DS RV-R10 8 Channel 1TB S2 240FPS	
DSX084500-5	DS RV-R5 8 Channel 1TB S2 240FPS	
DSX084500-5	DS RV-R5 8 Channel 1TB S2 240FPS	
DSX161642000	DS RV-R10 16 Channel/Loop 4TB 480IPS	
DSX161642000-5	DS RV-R5 16 Channel/Loop 6TB S2 480IPS	
DSX16164500	DS RV-R10 16 Channel/Loop 1TB S2 240FPS	
DSX16164500	DS RV-R10 16 Channel/Loop 1TB S2 240FPS	
DSX16164500-5	DS RV-R5 16 Channel/Loop 1TB S2 240FPS	
DSX16164500-5	DS RV-R5 16 Channel/Loop 1TB S2 240FPS	
DSX16164500-v	DS RV-R10 16 Channel/Loop 1TB S2 240FPS VAU	
DSX16164500-v	DS RV-R10 16 Channel/Loop 1TB S2 240FPS VAU	
DSX1642000	DS RV-R10 16 Channel 4TB S2 480IPS	
DSX1642000-5	DS RV-R5 16 Channel 6TB S2 480IPS	
DSX164500	DS RV-R10 16 Channel 1TB S2 240FPS	
DSX164500	DS RV-R10 16 Channel 1TB S2 240FPS	

ATTACHMENT "B"- PART 1

DSX164500-5	DS RV-R5 16 Channel 1TB S2 240FPS	
DSX164500-5	DS RV-R5 16 Channel 1TB S2 240FPS	
DSX164500-5-v	DS RV-R5 16 Channel 1TB S2 240FPS VAU	
DSX164500-5-v	DS RV-R5 16 Channel 1TB S2 240FPS VAU	
DSX164500-v	DS RV-R10 16 Channel 1TB S2 240FPS VAU	
DSX164500-v	DS RV-R10 16 Channel 1TB S2 240FPS VAU	
DSX168080	DS RV-R1 16 Channel 80GB S2 240FPS	
DSX168080	DS RV-R1 16 Channel 80GB S2 240FPS	
DSX32-8080	DS RV-R1 32 Channel 80GB S2 240FPS	
DSX32-8080	DS RV-R1 32 Channel 80GB S2 240FPS	
DSX3242000	DS RV-R10 32 Channel 4TB S2 960 IPS	
DSX324500	DS RV-R10 32 Channel 1TB S2 240FPS	
DSX324500	DS RV-R10 32 Channel 1TB S2 240FPS	
DSX324500-5	DS RV-R5 32 Channel 1TB S2 240FPS	
DSX324500-5	DS RV-R5 32 Channel 1TB S2 240FPS	
DSX324500-5-v	DS RV-R5 32 Channel 1TB S2 240FPS VAU	
DSX324500-5-v	DS RV-R5 32 Channel 1TB S2 240FPS VAU	
DSX324500-v	DS RV-R10 32 Channel 1TB S2 240FPS VAU	
DSX324500-v	DS RV-R10 32 Channel 1TB S2 240FPS VAU	
DVR5100-RAM	Memory Upgrade for DVR5100	
DVR5324RP-OS	DVR5324 Replacement OS Drive	
DVR5348RP-OS	DVR5348 Imaged Replacement OS Drive	
DVR5KRP-1000	DVR5100 1000GB HDD Replacement Kit	
DVR5KRP-1500	DVR5100 1500GB HDD Replacement Kit	
DVR5KRP-2000	DVR5100 2.0TB HDD Replacement	
DVR5KRP-250	DVR5100 250GB HDD replacement kit	
DVR5KRP-500	DVR5100 500GB HDD replacement kit	
DVR5KUP-250-1TB	DVR5100 250GB to 1TB upgrade kit	
DVR5KUP-250-2TB	DVR5100 500GB to 2TB upgrade kit	
DVR5KUP-250-500	DVR5100 250GB to 500GB upgrade kit	
DVR5KUP-500-1TB	DVR5100 500GB to 1TB upgrade kit	
DVR5KUP-800-1TB	DVR5100 800GB to 1TB upgrade kit	
DX4104-1000	4 Channel H264 DVR, 1000GB Storage	
DX4104-2000	4 Channel H264 DVR, 2000GB Storage	
DX4104-250	4 Channel H264 DVR, 250GB Storage	
DX4104-500	4 Channel H264 DVR, 500GB Storage	
DX4104DVD-1000	4 Channel H264 DVR,1000GB,DVDRW	
DX4104DVD-250	4 ChannelH264 DVR,250GB,DVDRW	
DX4104DVD-500	4 ChannelH264 DVR,500GB,DVDRW	
DX4104DVD-UPG	DX4104 DVD Upgrade Kit	
DX4104HDD-1000	DX4104 Upgrade HDD 1000GB	
DX4104HDD-250	DX4104 Upgrade HDD 250GB	
DX4104HDD-500	DX4104 Upgrade HDD 500GB	
DX4508-1000	DX4500 Series 8-channel DVR, 1TB Storage	

ATTACHMENT "B"- PART 1

DX4508-1000	DX4500 Series 8-channel DVR, 1TB Storage	
DX4508-2000	DX4500 Series 8-channel DVR, 2TB Storage	
DX4508-2000	DX4500 Series 8-channel DVR, 2TB Storage	
DX4508-250	DX4500 Series 8-channel DVR, 250GB Storage	
DX4508-250	DX4500 Series 8-channel DVR, 250GB Storage	
DX4508-4000	8 Channel MPEG4 DVR, 120IPS, 4TB	
DX4508-500	DX4500 Series 8-channel DVR, 500GB Storage	
DX4508-500	DX4500 Series 8-channel DVR, 500GB Storage	
DX4508DVD-1000	DX4500 Series 8-channel DVR w/DVDRW, 1TB Storage	
DX4508DVD-1000	DX4500 Series 8-channel DVR w/DVDRW, 1TB Storage	
DX4508DVD-2000	DX4500 Series 8-channel DVR w/DVDRW, 2TB Storage	
DX4508DVD-2000	DX4500 Series 8-channel DVR w/DVDRW, 2TB Storage	
DX4508DVD-250	DX4500 Series 8-channel DVR w/DVDRW, 250GB Storage	
DX4508DVD-250	DX4500 Series 8-channel DVR w/DVDRW, 250GB Storage	
DX4508DVD-4000	DX4500 Series 8-channel DVR w/DVDRW, 4TB Storage	
DX4508DVD-500	DX4500 Series 8-channel DVR w/DVDRW, 500GB Storage	
DX4508DVD-500	DX4500 Series 8-channel DVR w/DVDRW, 500GB Storage	
DX4516-1000	DX4500 Series 16 channel DVR, 1TB Storage	
DX4516-1000	DX4500 Series 16 channel DVR, 1TB Storage	
DX4516-2000	DX4500 Series 16 channel DVR, 2TB Storage	
DX4516-2000	DX4500 Series 16 channel DVR, 2TB Storage	
DX4516-250	DX4500 Series 16 channel DVR, 250GB Storage	
DX4516-250	DX4500 Series 16 channel DVR, 250GB Storage	
DX4516-4000	16 Channel MPEG4 DVR, 240IPS, 4TB	
DX4516-500	DX4500 Series 16-channel DVR, 500GB Storage	
DX4516-500	DX4500 Series 16-channel DVR, 500GB Storage	
DX4516DVD-1000	DX4500 Series 16-channel DVR w/DVDRW, 1TB Storage	
DX4516DVD-1000	DX4500 Series 16-channel DVR w/DVDRW, 1TB Storage	
DX4516DVD-2000	DX4500 Series 16-channel DVR w/DVDRW, 2TB Strg	
DX4516DVD-2000	DX4500 Series 16-channel DVR w/DVDRW, 2TB Strg	
DX4516DVD-250	DX4500 Series 16-channel DVR w/DVDRW, 250GB Strg	
DX4516DVD-250	DX4500 Series 16-channel DVR w/DVDRW, 250GB Strg	
DX4516DVD-4000	DX4500 Series 16-channel DVR w/DVDRW, 4TB Storage	
DX4516DVD-500	DX4500 Series 16-channel DVR w/DVDRW, 500GB Strg	
DX4516DVD-500	DX4500 Series 16-channel DVR w/DVDRW, 500GB Strg	
DX4546HD1000KIT	1000GB HDD Kit for DX4546	
DX4608DVD-1000	DX4600 Series 8-channel DVR w/DVDRW, 1TB Storage	
DX4608DVD-1000	DX4600 Series 8-channel DVR w/DVDRW, 1TB Storage	
DX4608DVD-2000	DX4600 Series 8-channel DVR w/DVDRW, 2TB Storage	
DX4608DVD-2000	DX4600 Series 8-channel DVR w/DVDRW, 2TB Storage	
DX4608DVD-250	DX4600 Series 8-channel DVR w/DVDRW, 250GB Storage	
DX4608DVD-250	DX4600 Series 8-channel DVR w/DVDRW, 250GB Storage	
DX4608DVD-4000	DX4600 Series 8-channel DVR w/DVDRW, 4TB Storage	
DX4608DVD-500	DX4600 Series 8-channel DVR w/DVDRW, 500GB Storage	

ATTACHMENT "B"- PART 1

DX4608DVD-500	DX4600 Series 8-channel DVR w/DVDRW, 500GB Storage	
DX4608DVD-6000	DX4600 Series 8-channel DVR w/DVDRW, 6TB Storage	
DX4608DVD-8000	DX4600 Series 8-channel DVR w/DVDRW, 8TB Storage	
DX4616DVD-1000	DX4600 Series 16-channel DVR w/DVDRW, 1TB Storage	
DX4616DVD-1000	DX4600 Series 16-channel DVR w/DVDRW, 1TB Storage	
DX4616DVD-2000	DX4600 Series 16-channel DVR w/DVDRW, 2TB Storage	
DX4616DVD-2000	DX4600 Series 16-channel DVR w/DVDRW, 2TB Storage	
DX4616DVD-250	DX4600 Series 16-channel DVR w/DVDRW, 250GB Strg	
DX4616DVD-250	DX4600 Series 16-channel DVR w/DVDRW, 250GB Strg	
DX4616DVD-4000	DX4600 Series 16-channel DVR w/DVDRW, 4TB Storage	
DX4616DVD-500	DX4600 Series 16-channel DVR w/DVDRW, 500GB Strg	
DX4616DVD-500	DX4600 Series 16-channel DVR w/DVDRW, 500GB Strg	
DX4616DVD-6000	DX4600 Series 16-channel DVR w/DVDRW, 6TB Storage	
DX4616DVD-8000	DX4600 Series 16-channel DVR w/DVDRW, 8TB Storage	
DX4708-1000	HVR/8CH/2MP/CIF/30IPS/DVD/1TB	
DX4708-2000	HVR/8CH/2MP/CIF/30IPS/DVD/2TB	
DX4708-250	HVR/8CH/2MP/4CIF/30IPS/DVD/250GB	
DX4708-4000	HVR/8CH/2MP/CIF/30IPS/DVD/4TB	
DX4708-500	HVR/8CH/2MP/CIF/30IPS/DVD/500GB	
DX4708-6000	HVR/8CH/2MP/CIF/30IPS/DVD/6TB	
DX4708-8000	HVR/8CH/2MP/CIF/30IPS/DVD/8TB	
DX4716-1000	HVR/16CH/2MP/CIF/30IPS/DVD/1TB	
DX4716-2000	HVR/16CH/2MP/CIF/30IPS/DVD/2TB	
DX4716-250	HVR/16CH/2MP/ CIF/30IPS/DVD/250GB	
DX4716-4000	HVR/16CH/2MP/CIF/30IPS/DVD/4TB	
DX4716-500	HVR/16CH/2MP/CIF/30IPS/DVD/500GB	
DX4716-6000	HVR/16CH/2MP/CIF/30IPS/DVD/6TB	
DX4716-8000	HVR/16CH/2MP/CIF/30IPS/DVD/8TB	
DX4808-1000	HVR/8CH/2MP/4CIF/30IPS/DVD/1TB	
DX4808-250	HVR/8CH/2MP/4CIF/30IPS/DVD/250GB	
DX4808-4000	HVR/8CH/2MP/4CIF/30IPS/DVD/4TB	
DX4808-500	HVR/8CH/2MP/4CIF/30IPS/DVD/500GB	
DX4808-6000	HVR/8CH/2MP/4CIF/30IPS/DVD/6TB	
DX4808-8000	HVR/8CH/2MP/4CIF/30IPS/DVD/8TB	
DX4816-1000	HVR/16CH/2MP/4CIF/30IPS/DVD/1TB	
DX4816-2000	HVR/16CH/2MP/4CIF/30IPS/DVD/2TB	
DX4816-250	HVR/16CH/2MP/4CIF/30IPS/DVD/250GB	
DX4816-4000	HVR/16CH/2MP/4CIF/30IPS/DVD/4TB	
DX4816-500	HVR/16CH/2MP/4CIF/30IPS/DVD/500GB	
DX4816-6000	HVR/16CH/2MP/4CIF/30IPS/DVD/6TB	
DX4816-8000	HVR/16CH/2MP/4CIF/30IPS/DVD/8TB	
DX8100-512RAM	512MB RAM Kit FOR 15 minute pre-alarm	
DX8100-EXP	16 Channel Expansion Kit For DX8100	
DX8100-ISCI	SCSI card for DX8108 and DX8116	

ATTACHMENT "B"- PART 1

DX8100DSP-W2K	DX8100DSP Upgrade Kit for W2K	
DX8100DSP-XP	DX8100DSP Upgrade Kit for XPE	
DX8100HDDI-12TB	DX8100 HDDI Storage Expansion Unit - 12 TB	
DX8100HDDI-18TB	DX8100 HDDI Storage Expansion Unit - 18 TB	
DX8100HDDI-24TB	DX8100 HDDI Storage Expansion Unit - 24 TB	
DX8100HDDI-6TB	DX8100 HDDI Storage Expansion Unit - 6 TB	
DX8108-1000	8 Channel DVR with 1TB Storage	
DX8108-1000	8 Channel DVR with 1TB Storage	
DX8108-1000A	8 Channel DVR with 1TB Storage and Audio	
DX8108-1000M	8 Channel DVR 1TB & MUX	
DX8108-1000MA	8 Channel DVR 1TB & MUX & AUDIO	
DX8108-2000	8 Channel DVR with 2TB Storage	
DX8108-2000	8 Channel DVR with 2TB Storage	
DX8108-2000A	8 Channel DVR with 2TB Storage and Audio	
DX8108-2000M	8 Channel DVR 2TB & MUX	
DX8108-2000MA	8 Channel DVR 2TB & MUX & AUDIO	
DX8108-250	8 Channel DVR with 250GB Storage	
DX8108-250	8 Channel DVR with 250GB Storage	
DX8108-250A	8 Channel DVR with 250GB Storage and Audio	
DX8108-250M	8 Channel DVR 250GB & MUX	
DX8108-250MA	8 Channel DVR 250GB & MUX & AUDIO	
DX8108-4000	8 Channel DVR with 4TB Storage	
DX8108-4000	8 Channel DVR with 4TB Storage	
DX8108-4000A	8 Channel DVR with 4TB Storage and Audio	
DX8108-4000M	8 Channel DVR with 4TB Storage and 8 Channel MUX	
DX8108-4000MA	8 Ch DVR with 4TB Storage, Audio and 8 Ch MUX	
DX8108-500	8 Channel DVR with 500GB Storage	
DX8108-500	8 Channel DVR with 500GB Storage	
DX8108-500A	8 Channel DVR with 500GB Storage and Audio	
DX8108-500M	8 Channel DVR 500GB & MUX	
DX8108-500MA	8 Channel DVR 500GB & MUX & AUDIO	
DX8108-6000	8 Channel DVR with 6TB Storage	
DX8108-6000A	8 Channel DVR with 6TB Storage and Audio	
DX8108-6000M	8 Channel DVR with 6TB Storage and 8 Channel MUX	
DX8108-6000MA	8 Ch DVR with 6TB Storage, Audio and 8 Ch MUX	
DX8108-8000	8 Channel DVR with 8TB Storage	
DX8108-8000A	8 Channel DVR with 8TB Storage and Audio	
DX8108-8000M	8 Channel DVR with 8TB Storage and 8 Channel MUX	
DX8108-8000MA	8 Ch DVR with 8TB Storage, Audio and 8 Ch MUX	
DX8108-AUD	8 Channel Audio card for DX81XX	
DX8108-MUX	8 CHANNEL MUX CARD FOR DX8108	
DX8116-1000	16 Channel DVR with 1TB Storage	
DX8116-1000	16 Channel DVR with 1TB Storage	
DX8116-1000A	16 Channel DVR with 1TB Storage and Audio	

ATTACHMENT "B"- PART 1

DX8116-1000M	16CH DVR 1TB & MUX	
DX8116-1000MA	16CH DVR 1TB & MUX & AUDIO	
DX8116-2000	16 Channel DVR with 2TB Storage	
DX8116-2000	16 Channel DVR with 2TB Storage	
DX8116-2000A	16 Channel DVR with 2TB Storage and Audio	
DX8116-2000M	16CH DVR 2TB & MUX	
DX8116-2000MA	16CH DVR 2TB & MUX & AUDIO	
DX8116-250	16 Channel DVR with 250GB Storage	
DX8116-250	16 Channel DVR with 250GB Storage	
DX8116-250A	16 Channel DVR with 250GB Storage and Audio	
DX8116-250M	16CH DVR 250GB & MUX	
DX8116-250MA	16CH DVR 250GB & MUX & AUDIO	
DX8116-4000	16 Channel DVR with 4TB Storage	
DX8116-4000	16 Channel DVR with 4TB Storage	
DX8116-4000A	16 Channel DVR with 4TB Storage and Audio	
DX8116-4000M	16 Channel DVR with 4TB Storage and 16 Channel MUX	
DX8116-4000MA	16 Ch DVR with 4TB Storage, Audio and 16 Ch MUX	
DX8116-500	16 Channel DVR with 500GB Storage	
DX8116-500	16 Channel DVR with 500GB Storage	
DX8116-500A	16 Channel DVR with 500GB Storage and Audio	
DX8116-500M	16CH DVR 500GB & MUX	
DX8116-500MA	16CH DVR 500GB & MUX & AUDIO	
DX8116-6000	16 Channel DVR with 6TB Storage	
DX8116-6000A	16 Channel DVR with 6TB Storage and Audio	
DX8116-6000M	16 Channel DVR with 6TB Storage and 16 Channel MUX	
DX8116-6000MA	16 Ch DVR with 6TB Storage, Audio and 16 Ch MUX	
DX8116-8000	16 Channel DVR with 8TB Storage	
DX8116-8000A	16 Channel DVR with 8TB Storage and Audio	
DX8116-8000M	16 Channel DVR with 8TB Storage and 16 Channel MUX	
DX8116-8000MA	16 Ch DVR with 8TB Storage, Audio and 16 Ch MUX	
DX8116-AUD	16 Channel Audio Card For DX8116	
DX8116-MUX	16 Channel MUX Card for DX8116	
DX8124-1000	24 Channel DVR with 1TB Storage	
DX8124-1000A	24 Channel DVR with 1TB Storage and Audio	
DX8124-1000M	24 Channel DVR with 1TB Storage and 24 Channel MUX	
DX8124-1000MA	24 Ch DVR with 1TB Storage, Audio, and 24 Ch MUX	
DX8124-2000	24Channel DVR with 2TB Storage	
DX8124-2000A	24 Channel DVR with 2TB Storage and Audio	
DX8124-2000M	24 Channel DVR with 2TB Storage and 24 Channel MUX	
DX8124-2000MA	24 Ch DVR with 2TB Storage, Audio, and 24 Ch MUX	
DX8124-250	24 Channel DVR with 250GB Storage	
DX8124-250A	24 Channel DVR with 250GB Storage and Audio	
DX8124-250M	24 Channel DVR with 250GB Storage and 24 Ch MUX	
DX8124-250MA	24 Ch DVR with 250GB Storage, Audio, and 24 Ch MUX	

ATTACHMENT "B"- PART 1

DX8124-4000	24 Channel DVR with 4TB Storage	
DX8124-4000A	24 Channel DVR with 4TB Storage and Audio	
DX8124-4000M	24 Channel DVR with 4TB Storage and 24 Channel MUX	
DX8124-4000MA	24 Ch DVR with 4TB Storage, Audio, and 24 Ch MUX	
DX8124-500	24 Channel DVR with 500GB Storage	
DX8124-500A	24 Channel DVR with 500GB Storage and Audio	
DX8124-500M	24 Channel DVR with 500GB Storage and 24 Ch MUX	
DX8124-500MA	24 Ch DVR with 500GB Storage, Audio and 24 Ch MUX	
DX8124-6000	24 Channel DVR with 6TB Storage	
DX8124-6000A	24 Channel DVR with 6TB Storage and Audio	
DX8124-6000M	24 Channel DVR with 6TB Storage and 24 Channel MUX	
DX8124-6000MA	24 Ch DVR with 6TB Storage, Audio, and 24 Ch MUX	
DX8124-8000	24 Channel DVR with 8TB Storage	
DX8124-8000A	24 Channel DVR with 8TB Storage and Audio	
DX8124-8000M	24 Channel DVR with 8TB Storage and 24 Channel MUX	
DX8124-8000MA	24 Ch DVR with 8TB Storage, Audio, and 24 Ch MUX	
DX8132-1000	32 Channel DVR with 1TB Storage	
DX8132-1000	32 Channel DVR with 1TB Storage	
DX8132-1000A	32 Channel DVR with 1TB Storage and Audio	
DX8132-1000M	32 Channel DVR with 1TB Storage and 32 Ch MUX	
DX8132-1000MA	32 Ch DVR with 1TB Storage, Audio and 32 Ch MUX	
DX8132-2000	32 Channel DVR with 2TB Storage	
DX8132-2000	32 Channel DVR with 2TB Storage	
DX8132-2000A	32 Channel DVR with 2TB Storage and Audio	
DX8132-2000M	32 Channel DVR with 2TB Storage and 32 Channel MUX	
DX8132-2000MA	32 Ch DVR with 2TB Storage, Audio and 32 Ch MUX	
DX8132-250	32 Channel DVR with 250GB Storage	
DX8132-250	32 Channel DVR with 250GB Storage	
DX8132-250A	32 Channel DVR with 250GB Storage and Audio	
DX8132-250M	32 Channel DVR with 250GB Storage and 32 Ch MUX	
DX8132-250MA	32 Ch DVR with 250GB Storage, Audio and 32 Ch MUX	
DX8132-4000	32 Channel DVR with 4TB Storage	
DX8132-4000	32 Channel DVR with 4TB Storage	
DX8132-4000A	32 Channel DVR with 4TB Storage and Audio	
DX8132-4000M	32 Channel DVR with 4TB Storage and 32 Channel MUX	
DX8132-4000MA	32 Ch DVR with 4TB Storage, Audio and 32 Ch MUX	
DX8132-500	32 Channel DVR with 500GB Storage	
DX8132-500	32 Channel DVR with 500GB Storage	
DX8132-500A	32 Channel DVR with 500GB Storage and Audio	
DX8132-500M	32 Channel DVR with 500GB Storage and 32 Ch MUX	
DX8132-500MA	32 Ch DVR with 500GB Storage, Audio and 32 Ch MUX	
DX8132-6000	32 Channel DVR with 6TB Storage	
DX8132-6000A	32 Channel DVR with 6TB Storage and Audio	
DX8132-6000M	32 Channel DVR with 6TB Storage and 32 Channel MUX	

ATTACHMENT "B"- PART 1

DX8132-6000MA	32 Ch DVR with 6TB Storage, Audio and 32 Ch MUX	
DX8132-8000	32 Channel DVR with 8TB Storage	
DX8132-8000A	32 Channel DVR with 8TB Storage and Audio	
DX8132-8000M	32 Channel DVR with 8TB Storage and 32 Channel MUX	
DX8132-8000MA	32 Ch DVR with 8TB Storage, Audio and 32 Ch MUX	
DX81HD1000KIT	1TB HDD Kit For DX8100	
DX81HD1500KIT	1.5 TB HDD KIT FOR DX8100	
DX81HDD250KIT	250GB HDD Kit for DX8100 upgrade or replacement	
DX81HDD500KIT	500GB HDD Kit for DX8100	
DX81HDD750KIT	750GB HDD Kit for DX8100 upgrade or replacement	
DX81SWV20XPED	DX8100 2.0D Diacap Compliance Kit	
DX8RP250	System Drive Replacement Kit 250GB	
DX8RP80	Sytem Drive replacement kit 80GB	
DX8UP-V2	DX8000 V2.0 SW Upgrade Kit	
E1003	ImagePack® Ceiling Mt Plate for EH1000 2X2ft.Panel	
E1003	ImagePack® Ceiling Mt Plate for EH1000 2X2ft.Panel	
E108-0AJV1AW	ImagePak® Hi Res Cmpct Col 1-3mm Al Mt	
E108-0AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
E108-0AJV50AW	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
E110-0AJV21AW	ImagePak® EH100-10 Hi Res Cmpct Col 2.8-12mm Al Mt	
E110-0AJV3AW	ImagePak® EH100-10 Hi Res Cmpct Col 3-8mm Al Mt	
E110-0AJV3W	ImagePak® EH100-10 Hi Res Cmpct Col 3-8mm Mt	
E110-0AJV50A	ImagePak® EH100-10 Hi Res Cmpct Col 5-50mm Al	
E110-0AJV50AW	ImagePak® EH100-10 Hi Res Cmpct Col 5-50mm Al Mt	
E110-0AJV5W	ImagePak® EH100-10 Hi Res Cmpct Col 5-40mm Mt	
E110-0CBV21A	ImagePak® EH100-10 High Res Col 2.8-12mm Al	
E110-0CBV21AW	ImagePak® EH100-10 High Res Col 2.8-12mm Al Mt	
E110-0CBV21W	ImagePak® EH100-10 High Res Col 2.8-12mm Mt	
E110-0CBV2AW	ImagePak® EH100-10 High Res Col 2.5-6mm Al Mt	
E110-0CBV3AW	ImagePak® EH100-10 High Res Col 3-8mm Al Mt	
E110-0CBV3W	ImagePak® EH100-10 High Res Col 3-8mm Mt	
E110-0CBV50A	ImagePak® EH100-10 High Res Col 5-50mm Al	
E110-0CBV50AW	ImagePak® EH100-10 High Res Col 5-50mm Al Mt	
E110-0CBV50W	ImagePak® EH100-10 High Res Col 5-50mm Mt	
E110-0CBV55AW	ImagePak® EH100-10 High Res Col 5.5-82.5mm Al Mt	
E110-0CBV5A	ImagePak® EH100-10 High Res Col 5-40mm Al	
E110-0CBV5AW	ImagePak® EH100-10 High Res Col 5-40mm Al Mt	
E110-0CLV21A	ImagePak® EH100-10 High Res color 2.8-12mm Al	
E110-0CLV21AW	ImagePak® EH100-10 High Res color 2.8-12mm Al Mt	
E2020	ImagePack® Ceiling Mt Plate for EH2020 2X2ft.Panel	
E2100	ImagePack® Ceiling Mt Plate for EH2100 2X2ft.Panel	
E700A	Air Funnel Kit for E706 E708 E710 HT10V	
E706-16	Enclosure 16 in. Dust-Tight Aluminum	
E706-16P	Enclosure 16 in. Dust-Tight Aluminum Purge Fitting	

ATTACHMENT "B"- PART 1

E706-16PS	Enclosure 16 in. Dust-Tight SS Purge Fittings	
E706-16S	Enclosure 16 in. Dust-Tight SS	
E706V	Sun Shield E706-15 & E706-24 Series Aluminum	
E706VS	Sun Shield E706-24S Series Stainless Steel	
E716S	Sun Shield E706-16 & E706-16P Aluminum	
E716SS	Sun Shield E706-16S & E706-16PS Stainless Steel	
EA2000	Video Equalizing Amplifier Half-Duplex 120VAC	
EA2010	Video Equalizing Amplifier 120VAC	
EA4348	EWM to Legacy® Adapter Plate	
EB1	Camera Elevation Block 1 in.	
ECM100	Corner Mt Adapter for Esprit®	
EE532-03-US	EnduraXpress 32 Channel, 3TB, US Cord	
EE532-06-US	EnduraXpress 32 Channel, 6TB, US Cord	
EE532-12-US	EnduraXpress 32 Channel, 12TB, US Cord	
EE532-24-US	EnduraXpress 32 Channel, 24TB, US Cord	
EE532F-03-US	EnduraXpress FC 32 Channel, 3TB, US Cord	
EE532F-06-US	EnduraXpress FC 32 Channel, 6TB, US Cord	
EE532F-12-US	EnduraXpress FC 32 Channel, 12TB, US Cord	
EE532F-24-US	EnduraXpress FC 32 Channel, 24TB, US Cord	
EE564-03-US	EnduraXpress 64 Channel, 3TB, US Cord	
EE564-06-US	EnduraXpress 64 Channel, 6TB, US Cord	
EE564-12-US	EnduraXpress 64 Channel, 12TB, US Cord	
EE564-24-US	EnduraXpress 64 Channel, 24TB, US Cord	
EE564F-03-US	EnduraXpress FC 64 Channel, 3TB, US Cord	
EE564F-06-US	EnduraXpress FC 64 Channel, 6TB, US Cord	
EE564F-12-US	EnduraXpress FC 64 Channel, 12TB, US Cord	
EE564F-24-US	EnduraXpress FC 64 Channel, 24TB, US Cord	
EH-MKIT	Marine Kit for EM1512 & EM1450 mounts	
EH-SKIT	Security Kit for EH1512 Enclosure	
EH100-10	Enclosure 10 in. Indoor Alum Clamshell Design	
EH100-8	Enclosure 8 in. Indoor Alum Clamshell Design	
EH1000	Enclosure Indor Low-profile Wedge for Drop Ceiling	
EH1512	Enclosure, Environmentsl, Small, Casted	
EH1512	Enclosure, Environmentsl, Small, Casted	
EH1512-1	High Wattage Eh1512 120V Htr/Blr And 24Vac Cam Psu	
EH1512-1	High Wattage Eh1512 120V Htr/Blr And 24Vac Cam Psu	
EH1512-1BKIT	EH1512 Blower Kit, 24V Camera PSU, 120V	
EH1512-1BKIT	EH1512 Blower Kit, 24V Camera PSU, 120V	
EH1512-1HBKIT	EH1512 Heater / Blower Kit, 24V Camera PSU, 120V	
EH1512-1HBKIT	EH1512 Heater / Blower Kit, 24V Camera PSU, 120V	
EH1512-1MT	Small Environmental Enclosure with wall mount	
EH1512-1MT	Small Environmental Enclosure with wall mount	
EH1512-1MTS	Env. Encl., ht/bl, 24V cam PSU, 120V, wall mt, s/s	
EH1512-1MTS	Env. Encl., ht/bl, 24V cam PSU, 120V, wall mt, s/s	

ATTACHMENT "B"- PART 1

EH1512-2	EH1512 Enclosure, 24V Heater/Blower, Camera PSU	
EH1512-2	EH1512 Enclosure, 24V Heater/Blower, Camera PSU	
EH1512-2BKIT	EH1512 Blower Kit, 24V Camera PSU, 24V	
EH1512-2BKIT	EH1512 Blower Kit, 24V Camera PSU, 24V	
EH1512-2HBKIT	EH1512 Heater/Blower Kit, 24V Camera PSU, 24V	
EH1512-2HBKIT	EH1512 Heater/Blower Kit, 24V Camera PSU, 24V	
EH1512-2MT	Env. Encl., htr/blwr, 24V cam PSU, 24V, wall mnt	
EH1512-2MT	Env. Encl., htr/blwr, 24V cam PSU, 24V, wall mnt	
EH1512-2MTS	Env. Encl., ht/bl, 24V cam PSU, 24V, wall mt, s/s	
EH1512-2MTS	Env. Encl., ht/bl, 24V cam PSU, 24V, wall mt, s/s	
EH1512-3MT	Env. Encl., htr/blwr, 24V cam PSU, 230V, wall mnt	
EH1512-3MT	Env. Encl., htr/blwr, 24V cam PSU, 230V, wall mnt	
EH1512-3MTS	Env. Encl., ht/bl, 24V cam PSU, 230V, wall mt, s/s	
EH1512-3MTS	Env. Encl., ht/bl, 24V cam PSU, 230V, wall mt, s/s	
EH1512MT	Small Environmental Enclosure with wall mount	
EH1512MT	Small Environmental Enclosure with wall mount	
EH2020	Enclosure Indr Low-Profile Wedge for Drop Ceiling	
EH2100	Enclosure Indr Low-Profile Wedge for Drop Ceiling	
EH2100P	Enclosure Indr Low-Profile Wedge for Drop Ceiling	
EH2400	Enclosure Indoor Corner Medium Aluminum	
EH2508	Enclosure Dust-Tight Waterproof 8 in. Alum	
EH2508-1	Enclosure Dust-Tight Waterproof 8 in. Alum 120VAC	
EH2508-2	Enclosure Dust-Tight Waterproof 8 in. Alum 24VAC	
EH2512	Enclosure Dust-Tight Waterproof 12 in. Alum	
EH2512-1	Enclosure Dust-Tight Waterproof 12 in. Alum 120VAC	
EH2512-2	Enclosure Dust-Tight Waterproof 12 in. Alum 24VAC	
EH2515	Enclosure Dust-Tight Waterproof 15 in. Alum	
EH2515-1	Enclosure Dust-Tight Waterproof 15 in. Alum 120VAC	
EH2515-2	Enclosure Dust-Tight Waterproof 15 in. Alum 24VAC	
EH3010	Enclosure 10 in. Rect Alum	
EH3014	Enclosure 14 in. Rect Alum	
EH3508	Enclosure 8 in. Rect Alum	
EH3508-1	Enclosure 8 in. Rect Alum 120VAC Htr&Dfog	
EH3508-1/MT	Enclosure 8 in. Env Rect Alum 120VAC Htr&Dfog Mt	
EH3508-2	Enclosure 8 in. Rect Alum 24VAC Htr&Dfog	
EH3508-2	Enclosure 8 in. Rect Alum 24VAC Htr&Dfog	
EH3508-2/MT	Enclosure 8 in. Env Rect Alum 24VAC Htr&Dfog Mt	
EH3508/MT	Enclosure 8 in. Env Rect Alum Mt	
EH3512	Enclosure 12 in. Rect Alum	
EH3512-1	Enclosure 12 in. Rect Alum 120VAC Htr&Dfog	
EH3512-1/MT	Enclosure 12 in. Env Rect Alum 120VAC Htr&Dfog Mt	
EH3512-1HD	Enclosure 12 in. Rect Alum 120VAC Htr&Dfog	
EH3512-1HD/MT	Enclosure 12 in. Rect 120VAC Htr&Dfog Mt	
EH3512-2	Enclosure 12 in. Rect Alum 24VAC Htr&Dfog	

ATTACHMENT "B"- PART 1

EH3512-2/FMT	Enclosure 12 in. Rect Alum 24VAC & EM3512 Mt	
EH3512-2/MT	Enclosure 12 in. Rect Alum 24VAC Htr&Dfog Mt	
EH3512-2HD	Enclosure 12 in. Rect Alum 24VAC Htr&Dfog	
EH3512-2HD/FMT	Enclosure 12 in. Rect 24VAC & EM3512 Mt	
EH3512-2HD/MT	Enclosure 12 in. Rect 24VAC Htr&Dfog Mt	
EH3512-3/FMT	Enclosure 12 in. Rect Alum 24VAC & EM3512 Mt	
EH3512/FMT	Enclosure 12 in. Env Rect Alum & EM3512 Mt	
EH3512/MT	Enclosure 12 in. Rect Alum Mt	
EH3515	Enclosure 15 in. Rect Alum	
EH3515-1	Enclosure 15 in. Rect Alum 120VAC Htr&Dfog	
EH3515-1/MT	Enclosure 15 in. Env Rect Alum 120VAC Htr&Dfog Mt	
EH3515-1HD	Enclosure 15 in. Rect Alum 120VAC Htr&Dfog	
EH3515-1HD/MT	Enclosure 15 in. Env Rect 120VAC Htr&Dfog Mt	
EH3515-2	Enclosure 15 in. Rect Alum 24VAC Htr&Dfog	
EH3515-2/MT	Enclosure 15 in. Env Rect Alum 24VAC Htr&Dfog Mt	
EH3515-2HD	Enclosure 15 in. Rect Alum 24VAC Htr&Dfog	
EH3515-2HD/MT	Enclosure 15 in. Env Rect 24VAC Htr&Dfog Mt	
EH3515/MT	Enclosure 15 in. Env Rect Alum Mt	
EH4010	Enclosure 10 in. Rect Alum	
EH4014	Enclosure 14 in. Rect Alum	
EH4712DB	Enclosure Env Alum 12 in. Drop-Bottom	
EH4712DB-1	Enclosure Env Alum 12 in. Drop-Bottom 120VAC	
EH4712DB-2	Enclosure Env Alum 12 in. Drop-Bottom 24VAC	
EH4718	Enclosure Env Alum 18 in.	
EH4718-1	Enclosure Env Alum 18 in. 120VAC Htr&Blwr	
EH4718-2	Enclosure Env Alum 18 in. 24VAC Htr&Blwr	
EH4718DB	Enclosure Env Alum 18 in. Drop-Bottom	
EH4718DB-1	Enclosure Env Alum 18 in. Drop-Bottom 120VAC	
EH4718DB-2	Enclosure Env Alum 18 in. Drop-Bottom 24VAC	
EH4718L-1	Enclosure Env Alum 18 in. Legacy® 120VAC	
EH4718L-2	Enclosure Env Alum 18 in. Legacy® 24VAC	
EH4722	Enclosure Env Alum 22 in.	
EH4722-1	Enclosure Env Alum 22 in. 120VAC Htr&Blwr	
EH4722-2	Enclosure Env Alum 22 in. 24VAC Htr&Blwr	
EH4722L-2	Enclosure Env Alum 22 in. Legacy® 24VAC	
EH5723	Enclosure Env Alum 23 in.	
EH5723-1	Enclosure Env Alum 23 in. 120VAC Htr&Blwr	
EH5723-2	Enclosure Env Alum 23 in. 24V Htr&Blwr	
EH5723L-1	Enclosure Env Alum 23 in. Legacy® 120VAC	
EH5723L-2	Enclosure Env Alum 23 in. Legacy® 24VAC	
EH5729	Enclosure Env Alum 29 in.	
EH5729-1	Enclosure Env Alum 29 in. 120VAC Htr&Blwr	
EH5729-2	Enclosure Env Alum 29 in. 24VAC Htr&Blwr	
EH8000RKIT	Dry Nitrogen Recharge Kit-EH8100/EH8106L-No Return	

ATTACHMENT "B"- PART 1

EH8006ORKIT	O-ring Kit for EH8106 & EH8106L Series Pressurized	
EH8104-1	Enclosure 4 in Pressurized 120VAC	
EH8104-3	Enclosure 4 in Pressurized 230VAC	
EH8106-1	Enclosure 6 in Pressurized 120VAC	
EH8106-3	Enclosure 6 in Pressurized 230VAC	
EH8106L	Enclosure Env Alum Pressurized 6 in. for Legacy®	
EH8106L	Enclosure Env Alum Pressurized 6 in. for Legacy®	
EHX4E	Enclosure Explosion-Proof Aluminum 4X12 in.	
EHX6E	Enclosure Explosion-Proof Aluminum 6X24 in.	
EHX6E-16	Enclosure Explosion-Proof Aluminum 6X24 in.	
EHX8E	Enclosure Explosion-Proof Aluminum 8X26 in.	
EHX8EORKIT	O-Ring Kit for EHX8E Explosion-Proof Enclosure	
EHXM30C22-2	ExSite®Camera System Color, 24VAC, NTSC	
EHXM30C22-2	ExSite®Camera System Color, 24VAC, NTSC	
EHXM30C22-7	ExSite® Camera System Color, 100-240V, NTSC	
EHXM30C22-7	ExSite® Camera System Color, 100-240V, NTSC	
EHXM30CBW23-2	ExSite® Camera System D/N, 24VAC, NTSC	
EHXM30CBW23-2	ExSite® Camera System D/N, 24VAC, NTSC	
EHXM30CBW23-7	ExSite® Camera System D/N, 100-240V, NTSC	
EHXM30CBW23-7	ExSite® Camera System D/N, 100-240V, NTSC	
EHXM31	Fixed Mount Enclosure with Wiper	
EHXM31	Fixed Mount Enclosure with Wiper	
EHXM31	Fixed Mount Enclosure with Wiper	
EHXM31C22-2	ExSite® Camera System Color, 24VAC, NTSC, Wiper	
EHXM31C22-2	ExSite® Camera System Color, 24VAC, NTSC, Wiper	
EHXM31C22-7	ExSite® Camera Sys Color, 100-240V, NTSC, Wiper	
EHXM31C22-7	ExSite® Camera Sys Color, 100-240V, NTSC, Wiper	
EHXM31CBW23-2	ExSite® Camera Sys D/N, 24VAC,NTSC, Wiper	
EHXM31CBW23-2	ExSite® Camera Sys D/N, 24VAC,NTSC, Wiper	
EHXM31CBW23-7	ExSite® Camera System D/N, 100-240V, NTSC, Wiper	
EHXM31CBW23-7	ExSite® Camera System D/N, 100-240V, NTSC, Wiper	
EHXME0C22-2	ExSite EX/ATEX H.264 Fixed 24V Col NTSC	
EHXME0C22-7	ExSite EX/ATEX H.264 Fixed 100/240V Col NTSC	
EHXME0CBW23-2	ExSite EX/ATEX H.264 Fixed 24V CBW NTSC	
EHXME0CBW23-7	ExSite EX/ATEX H.264 Fixed 100/240V CBW NTSC	
EHXME1C22-2	ExSite EX/ATEX H.264 Fixed 24V Col Wiper NTSC	
EHXME1C22-7	ExSite EX/ATEX H.264 Fixed 100/240V Col Wiper NTSC	
EHXME1CBW23-2	ExSite EX/ATEX H.264 Fixed 24V CBW Wiper NTSC	
EHXME1CBW23-7	ExSite EX/ATEX H.264 Fixed 100/240V CBW Wiper NTSC	
EM1009U	MD Ceiling/Ped Mt Adjustable Swivel 9 in.	
EM1015U	MD Ceiling/Ped Mt Adjustable Swivel 15 in.	
EM1109	Medium-Duty Pedestal Mt Adjustable Swivel-Head	
EM1450	Light-Duty Mt for EH3500 Series Enclosure	
EM1512	Wall mount with feedthrough for EH1512	

ATTACHMENT "B"- PART 1

EM1900U	MD 90-Deg Wall Mt Adjustable Swivel Head	
EM2000	Medium-Duty J-Mt to Vertical Pole	
EM22	Medium-Duty Wall Mt for EH4014 & EH55	
EM2200	Medium-Duty Pipe/Pole Mt Enclosure	
EM2400	Mt Enclosure with Cable Feedthrough Hole	
EM3000	Light-Duty Ceiling J-Mt	
EM3512	Wall Mt Feedthrough for EH3512 24VAC	
EM4400	LD Wall Mt with Feedthrough for Wiring Up to 15lb	
EM4450	LD Wall Mt with Feedthrough for Wiring Up to 7lb	
ENDURA2URAILKIT	Endura 2U Rail Kit	
EPM	Esprit® pole adapter mt	
EPP	Esprit® pedestal plate	
EPS5000-120	External/redundant pwr 120w x2	
EPS5000-120TW	External rack power supply for UTP hubs	
ERD2200	Coaxitron® Receiver Outdoor NTSC/PAL	
ERD97P21-U	CM9760 Receiver Indoor/Outdoor One Relay Output	
ES-MKIT	Esprit® Mt Marine Kit	
ES-REPLBLADE-10	Esprit® Wiper Blade Replacements 10 Pieces	
ES-REPLBLADE-2	Esprit® Wiper Blade Replacements 2 Pieces	
ES3012-2	Esprit® Pan Tilt Enclosure Receiver 24VAC	
ES3012-2AJZ10N	Esprit® High Res Cmpct Col 6X10 Ped	
ES3012-2AJZ10PN	Esprit® High Res Cmpct Col 6X10P Ped	
ES3012-2AJZ10PW	Esprit® High Res Cmpct Col 6X10P Mt	
ES3012-2AJZ10W	Esprit® High Res Cmpct Col 6X10 Mt	
ES3012-2AJZ20N	Esprit® High Res Cmpct Col 5.6X20 Ped	
ES3012-2AJZ20PN	Esprit® High Res Cmpct Col 5.6X20P Ped	
ES3012-2AJZ20PW	Esprit® High Res Cmpct Col 5.6X20P Mt	
ES3012-2AJZ20W	Esprit® High Res Cmpct Col 5.6X20 Mt	
ES3012-2AJZ30N	Esprit® High Res Cmpct Col 5.5x30 Ped	
ES3012-2AJZ30PN	Esprit® High Res Cmpct Col 5.5X30P Ped	
ES3012-2AJZ30PW	Esprit® High Res Cmpct Col 5.5X30P Mt	
ES3012-2AJZ30W	Esprit® High Res Cmpct Col 5.5x30 Mt	
ES3012-2AMZ10N	Esprit® High Res Cmpct D/N 6X10 Ped	
ES3012-2AMZ10PN	Esprit® High Res Cmpct D/N 6X10P Ped	
ES3012-2AMZ10PW	Esprit® High Res Cmpct D/N 6X10P Mt	
ES3012-2AMZ10W	Esprit® High Res Cmpct D/N 6X10 Mt	
ES3012-2AMZ20N	Esprit® High Res Cmpct D/N 5.6X20 Ped	
ES3012-2AMZ20PN	Esprit® High Res Cmpct D/N 5.6X20P Ped	
ES3012-2AMZ20PW	Esprit® High Res Cmpct D/N 5.6X20P Mt	
ES3012-2AMZ20W	Esprit® High Res Cmpct D/N 5.6X20 Mt	
ES3012-2AMZ30N	Esprit® High Res Cmpct D/N 5.5x30 Ped	
ES3012-2AMZ30PN	Esprit® High Res Cmpct D/N 5.5X30P Ped	
ES3012-2AMZ30PW	Esprit® High Res Cmpct D/N 5.5X30P Mt	
ES3012-2AMZ30W	Esprit® High Res Cmpct D/N 5.5x30 Mt	

ATTACHMENT "B"- PART 1

ES3012-2CBZ10N	Esprit® High Res EDR Col 10X Zm Ped 24VAC	
ES3012-2CBZ10PN	Esprit® High Res EDR Col 10X Zm Pre Ped 24VAC	
ES3012-2CBZ10PW	Esprit® High Res EDR Col 10X Zm Pre Mt 24VAC	
ES3012-2CBZ10W	Esprit® High Res EDR Col 10X Zm Mt 24VAC	
ES3012-2CBZ20N	Esprit® High Res EDR Col 20X Zm Ped 24VAC	
ES3012-2CBZ20PN	Esprit® High Res EDR Col 20X Zm Pre Ped 24VAC	
ES3012-2CBZ20PW	Esprit® High Res EDR Col 20X Zm Pre Mt 24VAC	
ES3012-2CBZ20W	Esprit® High Res EDR Col 20X Zm Mt 24VAC	
ES3012-2CBZ30N	Esprit® High Res EDR Col 30X Zm Ped 24VAC	
ES3012-2CBZ30PN	Esprit® High Res EDR Col 30X Zm Pre Ped 24VAC	
ES3012-2CBZ30PW	Esprit® High Res EDR Col 30X Zm Pre Mt 24VAC	
ES3012-2CBZ30W	Esprit® High Res EDR Col 30X Zm Mt 24VAC	
ES3012-2CLZ10N	Esprit® High Res DSS Col 10X Zm Ped 24VAC	
ES3012-2CLZ10PN	Esprit® High Res DSS Col 10X Zm Pre Ped 24VAC	
ES3012-2CLZ10PW	Esprit® High Res DSS Col 10X Zm Pre Mt 24VAC	
ES3012-2CLZ10W	Esprit® High Res DSS Col 10X Zm Mt 24VAC	
ES3012-2CLZ20N	Esprit® High Res DSS Col 20X Zm Ped 24VAC	
ES3012-2CLZ20PN	Esprit® High Res DSS Col 20X Zm Pre Ped 24VAC	
ES3012-2CLZ20PW	Esprit® High Res DSS Col 20X Zm Pre Mt 24VAC	
ES3012-2CLZ20W	Esprit® High Res DSS Col 20X Zm Mt 24VAC	
ES3012-2CLZ30N	Esprit® High Res DSS Col 30X Zm Ped 24VAC	
ES3012-2CLZ30PN	Esprit® High Res DSS Col 30X Zm Pre Ped 24VAC	
ES3012-2CLZ30PW	Esprit® High Res DSS Col 30X Zm Pre Mt 24VAC	
ES3012-2CLZ30W	Esprit® High Res DSS Col 30X Zm Mt 24VAC	
ES3012-2KWZ10PN	Esprit® High Res Cmpct D/N 6X10P Mt	
ES3012-2KWZ10PW	Esprit® High Res Cmpct D/N 6X10P Mt	
ES3012-2KWZ10W	Esprit® High Res Cmpct D/N 6X10 Mt	
ES3012-2KWZ20PW	Esprit® High Res Cmpct D/N 5.6X20P Mt	
ES3012-2KWZ30N	Esprit® High Res Cmpct D/N 5.5X30 Pedestal	
ES3012-2KWZ30PN	Esprit® High Res Cmpct D/N 5.5X30P Pedestal	
ES3012-2KWZ30PW	Esprit® High Res Cmpct D/N 5.5X30P Mt	
ES3012-2KWZ30W	Esprit® High Res Cmpct D/N 5.5X30 Mt	
ES3012-2N	Esprit® Pan/Tilt Enclosure Receiver Ped 24VAC	
ES3012-2W	Esprit® Pan/Tilt Enclosure Receiver Wall Mt 24VAC	
ES3012-5	Esprit® Pan/Tilt Enclosure Receiver 115/230VAC	
ES3012-5AJZ10N	Esprit® High Res Cmpct Col 6X10 Ped	
ES3012-5AJZ10PN	Esprit® High Res Cmpct Col 6X10P Ped	
ES3012-5AJZ10PW	Esprit® High Res Cmpct Col 6X10P Mt	
ES3012-5AJZ10W	Esprit® High Res Cmpct Col 6X10 Mt	
ES3012-5AJZ20N	Esprit® High Res Cmpct Col 5.6X20 Ped	
ES3012-5AJZ20PN	Esprit® High Res Cmpct Col 5.6X20P Ped	
ES3012-5AJZ20PW	Esprit® High Res Cmpct Col 5.6X20P Mt	
ES3012-5AJZ20W	Esprit® High Res Cmpct Col 5.6X20 Mt	
ES3012-5AJZ30N	Esprit® High Res Cmpct Col 5.5x30 Ped	

ATTACHMENT "B"- PART 1

ES3012-5AJZ30PN	Esprit® High Res Cmpct Col 5.5X30P Ped	
ES3012-5AJZ30PW	Esprit® High Res Cmpct Col 5.5X30P Mt	
ES3012-5AJZ30W	Esprit® High Res Cmpct Col 5.5x30 Mt	
ES3012-5AMZ10PN	Esprit® High Res Cmpct D/N 6X10P Ped	
ES3012-5AMZ10PW	Esprit® High Res Cmpct D/N 6X10P Mt	
ES3012-5AMZ10W	Esprit® High Res Cmpct D/N 6X10 Mt	
ES3012-5AMZ20N	Esprit® High Res Cmpct D/N 5.6X20 Ped	
ES3012-5AMZ20PN	Esprit® High Res Cmpct D/N 5.6X20P Ped	
ES3012-5AMZ20PW	Esprit® High Res Cmpct D/N 5.6X20P Mt	
ES3012-5AMZ20W	Esprit® High Res Cmpct D/N 5.6X20 Mt	
ES3012-5AMZ30N	Esprit® High Res Cmpct D/N 5.5x30 Ped	
ES3012-5AMZ30PN	Esprit® High Res Cmpct D/N 5.5X30P Ped	
ES3012-5AMZ30PW	Esprit® High Res Cmpct D/N 5.5X30P Mt	
ES3012-5AMZ30W	Esprit® High Res Cmpct D/N 5.5x30 Mt	
ES3012-5CBZ10N	Esprit® High Res EDR Col 10X Zm Ped 120/230VAC	
ES3012-5CBZ10PN	Esprit® High Res EDR Col 10X Zm Pre Ped 120/230VAC	
ES3012-5CBZ10PW	Esprit® High Res EDR Col 10X Zm Pre Mt 120/230VAC	
ES3012-5CBZ10W	Esprit® High Res EDR Col 10X Zm Mt 120/230VAC	
ES3012-5CBZ20N	Esprit® High Res EDR Col 20X Zm Ped 120/230VAC	
ES3012-5CBZ20P	Esprit® High Res EDR Col 20X Zm Pre 120/230VAC	
ES3012-5CBZ20PN	Esprit® High Res EDR Col 20X Zm Pre Ped 120/230VAC	
ES3012-5CBZ20PW	Esprit® High Res EDR Col 20X Zm Pre Mt 120/230VAC	
ES3012-5CBZ20W	Esprit® High Res EDR Col 20X Zm Mt 120/230VAC	
ES3012-5CBZ30N	Esprit® High Res EDR Col 30X Zm Ped 120/230VAC	
ES3012-5CBZ30P	Esprit® High Res EDR Col 30X Zm Pre Ped 120/230VAC	
ES3012-5CBZ30PN	Esprit® High Res EDR Col 30X Zm Pre Ped 120/230VAC	
ES3012-5CBZ30PW	Esprit® High Res EDR Col 30X Zm Pre Mt 120/230VAC	
ES3012-5CBZ30W	Esprit® High Res EDR Col 30X Zm Mt 120/230VAC	
ES3012-5CLZ10N	Esprit® High Res DSS Col 10X Zm Ped 120/230VAC	
ES3012-5CLZ10PN	Esprit® High Res DSS Col 10X Zm Pre Ped 120/230VAC	
ES3012-5CLZ10PW	Esprit® High Res DSS Col 10X Zm Pre Mt 120/230VAC	
ES3012-5CLZ10W	Esprit® High Res DSS Col 10X Zm Mt 120/230VAC	
ES3012-5CLZ20N	Esprit® High Res DSS Col 20X Zm Ped 120/230VAC	
ES3012-5CLZ20P	ESPRIT IMAGE PAK SYSTEM NTSC/EIA	
ES3012-5CLZ20PN	Esprit® High Res DSS Col 20X Zm Pre Ped 120/230VAC	
ES3012-5CLZ20PW	Esprit® High Res DSS Col 20X Zm Pre Mt 120/230VAC	
ES3012-5CLZ20W	Esprit® High Res DSS Col 20X Zm Mt 120/230VAC	
ES3012-5CLZ30N	Esprit® High Res DSS Col 30X Zm Ped 120/230VAC	
ES3012-5CLZ30P	ESPRIT IMAGE PAK SYSTEM NTSC/EIA	
ES3012-5CLZ30PN	Esprit® High Res DSS Col 30X Zm Pre Ped 120/230VAC	
ES3012-5CLZ30PW	Esprit® High Res DSS Col 30X Zm Pre Mt 120/230VAC	
ES3012-5CLZ30W	Esprit® High Res DSS Col 30X Zm Mt 120/230VAC	
ES3012-5KWZ10PN	Esprit® High Res D/N 10X Zm Pre Mt 120/230VAC	
ES3012-5KWZ10PW	Esprit® High Res D/N 10X Zm Pre Mt 120/230VAC	

ATTACHMENT "B"- PART 1

ES3012-5KWZ10W	Esprit® High Res D/N 10X Zm Mt 120/230VAC	
ES3012-5KWZ20PN	Esprit® High Res D/N 20X Zm Pre Ped 120/230VAC	
ES3012-5KWZ20PW	Esprit® High Res D/N 20X Zm Pre Mt 120/230VAC	
ES3012-5KWZ20W	Esprit® High Res D/N 20X Zm 120/230VAC Mt	
ES3012-5KWZ30PN	Esprit® High Res D/N 30X Zm Pre Ped 120/230VAC	
ES3012-5KWZ30PW	Esprit® High Res D/N 30X Zm Pre Mt 120/230VAC	
ES3012-5N	Esprit® Pan/Tilt Enclosure Receiver Ped 120VAC	
ES3012-5W	Esprit® Pan/Tilt Enclosure Receiver Wall Mt 120VAC	
ES3014TI-2N	Esprit® Thermal 14.25mm NTSC pedestal mount	
ES3014TI-2W	Esprit® Thermal 14.25mm NTSC wall mount	
ES3014TI-5N	Esprit® Thermal 14.25mm NTSC pedestal mount	
ES3014TI-5W	Esprit® Thermal 14.25mm NTSC wall mount	
ES3035TI-2N	Esprit® Thermal 35mm NTSC pedestal mount	
ES3035TI-2W	Esprit® Thermal 35mm NTSC wall mount 30HZ	
ES3035TI-5N	Esprit® Thermal 35mm NTSC pedestal mount	
ES3035TI-5W	Esprit® Thermal 35mm NTSC wall mount	
ES3050TI-2N	Esprit® Thermal 50mm NTSC pedestal mount	
ES3050TI-2N	Esprit® Thermal 50mm NTSC pedestal mount	
ES3050TI-2W	Esprit® Thermal 50mm NTSC wall mount	
ES3050TI-5N	Esprit® Thermal 50mm NTSC pedestal mount	
ES3050TI-5W	Esprit® Thermal 50mm NTSC wall mount	
ES30C22-2N	Esprit® IOP 22X High Res Ped Adapter NTSC 24VAC	
ES30C22-2W	Esprit® IOP 22X High Res Wall Mt NTSC 24VAC	
ES30C22-5N	Esprit® IOP 22X Hi Res Ped Adapter NTSC 120/230VAC	
ES30C22-5W	Esprit® IOP 22X High Res Wall Mt NTSC 120/230VAC	
ES30CBW24-2N	Esprit® IOP 24X Hi Res Ped Adapter NTSC 24VAC	
ES30CBW24-2W	Esprit® IOP 24X Hi Res Wall Mt NTSC 24VAC	
ES30CBW24-5N	Esprit® IOP 24X Hi Res Ped Adapter NTSC 120/230VAC	
ES30CBW24-5W	Esprit® IOP 24X Hi Res Wall Mt NTSC 120/230VAC	
ES30CBW35-2N	Esprit® IOP 35X Hi Res Ped Adapter NTSC 24VAC	
ES30CBW35-2W	Esprit® IOP 35X Hi Res Wall Mt NTSC 24VAC	
ES30CBW35-5N	Esprit® IOP 35X Hi Res Ped Adapter NTSC 120/230VAC	
ES30CBW35-5W	Esprit® IOP 35X Hi Res Wall Mt NTSC 120/230VAC	
ES30PC22-2N	Esprit® IOC 22X High Res Ped Adapter NTSC 24VAC	
ES30PC22-2W	Esprit® IOC 22X High Res Wall Mt NTSC 24VAC	
ES30PC22-5N	Esprit® IOC 22X Hi Res Ped Adapter NTSC 120/230VAC	
ES30PC22-5W	Esprit® IOC 22X Hi Res Wall Mt NTSC 120/230VAC	
ES30PCBW24-2N	Esprit® IOC 24X Hi Res Ped Adapter NTSC 24VAC	
ES30PCBW24-2W	Esprit® IOC 24X Hi Res Wall Mt NTSC 24VAC	
ES30PCBW24-5N	Esprit® IOC 24X Hi Res Ped Adapter NTSC 120/230VAC	
ES30PCBW24-5W	Esprit® IOC 24X Hi Res Wall Mt NTSC 120/230VAC	
ES30PCBW35-2N	Esprit® IOC 35X Hi Res Ped Adapter NTSC 24VAC	
ES30PCBW35-2W	Esprit® IOC 35X Hi Res Wall Mt NTSC 24VAC	
ES30PCBW35-5N	Esprit® IOC 35X Hi Res Ped Adapter NTSC 120/230VAC	

ATTACHMENT "B"- PART 1

ES30PCBW35-5W	Esprit® IOC 35X Hi Res Wall Mt NTSC 120/230VAC	
ES31C22-2N	Esprit® IOP 22X High Res Ped Adapter NTSC 24VAC	
ES31C22-2W	Esprit® IOP 22X High Res Wall Mt NTSC 24VAC	
ES31C22-5N	Esprit® IOP 22X Hi Res Ped Adapter NTSC 120/230VAC	
ES31C22-5W	Esprit® IOP 22X High Res Wall Mt NTSC 120/230VAC	
ES31CBW24-2N	Esprit® IOP 24X Hi Res Ped Adapter NTSC 24VAC	
ES31CBW24-2W	Esprit® IOP 24XHi Res Wall Mt NTSC 24VAC	
ES31CBW24-5N	Esprit® IOP 24X Hi Res Ped Adapter NTSC 120/230VAC	
ES31CBW24-5W	Esprit® IOP 24X High Res NTSC	
ES31CBW35-2N	Esprit® IOP 35X Hi Res Ped Adapter NTSC 24VAC	
ES31CBW35-2W	Esprit® IOP 35X Hi Res Wall Mt NTSC 24VAC	
ES31CBW35-5N	Esprit® IOP 35X Hi Res Ped Adapter NTSC 120/230VAC	
ES31CBW35-5W	Esprit® IOP 35X High Res NTSC	
ES31PC22-2N	Esprit® IOC 22X Hi Res Wpr Ped Adapter NTSC 24VAC	
ES31PC22-2W	Esprit® IOC 22X High Res Wpr Wall Mt NTSC 24VAC	
ES31PC22-5N	Esprit® IOC 22X Hi Res Wpr Ped Adt NTSC 120/230VAC	
ES31PC22-5W	Esprit® IOC 22X Hi Res Wpr Wall Mt NTSC 120/230VAC	
ES31PCBW24-2N	Esprit® IOC 24X Hi Res Ped Adapter NTSC 24VAC	
ES31PCBW24-2W	Esprit® IOC 24X Hi Res Wall Mt NTSC 24VAC	
ES31PCBW24-5N	Esprit® IOC 24X Hi Res Ped Adapter NTSC 120/230VAC	
ES31PCBW24-5W	Esprit® IOC 24X Hi Res Wall Mt NTSC 120/230VAC	
ES31PCBW35-2N	Esprit® IOC 35X Hi Res Ped Adapter NTSC 24VAC	
ES31PCBW35-2W	Esprit® IOC 35X Hi Res Wall Mt NTSC 24VAC	
ES31PCBW35-5N	Esprit® IOC 35X Hi Res Ped Adapter NTSC 120/230VAC	
ES31PCBW35-5W	Esprit® IOC 35X Hi Res Wall Mt NTSC 120/230VAC	
ESIOPCBW24	Esprit® Module Color/B-W 24X Zm	
ESIOPCBW35	Esprit® Module Color/B-W 35X Zm	
EWM	Esprit® Indoor/Outdoor Wall Mt	
EXAC	ExSite EX E Cable Interface	
FLDSUPPORT	Field support per day cahrge	
FR106011MSTR	Multimode-1v,a,d,cc,10bit fiber, rx,st connector	
FR106011SSTR	Single Mode-1v,a,d,cc,10bit fiber, rx,st connector	
FR8101AMSTR	Multimode-1d bi-direct fiber rx;st connector	
FR8101ASFCR	Single Mode-1d bi-direct fiber rx;fc connector	
FR8101ASSTR	Single Mode-1d bi-direct fiber rx;st connector	
FR8104MSTR	Multimode-4D bi-direct fiber rx;st connector	
FR8104SSTR	Single Mode-4D bi-direct fiber rx;st connector	
FR82011MSCR-1	Multimode-Eth Media Conv ,1fiber, rx, sc connector	
FR82011MSTR-1	Multimode-Eth Media Conv, 1fiber, rx, st connector	
FR82011SSCR-1	Single Mode-Eth Media Conv,1fiber,rx, sc connector	
FR82011SSTR-1	Single Mode-Eth Media Conv,1fiber,rx, st connector	
FR82041MSCR-1	Mmode-Eth Fiber Sw 4 base ,1fiber, rx,sc connector	
FR82041MSTR-1	Mmode-Eth Fiber Sw 4 base 1fiber, rx, st connector	
FR82041SSCR-1	SMode-Eth Fiber Sw 4 base,1fiber, rx, sc connector	

ATTACHMENT "B"- PART 1

FR82041SSTR-1	SMode-Eth Fiber Sw 4 base,1fiber, rx, st connector	
FR8301AMSTR	Multimode-1V 8bit fiber rx;st connector	
FR8301AMSTRE	Multimode-1V 8bit fiber rx;st, extended distance	
FR8301ASFCR	Single Mode-1V 8bit fiber rx;fc connector	
FR8301ASSTR	Single Mode-1V 8bit fiber rx;st connector	
FR8302AMSTR-2	Multimode-2V 8bit fiber rx; st cntr;dual fiber	
FR8302AMSTRE-2	Multimode-2V 8bit fiber rx;st cn, 2 fiber,ext dist	
FR8302ASFCR-2	Single Mode-2V 8bit fiber rx;fc cntr;dual fiber	
FR8302ASSTR-2	Single Mode-2V 8bit fiber rx; st cntr;dual fiber	
FR8304MSTR	Multimode - 4v 8bit fiber rx;st connector	
FR8304SFCR	Single Mode - 4v 8bit fiber rx;fc connector	
FR8304SSTR	Single Mode - 4v 8bit fiber rx;st connector	
FR8308MSTR	Multimode-8v 8bit fiber rx;st connector	
FR8308SSTR	Single Mode-8v 8bit fiber rx;st connector	
FR8316MSTR	16 ch video only rx, multimode, ST, rack	
FR8316SSTR	16 ch video only rx, singlemode, ST, rack	
FR8332MSTR	32 Channel Video Only RX, MM, ST	
FR8332SSTR	32 Channel Video Only RX,SM,ST	
FR85011AMSTR	Multimode-1v 1d 8bit fiber rx;st connector	
FR85011AMSTR	Multimode-1v 1d 8bit fiber rx;st connector	
FR85011ASFCR	Single Mode-1v 1d 8bit fiber rx;fc cnrt	
FR85011ASFCR	Single Mode-1v 1d 8bit fiber rx;fc cnrt	
FR85011ASSTR	Single Mode-1v 1d 8bit fiber rx; st connector	
FR85011ASSTR	Single Mode-1v 1d 8bit fiber rx; st connector	
FR85041MSTR	Multimode-4v 1d 8bit fiber rx;st connector	
FR85041SFCR	Single Mode-4v 1d 8bit fiber rx;fc connector	
FR85041SSTR	Single Mode-4v 1d 8bit fiber rx;st connector	
FR85081MSTR	Multimode-8v 1d 8bit fiber rx;st connector	
FR85081SFCR	Single Mode-8v 1d 8bit fiber rx;fc connector	
FR85081SSTR	Single Mode-8v 1d 8bit fiber rx;st connector	
FR86011MSTR	Multimode-1v,a,d,cc,8bit fiber, rx,st connector	
FR86011SFCR	Single Mode-1v,a,d,cc,8bit fiber, rx,fc connector	
FR86011SSTR	Single Mode-1v,a,d,cc,8bit fiber, rx,st connector	
FS85011AMST	Single Cahnnel Fiber for Spectra	
FS85011AMSTEX	Single Ch Fiber for Exsite - 6 foot fiber cable	
FS85011ASFC	Single Cahnnel Fiber for Spectra	
FS85011ASFCEX	Single Ch Fiber for Exsite - 6 foot fiber cable	
FS85011ASST	Single Cahnnel Fiber for Spectra	
FS85011ASSTEX	Single Ch Fiber for Exsite - 6 foot fiber cable	
FSDNC	DS Network Configuration	
FSDSC	DS System Configuration	
FSDUC	DS System User-Specified Configuration	
FSENP	Endura Network Switch Programming	
FSESC	Endura System Configuration	

ATTACHMENT "B"- PART 1

FSEUC	Endura System User-Specified Configuration	
FSMSC	Matrix System Configuration	
FT106011MSTR	Multimode-1v,a,d,cc,10bit fiber, tx,st connector	
FT106011SSTR	Single Mode-1v,a,d,cc,10bit fiber, tx,st connector	
FT8101AMSTR	Multimode-1d bi-direct fiber tx;st connector	
FT8101ASFCR	Single Mode-1d bi-direct fiber tx;fc connector	
FT8101ASSTR	Single Mode-1d bi-direct fiber tx;st connector	
FT8104MSTR	Multimode-4D bi-direct fiber tx;st connector	
FT8104SSTR	Single Mode-4D bi-direct fiber tx;st connector	
FT82011MSCR-1	Multimode-Eth Media Conv ,1fiber, tx, sc connector	
FT82011MSTR-1	Multimode-Eth Media Conv, 1fiber, tx, st connector	
FT82011SSCR-1	Single Mode-Eth Media Conv,1fiber,tx, sc connector	
FT82011SSTR-1	Single Mode-Eth Media Conv,1fiber,tx, st connector	
FT82041MSCR-1	Mmode-Eth Fiber Sw 4 base ,1fiber, tx,sc connector	
FT82041MSTR-1	Mmode-Eth Fiber Sw 4 base,1fiber, tx, st connector	
FT82041SSCR-1	SMode-Eth Fiber Sw 4 base,1fiber, tx, sc connector	
FT82041SSTR-1	SMode-Eth Fiber Sw 4 base,1fiber, tx, st connector	
FT8301AMST	Multimode-1V 8bit fiber tx; st connector	
FT8301AMSTE	Multimode-1V 8bit fiber tx; st, extended distance	
FT8301AMSTR	Multimode-1V 8bit fiber tx; st connector	
FT8301AMSTRE	Multimode-1V 8bit fiber tx; st, extended distance	
FT8301ASFC	Single Mode-1V 8bit fiber tx; fc connector	
FT8301ASFCR	Single Mode-1V 8bit fiber tx; fc connector	
FT8301ASST	Single Mode-1V 8bit fiber tx; st connector	
FT8301ASSTR	Single Mode-1V 8bit fiber tx; st connector	
FT8304MSTR	Multimode - 4v 8bit fiber tx; st connector	
FT8304SFCR	Single Mode - 4v 8bit fiber tx;fc connector	
FT8304SSTR	Single Mode - 4v 8bit fiber tx; st connector	
FT8308MSTR	Multimode-8v 8bit fiber tx; st connector	
FT8308SFCR	Single Mode-8v 8bit fiber tx;fc connector	
FT8308SSTR	Single Mode-8v 8bit fiber tx; st connector	
FT85011AMSTR	Multimode-1v 1d 8bit fiber tx; st connector	
FT85011AMSTR	Multimode-1v 1d 8bit fiber tx; st connector	
FT85011ASFCR	Single Mode-1v 1d 8bit fiber tx;fc connector	
FT85011ASFCR	Single Mode-1v 1d 8bit fiber tx;fc connector	
FT85011ASSTR	Single Mode-1v 1d 8bit fiber tx; st connector	
FT85011ASSTR	Single Mode-1v 1d 8bit fiber tx; st connector	
FT85011SSTR	Single Mode-1v 1d 8bit fiber tx; st connector	
FT85011SSTR	Single Mode-1v 1d 8bit fiber tx; st connector	
FT85041MSTR	Multimode-4v 1d 8bit fiber tx; st connector	
FT85041SFCR	Single Mode-4v 1d 8bit fiber tx;fc connector	
FT85041SSTR	Single Mode-4v 1d 8bit fiber rx;st connector	
FT85081MSTR	Multimode-8v 1d 8bit fiber tx; st connector	
FT85081SFCR	Single Mode-8v 1d 8bit fiber tx;fc connector	

ATTACHMENT "B"- PART 1

FT85081SSTR	Single Mode-8v 1d 8bit fiber tx;fc connector	
FT86011MSTR	Multimode-1v,a,d,cc,8bit fiber, tx,st connector	
FT86011SFCR	Single Mode-1v,a,d,cc,8bit fiber, tx,fc connector	
FT86011SSTR	Single Mode-1v,a,d,cc,8bit fiber, tx,st connector	
FTPGTI-ADD	FT Additional Day Class	
FTPGTI-CM970P	CM9700-1 Day	
FTPGTI-CS	Camera Solutions - 2 Day	
FTPGTI-CUST	Custom Classes - First Day	
FTPGTI-DSO	DVR Solutions Overview - 2 Day	
FTPGTI-DSOP	Digital Sentry Operation - 2 Day	
FTPGTI-DX4TT	DX4000 Technical Training - 2 Day	
FTPGTI-DX81TT	DX8100 Technical Training - 2 Day	
FTPGTI-ESA	Endura System Admin - 1 Day	
FTPGTI-VON	Video Over IP Network - 1 Day	
FTPGTI-VSE	Video Security Essintials - 2 Day	
FX82011MSCR-2	Multimode-Eth Media Conv, 2 fiber, sc connector	
FX82011MSTR-2	Multimode-Eth Media Conv, 2 fiber, st connector	
FX82011SSCR-2	Single Mode-Eth Media Conv, 2 fiber, sc connector	
FX82011SSTR-2	Single Mode-Eth Media Conv, 2 fiber, st connector	
FX82012MSTR-2	Mmode-Eth Med Conv to two fx,2 fiber, st connector	
FX82012SSTR-2	SMode-Eth Med Conv to two fx, 2fiber, st connector	
FX82051MSCR-2	Mmode-Eth Fiber Sw 5 and 1 base, 2 fiber,sc conn	
FX82051MSTR-2	Mmode-Eth Fiber Sw 5 and 1 base, 2 fiber, st conn	
FX82052MSTR-2	Mmode-Eth Fiber Sw 5 and 2 base, 2 fiber, st conn	
FX82052MSTR-4	Mmode-Eth Fiber Sw 5 and 2 base, 4 fiber, st conn	
FX82052SSTR-2	SMode-Eth Fiber Sw 5 and 2 base, 2 fiber,st conn	
FX82052SSTR-4	SMode-Eth Fiber Sw 5 and 2 base, 2 fiber,st conn	
G1512-0AJV21AD	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G1512-0AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G1512-0AJV3AD	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G1512-0AJV50AD	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G1512-1AJV1	ImagePak® Hi Res Cmpct Col 1-3mm	
G1512-1AJV1A	ImagePak® Hi Res Cmpct Col 1-3mm Al	
G1512-1AJV1AD	ImagePak® Hi Res Cmpct Col 1-3mm Al Mt	
G1512-1AJV1AS	ImagePak® Hi Res Cmpct Col 1-3mm Al SuS	
G1512-1AJV1AT	ImagePak® Hi Res Cmpct Col 1-3mm Al SuS Mt	
G1512-1AJV1D	ImagePak® Hi Res Cmpct Col 1-3mm Mt	
G1512-1AJV1S	ImagePak® Hi Res Cmpct Col 1-3mm SuS	
G1512-1AJV1T	ImagePak® Hi Res Cmpct Col 1-3mm SuS Mt	
G1512-1AJV21	ImagePak® Hi Res Cmpct Col 2.8-12mm	
G1512-1AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G1512-1AJV21AD	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G1512-1AJV21AS	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS	
G1512-1AJV21AT	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G1512-1AJV21D	ImagePak® Hi Res Cmpct Col 2.8-12mm Mt	
G1512-1AJV21S	ImagePak® Hi Res Cmpct Col 2.8-12mm SuS	
G1512-1AJV21T	ImagePak® Hi Res Cmpct Col 2.8-12mm SuS Mt	
G1512-1AJV2A	ImagePak® Hi Res Cmpct Col 2.5-6mm Al	
G1512-1AJV2AD	ImagePak® Hi Res Cmpct Col 2.5-6mm Al Mt	
G1512-1AJV2AS	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS	
G1512-1AJV2AT	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G1512-1AJV3	ImagePak® Hi Res Cmpct Col 3-8mm	
G1512-1AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G1512-1AJV3AD	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G1512-1AJV3AS	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS	
G1512-1AJV3AT	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G1512-1AJV3D	ImagePak® Hi Res Cmpct Col 3-8mm Mt	
G1512-1AJV3S	ImagePak® Hi Res Cmpct Col 3-8mm SuS	
G1512-1AJV3T	ImagePak® Hi Res Cmpct Col 3-8mm SuS Mt	
G1512-1AJV5	ImagePak® Hi Res Cmpct Col 5-40mm	
G1512-1AJV50	ImagePak® Hi Res Cmpct Col 5-50mm	
G1512-1AJV50A	ImagePak® Hi Res Cmpct Col 5-50mm Al	
G1512-1AJV50AD	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G1512-1AJV50AS	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS	
G1512-1AJV50AT	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G1512-1AJV50D	ImagePak® Hi Res Cmpct Col 5-50mm Mt	
G1512-1AJV50S	ImagePak® Hi Res Cmpct Col 5-50mm SuS	
G1512-1AJV50T	ImagePak® Hi Res Cmpct Col 5-50mm SuS Mt	
G1512-1AJV55	ImagePak® Hi Res Cmpct Col 5.5-82.5mm	
G1512-1AJV55A	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al	
G1512-1AJV55AD	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al Mt	
G1512-1AJV55AS	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS	
G1512-1AJV55AT	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G1512-1AJV55D	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Mt	
G1512-1AJV55S	ImagePak® Hi Res Cmpct Col 5.5-82.5mm SuS	
G1512-1AJV55T	ImagePak® Hi Res Cmpct Col 5.5-82.5mm SuS Mt	
G1512-1AJV5A	ImagePak® Hi Res Cmpct Col 5-40mm Al	
G1512-1AJV5AD	ImagePak® Hi Res Cmpct Col 5-40mm Al Mt	
G1512-1AJV5AS	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS	
G1512-1AJV5AT	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G1512-1AJV5D	ImagePak® Hi Res Cmpct Col 5-40mm Mt	
G1512-1AJV5S	ImagePak® Hi Res Cmpct Col 5-40mm SuS	
G1512-1AJV5T	ImagePak® Hi Res Cmpct Col 5-40mm SuS Mt	
G1512-1AMV1	ImagePak® Hi Res Cmpct D/N 1-3mm	
G1512-1AMV1A	ImagePak® Hi Res Cmpct D/N 1-3mm Al	
G1512-1AMV1AD	ImagePak® Hi Res Cmpct D/N 1-3mm Al Mt	
G1512-1AMV1AS	ImagePak® Hi Res Cmpct D/N 1-3mm Al SuS	
G1512-1AMV1AT	ImagePak® Hi Res Cmpct D/N 1-3mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G1512-1AMV1D	ImagePak® Hi Res Cmpct D/N 1-3mm Mt	
G1512-1AMV1S	ImagePak® Hi Res Cmpct D/N 1-3mm SuS	
G1512-1AMV1T	ImagePak® Hi Res Cmpct D/N 1-3mm SuS Mt	
G1512-1AMV21	ImagePak® Hi Res Cmpct D/N 2.8-12mm	
G1512-1AMV21A	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al	
G1512-1AMV21AD	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al Mt	
G1512-1AMV21AS	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS	
G1512-1AMV21AT	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G1512-1AMV21D	ImagePak® Hi Res Cmpct D/N 2.8-12mm Mt	
G1512-1AMV21S	ImagePak® Hi Res Cmpct D/N 2.8-12mm SuS	
G1512-1AMV21T	ImagePak® Hi Res Cmpct D/N 2.8-12mm SuS Mt	
G1512-1AMV2A	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al	
G1512-1AMV2AD	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al Mt	
G1512-1AMV2AS	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS	
G1512-1AMV2AT	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS Mt	
G1512-1AMV3	ImagePak® Hi Res Cmpct D/N 3-8mm	
G1512-1AMV3A	ImagePak® Hi Res Cmpct D/N 3-8mm Al	
G1512-1AMV3AD	ImagePak® Hi Res Cmpct D/N 3-8mm Al Mt	
G1512-1AMV3AS	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS	
G1512-1AMV3AT	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G1512-1AMV3D	ImagePak® Hi Res Cmpct D/N 3-8mm Mt	
G1512-1AMV3S	ImagePak® Hi Res Cmpct D/N 3-8mm SuS	
G1512-1AMV3T	ImagePak® Hi Res Cmpct D/N 3-8mm SuS Mt	
G1512-1AMV5	ImagePak® Hi Res Cmpct D/N 5-40mm	
G1512-1AMV50	ImagePak® Hi Res Cmpct D/N 5-50mm	
G1512-1AMV50A	ImagePak® Hi Res Cmpct D/N 5-50mm Al	
G1512-1AMV50AD	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G1512-1AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G1512-1AMV50AT	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G1512-1AMV50D	ImagePak® Hi Res Cmpct D/N 5-50mm Mt	
G1512-1AMV50S	ImagePak® Hi Res Cmpct D/N 5-50mm SuS	
G1512-1AMV50T	ImagePak® Hi Res Cmpct D/N 5-50mm SuS Mt	
G1512-1AMV55	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm	
G1512-1AMV55A	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al	
G1512-1AMV55AD	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al Mt	
G1512-1AMV55AS	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS	
G1512-1AMV55AT	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS Mt	
G1512-1AMV55D	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Mt	
G1512-1AMV55S	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm SuS	
G1512-1AMV55T	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm SuS Mt	
G1512-1AMV5A	ImagePak® Hi Res Cmpct D/N 5-40mm Al	
G1512-1AMV5AD	ImagePak® Hi Res Cmpct D/N 5-40mm Al Mt	
G1512-1AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G1512-1AMV5AT	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G1512-1AMV5D	ImagePak® Hi Res Cmpct D/N 5-40mm Mt	
G1512-1AMV5S	ImagePak® Hi Res Cmpct D/N 5-40mm SuS	
G1512-1AMV5T	ImagePak® Hi Res Cmpct D/N 5-40mm SuS Mt	
G1512-1CBV2A	ImagePak® High Res Col 2.5-6mm Al	
G1512-1CBV2AS	ImagePak® High Res Col 2.5-6mm Al SuS	
G1512-2AJV1	ImagePak® Hi Res Cmpct Col 1-3mm	
G1512-2AJV1A	ImagePak® Hi Res Cmpct Col 1-3mm Al	
G1512-2AJV1AD	ImagePak® Hi Res Cmpct Col 1-3mm Al Mt	
G1512-2AJV1AS	ImagePak® Hi Res Cmpct Col 1-3mm Al SuS	
G1512-2AJV1AT	ImagePak® Hi Res Cmpct Col 1-3mm Al SuS Mt	
G1512-2AJV1D	ImagePak® Hi Res Cmpct Col 1-3mm Mt	
G1512-2AJV1S	ImagePak® Hi Res Cmpct Col 1-3mm SuS	
G1512-2AJV1T	ImagePak® Hi Res Cmpct Col 1-3mm SuS Mt	
G1512-2AJV21	ImagePak® Hi Res Cmpct Col 2.8-12mm	
G1512-2AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G1512-2AJV21AD	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G1512-2AJV21AS	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS	
G1512-2AJV21AT	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G1512-2AJV21D	ImagePak® Hi Res Cmpct Col 2.8-12mm Mt	
G1512-2AJV21S	ImagePak® Hi Res Cmpct Col 2.8-12mm SuS	
G1512-2AJV21T	ImagePak® Hi Res Cmpct Col 2.8-12mm SuS Mt	
G1512-2AJV2A	ImagePak® Hi Res Cmpct Col 2.5-6mm Al	
G1512-2AJV2AD	ImagePak® Hi Res Cmpct Col 2.5-6mm Al Mt	
G1512-2AJV2AS	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS	
G1512-2AJV2AT	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G1512-2AJV3	ImagePak® Hi Res Cmpct Col 3-8mm	
G1512-2AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G1512-2AJV3AD	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G1512-2AJV3AS	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS	
G1512-2AJV3AT	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G1512-2AJV3D	ImagePak® Hi Res Cmpct Col 3-8mm Mt	
G1512-2AJV3S	ImagePak® Hi Res Cmpct Col 3-8mm SuS	
G1512-2AJV3T	ImagePak® Hi Res Cmpct Col 3-8mm SuS Mt	
G1512-2AJV5	ImagePak® Hi Res Cmpct Col 5-40mm	
G1512-2AJV50	ImagePak® Hi Res Cmpct Col 5-50mm	
G1512-2AJV50A	ImagePak® Hi Res Cmpct Col 5-50mm Al	
G1512-2AJV50AD	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G1512-2AJV50AS	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS	
G1512-2AJV50AT	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G1512-2AJV50D	ImagePak® Hi Res Cmpct Col 5-50mm Mt	
G1512-2AJV50S	ImagePak® Hi Res Cmpct Col 5-50mm SuS	
G1512-2AJV50T	ImagePak® Hi Res Cmpct Col 5-50mm SuS Mt	
G1512-2AJV55	ImagePak® Hi Res Cmpct Col 5.5-82.5mm	
G1512-2AJV55A	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al	

ATTACHMENT "B"- PART 1

G1512-2AJV55AD	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al Mt	
G1512-2AJV55AS	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS	
G1512-2AJV55AT	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G1512-2AJV55D	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Mt	
G1512-2AJV55S	ImagePak® Hi Res Cmpct Col 5.5-82.5mm SuS	
G1512-2AJV55T	ImagePak® Hi Res Cmpct Col 5.5-82.5mm SuS Mt	
G1512-2AJV5A	ImagePak® Hi Res Cmpct Col 5-40mm Al	
G1512-2AJV5AD	ImagePak® Hi Res Cmpct Col 5-40mm Al Mt	
G1512-2AJV5AS	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS	
G1512-2AJV5AT	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G1512-2AJV5D	ImagePak® Hi Res Cmpct Col 5-40mm Mt	
G1512-2AJV5S	ImagePak® Hi Res Cmpct Col 5-40mm SuS	
G1512-2AJV5T	ImagePak® Hi Res Cmpct Col 5-40mm SuS Mt	
G1512-2AMR11AD	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR Mt	
G1512-2AMR11AS	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS	
G1512-2AMR11AT	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR Mt	
G1512-2AMR3AD	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G1512-2AMR3AT	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt SuS	
G1512-2AMR75AD	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G1512-2AMR75AT	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt SuS	
G1512-2AMV1	ImagePak® Hi Res Cmpct D/N 1-3mm	
G1512-2AMV1A	ImagePak® Hi Res Cmpct D/N 1-3mm Al	
G1512-2AMV1AD	ImagePak® Hi Res Cmpct D/N 1-3mm Al Mt	
G1512-2AMV1AS	ImagePak® Hi Res Cmpct D/N 1-3mm Al SuS	
G1512-2AMV1AT	ImagePak® Hi Res Cmpct D/N 1-3mm Al SuS Mt	
G1512-2AMV1D	ImagePak® Hi Res Cmpct D/N 1-3mm Mt	
G1512-2AMV1S	ImagePak® Hi Res Cmpct D/N 1-3mm SuS	
G1512-2AMV1T	ImagePak® Hi Res Cmpct D/N 1-3mm SuS Mt	
G1512-2AMV21	ImagePak® Hi Res Cmpct D/N 2.8-12mm	
G1512-2AMV21A	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al	
G1512-2AMV21AD	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al Mt	
G1512-2AMV21AS	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS	
G1512-2AMV21AT	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G1512-2AMV21D	ImagePak® Hi Res Cmpct D/N 2.8-12mm Mt	
G1512-2AMV21S	ImagePak® Hi Res Cmpct D/N 2.8-12mm SuS	
G1512-2AMV21T	ImagePak® Hi Res Cmpct D/N 2.8-12mm SuS Mt	
G1512-2AMV2A	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al	
G1512-2AMV2AD	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al Mt	
G1512-2AMV2AS	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS	
G1512-2AMV2AT	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS Mt	
G1512-2AMV3	ImagePak® Hi Res Cmpct D/N 3-8mm	
G1512-2AMV3A	ImagePak® Hi Res Cmpct D/N 3-8mm Al	
G1512-2AMV3AD	ImagePak® Hi Res Cmpct D/N 3-8mm Al Mt	
G1512-2AMV3AS	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS	

ATTACHMENT "B"- PART 1

G1512-2AMV3AT	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G1512-2AMV3D	ImagePak® Hi Res Cmpct D/N 3-8mm Mt	
G1512-2AMV3S	ImagePak® Hi Res Cmpct D/N 3-8mm SuS	
G1512-2AMV3T	ImagePak® Hi Res Cmpct D/N 3-8mm SuS Mt	
G1512-2AMV5	ImagePak® Hi Res Cmpct D/N 5-40mm	
G1512-2AMV50	ImagePak® Hi Res Cmpct D/N 5-50mm	
G1512-2AMV50A	ImagePak® Hi Res Cmpct D/N 5-50mm Al	
G1512-2AMV50AD	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G1512-2AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G1512-2AMV50AT	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G1512-2AMV50D	ImagePak® Hi Res Cmpct D/N 5-50mm Mt	
G1512-2AMV50S	ImagePak® Hi Res Cmpct D/N 5-50mm SuS	
G1512-2AMV50T	ImagePak® Hi Res Cmpct D/N 5-50mm SuS Mt	
G1512-2AMV55	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm	
G1512-2AMV55A	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al	
G1512-2AMV55AD	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al Mt	
G1512-2AMV55AS	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS	
G1512-2AMV55AT	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS Mt	
G1512-2AMV55D	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Mt	
G1512-2AMV55S	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm SuS	
G1512-2AMV55T	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm SuS Mt	
G1512-2AMV5A	ImagePak® Hi Res Cmpct D/N 5-40mm Al	
G1512-2AMV5AD	ImagePak® Hi Res Cmpct D/N 5-40mm Al Mt	
G1512-2AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G1512-2AMV5AT	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS Mt	
G1512-2AMV5D	ImagePak® Hi Res Cmpct D/N 5-40mm Mt	
G1512-2AMV5S	ImagePak® Hi Res Cmpct D/N 5-40mm SuS	
G1512-2AMV5T	ImagePak® Hi Res Cmpct D/N 5-40mm SuS Mt	
G1512-2KWR11AD	ImagePak® Hi Res Cmpct D/N 2.8-11mm Mt	
G1512-2KWR3AD	ImagePak® Hi Res Cmpct D/N 3-8.5mm Mt	
G1512-2KWR3AT	ImagePak® Hi Res Cmpct D/N 3-8.5mm Mt SS	
G1512-2KWR75A	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR	
G1512-2KWR75AD	ImagePak® Hi Res Cmpct D/N 7.5-50mm Mt	
G1512-2KWR75AT	ImagePak® Hi Res Cmpct D/N 7.5-50mm Mt	
G1512-2KWV21AD	ImagePak® Hi Res Cmpct D/N 2.8-12mm Mt	
G1512-2KWV21AT	ImagePak® Hi Res Cmpct D/N 2.8-12mm Mt SuS	
G1512-2KWV3AD	ImagePak® Hi Res Cmpct D/N 3-8mm Mt	
G1512-2KWV50AD	ImagePak® Hi Res Cmpct D/N 5-40mm Mt	
G1512-2KWV50AT	ImagePak® Hi Res Cmpct D/N 5-40mm SuS Mt	
G1512-3AJV1	ImagePak® Hi Res Cmpct Col 1-3mm	
G1512-3AJV1A	ImagePak® Hi Res Cmpct Col 1-3mm Al	
G1512-3AJV1AD	ImagePak® Hi Res Cmpct Col 1-3mm Al Mt	
G1512-3AJV1AS	ImagePak® Hi Res Cmpct Col 1-3mm Al SuS	
G1512-3AJV1AT	ImagePak® Hi Res Cmpct Col 1-3mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G1512-3AJV1D	ImagePak® Hi Res Cmpct Col 1-3mm Mt	
G1512-3AJV1S	ImagePak® Hi Res Cmpct Col 1-3mm SuS	
G1512-3AJV1T	ImagePak® Hi Res Cmpct Col 1-3mm SuS Mt	
G1512-3AJV21	ImagePak® Hi Res Cmpct Col 2.8-12mm	
G1512-3AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G1512-3AJV21AD	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G1512-3AJV21AS	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS	
G1512-3AJV21AT	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G1512-3AJV21D	ImagePak® Hi Res Cmpct Col 2.8-12mm Mt	
G1512-3AJV21S	ImagePak® Hi Res Cmpct Col 2.8-12mm SuS	
G1512-3AJV21T	ImagePak® Hi Res Cmpct Col 2.8-12mm SuS Mt	
G1512-3AJV2A	ImagePak® Hi Res Cmpct Col 2.5-6mm Al	
G1512-3AJV2AD	ImagePak® Hi Res Cmpct Col 2.5-6mm Al Mt	
G1512-3AJV2AS	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS	
G1512-3AJV2AT	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G1512-3AJV3	ImagePak® Hi Res Cmpct Col 3-8mm	
G1512-3AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G1512-3AJV3AD	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G1512-3AJV3AS	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS	
G1512-3AJV3AT	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G1512-3AJV3D	ImagePak® Hi Res Cmpct Col 3-8mm Mt	
G1512-3AJV3S	ImagePak® Hi Res Cmpct Col 3-8mm SuS	
G1512-3AJV3T	ImagePak® Hi Res Cmpct Col 3-8mm SuS Mt	
G1512-3AJV5	ImagePak® Hi Res Cmpct Col 5-40mm	
G1512-3AJV50	ImagePak® Hi Res Cmpct Col 5-50mm	
G1512-3AJV50A	ImagePak® Hi Res Cmpct Col 5-50mm Al	
G1512-3AJV50AD	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G1512-3AJV50AS	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS	
G1512-3AJV50AT	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G1512-3AJV50D	ImagePak® Hi Res Cmpct Col 5-50mm Mt	
G1512-3AJV50S	ImagePak® Hi Res Cmpct Col 5-50mm SuS	
G1512-3AJV50T	ImagePak® Hi Res Cmpct Col 5-50mm SuS Mt	
G1512-3AJV55	ImagePak® Hi Res Cmpct Col 5.5-82.5mm	
G1512-3AJV55A	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al	
G1512-3AJV55AD	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al Mt	
G1512-3AJV55AS	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS	
G1512-3AJV55AT	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G1512-3AJV55D	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Mt	
G1512-3AJV55S	ImagePak® Hi Res Cmpct Col 5.5-82.5mm SuS	
G1512-3AJV55T	ImagePak® Hi Res Cmpct Col 5.5-82.5mm SuS Mt	
G1512-3AJV5A	ImagePak® Hi Res Cmpct Col 5-40mm Al	
G1512-3AJV5AD	ImagePak® Hi Res Cmpct Col 5-40mm Al Mt	
G1512-3AJV5AS	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS	
G1512-3AJV5AT	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G1512-3AJV5D	ImagePak® Hi Res Cmpct Col 5-40mm Mt	
G1512-3AJV5S	ImagePak® Hi Res Cmpct Col 5-40mm SuS	
G1512-3AJV5T	ImagePak® Hi Res Cmpct Col 5-40mm SuS Mt	
G1512-3AMR11AD	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR Mt	
G1512-3AMR3AD	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G1512-3AMR75AD	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G1512-3AMV1	ImagePak® Hi Res Cmpct D/N 1-3mm	
G1512-3AMV1A	ImagePak® Hi Res Cmpct D/N 1-3mm Al	
G1512-3AMV1AD	ImagePak® Hi Res Cmpct D/N 1-3mm Al Mt	
G1512-3AMV1AS	ImagePak® Hi Res Cmpct D/N 1-3mm Al SuS	
G1512-3AMV1AT	ImagePak® Hi Res Cmpct D/N 1-3mm Al SuS Mt	
G1512-3AMV1D	ImagePak® Hi Res Cmpct D/N 1-3mm Mt	
G1512-3AMV1S	ImagePak® Hi Res Cmpct D/N 1-3mm SuS	
G1512-3AMV1T	ImagePak® Hi Res Cmpct D/N 1-3mm SuS Mt	
G1512-3AMV21	ImagePak® Hi Res Cmpct D/N 2.8-12mm	
G1512-3AMV21A	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al	
G1512-3AMV21AD	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al Mt	
G1512-3AMV21AS	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS	
G1512-3AMV21AT	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G1512-3AMV21D	ImagePak® Hi Res Cmpct D/N 2.8-12mm Mt	
G1512-3AMV21S	ImagePak® Hi Res Cmpct D/N 2.8-12mm SuS	
G1512-3AMV21T	ImagePak® Hi Res Cmpct D/N 2.8-12mm SuS Mt	
G1512-3AMV2A	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al	
G1512-3AMV2AD	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al Mt	
G1512-3AMV2AS	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS	
G1512-3AMV2AT	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS Mt	
G1512-3AMV3	ImagePak® Hi Res Cmpct D/N 3-8mm	
G1512-3AMV3A	ImagePak® Hi Res Cmpct D/N 3-8mm Al	
G1512-3AMV3AD	ImagePak® Hi Res Cmpct D/N 3-8mm Al Mt	
G1512-3AMV3AS	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS	
G1512-3AMV3AT	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G1512-3AMV3D	ImagePak® Hi Res Cmpct D/N 3-8mm Mt	
G1512-3AMV3S	ImagePak® Hi Res Cmpct D/N 3-8mm SuS	
G1512-3AMV3T	ImagePak® Hi Res Cmpct D/N 3-8mm SuS Mt	
G1512-3AMV5	ImagePak® Hi Res Cmpct D/N 5-40mm	
G1512-3AMV50	ImagePak® Hi Res Cmpct D/N 5-50mm	
G1512-3AMV50A	ImagePak® Hi Res Cmpct D/N 5-50mm Al	
G1512-3AMV50AD	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G1512-3AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G1512-3AMV50AT	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G1512-3AMV50D	ImagePak® Hi Res Cmpct D/N 5-50mm Mt	
G1512-3AMV50S	ImagePak® Hi Res Cmpct D/N 5-50mm SuS	
G1512-3AMV50T	ImagePak® Hi Res Cmpct D/N 5-50mm SuS Mt	
G1512-3AMV55	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm	

ATTACHMENT "B"- PART 1

G1512-3AMV55A	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al	
G1512-3AMV55AD	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al Mt	
G1512-3AMV55AS	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS	
G1512-3AMV55AT	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS Mt	
G1512-3AMV55D	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Mt	
G1512-3AMV55S	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm SuS	
G1512-3AMV55T	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm SuS Mt	
G1512-3AMV5A	ImagePak® Hi Res Cmpct D/N 5-40mm Al	
G1512-3AMV5AD	ImagePak® Hi Res Cmpct D/N 5-40mm Al Mt	
G1512-3AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G1512-3AMV5AT	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS Mt	
G1512-3AMV5D	ImagePak® Hi Res Cmpct D/N 5-40mm Mt	
G1512-3AMV5S	ImagePak® Hi Res Cmpct D/N 5-40mm SuS	
G1512-3AMV5T	ImagePak® Hi Res Cmpct D/N 5-40mm SuS Mt	
G2508-0AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G2508-0AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G2508-0AJV21W	ImagePak® Hi Res Cmpct Col 2.8-12mm Mt	
G2508-0AJV21W	ImagePak® Hi Res Cmpct Col 2.8-12mm Mt	
G2508-0AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G2508-0AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G2508-0AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G2508-0AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G2508-0AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G2508-0AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G2508-0AJV3W	ImagePak® Hi Res Cmpct Col 3-8mm Mt	
G2508-0AJV3W	ImagePak® Hi Res Cmpct Col 3-8mm Mt	
G2508-0KWR75A	ImagePak® EH2508 High Res D/N 7.5-50mm IR	
G2508-0KWR75A	ImagePak® EH2508 High Res D/N 7.5-50mm IR	
G2508-0KWR75AW	ImagePak® EH2508 High Res D/N 7.5-50mm IR Mt	
G2508-0KWR75AW	ImagePak® EH2508 High Res D/N 7.5-50mm IR Mt	
G2508-0KWV21AW	ImagePak® EH2508 High Res D/N 2.8-12mm Al Mt	
G2508-0KWV21AW	ImagePak® EH2508 High Res D/N 2.8-12mm Al Mt	
G2508-0KWV50AW	ImagePak® EH2508 High Res D/N 5-50mm Al Mt	
G2508-0KWV50AW	ImagePak® EH2508 High Res D/N 5-50mm Al Mt	
G2508-2AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G2508-2AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G2508-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G2508-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G2508-2AJV21AS	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS	
G2508-2AJV21AS	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS	
G2508-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G2508-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G2508-2AJV2AS	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS	
G2508-2AJV2AS	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS	

ATTACHMENT "B"- PART 1

G2508-2AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G2508-2AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G2508-2AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G2508-2AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G2508-2AJV3AS	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS	
G2508-2AJV3AS	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS	
G2508-2AMR11AK	ImagePak® Hi Res Cmpct D/N 2.8-11MM IR Sus Mt	
G2508-2AMR11AK	ImagePak® Hi Res Cmpct D/N 2.8-11MM IR Sus Mt	
G2508-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G2508-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G2508-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50MM IR Sus Mt	
G2508-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50MM IR Sus Mt	
G2508-2AMV1AK	ImagePak® Hi Res Cmpct D/N 1-3MM Al Sus Mt	
G2508-2AMV1AK	ImagePak® Hi Res Cmpct D/N 1-3MM Al Sus Mt	
G2508-2AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12MM Al Sus Mt	
G2508-2AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12MM Al Sus Mt	
G2508-2AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8MM Al Sus Mt	
G2508-2AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8MM Al Sus Mt	
G2508-2KWR11AK	ImagePak® EH2508-2 High Res D/N 2.8-11mm IR SuS Mt	
G2508-2KWR11AK	ImagePak® EH2508-2 High Res D/N 2.8-11mm IR SuS Mt	
G2508-2KWR3A	ImagePak® EH2508-2 High Res D/N IR 3-8.5mm Al	
G2508-2KWR3A	ImagePak® EH2508-2 High Res D/N IR 3-8.5mm Al	
G2508-2KWR3AK	ImagePak® EH2508-2 High Res D/N IR 3-8.5mmI SuS MT	
G2508-2KWR3AK	ImagePak® EH2508-2 High Res D/N IR 3-8.5mmI SuS MT	
G2508-2KWR3AS	ImagePak® EH2508-2 High Res D/N IR 3-8.5mm Al SuS	
G2508-2KWR3AS	ImagePak® EH2508-2 High Res D/N IR 3-8.5mm Al SuS	
G2508-2KWR3AW	ImagePak® EH2508-2 High Res D/N IR 3-8.5mm Al mt	
G2508-2KWR3AW	ImagePak® EH2508-2 High Res D/N IR 3-8.5mm Al mt	
G2508-2KWR75A	ImagePak® EH2508-2 High Res D/N 7.5-50mm Al	
G2508-2KWR75A	ImagePak® EH2508-2 High Res D/N 7.5-50mm Al	
G2508-2KWR75AK	ImagePak® EH2508-2 High Res D/N 7.5-50mm IR SuS Mt	
G2508-2KWR75AK	ImagePak® EH2508-2 High Res D/N 7.5-50mm IR SuS Mt	
G2508-2KWR75AW	ImagePak® EH2508-2 High Res D/N 7.5-50mm Al Mt	
G2508-2KWR75AW	ImagePak® EH2508-2 High Res D/N 7.5-50mm Al Mt	
G2508-2KWV21AK	ImagePak® EH2508-2 High Res D/N 2.8-12mm Al SuS Mt	
G2508-2KWV21AK	ImagePak® EH2508-2 High Res D/N 2.8-12mm Al SuS Mt	
G2508-2KWV2A	ImagePak® EH2508-2 High Res D/N 2.5-6mm Al	
G2508-2KWV2A	ImagePak® EH2508-2 High Res D/N 2.5-6mm Al	
G2508-2KWV2AK	ImagePak® EH2508-2 High Res D/N 2.5-6mm Al SuS Mt	
G2508-2KWV2AK	ImagePak® EH2508-2 High Res D/N 2.5-6mm Al SuS Mt	
G2508-2KWV3AK	ImagePak® EH2508-2 High Res D/N 3-8mm Al SuS Mt	
G2508-2KWV3AK	ImagePak® EH2508-2 High Res D/N 3-8mm Al SuS Mt	
G2508-2KWV3AS	ImagePak® EH2508-2 High Res D/N 3-8mm Al SuS	
G2508-2KWV3AS	ImagePak® EH2508-2 High Res D/N 3-8mm Al SuS	

ATTACHMENT "B"- PART 1

G2508-2KWV3AW	ImagePak® EH2508-2 High Res D/N 3-8mm Al Mt	
G2508-2KWV3AW	ImagePak® EH2508-2 High Res D/N 3-8mm Al Mt	
G2512-0AJR3AS	ImagePak® Hi Res Cmpct Col 3-8.5mm IR SuS	
G2512-0AJR3AS	ImagePak® Hi Res Cmpct Col 3-8.5mm IR SuS	
G2512-0AJR75A	ImagePak® Hi Res Cmpct Col 7.5-50mm IR	
G2512-0AJR75A	ImagePak® Hi Res Cmpct Col 7.5-50mm IR	
G2512-0AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G2512-0AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G2512-0AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G2512-0AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G2512-0AJV21AW	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G2512-0AJV21AW	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G2512-0AJV21W	ImagePak® Hi Res Cmpct Col 2.8-12mm Mt	
G2512-0AJV21W	ImagePak® Hi Res Cmpct Col 2.8-12mm Mt	
G2512-0AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G2512-0AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G2512-0AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G2512-0AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G2512-0AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G2512-0AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G2512-0AJV3W	ImagePak® Hi Res Cmpct Col 3-8mm Mt	
G2512-0AJV3W	ImagePak® Hi Res Cmpct Col 3-8mm Mt	
G2512-0AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G2512-0AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G2512-0AJV50AW	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G2512-0AJV50AW	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G2512-0AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G2512-0AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G2512-0AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G2512-0AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G2512-0AJV5AW	ImagePak® Hi Res Cmpct Col 5-40mm Al Mt	
G2512-0AJV5AW	ImagePak® Hi Res Cmpct Col 5-40mm Al Mt	
G2512-0AJV5W	ImagePak® Hi Res Cmpct Col 5-40mm Mt	
G2512-0AJV5W	ImagePak® Hi Res Cmpct Col 5-40mm Mt	
G2512-0AMR3A	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR	
G2512-0AMR3A	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR	
G2512-0AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G2512-0AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G2512-0AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G2512-0AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G2512-0AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G2512-0AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G2512-0AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G2512-0AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G2512-0AMV3AS	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS	
G2512-0AMV3AS	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS	
G2512-0AMV50AW	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G2512-0AMV50AW	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G2512-0CBV21A	ImagePak® EH2512 High Res Col 2.8-12mm Al	
G2512-0CBV21A	ImagePak® EH2512 High Res Col 2.8-12mm Al	
G2512-0CBV21AK	ImagePak® EH2512 High Res Col 2.8-12mm Al SuS Mt	
G2512-0CBV21AK	ImagePak® EH2512 High Res Col 2.8-12mm Al SuS Mt	
G2512-0CBV21AW	ImagePak® EH2512 High Res Col 2.8-12mm Al Mt	
G2512-0CBV21AW	ImagePak® EH2512 High Res Col 2.8-12mm Al Mt	
G2512-0CBV21K	ImagePak® EH2512 High Res Col 2.8-12mm Al Mt SuS	
G2512-0CBV21K	ImagePak® EH2512 High Res Col 2.8-12mm Al Mt SuS	
G2512-0CBV21W	ImagePak® EH2512 High Res Col 2.8-12mm Mt	
G2512-0CBV21W	ImagePak® EH2512 High Res Col 2.8-12mm Mt	
G2512-0CBV2AK	ImagePak® EH2512 High Res Col 2.5-6mm Al SuS Mt	
G2512-0CBV2AK	ImagePak® EH2512 High Res Col 2.5-6mm Al SuS Mt	
G2512-0CBV2AW	ImagePak® EH2512 High Res Col 2.5-6mm Al Mt	
G2512-0CBV2AW	ImagePak® EH2512 High Res Col 2.5-6mm Al Mt	
G2512-0CBV3	ImagePak® EH2512 High Res Col 3-8mm	
G2512-0CBV3	ImagePak® EH2512 High Res Col 3-8mm	
G2512-0CBV3A	ImagePak® EH2512 High Res Col 3-8mm Al	
G2512-0CBV3A	ImagePak® EH2512 High Res Col 3-8mm Al	
G2512-0CBV3AK	ImagePak® EH2512 High Res Col 3-8mm Al SuS Mt	
G2512-0CBV3AK	ImagePak® EH2512 High Res Col 3-8mm Al SuS Mt	
G2512-0CBV3AW	ImagePak® EH2512 High Res Col 3-8mm Al Mt	
G2512-0CBV3AW	ImagePak® EH2512 High Res Col 3-8mm Al Mt	
G2512-0CBV3W	ImagePak® EH2512 High Res Col 3-8mm Mt	
G2512-0CBV3W	ImagePak® EH2512 High Res Col 3-8mm Mt	
G2512-0CBV5	ImagePak® EH2512 High Res Col 5-40mm	
G2512-0CBV5	ImagePak® EH2512 High Res Col 5-40mm	
G2512-0CBV50	ImagePak® EH2512 High Res Col 5-50mm	
G2512-0CBV50	ImagePak® EH2512 High Res Col 5-50mm	
G2512-0CBV50A	ImagePak® EH2512 High Res Col 5-50mm Al	
G2512-0CBV50A	ImagePak® EH2512 High Res Col 5-50mm Al	
G2512-0CBV50AK	ImagePak® EH2512 High Res Col 5-50mm Al SuS Mt	
G2512-0CBV50AK	ImagePak® EH2512 High Res Col 5-50mm Al SuS Mt	
G2512-0CBV50AS	ImagePak® EH2512 High Res Col 5-50mm Al SuS	
G2512-0CBV50AS	ImagePak® EH2512 High Res Col 5-50mm Al SuS	
G2512-0CBV50AW	ImagePak® EH2512 High Res Col 5-50mm Al Mt	
G2512-0CBV50AW	ImagePak® EH2512 High Res Col 5-50mm Al Mt	
G2512-0CBV55AK	ImagePak® EH2512 High Res Col 5.5-82.5mm Al SuS Mt	
G2512-0CBV55AK	ImagePak® EH2512 High Res Col 5.5-82.5mm Al SuS Mt	
G2512-0CBV5AK	ImagePak® EH2512 High Res Col 5-40mm Al SuS Mt	
G2512-0CBV5AK	ImagePak® EH2512 High Res Col 5-40mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G2512-0CBV5AW	ImagePak® EH2512 High Res Col 5-40mm Al Mt	
G2512-0CBV5AW	ImagePak® EH2512 High Res Col 5-40mm Al Mt	
G2512-0CBV5W	ImagePak® EH2512 High Res Col 5-40mm Mt	
G2512-0CBV5W	ImagePak® EH2512 High Res Col 5-40mm Mt	
G2512-0CLV21AK	ImagePak® EH2512 High Res Col 2.8-12mm Al mt SuS	
G2512-0CLV21AK	ImagePak® EH2512 High Res Col 2.8-12mm Al mt SuS	
G2512-0CLV21AW	ImagePak® EH2512 High Res Col 2.8-12mm Al mt	
G2512-0CLV21AW	ImagePak® EH2512 High Res Col 2.8-12mm Al mt	
G2512-0CLV21W	ImagePak® EH2512 High Res Col 2.8-12mm Mt	
G2512-0CLV21W	ImagePak® EH2512 High Res Col 2.8-12mm Mt	
G2512-0CLV2AK	ImagePak® EH2512 High Res Col 2.5-6mm Al SuS Mt	
G2512-0CLV2AK	ImagePak® EH2512 High Res Col 2.5-6mm Al SuS Mt	
G2512-0CLV3AK	ImagePak® EH2512 High Res Col 3-8mm Al SuS Mt	
G2512-0CLV3AK	ImagePak® EH2512 High Res Col 3-8mm Al SuS Mt	
G2512-0CLV50A	ImagePak® EH2512 High Res Col 5-50mm Al	
G2512-0CLV50A	ImagePak® EH2512 High Res Col 5-50mm Al	
G2512-0CLV50AK	ImagePak® EH2512 High Res Col 5-50mm Al SuS Mt	
G2512-0CLV50AK	ImagePak® EH2512 High Res Col 5-50mm Al SuS Mt	
G2512-0CLV50AS	ImagePak® EH2512 High Res Color 5-50mm Al SuS	
G2512-0CLV50AS	ImagePak® EH2512 High Res Color 5-50mm Al SuS	
G2512-0CLV50AW	ImagePak® EH2512 High Res Color 5-50mm Al Mt	
G2512-0CLV50AW	ImagePak® EH2512 High Res Color 5-50mm Al Mt	
G2512-0CLV55AS	ImagePak® EH2512 High Res Color 5-55mm Al SuS	
G2512-0CLV55AS	ImagePak® EH2512 High Res Color 5-55mm Al SuS	
G2512-0CLV55AW	ImagePak® EH2512 High Res Color 5-55mm Al Mt	
G2512-0CLV55AW	ImagePak® EH2512 High Res Color 5-55mm Al Mt	
G2512-0KWR3AK	ImagePak® EH2512 High Res D/N 3-8.5mm Al SuS Mt	
G2512-0KWR3AK	ImagePak® EH2512 High Res D/N 3-8.5mm Al SuS Mt	
G2512-0KWR3AW	ImagePak® EH2512 High Res D/N 3-8.5mm Al Mt	
G2512-0KWR3AW	ImagePak® EH2512 High Res D/N 3-8.5mm Al Mt	
G2512-0KWR75A	ImagePak® EH2512 High Res D/N 7.5-50mm Al Mt	
G2512-0KWR75A	ImagePak® EH2512 High Res D/N 7.5-50mm Al Mt	
G2512-0KWR75AK	ImagePak® EH2512 High Res D/N 7.5-50mm Al SuS Mt	
G2512-0KWR75AK	ImagePak® EH2512 High Res D/N 7.5-50mm Al SuS Mt	
G2512-0KWV21AK	ImagePak® EH2512 High Res D/N 2.8-12mm Al SuS Mt	
G2512-0KWV21AK	ImagePak® EH2512 High Res D/N 2.8-12mm Al SuS Mt	
G2512-0KWV21AW	ImagePak® EH2512 High Res D/N 2.8-12mm Al Mt	
G2512-0KWV21AW	ImagePak® EH2512 High Res D/N 2.8-12mm Al Mt	
G2512-0KWV3AK	ImagePak® EH2512 High Res D/N 3-8mm Al Mt SuS	
G2512-0KWV3AK	ImagePak® EH2512 High Res D/N 3-8mm Al Mt SuS	
G2512-2AJR3AK	ImagePak® Hi Res Cmpct Col 3-8.5mm IR SuS Mt	
G2512-2AJR3AK	ImagePak® Hi Res Cmpct Col 3-8.5mm IR SuS Mt	
G2512-2AJV1AW	ImagePak® Hi Res Cmpct Col 1-3mm Al Mt	
G2512-2AJV1AW	ImagePak® Hi Res Cmpct Col 1-3mm Al Mt	

ATTACHMENT "B"- PART 1

G2512-2AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G2512-2AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G2512-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G2512-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G2512-2AJV21AS	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS	
G2512-2AJV21AS	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS	
G2512-2AJV21AW	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G2512-2AJV21AW	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G2512-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G2512-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G2512-2AJV2AW	ImagePak® Hi Res Cmpct Col 2.5-6mm Al Mt	
G2512-2AJV2AW	ImagePak® Hi Res Cmpct Col 2.5-6mm Al Mt	
G2512-2AJV3	ImagePak® Hi Res Cmpct Col 3-8mm	
G2512-2AJV3	ImagePak® Hi Res Cmpct Col 3-8mm	
G2512-2AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G2512-2AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G2512-2AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G2512-2AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G2512-2AJV3K	ImagePak® Hi Res Cmpct Col 3-8mm SuS Mt	
G2512-2AJV3K	ImagePak® Hi Res Cmpct Col 3-8mm SuS Mt	
G2512-2AJV50A	ImagePak® Hi Res Cmpct Col 5-50mm Al	
G2512-2AJV50A	ImagePak® Hi Res Cmpct Col 5-50mm Al	
G2512-2AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G2512-2AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G2512-2AJV50AW	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G2512-2AJV50AW	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G2512-2AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G2512-2AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G2512-2AJV55AW	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al Mt	
G2512-2AJV55AW	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al Mt	
G2512-2AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G2512-2AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G2512-2AJV5AS	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS	
G2512-2AJV5AS	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS	
G2512-2AJV5AW	ImagePak® Hi Res Cmpct Col 5-40mm Al Mt	
G2512-2AJV5AW	ImagePak® Hi Res Cmpct Col 5-40mm Al Mt	
G2512-2AMR11A	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR	
G2512-2AMR11A	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR	
G2512-2AMR11AK	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS Mt	
G2512-2AMR11AK	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS Mt	
G2512-2AMR11AS	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS	
G2512-2AMR11AS	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS	
G2512-2AMR11AW	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR Mt	
G2512-2AMR11AW	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR Mt	

ATTACHMENT "B"- PART 1

G2512-2AMR3A	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR	
G2512-2AMR3A	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR	
G2512-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G2512-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G2512-2AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G2512-2AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G2512-2AMR3AW	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G2512-2AMR3AW	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G2512-2AMR75A	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR	
G2512-2AMR75A	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR	
G2512-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G2512-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G2512-2AMR75AW	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G2512-2AMR75AW	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G2512-2AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G2512-2AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G2512-2AMV2A	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al	
G2512-2AMV2A	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al	
G2512-2AMV2AK	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS Mt	
G2512-2AMV2AK	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS Mt	
G2512-2AMV3A	ImagePak® Hi Res Cmpct D/N 3-8mm Al	
G2512-2AMV3A	ImagePak® Hi Res Cmpct D/N 3-8mm Al	
G2512-2AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G2512-2AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G2512-2AMV5	ImagePak® Hi Res Cmpct D/N 5-40mm	
G2512-2AMV5	ImagePak® Hi Res Cmpct D/N 5-40mm	
G2512-2AMV50A	ImagePak® Hi Res Cmpct D/N 5-50mm Al	
G2512-2AMV50A	ImagePak® Hi Res Cmpct D/N 5-50mm Al	
G2512-2AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G2512-2AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G2512-2AMV50AW	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G2512-2AMV50AW	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G2512-2AMV55AK	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS Mt	
G2512-2AMV55AK	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS Mt	
G2512-2AMV5AK	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS Mt	
G2512-2AMV5AK	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS Mt	
G2512-2AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G2512-2AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G2512-2AMV5S	ImagePak® Hi Res Cmpct D/N 5-40mm SuS	
G2512-2AMV5S	ImagePak® Hi Res Cmpct D/N 5-40mm SuS	
G2512-2CBV21A	ImagePak® EH2512-2 High Res Col 2.8-12mm Al	
G2512-2CBV21A	ImagePak® EH2512-2 High Res Col 2.8-12mm Al	
G2512-2CBV21AK	ImagePak® EH2512-2 High Res Col 2.8-12mm Al SuS Mt	
G2512-2CBV21AK	ImagePak® EH2512-2 High Res Col 2.8-12mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G2512-2CBV21AS	ImagePak® EH2512-2 High Res Col 2.8-12mm Al SuS	
G2512-2CBV21AS	ImagePak® EH2512-2 High Res Col 2.8-12mm Al SuS	
G2512-2CBV2AK	ImagePak® EH2512-2 High Res Col 2.5-6mm Al SuS Mt	
G2512-2CBV2AK	ImagePak® EH2512-2 High Res Col 2.5-6mm Al SuS Mt	
G2512-2CBV2AS	ImagePak® EH2512-2 High Res Col 2.5-6mm Al SuS	
G2512-2CBV2AS	ImagePak® EH2512-2 High Res Col 2.5-6mm Al SuS	
G2512-2CBV3AK	ImagePak® EH2512-2 High Res Col 3-8mm Al SuS Mt	
G2512-2CBV3AK	ImagePak® EH2512-2 High Res Col 3-8mm Al SuS Mt	
G2512-2CBV3AS	ImagePak® EH2512-2 High Res Col 3-8mm Al SuS	
G2512-2CBV3AS	ImagePak® EH2512-2 High Res Col 3-8mm Al SuS	
G2512-2CBV3AW	ImagePak® EH2512-2 High Res Col 3-8mm Al Mt	
G2512-2CBV3AW	ImagePak® EH2512-2 High Res Col 3-8mm Al Mt	
G2512-2CBV50	ImagePak® EH2512-2 High Res Col 5-50mm	
G2512-2CBV50	ImagePak® EH2512-2 High Res Col 5-50mm	
G2512-2CBV50A	ImagePak® EH2512-2 High Res Col 5-50mm Al	
G2512-2CBV50A	ImagePak® EH2512-2 High Res Col 5-50mm Al	
G2512-2CBV50AK	ImagePak® EH2512-2 High Res Col 5-50mm Al SuS Mt	
G2512-2CBV50AK	ImagePak® EH2512-2 High Res Col 5-50mm Al SuS Mt	
G2512-2CBV50AS	ImagePak® EH2512-2 High Res Col 5-50mm Al SuS	
G2512-2CBV50AS	ImagePak® EH2512-2 High Res Col 5-50mm Al SuS	
G2512-2CBV55AK	ImagePak® EH2512-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G2512-2CBV55AK	ImagePak® EH2512-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G2512-2CBV55AS	ImagePak® EH2512-2 High Res Col 5.5-82.5mm Al SuS	
G2512-2CBV55AS	ImagePak® EH2512-2 High Res Col 5.5-82.5mm Al SuS	
G2512-2CBV5AK	ImagePak® EH2512-2 High Res Col 5-40mm Al SuS Mt	
G2512-2CBV5AK	ImagePak® EH2512-2 High Res Col 5-40mm Al SuS Mt	
G2512-2CBV5AS	ImagePak® EH2512-2 High Res Col 5-40mm Al SuS	
G2512-2CBV5AS	ImagePak® EH2512-2 High Res Col 5-40mm Al SuS	
G2512-2CBV5AW	ImagePak® EH2512-2 High Res Col 5-40mm Al Mt	
G2512-2CBV5AW	ImagePak® EH2512-2 High Res Col 5-40mm Al Mt	
G2512-2CLV1A	ImagePak® EH2512-2 High Res Col 1.6-3.4mm Al	
G2512-2CLV1A	ImagePak® EH2512-2 High Res Col 1.6-3.4mm Al	
G2512-2CLV1AK	ImagePak® EH2512-2 Hi Res Col 1.6-3.4mm Al SuS Mt	
G2512-2CLV1AK	ImagePak® EH2512-2 Hi Res Col 1.6-3.4mm Al SuS Mt	
G2512-2CLV21A	ImagePak® EH2512-2 High Res Col 2.8-12mm Al	
G2512-2CLV21A	ImagePak® EH2512-2 High Res Col 2.8-12mm Al	
G2512-2CLV21AK	ImagePak® EH2512-2 High Res Col 2.8-12mm Al SuS Mt	
G2512-2CLV21AK	ImagePak® EH2512-2 High Res Col 2.8-12mm Al SuS Mt	
G2512-2CLV21AS	ImagePak® EH2512-2 High Res Col 2.8-12mm Al SuS	
G2512-2CLV21AS	ImagePak® EH2512-2 High Res Col 2.8-12mm Al SuS	
G2512-2CLV2AK	ImagePak® EH2512-2 High Res Col 2.5-6mm Al SuS	
G2512-2CLV2AK	ImagePak® EH2512-2 High Res Col 2.5-6mm Al SuS	
G2512-2CLV3A	ImagePak® EH2512-2 High Res Col 3-8mm Al	
G2512-2CLV3A	ImagePak® EH2512-2 High Res Col 3-8mm Al	

ATTACHMENT "B"- PART 1

G2512-2CLV3AK	ImagePak® EH2512-2 High Res Col 3-8mm Al SuS Mt	
G2512-2CLV3AK	ImagePak® EH2512-2 High Res Col 3-8mm Al SuS Mt	
G2512-2CLV3AS	ImagePak® EH2512-2 High Res Col 3-8mm Al SuS	
G2512-2CLV3AS	ImagePak® EH2512-2 High Res Col 3-8mm Al SuS	
G2512-2CLV3AW	ImagePak® EH2512-2 High Res Col 3-8mm Al Mt	
G2512-2CLV3AW	ImagePak® EH2512-2 High Res Col 3-8mm Al Mt	
G2512-2CLV50A	ImagePak® EH2512-2 High Res Col 5-50mm Al	
G2512-2CLV50A	ImagePak® EH2512-2 High Res Col 5-50mm Al	
G2512-2CLV50AK	ImagePak® EH2512-2 High Res Col 5-50mm Al SuS Mt	
G2512-2CLV50AK	ImagePak® EH2512-2 High Res Col 5-50mm Al SuS Mt	
G2512-2CLV50AW	ImagePak® EH2512-2 High Res Col 5-50mm Al Mt	
G2512-2CLV50AW	ImagePak® EH2512-2 High Res Col 5-50mm Al Mt	
G2512-2CLV55A	ImagePak® EH2512-2 Hi Res Col 5.5-82.5mm Al	
G2512-2CLV55A	ImagePak® EH2512-2 Hi Res Col 5.5-82.5mm Al	
G2512-2CLV55AK	ImagePak® EH2512-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G2512-2CLV55AK	ImagePak® EH2512-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G2512-2CLV5A	ImagePak® EH2512-2 High Res Col 5-40mm Al	
G2512-2CLV5A	ImagePak® EH2512-2 High Res Col 5-40mm Al	
G2512-2CLV5AK	ImagePak® EH2512-2 High Res Col 5-40mm Al SuS Mt	
G2512-2CLV5AK	ImagePak® EH2512-2 High Res Col 5-40mm Al SuS Mt	
G2512-2CLV5AS	ImagePak® EH2512-2 High Res Col 5-40mm Al SuS	
G2512-2CLV5AS	ImagePak® EH2512-2 High Res Col 5-40mm Al SuS	
G2512-2CLV5AW	ImagePak® EH2512-2 High Res Col 5-40mm Al Mt	
G2512-2CLV5AW	ImagePak® EH2512-2 High Res Col 5-40mm Al Mt	
G2512-2KWR11AK	ImagePak® EH2512-2 High Res D/N 2.8-11mm Al SuS Mt	
G2512-2KWR11AK	ImagePak® EH2512-2 High Res D/N 2.8-11mm Al SuS Mt	
G2512-2KWR3AK	ImagePak® EH2512-2 High Res D/N 3-8.5mm Al SuS Mt	
G2512-2KWR3AK	ImagePak® EH2512-2 High Res D/N 3-8.5mm Al SuS Mt	
G2512-2KWR3AS	ImagePak® EH2512-2 High Res D/N 3-8.5mm Al SuS	
G2512-2KWR3AS	ImagePak® EH2512-2 High Res D/N 3-8.5mm Al SuS	
G2512-2KWR3AW	ImagePak® EH2512-2 High Res D/N 3-8.5mm Al Mt	
G2512-2KWR3AW	ImagePak® EH2512-2 High Res D/N 3-8.5mm Al Mt	
G2512-2KWR75A	ImagePak® EH2512-2 High Res D/N 7.5-50mm Al	
G2512-2KWR75A	ImagePak® EH2512-2 High Res D/N 7.5-50mm Al	
G2512-2KWR75AK	ImagePak® EH2512-2 High Res D/N 7.5-50mm Al SuS Mt	
G2512-2KWR75AK	ImagePak® EH2512-2 High Res D/N 7.5-50mm Al SuS Mt	
G2512-2KWR75AS	ImagePak® EH2512-2 High Res D/N 7.5-50mm Al SuS	
G2512-2KWR75AS	ImagePak® EH2512-2 High Res D/N 7.5-50mm Al SuS	
G2512-2KWR75AW	ImagePak® EH2512-2 High Res D/N 7.5-50mm Al Mt	
G2512-2KWR75AW	ImagePak® EH2512-2 High Res D/N 7.5-50mm Al Mt	
G2512-2KWV21A	ImagePak® EH2512-2 High Res D/N 2.8-12mm Al	
G2512-2KWV21A	ImagePak® EH2512-2 High Res D/N 2.8-12mm Al	
G2512-2KWV21AK	ImagePak® EH2512-2 High Res D/N 2.8-12mm Al Mt	
G2512-2KWV21AK	ImagePak® EH2512-2 High Res D/N 2.8-12mm Al Mt	

ATTACHMENT "B"- PART 1

G2512-2KWV21AS	ImagePak® EH2512-2 High Res D/N 2.8-12mm Al Mt	
G2512-2KWV21AS	ImagePak® EH2512-2 High Res D/N 2.8-12mm Al Mt	
G2512-2KWV21AW	ImagePak® EH2512-2 High Res D/N 2.8-12mm Al Mt	
G2512-2KWV21AW	ImagePak® EH2512-2 High Res D/N 2.8-12mm Al Mt	
G2512-2KWV2AK	ImagePak® EH2512-2 High Res D/N 2.5-6mm Al Mt SuS	
G2512-2KWV2AK	ImagePak® EH2512-2 High Res D/N 2.5-6mm Al Mt SuS	
G2512-2KWV3A	ImagePak® EH2512-2 High Res D/N 3-8mm Al	
G2512-2KWV3A	ImagePak® EH2512-2 High Res D/N 3-8mm Al	
G2512-2KWV3AK	ImagePak® EH2512-2 High Res D/N 3-8mm Al Mt SuS	
G2512-2KWV3AK	ImagePak® EH2512-2 High Res D/N 3-8mm Al Mt SuS	
G2512-2KWV3AW	ImagePak® EH2512-2 High Res D/N 3-8mm Al Mt	
G2512-2KWV3AW	ImagePak® EH2512-2 High Res D/N 3-8mm Al Mt	
G2512-2KWV5	ImagePak® EH2512-2 High Res D/N 5-40mm	
G2512-2KWV5	ImagePak® EH2512-2 High Res D/N 5-40mm	
G2512-2KWV50A	ImagePak® EH2512-2 High Res D/N 5-50mm Al	
G2512-2KWV50A	ImagePak® EH2512-2 High Res D/N 5-50mm Al	
G2512-2KWV50AK	ImagePak® EH2512-2 High Res D/N 5-50mm Al Mt SuS	
G2512-2KWV50AK	ImagePak® EH2512-2 High Res D/N 5-50mm Al Mt SuS	
G2512-2KWV50AS	ImagePak® EH2512-2 High Res D/N 5-50mm Al SuS	
G2512-2KWV50AS	ImagePak® EH2512-2 High Res D/N 5-50mm Al SuS	
G2512-2KWV55AK	ImagePak® EH2512-2 High Res D/N 5.5-82mm Al Mt SuS	
G2512-2KWV55AK	ImagePak® EH2512-2 High Res D/N 5.5-82mm Al Mt SuS	
G2512-2KWV5AK	ImagePak® EH2512-2 High Res D/N 5-40mm Al SuS MT	
G2512-2KWV5AK	ImagePak® EH2512-2 High Res D/N 5-40mm Al SuS MT	
G2512-2KWV5AS	ImagePak® EH2512-2 High Res D/N 5-40mm Al SuS	
G2512-2KWV5AS	ImagePak® EH2512-2 High Res D/N 5-40mm Al SuS	
G2515-0AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G2515-0AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G2515-0CBV21AK	ImagePak® EH2515 High Res Col 2.8-12mm Mt SuS	
G2515-0CBV21AK	ImagePak® EH2515 High Res Col 2.8-12mm Mt SuS	
G2515-0CBV50W	ImagePak® EH2515 High Res Col 5-50mm Mt	
G2515-0CBV50W	ImagePak® EH2515 High Res Col 5-50mm Mt	
G2515-0CLV55AS	ImagePak® EH2515 High Res Col 5-50mm Al SuS	
G2515-0CLV55AS	ImagePak® EH2515 High Res Col 5-50mm Al SuS	
G2515-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G2515-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G2515-2AJV2A	ImagePak® Hi Res Cmpct Col 2.5-6mm Al	
G2515-2AJV2A	ImagePak® Hi Res Cmpct Col 2.5-6mm Al	
G2515-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G2515-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G2515-2AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G2515-2AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G2515-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G2515-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	

ATTACHMENT "B"- PART 1

G2515-2AMV21AS	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS	
G2515-2AMV21AS	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS	
G2515-2AMV2AK	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS Mt	
G2515-2AMV2AK	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS Mt	
G2515-2AMV3AS	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS	
G2515-2AMV3AS	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS	
G2515-2AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G2515-2AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G2515-2AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G2515-2AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G2515-2CBV21AK	ImagePak® EH2515-2 High Res Col 2.8-12mm Al SuS Mt	
G2515-2CBV21AK	ImagePak® EH2515-2 High Res Col 2.8-12mm Al SuS Mt	
G2515-2CBV3AW	ImagePak® EH2515-2 High Res Col 3-8mm Al Mt	
G2515-2CBV3AW	ImagePak® EH2515-2 High Res Col 3-8mm Al Mt	
G2515-2CBV5A	ImagePak® EH2515-2 High Res Col 5-40mm Al	
G2515-2CBV5A	ImagePak® EH2515-2 High Res Col 5-40mm Al	
G2515-2CBV5AK	ImagePak® EH2515-2 High Res Col 5-40mm Al SuS Mt	
G2515-2CBV5AK	ImagePak® EH2515-2 High Res Col 5-40mm Al SuS Mt	
G2515-2CBV5AS	ImagePak® EH2515-2 Hi Res Col 5-40mm Al SuS	
G2515-2CBV5AS	ImagePak® EH2515-2 Hi Res Col 5-40mm Al SuS	
G2515-2CLV21A	ImagePak® EH2515-2 High Res Col 2.8-12mm Al	
G2515-2CLV21A	ImagePak® EH2515-2 High Res Col 2.8-12mm Al	
G2515-2CLV21AK	ImagePak® EH2515-2 High Res Col 2.8-12mm Al SuS Mt	
G2515-2CLV21AK	ImagePak® EH2515-2 High Res Col 2.8-12mm Al SuS Mt	
G2515-2CLV2AK	ImagePak® EH2515-2 High Res Col 2.5-6mm Al SuS Mt	
G2515-2CLV2AK	ImagePak® EH2515-2 High Res Col 2.5-6mm Al SuS Mt	
G2515-2CLV3A	ImagePak® EH2515-2 HighRes Col 3-8mm Al SuS Mt	
G2515-2CLV3A	ImagePak® EH2515-2 HighRes Col 3-8mm Al SuS Mt	
G2515-2CLV3AK	ImagePak® EH2515-2 HighRes Col 3-8mm Al SuS Mt	
G2515-2CLV3AK	ImagePak® EH2515-2 HighRes Col 3-8mm Al SuS Mt	
G2515-2CLV55AK	ImagePak® EH2515-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G2515-2CLV55AK	ImagePak® EH2515-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G2515-2KWR3AS	ImagePak® EH2515-2 High Res D/N 3-8mm Al SuS	
G2515-2KWR3AS	ImagePak® EH2515-2 High Res D/N 3-8mm Al SuS	
G2515-2KWR3AW	ImagePak® EH2515-2 High Res D/N 3-8mm Al Mt	
G2515-2KWR3AW	ImagePak® EH2515-2 High Res D/N 3-8mm Al Mt	
G2515-2KWR75AK	ImagePak® EH2515-2 High Res D/N 7.5-50mm Al SuS Mt	
G2515-2KWR75AK	ImagePak® EH2515-2 High Res D/N 7.5-50mm Al SuS Mt	
G2515-2KWR75AW	ImagePak® EH2515-2 High Res D/N 7.5-50mm Al Mt	
G2515-2KWR75AW	ImagePak® EH2515-2 High Res D/N 7.5-50mm Al Mt	
G2515-2KWV21A	ImagePak® EH2515-2 High Res D/N 2.8-12mm Al	
G2515-2KWV21A	ImagePak® EH2515-2 High Res D/N 2.8-12mm Al	
G2515-2KWV21AK	ImagePak® EH2515-2 High Res D/N 2.8-12mm Al SuS Mt	
G2515-2KWV21AK	ImagePak® EH2515-2 High Res D/N 2.8-12mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G2515-2KWV50A	ImagePak® EH2515-2 High Res D/N 5-50mm Al	
G2515-2KWV50A	ImagePak® EH2515-2 High Res D/N 5-50mm Al	
G2515-2KWV50AK	ImagePak® EH2515-2 High Res D/N 5-50mm Al SuS Mt	
G2515-2KWV50AK	ImagePak® EH2515-2 High Res D/N 5-50mm Al SuS Mt	
G3508-0AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G3508-0AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G3508-0AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G3508-0AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G3508-0AJV21AW	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G3508-0AJV21AW	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G3508-0AJV21W	ImagePak® Hi Res Cmpct Col 2.8-12mm Mt	
G3508-0AJV21W	ImagePak® Hi Res Cmpct Col 2.8-12mm Mt	
G3508-0AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G3508-0AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G3508-0AJV2AW	ImagePak® Hi Res Cmpct Col 2.5-6mm Al Mt	
G3508-0AJV2AW	ImagePak® Hi Res Cmpct Col 2.5-6mm Al Mt	
G3508-0AJV3	ImagePak® Hi Res Cmpct Col 3-8mm	
G3508-0AJV3	ImagePak® Hi Res Cmpct Col 3-8mm	
G3508-0AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G3508-0AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G3508-0AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G3508-0AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G3508-0AJV3W	ImagePak® Hi Res Cmpct Col 3-8mm Mt	
G3508-0AJV3W	ImagePak® Hi Res Cmpct Col 3-8mm Mt	
G3508-0AJV50AW	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G3508-0AJV50AW	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G3508-0AJV50W	ImagePak® Hi Res Cmpct Col 5-50mm Mt	
G3508-0AJV50W	ImagePak® Hi Res Cmpct Col 5-50mm Mt	
G3508-0AMR11AW	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR Mt	
G3508-0AMR11AW	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR Mt	
G3508-0AMR3A	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR	
G3508-0AMR75AW	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G3508-0AMR75AW	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G3508-0AMV1AS	ImagePak® Hi Res Cmpct D/N 1-3mm Al SuS	
G3508-0AMV21AW	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al Mt	
G3508-0AMV21AW	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al Mt	
G3508-0AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G3508-0AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G3508-0AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G3508-0AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G3508-0KWR11AK	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS Mt	
G3508-0KWR11AK	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS Mt	
G3508-0KWR11AW	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR Mt	
G3508-0KWR3AK	ImagePak® EH3508 High Res D/N 3-8.5mm IR Mt SuS	

ATTACHMENT "B"- PART 1

G3508-0KWR3AK	ImagePak® EH3508 High Res D/N 3-8.5mm IR Mt SuS	
G3508-0KWR75AW	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G3508-0KWV21AK	ImagePak® EH3508 High Res D/N 2.8-12mm Al Mt SuS	
G3508-0KWV21AK	ImagePak® EH3508 High Res D/N 2.8-12mm Al Mt SuS	
G3508-0KWV21AW	ImagePak® EH3508 High Res D/N 2.8-12mm Al Mt	
G3508-0KWV21AW	ImagePak® EH3508 High Res D/N 2.8-12mm Al Mt	
G3508-0KWV3AW	ImagePak® EH3508 High Res D/N 3-8mm Al Mt	
G3508-0KWV3AW	ImagePak® EH3508 High Res D/N 3-8mm Al Mt	
G3508-0KWV50A	ImagePak® EH3508 High Res D/N 5-50mm Al	
G3508-0KWV50A	ImagePak® EH3508 High Res D/N 5-50mm Al	
G3508-2AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G3508-2AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G3508-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G3508-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G3508-2AJV21AS	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS	
G3508-2AJV21AS	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS	
G3508-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G3508-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G3508-2AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G3508-2AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G3508-2AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G3508-2AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G3508-2AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G3508-2AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G3508-2AJV50A	ImagePak® Hi Res Cmpct Col 5-50mm Al	
G3508-2AJV50A	ImagePak® Hi Res Cmpct Col 5-50mm Al	
G3508-2AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G3508-2AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G3508-2AJV50AS	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS	
G3508-2AJV50AS	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS	
G3508-2AMR11A	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR	
G3508-2AMR11A	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR	
G3508-2AMR11AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Sus Mt	
G3508-2AMR11AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Sus Mt	
G3508-2AMR11AS	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS	
G3508-2AMR11AS	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS	
G3508-2AMR11AW	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR Mt	
G3508-2AMR11AW	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR Mt	
G3508-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G3508-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G3508-2AMR3AW	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G3508-2AMR3AW	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G3508-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G3508-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	

ATTACHMENT "B"- PART 1

G3508-2AMR75AS	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS	
G3508-2AMR75AS	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS	
G3508-2AMV21A	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al	
G3508-2AMV21A	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al	
G3508-2AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G3508-2AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G3508-2AMV2AK	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS Mt	
G3508-2AMV2AK	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS Mt	
G3508-2AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G3508-2AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G3508-2AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G3508-2AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G3508-2KWR11A	ImagePak® EH3508-2 High Res D/N 2.8-11mm IR	
G3508-2KWR11A	ImagePak® EH3508-2 High Res D/N 2.8-11mm IR	
G3508-2KWR11AK	ImagePak® EH3508-2 High Res D/N 2.8-11mm IR	
G3508-2KWR11AK	ImagePak® EH3508-2 High Res D/N 2.8-11mm IR	
G3508-2KWR11AW	ImagePak® EH3508-2 High Res D/N 2.8-11mm IR Mt	
G3508-2KWR11AW	ImagePak® EH3508-2 High Res D/N 2.8-11mm IR Mt	
G3508-2KWR3AK	ImagePak® EH3508-2 High Res D/N 3-8.5mm IR Mt SuS	
G3508-2KWR3AK	ImagePak® EH3508-2 High Res D/N 3-8.5mm IR Mt SuS	
G3508-2KWR3AS	ImagePak® EH3508-2 High Res D/N 3-8.5mm IR SuS	
G3508-2KWR3AS	ImagePak® EH3508-2 High Res D/N 3-8.5mm IR SuS	
G3508-2KWR3AW	ImagePak® EH3508-2 High Res D/N 3-8.5mm IR Mt	
G3508-2KWR3AW	ImagePak® EH3508-2 High Res D/N 3-8.5mm IR Mt	
G3508-2KWR75A	ImagePak® EH3508-2 High Res D/N 7.5-50mm IR	
G3508-2KWR75A	ImagePak® EH3508-2 High Res D/N 7.5-50mm IR	
G3508-2KWR75AK	ImagePak® EH3508-2 High Res D/N 7.5-50mm IR Mt SuS	
G3508-2KWR75AK	ImagePak® EH3508-2 High Res D/N 7.5-50mm IR Mt SuS	
G3508-2KWR75AS	ImagePak® EH3508-2 High Res D/N 7.5-50mm IR SuS	
G3508-2KWR75AS	ImagePak® EH3508-2 High Res D/N 7.5-50mm IR SuS	
G3508-2KWR75AW	ImagePak® EH3508-2 High Res D/N 7.5-50mm IR Mt	
G3508-2KWR75AW	ImagePak® EH3508-2 High Res D/N 7.5-50mm IR Mt	
G3508-2KWV1AK	ImagePak® EH3508-2 HRes D/N 1.6-3.4mm Al Mt SuS	
G3508-2KWV1AK	ImagePak® EH3508-2 HRes D/N 1.6-3.4mm Al Mt SuS	
G3508-2KWV21AK	ImagePak® EH3508-2 High Res D/N 2.8-12mm Al Mt SuS	
G3508-2KWV21AK	ImagePak® EH3508-2 High Res D/N 2.8-12mm Al Mt SuS	
G3508-2KWV21AW	ImagePak® EH3508-2 High Res D/N 2.8-12mm Al Mt	
G3508-2KWV21AW	ImagePak® EH3508-2 High Res D/N 2.8-12mm Al Mt	
G3508-2KWV2AK	ImagePak® EH3508-2 High Res D/N 2.5-6mm Al SuS Mt	
G3508-2KWV2AK	ImagePak® EH3508-2 High Res D/N 2.5-6mm Al SuS Mt	
G3508-2KWV3AK	ImagePak® EH3508-2 High Res D/N 3-8mm Al Mt SuS	
G3508-2KWV3AK	ImagePak® EH3508-2 High Res D/N 3-8mm Al Mt SuS	
G3508-2KWV3AW	ImagePak® EH3508-2 High ResD/N 3-8mm Al Mt	
G3508-2KWV3AW	ImagePak® EH3508-2 High ResD/N 3-8mm Al Mt	

ATTACHMENT "B"- PART 1

G3508-2KWV50A	ImagePak® EH3508-2 High ResD/N 5-50mm Al	
G3508-2KWV50A	ImagePak® EH3508-2 High ResD/N 5-50mm Al	
G3508-2KWV50AK	ImagePak® EH3508-2 High Res D/N 5-50mm Al Mt SuS	
G3508-2KWV50AK	ImagePak® EH3508-2 High Res D/N 5-50mm Al Mt SuS	
G3508-2KWV50AW	ImagePak® EH3508-2 High Res D/N 5-50mm Al Mt	
G3508-2KWV50AW	ImagePak® EH3508-2 High Res D/N 5-50mm Al Mt	
G3512-0AJR75AK	ImagePak® Hi Res Cmpct Col 7.5-50mm IR SuS Mt	
G3512-0AJR75AK	ImagePak® Hi Res Cmpct Col 7.5-50mm IR SuS Mt	
G3512-0AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G3512-0AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G3512-0AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G3512-0AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G3512-0AJV21AW	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G3512-0AJV21AW	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G3512-0AJV21W	ImagePak® Hi Res Cmpct Col 2.8-12mm Mt	
G3512-0AJV21W	ImagePak® Hi Res Cmpct Col 2.8-12mm Mt	
G3512-0AJV2A	ImagePak® Hi Res Cmpct Col 2.5-6mm Al	
G3512-0AJV2A	ImagePak® Hi Res Cmpct Col 2.5-6mm Al	
G3512-0AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G3512-0AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G3512-0AJV2AW	ImagePak® Hi Res Cmpct Col 2.5-6mm Al Mt	
G3512-0AJV2AW	ImagePak® Hi Res Cmpct Col 2.5-6mm Al Mt	
G3512-0AJV3	ImagePak® Hi Res Cmpct Col 3-8mm	
G3512-0AJV3	ImagePak® Hi Res Cmpct Col 3-8mm	
G3512-0AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G3512-0AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G3512-0AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G3512-0AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G3512-0AJV3AS	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS	
G3512-0AJV3AS	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS	
G3512-0AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G3512-0AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G3512-0AJV3W	ImagePak® Hi Res Cmpct Col 3-8mm Mt	
G3512-0AJV3W	ImagePak® Hi Res Cmpct Col 3-8mm Mt	
G3512-0AJV50	ImagePak® Hi Res Cmpct Col 5-50mm	
G3512-0AJV50	ImagePak® Hi Res Cmpct Col 5-50mm	
G3512-0AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G3512-0AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G3512-0AJV50AS	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS	
G3512-0AJV50AS	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS	
G3512-0AJV50AW	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G3512-0AJV50AW	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G3512-0AJV50W	ImagePak® Hi Res Cmpct Col 5-50mm Mt	
G3512-0AJV50W	ImagePak® Hi Res Cmpct Col 5-50mm Mt	

ATTACHMENT "B"- PART 1

G3512-0AJV55A	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al	
G3512-0AJV55A	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al	
G3512-0AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G3512-0AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G3512-0AJV55AS	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS	
G3512-0AJV55AS	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS	
G3512-0AJV55AW	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al Mt	
G3512-0AJV55AW	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al Mt	
G3512-0AJV5A	ImagePak® Hi Res Cmpct Col 5-40mm Al	
G3512-0AJV5A	ImagePak® Hi Res Cmpct Col 5-40mm Al	
G3512-0AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G3512-0AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G3512-0AJV5AS	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS	
G3512-0AJV5AS	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS	
G3512-0AJV5AW	ImagePak® Hi Res Cmpct Col 5-40mm Al Mt	
G3512-0AJV5AW	ImagePak® Hi Res Cmpct Col 5-40mm Al Mt	
G3512-0AJV5W	ImagePak® Hi Res Cmpct Col 5-40mm Mt	
G3512-0AJV5W	ImagePak® Hi Res Cmpct Col 5-40mm Mt	
G3512-0AMR11AK	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS Mt	
G3512-0AMR11AK	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS Mt	
G3512-0AMR11AS	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS	
G3512-0AMR11AS	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS	
G3512-0AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G3512-0AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G3512-0AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G3512-0AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G3512-0AMR3AW	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G3512-0AMR3AW	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G3512-0AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G3512-0AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G3512-0AMR75AS	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS	
G3512-0AMR75AS	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS	
G3512-0AMR75AW	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G3512-0AMR75AW	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G3512-0AMV1AS	ImagePak® Hi Res Cmpct D/N 1-3mm Al SuS	
G3512-0AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G3512-0AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G3512-0AMV21AS	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS	
G3512-0AMV21AS	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS	
G3512-0AMV21AW	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al Mt	
G3512-0AMV21AW	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al Mt	
G3512-0AMV2AW	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al Mt	
G3512-0AMV2AW	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al Mt	
G3512-0AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G3512-0AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G3512-0AMV3AW	ImagePak® Hi Res Cmpct D/N 3-8mm Al Mt	
G3512-0AMV3AW	ImagePak® Hi Res Cmpct D/N 3-8mm Al Mt	
G3512-0AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G3512-0AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G3512-0AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G3512-0AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G3512-0AMV50AW	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G3512-0AMV50AW	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G3512-0AMV55AK	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS Mt	
G3512-0AMV55AK	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS Mt	
G3512-0AMV55AS	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS	
G3512-0AMV55AS	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS	
G3512-0AMV5AK	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS Mt	
G3512-0AMV5AK	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS Mt	
G3512-0AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G3512-0AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G3512-0CBV21A	ImagePak® EH3512 High Res Col 2.8-12mm Al	
G3512-0CBV21A	ImagePak® EH3512 High Res Col 2.8-12mm Al	
G3512-0CBV21AK	ImagePak® EH3512 High Res Col 2.8-12mm Al SuS Mt	
G3512-0CBV21AK	ImagePak® EH3512 High Res Col 2.8-12mm Al SuS Mt	
G3512-0CBV21AS	ImagePak® EH3512 High Res Col 2.8-12mm Al SuS	
G3512-0CBV21AS	ImagePak® EH3512 High Res Col 2.8-12mm Al SuS	
G3512-0CBV21AW	ImagePak® EH3512 High Res Col 2.8-12mm Al Mt	
G3512-0CBV21AW	ImagePak® EH3512 High Res Col 2.8-12mm Al Mt	
G3512-0CBV21W	ImagePak® EH3512 High Res Col 2.8-12mm Mt	
G3512-0CBV21W	ImagePak® EH3512 High Res Col 2.8-12mm Mt	
G3512-0CBV2A	ImagePak® EH3512 High Res Col 2.5-6mm Al	
G3512-0CBV2A	ImagePak® EH3512 High Res Col 2.5-6mm Al	
G3512-0CBV2AK	ImagePak® EH3512 High Res Col 2.5-6mm Al SuS Mt	
G3512-0CBV2AK	ImagePak® EH3512 High Res Col 2.5-6mm Al SuS Mt	
G3512-0CBV2AW	ImagePak® EH3512 High Res Col 2.5-6mm Al Mt	
G3512-0CBV2AW	ImagePak® EH3512 High Res Col 2.5-6mm Al Mt	
G3512-0CBV3	ImagePak® EH3512 High Res Col 3-8mm	
G3512-0CBV3	ImagePak® EH3512 High Res Col 3-8mm	
G3512-0CBV3A	ImagePak® EH3512 High Res Col 3-8mm Al	
G3512-0CBV3A	ImagePak® EH3512 High Res Col 3-8mm Al	
G3512-0CBV3AK	ImagePak® EH3512 High Res Col 3-8mm Al SuS Mt	
G3512-0CBV3AK	ImagePak® EH3512 High Res Col 3-8mm Al SuS Mt	
G3512-0CBV3AS	ImagePak® EH3512 High Res Col 3-8mm Al SuS	
G3512-0CBV3AS	ImagePak® EH3512 High Res Col 3-8mm Al SuS	
G3512-0CBV3AW	ImagePak® EH3512 High Res Col 3-8mm Al Mt	
G3512-0CBV3AW	ImagePak® EH3512 High Res Col 3-8mm Al Mt	
G3512-0CBV3W	ImagePak® EH3512 High Res Col 3-8mm Mt	

ATTACHMENT "B"- PART 1

G3512-0CBV3W	ImagePak® EH3512 High Res Col 3-8mm Mt	
G3512-0CBV5	ImagePak® EH3512 High Res Col 5-40mm	
G3512-0CBV5	ImagePak® EH3512 High Res Col 5-40mm	
G3512-0CBV50	ImagePak® EH3512 High Res Col 5-50mm	
G3512-0CBV50	ImagePak® EH3512 High Res Col 5-50mm	
G3512-0CBV50A	ImagePak® EH3512 High Res Col 5-50mm Al	
G3512-0CBV50A	ImagePak® EH3512 High Res Col 5-50mm Al	
G3512-0CBV50AK	ImagePak® EH3512 High Res Col 5-50mm Al SuS Mt	
G3512-0CBV50AK	ImagePak® EH3512 High Res Col 5-50mm Al SuS Mt	
G3512-0CBV50AS	ImagePak® EH3512 High Res Col 5-50mm Al SuS	
G3512-0CBV50AS	ImagePak® EH3512 High Res Col 5-50mm Al SuS	
G3512-0CBV50AW	ImagePak® EH3512 High Res Col 5-50mm Al Mt	
G3512-0CBV50AW	ImagePak® EH3512 High Res Col 5-50mm Al Mt	
G3512-0CBV50W	ImagePak® EH3512 High Res Col 5-50mm Mt	
G3512-0CBV50W	ImagePak® EH3512 High Res Col 5-50mm Mt	
G3512-0CBV55A	ImagePak® EH3512 High Res Col 5.5-82.5mm Al	
G3512-0CBV55A	ImagePak® EH3512 High Res Col 5.5-82.5mm Al	
G3512-0CBV55AK	ImagePak® EH3512 High Res Col 5.5-82.5mm Al SuS Mt	
G3512-0CBV55AK	ImagePak® EH3512 High Res Col 5.5-82.5mm Al SuS Mt	
G3512-0CBV55AW	ImagePak® EH3512 High Res Col 5.5-82.5mm Al Mt	
G3512-0CBV55AW	ImagePak® EH3512 High Res Col 5.5-82.5mm Al Mt	
G3512-0CBV5A	ImagePak® EH3512 High Res Col 5-40mm Al	
G3512-0CBV5A	ImagePak® EH3512 High Res Col 5-40mm Al	
G3512-0CBV5AK	ImagePak® EH3512 High Res Col 5-40mm Al SuS Mt	
G3512-0CBV5AK	ImagePak® EH3512 High Res Col 5-40mm Al SuS Mt	
G3512-0CBV5AW	ImagePak® EH3512 High Res Col 5-40mm Al Mt	
G3512-0CBV5AW	ImagePak® EH3512 High Res Col 5-40mm Al Mt	
G3512-0CBV5W	ImagePak® EH3512 High Res Col 5-40mm Mt	
G3512-0CBV5W	ImagePak® EH3512 High Res Col 5-40mm Mt	
G3512-0CLV21A	ImagePak® EH3512 High Res col 2.8-12 mm Al	
G3512-0CLV21A	ImagePak® EH3512 High Res col 2.8-12 mm Al	
G3512-0CLV21AK	ImagePak® EH3512 High Res col 2.8-12 mm Al SuS Mt	
G3512-0CLV21AK	ImagePak® EH3512 High Res col 2.8-12 mm Al SuS Mt	
G3512-0CLV21AS	ImagePak® EH3512 High Res col 2.8-12 mm Al SuS	
G3512-0CLV21AS	ImagePak® EH3512 High Res col 2.8-12 mm Al SuS	
G3512-0CLV21AW	ImagePak® EH3512 High Res Col 2.8-12 mm Al Mt	
G3512-0CLV21AW	ImagePak® EH3512 High Res Col 2.8-12 mm Al Mt	
G3512-0CLV2AW	ImagePak® EH3512 High Res Col 2.5-6 mm Al Mt	
G3512-0CLV2AW	ImagePak® EH3512 High Res Col 2.5-6 mm Al Mt	
G3512-0CLV3A	ImagePak® EH3512 High Res Col 3-8mm Al	
G3512-0CLV3A	ImagePak® EH3512 High Res Col 3-8mm Al	
G3512-0CLV3AK	ImagePak® EH3512 High Res Col 3-8mm Al SuS Mt	
G3512-0CLV3AK	ImagePak® EH3512 High Res Col 3-8mm Al SuS Mt	
G3512-0CLV3AS	ImagePak® EH3512 High Res Col 3-8mm Al SuS	

ATTACHMENT "B"- PART 1

G3512-0CLV3AS	ImagePak® EH3512 High Res Col 3-8mm Al SuS	
G3512-0CLV3AW	ImagePak® EH3512 High Res Col 3-8mm Al Mt	
G3512-0CLV3AW	ImagePak® EH3512 High Res Col 3-8mm Al Mt	
G3512-0CLV50A	ImagePak® EH3512 High Res Col 5-50mm Al	
G3512-0CLV50A	ImagePak® EH3512 High Res Col 5-50mm Al	
G3512-0CLV50AK	ImagePak® EH3512 High Res Col 5-50mm Al SuS Mt	
G3512-0CLV50AK	ImagePak® EH3512 High Res Col 5-50mm Al SuS Mt	
G3512-0CLV50AS	ImagePak® EH3512 High Res Col 5-50mm Al SuS	
G3512-0CLV50AS	ImagePak® EH3512 High Res Col 5-50mm Al SuS	
G3512-0CLV50AW	ImagePak® EH3512 High Res Col 5-50mm Al Mt	
G3512-0CLV50AW	ImagePak® EH3512 High Res Col 5-50mm Al Mt	
G3512-0CLV55A	ImagePak® EH3512 High Res Col 5.5-82.5mm Al	
G3512-0CLV55A	ImagePak® EH3512 High Res Col 5.5-82.5mm Al	
G3512-0CLV55AK	ImagePak® EH3512 High Res Col 5.5-82.5mm Al SuS Mt	
G3512-0CLV55AK	ImagePak® EH3512 High Res Col 5.5-82.5mm Al SuS Mt	
G3512-0CLV5AK	ImagePak® EH3512 High Res Col 5-40mm Al Mt SuS	
G3512-0CLV5AK	ImagePak® EH3512 High Res Col 5-40mm Al Mt SuS	
G3512-0KWR75AK	ImagePak® EH3512 High Res D/N 7.5-50mm Al SuS Mt	
G3512-0KWR75AK	ImagePak® EH3512 High Res D/N 7.5-50mm Al SuS Mt	
G3512-0KWR75AW	ImagePak® EH3512 High Res D/N 7.5-50mm Al	
G3512-0KWR75AW	ImagePak® EH3512 High Res D/N 7.5-50mm Al	
G3512-0KWV21A	ImagePak® EH3512 High Res D/N 2.8-12mm Al	
G3512-0KWV21A	ImagePak® EH3512 High Res D/N 2.8-12mm Al	
G3512-0KWV21AK	ImagePak® EH3512 High Res D/N 2.8-12mm Al SuS Mt	
G3512-0KWV21AK	ImagePak® EH3512 High Res D/N 2.8-12mm Al SuS Mt	
G3512-0KWV21AS	ImagePak® EH3512 High Res D/N 2.8-12mm Al SuS	
G3512-0KWV21AS	ImagePak® EH3512 High Res D/N 2.8-12mm Al SuS	
G3512-0KWV21AW	ImagePak® EH3512 High Res D/N 2.8-12mm Al Mt	
G3512-0KWV21AW	ImagePak® EH3512 High Res D/N 2.8-12mm Al Mt	
G3512-0KWV3AK	ImagePak® EH3512 High Res D/N 3-8mm Al SuS Mt	
G3512-0KWV3AK	ImagePak® EH3512 High Res D/N 3-8mm Al SuS Mt	
G3512-0KWV3AW	ImagePak® EH3512 High Res D/N 3-8mm Al Mt	
G3512-0KWV3AW	ImagePak® EH3512 High Res D/N 3-8mm Al Mt	
G3512-0KWV3W	ImagePak® EH3512 High Res D/N 3-8mm Mt	
G3512-0KWV3W	ImagePak® EH3512 High Res D/N 3-8mm Mt	
G3512-0KWV50AK	ImagePak® EH3512 High Res D/N 5-50mm Al SuS Mt	
G3512-0KWV50AK	ImagePak® EH3512 High Res D/N 5-50mm Al SuS Mt	
G3512-0KWV50AW	ImagePak® EH3512 High Res D/N 5-50mm Al SuS	
G3512-0KWV50AW	ImagePak® EH3512 High Res D/N 5-50mm Al SuS	
G3512-0KWV55AS	ImagePak® EH3512 High Res D/N 5-50mm Al SuS	
G3512-0KWV55AS	ImagePak® EH3512 High Res D/N 5-50mm Al SuS	
G3512-0KWV5AK	ImagePak® EH3512 High Res D/N 5-40mm Al SuS Mt	
G3512-0KWV5AK	ImagePak® EH3512 High Res D/N 5-40mm Al SuS Mt	
G3512-0KWV5AW	ImagePak® EH3512 High Res D/N 5-40mm Al Mt	

ATTACHMENT "B"- PART 1

G3512-0KWV5AW	ImagePak® EH3512 High Res D/N 5-40mm Al Mt	
G3512-2AJR3AK	ImagePak® Hi Res Cmpct Col 3-8.5mm IR SuS Mt	
G3512-2AJR3AK	ImagePak® Hi Res Cmpct Col 3-8.5mm IR SuS Mt	
G3512-2AJR3AS	ImagePak® Hi Res Cmpct Col 3-8.5mm IR SuS	
G3512-2AJR3AS	ImagePak® Hi Res Cmpct Col 3-8.5mm IR SuS	
G3512-2AJR3AW	ImagePak® Hi Res Cmpct Col 3-8.5mm IR Mt	
G3512-2AJR3AW	ImagePak® Hi Res Cmpct Col 3-8.5mm IR Mt	
G3512-2AJR75AK	ImagePak® Hi Res Cmpct Col 7.5-50mm IR SuS Mt	
G3512-2AJR75AK	ImagePak® Hi Res Cmpct Col 7.5-50mm IR SuS Mt	
G3512-2AJR75AW	ImagePak® Hi Res Cmpct Col 7.5-50mm IR Mt	
G3512-2AJR75AW	ImagePak® Hi Res Cmpct Col 7.5-50mm IR Mt	
G3512-2AJV1AK	ImagePak® Hi Res Cmpct Col 1-3mm Al SuS Mt	
G3512-2AJV1AK	ImagePak® Hi Res Cmpct Col 1-3mm Al SuS Mt	
G3512-2AJV1W	ImagePak® Hi Res Cmpct Col 1-3mm Mt	
G3512-2AJV1W	ImagePak® Hi Res Cmpct Col 1-3mm Mt	
G3512-2AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G3512-2AJV21A	ImagePak® Hi Res Cmpct Col 2.8-12mm Al	
G3512-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G3512-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G3512-2AJV21AS	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS	
G3512-2AJV21AS	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS	
G3512-2AJV21AW	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G3512-2AJV21AW	ImagePak® Hi Res Cmpct Col 2.8-12mm Al Mt	
G3512-2AJV2A	ImagePak® Hi Res Cmpct Col 2.5-6mm Al	
G3512-2AJV2A	ImagePak® Hi Res Cmpct Col 2.5-6mm Al	
G3512-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G3512-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G3512-2AJV2AW	ImagePak® Hi Res Cmpct Col 2.5-6mm Al Mt	
G3512-2AJV2AW	ImagePak® Hi Res Cmpct Col 2.5-6mm Al Mt	
G3512-2AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G3512-2AJV3A	ImagePak® Hi Res Cmpct Col 3-8mm Al	
G3512-2AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G3512-2AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G3512-2AJV3AS	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS	
G3512-2AJV3AS	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS	
G3512-2AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G3512-2AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G3512-2AJV50A	ImagePak® Hi Res Cmpct Col 5-50mm Al	
G3512-2AJV50A	ImagePak® Hi Res Cmpct Col 5-50mm Al	
G3512-2AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G3512-2AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G3512-2AJV50AS	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS	
G3512-2AJV50AS	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS	
G3512-2AJV50AW	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	

ATTACHMENT "B"- PART 1

G3512-2AJV50AW	ImagePak® Hi Res Cmpct Col 5-50mm Al Mt	
G3512-2AJV50K	ImagePak® Hi Res Cmpct Col 5-50mm SuS Mt	
G3512-2AJV50K	ImagePak® Hi Res Cmpct Col 5-50mm SuS Mt	
G3512-2AJV55A	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al	
G3512-2AJV55A	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al	
G3512-2AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G3512-2AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G3512-2AJV55AW	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al Mt	
G3512-2AJV55AW	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al Mt	
G3512-2AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G3512-2AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G3512-2AJV5AS	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS	
G3512-2AJV5AS	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS	
G3512-2AMR11A	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR	
G3512-2AMR11A	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR	
G3512-2AMR11AK	ImagePak® Hi Res Cmpct D/N 8mm Sus Mt	
G3512-2AMR11AK	ImagePak® Hi Res Cmpct D/N 8mm Sus Mt	
G3512-2AMR11AS	ImagePak® Hi Res Cmpct D/N 2.8-11mm Sus	
G3512-2AMR11AS	ImagePak® Hi Res Cmpct D/N 2.8-11mm Sus	
G3512-2AMR3A	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR	
G3512-2AMR3A	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR	
G3512-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G3512-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G3512-2AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G3512-2AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G3512-2AMR3AW	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G3512-2AMR3AW	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G3512-2AMR75A	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR	
G3512-2AMR75A	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR	
G3512-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G3512-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G3512-2AMR75AS	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS	
G3512-2AMR75AS	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS	
G3512-2AMR75AW	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G3512-2AMR75AW	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G3512-2AMV21A	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al	
G3512-2AMV21A	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al	
G3512-2AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G3512-2AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G3512-2AMV21AS	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS	
G3512-2AMV21AS	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS	
G3512-2AMV21AW	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al Mt	
G3512-2AMV21AW	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al Mt	
G3512-2AMV2AK	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G3512-2AMV2AK	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al SuS Mt	
G3512-2AMV2AW	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al Mt	
G3512-2AMV2AW	ImagePak® Hi Res Cmpct D/N 2.5-6mm Al Mt	
G3512-2AMV3A	ImagePak® Hi Res Cmpct D/N 3-8mm Al	
G3512-2AMV3A	ImagePak® Hi Res Cmpct D/N 3-8mm Al	
G3512-2AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G3512-2AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G3512-2AMV3AS	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS	
G3512-2AMV3AS	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS	
G3512-2AMV3AW	ImagePak® Hi Res Cmpct D/N 3-8mm Al Mt	
G3512-2AMV3AW	ImagePak® Hi Res Cmpct D/N 3-8mm Al Mt	
G3512-2AMV50A	ImagePak® Hi Res Cmpct D/N 5-50mm Al	
G3512-2AMV50A	ImagePak® Hi Res Cmpct D/N 5-50mm Al	
G3512-2AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G3512-2AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G3512-2AMV50AM	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G3512-2AMV50AM	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G3512-2AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G3512-2AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G3512-2AMV50AW	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G3512-2AMV50AW	ImagePak® Hi Res Cmpct D/N 5-50mm Al Mt	
G3512-2AMV55AK	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS Mt	
G3512-2AMV55AK	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al SuS Mt	
G3512-2AMV55AW	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al Mt	
G3512-2AMV55AW	ImagePak® Hi Res Cmpct D/N 5.5-82.5mm Al Mt	
G3512-2AMV5AK	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS Mt	
G3512-2AMV5AK	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS Mt	
G3512-2AMV5AM	ImagePak® Hi Res Cmpct D/N 5-40mm Al Mt	
G3512-2AMV5AM	ImagePak® Hi Res Cmpct D/N 5-40mm Al Mt	
G3512-2AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G3512-2AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G3512-2AMZ10W	ImagePak® Hi Res Cmpct D/N 6X10mm Mt	
G3512-2AMZ10W	ImagePak® Hi Res Cmpct D/N 6X10mm Mt	
G3512-2CBV1AK	ImagePak® EH3512-2 Hi Res Col 1.6-3.4mm Al SuS Mt	
G3512-2CBV1AK	ImagePak® EH3512-2 Hi Res Col 1.6-3.4mm Al SuS Mt	
G3512-2CBV21A	ImagePak® EH3512-2 High Res Col 2.8-12mm Al	
G3512-2CBV21A	ImagePak® EH3512-2 High Res Col 2.8-12mm Al	
G3512-2CBV21AK	ImagePak® EH3512-2 High Res Col 2.8-12mm Al SuS Mt	
G3512-2CBV21AK	ImagePak® EH3512-2 High Res Col 2.8-12mm Al SuS Mt	
G3512-2CBV21AS	ImagePak® EH3512-2 High Res Col 2.5-6mm Al SuS	
G3512-2CBV21AS	ImagePak® EH3512-2 High Res Col 2.5-6mm Al SuS	
G3512-2CBV21AW	ImagePak® EH3512-2 High Res Col 2.8-12mm Al Mt	
G3512-2CBV21AW	ImagePak® EH3512-2 High Res Col 2.8-12mm Al Mt	
G3512-2CBV2AK	ImagePak® EH3512-2 High Res Col 2.5-6mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G3512-2CBV2AK	ImagePak® EH3512-2 High Res Col 2.5-6mm Al SuS Mt	
G3512-2CBV3A	ImagePak® EH3512-2 High Res Col 3-8mm Al	
G3512-2CBV3A	ImagePak® EH3512-2 High Res Col 3-8mm Al	
G3512-2CBV3AK	ImagePak® EH3512-2 High Res Col 3-8mm Al SuS Mt	
G3512-2CBV3AK	ImagePak® EH3512-2 High Res Col 3-8mm Al SuS Mt	
G3512-2CBV3AS	ImagePak® EH3512-2 High Res Col 3-8mm Al SuS	
G3512-2CBV3AS	ImagePak® EH3512-2 High Res Col 3-8mm Al SuS	
G3512-2CBV3AW	ImagePak® EH3512-2 High Res Col 3-8mm Al Mt	
G3512-2CBV3AW	ImagePak® EH3512-2 High Res Col 3-8mm Al Mt	
G3512-2CBV50A	ImagePak® EH3512-2 High Res Col 5-50mm Al	
G3512-2CBV50A	ImagePak® EH3512-2 High Res Col 5-50mm Al	
G3512-2CBV50AK	ImagePak® EH3512-2 High Res Col 5-50mm Al SuS Mt	
G3512-2CBV50AK	ImagePak® EH3512-2 High Res Col 5-50mm Al SuS Mt	
G3512-2CBV50AS	ImagePak® EH3512-2 High Res Col 5-50mm Al SuS	
G3512-2CBV50AS	ImagePak® EH3512-2 High Res Col 5-50mm Al SuS	
G3512-2CBV50AW	ImagePak® EH3512-2 High Res Col 5-50mm Al Mt	
G3512-2CBV50AW	ImagePak® EH3512-2 High Res Col 5-50mm Al Mt	
G3512-2CBV55A	ImagePak® EH3512-2 High Res Col 5.5-82.5mm Al	
G3512-2CBV55A	ImagePak® EH3512-2 High Res Col 5.5-82.5mm Al	
G3512-2CBV55AK	ImagePak® EH3512-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G3512-2CBV55AK	ImagePak® EH3512-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G3512-2CBV55AS	ImagePak® EH3512-2 High Res Col 5.5-82.5mm Al SuS	
G3512-2CBV55AS	ImagePak® EH3512-2 High Res Col 5.5-82.5mm Al SuS	
G3512-2CBV5A	ImagePak® EH3512-2 High Res Col 5-40mm Al	
G3512-2CBV5A	ImagePak® EH3512-2 High Res Col 5-40mm Al	
G3512-2CBV5AK	ImagePak® EH3512-2 High Res Col 5-40mm Al SuS Mt	
G3512-2CBV5AK	ImagePak® EH3512-2 High Res Col 5-40mm Al SuS Mt	
G3512-2CBV5AS	ImagePak® EH3512-2 High Res Col 5-40mm Al SuS	
G3512-2CBV5AS	ImagePak® EH3512-2 High Res Col 5-40mm Al SuS	
G3512-2CBV5S	ImagePak® EH3512-2 High Res Color 5-40mm SuS	
G3512-2CBV5S	ImagePak® EH3512-2 High Res Color 5-40mm SuS	
G3512-2CLR75A	ImagePak® Hi Res DSS Col 7.5-50mm IR	
G3512-2CLR75A	ImagePak® Hi Res DSS Col 7.5-50mm IR	
G3512-2CLR75AK	ImagePak® Hi Res DSS Col 7.5-50mm IR SuS Mt	
G3512-2CLR75AK	ImagePak® Hi Res DSS Col 7.5-50mm IR SuS Mt	
G3512-2CLV1AK	ImagePak® EH3512-2 High Res Col 1-3mm Al SuS Mt	
G3512-2CLV1AK	ImagePak® EH3512-2 High Res Col 1-3mm Al SuS Mt	
G3512-2CLV1AW	ImagePak® EH3512-2 High Res Col 1-3mm Al Mt	
G3512-2CLV1AW	ImagePak® EH3512-2 High Res Col 1-3mm Al Mt	
G3512-2CLV21A	ImagePak® EH3512-2 High Res Col 2.8-12mm Al	
G3512-2CLV21A	ImagePak® EH3512-2 High Res Col 2.8-12mm Al	
G3512-2CLV21AK	ImagePak® EH3512-2 High Res Col 2.8-12mm Al SuS Mt	
G3512-2CLV21AK	ImagePak® EH3512-2 High Res Col 2.8-12mm Al SuS Mt	
G3512-2CLV21AS	ImagePak® EH3512-2 High Res Col 2.8-12mm Al SuS	

ATTACHMENT "B"- PART 1

G3512-2CLV21AS	ImagePak® EH3512-2 High Res Col 2.8-12mm Al SuS	
G3512-2CLV21AW	ImagePak® EH3512-2 High Res Col 2.8-12mm Al Mt	
G3512-2CLV21AW	ImagePak® EH3512-2 High Res Col 2.8-12mm Al Mt	
G3512-2CLV2A	ImagePak® EH3512-2 High Res Col 2.5-6mm Al	
G3512-2CLV2A	ImagePak® EH3512-2 High Res Col 2.5-6mm Al	
G3512-2CLV2AK	ImagePak® EH3512-2 High Res Col 2.5-6mm Al SuS Mt	
G3512-2CLV2AK	ImagePak® EH3512-2 High Res Col 2.5-6mm Al SuS Mt	
G3512-2CLV2AS	ImagePak® EH3512-2 High Res Col 2.5-6mm Al SuS	
G3512-2CLV2AS	ImagePak® EH3512-2 High Res Col 2.5-6mm Al SuS	
G3512-2CLV2AW	ImagePak® EH3512-2 High Res Col 2.5-6mm Al Mt	
G3512-2CLV2AW	ImagePak® EH3512-2 High Res Col 2.5-6mm Al Mt	
G3512-2CLV3A	ImagePak® EH3512-2 High Res Col 3-8mm Al	
G3512-2CLV3A	ImagePak® EH3512-2 High Res Col 3-8mm Al	
G3512-2CLV3AK	ImagePak® EH3512-2 High Res Col 3-8mm Al SuS Mt	
G3512-2CLV3AK	ImagePak® EH3512-2 High Res Col 3-8mm Al SuS Mt	
G3512-2CLV3AS	ImagePak® EH3512-2 High Res Col 3-8mm Al SuS	
G3512-2CLV3AS	ImagePak® EH3512-2 High Res Col 3-8mm Al SuS	
G3512-2CLV3AW	ImagePak® EH3512-2 High Res Col 3-8mm Al Mt	
G3512-2CLV3AW	ImagePak® EH3512-2 High Res Col 3-8mm Al Mt	
G3512-2CLV3K	ImagePak® EH3512-2 High Res Col 3-8mm	
G3512-2CLV3K	ImagePak® EH3512-2 High Res Col 3-8mm	
G3512-2CLV3W	ImagePak® EH3512-2 High Res Col 3-8mm	
G3512-2CLV3W	ImagePak® EH3512-2 High Res Col 3-8mm	
G3512-2CLV50A	ImagePak® EH3512-2 High Res Col 5-50mm Al	
G3512-2CLV50A	ImagePak® EH3512-2 High Res Col 5-50mm Al	
G3512-2CLV50AK	ImagePak® EH3512-2 High Res Col 5-50mm Al SuS Mt	
G3512-2CLV50AK	ImagePak® EH3512-2 High Res Col 5-50mm Al SuS Mt	
G3512-2CLV50AS	ImagePak® EH3512-2 High Res Col 5-50mm Al SuS	
G3512-2CLV50AS	ImagePak® EH3512-2 High Res Col 5-50mm Al SuS	
G3512-2CLV50AW	ImagePak® EH3512-2 High Res Col 5-50mm Al Mt	
G3512-2CLV50AW	ImagePak® EH3512-2 High Res Col 5-50mm Al Mt	
G3512-2CLV50K	ImagePak® EH3512-2 High Res Color 5-50mm SuS Mt	
G3512-2CLV50K	ImagePak® EH3512-2 High Res Color 5-50mm SuS Mt	
G3512-2CLV55A	ImagePak® EH3512-2 High Res Col 5.5-82.5mm Al	
G3512-2CLV55A	ImagePak® EH3512-2 High Res Col 5.5-82.5mm Al	
G3512-2CLV55AK	ImagePak® EH3512-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G3512-2CLV55AK	ImagePak® EH3512-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G3512-2CLV55AS	ImagePak® EH3512-2 High Res Col 5.5-82.5mm Al Sus	
G3512-2CLV55AS	ImagePak® EH3512-2 High Res Col 5.5-82.5mm Al Sus	
G3512-2CLV55AW	ImagePak® EH3512-2 High Res Col 5.5-82.5mm Al Mt	
G3512-2CLV55AW	ImagePak® EH3512-2 High Res Col 5.5-82.5mm Al Mt	
G3512-2CLV5A	ImagePak® EH3512-2 High Res Col 5-40mm Al	
G3512-2CLV5A	ImagePak® EH3512-2 High Res Col 5-40mm Al	
G3512-2CLV5AK	ImagePak® EH3512-2 High Res Col 5-40mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G3512-2CLV5AK	ImagePak® EH3512-2 High Res Col 5-40mm Al SuS Mt	
G3512-2CLV5AS	ImagePak® EH3512-2 High Res Col 5-40mm Al SuS	
G3512-2CLV5AS	ImagePak® EH3512-2 High Res Col 5-40mm Al SuS	
G3512-2CLV5AW	ImagePak® EH3512-2 High Res Col 5-40mm Al Mt	
G3512-2CLV5AW	ImagePak® EH3512-2 High Res Col 5-40mm Al Mt	
G3512-2KWR11AK	ImagePak® EH3512-2 High Res D/N 2.8-11mm IR Mt SuS	
G3512-2KWR11AK	ImagePak® EH3512-2 High Res D/N 2.8-11mm IR Mt SuS	
G3512-2KWR11AS	ImagePak® EH3512-2 High Res D/N 2.8-11mm IR SuS	
G3512-2KWR11AS	ImagePak® EH3512-2 High Res D/N 2.8-11mm IR SuS	
G3512-2KWR11AW	ImagePak® EH3512-2 High Res D/N 2.8-11mm IR Mt	
G3512-2KWR11AW	ImagePak® EH3512-2 High Res D/N 2.8-11mm IR Mt	
G3512-2KWR3A	ImagePak® EH3512-2 High Res D/N 3-8.5mm IR	
G3512-2KWR3A	ImagePak® EH3512-2 High Res D/N 3-8.5mm IR	
G3512-2KWR3AK	ImagePak® EH3512-2 High Res D/N 3-8.5mm IR Mt SuS	
G3512-2KWR3AK	ImagePak® EH3512-2 High Res D/N 3-8.5mm IR Mt SuS	
G3512-2KWR3AS	ImagePak® EH3512-2 High Res D/N 3-8.5mm IR SuS	
G3512-2KWR3AS	ImagePak® EH3512-2 High Res D/N 3-8.5mm IR SuS	
G3512-2KWR3AW	ImagePak® EH3512-2 High Res D/N 3-8.5mm IR Mt	
G3512-2KWR3AW	ImagePak® EH3512-2 High Res D/N 3-8.5mm IR Mt	
G3512-2KWR75A	ImagePak® EH3512-2 High Res D/N 7.5-50mm IR	
G3512-2KWR75A	ImagePak® EH3512-2 High Res D/N 7.5-50mm IR	
G3512-2KWR75AK	ImagePak® EH3512-2 High Res D/N 7.5-50mm IR Mt SuS	
G3512-2KWR75AK	ImagePak® EH3512-2 High Res D/N 7.5-50mm IR Mt SuS	
G3512-2KWR75AS	ImagePak® EH3512-2 High Res D/N 7.5-50mm IR SuS	
G3512-2KWR75AS	ImagePak® EH3512-2 High Res D/N 7.5-50mm IR SuS	
G3512-2KWR75AW	ImagePak® EH3512-2 High Res D/N 7.5-50mm IR Mt	
G3512-2KWR75AW	ImagePak® EH3512-2 High Res D/N 7.5-50mm IR Mt	
G3512-2KWV1AK	ImagePak® EH3512-2 High Res D/N 1.6-3.mm Al SuS Mt	
G3512-2KWV1AK	ImagePak® EH3512-2 High Res D/N 1.6-3.mm Al SuS Mt	
G3512-2KWV21A	ImagePak® EH3512-2 High Res D/N 2.8-12mm Al	
G3512-2KWV21A	ImagePak® EH3512-2 High Res D/N 2.8-12mm Al	
G3512-2KWV21AK	ImagePak® EH3512-2 High Res D/N 2.8-12mm Al SuS Mt	
G3512-2KWV21AK	ImagePak® EH3512-2 High Res D/N 2.8-12mm Al SuS Mt	
G3512-2KWV21AS	ImagePak® EH3512-2 High Res D/N 2.8-12mm Al SuS	
G3512-2KWV21AS	ImagePak® EH3512-2 High Res D/N 2.8-12mm Al SuS	
G3512-2KWV21AW	ImagePak® EH3512-2 High Res D/N 2.8-12mm Al Mt	
G3512-2KWV21AW	ImagePak® EH3512-2 High Res D/N 2.8-12mm Al Mt	
G3512-2KWV2AK	ImagePak® EH3512-2 High Res D/N 2.5-6mm Al SuS Mt	
G3512-2KWV2AK	ImagePak® EH3512-2 High Res D/N 2.5-6mm Al SuS Mt	
G3512-2KWV3AK	ImagePak® EH3512-2 High Res D/N 3-8mm Al SuS Mt	
G3512-2KWV3AK	ImagePak® EH3512-2 High Res D/N 3-8mm Al SuS Mt	
G3512-2KWV3AS	ImagePak® EH3512-2 High Res D/N 3-8mm SuS	
G3512-2KWV3AS	ImagePak® EH3512-2 High Res D/N 3-8mm SuS	
G3512-2KWV3W	ImagePak® EH3512-2 High Res D/N 3-8mm Mt	

ATTACHMENT "B"- PART 1

G3512-2KWV3W	ImagePak® EH3512-2 High Res D/N 3-8mm Mt	
G3512-2KWV50A	ImagePak® EH3512-2 High Res D/N 5-50mm Al	
G3512-2KWV50A	ImagePak® EH3512-2 High Res D/N 5-50mm Al	
G3512-2KWV50AK	ImagePak® EH3512-2 High Res D/N 5-50mm Al SuS Mt	
G3512-2KWV50AK	ImagePak® EH3512-2 High Res D/N 5-50mm Al SuS Mt	
G3512-2KWV50AS	ImagePak® EH3512-2 High Res D/N 5-50mm Al SuS	
G3512-2KWV50AS	ImagePak® EH3512-2 High Res D/N 5-50mm Al SuS	
G3512-2KWV50AW	ImagePak® EH3512-2 High Res D/N 5-50mm Al Mt	
G3512-2KWV50AW	ImagePak® EH3512-2 High Res D/N 5-50mm Al Mt	
G3512-2KWV55AK	ImagePak® EH3512-2 Hi Res D/N 5.5-82.5mm Al SuSMt	
G3512-2KWV55AK	ImagePak® EH3512-2 Hi Res D/N 5.5-82.5mm Al SuSMt	
G3512-2KWV55AS	ImagePak® EH3512-2 Hi Res D/N 5.5-82.5mm Al SuS	
G3512-2KWV55AS	ImagePak® EH3512-2 Hi Res D/N 5.5-82.5mm Al SuS	
G3512-2KWV55AW	ImagePak® EH3512-2 Hi Res D/N 5.5-82.5mm Al Mt	
G3512-2KWV55AW	ImagePak® EH3512-2 Hi Res D/N 5.5-82.5mm Al Mt	
G3512-2KWV5A	ImagePak® EH3512-2 High Res D/N 5-40mm Al SuS Mt	
G3512-2KWV5A	ImagePak® EH3512-2 High Res D/N 5-40mm Al SuS Mt	
G3512-2KWV5AK	ImagePak® EH3512-2 High Res D/N 5-40mm Al SuS Mt	
G3512-2KWV5AK	ImagePak® EH3512-2 High Res D/N 5-40mm Al SuS Mt	
G3512-2KWV5AS	ImagePak® EH3512-2 High Res D/N 5-40mm Al SuS	
G3512-2KWV5AS	ImagePak® EH3512-2 High Res D/N 5-40mm Al SuS	
G3515-0AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G3515-0AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G3515-0CBV5AS	ImagePak® EH3515 High Res Col 5-40mm Al SuS	
G3515-0CBV5AS	ImagePak® EH3515 High Res Col 5-40mm Al SuS	
G3515-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G3515-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G3515-2AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G3515-2AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G3515-2AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G3515-2AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G3515-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR	
G3515-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR	
G3515-2AMR75AS	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS	
G3515-2AMR75AS	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS	
G3515-2AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G3515-2AMV5AS	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS	
G3515-2CBV5AS	ImagePak® EH3515-2 Hi ResB-W 5-40mm Al SuS	
G3515-2CBV5AS	ImagePak® EH3515-2 Hi ResB-W 5-40mm Al SuS	
G3515-2CLV21A	ImagePak® EH3515-2 High Res Col 2.8-12mm Al	
G3515-2CLV21A	ImagePak® EH3515-2 High Res Col 2.8-12mm Al	
G3515-2CLV21AS	ImagePak® EH3515-2 High Res Col 2.8-12mm Al SuS	
G3515-2CLV21AS	ImagePak® EH3515-2 High Res Col 2.8-12mm Al SuS	
G3515-2CLV2A	ImagePak® EH3515-2 High Res Col 2.5-6mm Al	

ATTACHMENT "B"- PART 1

G3515-2CLV2A	ImagePak® EH3515-2 High Res Col 2.5-6mm Al	
G3515-2CLV3A	ImagePak® EH3515-2 High Res Col 3-8mm Al	
G3515-2CLV3A	ImagePak® EH3515-2 High Res Col 3-8mm Al	
G3515-2CLV3AK	ImagePak® EH3515-2 High Res Col 3-8mm Al Mt SuS	
G3515-2CLV3AK	ImagePak® EH3515-2 High Res Col 3-8mm Al Mt SuS	
G3515-2CLV50A	ImagePak® EH3515-2 High Res Col 5-50mm Al	
G3515-2CLV50A	ImagePak® EH3515-2 High Res Col 5-50mm Al	
G3515-2CLV50AK	ImagePak® EH3515-2 High Res Col 5-50mm Al SuS Mt	
G3515-2CLV50AK	ImagePak® EH3515-2 High Res Col 5-50mm Al SuS Mt	
G3515-2CLV50AS	ImagePak® EH3515-2 Hi Res Col 5-50mm Al SuS	
G3515-2CLV50AS	ImagePak® EH3515-2 Hi Res Col 5-50mm Al SuS	
G3515-2CLV55AK	ImagePak® EH3515-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G3515-2CLV55AK	ImagePak® EH3515-2 Hi Res Col 5.5-82.5mm Al SuS Mt	
G3515-2CLV55AS	ImagePak® EH3515-2 Hi Res Col 5.5-82.5mm Al SuS	
G3515-2CLV55AS	ImagePak® EH3515-2 Hi Res Col 5.5-82.5mm Al SuS	
G3515-2CLV5AW	ImagePak® EH3515-2 High Res Col 5-40mm Al Mt	
G3515-2CLV5AW	ImagePak® EH3515-2 High Res Col 5-40mm Al Mt	
G3515-2KWR3A	ImagePak® EH3515-2 D/N Hi Res Cmpct 3-8.5 IR	
G3515-2KWR3A	ImagePak® EH3515-2 D/N Hi Res Cmpct 3-8.5 IR	
G3515-2KWR3AK	ImagePak® EH3515-2 D/N Hi Res Cmpct 3-8.5IR SuS Mt	
G3515-2KWR3AK	ImagePak® EH3515-2 D/N Hi Res Cmpct 3-8.5IR SuS Mt	
G3515-2KWR75AK	ImagePak® EH3515-2 D/N Hi Res Cmpct 7.5-50IR SuSMt	
G3515-2KWR75AK	ImagePak® EH3515-2 D/N Hi Res Cmpct 7.5-50IR SuSMt	
G3515-2KWR75AS	ImagePak® EH3515-2 D/N Hi Res Cmpct 7.5-50 IR SuS	
G3515-2KWR75AS	ImagePak® EH3515-2 D/N Hi Res Cmpct 7.5-50 IR SuS	
G3515-2KWR75AW	ImagePak® EH3515-2 D/N Hi Res Cmpct 7.5-50mm IR Mt	
G3515-2KWR75AW	ImagePak® EH3515-2 D/N Hi Res Cmpct 7.5-50mm IR Mt	
G3515-2KWV21AW	ImagePak® EH3515-2 High Res D/N 2.8-11mm Al Mt	
G3515-2KWV21AW	ImagePak® EH3515-2 High Res D/N 2.8-11mm Al Mt	
G35H2-2AJR3AK	ImagePak® Hi Res Cmpct Col 3-8.5mm IR SuS Mt	
G35H2-2AJR3AK	ImagePak® Hi Res Cmpct Col 3-8.5mm IR SuS Mt	
G35H2-2AJR3AW	ImagePak® Hi Res Cmpct Col 3-8.5mm IR Mt	
G35H2-2AJR3AW	ImagePak® Hi Res Cmpct Col 3-8.5mm IR Mt	
G35H2-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G35H2-2AJV21AK	ImagePak® Hi Res Cmpct Col 2.8-12mm Al SuS Mt	
G35H2-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G35H2-2AJV2AK	ImagePak® Hi Res Cmpct Col 2.5-6mm Al SuS Mt	
G35H2-2AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G35H2-2AJV3AK	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS Mt	
G35H2-2AJV3AS	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS	
G35H2-2AJV3AS	ImagePak® Hi Res Cmpct Col 3-8mm Al SuS	
G35H2-2AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G35H2-2AJV3AW	ImagePak® Hi Res Cmpct Col 3-8mm Al Mt	
G35H2-2AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	

ATTACHMENT "B"- PART 1

G35H2-2AJV50AK	ImagePak® Hi Res Cmpct Col 5-50mm Al SuS Mt	
G35H2-2AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G35H2-2AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G35H2-2AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G35H2-2AJV5AK	ImagePak® Hi Res Cmpct Col 5-40mm Al SuS Mt	
G35H2-2AMR11AK	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS Mt	
G35H2-2AMR11AK	ImagePak® Hi Res Cmpct D/N 2.8-11mm IR SuS Mt	
G35H2-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G35H2-2AMR3AK	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS Mt	
G35H2-2AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G35H2-2AMR3AS	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR SuS	
G35H2-2AMR3AW	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G35H2-2AMR3AW	ImagePak® Hi Res Cmpct D/N 3-8.5mm IR Mt	
G35H2-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G35H2-2AMR75AK	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS Mt	
G35H2-2AMR75AS	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS	
G35H2-2AMR75AS	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR SuS	
G35H2-2AMR75AW	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G35H2-2AMR75AW	ImagePak® Hi Res Cmpct D/N 7.5-50mm IR Mt	
G35H2-2AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G35H2-2AMV21AK	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS Mt	
G35H2-2AMV21AS	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS	
G35H2-2AMV21AS	ImagePak® Hi Res Cmpct D/N 2.8-12mm Al SuS	
G35H2-2AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G35H2-2AMV3AK	ImagePak® Hi Res Cmpct D/N 3-8mm Al SuS Mt	
G35H2-2AMV50A	ImagePak® Hi Res Cmpct D/N 5-50mm Al	
G35H2-2AMV50A	ImagePak® Hi Res Cmpct D/N 5-50mm Al	
G35H2-2AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G35H2-2AMV50AK	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS Mt	
G35H2-2AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G35H2-2AMV50AS	ImagePak® Hi Res Cmpct D/N 5-50mm Al SuS	
G35H2-2AMV5AK	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS Mt	
G35H2-2AMV5AK	ImagePak® Hi Res Cmpct D/N 5-40mm Al SuS Mt	
G35H2-2CBR3AW	ImagePak® EH3512-2HD Hi Res Col 3-8.5mm IR Mt	
G35H2-2CBR3AW	ImagePak® EH3512-2HD Hi Res Col 3-8.5mm IR Mt	
G35H2-2CBV21AK	ImagePak® EH3512-2HD Hi Res Col 2.8-12mm Al SuS Mt	
G35H2-2CBV21AK	ImagePak® EH3512-2HD Hi Res Col 2.8-12mm Al SuS Mt	
G35H2-2CBV21AS	ImagePak® EH3512-2HD High Res Col 2.8-12mm Al SuS	
G35H2-2CBV21AS	ImagePak® EH3512-2HD High Res Col 2.8-12mm Al SuS	
G35H2-2CBV2A	ImagePak® EH3512-2HD High Res Col 2.5-6mm Al	
G35H2-2CBV2A	ImagePak® EH3512-2HD High Res Col 2.5-6mm Al	
G35H2-2CBV2AK	ImagePak® EH3512-2HD High Res Col 2.5-6mm Al	
G35H2-2CBV2AK	ImagePak® EH3512-2HD High Res Col 2.5-6mm Al	
G35H2-2CBV2AS	ImagePak® EH3512-2HD High Res Col 2.5-6mm Al SuS	

ATTACHMENT "B"- PART 1

G35H2-2CBV2AS	ImagePak® EH3512-2HD High Res Col 2.5-6mm Al SuS	
G35H2-2CBV3A	ImagePak® EH3512-2HD High Res Col 3-8mm Al SuS	
G35H2-2CBV3A	ImagePak® EH3512-2HD High Res Col 3-8mm Al SuS	
G35H2-2CBV3AK	ImagePak® EH3512-2HD High Res Col 3-8mm Al SuS Mt	
G35H2-2CBV3AK	ImagePak® EH3512-2HD High Res Col 3-8mm Al SuS Mt	
G35H2-2CBV3AS	ImagePak® EH3512-2HD High Res Col 3-8mm Al SuS	
G35H2-2CBV3AS	ImagePak® EH3512-2HD High Res Col 3-8mm Al SuS	
G35H2-2CBV3AW	ImagePak® EH3512-2HD High Res Col 3-8mm Al mt	
G35H2-2CBV3AW	ImagePak® EH3512-2HD High Res Col 3-8mm Al mt	
G35H2-2CBV50AK	ImagePak® EH3512-2HD High Res Col 5-50mm Al SuS Mt	
G35H2-2CBV50AK	ImagePak® EH3512-2HD High Res Col 5-50mm Al SuS Mt	
G35H2-2CBV50AS	ImagePak® EH3512-2HD High Res Col 5-50mm Al SuS	
G35H2-2CBV50AS	ImagePak® EH3512-2HD High Res Col 5-50mm Al SuS	
G35H2-2CBV50AW	ImagePak® EH3512-2HD High Res Col 5-50mm Al mt	
G35H2-2CBV50AW	ImagePak® EH3512-2HD High Res Col 5-50mm Al mt	
G35H2-2CBV55AK	ImagePak®EH3512-2HD HiRes Col 5.5-82.5mm Al SuS Mt	
G35H2-2CBV55AK	ImagePak®EH3512-2HD HiRes Col 5.5-82.5mm Al SuS Mt	
G35H2-2CBV55AS	ImagePak® EH3512-2HD Hi Res Col 5.5-82.5mm Al SuS	
G35H2-2CBV55AS	ImagePak® EH3512-2HD Hi Res Col 5.5-82.5mm Al SuS	
G35H2-2CBV5AK	ImagePak® EH3512-2HD High Res Col 5-40mm Al SuS Mt	
G35H2-2CBV5AK	ImagePak® EH3512-2HD High Res Col 5-40mm Al SuS Mt	
G35H2-2CBV5AS	ImagePak® EH3512-2HD High Res Col 5-40mm Al SuS	
G35H2-2CBV5AS	ImagePak® EH3512-2HD High Res Col 5-40mm Al SuS	
G35H2-2CLV1AK	ImagePak® EH3512-2HD HiRes Col 1.6-3.4mm Al SuS Mt	
G35H2-2CLV1AK	ImagePak® EH3512-2HD HiRes Col 1.6-3.4mm Al SuS Mt	
G35H2-2CLV21	ImagePak® EH3512-2HD High Res Col 2.8-12mm	
G35H2-2CLV21	ImagePak® EH3512-2HD High Res Col 2.8-12mm	
G35H2-2CLV21A	ImagePak® EH3512-2HD High Res Col 2.8-12mm Al	
G35H2-2CLV21A	ImagePak® EH3512-2HD High Res Col 2.8-12mm Al	
G35H2-2CLV21AK	ImagePak® EH3512-2HD Hi Res Col 2.8-12mm Al SuS Mt	
G35H2-2CLV21AK	ImagePak® EH3512-2HD Hi Res Col 2.8-12mm Al SuS Mt	
G35H2-2CLV21AS	ImagePak® EH3512-2HD High Res Col 2.8-12mm Al SuS	
G35H2-2CLV21AS	ImagePak® EH3512-2HD High Res Col 2.8-12mm Al SuS	
G35H2-2CLV21AW	ImagePak® EH3512-2HD High Res Col 2.8-12mm Al Mt	
G35H2-2CLV21AW	ImagePak® EH3512-2HD High Res Col 2.8-12mm Al Mt	
G35H2-2CLV21VK	ImagePak® EH3512-2HD High Res Col 2.8-12mm Al Mt	
G35H2-2CLV21VK	ImagePak® EH3512-2HD High Res Col 2.8-12mm Al Mt	
G35H2-2CLV3A	ImagePak® EH3512-2HD High Res Col 3-8mm Al	
G35H2-2CLV3A	ImagePak® EH3512-2HD High Res Col 3-8mm Al	
G35H2-2CLV3AK	ImagePak® EH3512-2HD High Res Col 3-8mm Al SuS Mt	
G35H2-2CLV3AK	ImagePak® EH3512-2HD High Res Col 3-8mm Al SuS Mt	
G35H2-2CLV3AS	ImagePak® EH3512-2HD High Res Col 3-8mm Al SuS	
G35H2-2CLV3AS	ImagePak® EH3512-2HD High Res Col 3-8mm Al SuS	
G35H2-2CLV3AW	ImagePak® EH3512-2HD High Res Col 3-8mm Al Mt	

ATTACHMENT "B"- PART 1

G35H2-2CLV3AW	ImagePak® EH3512-2HD High Res Col 3-8mm Al Mt	
G35H2-2CLV50	ImagePak® EH3512-2HD High Res Col 5-50mm Al Mt	
G35H2-2CLV50	ImagePak® EH3512-2HD High Res Col 5-50mm Al Mt	
G35H2-2CLV50A	ImagePak® EH3512-2HD High Res Col 5-50mm Al	
G35H2-2CLV50A	ImagePak® EH3512-2HD High Res Col 5-50mm Al	
G35H2-2CLV50AK	ImagePak® EH3512-2HD High Res Col 5-50mm Al SuS Mt	
G35H2-2CLV50AK	ImagePak® EH3512-2HD High Res Col 5-50mm Al SuS Mt	
G35H2-2CLV50AS	ImagePak® EH3512-2HD High Res Col 5-50mm Al SuS	
G35H2-2CLV50AS	ImagePak® EH3512-2HD High Res Col 5-50mm Al SuS	
G35H2-2CLV50AW	ImagePak® EH3512-2HD High Res Col 5-50mm Al Mt	
G35H2-2CLV50AW	ImagePak® EH3512-2HD High Res Col 5-50mm Al Mt	
G35H2-2CLV55AK	ImagePak® EH3512-2HD Hi Res Col 5.5-82mm Al SuS Mt	
G35H2-2CLV55AK	ImagePak® EH3512-2HD Hi Res Col 5.5-82mm Al SuS Mt	
G35H2-2CLV55AW	ImagePak® EH3512-2HD High Res Col 5.5-82.5mm Al Mt	
G35H2-2CLV55AW	ImagePak® EH3512-2HD High Res Col 5.5-82.5mm Al Mt	
G35H2-2CLV5AS	ImagePak® EH3512-2HD High Res Col 5-40mm Al SuS	
G35H2-2CLV5AS	ImagePak® EH3512-2HD High Res Col 5-40mm Al SuS	
G35H2-2KWR3AK	ImagePak® EH3512-2HD HRes D/N 3-8.5mm IR SuS Mt	
G35H2-2KWR3AK	ImagePak® EH3512-2HD HRes D/N 3-8.5mm IR SuS Mt	
G35H2-2KWR3AW	ImagePak® EH3512-2HD High Res D/N 3-8.5mm Al Mt	
G35H2-2KWR3AW	ImagePak® EH3512-2HD High Res D/N 3-8.5mm Al Mt	
G35H2-2KWR75A	ImagePak® EH3512-2HD Hi Res D/N 7.5-50mm IR	
G35H2-2KWR75A	ImagePak® EH3512-2HD Hi Res D/N 7.5-50mm IR	
G35H2-2KWR75AK	ImagePak® EH3512-2HD Hi Res D/N 7.5-50mm IR Mt SuS	
G35H2-2KWR75AK	ImagePak® EH3512-2HD Hi Res D/N 7.5-50mm IR Mt SuS	
G35H2-2KWR75AW	ImagePak® EH3512-2HD Hi Res D/N 7.5-50mm	
G35H2-2KWR75AW	ImagePak® EH3512-2HD Hi Res D/N 7.5-50mm	
G35H2-2KWV21	ImagePak® EH3512-2HD Hi Res D/N 2.8-12mm	
G35H2-2KWV21	ImagePak® EH3512-2HD Hi Res D/N 2.8-12mm	
G35H2-2KWV21A	ImagePak® EH3512-2HD Hi Res D/N 2.8-12mm Al	
G35H2-2KWV21A	ImagePak® EH3512-2HD Hi Res D/N 2.8-12mm Al	
G35H2-2KWV21AK	ImagePak® EH3512-2HD Hi Res D/N 2.8-12mm Al SuS Mt	
G35H2-2KWV21AK	ImagePak® EH3512-2HD Hi Res D/N 2.8-12mm Al SuS Mt	
G35H2-2KWV3AK	ImagePak® EH3512-2HD HiRes D/N 2.8-12mm IR SuS Mt	
G35H2-2KWV3AK	ImagePak® EH3512-2HD HiRes D/N 2.8-12mm IR SuS Mt	
G35H2-2KWV50A	ImagePak® EH3512-2HD Hi Res D/N 5-50mm Al	
G35H2-2KWV50A	ImagePak® EH3512-2HD Hi Res D/N 5-50mm Al	
G35H2-2KWV50AK	ImagePak® EH3512-2HD Hi Res D/N 5-50mm Al SuS Mt	
G35H2-2KWV50AK	ImagePak® EH3512-2HD Hi Res D/N 5-50mm Al SuS Mt	
G35H2-2KWV55AW	ImagePak® EH3512-2HD Hi Res D/N 5.5-82.5mm Al Mt	
G35H2-2KWV55AW	ImagePak® EH3512-2HD Hi Res D/N 5.5-82.5mm Al Mt	
G35H2-2KWV5AW	ImagePak® EH3512-2HD Hi Res D/N 5.5-82.5mm Al Mt	
G35H2-2KWV5AW	ImagePak® EH3512-2HD Hi Res D/N 5.5-82.5mm Al Mt	
G35H5-2AJV50	ImagePak® EH3515-2HD Hi Res Cmpct Col 5-50mm	

ATTACHMENT "B"- PART 1

G35H5-2AJV50	ImagePak® EH3515-2HD Hi Res Cmpct Col 5-50mm	
G35H5-2AJV50AW	ImagePak® EH3515-2HD Hi Res Cmpct Col 5-50mm Al Mt	
G35H5-2AJV50AW	ImagePak® EH3515-2HD Hi Res Cmpct Col 5-50mm Al Mt	
G35H5-2AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G35H5-2AJV55AK	ImagePak® Hi Res Cmpct Col 5.5-82.5mm Al SuS Mt	
G35H5-2CBV50AW	ImagePak® EH3515-2HD Std Res Col 5-50mm Al Mt	
G35H5-2CBV50AW	ImagePak® EH3515-2HD Std Res Col 5-50mm Al Mt	
G35H5-2CLV21AK	ImagePak® EH3515-2HD Hi Res Col 2.8-12mm Al SuS Mt	
G35H5-2CLV21AK	ImagePak® EH3515-2HD Hi Res Col 2.8-12mm Al SuS Mt	
G35H5-2CLV21AW	ImagePak® EH3515-2HD High Res Col 2.8-12 mm Al	
G35H5-2CLV21AW	ImagePak® EH3515-2HD High Res Col 2.8-12 mm Al	
G35H5-2CLV2AW	ImagePak® EH3515-2HD High Res Col 2-5.6 mm Al	
G35H5-2CLV2AW	ImagePak® EH3515-2HD High Res Col 2-5.6 mm Al	
G35H5-2CLV3AW	ImagePak® EH3515-2HD High Res Col 3-8 mm Al	
G35H5-2CLV3AW	ImagePak® EH3515-2HD High Res Col 3-8 mm Al	
G35H5-2CLV50A	ImagePak® EH3515-2HD High Res Col 5-50 mm Al	
G35H5-2CLV50A	ImagePak® EH3515-2HD High Res Col 5-50 mm Al	
G35H5-2CLV50AK	ImagePak® EH3515-2HD High Res Col 5-50mm Al SuS Mt	
G35H5-2CLV50AK	ImagePak® EH3515-2HD High Res Col 5-50mm Al SuS Mt	
G35H5-2CLV55AS	ImagePak® EH3515-2HD Hi Res Col 5.5-82.5mm Al SuS	
G35H5-2CLV55AS	ImagePak® EH3515-2HD Hi Res Col 5.5-82.5mm Al SuS	
GIT100	Ground Isolation Transformer	
GW5000	Endura Web Services Gateway	
HB1	Heater Blanket for PT480 & PT780 Pan/Tilts 120VAC	
HB1524	Heater Blower Kit for HS1500 Enc 24VAC	
HB2	Heater Blanket for PT480 & PT780 Pan/Tilts 24VAC	
HD-KEYS	Heavy-Duty Spectra®/DF5 Replacement Keys	
HD-KEYS	Heavy-Duty Spectra®/DF5 Replacement Keys	
HD35-1	Heater Defroster Kit for EH3508 EH3512 Enc 120VAC	
HD35-2	Heater Defroster Kit for EH3508 EH3512 Enc 24VAC	
HD3515-2	Heater Defroster Kit for EH3515 EH3515L Enc 24VAC	
HD5000-1000	1000 GB Sata Hard Drive w/carrier	
HD5000-500	500 GByte Sata Hard Drive with Carrier	
HD5200-1000	Replacement 1TB HDD	
HD5200-2000	Replacement 2TB HDD	
HD5200-250	Replacement 250GB HDD	
HD5200-500	Replacement 500GB HDD	
HD5200TRAY-RP	Replacement for Initial HD5200-Tray	
HDD1500UP	1.5 TB Upgrade Kit	
HDD3000UP	3.0 TB Upgrade Kit	
HK47-1	Heater Kit for EH4700 Series Enc 120VAC	
HK47-2	Heater Kit for EH4700 Series Enc 24VAC	
HK57-1	Heater Kit for EH5700 Series Enc 120VAC	
HK57-2	Heater Kit for EH5700 Series Enc 24VAC	

ATTACHMENT "B"- PART 1

HK706-1	Heater Kit E706 Series Enc 120VAC	
HK706-2	Heater Kit E706 Series Enc 24VAC	
HKHS3000	Heater Kit for HS3000 HS3020 Series 120VAC	
HKHS3024	Heater Kit for HS3000 HS3020 Series 24VAC	
HKX4-1	Heater Kit for EHX4E Enc 120VAC	
HKX4-2	Heater Kit for EHX4E Enc 24VAC	
HKX6-1	Heater Kit EHX6E Enc 120VAC	
HKX6-2	Heater Kit EHX6E Enc 24VAC	
HKX8/10-1	Heater Kit for EHX8E & EHX10E Enc 120VAC	
HKX8/10-2	Heater Kit for EHX8E & EHX10E Enc 24VAC	
HS1500	Enclosure High Security Indoor Medium Corner Mt	
HS2100	Enclosure High Security Indoor Wedge Style	
HS3000	Enclosure High Security Indoor 10 in. Length	
HS8080	Enc High-Security Ceiling Mt Lexan Window Aluminum	
HS8134	Enc High-Security Ceiling Mt Lexan Window Steel	
HSWM12	Wall Mt for high security enclosure	
ID-CB	CONDUIT BOX PLENUM RATED F SARIX ID	
ID-DF5	DF5 Adapter Kit for Sarix™ ID Series	
ID-P	Pendant mount White Sarix™ ID series	
ID-PCB	2X2 FT PANEL W/CNDT BOX	
ID-S	Surface Mount ring for Sarix™ ID series	
ID10C-0	Sarix™ ID fixed indrdome 1.3mp col no-lens Smkd	
ID10C-1	Sarix™ ID fixed indrdome 1.3 mp col no-lens Clr	
ID10C8-1	Sarix™ ID fixed indr dome 1.3 mp col m2.8-8 Clr	
ID10DN-0	Sarix™ ID fixed indr dome 1.3 mp d/n no-lens Smkd	
ID10DN-1	Sarix™ ID fixed indr dome 1.3 mp d/n, no-lens Clr	
ID10DN8-1	Sarix™ ID fixed indor dome 1.3 mp d/n, m2.8-8 Clr	
ID30DN-0	Sarix™ ID fixed indor dome 3.1mp d/n no-lens Smkd	
ID30DN-1	Sarix™ ID fixed indoor dome 3.1mp d/n no-lens Clr	
ID30DN8-1	Sarix™ ID fixed indor dome 3.1mp d/n m2.8-8mm Clr	
IDE10DN-0	Sarix™ EP ID Fxd Indr Dome 1.3MP D/N No-Lens Smk	
IDE10DN-1	Sarix™ EP ID FXD Indr Dome 1.3MP D/N No-Lens Clr	
IDE10DN-OCP1	Sarix™ EP ID 1.3M DN No Lens Clr OV Event Cnt Plus	
IDE10DN-OS1	Sarix™ EP ID 1.3MP D/N No Lens Clr OV Security Ste	
IDE10DN-OSP1	Sarix™ EP ID 1.3MP D/N No Lens Clr OV SecurityPlus	
IDE10DN8-1	Sarix™ EP ID FXD Indr Dome 1.3MP D/N M2.8-8 Clr	
IDE20DN-0	Sarix™ EP ID fxd indr dome 2.1mp d/n no-lens Smkd	
IDE20DN-1	Sarix™ EP ID fxd indor dome 2.1mp d/n no-lens Clr	
IDE20DN-OCP0	Sarix™ EP ID 2.1m D/N nolens Smk ov event cnt plus	
IDE20DN-OCP1	Sarix™ EP ID 2.1m D/N nolens Clr ov event cnt plus	
IDE20DN-OS0	Sarix™ EP ID 2.1mp D/N nolens Smk ov security ste	
IDE20DN-OS1	Sarix™ EP ID 2.1mp D/N nolens Clr ov security ste	
IDE20DN-OSP0	Sarix™ EP ID 2.1mp D/N nolens Smk ov security plus	
IDE20DN-OSP1	Sarix™ EP ID 2.1mp D/N nolens Clr ov security plus	

ATTACHMENT "B"- PART 1

IDE20DN8-1	Sarix™ EP ID fxd indoor dome 2.1mp d/n m2.8-8 Clr	
IDM4012SS	Wall Arm Mt with Feed Through for Spectra SS	
IDM4018	Wall Arm Mt for Intercept/Spectra® or DF5	
IDS0C-0	Sarix™ ID fixed indrdome std def col no-lens Smkd	
IDS0C-1	Sarix™ ID fixed indr dome std def col no-lens Clr	
IDS0C12-1	Sarix™ ID Fixed Indr Dome Std Def Col 2.8-12MM Clr	
IDS0DN-0	Sarix™ ID fixed indrdome std def D/N no-lens Smkd	
IDS0DN-1	Sarix™ ID fixed indr dome std def D/N no-lens Clr	
IDS0DN12-1	Sarix™ ID Fixed Indr Dome Std Def D/N 2.8-12mm Clr	
IE-P	Pendant Mount Light Grey Sarix™ IE	
IE-S	Surface Mount Ring for Sarix™ IE	
IE10C-0	Sarix™ IE Fxd Outdoor Dome 1.3MP Col No Lens Smk	
IE10C-1	Sarix™ IE Fxd Outdoor Dome 1.3 MP Col No Lens Clr	
IE10C8-1	Sarix™ IE Fxd Outdoor Dome 1.3 MP Col M2.8-8 Clr	
IE10DN-0	Sarix™ IE Fxd Outdoor Dome 1.3 MP D/N No Lens Smk	
IE10DN-1	Sarix™ IE Fxd Outdoor Dome 1.3 MP D/N, No Lens Clr	
IE10DN8-1	Sarix™ IE Fxd Outdoor Dome 1.3 MP D/N, M2.8-8 Clr	
IE30DN-0	Sarix™ IE Fxd Outdoor Dome 3.1MP D/N No Lens Smk	
IE30DN-1	Sarix™ IE Fxd Outdoor Dome 3.1MP D/N No Lens Clr	
IE30DN8-1	Sarix™ IE Fxd Outdoor Dome 3.1MP D/N M2.8-8MM Clr	
IEE10DN-0	Sarix™ EP IE FXD Outdr Dome 1.3MP D/N No-Lens Smk	
IEE10DN-1	Sarix™ EP IE FXD Outdr Dome 1.3MP D/N No-Lens Clr	
IEE10DN-OCP1	Sarix™ EP IE 1.3M DN No Lens Clr OV Event Cnt Plus	
IEE10DN-OS1	Sarix™ EP IE 1.3MP D/N No Lens Clr OV Security Ste	
IEE10DN-OSP1	Sarix™ EP IE 1.3MP D/N No Lens Clr OV SecurityPlus	
IEE10DN8-1	Sarix™ EP IE FXD Outdr Dome 1.3MP D/N M2.8-8 Clr	
IEE20DN-0	Sarix™ EP IE Fxd Outdoor Dome 2.1MP D/N NoLens Smk	
IEE20DN-1	Sarix™ EP IE Fxd Outdoor Dome 2.1MP D/N NoLens Clr	
IEE20DN-OCP0	Sarix™ EP IE 2.1M DN NoLens Smk OV Event Count Pls	
IEE20DN-OCP1	Sarix™ EP IE 2.1M DN NoLens Clr OV Event Count Pls	
IEE20DN-OS0	Sarix™ EP IE 2.1MP D/N NoLens Smk OV Sec Suite	
IEE20DN-OS1	Sarix™ EP IE 2.1MP D/N NoLens Clr OV Sec Suite	
IEE20DN-OSP0	Sarix™ EP IE 2.1MP D/N No Lens Smk OV Security Pls	
IEE20DN-OSP1	Sarix™ EP IE 2.1MP D/N No Lens Clr OV Security Pls	
IEE20DN8-1	Sarix™ EP IE Fxd Outdoor Dome 2.1MP D/N M2.8-8 Clr	
IES0C-0	Sarix™ IE Fxd Outdoor Dome Std Def Col No Lens Smk	
IES0C-1	Sarix™ IE Fxd Outdoor Dome Std Def Col No Lens Clr	
IES0C12-1	Sarix™ IE Fxd Outdr Dome Std Def Col 2.8-12MM Clr	
IES0DN-0	Sarix™ IE Fxd Outdoor Dome Std Def D/N No Lens Smk	
IES0DN-1	Sarix™ IE Fxd Outdoor Dome Std Def D/N No Lens Clr	
IES0DN12-0	Sarix™ IE Fxd Outdoor Dome Std Def VD2.8-12MM Smk	
IES0DN12-1	Sarix™ IE Fxd Outdoor Dome Std Def VD2.8-12MM Clr	
IM-PMBL	Pendant Mount Black Sarix™ IM Series	
IM-PMWT	Pendant Mount White Sarix™ IM Series	

ATTACHMENT "B"- PART 1

IM-VE4S	4S Box Mounting Plate for Sarix™ IM-V IM-E	
IM-VECM	Corner Mount For Sarix™ IM-V IM-E Light Gray	
IM-VEPM	Pendant Mount for Sarix™ IM-V IM-E Lt Gray	
IM-VESM	Surface Mount Ring For Sarix™ IM-V IM-E Lt Gray	
IM-WMBL	Integrated Wall Mount Black for Sarix™ IM Series	
IM-WMWT	Integrated Wall Mount White for Sarix™ IM Series	
IM10C10-1	Sarix™ mini indoor fixed dome 1.3 megapixel cam	
IM10C10-B1	Sarix™ mini indoor fixed dome 1.3 megapixel cam	
IM10DN10-1E	Sarix™ Fxd Outdoor Minidom 1.3 MP DN 2.8-10 Clr	
IM10DN10-1V	Sarix™ Fxd Vandal Minidom 1.3 MP DN 2.8-10 Clr	
IMS0C10-1	Sarix™ mini indoor fixed dome 0.5 megapixel cam	
IMS0C10-1E	Sarix™ Fxd Outdoor Minidom 0.5 MP Col 2.8-10 Clr	
IMS0C10-1V	Sarix™ Fxd Vandal Minidom 0.5 MP Col 2.8-10 Clr	
IMS0DN10-1E	Sarix™ Fxd Outdoor Minidom 0.5 MP DN 2.8-10 Clr	
IMS0DN10-1V	Sarix™ Fxd Vandal Minidom 0.5 MP DN 2.8-10 Clr	
IP110-CWV22	Camclosure® IP Env Surf WDR 9-22mm Smk	
IP110-CWV9	Camclosure® IP Env Surf WDR 3-9.5mm Smk	
IP110-DWV22	Camclosure® IP Env Surf D/N WDR 9-22mm Smk	
IP110-DWV9	Camclosure® IP Env Surf D/N WDR 3-9.5mm Smk	
IP110-ENC	Camclosure® IP Env Surface Mount Enclosure Only	
IP110-F	IP110 Camclosure In-ceiling Mount Adapter	
IP110-LD	Camclosure® IP Env Surface Mount Smoked Lower Dome	
IP110-P	Camclosure® IP Pendant Mount	
IP111-CWV22	Camclosure® IP Env Surf WDR 9-22mm Clr	
IP111-CWV9	Camclosure® IP Env Surf WDR 3-9.5mm Clr	
IP111-DWV22	Camclosure® IP Env Surf D/N WDR 9-22mm Clr	
IP111-DWV9	Camclosure® IP Env Surf D/N WDR 3-9.5mm Clr	
IP111-LD	Camclosure® IP Env Surface Mount Clear Lower Dome	
IPS-CABLE	Spectra III™ Remote Monitor Cable	
IPS-MINIADPT	Spectra® IPS Kit Mini Adapter	
IPS-RDPE-2	Remote data port 24VAC Env	
IPSXM-2	ExSite® Power Module, 24VAC	
IPSXM-2	ExSite® Power Module, 24VAC	
IPSXM-7	ExSite® Power Module, 100-240 VAC	
IPSXM-7	ExSite® Power Module, 100-240 VAC	
IPSXM30C22	ExSite® IOP Module Color, NTSC	
IPSXM30C22-2	ExSite® Pan/Tilt System Color, 24VAC, NTSC	
IPSXM30C22-2	ExSite® Pan/Tilt System Color, 24VAC, NTSC	
IPSXM30C22-7	ExSite® Pan/Tilt System Color, 100-240V, NTSC	
IPSXM30C22-7	ExSite® Pan/Tilt System Color, 100-240V, NTSC	
IPSXM30C22-7	ExSite® Pan/Tilt System Color, 100-240V, NTSC	
IPSXM30CBW23	ExSite® IOP Module D/N, NTSC	
IPSXM30CBW23-2	ExSite® Pan/Tilt System D/N, 24VAC, NTSC	
IPSXM30CBW23-2	ExSite® Pan/Tilt System D/N, 24VAC, NTSC	

ATTACHMENT "B"- PART 1

IPSXM30CBW23-7	ExSite® Pan/Tilt System D/N, 100-240V, NTSC	
IPSXM30CBW23-7	ExSite® Pan/Tilt System D/N, 100-240V, NTSC	
IPSXM31C22	ExSite® IOP Module Color, NTSC, Wiper	
IPSXM31C22	ExSite® IOP Module Color, NTSC, Wiper	
IPSXM31C22-2	ExSite® Pan/Tilt System Color, 24VAC, NTSC, Wiper	
IPSXM31C22-2	ExSite® Pan/Tilt System Color, 24VAC, NTSC, Wiper	
IPSXM31C22-7	ExSite® Pan/Tilt Sys Color, 100-240V, NTSC, Wiper	
IPSXM31C22-7	ExSite® Pan/Tilt Sys Color, 100-240V, NTSC, Wiper	
IPSXM31CBW23	ExSite® IOP Module, D/N, NTSC, Wiper	
IPSXM31CBW23-2	ExSite® Pan/Tilt Sys D/N, 24VAC,NTSC, Wiper	
IPSXM31CBW23-2	ExSite® Pan/Tilt Sys D/N, 24VAC,NTSC, Wiper	
IPSXM31CBW23-7	ExSite® P/T System D/N, 100-240V, NTSC, Wiper	
IPSXM31CBW23-7	ExSite® P/T System D/N, 100-240V, NTSC, Wiper	
IPSXME0C22-2	ExSite EX/ATEX H.264 PTZ 24V Col NTSC	
IPSXME0C22-7	ExSite EX/ATEX H.264 PTZ 100/240V Col NTSC	
IPSXME0CBW23-2	ExSite EX/ATEX H.264 PTZ 24V CBW NTSC	
IPSXME0CBW23-7	ExSite EX/ATEX H.264 PTZ 100/240V CBW NTSC	
IPSXME1C22-2	ExSite EX/ATEX H.264 PTZ, 24V Col Wiper NTSC	
IPSXME1C22-7	ExSite EX/ATEX H.264 PTZ 100/240V Col Wiper NTSC	
IPSXME1CBW23-2	ExSite EX/ATEX H.264 PTZ, 24V CBW Wiper NTSC	
IPSXME1CBW23-7	ExSite EX/ATEX H.264 PTZ 100/240V CBW Wiper NTSC	
IPSXMPT30	ExSite® Pan/Tilt/Enclosure	
IPSXMPT30	ExSite® Pan/Tilt/Enclosure	
IPSXMPT31	ExSite® Pan/Tilt/Enclosure, Wiper	
IPSXMPT31	ExSite® Pan/Tilt/Enclosure, Wiper	
IRD2024	Coaxitron® Indoor Receiver Fixed Speed	
IS20-AP	CAMCLOSURE 2 IS2X 4S BOX ADAPTER PLATE	
IS20-CHV10F	CC 2 Indoor Flsh Col Hi 2.8-10 Lens Smoked Dome	
IS20-CHV10S	CC 2 Indoor Surf Col Hi 2.8-10 Lens Smoked Dome	
IS20-DNV10F	CC 2 Indoor Flsh D/N Hi 2.8-10 Lens Smoked Dome	
IS20-DNV10S	CC 2 Indoor Surf D/N Hi 2.8-10 Lens Smoked Dome	
IS20-DWSV8F	CC 2 Indoor Flsh DWS 3.8-8 Lens Smoked Dome	
IS20-DWSV8S	CC 2 Indoor Surf DWS 3.8-8 Lens Smoked Dome	
IS20-FK	CC 2 IS2X Series Indoor Flush Kit	
IS20-P	CC 2 IS2X Series Pendant Adapter	
IS20-WM	CC 2 IS2X Series Indoor Wall Mount	
IS20DWS-FK	CC 2 IS2X D/N WDR DWS Camera Flush Kit	
IS20DWS-P	CC 2 IS2X D/N WDR DWS Indr Pendant Adapter	
IS20DWS-WM	CC 2 IS2X-DWS Series Indoor Wall Mount	
IS21-CHV10F	CC 2 Indoor Flsh Col Hi 2.8-10 Lens Clear Dome	
IS21-CHV10S	CC 2 Indoor Surf Col Hi 2.8-10 Lens Clear Dome	
IS21-DNV10F	CC 2 Indoor Flsh D/N Hi 2.8-10 Lens Clear Dome	
IS21-DNV10S	CC 2 Indoor Surf D/N Hi 2.8-10 Lens Clear Dome	
IS21-DWSV8F	CC 2 Indoor Flsh DWS 3.8-8 Lens Clear Dome	

ATTACHMENT "B"- PART 1

IS21-DWSV8S	CC 2 Indoor Surf DWS 3.8-8 Lens Clear Dome	
IS50-CHV10F	CAMCL 2 Environ Flsh Col Hi 2.8-10 Lens Smoke Dome	
IS50-CHV10S	CAMCL 2 Environ Surf Col Hi 2.8-10 Lens Smoke Dome	
IS50-DNV10F	CAMCL 2 Environ Flsh D/N Hi 2.8-10 Lens Smoke Dome	
IS50-DNV10S	CAMCL 2 Environ Surf D/N Hi 2.8-10 Lens Smoke Dome	
IS50-DWSV8F	CAMCL 2 Environ Flsh DWS 3.8-8 Lens Smoked Dome	
IS50-DWSV8S	CAMCL 2 Environ Surf DWS 3.8-8 Lens Smoked Dome	
IS50-FK	Camcl 2 IS5X Series Indoor Flush Kit	
IS50-P	Camcl 2 IS5X Series Outdoor Pendant Adapter	
IS51-CHV10F	CAMCL 2 Environ Flsh Col Hi 2.8-10 Lens Clear Dome	
IS51-CHV10S	CAMCL 2 Environ Surf Col Hi 2.8-10 Lens Clear Dome	
IS51-DNV10F	CAMCL 2 Environ Flsh D/N Hi 2.8-10 Lens Clear Dome	
IS51-DNV10S	CAMCL 2 Environ Surf D/N Hi 2.8-10 Lens Clear Dome	
IS51-DWSV8F	CAMCL 2 Environ Flsh DWS 3.8-8 Lens Clear Dome	
IS51-DWSV8S	CAMCL 2 Environ Surf DWS 3.8-8 Lens Clear Dome	
IWM-BK	Wall Mt for Spectra®/DF5 or Intercept Blk	
IWM-GY	Wall Mt for Spectra®/DF5 or Intercept Gy	
IWM-MKIT	IWM Mt Marine Kit	
IWM-SR	Wall Mount Lt Gray for Sarix™ IE P Pnd Lg	
IWM24-BK	Wall Mt for Spectra®/DF5 or Intercept Blk 24V Out	
IWM24-GY	Wall Mt for Spectra®/DF5 or Intercept Gy 24V Out	
IWM24-SR	Wall Mount 24 VAC Light Gray for Sarix™ IE	
IX-SC	Sarix™ service cable to BNC, 4-ft	
IX10C	Sarix™ IX, network cam, 1.3 mega pixel col	
IX10C	Sarix™ IX, network cam, 1.3 mega pixel col	
IX10C12	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM	
IX10C12	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM	
IX10C12-EA	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM	
IX10C12-EA	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM	
IX10C12-EAD	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM Mt	
IX10C12-EAD	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM Mt	
IX10C12-EAS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS	
IX10C12-EAS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS	
IX10C12-EAT	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS Mt	
IX10C12-EAT	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS Mt	
IX10C12-EB	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM	
IX10C12-EB	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM	
IX10C12-EBK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS Mt	
IX10C12-EBK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS Mt	
IX10C12-EBS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS	
IX10C12-EBS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS	
IX10C12-EBW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM Mt	
IX10C12-EBW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM Mt	
IX10C12-EC	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM	

ATTACHMENT "B"- PART 1

IX10C12-EC	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM	
IX10C12-ECK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS Mt	
IX10C12-ECK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS Mt	
IX10C12-ECS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS	
IX10C12-ECS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM SuS	
IX10C12-ECW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM Mt	
IX10C12-ECW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM Mt	
IX10C12-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP Col2.8-12MM	
IX10C12-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP Col2.8-12MM	
IX10C12-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP Col2.8-12MM	
IX10C12-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP Col2.8-12MM	
IX10C12-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP Col2.8-12MM	
IX10C12-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP Col2.8-12MM	
IX10C12-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP Col2.8-12MM	
IX10C12-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP Col2.8-12MM	
IX10C12-U	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM Mt	
IX10C12-U	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-12MM Mt	
IX10C50	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM	
IX10C50	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM	
IX10C50-EA	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM	
IX10C50-EA	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM	
IX10C50-EAD	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM Mt	
IX10C50-EAD	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM Mt	
IX10C50-EAS	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS	
IX10C50-EAS	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS	
IX10C50-EAT	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS Mt	
IX10C50-EAT	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS Mt	
IX10C50-EB	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM	
IX10C50-EB	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM	
IX10C50-EBK	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS Mt	
IX10C50-EBK	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS Mt	
IX10C50-EBS	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS	
IX10C50-EBS	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS	
IX10C50-EBW	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM Mt	
IX10C50-EBW	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM Mt	
IX10C50-EC	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM	
IX10C50-EC	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM	
IX10C50-ECK	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS Mt	
IX10C50-ECK	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS Mt	
IX10C50-ECS	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS	
IX10C50-ECS	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM SuS	
IX10C50-ECW	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM Mt	
IX10C50-ECW	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM Mt	
IX10C50-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP Col 15-50MM	

ATTACHMENT "B"- PART 1

IX10C50-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP Col 15-50MM	
IX10C50-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP Col 15-50MM	
IX10C50-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP Col 15-50MM	
IX10C50-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP Col 15-50MM	
IX10C50-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP Col 15-50MM	
IX10C50-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP Col 15-50MM	
IX10C50-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP Col 15-50MM	
IX10C50-U	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM Mt	
IX10C50-U	Sarix™ ImagePak® Net Cam 1.3MP Col 15-50MM Mt	
IX10C6	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM	
IX10C6	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM	
IX10C6-EA	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM	
IX10C6-EA	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM	
IX10C6-EAD	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM Mt	
IX10C6-EAD	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM Mt	
IX10C6-EAS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS	
IX10C6-EAS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS	
IX10C6-EAT	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS Mt	
IX10C6-EAT	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS Mt	
IX10C6-EB	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM	
IX10C6-EB	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM	
IX10C6-EBK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS Mt	
IX10C6-EBK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS Mt	
IX10C6-EBS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS	
IX10C6-EBS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS	
IX10C6-EBW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM Mt	
IX10C6-EBW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM Mt	
IX10C6-EC	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM	
IX10C6-EC	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM	
IX10C6-ECK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS Mt	
IX10C6-ECK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS Mt	
IX10C6-ECS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS	
IX10C6-ECS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM SuS	
IX10C6-ECW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM Mt	
IX10C6-ECW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM Mt	
IX10C6-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP Col 2.2-6MM	
IX10C6-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP Col 2.2-6MM	
IX10C6-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP Col 2.2-6MM	
IX10C6-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP Col 2.2-6MM	
IX10C6-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP Col 2.2-6MM	
IX10C6-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP Col 2.2-6MM	
IX10C6-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP Col 2.2-6MM	
IX10C6-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP Col 2.2-6MM	
IX10C6-U	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM Mt	

ATTACHMENT "B"- PART 1

IX10C6-U	Sarix™ ImagePak® Net Cam 1.3MP Col 2.2-6MM Mt	
IX10C8	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM	
IX10C8	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM	
IX10C8-EA	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM	
IX10C8-EA	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM	
IX10C8-EAD	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM Mt	
IX10C8-EAD	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM Mt	
IX10C8-EAS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS	
IX10C8-EAS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS	
IX10C8-EAT	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS Mt	
IX10C8-EAT	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS Mt	
IX10C8-EB	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM	
IX10C8-EB	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM	
IX10C8-EBK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS Mt	
IX10C8-EBK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS Mt	
IX10C8-EBS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS	
IX10C8-EBS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS	
IX10C8-EBW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM Mt	
IX10C8-EBW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM Mt	
IX10C8-EC	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM	
IX10C8-EC	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM	
IX10C8-ECK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS Mt	
IX10C8-ECK	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS Mt	
IX10C8-ECS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS	
IX10C8-ECS	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM SuS	
IX10C8-ECW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM Mt	
IX10C8-ECW	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM Mt	
IX10C8-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP Col 2.8-8MM	
IX10C8-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP Col 2.8-8MM	
IX10C8-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP Col 2.8-8MM	
IX10C8-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP Col 2.8-8MM	
IX10C8-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP Col 2.8-8MM	
IX10C8-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP Col 2.8-8MM	
IX10C8-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP Col 2.8-8MM	
IX10C8-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP Col 2.8-8MM	
IX10C8-U	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM Mt	
IX10C8-U	Sarix™ ImagePak® Net Cam 1.3MP Col 2.8-8MM Mt	
IX10DN	Sarix™ IX, network cam, 1.3 mega pixel day/night	
IX10DN	Sarix™ IX, network cam, 1.3 mega pixel day/night	
IX10DN12	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM	
IX10DN12	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM	
IX10DN12-EA	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM	
IX10DN12-EA	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM	
IX10DN12-EAD	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM Mt	

ATTACHMENT "B"- PART 1

IX10DN12-EAD	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM Mt	
IX10DN12-EAS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS	
IX10DN12-EAS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS	
IX10DN12-EAT	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS Mt	
IX10DN12-EAT	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS Mt	
IX10DN12-EB	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM	
IX10DN12-EB	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM	
IX10DN12-EBK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS Mt	
IX10DN12-EBK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS Mt	
IX10DN12-EBS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS	
IX10DN12-EBS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS	
IX10DN12-EBW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM Mt	
IX10DN12-EBW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM Mt	
IX10DN12-EC	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM	
IX10DN12-EC	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM	
IX10DN12-ECK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS Mt	
IX10DN12-ECK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS Mt	
IX10DN12-ECS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS	
IX10DN12-ECS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM SuS	
IX10DN12-ECW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM Mt	
IX10DN12-ECW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM Mt	
IX10DN12-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP D/N2.8-12MM	
IX10DN12-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP D/N2.8-12MM	
IX10DN12-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP D/N2.8-12MM	
IX10DN12-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP D/N2.8-12MM	
IX10DN12-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP D/N2.8-12MM	
IX10DN12-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP D/N2.8-12MM	
IX10DN12-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP D/N2.8-12MM	
IX10DN12-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP D/N2.8-12MM	
IX10DN12-U	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM Mt	
IX10DN12-U	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-12MM Mt	
IX10DN50	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM	
IX10DN50	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM	
IX10DN50-EA	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM	
IX10DN50-EA	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM	
IX10DN50-EAD	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM Mt	
IX10DN50-EAD	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM Mt	
IX10DN50-EAS	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS	
IX10DN50-EAS	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS	
IX10DN50-EAT	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS Mt	
IX10DN50-EAT	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS Mt	
IX10DN50-EB	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM	
IX10DN50-EB	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM	
IX10DN50-EBK	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS Mt	

ATTACHMENT "B"- PART 1

IX10DN50-EBK	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS Mt	
IX10DN50-EBS	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS	
IX10DN50-EBS	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS	
IX10DN50-EBW	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM Mt	
IX10DN50-EBW	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM Mt	
IX10DN50-EC	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM	
IX10DN50-EC	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM	
IX10DN50-ECK	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS Mt	
IX10DN50-ECK	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS Mt	
IX10DN50-ECS	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS	
IX10DN50-ECS	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM SuS	
IX10DN50-ECW	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM Mt	
IX10DN50-ECW	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM Mt	
IX10DN50-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP D/N 15-50MM	
IX10DN50-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP D/N 15-50MM	
IX10DN50-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP D/N 15-50MM	
IX10DN50-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP D/N 15-50MM	
IX10DN50-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP D/N 15-50MM	
IX10DN50-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP D/N 15-50MM	
IX10DN50-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP D/N 15-50MM	
IX10DN50-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP D/N 15-50MM	
IX10DN50-U	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM Mt	
IX10DN50-U	Sarix™ ImagePak® Net Cam 1.3MP D/N 15-50MM Mt	
IX10DN6	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM	
IX10DN6	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM	
IX10DN6-EA	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM	
IX10DN6-EA	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM	
IX10DN6-EAD	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM Mt	
IX10DN6-EAD	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM Mt	
IX10DN6-EAS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS	
IX10DN6-EAS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS	
IX10DN6-EAT	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS Mt	
IX10DN6-EAT	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS Mt	
IX10DN6-EB	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM	
IX10DN6-EB	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM	
IX10DN6-EBK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS Mt	
IX10DN6-EBK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS Mt	
IX10DN6-EBS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS	
IX10DN6-EBS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS	
IX10DN6-EBW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM Mt	
IX10DN6-EBW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM Mt	
IX10DN6-EC	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM	
IX10DN6-EC	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM	
IX10DN6-ECK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS Mt	

ATTACHMENT "B"- PART 1

IX10DN6-ECK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS Mt	
IX10DN6-ECS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS	
IX10DN6-ECS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM SuS	
IX10DN6-ECW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM Mt	
IX10DN6-ECW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM Mt	
IX10DN6-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP D/N 2.2-6MM	
IX10DN6-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP D/N 2.2-6MM	
IX10DN6-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP D/N 2.2-6MM	
IX10DN6-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP D/N 2.2-6MM	
IX10DN6-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP D/N 2.2-6MM	
IX10DN6-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP D/N 2.2-6MM	
IX10DN6-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP D/N 2.2-6MM	
IX10DN6-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP D/N 2.2-6MM	
IX10DN6-U	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM Mt	
IX10DN6-U	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.2-6MM Mt	
IX10DN8	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM	
IX10DN8	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM	
IX10DN8-EA	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM	
IX10DN8-EA	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM	
IX10DN8-EAD	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM Mt	
IX10DN8-EAD	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM Mt	
IX10DN8-EAS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS	
IX10DN8-EAS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS	
IX10DN8-EAT	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS Mt	
IX10DN8-EAT	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS Mt	
IX10DN8-EB	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM	
IX10DN8-EB	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM	
IX10DN8-EBK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS Mt	
IX10DN8-EBK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS Mt	
IX10DN8-EBS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS	
IX10DN8-EBS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS	
IX10DN8-EBW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM Mt	
IX10DN8-EBW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM Mt	
IX10DN8-EC	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM	
IX10DN8-EC	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM	
IX10DN8-ECK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS Mt	
IX10DN8-ECK	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS Mt	
IX10DN8-ECS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS	
IX10DN8-ECS	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM SuS	
IX10DN8-ECW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM Mt	
IX10DN8-ECW	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM Mt	
IX10DN8-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP D/N 2.8-8MM	
IX10DN8-EK	Sarix™ ImagePak® In-ceiling Smk 1.3MP D/N 2.8-8MM	
IX10DN8-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP D/N 2.8-8MM	

ATTACHMENT "B"- PART 1

IX10DN8-EL	Sarix™ ImagePak® In-ceiling Clr 1.3MP D/N 2.8-8MM	
IX10DN8-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP D/N 2.8-8MM	
IX10DN8-EM	Sarix™ ImagePak® Env Pend Smk 1.3MP D/N 2.8-8MM	
IX10DN8-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP D/N 2.8-8MM	
IX10DN8-EN	Sarix™ ImagePak® Env Pend Clr 1.3MP D/N 2.8-8MM	
IX10DN8-U	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM Mt	
IX10DN8-U	Sarix™ ImagePak® Net Cam 1.3MP D/N 2.8-8MM Mt	
IX30C	Sarix™ IX, network cam, 3.1 mega pixel col	
IX30C12	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM	
IX30C12-EA	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM	
IX30C12-EAD	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM Mt	
IX30C12-EAS	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM SuS	
IX30C12-EAT	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM SuS Mt	
IX30C12-EB	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM	
IX30C12-EBK	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM SuS Mt	
IX30C12-EBS	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM SuS	
IX30C12-EBW	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM Mt	
IX30C12-EC	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM	
IX30C12-ECK	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM SuS Mt	
IX30C12-ECS	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM SuS	
IX30C12-ECW	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM Mt	
IX30C12-EK	Sarix™ ImagePak® In-ceiling Smk 3.1MP Col2.8-12MM	
IX30C12-EL	Sarix™ ImagePak® In-ceiling Clr 3.1MP Col2.8-12MM	
IX30C12-EM	Sarix™ ImagePak® Env Pend Smk 3.1MP Col2.8-12MM	
IX30C12-EN	Sarix™ ImagePak® Env Pend Clr 3.1MP Col2.8-12MM	
IX30C12-U	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-12MM Mt	
IX30C50	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM	
IX30C50-EA	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM	
IX30C50-EAD	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM Mt	
IX30C50-EAS	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM SuS	
IX30C50-EAT	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM SuS Mt	
IX30C50-EB	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM	
IX30C50-EBK	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM SuS Mt	
IX30C50-EBS	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM SuS	
IX30C50-EBW	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM Mt	
IX30C50-EC	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM	
IX30C50-ECK	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM SuS Mt	
IX30C50-ECS	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM SuS	
IX30C50-ECW	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM Mt	
IX30C50-EK	Sarix™ ImagePak® In-ceiling Smk 3.1MP Col 15-50MM	
IX30C50-EL	Sarix™ ImagePak® In-ceiling Clr 3.1MP Col 15-50MM	
IX30C50-EM	Sarix™ ImagePak® Env Pend Smk 3.1MP Col 15-50MM	
IX30C50-EN	Sarix™ ImagePak® Env Pend Clr 3.1MP Col 15-50MM	
IX30C50-U	Sarix™ ImagePak® Net Cam 3.1MP Col 15-50MM Mt	

ATTACHMENT "B"- PART 1

IX30C6	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM	
IX30C6-EA	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM	
IX30C6-EAD	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM Mt	
IX30C6-EAS	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM SuS	
IX30C6-EAT	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM SuS Mt	
IX30C6-EB	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM	
IX30C6-EBK	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM SuS Mt	
IX30C6-EBS	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM SuS	
IX30C6-EBW	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM Mt	
IX30C6-EC	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM	
IX30C6-ECK	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM SuS Mt	
IX30C6-ECS	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM SuS	
IX30C6-ECW	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM Mt	
IX30C6-EK	Sarix™ ImagePak® In-ceiling Smk 3.1MP Col 2.2-6MM	
IX30C6-EL	Sarix™ ImagePak® In-ceiling Clr 3.1MP Col 2.2-6MM	
IX30C6-EM	Sarix™ ImagePak® Env Pend Smk 3.1MP Col 2.2-6MM	
IX30C6-EN	Sarix™ ImagePak® Env Pend Clr 3.1MP Col 2.2-6MM	
IX30C6-U	Sarix™ ImagePak® Net Cam 3.1MP Col 2.2-6MM Mt	
IX30C8	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM	
IX30C8-EA	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM	
IX30C8-EAD	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM Mt	
IX30C8-EAS	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM SuS	
IX30C8-EAT	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM SuS Mt	
IX30C8-EB	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM	
IX30C8-EBK	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM SuS Mt	
IX30C8-EBS	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM SuS	
IX30C8-EBW	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM Mt	
IX30C8-EC	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM	
IX30C8-ECK	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM SuS Mt	
IX30C8-ECS	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM SuS	
IX30C8-ECW	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM Mt	
IX30C8-EK	Sarix™ ImagePak® In-ceiling Smk 3.1MP Col 2.8-8MM	
IX30C8-EL	Sarix™ ImagePak® In-ceiling Clr 3.1MP Col 2.8-8MM	
IX30C8-EM	Sarix™ ImagePak® Env Pend Smk 3.1MP Col 2.8-8MM	
IX30C8-EN	Sarix™ ImagePak® Env Pend Clr 3.1MP Col 2.8-8MM	
IX30C8-U	Sarix™ ImagePak® Net Cam 3.1MP Col 2.8-8MM Mt	
IX30DN	Sarix™ IX, network cam, 3.1 mega pixel day/night	
IX30DN12	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM	
IX30DN12-EA	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM	
IX30DN12-EAD	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM Mt	
IX30DN12-EAS	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM SuS	
IX30DN12-EAT	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM SuS Mt	
IX30DN12-EB	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM	
IX30DN12-EBK	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM SuS Mt	

ATTACHMENT "B"- PART 1

IX30DN12-EBS	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM SuS	
IX30DN12-EBW	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM Mt	
IX30DN12-EC	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM	
IX30DN12-ECK	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM SuS Mt	
IX30DN12-ECS	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM SuS	
IX30DN12-ECW	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM Mt	
IX30DN12-EK	Sarix™ ImagePak® In-ceiling Smk 3.1MP D/N2.8-12MM	
IX30DN12-EL	Sarix™ ImagePak® In-ceiling Clr 3.1MP D/N2.8-12MM	
IX30DN12-EM	Sarix™ ImagePak® Env Pend Smk 3.1MP D/N2.8-12MM	
IX30DN12-EN	Sarix™ ImagePak® Env Pend Clr 3.1MP D/N2.8-12MM	
IX30DN12-U	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-12MM Mt	
IX30DN50	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM	
IX30DN50-EA	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM	
IX30DN50-EAD	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM Mt	
IX30DN50-EAS	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM SuS	
IX30DN50-EAT	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM SuS Mt	
IX30DN50-EB	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM	
IX30DN50-EBK	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM SuS Mt	
IX30DN50-EBS	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM SuS	
IX30DN50-EBW	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM Mt	
IX30DN50-EC	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM	
IX30DN50-ECK	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM SuS Mt	
IX30DN50-ECS	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM SuS	
IX30DN50-ECW	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM Mt	
IX30DN50-EK	Sarix™ ImagePak® In-ceiling Smk 3.1MP D/N 15-50MM	
IX30DN50-EL	Sarix™ ImagePak® In-ceiling Clr 3.1MP D/N 15-50MM	
IX30DN50-EM	Sarix™ ImagePak® Env Pend Smk 3.1MP D/N 15-50MM	
IX30DN50-EN	Sarix™ ImagePak® Env Pend Clr 3.1MP D/N 15-50MM	
IX30DN50-U	Sarix™ ImagePak® Net Cam 3.1MP D/N 15-50MM Mt	
IX30DN6	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM	
IX30DN6-EA	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM	
IX30DN6-EAD	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM Mt	
IX30DN6-EAS	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM SuS	
IX30DN6-EAT	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM SuS Mt	
IX30DN6-EB	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM	
IX30DN6-EBK	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM SuS Mt	
IX30DN6-EBS	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM SuS	
IX30DN6-EBW	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM Mt	
IX30DN6-EC	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM	
IX30DN6-ECK	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM SuS Mt	
IX30DN6-ECS	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM SuS	
IX30DN6-ECW	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM Mt	
IX30DN6-EK	Sarix™ ImagePak® In-ceiling Smk 3.1MP D/N 2.2-6MM	
IX30DN6-EL	Sarix™ ImagePak® In-ceiling Clr 3.1MP D/N 2.2-6MM	

ATTACHMENT "B"- PART 1

IX30DN6-EM	Sarix™ ImagePak® Env Pend Smk 3.1MP D/N 2.2-6MM	
IX30DN6-EN	Sarix™ ImagePak® Env Pend Clr 3.1MP D/N 2.2-6MM	
IX30DN6-U	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.2-6MM Mt	
IX30DN8	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM	
IX30DN8-EA	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM	
IX30DN8-EAD	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM Mt	
IX30DN8-EAS	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM SuS	
IX30DN8-EAT	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM SuS Mt	
IX30DN8-EB	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM	
IX30DN8-EBK	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM SuS Mt	
IX30DN8-EBS	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM SuS	
IX30DN8-EBW	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM Mt	
IX30DN8-EC	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM	
IX30DN8-ECK	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM SuS Mt	
IX30DN8-ECS	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM SuS	
IX30DN8-ECW	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM Mt	
IX30DN8-EK	Sarix™ ImagePak® In-ceiling Smk 3.1MP D/N 2.8-8MM	
IX30DN8-EL	Sarix™ ImagePak® In-ceiling Clr 3.1MP D/N 2.8-8MM	
IX30DN8-EM	Sarix™ ImagePak® Env Pend Smk 3.1MP D/N 2.8-8MM	
IX30DN8-EN	Sarix™ ImagePak® Env Pend Clr 3.1MP D/N 2.8-8MM	
IX30DN8-U	Sarix™ ImagePak® Net Cam 3.1MP D/N 2.8-8MM Mt	
IXE10C	Sarix™ EP IX, Ntwk Camera, 1.3 Mega Pixel Color	
IXE10C-OCP	Sarix™ EP IX, 1.3 M Col,OV Event Counting Ste Plus	
IXE10C-OS	Sarix™ EP IX, 1.3 M Col, OV Security Suite	
IXE10C-OSP	Sarix™ EP IX, 1.3 M Col, OV Security Suite Plus	
IXE10DN	Sarix™ EP IX, Ntwk Camera, 1.3 Mega Pixel D/N	
IXE10DN-OCP	Sarix™ EP IX, 1.3 M D/N,OV Event Counting Ste Plus	
IXE10DN-OS	Sarix™ EP IX, 1.3 M D/N, OV Security Suite	
IXE10DN-OSP	Sarix™ EP IX, 1.3 M D/N, OV Security Suite Plus	
IXE10DN12-EAT	Sarix™ ImagePak® EPend Smk 1.3M D/N 2.8-12MM Mt SS	
IXE10DN12-U	Sarix™ ImagePak® Env Pend Smk 1.3M D/N 2.8-12MM Mt	
IXE10DN50-EAT	Sarix™ ImagePak® EPend Smk 1.3M D/N 5-50MM Mt SS	
IXE20C	Sarix™ EP IX, 2.1 mega pixel col, ntwk cam	
IXE20C-OCP	Sarix™ EP IX, 2.1 M Col, OV Event Cting Suite Plus	
IXE20C-OS	Sarix™ EP IX, 2.1 M Col, OV Security Suite	
IXE20C-OSP	Sarix™ EP IX, 2.1 M Col, OV Security Suite Plus	
IXE20C12	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-12MM	
IXE20C12-EA	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-12MM	
IXE20C12-EAD	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-12MM Mt	
IXE20C12-EAS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-12MM SuS	
IXE20C12-EAT	Sarix™ ImagePak® Net Cam EP 2.1MPCol2.8-12MM SuSMt	
IXE20C12-EB	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-12MM	
IXE20C12-EBK	Sarix™ ImagePak® Net Cam EP 2.1MPCol2.8-12MM SuSMt	
IXE20C12-EBS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-12MM SuS	

ATTACHMENT "B"- PART 1

IXE20C12-EBW	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-12MM Mt	
IXE20C12-EC	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-12MM	
IXE20C12-ECK	Sarix™ ImagePak® Net Cam EP 2.1MPCol2.8-12MM SuSMt	
IXE20C12-ECS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-12MM SuS	
IXE20C12-ECW	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-12MM Mt	
IXE20C12-EK	Sarix™ ImagePak® In-ceiling Smk 2.1MP Col2.8-12MM	
IXE20C12-EL	Sarix™ ImagePak® In-ceiling Clr 2.1MP Col2.8-12MM	
IXE20C12-EM	Sarix™ ImagePak® Env Pend Smk 2.1MP Col2.8-12MM	
IXE20C12-EN	Sarix™ ImagePak® Env Pend Clr 2.1MP Col2.8-12MM	
IXE20C12-U	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-12MM Mt	
IXE20C50	Sarix™ ImagePak® Net Cam EP 2.1MP Col 15-50MM	
IXE20C50-EA	Sarix™ ImagePak® Net Cam EP 2.1MP Col 15-50MM	
IXE20C50-EAD	Sarix™ ImagePak® Net Cam EP 2.1MP Col 15-50MM Mt	
IXE20C50-EAS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 15-50MM SuS	
IXE20C50-EAT	Sarix™ ImagePak® Net Cam EP 2.1MPCol 15-50MM SuSMt	
IXE20C50-EB	Sarix™ ImagePak® Net Cam EP 2.1MP Col 15-50MM	
IXE20C50-EBK	Sarix™ ImagePak® Net Cam EP 2.1MPCol 15-50MM SuSMt	
IXE20C50-EBS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 15-50MM SuS	
IXE20C50-EBW	Sarix™ ImagePak® Net Cam EP 2.1MP Col 15-50MM Mt	
IXE20C50-EC	Sarix™ ImagePak® Net Cam EP 2.1MP Col 15-50MM	
IXE20C50-ECK	Sarix™ ImagePak® Net Cam EP 2.1MPCol 15-50MM SuSMt	
IXE20C50-ECS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 15-50MM SuS	
IXE20C50-ECW	Sarix™ ImagePak® Net Cam EP 2.1MP Col 15-50MM Mt	
IXE20C50-EK	Sarix™ ImagePak® In-ceiling Smk 2.1MP Col 15-50MM	
IXE20C50-EL	Sarix™ ImagePak® In-ceiling Clr 2.1MP Col 15-50MM	
IXE20C50-EM	Sarix™ ImagePak® Env Pend Smk 2.1MP Col 15-50MM	
IXE20C50-EN	Sarix™ ImagePak® Env Pend Clr 2.1MP Col 15-50MM	
IXE20C50-U	Sarix™ ImagePak® Net Cam EP 2.1MP Col 15-50MM Mt	
IXE20C6	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.2-6MM	
IXE20C6-EA	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.2-6MM	
IXE20C6-EAD	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.2-6MM Mt	
IXE20C6-EAS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.2-6MM SuS	
IXE20C6-EAT	Sarix™ ImagePak® Net Cam EP 2.1MPCol 2.2-6MM SuSMt	
IXE20C6-EB	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.2-6MM	
IXE20C6-EBK	Sarix™ ImagePak® Net Cam EP 2.1MPCol 2.2-6MM SuSMt	
IXE20C6-EBS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.2-6MM SuS	
IXE20C6-EBW	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.2-6MM Mt	
IXE20C6-EC	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.2-6MM	
IXE20C6-ECK	Sarix™ ImagePak® Net Cam EP 2.1MPCol 2.2-6MM SuSMt	
IXE20C6-ECS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.2-6MM SuS	
IXE20C6-ECW	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.2-6MM Mt	
IXE20C6-EK	Sarix™ ImagePak® In-ceiling Smk 2.1MP Col 2.2-6MM	
IXE20C6-EL	Sarix™ ImagePak® In-ceiling Clr 2.1MP Col 2.2-6MM	
IXE20C6-EM	Sarix™ ImagePak® Env Pend Smk 2.1MP Col 2.2-6MM	

ATTACHMENT "B"- PART 1

IXE20C6-EN	Sarix™ ImagePak® Env Pend Clr 2.1MP Col 2.2-6MM	
IXE20C6-U	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.2-6MM Mt	
IXE20C8	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-8MM	
IXE20C8-EA	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-8MM	
IXE20C8-EAD	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-8MM Mt	
IXE20C8-EAS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-8MM SuS	
IXE20C8-EAT	Sarix™ ImagePak® Net Cam EP 2.1MPCol 2.8-8MM SuSMt	
IXE20C8-EB	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-8MM	
IXE20C8-EBK	Sarix™ ImagePak® Net Cam EP 2.1MPCol 2.8-8MM SuSMt	
IXE20C8-EBS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-8MM SuS	
IXE20C8-EBW	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-8MM Mt	
IXE20C8-EC	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-8MM	
IXE20C8-ECK	Sarix™ ImagePak® Net Cam EP 2.1MPCol 2.8-8MM SuSMt	
IXE20C8-ECS	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-8MM SuS	
IXE20C8-ECW	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-8MM Mt	
IXE20C8-EK	Sarix™ ImagePak® In-ceiling Smk 2.1MP Col 2.8-8MM	
IXE20C8-EL	Sarix™ ImagePak® In-ceiling Clr 2.1MP Col 2.8-8MM	
IXE20C8-EM	Sarix™ ImagePak® Env Pend Smk 2.1MP Col 2.8-8MM	
IXE20C8-EN	Sarix™ ImagePak® Env Pend Clr 2.1MP Col 2.8-8MM	
IXE20C8-U	Sarix™ ImagePak® Net Cam EP 2.1MP Col 2.8-8MM Mt	
IXE20DN	Sarix™ EP IX, ntwk cam, 2.1 mega pixel day/night	
IXE20DN-OCP	Sarix™ EP IX, 2.1 M D/N, OV Event Cting Suite Plus	
IXE20DN-OS	Sarix™ EP IX, 2.1 M D/N, OV Security Suite	
IXE20DN-OSP	Sarix™ EP IX, 2.1 M D/N, OV Security Suite Plus	
IXE20DN12	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-12MM	
IXE20DN12-EA	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-12MM	
IXE20DN12-EAD	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-12MM Mt	
IXE20DN12-EAS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-12MM SuS	
IXE20DN12-EAT	Sarix™ ImagePak® Net Cam EP 2.1MPD/N2.8-12MM SuSMt	
IXE20DN12-EB	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-12MM	
IXE20DN12-EBK	Sarix™ ImagePak® Net Cam EP 2.1MPD/N2.8-12MM SuSMt	
IXE20DN12-EBS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-12MM SuS	
IXE20DN12-EBW	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-12MM Mt	
IXE20DN12-EC	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-12MM	
IXE20DN12-ECK	Sarix™ ImagePak® Net Cam EP 2.1MPD/N2.8-12MM SuSMt	
IXE20DN12-ECS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-12MM SuS	
IXE20DN12-ECW	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-12MM Mt	
IXE20DN12-EK	Sarix™ ImagePak® In-ceiling Smk 2.1MP D/N2.8-12MM	
IXE20DN12-EL	Sarix™ ImagePak® In-ceiling Clr 2.1MP D/N 2.8-12MM	
IXE20DN12-EM	Sarix™ ImagePak® Env Pend Smk 2.1MP D/N 2.8-12MM	
IXE20DN12-EN	Sarix™ ImagePak® Env Pend Clr 2.1MP D/N 2.8-12MM	
IXE20DN12-U	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-12MM Mt	
IXE20DN50	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 15-50MM	
IXE20DN50-EA	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 15-50MM	

ATTACHMENT "B"- PART 1

IXE20DN50-EAD	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 15-50MM Mt	
IXE20DN50-EAS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 15-50MM SuS	
IXE20DN50-EAT	Sarix™ ImagePak® Net Cam EP 2.1MPD/N 15-50MM SuSMt	
IXE20DN50-EB	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 15-50MM	
IXE20DN50-EBK	Sarix™ ImagePak® Net Cam EP 2.1MPD/N 15-50MM SuSMt	
IXE20DN50-EBS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 15-50MM SuS	
IXE20DN50-EBW	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 15-50MM Mt	
IXE20DN50-EC	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 15-50MM	
IXE20DN50-ECK	Sarix™ ImagePak® Net Cam EP 2.1MPD/N 15-50MM SuSMt	
IXE20DN50-ECS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 15-50MM SuS	
IXE20DN50-ECW	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 15-50MM Mt	
IXE20DN50-EK	Sarix™ ImagePak® In-ceiling Smk 2.1MP D/N 15-50MM	
IXE20DN50-EL	Sarix™ ImagePak® In-ceiling Clr 2.1MP D/N 15-50MM	
IXE20DN50-EM	Sarix™ ImagePak® Env Pend Smk 2.1MP D/N 15-50MM	
IXE20DN50-EN	Sarix™ ImagePak® Env Pend Clr 2.1MP D/N 15-50MM	
IXE20DN50-U	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 15-50MM Mt	
IXE20DN6	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.2-6MM	
IXE20DN6-EA	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.2-6MM	
IXE20DN6-EAD	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.2-6MM Mt	
IXE20DN6-EAS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.2-6MM SuS	
IXE20DN6-EAT	Sarix™ ImagePak® Net Cam EP 2.1MPD/N 2.2-6MM SuSMt	
IXE20DN6-EB	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.2-6MM	
IXE20DN6-EBK	Sarix™ ImagePak® Net Cam EP 2.1MPD/N 2.2-6MM SuSMt	
IXE20DN6-EBS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.2-6MM SuS	
IXE20DN6-EBW	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.2-6MM Mt	
IXE20DN6-EC	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.2-6MM	
IXE20DN6-ECK	Sarix™ ImagePak® Net Cam EP 2.1MPD/N 2.2-6MM SuSMt	
IXE20DN6-ECS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.2-6MM SuS	
IXE20DN6-ECW	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.2-6MM Mt	
IXE20DN6-EK	Sarix™ ImagePak® In-ceiling Smk 2.1MP D/N 2.2-6MM	
IXE20DN6-EL	Sarix™ ImagePak® In-ceiling Clr 2.1MP D/N 2.2-6MM	
IXE20DN6-EM	Sarix™ ImagePak® Env Pend Smk 2.1MP D/N 2.2-6MM	
IXE20DN6-EN	Sarix™ ImagePak® Env Pend Clr 2.1MP D/N 2.2-6MM	
IXE20DN6-U	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.2-6MM Mt	
IXE20DN8	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-8MM	
IXE20DN8-EA	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-8MM	
IXE20DN8-EAD	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-8MM Mt	
IXE20DN8-EAS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-8MM SuS	
IXE20DN8-EAT	Sarix™ ImagePak® Net Cam EP 2.1MPD/N 2.8-8MM SuSMt	
IXE20DN8-EB	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-8MM	
IXE20DN8-EBK	Sarix™ ImagePak® Net Cam EP 2.1MPD/N 2.8-8MM SuSMt	
IXE20DN8-EBS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-8MM SuS	
IXE20DN8-EBW	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-8MM Mt	
IXE20DN8-EC	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-8MM	

ATTACHMENT "B"- PART 1

IXE20DN8-ECK	Sarix™ ImagePak® Net Cam EP 2.1MPD/N 2.8-8MM SuSMt	
IXE20DN8-ECS	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-8MM SuS	
IXE20DN8-ECW	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-8MM Mt	
IXE20DN8-EK	Sarix™ ImagePak® In-ceiling Smk 2.1MP D/N 2.8-8MM	
IXE20DN8-EL	Sarix™ ImagePak® In-ceiling Clr 2.1MP D/N 2.8-8MM	
IXE20DN8-EM	Sarix™ ImagePak® Env Pend Smk 2.1MP D/N 2.8-8MM	
IXE20DN8-EN	Sarix™ ImagePak® Env Pend Clr 2.1MP D/N 2.8-8MM	
IXE20DN8-U	Sarix™ ImagePak® Net Cam EP 2.1MP D/N 2.8-8MM Mt	
IXS0C	Sarix™ IX, network cam, std def col	
IXS0C12	Sarix™ ImagePak® Net Cam Standard Col 2.8-12MM	
IXS0C12-EA	Sarix™ ImagePak® Net Cam Standard Col 2.8-12MM	
IXS0C12-EAD	Sarix™ ImagePak® Net Cam Standard Col 2.8-12MM Mt	
IXS0C12-EAS	Sarix™ ImagePak® Net Cam Standard Col 2.8-12MM SuS	
IXS0C12-EAT	Sarix™ ImagePak® Net Cam StandardCol2.8-12MM SuSMt	
IXS0C12-EB	Sarix™ ImagePak® Net Cam Standard Col 2.8-12MM	
IXS0C12-EBK	Sarix™ ImagePak® Net Cam StandardCol2.8-12MM SuSMt	
IXS0C12-EBS	Sarix™ ImagePak® Net Cam Standard Col 2.8-12MM SuS	
IXS0C12-EBW	Sarix™ ImagePak® Net Cam Standard Col 2.8-12MM Mt	
IXS0C12-EC	Sarix™ ImagePak® Net Cam Standard Col 2.8-12MM	
IXS0C12-ECK	Sarix™ ImagePak® Net Cam StandardCol2.8-12MM SuSMt	
IXS0C12-ECS	Sarix™ ImagePak® Net Cam Standard Col 2.8-12MM SuS	
IXS0C12-ECW	Sarix™ ImagePak® Net Cam Standard Col 2.8-12MM Mt	
IXS0C12-EK	Sarix™ ImagePak® In-ceiling Smk Std Col 2.8-12MM	
IXS0C12-EL	Sarix™ ImagePak® In-ceiling Clr Std Col 2.8-12MM	
IXS0C12-EM	Sarix™ ImagePak® Env Pend Smk Std Col 2.8-12MM	
IXS0C12-EN	Sarix™ ImagePak® Env Pend Clr Std Col 2.8-12MM	
IXS0C12-U	Sarix™ ImagePak® Net Cam Standard Col 2.8-12MM Mt	
IXS0C50	Sarix™ ImagePak® Net Cam Standard Col 5-50MM	
IXS0C50-EA	Sarix™ ImagePak® Net Cam Standard Col 5-50MM	
IXS0C50-EAD	Sarix™ ImagePak® Net Cam Standard Col 5-50MM Mt	
IXS0C50-EAS	Sarix™ ImagePak® Net Cam Standard Col 5-50MM SuS	
IXS0C50-EAT	Sarix™ ImagePak® Net Cam StandardCol 5-50MM SuS Mt	
IXS0C50-EB	Sarix™ ImagePak® Net Cam Standard Col 5-50MM	
IXS0C50-EBK	Sarix™ ImagePak® Net Cam StandardCol 5-50MM SuS Mt	
IXS0C50-EBS	Sarix™ ImagePak® Net Cam Standard Col 5-50MM SuS	
IXS0C50-EBW	Sarix™ ImagePak® Net Cam Standard Col 5-50MM Mt	
IXS0C50-EC	Sarix™ ImagePak® Net Cam Standard Col 5-50MM	
IXS0C50-ECK	Sarix™ ImagePak® Net Cam StandardCol 5-50MM SuS Mt	
IXS0C50-ECS	Sarix™ ImagePak® Net Cam Standard Col 5-50MM SuS	
IXS0C50-ECW	Sarix™ ImagePak® Net Cam Standard Col 5-50MM Mt	
IXS0C50-EK	Sarix™ ImagePak® In-ceiling Smk Std Col 5-50MM	
IXS0C50-EL	Sarix™ ImagePak® In-ceiling Clr Std Col 5-50MM	
IXS0C50-EM	Sarix™ ImagePak® Env Pend Smk Std Col 5-50MM	
IXS0C50-EN	Sarix™ ImagePak® Env Pend Clr Std Col 5-50MM	

ATTACHMENT "B"- PART 1

IXS0C50-U	Sarix™ ImagePak® Net Cam Standard Col 5-50MM Mt	
IXS0C6	Sarix™ ImagePak® Net Cam Standard Col 2.5-6MM	
IXS0C6-EA	Sarix™ ImagePak® Net Cam Standard Col 2.5-6MM	
IXS0C6-EAD	Sarix™ ImagePak® Net Cam Standard Col 2.5-6MM Mt	
IXS0C6-EAS	Sarix™ ImagePak® Net Cam Standard Col 2.5-6MM SuS	
IXS0C6-EAT	Sarix™ ImagePak® Net Cam StandardCol 2.5-6MM SuSMt	
IXS0C6-EB	Sarix™ ImagePak® Net Cam Standard Col 2.5-6MM	
IXS0C6-EBK	Sarix™ ImagePak® Net Cam StandardCol 2.5-6MM SuSMt	
IXS0C6-EBS	Sarix™ ImagePak® Net Cam Standard Col 2.5-6MM SuS	
IXS0C6-EBW	Sarix™ ImagePak® Net Cam Standard Col 2.5-6MM Mt	
IXS0C6-EC	Sarix™ ImagePak® Net Cam Standard Col 2.5-6MM	
IXS0C6-ECK	Sarix™ ImagePak® Net Cam StandardCol 2.5-6MM SuSMt	
IXS0C6-ECS	Sarix™ ImagePak® Net Cam Standard Col 2.5-6MM SuS	
IXS0C6-ECW	Sarix™ ImagePak® Net Cam Standard Col 2.5-6MM Mt	
IXS0C6-EK	Sarix™ ImagePak® In-ceiling Smk Std Col 2.5-6MM	
IXS0C6-EL	Sarix™ ImagePak® In-ceiling Clr Std Col 2.5-6MM	
IXS0C6-EM	Sarix™ ImagePak® Env Pend Smk Std Col 2.5-6MM	
IXS0C6-EN	Sarix™ ImagePak® Env Pend Clr Std Col 2.5-6MM	
IXS0C6-U	Sarix™ ImagePak® Net Cam Standard Col 2.5-6MM Mt	
IXS0DN	Sarix™ IX, network cam, std def day/night	
IXS0DN12	Sarix™ ImagePak® Net Cam Standard D/N 2.8-12MM	
IXS0DN12-EA	Sarix™ ImagePak® Net Cam Standard D/N 2.8-12MM	
IXS0DN12-EAD	Sarix™ ImagePak® Net Cam Standard D/N 2.8-12MM Mt	
IXS0DN12-EAS	Sarix™ ImagePak® Net Cam Standard D/N 2.8-12MM SuS	
IXS0DN12-EAT	Sarix™ ImagePak® Net Cam StandardD/N2.8-12MM SuSMt	
IXS0DN12-EB	Sarix™ ImagePak® Net Cam Standard D/N 2.8-12MM	
IXS0DN12-EBK	Sarix™ ImagePak® Net Cam StandardD/N2.8-12MM SuSMt	
IXS0DN12-EBS	Sarix™ ImagePak® Net Cam Standard D/N 2.8-12MM SuS	
IXS0DN12-EBW	Sarix™ ImagePak® Net Cam Standard D/N 2.8-12MM Mt	
IXS0DN12-EC	Sarix™ ImagePak® Net Cam Standard D/N 2.8-12MM	
IXS0DN12-ECK	Sarix™ ImagePak® Net Cam StandardD/N2.8-12MM SuSMt	
IXS0DN12-ECS	Sarix™ ImagePak® Net Cam Standard D/N 2.8-12MM SuS	
IXS0DN12-ECW	Sarix™ ImagePak® Net Cam Standard D/N 2.8-12MM Mt	
IXS0DN12-EK	Sarix™ ImagePak® In-ceiling Smk Std D/N 2.8-12MM	
IXS0DN12-EL	Sarix™ ImagePak® In-ceiling Clr Std D/N 2.8-12MM	
IXS0DN12-EM	Sarix™ ImagePak® Env Pend Smk Std D/N 2.8-12MM	
IXS0DN12-EN	Sarix™ ImagePak® Env Pend Clr Std D/N 2.8-12MM	
IXS0DN12-U	Sarix™ ImagePak® Net Cam Standard D/N 2.8-12MM Mt	
IXS0DN50	Sarix™ ImagePak® Net Cam Standard D/N 5-50MM	
IXS0DN50-EA	Sarix™ ImagePak® Net Cam Standard D/N 5-50MM	
IXS0DN50-EAD	Sarix™ ImagePak® Net Cam Standard D/N 5-50MM Mt	
IXS0DN50-EAS	Sarix™ ImagePak® Net Cam Standard D/N 5-50MM SuS	
IXS0DN50-EAT	Sarix™ ImagePak® Net Cam StandardD/N 5-50MM SuS Mt	
IXS0DN50-EB	Sarix™ ImagePak® Net Cam Standard D/N 5-50MM	

ATTACHMENT "B"- PART 1

IXS0DN50-EBK	Sarix™ ImagePak® Net Cam StandardD/N 5-50MM SuS Mt	
IXS0DN50-EBS	Sarix™ ImagePak® Net Cam Standard D/N 5-50MM SuS	
IXS0DN50-EBW	Sarix™ ImagePak® Net Cam Standard D/N 5-50MM Mt	
IXS0DN50-EC	Sarix™ ImagePak® Net Cam Standard D/N 5-50MM	
IXS0DN50-ECK	Sarix™ ImagePak® Net Cam StandardD/N 5-50MM SuS Mt	
IXS0DN50-ECS	Sarix™ ImagePak® Net Cam Standard D/N 5-50MM SuS	
IXS0DN50-ECW	Sarix™ ImagePak® Net Cam Standard D/N 5-50MM Mt	
IXS0DN50-EK	Sarix™ ImagePak® In-ceiling Smk Std D/N 5-50MM	
IXS0DN50-EL	Sarix™ ImagePak® In-ceiling Clr Std D/N 5-50MM	
IXS0DN50-EM	Sarix™ ImagePak® Env Pend Smk Std D/N 5-50MM	
IXS0DN50-EN	Sarix™ ImagePak® Env Pend Clr Std D/N 5-50MM	
IXS0DN50-U	Sarix™ ImagePak® Net Cam Standard D/N 5-50MM Mt	
IXS0DN6	Sarix™ ImagePak® Net Cam Standard D/N 2.5-6MM	
IXS0DN6-EA	Sarix™ ImagePak® Net Cam Standard D/N 2.5-6MM	
IXS0DN6-EAD	Sarix™ ImagePak® Net Cam Standard D/N 2.5-6MM Mt	
IXS0DN6-EAS	Sarix™ ImagePak® Net Cam Standard D/N 2.5-6MM SuS	
IXS0DN6-EAT	Sarix™ ImagePak® Net Cam StandardD/N 2.5-6MM SuSMt	
IXS0DN6-EB	Sarix™ ImagePak® Net Cam Standard D/N 2.5-6MM	
IXS0DN6-EBK	Sarix™ ImagePak® Net Cam StandardD/N 2.5-6MM SuSMt	
IXS0DN6-EBS	Sarix™ ImagePak® Net Cam Standard D/N 2.5-6MM SuS	
IXS0DN6-EBW	Sarix™ ImagePak® Net Cam Standard D/N 2.5-6MM Mt	
IXS0DN6-EC	Sarix™ ImagePak® Net Cam Standard D/N 2.5-6MM	
IXS0DN6-ECK	Sarix™ ImagePak® Net Cam StandardD/N 2.5-6MM SuSMt	
IXS0DN6-ECS	Sarix™ ImagePak® Net Cam Standard D/N 2.5-6MM SuS	
IXS0DN6-ECW	Sarix™ ImagePak® Net Cam Standard D/N 2.5-6MM Mt	
IXS0DN6-EK	Sarix™ ImagePak® In-ceiling Smk Std D/N 2.5-6MM	
IXS0DN6-EL	Sarix™ ImagePak® In-ceiling Clr Std D/N 2.5-6MM	
IXS0DN6-EM	Sarix™ ImagePak® Env Pend Smk Std D/N 2.5-6MM	
IXS0DN6-EN	Sarix™ ImagePak® Env Pend Clr Std D/N 2.5-6MM	
IXS0DN6-U	Sarix™ ImagePak® Net Cam Standard D/N 2.5-6MM Mt	
KBD100	Economical switcher control keypad	
KBD200A	Keyboard PTZ Push-button	
KBD200A	Keyboard PTZ Push-button	
KBD300A	Desktop pushbutton/joystick control keypad for PTZ	
KBD300USBKIT	KBD300 TO USB KIT-120V	
KBD300USBKIT-X	KBD300 TO USB KIT - 220V	
KBD4000	Pushbutton Multiplexer Keyboard/Joystick	
KBD4002	Pushbutton multiplexer keyboard	
KBD5000	Endura Keyboard with JOG/JOY/KEY	
KBD5000	Endura Keyboard with JOG/JOY/KEY	
KBD9000	Desktop keyboard for Coaxitron®	
KBD960-US	Dsktp kybrd ful func w/US pwr crd	
KBDKIT	Keyboard Wiring Kit for KBD100 200 300 400 120VAC	
KBDKIT	Keyboard Wiring Kit for KBD100 200 300 400 120VAC	

ATTACHMENT "B"- PART 1

KBDKIT	Keyboard Wiring Kit for KBD100 200 300 400 120VAC	
KBDKIT	Keyboard Wiring Kit for KBD100 200 300 400 120VAC	
KBR960-US	Rkmt kybrd ful func w/US pwr crd	
LB1000	Horizontal Lock Box for VCR 120VAC	
LB1000DC	Horizontal Lock Box for VCR 12VDC	
LB1000MT	Wall Mt for LB1000 LB1000DC LB10102 Lock Boxes	
LB1012	Horizontal Lock Box for VCR Removable Shelf 120VAC	
LB2000	Vertical lock box for computer disk drives	
LB3000	Large Wall Mt Lock Box for VCR or Multiplexer	
LB3000PS	Wall Mt lock box for VCR or multiplexer	
LD4B-0	Spectra® Mini lower dome, Black. Smoked bubble.	
LD4B-1	Spectra® Mini lower dome, Black. Clear bubble.	
LD4H-0	Spectra IV Horizon Lower Dome Smoked	
LD4H-1	Spectra IV Horizon Lower Dome Clear	
LD4W-0	Spectra® Mini Lower Dome Smoked	
LD4W-1	Spectra® Mini Lower Dome Clear	
LD53HDCF-0	Spectra III™ HD Dome Flsh Cage Smk	
LD53HDCF-1	Spectra III™ & SE HD Dome In-Ceiling Cage Clr	
LD53HDCPB-0	Spectra III™ HD Dome Pend Cage Blk Smk	
LD53HDCPB-1	Spectra III™ & SE HD Dome Pend Cage Blk Clr	
LD53HDF-0	Spectra III™ HD Dome Flsh Smk	
LD53HDF-1	Spectra III™ & SE HD Dome In-ceiling Clr	
LD53HDPB-0	Spectra III™ HD Pend Blk Smk	
LD53HDPB-1	Spectra III™ & SE HD Dome Pend Blk Clr	
LD53PB-0	Spectra III™ & SE Dome Blk Pend Smk	
LD53PB-0	Spectra III™ & SE Dome Blk Pend Smk	
LD53PB-0	Spectra III™ & SE Dome Blk Pend Smk	
LD53PB-1	Spectra III™ & SE Dome Pend Blk Clr	
LD53PB-1	Spectra III™ & SE Dome Pend Blk Clr	
LD53PB-1	Spectra III™ & SE Dome Pend Blk Clr	
LD53PB-2	Spectra III™ & SE Dome Pend Blk Chrome	
LD53PB-2	Spectra III™ & SE Dome Pend Blk Chrome	
LD53PB-2	Spectra III™ & SE Dome Pend Blk Chrome	
LD53PB-3	Spectra III™ & SE Dome Pend Blk Gold	
LD53PB-3	Spectra III™ & SE Dome Pend Blk Gold	
LD53PB-3	Spectra III™ & SE Dome Pend Blk Gold	
LD53PR-0	Spectra III™ Pres Dome Pend Smk	
LD53PR-1	Spectra III™ Pres Dome Pend Clr	
LD53PSB-0	Spectra III™ & SE SS Dome Pend Blk Smk	
LD53PSB-0	Spectra III™ & SE SS Dome Pend Blk Smk	
LD53PSB-1	Spectra III™ & SE SS Dome Pend Blk Clr	
LD53PSB-1	Spectra III™ & SE SS Dome Pend Blk Clr	
LD53SMB-0	Spectra III™ & SE Dome Surface Mt Blk Smk	
LD53SMB-0	Spectra III™ & SE Dome Surface Mt Blk Smk	

ATTACHMENT "B"- PART 1

LD53SMB-1	Spectra III™ & SE Dome Surface Mt Blk Clr	
LD53SMB-1	Spectra III™ & SE Dome Surface Mt Blk Clr	
LD53SMB-3	Spectra III™ & SE Dome Surface Mt Blk Gold	
LD53SMB-3	Spectra III™ & SE Dome Surface Mt Blk Gold	
LD53SMW-0	Spectra III™ & SE Dome Surface Mt White Smk	
LD53SMW-0	Spectra III™ & SE Dome Surface Mt White Smk	
LD53SMW-1	Spectra III™ & SE Dome Surface Mt Wht Clr	
LD53SMW-1	Spectra III™ & SE Dome Surface Mt Wht Clr	
LD53SMW-2	Spectra III™ & SE Dome Surface Mt Wht Chrome	
LD53SMW-2	Spectra III™ & SE Dome Surface Mt Wht Chrome	
LD53SMW-3	Spectra III™ & SE Dome Surface Mt Wht Gold	
LD53SMW-3	Spectra III™ & SE Dome Surface Mt Wht Gold	
LD5F-0	In-ceiling Mt Smk Dome for Spectra®	
LD5F-0	In-ceiling Mt Smk Dome for Spectra®	
LD5F-0	In-ceiling Mt Smk Dome for Spectra®	
LD5F-1	In-ceiling Mt Clr Dome for Spectra®	
LD5F-1	In-ceiling Mt Clr Dome for Spectra®	
LD5F-1	In-ceiling Mt Clr Dome for Spectra®	
LD5F-2	In-ceiling Mt Chrome Dome for Spectra®	
LD5F-2	In-ceiling Mt Chrome Dome for Spectra®	
LD5F-2	In-ceiling Mt Chrome Dome for Spectra®	
LD5F-3	In-ceiling Mt Gold Dome for Spectra®	
LD5F-3	In-ceiling Mt Gold Dome for Spectra®	
LD5F-3	In-ceiling Mt Gold Dome for Spectra®	
LDHQF-0	Spectra High Quality Lower Dome Flush Mt Smoked	
LDHQF-1	Spectra High Quality Lower Dome Flush Mt Clear	
LDHQPB-0	Spectra High Quality Lower Dome Black Pend Smoke	
LDHQPB-1	Spectra High Quality Lower Dome Black Pend Clear	
LDID-0	Sarix™ ID MP lower dome White Smkd	
LDID-1	Sarix™ ID MP lower dome White Clr	
LDIE-0	SARIX IE LOWR DOME White SMOKD LINR	
LDIE-1	SARIX IE LOWR DOME White Clear LINR	
LDIM-0	Sarix™ IM Mega Pixel Lower Dome White Smoked	
LDIM-1	Sarix™ IM Lower Dome White Clear	
LDIM-B0	Sarix™ IM Mega Pixel Lower Dome Black Smoked	
LDIM-B1	Sarix™ IM Lower Dome Black Clear	
LDIMVE-0	Lower Dome Smoked For Sarix™ IM-V IM-E	
LDIMVE-1	Lower Dome Clear For Sarix™ IM-V IM-E	
LK4500	Lock Kit with Key Use with EH4712DB EH4718DB	
LK4500	Lock Kit with Key Use with EH4712DB EH4718DB	
LL27M	Mount Bracket for Mt LL27 Illuminator to PT1200	
LL27MF	Low Light Level with Narrow Spot Lamp	
LL27NS	Low Light Level with Narrow Spot Lamp Infrared	
LL27WF	Low Light Level with 500-Watt Wide Flood Lamp	

ATTACHMENT "B"- PART 1

LRD41A11-1	Coaxitron® Fixed Speed Receiver for Legacy® 120VAC	
LRD41C-CONNKIT	Receiver Connector Kit for Aux/Alarm Capabilities	
LRD41C21-1	Coaxitron® Fixed Speed Receiver for Legacy® 120VAC	
LRD41C21-2	Coaxitron® Fixed Speed Receiver for Legacy® 24VAC	
LRD41C22-1	Coaxitron® Vari-Speed Receiver for Legacy® 120VAC	
LRD41C22-2	Coaxitron® Vari-Speed Receiver for Legacy® 24VAC	
LWM41	Wall Mt for Legacy® LGD41 Series	
MCS16-10	Power Supply Camera 10Amp 16 Out	
MCS16-10B	Power Supply Camera 10Amp 16 Out Breaker	
MCS16-10S	Power Supply Camera 10Amp 16 Out Switch	
MCS16-10SB	Power Supply Camera 10Amp 16 Out Switch Brk	
MCS16-20	Power Supply Camera 20Amp 16 Out	
MCS16-20B	Power Supply Camera 20Amp 16 Out Breaker	
MCS16-20S	Power Supply Camera 20Amp 16 Out Switch	
MCS16-20SB	Power Supply Camera 20Amp 16 Out Switch Brk	
MCS4-2	Power Supply Camera 2Amp 4 Out	
MCS4-2B	Power Supply Camera 2Amp 4 Out Breaker	
MCS8-5	Power Supply Camera 5Amp 8 Out	
MCS8-5B	Power Supply Camera 5Amp 8 Out Breaker	
MLZ6DT	Desktop Lens Control Module 120VAC	
MM1000	Universal Wall Mt 9 in. & 12 in. Monitor	
MM1000	Universal Wall Mt 9 in. & 12 in. Monitor	
MM22	Medium-duty Ceiling/Ped Mt up to 40lb	
MPS524DT	Desktop Scanner Control Module for PS7-24/PS30-24	
MPT115DT	Desktop Joystick Control Module for 120V Pan/Tilt	
MPT24DT	Desktop Joystick Control Module for 24VAC Pan/Tilt	
MPT9000CZ	Desktop Coaxitron® Transmitter/Control 120VAC	
MPT9000PZ	Rack Mt Coaxitron® Transmitter/Control 120VAC	
MPT9008CZ	Desktop Coaxitron® Transmitter/Control 120VAC	
MPT9008PZ	Rack Mt Coaxitron® Transmitter/Control 120VAC	
MPTAZ115DT	Desktop Joystick Control Module 120VAC	
MPTAZ24DT	Desktop Joystick Control Module 120VAC	
MR3000	Adjustable Monitor Mt 9 in. to 14 in.	
MR3000	Adjustable Monitor Mt 9 in. to 14 in.	
MR3050	Adjustable Monitor Mt 16 in. to 22 in.	
MR3050	Adjustable Monitor Mt 16 in. to 22 in.	
MR4050	Adjustable Monitor Mt 19 in. to 31 in.	
MR4050	Adjustable Monitor Mt 19 in. to 31 in.	
MRCA	Ceiling Adapter for Domes & MRU Series	
MS504LDT	Looping Manual Switcher 4 In X 1 Out	
MS508DT	Term Manual Switcher 8 In X 1 Out	
MS508LDT	Looping Manual Switcher 8 In X 1 Out	
MS512DT	Term Manual Switcher 12 In X 1 Out	
MS512LDT	Looping Manual Switcher 12 In X 1 Out	

ATTACHMENT "B"- PART 1

NET5301R	One Output 2X2 Display IP Video Decoder	
NET5400PS-US	PSU for one NET540XT, US power cord	
NET5401T	H.264,1 Channel Encoder	
NET5401T-OCP	H.264,1 Channel Encoder, OV Counting Suite PL	
NET5401T-OS	H.264,1 Channel Encoder, OV Security Suite	
NET5401T-OSP	H.264, 1 Channel Encoder, OV Security Suite PL	
NET5402R-HD-US	2 Monitor Net Decoder, US PWR CRD	
NET5402T	H.264,2 Channel Encoder	
NET5402T-OCP	H.264,2 Channel Encoder, OV Counting Suite PL	
NET5402T-OS	H.264,2 Channel Encoder, OV Security Suite	
NET5402T-OSP	H.264,2 Channel Encoder, OV Security Suite PL	
NET5404T	H.264,4 Channel Encoder	
NET5404T-OCP	H.264,4 Channel Encoder, OV Counting Suite PL	
NET5404T-OS	H.264,4 Channel Encoder, OV Security Suite	
NET5404T-OSP	H.264,4 Channel Encoder OV Security Suite PL	
NSM5200-03-US	Ntwrk Strg Mgr, 3TB, US PWR Cord	
NSM5200-06-US	Ntwrk Strg Mgr, 6TB, US PWR Cord	
NSM5200-12-US	Ntwrk Strg Mgr, 12TB, US PWR Cord	
NSM5200-24-US	Network Storage Manager, 24TB, US Power Cord	
NSM5200-FAN	NSM5200 Replacement Mid Fan	
NSM5200-FANB	NSM5200 Replacement Rear fan	
NSM5200-FC	FIBER CH CARD FOR NSM5200 BASE	
NSM5200-PS	NSM5200 Replacement PS Module	
NSM5200-RP	NSM5200 Replacement Tray	
NSM5200F-03-US	Network Storage Manager FC 3TB US Power Cord	
NSM5200F-06-US	Network Storage Manager FC 6TB US Power Cord	
NSM5200F-12-US	Network Storage Manager FC 12TB US Power Cord	
NSM5200F-24-US	Network Storage Manager FC 24TB US Power Cord	
NVR5000PS	NVR5000 P/S Replacement	
NVR5124RP-OS	NVR5124 Imaged Replacement OS Drive	
NVR5148RP-OS	NVR5148 Imaged Replacement OS Drive	
O/I-LPP	Preset Position Lens Wiring Harness	
O/I-LPP	Preset Position Lens Wiring Harness	
O/I-LPP	Preset Position Lens Wiring Harness	
O/I-OUTLET	120VAC Electrical Outlet Plug into O/I-PCB	
O/I-OUTLET	120VAC Electrical Outlet Plug into O/I-PCB	
O/I-OUTLET	120VAC Electrical Outlet Plug into O/I-PCB	
O/I-PCB	PC Board Kit for EH4718/EH4722/EH5723/EH5729	
PA100	Mt Pole Adapter for CM1400 & EM22 Wall Mt	
PA101	Mt Pole Adapter for EM1400 PM14 mm100 Mt	
PA101	Mt Pole Adapter for EM1400 PM14 mm100 Mt	
PA101	Mt Pole Adapter for EM1400 PM14 mm100 Mt	
PA101	Mt Pole Adapter for EM1400 PM14 mm100 Mt	
PA102	Mt pole adapter for WM2000 Mt	

ATTACHMENT "B"- PART 1

PA2000	Medium-Duty Pan/Tilt & Scanner Adapter	
PA2010	Heavy-Duty Pan/Tilt Adapter for WM2000	
PA3512	Pole Mt Adapter for EM3512 Mt	
PA402	Pole Adapter for LWM41 or IWM Mt	
PASMB	Pendant Adapter for Spectra® Surface Mt Blk	
PAXM100	ExSite® Pole Mt Adapter	
PAXM100	ExSite® Pole Mt Adapter	
PCM100	Camera Mt CC/MC3700/3600 SERIES	
PM105	Medium-duty Pan/Tilt Wall Mt	
PM14	Wall Mt for Light-duty Pan/Tilt	
PM2000	Heavy-Duty Ceiling/Ped Mt up to 125lb 24 in. High	
PM2010	Heavy-Duty Ceiling/Ped Mt up to 125lb 10 in. High	
PMCL-17ARM	Rack Mount Kit for 17 inch monitor	
PMCL-19ARM	Rack Mount Kit for 19 inch monitor	
PMCL-19WRM	Rack Mount Kit for 19 wide monitor	
PMCL-CM	Ceiling mount/head. No pole included.	
PMCL-CMP	Ceiling mount and telescoping pole.	
PMCL-V100	Adapter plate - 100 mm x 100 mm x 100 mm	
PMCL-V200	Adapter plate, 200mm X 200mm	
PMCL-VAF	Wall Mount Adapter Plate FHD Monitor	
PMCL-WM	Vesa wall mount for LCD up to 50 lb	
PMCL-WM1A	Wall Mount with 1 arm and tilt/swivel head	
PMCL-WMT	Wall Mount with tilt/swivel head	
PMCL219A	19 inch monitor 1280 X 1024 Resolution	
PMCL317A	17 inch LCD 1280 X 1024 Resolution BNC	
PMCL319A	19 inch LCD 1280 X 1024 Resolution with BNC	
PMCL417A	17 inch High Brite with BNC LCD Monitor	
PMCL419A	19 inch High Brite with BNC LCD Monitor	
PMCL524FL	24 inch LCD 1080p desktop monitor LED backlight	
PMCL532F	32 inch FHD LCD monitor	
PMCL542NB	42 inch narrow bezel LCD monitor 3 yr warranty	
PMCL546NB	46 inch narrow bezel LCD monitor 3 yr warranty	
PMCL555NB	55 inch narrow bezel LCD monitor	
PMCLNBWMF	FLAT WALL MOUNT FOR NARROW BEZELLCD	
PMCLNBWMS	SWING OUT ARM MNT NARROW BEZEL LCD	
PMCLNBWMT	TILT WALL MOUNT FOR NARROW BEZELLCD	
PMP20B-CMPS	20 inch LCD PVM Black, ceiling mount, WCS1-4	
POE20U560G	Single port PoE (Power over Ethernet) injector	
PP100	Parapet Mt for WM2000	
PP200	Parapet Mt Square Tube	
PP350	Parapet Wall Mt for Spectra®/DF5 Outdoor Pend	
PP351	Parapet Wall Mt for Spectra®/DF5 Outdoor Pend	
PP400	Parapet Mt adapter for LWM41 wall Mt	
PP4348	Parapet Rooftop Mt Adapter for LWM41 or IWM	

ATTACHMENT "B"- PART 1

PP450	Parapet Mt Adapter for Intercept or Spectra®/DF5	
PP451	Parapet Mt Adapter for Intercept or Spectra®/DF5	
PS20	Scanner Indoor/Outdoor up to 35 lb 120VAC	
PS20-24	Scanner Indoor/Outdoor up to 35 lb 24VAC	
PSKIT8100	Pressure sensor alarm kit for EH8100 or EH8106L	
PSKIT8100	Pressure sensor alarm kit for EH8100 or EH8106L	
PT1250DC/PP	Heavy-Duty Outdoor Pan/Tilt up to 100lb 120VDC Pre	
PT1250P	Heavy-Duty Outdoor Pan/Tilt up to 100lb 120VAC	
PT1250P/PP	Heavy-Duty Outdoor Pan/Tilt up to 100lb 120VAC Pre	
PT1260EX	Explosion-Proof Outdoor Pan/Tilt 120VAC	
PT1260EX/PP	Explosion-Proof Outdoor Pan/Tilt 120VAC Preset	
PT1280P	Heavy-Duty Pan/Tilt up to 100lb 120VAC	
PT1280P/PP	Heavy-Duty Pan/Tilt up to 100lb 120VAC Preset	
PT1280SL	Heavy-Duty Pan/Tilt up to 100lb 360-Deg 120VAC	
PT1280SL/PP	Heavy-Duty Pan/Tilt up to 100lb 360-Deg 120VAC Pre	
PT270-24P	Light-Duty Pan/Tilt High-spd Pan up to 15lb 24VAC	
PT280-24P	Light-Duty Pan/Tilt High-spd Pan up to 15lb 24VAC	
PT570-24P	Medium-Duty Pan/Tilt up to 40lb 24VAC	
PT570-24P/PP	Medium-Duty Pan/Tilt up to 40lb 24VAC Preset	
PT570P	Medium-Duty Pan/Tilt up to 40lb 120VAC	
PT570P/PP	Medium-Duty Pan/Tilt up to 40lb 120VAC Preset	
PT680-24P	Medium-Duty Pan/Tilt up to 50lb 24VAC	
PT680-24P/PP	Pan/Tilt indoor/outdoor med load	
PT780-24P	Medium-Duty Pan/Tilt up to 52lb 24VAC	
PT780-24P/PP	Medium-Duty Pan/Tilt up to 52lb 24VAC Preset	
PT780-24SL	Medium-Duty Pan/Tilt up to 52lb 360-Deg 24VAC	
PT780-24SL/PP	Medium-Duty Pan/Tilt up to 52lb 360-Deg 24VAC Pre	
PT780-VS/PP	Medium-Duty Vari-Spd Pan/Tilt up to 52lb 12VDC Pre	
PT780-VSSL	MD Vari-Speed Pan/Tilt up to 52lb 36-Deg 12VDC	
PT780-VSSL/PP	MD Vari-Speed Pan/Tilt up to 52lb 36-Deg 12VDC Pre	
PT780P/PP	Medium-Duty Pan/Tilt up to 52lb 120VAC Pre	
PV140	Converter RS-232/RS-422	
PXM100	ExSite® SS Ped Mt, IPS And XM Products	
QD104C	Quad Col NTSC 120VAC	
QD104M	Quad MonoChrome EIA 120VAC	
R300	Rack Mt Blk 3-unit	
R300	Rack Mt Blk 3-unit	
R400	Rack Mt Blk 2-unit	
R400	Rack Mt Blk 2-unit	
REL2064	Relay Interface Unit 64 Outputs	
RK-UDI5000	Rack Mount for UDI5200	
RK100	Rack Mt Blk for 1-2 QD100 Series Quads	
RK100	Rack Mt Blk for 1-2 QD100 Series Quads	
RK5000-3U	19 inch rack chassis with 14 slots no power	

ATTACHMENT "B"- PART 1

RK5000PS-3U	19 inch rack chassis with 12 slots with power	
RK5001-1UEXP	1RU single width height expansion module	
RK5001B-3U	Blank filler panel one slot	
RK5001B-4U	Blank filler For RK5000 4 AND 5 RU	
RK5002B-3U	Blank filler panel two slots	
RK51PWR-300	Replacement for RU Power Supply, 300W	
RK5200-PS	Rack Replacement Power Module	
RK5200PS-5U-US	Rack Kit with dual power, US power cord	
RK5PWR-120	Replacement 3RU power supply 120W	
RK5PWR-300	Replacement 3RU power supply 300W	
RKS10	Rack Mt Blk for 1.75 in. X 14.30 in. Unit	
RKS10	Rack Mt Blk for 1.75 in. X 14.30 in. Unit	
RKS20	Rack Mt Blk for 1.75 in. X 17.12 in. Unit	
RKS20	Rack Mt Blk for 1.75 in. X 17.12 in. Unit	
RM2001	Rack Mt Blk for TLR Series VCR	
RMA14T	Rack Mt Blk for PMCS15A Monitor	
RMA19T	Rack Mt Blk for PMCS19A Monitor	
RSDNC	DS Network Configuration	
RSDUC	DS System User-Specified Configuration	
RSENP	Endura Network Switch Programming	
RSEUC	Endura System User-Specified Configuration	
S5118-EG0	Spectra® HD 1.3MP 18X Environmental Pendt Gry Smk	
S5118-EG1	Spectra® HD 1.3MP 18X Environmental Pendt Gry Clr	
S5118-FW0	Spectra® HD 1.3MP 18X Flsh Blk BkBx White Trim Smk	
S5118-FW1	Spectra® HD 1.3MP 18X Flsh Blk BkBx White Trim Clr	
S5118-PB0	Spectra® HD 1.3MP 18X Pendant Black Smoke	
S5118-PB1	Spectra® HD 1.3MP 18X Pendant Black Clear	
S5118-PG0	Spectra® HD 1.3MP 18X Pendant Gray Smoke	
S5118-PG1	Spectra® HD 1.3MP 18X Pendant Gray Clear	
S5118-YB0	Spectra® HD 1.3MP 18X Environmental Flush Blk Smk	
S5118-YB1	Spectra® HD 1.3MP 18X Environmental Flush Blk Clr	
SCA1	Ceiling Mt reinforcement rails for BB5-F	
SCA1	Ceiling Mt reinforcement rails for BB5-F	
SCM100	Corner Adapter Support Strut Use with ST1	
SD4-B0	Spectra® Mini Smoked Dome Black NTSC	
SD4-B1	Spectra® Mini Clear Dome Black NTSC	
SD4-W0	Spectra® Mini Smoked White Dome NTSC	
SD4-W1	Spectra® Mini Clear Dome White NTSC	
SD423-F-E0	Spectra® IV SL 23X Flush Environ Black Smoke NTSC	
SD423-F-E1	Spectra® IV SL 23X Flush Environ Black Clear NTSC	
SD423-F-E2	Spectra® IV SL 23X Flush Environ Black Chrome NTSC	
SD423-F-E3	Spectra® IV SL 23X Flush Environ Black Gold NTSC	
SD423-F0	Spectra® IV SL 23X Flush White Smoke NTSC	
SD423-F1	Spectra® IV SL 23X Flush White Clear NTSC	

ATTACHMENT "B"- PART 1

SD423-F2	Spectra® IV SL 23X Flush White Chrome NTSC	
SD423-F3	Spectra® IV SL 23X Flush White Gold NTSC	
SD423-PB-0	Spectra® IV SL 23X Pendant Black Smoke NTSC	
SD423-PB-1	Spectra® IV SL 23X Pendant Black Clear NTSC	
SD423-PB-2	Spectra® IV SL 23X Pendant Black Chrome NTSC	
SD423-PB-3	Spectra® IV SL 23X Pendant Black Gold NTSC	
SD423-PG-0	Spectra® IV SL 23X Pendant Grey Smoke NTSC	
SD423-PG-1	Spectra® IV SL 23X Pendant Grey Clear NTSC	
SD423-PG-2	Spectra® IV SL 23X Pendant Grey CHR NTSC	
SD423-PG-3	Spectra® IV SL 23X Pendant Grey Gold NTSC	
SD423-PG-E0	Spectra® IV SL 23X Environ Pendant Grey Smoke NTSC	
SD423-PG-E1	Spectra® IV SL 23X Environ Pendant Grey Clear NTSC	
SD423-SMB-0	Spectra® IV SL 23X Surface Mount Black Smoke NTSC	
SD423-SMB-1	Spectra® IV SL 23X Surface Mount Black Clear NTSC	
SD423-SMB-2	Spectra® IV SL 23X Surface Mount Black Chrome NTSC	
SD423-SMB-3	Spectra® IV SL 23X Surface Mount Black Gold NTSC	
SD423-SMW-0	Spectra® IV SL 23X Surface Mount White Smoke NTSC	
SD423-SMW-1	Spectra® IV SL 23X Surface Mount White Clear NTSC	
SD423-SMW-2	Spectra® IV SL 23X Surface Mount White Chrome NTSC	
SD423-SMW-3	Spectra® IV SL 23X Surface Mount White Gold NTSC	
SD427-F-E0	Spectra® IV SE 27X Flush Environ Black Smoke NTSC	
SD427-F-E1	Spectra® IV SE 27X Flush Environ Black Clear NTSC	
SD427-F-E2	Spectra® IV SE 27X Flush Environ Black Chrome NTSC	
SD427-F-E3	Spectra® IV SE 27X Flush Environ Black Gold NTSC	
SD427-F0	Spectra® IV SE 27X Flush White Smoke NTSC	
SD427-F1	Spectra® IV SE 27X Flush White Clear NTSC	
SD427-F2	Spectra® IV SE 27X Flush White Chrome NTSC	
SD427-F3	Spectra® IV SE 27X Flush White Gold NTSC	
SD427-HCF0	Spectra® IV SE 27X Heavy Duty Flush Cage Smk NTSC	
SD427-HCF1	Spectra® IV SE 27X Heavy Duty Flush Cage Clr NTSC	
SD427-HCP0	Spectra® IV SE 27X Heavy Duty Pnd Cage Smoke NTSC	
SD427-HCP1	Spectra® IV SE 27X Heavy Duty Pnd Cage Clear NTSC	
SD427-HCPE0	Spectra® IV SE 27X Heavy Duty En Pnd Cage Smk NTSC	
SD427-HCPE1	Spectra® IV SE 27X Heavy Duty En Pnd Cage Clr NTSC	
SD427-HF0	Spectra® IV SE 27X Heavy Duty Flush Smoke NTSC	
SD427-HF1	Spectra® IV SE 27X Heavy Duty Flush Clear NTSC	
SD427-HP0	Spectra® IV SE 27X Heavy Duty Pendant Smoke NTSC	
SD427-HP1	Spectra® IV SE 27X Heavy Duty Pendant Clear NTSC	
SD427-HPE0	Spectra® IV SE 27X Heavy Duty ENV Pnd Smoke NTSC	
SD427-HPE1	Spectra® IV SE 27X Heavy Duty ENV Pnd Clear NTSC	
SD427-PB-0	Spectra® IV SE 27X Pendant Black Smoke NTSC	
SD427-PB-1	Spectra® IV SE 27X Pendant Black Clear NTSC	
SD427-PB-2	Spectra® IV SE 27X Pendant Black Chrome NTSC	
SD427-PB-3	Spectra® IV SE 27X Pendant Black Gold NTSC	

ATTACHMENT "B"- PART 1

SD427-PG-0	Spectra® IV SE 27X Pendant Grey Smoke NTSC	
SD427-PG-1	Spectra® IV SE 27X Pendant Grey Clear NTSC	
SD427-PG-2	Spectra® IV SE 27X Pendant Grey CHR NTSC	
SD427-PG-3	Spectra® IV SE 27X Pendant Grey Gold NTSC	
SD427-PG-E0	Spectra® IV SE 27X Environ Pendant Grey Smoke NTSC	
SD427-PG-E1	Spectra® IV SE 27X Environ Pendant Grey Clear NTSC	
SD427-PRE0	Spectra® IV SE 27X Pressurized Grey Smoke NTSC	
SD427-PRE1	Spectra® IV SE 27X Pressurized Grey Clear NTSC	
SD427-PRME0	Spectra® IV SE 27X Pressurized Grey Smk MMF NTSC	
SD427-PRME1	Spectra® IV SE 27X Pressurized Grey Clear MMF NTSC	
SD427-PRSE0	Spectra® IV SE 27X Pressurized Grey Smk SMF NTSC	
SD427-PRSE1	Spectra® IV SE 27X Pressurized Grey Clear SMF NTSC	
SD427-PSGE0	SP IV SE 27X Stainless Steel Env Pendant Smk NTSC	
SD427-PSGE1	SP IV SE 27X Stainless Steel Env Pendant Clr NTSC	
SD427-SMB-0	Spectra® IV SE 27X Surface Mount Black Smoke NTSC	
SD427-SMB-1	Spectra® IV SE 27X Surface Mount Black Clear NTSC	
SD427-SMB-2	Spectra® IV SE 27X Surface Mount Black Chrome NTSC	
SD427-SMB-3	Spectra® IV SE 27X Surface Mount Black Gold NTSC	
SD427-SMW-0	Spectra® IV SE 27X Surface Mount White Smoke NTSC	
SD427-SMW-1	Spectra® IV SE 27X Surface Mount White Clear NTSC	
SD427-SMW-2	Spectra® IV SE 27X Surface Mount White Chrome NTSC	
SD427-SMW-3	Spectra® IV SE 27X Surface Mount White Gold NTSC	
SD435-F-E0	Spectra® IV Flush Env Blk Smk D/N 35X	
SD435-F-E1	Spectra® IV Flush Env Blk Clr D/N 35X	
SD435-F-E2	Spectra® IV Flush Env Blk Chrome D/N 35X	
SD435-F-E3	Spectra® IV Flush Env Blk Gold D/N 35X	
SD435-F0	Spectra® IV Flush White Smk D/N 35X	
SD435-F1	Spectra® IV Flush White Clr D/N 35X	
SD435-F2	Spectra® IV Flush White Chrome D/N 35X	
SD435-F3	Spectra® IV Flush White Gold D/N 35X	
SD435-HCF0	Spectra® IV HD Flush Cage Smk D/N 35X	
SD435-HCF1	Spectra® IV HD Flush Cage Clr D/N 35X	
SD435-HCP0	Spectra® IV HD Pnd Cage Smk D/N 35X	
SD435-HCP1	Spectra® IV HD Pnd Cage Clr D/N 35X	
SD435-HCPE0	Spectra® IV HD Env Pnd Cage 35X Smk	
SD435-HCPE1	Spectra® IV HD Env Pnd Cage 35X Clr	
SD435-HF0	Spectra® IV HD Flsh Smk D/N 35X	
SD435-HF1	Spectra® IV HD Flsh Clr D/N 35X	
SD435-HP0	Spectra® IV HD Pnd Smk D/N 35X	
SD435-HP1	Spectra® IV HD Pnd Clr D/N 35X	
SD435-HPE0	Spectra® IV HD Env Pnd Smk D/N 35X	
SD435-HPE1	Spectra® IV HD Env Pnd Clr D/N 35X	
SD435-PB-0	Spectra® IV Pnd Blk Smk D/N 35X	
SD435-PB-1	Spectra® IV Pnd Blk Clr D/N 35X	

ATTACHMENT "B"- PART 1

SD435-PB-2	Spectra® IV Pnd Blk Chrome D/N 35X	
SD435-PB-3	Spectra® IV Pnd Blk Gold D/N 35X	
SD435-PG-0	Spectra® IV Pnd Gray Smk D/N 35X	
SD435-PG-1	Spectra® IV Pnd Gray Clr D/N 35X	
SD435-PG-2	Spectra® IV Pnd Gray Chrome D/N 35X	
SD435-PG-3	Spectra® IV Pnd Gray Gold D/N 35X	
SD435-PG-E0	Spectra® IV Env Pnd Gray Smk D/N 35X	
SD435-PG-E1	Spectra® IV Env Pnd Gray Clr D/N 35X	
SD435-PRE0	Spectra® IV Pressurized Smk D/N 35X	
SD435-PRE1	Spectra® IV Pressurized Clr D/N 35X	
SD435-PRME0	Spectra® IV Pressurized Smk D/N 35X MMF	
SD435-PRME1	Spectra® IV Pressurized Clr D/N 35X MMF	
SD435-PRSE0	Spectra® IV Pressurized Smk D/N 35X SMF	
SD435-PRSE1	Spectra® IV Pressurized Clr D/N 35X SMF	
SD435-PSGE0	Spectra® IV SS Env Pnd Smk D/N 35X	
SD435-PSGE1	Spectra® IV SS Env Pnd Clr D/N 35X	
SD435-SMB-0	Spectra® IV Suface Mt Blk Smk D/N 35X	
SD435-SMB-1	Spectra® IV Suface Mt Blk Clr D/N 35X	
SD435-SMB-3	Spectra® IV Suface Mt Blk Gold D/N 35X	
SD435-SMW-0	Spectra® IV Suface Mt White Smk D/N 35X	
SD435-SMW-1	Spectra® IV Suface Mt White Clr D/N 35X	
SD435-SMW-2	Spectra® IV Suface Mt White Chrome D/N 35X	
SD435-SMW-3	Spectra® IV Suface Mt White Gold D/N 35X	
SD4E23-F-E0	SP IV IP H.264 SL 23X Flush Environ Black Smk NTSC	
SD4E23-F-E0	SP IV IP H.264 SL 23X Flush Environ Black Smk NTSC	
SD4E23-F-E1	SP IV IP H.264 SL 23X Flush ENV Black Clear NTSC	
SD4E23-F-E1	SP IV IP H.264 SL 23X Flush ENV Black Clear NTSC	
SD4E23-F-E2	SP IV IP H.264 SL 23X Flush ENV Black Chrome NTSC	
SD4E23-F-E2	SP IV IP H.264 SL 23X Flush ENV Black Chrome NTSC	
SD4E23-F-E3	SP IV IP H.264 SL 23X Flush Environ Black GLD NTSC	
SD4E23-F-E3	SP IV IP H.264 SL 23X Flush Environ Black GLD NTSC	
SD4E23-F0	SP IV IP H.264 SL 23X Flush White Smoke NTSC	
SD4E23-F0	SP IV IP H.264 SL 23X Flush White Smoke NTSC	
SD4E23-F1	SP IV IP H.264 SL 23X Flush White Clear NTSC	
SD4E23-F1	SP IV IP H.264 SL 23X Flush White Clear NTSC	
SD4E23-F2	SP IV IP H.264 SL 23X Flush White Chrome NTSC	
SD4E23-F2	SP IV IP H.264 SL 23X Flush White Chrome NTSC	
SD4E23-F3	SP IV IP H.264 SL 23X Flush White Gold NTSC	
SD4E23-F3	SP IV IP H.264 SL 23X Flush White Gold NTSC	
SD4E23-PB-0	SP IV IP H.264 SL 23X Pendant Black Smoke NTSC	
SD4E23-PB-0	SP IV IP H.264 SL 23X Pendant Black Smoke NTSC	
SD4E23-PB-1	SP IV IP H.264 SL 23X Pendant Black Clear NTSC	
SD4E23-PB-1	SP IV IP H.264 SL 23X Pendant Black Clear NTSC	
SD4E23-PB-2	SP IV IP H.264 SL 23X Pendant Black Chrome NTSC	

ATTACHMENT "B"- PART 1

SD4E23-PB-2	SP IV IP H.264 SL 23X Pendant Black Chrome NTSC	
SD4E23-PB-3	SP IV IP H.264 SL 23X Pendant Black Gold NTSC	
SD4E23-PB-3	SP IV IP H.264 SL 23X Pendant Black Gold NTSC	
SD4E23-PG-0	SP IV IP H.264 SL 23X Pendant Grey Smoke NTSC	
SD4E23-PG-0	SP IV IP H.264 SL 23X Pendant Grey Smoke NTSC	
SD4E23-PG-1	SP IV IP H.264 SL 23X Pendant Grey Clear NTSC	
SD4E23-PG-1	SP IV IP H.264 SL 23X Pendant Grey Clear NTSC	
SD4E23-PG-2	SP IV IP H.264 SL 23X Pendant Grey CHR NTSC	
SD4E23-PG-2	SP IV IP H.264 SL 23X Pendant Grey CHR NTSC	
SD4E23-PG-3	SP IV IP H.264 SL 23X Pendant Grey Gold NTSC	
SD4E23-PG-3	SP IV IP H.264 SL 23X Pendant Grey Gold NTSC	
SD4E23-PG-E0	SP IV IP H.264 SL 23X ENV Pendant Grey Smoke NTSC	
SD4E23-PG-E0	SP IV IP H.264 SL 23X ENV Pendant Grey Smoke NTSC	
SD4E23-PG-E1	SP IV IP H.264 SL 23X ENV Pendant Grey Clear NTSC	
SD4E23-PG-E1	SP IV IP H.264 SL 23X ENV Pendant Grey Clear NTSC	
SD4E27-F-E0	SP IV IP H.264 SE 27X Flush ENV Black Smoke NTSC	
SD4E27-F-E0	SP IV IP H.264 SE 27X Flush ENV Black Smoke NTSC	
SD4E27-F-E1	SP IV IP H.264 SE 27X Flush ENV Black Clear NTSC	
SD4E27-F-E1	SP IV IP H.264 SE 27X Flush ENV Black Clear NTSC	
SD4E27-F-E2	SP IV IP H.264 SE 27X Flush ENV Black Chrome NTSC	
SD4E27-F-E2	SP IV IP H.264 SE 27X Flush ENV Black Chrome NTSC	
SD4E27-F-E3	SP IV IP H.264 SE 27X Flush ENV Black Gold NTSC	
SD4E27-F-E3	SP IV IP H.264 SE 27X Flush ENV Black Gold NTSC	
SD4E27-F0	SP IV IP H.264 SE 27X Flush White Smoke NTSC	
SD4E27-F0	SP IV IP H.264 SE 27X Flush White Smoke NTSC	
SD4E27-F1	SP IV IP H.264 SE 27X Flush White Clear NTSC	
SD4E27-F1	SP IV IP H.264 SE 27X Flush White Clear NTSC	
SD4E27-F2	SP IV IP H.264 SE 27X Flush White Chrome NTSC	
SD4E27-F2	SP IV IP H.264 SE 27X Flush White Chrome NTSC	
SD4E27-F3	SP IV IP H.264 SE 27X Flush White Gold NTSC	
SD4E27-F3	SP IV IP H.264 SE 27X Flush White Gold NTSC	
SD4E27-HCF0	SP IV IP H.264 SE 27X Heavy Duty FLSH Cage Smk N	
SD4E27-HCF0	SP IV IP H.264 SE 27X Heavy Duty FLSH Cage Smk N	
SD4E27-HCF0	SP IV IP H.264 SE 27X Heavy Duty FLSH Cage Smk N	
SD4E27-HCF1	SP IV IP H.264 SE 27X Heavy Duty FLSH Cage Clr N	
SD4E27-HCF1	SP IV IP H.264 SE 27X Heavy Duty FLSH Cage Clr N	
SD4E27-HCF1	SP IV IP H.264 SE 27X Heavy Duty FLSH Cage Clr N	
SD4E27-HCP0	SP IV IP H.264 SE 27X Heavy Duty Pnd Cage Smk N	
SD4E27-HCP0	SP IV IP H.264 SE 27X Heavy Duty Pnd Cage Smk N	
SD4E27-HCP0	SP IV IP H.264 SE 27X Heavy Duty Pnd Cage Smk N	
SD4E27-HCP1	SP IV IP H.264 SE 27X Heavy Duty Pnd Cage Clr N	
SD4E27-HCP1	SP IV IP H.264 SE 27X Heavy Duty Pnd Cage Clr N	
SD4E27-HCP1	SP IV IP H.264 SE 27X Heavy Duty Pnd Cage Clr N	
SD4E27-HCPE0	SP IV IP H.264 SE 27X Heavy Duty EN PD Cage Smk N	

ATTACHMENT "B"- PART 1

SD4E27-HCPE0	SP IV IP H.264 SE 27X Heavy Duty EN PD Cage Smk N	
SD4E27-HCPE0	SP IV IP H.264 SE 27X Heavy Duty EN PD Cage Smk N	
SD4E27-HCPE1	SP IV IP H.264 SE 27X Heavy Duty EN PD Cage Clr N	
SD4E27-HCPE1	SP IV IP H.264 SE 27X Heavy Duty EN PD Cage Clr N	
SD4E27-HCPE1	SP IV IP H.264 SE 27X Heavy Duty EN PD Cage Clr N	
SD4E27-HF0	SP IV IP H.264 SE 27X Heavy Duty Flush Smk NTSC	
SD4E27-HF0	SP IV IP H.264 SE 27X Heavy Duty Flush Smk NTSC	
SD4E27-HF0	SP IV IP H.264 SE 27X Heavy Duty Flush Smk NTSC	
SD4E27-HF1	SP IV IP H.264 SE 27X Heavy Duty Flush Clear NTSC	
SD4E27-HF1	SP IV IP H.264 SE 27X Heavy Duty Flush Clear NTSC	
SD4E27-HF1	SP IV IP H.264 SE 27X Heavy Duty Flush Clear NTSC	
SD4E27-HP0	SP IV IP H.264 SE 27X Heavy Duty Pendant Smk NTSC	
SD4E27-HP0	SP IV IP H.264 SE 27X Heavy Duty Pendant Smk NTSC	
SD4E27-HP0	SP IV IP H.264 SE 27X Heavy Duty Pendant Smk NTSC	
SD4E27-HP1	SP IV IP H.264 SE 27X Heavy Duty Pendant Clr NTSC	
SD4E27-HP1	SP IV IP H.264 SE 27X Heavy Duty Pendant Clr NTSC	
SD4E27-HP1	SP IV IP H.264 SE 27X Heavy Duty Pendant Clr NTSC	
SD4E27-HPE0	SP IV IP H.264 SE 27X Heavy Duty ENV Pnd Smk NTSC	
SD4E27-HPE0	SP IV IP H.264 SE 27X Heavy Duty ENV Pnd Smk NTSC	
SD4E27-HPE0	SP IV IP H.264 SE 27X Heavy Duty ENV Pnd Smk NTSC	
SD4E27-HPE1	SP IV IP H.264 SE 27X Heavy Duty ENV Pnd Clr NTSC	
SD4E27-HPE1	SP IV IP H.264 SE 27X Heavy Duty ENV Pnd Clr NTSC	
SD4E27-HPE1	SP IV IP H.264 SE 27X Heavy Duty ENV Pnd Clr NTSC	
SD4E27-PB-0	SP IV IP H.264 SE 27X Pendant Black Smoke NTSC	
SD4E27-PB-0	SP IV IP H.264 SE 27X Pendant Black Smoke NTSC	
SD4E27-PB-1	SP IV IP H.264 SE 27X Pendant Black Clear NTSC	
SD4E27-PB-1	SP IV IP H.264 SE 27X Pendant Black Clear NTSC	
SD4E27-PB-2	SP IV IP H.264 SE 27X Pendant Black Chrome NTSC	
SD4E27-PB-2	SP IV IP H.264 SE 27X Pendant Black Chrome NTSC	
SD4E27-PB-3	SP IV IP H.264 SE 27X Pendant Black Gold NTSC	
SD4E27-PB-3	SP IV IP H.264 SE 27X Pendant Black Gold NTSC	
SD4E27-PG-0	SP IV IP H.264 SE 27X Pendant Grey Smoke NTSC	
SD4E27-PG-0	SP IV IP H.264 SE 27X Pendant Grey Smoke NTSC	
SD4E27-PG-1	SP IV IP H.264 SE 27X Pendant Grey Clear NTSC	
SD4E27-PG-1	SP IV IP H.264 SE 27X Pendant Grey Clear NTSC	
SD4E27-PG-2	SP IV IP H.264 SE 27X Pendant Grey CHR NTSC	
SD4E27-PG-2	SP IV IP H.264 SE 27X Pendant Grey CHR NTSC	
SD4E27-PG-3	SP IV IP H.264 SE 27X Pendant Grey Gold NTSC	
SD4E27-PG-3	SP IV IP H.264 SE 27X Pendant Grey Gold NTSC	
SD4E27-PG-E0	SP IV IP H.264 SE 27X ENV Pendant Grey Smoke NTSC	
SD4E27-PG-E0	SP IV IP H.264 SE 27X ENV Pendant Grey Smoke NTSC	
SD4E27-PG-E1	SP IV IP H.264 SE 27X ENV Pendant Grey Clear NTSC	
SD4E27-PG-E1	SP IV IP H.264 SE 27X ENV Pendant Grey Clear NTSC	
SD4E27-PSGE0	SP IV IP H.264 SE 27X Stainless Steel Env Pnd Smk	

ATTACHMENT "B"- PART 1

SD4E27-PSGE0	SP IV IP H.264 SE 27X Stainless Steel Env Pnd Smk	
SD4E27-PSGE1	SP IV IP H.264 SE 27X Stainless Steel Env Pnd Clr	
SD4E27-PSGE1	SP IV IP H.264 SE 27X Stainless Steel Env Pnd Clr	
SD4E35-F-E0	SP IV IP H.264 SE 35X Flush ENV Black Smoke NTSC	
SD4E35-F-E0	SP IV IP H.264 SE 35X Flush ENV Black Smoke NTSC	
SD4E35-F-E1	SP IV IP H.264 SE 35X Flush ENV Black Clear NTSC	
SD4E35-F-E1	SP IV IP H.264 SE 35X Flush ENV Black Clear NTSC	
SD4E35-F-E2	SP IV IP H.264 SE 35X Flush ENV Black Chrome NTSC	
SD4E35-F-E2	SP IV IP H.264 SE 35X Flush ENV Black Chrome NTSC	
SD4E35-F-E3	SP IV IP H.264 SE 35X Flush ENV Black Gold NTSC	
SD4E35-F-E3	SP IV IP H.264 SE 35X Flush ENV Black Gold NTSC	
SD4E35-F0	SP IV IP H.264 SE 35X Flush White Smoke NTSC	
SD4E35-F0	SP IV IP H.264 SE 35X Flush White Smoke NTSC	
SD4E35-F1	SP IV IP H.264 SE 35X Flush White Clear NTSC	
SD4E35-F1	SP IV IP H.264 SE 35X Flush White Clear NTSC	
SD4E35-F2	SP IV IP H.264 SE 35X Flush White Chrome NTSC	
SD4E35-F2	SP IV IP H.264 SE 35X Flush White Chrome NTSC	
SD4E35-F3	SP IV IP H.264 SE 35X Flush White Gold NTSC	
SD4E35-F3	SP IV IP H.264 SE 35X Flush White Gold NTSC	
SD4E35-HCF0	SP IV IP H.264 SE 35X Heavy Duty FLSH Cage Smk N	
SD4E35-HCF0	SP IV IP H.264 SE 35X Heavy Duty FLSH Cage Smk N	
SD4E35-HCF0	SP IV IP H.264 SE 35X Heavy Duty FLSH Cage Smk N	
SD4E35-HCF1	SP IV IP H.264 SE 35X Heavy Duty FLSH Cage Clr N	
SD4E35-HCF1	SP IV IP H.264 SE 35X Heavy Duty FLSH Cage Clr N	
SD4E35-HCF1	SP IV IP H.264 SE 35X Heavy Duty FLSH Cage Clr N	
SD4E35-HCP0	SP IV IP H.264 SE 35X Heavy Duty Pnd Cage Smk N	
SD4E35-HCP0	SP IV IP H.264 SE 35X Heavy Duty Pnd Cage Smk N	
SD4E35-HCP0	SP IV IP H.264 SE 35X Heavy Duty Pnd Cage Smk N	
SD4E35-HCP1	SP IV IP H.264 SE 35X Heavy Duty Pnd Cage Clr N	
SD4E35-HCP1	SP IV IP H.264 SE 35X Heavy Duty Pnd Cage Clr N	
SD4E35-HCP1	SP IV IP H.264 SE 35X Heavy Duty Pnd Cage Clr N	
SD4E35-HCPE0	SP IV IP H.264 SE 35X Heavy Duty EN PD Cage Smk N	
SD4E35-HCPE0	SP IV IP H.264 SE 35X Heavy Duty EN PD Cage Smk N	
SD4E35-HCPE0	SP IV IP H.264 SE 35X Heavy Duty EN PD Cage Smk N	
SD4E35-HCPE1	SP IV IP H.264 SE 35X Heavy Duty EN PD Cage Clr N	
SD4E35-HCPE1	SP IV IP H.264 SE 35X Heavy Duty EN PD Cage Clr N	
SD4E35-HCPE1	SP IV IP H.264 SE 35X Heavy Duty EN PD Cage Clr N	
SD4E35-HF0	SP IV IP H.264 SE 35X Heavy Duty Flush Smk NTSC	
SD4E35-HF0	SP IV IP H.264 SE 35X Heavy Duty Flush Smk NTSC	
SD4E35-HF0	SP IV IP H.264 SE 35X Heavy Duty Flush Smk NTSC	
SD4E35-HF1	SP IV IP H.264 SE 35X Heavy Duty Flush Clear NTSC	
SD4E35-HF1	SP IV IP H.264 SE 35X Heavy Duty Flush Clear NTSC	
SD4E35-HF1	SP IV IP H.264 SE 35X Heavy Duty Flush Clear NTSC	
SD4E35-HP0	SP IV IP H.264 SE 35X Heavy Duty Pendant Smk NTSC	

ATTACHMENT "B"- PART 1

SD4E35-HP0	SP IV IP H.264 SE 35X Heavy Duty Pendant Smk NTSC	
SD4E35-HP0	SP IV IP H.264 SE 35X Heavy Duty Pendant Smk NTSC	
SD4E35-HP1	SP IV IP H.264 SE 35X Heavy Duty Pendant Clr NTSC	
SD4E35-HP1	SP IV IP H.264 SE 35X Heavy Duty Pendant Clr NTSC	
SD4E35-HP1	SP IV IP H.264 SE 35X Heavy Duty Pendant Clr NTSC	
SD4E35-HPE0	SP IV IP H.264 SE 35X Heavy Duty ENV Pnd Smk NTSC	
SD4E35-HPE0	SP IV IP H.264 SE 35X Heavy Duty ENV Pnd Smk NTSC	
SD4E35-HPE0	SP IV IP H.264 SE 35X Heavy Duty ENV Pnd Smk NTSC	
SD4E35-HPE1	SP IV IP H.264 SE 35X Heavy Duty ENV Pnd Clr NTSC	
SD4E35-HPE1	SP IV IP H.264 SE 35X Heavy Duty ENV Pnd Clr NTSC	
SD4E35-HPE1	SP IV IP H.264 SE 35X Heavy Duty ENV Pnd Clr NTSC	
SD4E35-PB-0	SP IV IP H.264 SE 35X Pendant Black Smoke NTSC	
SD4E35-PB-0	SP IV IP H.264 SE 35X Pendant Black Smoke NTSC	
SD4E35-PB-1	SP IV IP H.264 SE 35X Pendant Black Clear NTSC	
SD4E35-PB-1	SP IV IP H.264 SE 35X Pendant Black Clear NTSC	
SD4E35-PB-2	SP IV IP H.264 SE 35X Pendant Black Chrome NTSC	
SD4E35-PB-2	SP IV IP H.264 SE 35X Pendant Black Chrome NTSC	
SD4E35-PB-3	SP IV IP H.264 SE 35X Pendant Black Gold NTSC	
SD4E35-PB-3	SP IV IP H.264 SE 35X Pendant Black Gold NTSC	
SD4E35-PG-0	SP IV IP H.264 SE 35X Pendant Grey Smoke NTSC	
SD4E35-PG-0	SP IV IP H.264 SE 35X Pendant Grey Smoke NTSC	
SD4E35-PG-1	SP IV IP H.264 SE 35X Pendant Grey Clear NTSC	
SD4E35-PG-1	SP IV IP H.264 SE 35X Pendant Grey Clear NTSC	
SD4E35-PG-2	SP IV IP H.264 SE 35X Pendant Grey CHR NTSC	
SD4E35-PG-2	SP IV IP H.264 SE 35X Pendant Grey CHR NTSC	
SD4E35-PG-3	SP IV IP H.264 SE 35X Pendant Grey Gold NTSC	
SD4E35-PG-3	SP IV IP H.264 SE 35X Pendant Grey Gold NTSC	
SD4E35-PG-E0	SP IV IP H.264 SE 35X ENV Pendant Grey Smoke NTSC	
SD4E35-PG-E0	SP IV IP H.264 SE 35X ENV Pendant Grey Smoke NTSC	
SD4E35-PG-E1	SP IV IP H.264 SE 35X ENV Pendant Grey Clear NTSC	
SD4E35-PG-E1	SP IV IP H.264 SE 35X ENV Pendant Grey Clear NTSC	
SD4E35-PSGE0	SP IV IP H.264 SE 35X Stainless Steel Env Pnd Smk	
SD4E35-PSGE0	SP IV IP H.264 SE 35X Stainless Steel Env Pnd Smk	
SD4E35-PSGE1	SP IV IP H.264 SE 35X Stainless Steel Env Pnd Clr	
SD4E35-PSGE1	SP IV IP H.264 SE 35X Stainless Steel Env Pnd Clr	
SD4H35-F-E0	Spectra® IV Horizon Flush Env Blk Smk D/N 35X	
SD4H35-F-E1	Spectra® IV Horizon Flush Env Blk Clr D/N 35X	
SD4H35-PG-0	Spectra® IV Horizon Pnd Gray Smk D/N 35X	
SD4H35-PG-1	Spectra® IV Horizon Pnd Gray Clr D/N 35X	
SD4H35-PG-E0	Spectra® IV Horizon Env Pnd Gray Smk D/N 35X	
SD4H35-PG-E1	Spectra® IV Horizon Env Pnd Gray Clr D/N 35X	
SD4N-B0	Spectra® Mini IP Smoked Dome Black NTSC	
SD4N-B1	Spectra® Mini IP Clear Dome Black NTSC.	
SD4N-W0	Spectra® Mini IP Smoked Dome White NTSC.	

ATTACHMENT "B"- PART 1

SD4N-W1	Spectra® Mini IP Clear Dome White NTSC	
SD4N23-F-E0	Spectra® IV IP SL 23X Flush Environ Blk Smk NTSC	
SD4N23-F-E1	Spectra® IV IP SL 23X Flush ENV Black Clear PAL	
SD4N23-F-E2	Spectra® IV IP SL 23X Flush ENV Black Chrome PAL	
SD4N23-F-E3	Spectra® IV IP SL 23X Flush Environ Black Gold PAL	
SD4N23-F0	Spectra® IV IP SL 23X Flush White Smoke PAL	
SD4N23-F1	Spectra® IV IP SL 23X Flush White Clear PAL	
SD4N23-F2	Spectra® IV IP SL 23X Flush White Chrome PAL	
SD4N23-F3	Spectra® IV IP SL 23X Flush White Gold PAL	
SD4N23-PB-0	Spectra® IV IP SL 23X Pendant Black Smoke PAL	
SD4N23-PB-1	Spectra® IV IP SL 23X Pendant Black Clear PAL	
SD4N23-PB-2	Spectra® IV IP SL 23X Pendant Black Chrome PAL	
SD4N23-PB-3	Spectra® IV IP SL 23X Pendant Black Gold PAL	
SD4N23-PG-0	Spectra® IV IP SL 23X Pendant Grey Smoke PAL	
SD4N23-PG-1	Spectra® IV IP SL 23X Pendant Grey Clear PAL	
SD4N23-PG-2	Spectra® IV IP SL 23X Pendant Grey CHR PAL	
SD4N23-PG-3	Spectra® IV IP SL 23X Pendant Grey Gold PAL	
SD4N23-PG-E0	Spectra® IV IP SL 23X ENV Pendant Grey Smoke PAL	
SD4N23-PG-E1	Spectra® IV IP SL 23X ENV Pendant Grey Clear PAL	
SD4N27-F-E0	Spectra® IV IP SE 27X Flush ENV Black Smoke NTSC	
SD4N27-F-E1	Spectra® IV IP SE 27X Flush ENV Black Clear NTSC	
SD4N27-F-E2	Spectra® IV IP SE 27X Flush ENV Black Chrome NTSC	
SD4N27-F-E3	Spectra® IV IP SE 27X Flush ENV Black Gold NTSC	
SD4N27-F0	Spectra® IV IP SE 27X Flush White Smoke NTSC	
SD4N27-F1	Spectra® IV IP SE 27X Flush White Clear NTSC	
SD4N27-F2	Spectra® IV IP SE 27X Flush White Chrome NTSC	
SD4N27-F3	Spectra® IV IP SE 27X Flush White Gold NTSC	
SD4N27-HCF0	Spectra® IV IP SE 27X Heavy Duty FLSH Cage Smk N	
SD4N27-HCF0	Spectra® IV IP SE 27X Heavy Duty FLSH Cage Smk N	
SD4N27-HCF1	Spectra® IV IP SE 27X Heavy Duty FLSH Cage Clr N	
SD4N27-HCF1	Spectra® IV IP SE 27X Heavy Duty FLSH Cage Clr N	
SD4N27-HCP0	Spectra® IV IP SE 27X Heavy Duty Pnd Cage Smk N	
SD4N27-HCP0	Spectra® IV IP SE 27X Heavy Duty Pnd Cage Smk N	
SD4N27-HCP1	Spectra® IV IP SE 27X Heavy Duty Pnd Cage Clr N	
SD4N27-HCP1	Spectra® IV IP SE 27X Heavy Duty Pnd Cage Clr N	
SD4N27-HCPE0	Spectra® IV IP SE 27X Heavy Duty EN PD Cage Smk N	
SD4N27-HCPE0	Spectra® IV IP SE 27X Heavy Duty EN PD Cage Smk N	
SD4N27-HCPE1	Spectra® IV IP SE 27X Heavy Duty EN PD Cage Clr N	
SD4N27-HCPE1	Spectra® IV IP SE 27X Heavy Duty EN PD Cage Clr N	
SD4N27-HF0	Spectra® IV IP SE 27X Heavy Duty Flush Smk NTSC	
SD4N27-HF0	Spectra® IV IP SE 27X Heavy Duty Flush Smk NTSC	
SD4N27-HF1	Spectra® IV IP SE 27X Heavy Duty Flush Clear NTSC	
SD4N27-HF1	Spectra® IV IP SE 27X Heavy Duty Flush Clear NTSC	
SD4N27-HP0	Spectra® IV IP SE 27X Heavy Duty Pendant Smk NTSC	

ATTACHMENT "B"- PART 1

SD4N27-HP0	Spectra® IV IP SE 27X Heavy Duty Pendant Smk NTSC	
SD4N27-HP1	Spectra® IV IP SE 27X Heavy Duty Pendant Clr NTSC	
SD4N27-HP1	Spectra® IV IP SE 27X Heavy Duty Pendant Clr NTSC	
SD4N27-HPE0	Spectra® IV IP SE 27X Heavy Duty ENV Pnd Smk NTSC	
SD4N27-HPE0	Spectra® IV IP SE 27X Heavy Duty ENV Pnd Smk NTSC	
SD4N27-HPE1	Spectra® IV IP SE 27X Heavy Duty ENV Pnd Clr NTSC	
SD4N27-HPE1	Spectra® IV IP SE 27X Heavy Duty ENV Pnd Clr NTSC	
SD4N27-PB-0	Spectra® IV IP SE 27X Pendant Black Smoke NTSC	
SD4N27-PB-1	Spectra® IV IP SE 27X Pendant Black Clear NTSC	
SD4N27-PB-2	Spectra® IV IP SE 27X Pendant Black Chrome NTSC	
SD4N27-PB-3	Spectra® IV IP SE 27X Pendant Black Gold NTSC	
SD4N27-PG-0	Spectra® IV IP SE 27X Pendant Grey Smoke NTSC	
SD4N27-PG-1	Spectra® IV IP SE 27X Pendant Grey Clear NTSC	
SD4N27-PG-2	Spectra® IV IP SE 27X Pendant Grey CHR NTSC	
SD4N27-PG-3	Spectra® IV IP SE 27X Pendant Grey Gold NTSC	
SD4N27-PG-E0	Spectra® IV IP SE 27X ENV Pendant Grey Smoke NTSC	
SD4N27-PG-E1	Spectra® IV IP SE 27X ENV Pendant Grey Clear NTSC	
SD4N27-PSGE0	SP IV IP SE 27X Stainless Steel Env Pnd Smoke NTSC	
SD4N27-PSGE1	SP IV IP SE 27X Stainless Steel Env Pnd Clear NTSC	
SD4N35-F-E0	Spectra® IV IP Flush Env Blk Smk D/N 35X	
SD4N35-F-E1	Spectra® IV IP Flush Env Blk Clr D/N 35X	
SD4N35-F-E2	Spectra® IV IP Flush Env Blk Chrome D/N 35X	
SD4N35-F-E3	Spectra® IV IP Flush Env Blk Gold D/N 35X	
SD4N35-F0	Spectra® IV IP Flush White Smk D/N 35X	
SD4N35-F1	Spectra® IV IP Flush White Clr D/N 35X	
SD4N35-F2	Spectra® IV IP Flush White Chrome D/N 35X	
SD4N35-F3	Spectra® IV IP Flush White Gold D/N 35X	
SD4N35-HCF0	Spectra® IV IP HD Flush Cage Smk D/N 35X	
SD4N35-HCF0	Spectra® IV IP HD Flush Cage Smk D/N 35X	
SD4N35-HCF1	Spectra® IV IP HD Flush Cage Clr D/N 35X	
SD4N35-HCF1	Spectra® IV IP HD Flush Cage Clr D/N 35X	
SD4N35-HCP0	Spectra® IV IP HD Pnd Cage Smk D/N 35X	
SD4N35-HCP0	Spectra® IV IP HD Pnd Cage Smk D/N 35X	
SD4N35-HCP1	Spectra® IV IP HD Pnd Cage Clr D/N 35X	
SD4N35-HCP1	Spectra® IV IP HD Pnd Cage Clr D/N 35X	
SD4N35-HCPE0	Spectra® IV IP HD Env Pnd Cage 35X Smk	
SD4N35-HCPE0	Spectra® IV IP HD Env Pnd Cage 35X Smk	
SD4N35-HCPE1	Spectra® IV IP HD Env Pnd Cage 35X Clr	
SD4N35-HCPE1	Spectra® IV IP HD Env Pnd Cage 35X Clr	
SD4N35-HF0	Spectra® IV IP HD Flsh Smk D/N 35X	
SD4N35-HF0	Spectra® IV IP HD Flsh Smk D/N 35X	
SD4N35-HF1	Spectra® IV IP HD Flsh Clr D/N 35X	
SD4N35-HF1	Spectra® IV IP HD Flsh Clr D/N 35X	
SD4N35-HP0	Spectra® IV IP HD Pnd Smk D/N 35X	

ATTACHMENT "B"- PART 1

SD4N35-HP0	Spectra® IV IP HD Pnd Smk D/N 35X	
SD4N35-HP1	Spectra® IV IP HD Pnd Clr D/N 35X	
SD4N35-HP1	Spectra® IV IP HD Pnd Clr D/N 35X	
SD4N35-HPE0	Spectra® IV IP HD Env Pnd Smk D/N 35X	
SD4N35-HPE0	Spectra® IV IP HD Env Pnd Smk D/N 35X	
SD4N35-HPE1	Spectra® IV IP HD Env Pnd Clr D/N 35X	
SD4N35-HPE1	Spectra® IV IP HD Env Pnd Clr D/N 35X	
SD4N35-PB-0	Spectra® IV IP Pnd Blk Smk D/N 35X	
SD4N35-PB-1	Spectra® IV IP Pnd Blk Clr D/N 35X	
SD4N35-PB-2	Spectra® IV IP Pnd Blk Chrome D/N 35X	
SD4N35-PB-3	Spectra® IV IP Pnd Blk Gold D/N 35X	
SD4N35-PG-0	Spectra® IV IP Pnd Gray Smk D/N 35X	
SD4N35-PG-1	Spectra® IV IP Pnd Gray Clr D/N 35X	
SD4N35-PG-2	Spectra® IV IP Pnd Gray Chrome D/N 35X	
SD4N35-PG-3	Spectra® IV IP Pnd Gray Gold D/N 35X	
SD4N35-PG-E0	Spectra® IV IP Env Pnd Gray Smk D/N 35X	
SD4N35-PG-E1	Spectra® IV IP Env Pnd Gray Clr D/N 35X	
SD4N35-PSGE0	Spectra® IV IP SS Env Pnd Smk D/N 35X	
SD4N35-PSGE0	Spectra® IV IP SS Env Pnd Smk D/N 35X	
SD4N35-PSGE1	Spectra® IV IP SS Env Pnd Clr D/N 35X	
SD4N35-PSGE1	Spectra® IV IP SS Env Pnd Clr D/N 35X	
SD4NH35-F-E0	Spectra® IV IP Horizon Flush Env Blk 35X Smk	
SD4NH35-F-E1	Spectra® IV IP Horizon Flush Env Blk 35X Clr	
SD4NH35-PG-0	Spectra® IV IP Horizon Pendant Gry 35X Smk	
SD4NH35-PG-1	Spectra® IV IP Horizon Pendant Gry 35X Clr	
SD4NH35-PG-E0	Spectra® IV IP Horizon Env Pendant Gry 35X Smk	
SD4NH35-PG-E1	Spectra® IV IP Horizon Env Pendant Gry 35X Clr	
SD5-P	2X2-foot Ceiling Panel for Spectra® or DF5	
SD5-P	2X2-foot Ceiling Panel for Spectra® or DF5	
SEB5100-1500	Storage Expansion Box with 1.5 TB Storage	
SEB5100-3000	Storage Expansion Box with 3.0 TB Storage	
SEB5100-6000	Storage Expansion Box with 6.0 TB Storage	
SI00-4722-006A		
SM5000	System Manager For Multi NVR Systems	
SP01-003	Spectra IV Pressurized anti-vibration mount	
SPA102	Pole adapter for ST1 strut	
SPM4-B	Pendant Mount - Black	
SPM4-W	Pendant Mount - White	
SRV-OS-CRT-DVM	OnSite Certification DVMS	
SRV-SA-DVM	System Audit DVMS	
SS1512	Sun Shield for EH1512 series enclosures only	
SS2508	Sun Shield for EH2508 Series Only	
SS2508FLIR	Sun Shield for EH2508 Series FLIR only	
SS2512	Sun Shield for EH2512 Series Only	

ATTACHMENT "B"- PART 1

SS2512FLIR	Sun Shield for EH2512 Series FLIR only	
SS2515	Sun Shield for EH2515 Series Only	
SS3508	Sun Shield for EH3508 Series Only	
SS3512	Sun Shield for EH3512 & EH3512L Series Only	
SS3515	Sun Shield for EH3515 & EH3515L Series Only	
SS4514	Sun Shield for HS4514 Only	
SS4718	Sun Shield for EH4718 & EH4718L Series Only	
SS4718	Sun Shield for EH4718 & EH4718L Series Only	
SS4722	Sun Shield for EH4722 & EH4722L Series Only	
SS4722	Sun Shield for EH4722 & EH4722L Series Only	
SS5723	Sun Shield for EH5723 & EH5723L Series Only	
SS5723	Sun Shield for EH5723 & EH5723L Series Only	
SS5729	Sun Shield for EH5729 & EH5729L Series Only	
SS8004	Sun Shield for EH8104 Only	
SS8006	Sun Shield for EH8106 & EH8106L Only	
SSEHX4E	Sun Shield for EHX4E Only	
SSEHX6E	Sun Shield for EHX6E Only	
SSEHX6E-16	Sun Shield for EHX6E Only	
SSEHX8E	Sun Shield for EHX8E Only	
ST1	Optional Support Strut for PM2000 in High Wind	
SW-EV-LNL-02	Intregal Software Endura+Lenel OG 5.12,6.0	
SWM-BK	Blk Wall Mt for Intercept/Spectra®/DF5 series	
SWM-CA	Corner Adapter for SWM-G Wall Mt	
SWM-CA24	Corner Adapter for SWM-G Wall Mt /24VAC Input	
SWM-CAWT	Corner Adapter White for SWM-WT	
SWM-GY	Gray Wall Mt for Intercept/Spectra®/DF5 series	
SWM-PA-BK	Blk Pole Adapter for SWM-BK for Spectra®/DF5	
SWM-PA-GY	Spectra® Mt Pole adapter for SWM-GY	
SWM-PAWT	Pole Adapter White for SWM-WT	
SWM-SR	Wall Mount Lt Gray for Sarix™ IE Pend Sh	
SWM-WT	WALL Mount White for Sarix ™ ID Pendant	
SWM4-B	Wall Mount - Black	
SWM4-W	Wall Mount - White	
SX8205R	Ethernet Sw, 5 base, single width	
TB1750	Light-Duty Camera Mount with T-Bar Clip up to 7lb	
TF2000	Power Transformer for 24VAC Camera 20VA	
TF9000	Power Transformer for 24VAC Camera 50VA	
TI106	Pre-Sale - Sarix TI 160X120 w/6mm Lens IP/NTSC	
TI2535	Fixed-Mount Thermal Imager 24VAC 35mm 30HZ	
TI2550	Fixed-Mount Thermal Imager 24VAC 50mm 30HZ	
TI2550-1	Fixed-Mount Thermal Imager 24VAC 50mm 9HZ	
TI3100	Pre-Sale - Sarix TI 384x288 w/100mm Lens IP/NTSC	
TI314	Pre-Sale - Sarix TI 384x288 w/14mm Lens IP/NTSC	
TI335	Pre-Sale - Sarix TI 384x288 w/35mm Lens IP/NTSC	

ATTACHMENT "B"- PART 1

TI350	Pre-Sale - Sarix TI 384x288 w/50mm Lens IP/NTSC	
TI47	Thermal Insulation Kit for EH4700 Series	
TI47	Thermal Insulation Kit for EH4700 Series	
TI57	Thermal Insulation Kit for EH5700 Series	
TI57	Thermal Insulation Kit for EH5700 Series	
TI6100	Pre-Sale - Sarix TI 640X480 w/100mm Lens IP/NTSC	
TI614	Pre-Sale - Sarix TI 640X480 w/14mm Lens IP/NTSC	
TI635	Pre-Sale - Sarix TI 640X480 w/35mm Lens IP/NTSC	
TI650	Pre-Sale - Sarix TI 640X480 w/50mm Lens IP/NTSC	
TW3001AR	1 Channel Receiver for UTP, Active	
TW3001AR	1 Channel Receiver for UTP, Active	
TW3001AT	1 CH Transmitter for UTP, Active 120 VAC	
TW3001AT	1 CH Transmitter for UTP, Active 120 VAC	
TW3001AT-X	1 CH Transmitter for UTP, Active 230 VAC	
TW3001AT-X	1 CH Transmitter for UTP, Active 230 VAC	
TW3001P	1 Channel Tranceiver for UTP, Passive	
TW3001PC	Sngl ch transceiver for Camclosure® 2 no discount	
TW3001PC	Sngl ch transceiver for Camclosure® 2 no discount	
TW4001P	1 CH TRANSCEIVER FOR UTP, PASSIVE	
TW4004P	4 Channel Transceiver for UTP, Passive	
TW4008P	8 Channel Transceiver for UTP Passive	
TW4016P	16 Channel Transceiver for UTP Passive	
TW4032P	32 Channel Transceiver for UTP Passive	
TXB-AD	Dome Pan/Tilt Translator for AD	
TXB-B	Dome Pan/Tilt Translator for Burle/Philips	
TXB-H	Translator Board for Hernis Protocol	
TXB-IP-F	IP Translator Board For In-Ceiling	
TXB-IP-P	IP Translator Board For Pendant	
TXB-NTCIP	Translator Board for NTCIP protocol	
TXB-S422	Translator Board for Sensormatic Controllers	
TXB-V	Dome Pan/Tilt Translator for Vicon	
UDI5000-CAM-US	Univ Dev Int 3P Cams Base Unit	
UDI5000-MTRX-US	Endura® UDI5000-MTRX Universal Device Interface	
VC-UTP	Spectra III™ UTP Video Module	
VCD5202-US	Video Console Display, US PWR CRD	
VS5104	Sequential Desktop Switcher 4 In X 1 Out 120VAC	
VS5108	Sequential Desktop Switcher 8 In X 1 Out 120VAC	
WCS1-4	Camera Power Supply 4Amp 1 Output	
WCS4-20	Camera Power Supply 20Amp 4 Fused Outputs	
WCS4-20B	Camera Power Supply 20Amp 4 Output Breaker	
WD47-1	Window Defroster for EH4700 120VAC	
WD47-1	Window Defroster for EH4700 120VAC	
WD47-2	Window Defroster for EH4700 24VAC	
WD47-2	Window Defroster for EH4700 24VAC	

ATTACHMENT "B"- PART 1

WD57-1	Window Defroster for EH5700 120VAC	
WD57-1	Window Defroster for EH5700 120VAC	
WD57-2	Window Defroster for EH5700 24VAC	
WD57-2	Window Defroster for EH5700 24VAC	
WM2000	Wall Arm Mt for PA2000 & PA2010 up to 75lb	
WM3026	Extra HD Wall Mt Pan/Tilt Enclosure up to 300lb	
WM5001-3U	Single width module wall mt base kt	
WM5001-3UEXP	Single width module wall mt exp kit	
WM5002-3U	Double width module wall mt base kt	
WM5002-3UEXP	Double width module wall mt exp kit	
WM5003-3U	Triple width module wall mount base kit	
WM5004-3U	Quad width module wall mount base kit	
WM5200-4U	Wall Mount Kit for 1 Module - 4U	
WM5200-4UEXP	Wall Mount Exp Kit to Add 1 Module - 4U	
WM5300	Wall Mount Kit for NET5308T/ENC5316	
WMVE-SR	Wall Mount Vandal Resist 1.5 Inch NPT Light Gray	
WMVE-WT	Wall Mount Vandal Resistant 1.5 Inch NPT White	
WP13	Wall plate to mt CM1300 to std electrical box	
WS5070-US	Wkstn w/WS5200 SW- US PWR Cord	
WS5200-1	2ND GEN WS5000 SW,1 SEAT LIC	
WS5200-10	2ND GEN WS5000 SW,10 SEAT LIC	
WS5200-25	2ND GEN WS5000 SW,25 SEAT LIC	
WS5200-5	2ND GEN WS5000 SW,5 SEAT LIC	
WS5200-MAP	2ND GEN MAPPING SW,SITE LIC	
WS5200-SITE	2ND GEN WS5000 SW,SITE LIC	
WS5220-UPG	2ND GEN WS5000 SW UGRADE	
WS5220-UPGSITE	2ND GEN WS5000 SW UPGRADE SITE LIC	
WW5723-1	23 in. Window Wiper Kit for EH5723 & EH5700L 120V	
WW5723-2	23 in. Window Wiper Kit for EH5700 & EH5700L 24VAC	
WW5729-1	29 in. Window Wiper Kit for EH5723 & EH5700L 120V	
WW5729-2	29 in. Window Wiper Kit for EH5700 & EH5700L 24VAC	
WXM100	ExSite® SS Wall Mt, IPS And XM Products	
LENEL		
SWS-32ES	OnGuard 32ES Server Software License on DVD – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail Interface, Login Driver, Account Linkage support for up to 32 card access readers, and first year support plan SUSP-W-ES (USE PC CONFIGURATION #3) (see page 26)	

ATTACHMENT "B"- PART 1

SWC-32ES	OnGuard 32ES Client Software License – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner and Login Driver. (USE PC CONFIGURATION #6) (see page 26)	
PCS-32ES	OnGuard 32ES Server System with PC & DVD – includes Microsoft Windows XP Professional, SQL2005 Express database, OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail Interface, Login Driver, Account Linkage support for up to 32 card access readers and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
PCC-32ES	OnGuard 32ES Client System with PC – includes Microsoft Windows XP Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner and Login Driver. (USE PC CONFIGURATION #6) (see page 26)	
OG-32ES-2EP	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [1] LNL-1320-U two door interface module, [1] LNL-CONV-1U Mounting Plate, [1] LNL-OLS75ACTX power supply and cabinet, [2] LNL-XF1050K OpenProx card readers, [25] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-4EP	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [2] LNL-1320-U two door interface module, [2] LNL-CONV-1U Mounting Plates, [1] LNL-OLS75ACTX power supply and enclosure [1] LNL-CTX enclosure cabinet, [4] LNL-XF1050K OpenProx card readers, [50] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-8EP	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [4] LNL-1320-U two door interface module, [4] LNL-CONV-1U Mounting Plates, [1] LNL-AL600ULX-4CB6 power supply and cabinet, [8] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	

ATTACHMENT "B"- PART 1

OG-32ES-16EP	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [8] LNL-1320-U two door interface module, [8] LNL-CONV-1U Mounting Plates, [1] LNL-AL600ULX-4CB6 power supply and cabinet, [1] LNL-CTX6 enclosure, [16] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-2EP2	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-OLS75ACTX power supply with enclosure, [2] LNL-XF1050K OpenProx card readers, [25] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-4EP2	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-1320-U two door interface module, [1] LNL-CONV-1U Mounting Plate, [1] LNL-OLS75ACTX power supply with enclosure, [4] LNL-XF1050K OpenProx card readers, [50] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-8EP2	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [3] LNL-1320-U two door interface module, [3] LNL-CONV-1U Mounting Plates, [1] LNL-AL600ULX-4CB6 power supply with enclosure, [8] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-16EP2	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [7] LNL-1320-U two door interface module, [7] LNL-CONV-1U Mounting Plates, [1] LNL-AL600ULX-4CB6 power supply with enclosure, [1] LNL-CTX6 enclosure, [16] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	

OG-32ES-2NCR	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [1] LNL-1320-1U two door interface module, [1] LNL-CONV-U Mounting Plate, [1] LNL-OLS75ACTX power supply and cabinet and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-4NCR	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [2] LNL-1320-1U two door interface module, [2] LNL-CONV-U Mounting Plates, [1] LNL-OLS75ACTX power supply and enclosure [1] LNL-CTX enclosure cabinet and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-8NCR	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [4] LNL-1320-U two door interface module, [4] LNL-CONV-1U Mounting Plates, [1] LNL-AL600ULX-4CB6 power supply and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-16NCR	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [8] LNL-1320-U two door interface module, [8] LNL-CONV-1U Mounting Plates, [1] LNL-AL600ULX-4CB6 power supply and cabinet, [1] LNL-CTX6 enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-2NCR2	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-OLS75ACTX power supply with cabinet and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-4NCR2	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-1320-U two door interface module, [1] LNL-CONV-1U Mounting Plate, [1] LNL-OLS75ACTX power supply with enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	

OG-32ES-8NCR2	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [3] LNL-1320-U two door interface module, [3] LNL-CONV-1U Mounting Plates, [1] LNL-AL600ULX-4CB6 power supply with enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-16NCR2	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [7] LNL-1320-U two door interface module, [7] LNL-CONV-1U Mounting Plates, [1] LNL-AL600ULX-4CB6 power supply with enclosure, [1] LNL-CTX6 enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-2EP-EU	OnGuard 32ES 2 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [1] LNL-1320-U two door interface module, [1] LNL-CONV-1U Mounting Plates, [1] LNL-400X-CE220 power supply and cabinet, [2] LNL-XF1050K OpenProx card readers, [25] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-4EP-EU	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [2] LNL-1320-U two door interface module, [2] LNL-CONV-1U Mounting Plates, [1] LNL-400X-CE220 power supply and enclosure [1] LNL-CTX enclosure cabinet, [4] LNL-XF1050K OpenProx card readers, [50] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-8EP-EU	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [4] LNL-1320-U two door interface module, [4] LNL-CONV-1U Mounting Plates, [1] LNL-600X6-CE220 power supply and cabinet, [8] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	

OG-32ES-16EP-EU	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [8] LNL-1320-U two door interface module, [8] LNL-CONV-1U Mounting Plates, [1] LNL-600X6-CE220 power supply and cabinet, [1] LNL-CTX6 enclosure, [16] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-2EPEU2	OnGuard 32ES 2 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-400X-CE220 power supply with cabinet, [2] LNL-XF1050K OpenProx card readers, [25] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-4EPEU2	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-1320-U two door interface module, [1] LNL-CONV-1U Mounting Plate, [1] LNL-400X-CE220 power supply with enclosure, [4] LNL-XF1050K OpenProx card readers, [50] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-8EPEU2	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [3] LNL-1320-U two door interface module, [3] LNL-CONV-1U Mounting Plates, [1] LNL-600X6-CE220 power supply with cabinet, [8] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-16EPEU2	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [7] LNL-1320-U two door interface module, [7] LNL-CONV-1U Mounting Plates, [1] LNL-600X6-CE220 power supply with cabinet, [1] LNL-CTX6 enclosure, [16] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	

ATTACHMENT "B"- PART 1

OG-32ES-2NCREU	OnGuard 32ES 2 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [1] LNL-1320-U two door interface module, [1] LNL-CONV-1U Mounting Plate, [1] LNL-400X-CE220 power supply and cabinet and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-4NCREU	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [2] LNL-1320-U two door interface module, [2] LNL-CONV-1U Mounting Plates, [1] LNL-400X-CE220 power supply and enclosure [1] LNL-CTX enclosure cabinet and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-8NCREU	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [4] LNL-1320-U two door interface module, [4] LNL-CONV-1U Mounting Plates, [1] LNL-600X6-CE220 power supply and cabinet and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-16NCREU	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [8] LNL-1320-U two door interface module, [8] LNL-CONV-1U Mounting Plates, [1] LNL-600X6-CE220 power supply and cabinet, [1] LNL-CTX6 enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-2NEU2	OnGuard 32ES 2 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-400X-CE220 power supply with enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	

ATTACHMENT "B"- PART 1

OG-32ES-4NEU2	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-1320-U two door interface module, [1] LNL-CONV-1U Mounting Plate, [1] LNL-400X-CE220 power supply with enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-8NEU2	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [3] LNL-1320-U two door interface module, [3] LNL-CONV-1U Mounting Plates, [1] LNL-600X6-CE220 power supply with cabinet and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-16NEU2	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [7] LNL-1320-U two door interface module, [7] LNL-CONV-1U Mounting Plates, [1] LNL-600X6-CE220 power supply with enclosure, [1] LNL-CTX6 enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-2EPE-NP	OnGuard 32ES 2 Door Server Software Entry package without power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [2] LNL-XF1050K OpenProx card readers, [25] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-4EPE-NP	OnGuard 32ES 4 Door Server Software Entry package without power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-1320-U two door interface module,[1] LNL-CONV-1U Mounting Plates, , [4] LNL-XF1050K OpenProx card readers, [50] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
OG-32ES-8EPE-NP	OnGuard 32ES 8 Door Server Software Entry package without power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [3] LNL-1320-U two door interface module, [3] LNL-CONV-1U Mounting Plates, [8] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	

ATTACHMENT "B"- PART 1

OG-32ES-16EP-NP	OnGuard 32ES 16 Door Server Software Entry package without power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [7] LNL-1320-U two door interface module, [7] LNL-CONV-1U Mounting Plates, [16] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-2EP2	OnGuard 32ES 2 Door Server Software Entry package with NGP boards - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220UL intelligent system controller, 2 LNL-XF1050K OpenProx card readers, 25 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-4EP2	OnGuard 32ES 4 Door Server Software Entry package with NGP boards - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220UL intelligent system controller, 1 NGP-1320-UMP two door interface module, 4 LNL-XF1050K OpenProx card readers, 50 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-8EP2	OnGuard 32ES 8 Door Server Software Entry package with NGP boards - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220UL intelligent system controller, 3 NGP-1320-UMP two door interface module, 1 LNL-600ULX-4CB6 power supply with enclosure, 8 LNL-XF1050K OpenProx card readers, 100 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-16EP2	OnGuard 32ES 16 Door Server Software Entry package with NGP boards - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220UL intelligent system controller, 7 NGP-1320-UMP two door interface module, 1 LNL-600ULX-4CB6 power supply with enclosure, 1 LNL-CTX-6 enclosure, 16 LNL-XF1050K OpenProx card readers, 100 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-2NCR2	OnGuard 32ES 2 Door Server Software Entry package with NGP boards - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220UL intelligent system controller, first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	

ATTACHMENT "B"- PART 1

NGP-OG-32ES-4NCR2	OnGuard 32ES 4 Door Server Software Entry package with NGP boards - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220UL intelligent system controller, 1 NGP-1320-UMP two door interface module, first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-8NCR2	OnGuard 32ES 8 Door Server Software Entry package with NGP boards - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220UL intelligent system controller, 3 NGP-1320-UMP two door interface module, 1 LNL-600ULX-4CB6 power supply with enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-16NCR2	OnGuard 32ES 16 Door Server Software Entry package with NGP boards - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220UL intelligent system controller, 7 NGP-1320-UMP two door interface module, 1 LNL-600ULX-4CB6 power supply with enclosure, 1 LNL-CTX6 enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-2EPEU2	OnGuard 32ES 2 Door Server Software Entry package with NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220CE intelligent system controller, 1 LNL-400X-CE220 power supply with cabinet, 2 LNL-XF1050K OpenProx card readers, 25 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-4EPEU2	OnGuard 32ES 4 Door Server Software Entry package with NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220CE intelligent system controller, 1 NGP-1320-UMP two door interface module, 1 LNL-400X-CE220 power supply with enclosure, 4 LNL-XF1050K OpenProx card readers, 50 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-8EPEU2	OnGuard 32ES 8 Door Server Software Entry package with NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220CE intelligent system controller, 3 NGP-1320-UMP two door interface module, 1 LNL-600X6-CE220 power supply with cabinet, 8 LNL-XF1050K OpenProx card readers, 100 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	

ATTACHMENT "B"- PART 1

NGP-OG-32ES-16EPEU	OnGuard 32ES 16 Door Server Software Entry package with NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220CE intelligent system controller, 7 NGP-1320-UMP two door interface module, 1 LNL-600X6-CE220 power supply with cabinet, 1 LNL-CTX-6 enclosure, 16 LNL-XF1050K OpenProx card readers, 100 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-2NEU2	OnGuard 32ES 2 Door Server Software Entry package with NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220CE intelligent system controller, 1 LNL-400X-CE220 power supply with enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-4NEU2	OnGuard 32ES 4 Door Server Software Entry package with NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220CE intelligent system controller, 1 NGP-1320-UMP two door interface module, 1 LNL-400X-CE220 power supply with enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-8NEU2	OnGuard 32ES 8 Door Server Software Entry package with NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220CE intelligent system controller, 3 NGP-1320-UMP two door interface module, 1 LNL-600X6-CE220 power supply with cabinet and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-16NEU2	OnGuard 32ES 16 Door Server Software Entry package with NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220CE intelligent system controller, 7 NGP-1320-UMP two door interface module, 1 LNL-600X6-CE220 power supply with enclosure, 1 LNL-CTX6 enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-2EPE-N	OnGuard 32ES 2 Door Server Software Entry package without NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220 intelligent system controller, qty. 2 LNL-XF1050K OpenProx card readers, qty. 25 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	

ATTACHMENT "B"- PART 1

NGP-OG-32ES-4EPE-N	OnGuard 32ES 4 Door Server Software Entry package without NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220 intelligent system controller, 1 NGP-1320-UMP two door interface module, 4 LNL-XF1050K OpenProx card readers, 50 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-8EPE-N	OnGuard 32ES 8 Door Server Software Entry package without NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220 intelligent system controller, 3 NGP-1320-UMP two door interface module, 8 LNL-XF1050K OpenProx card readers, 100 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
NGP-OG-32ES-16EP-N	OnGuard 32ES 16 Door Server Software Entry package without NGP boards and 220VAC power supply - includes OnGuard Server software 1 SWS-32ES, OnGuard CredentialCenter Client software 1 SWC-IDES, 1 NGP-2220 intelligent system controller, 7 NGP-1320-UMP two door interface module, 16 LNL-XF1050K OpenProx card readers, 100 LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
LNL-EN1000	goEntry V1000 Controller w/32Mb and embedded software, Support for up to 16 doors (requires LNL-EN100 modules for door interface), 4,000 badges, Photo import, Alarm Events and Web Interface, includes first year of annual support SUSP-EN1000.	
LNL-EN100	goEntry V100 door/reader interface, additional 2 door interface needed to expand the V1000 controller.	
LNL-EN10002D	Two door U.S. version HID RP15 multiclass Bundle – goEntry V1000 controller, goEntry V100 I/O board, (2) HID RP15 multiclass (prox, iCLASS) card readers, Lenel enclosure w/power supply, 12v/10.5 Amp hr slim line battery backup, (25) iCLASS access cards, one year free support (SUSP-EN1000).	
LNL-EN100R10DA	V100 two door add on U.S. version HID R10 iCLASS – goEntry V100 I/O board, (2) HID R10 iCLASS card readers, Lenel enclosure w/power supply, 12v/10.5 Amp hr slim line battery backup, (25) iCLASS access cards, one year free support (SUSP-EN1000).	
LNL-EN100PP2DA	V100 two door add on U.S. version HID ProxPoint – goEntry V100 I/O board, (2) HID ProxPoint proximity card readers, Lenel enclosure w/power supply, 12v/10.5 Amp hr slim line battery backup, (25) ProxCard II access cards, one year free support (SUSP-EN1000).	

ATTACHMENT "B"- PART 1

LNL-EN10002DG	Two door Global version HID RP15 multiclass Bundle – goEntry V1000 controller, goEntry V100 I/O board, (2) HID RP15 multiclass (prox, iCLASS) card readers, Lenel enclosure (cabinet only), (25) iCLASS access cards, one year free support (SUSP-EN1000).	
LNL-EN100R102GDA	V100 two door add on Global version HID R10 iCLASS – goEntry V100 I/O board, (2) HID R10 iCLASS card readers, Lenel enclosure (cabinet only), (25) iCLASS access cards.	
LNL-EN100PP2GDA	V100 two door add on Global version HID ProxPoint– goEntry V100 I/O board, (2) HID ProxPoint proximity card readers, Lenel enclosure (cabinet only), (25) ProxCard II access cards.	
LNL-EN1000PPK2GD	Two door Global version HID ProxPro w/Keypad Bundle – goEntry V1000 controller, goEntry V100 I/O board, (2) HID ProxPro card readers with keypad, Lenel enclosure (cabinet only), (25) ProxCard II access cards, one year free support (SUSP-EN1000).	
LNL-EN100PPK2GDA	V100 two door add on Global version HID ProxPro w/Keypad – goEntry V100 I/O board, (2) HID ProxPro card readers, Lenel enclosure (cabinet only), (25) lenel prox access cards.	
LNL-EN1000-RK402DG	Two door Global version HID RK40 iCLASS with Keypad Bundle – goEntry V1000 controller, goEntry V100 I/O board, (2) HID iCLASS RK40 card readers, Lenel enclosure (cabinet only), (25) lenel prox access cards, one year free support (SUSP-EN1000).	
LNL-EN100RK402DGA	V100 two door add on Global version HID iCLASS with Keypad - goEntry V100 I/O board, (2) HID iCLASS RK40 card readers, Lenel enclosure (cabinet only), (25) HID iCLASS contactless smartcard access cards.	
LNL-EN1000MI2DG	Two door Global version HID MIFARE with Keypad Bundle – goEntry V1000 controller, goEntry V100 I/O board, (2) HID MIFARE card readers, Lenel enclosure (cabinet only), (25) MIFARE contactless smartcard access cards, one year free support (SUSP-EN1000).	
LNL-EN100-HIDMI2DG/	V100 two door add on Global version HID MIFARE with Keypad - goEntry V100 I/O board, (2) HID MIFARE card readers, Lenel enclosure (cabinet only), (25) MIFARE contactless smartcard access cards.	
SWS-ADV	OnGuard ADV Server Software License on DVD – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, support for up to 64 card access readers, and first year support plan SUSP-W-ADV-S. (USE PC CONFIGURATION #3) (see page 26)	
SWC-ADV	OnGuard ADV Client Software License – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner, Communication Server and Login Driver. (USE PC CONFIGURATION #3) (see page 26)	

ATTACHMENT "B"- PART 1

PCS-ADV	OnGuard ADV Server System with PC & DVD – includes Microsoft Windows 7 Professional, SQL 2008 standard server database standard edition (Single Application License), OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, support for up to 64 card access readers and first year support plan SUSP-W-ADV-S. (USE PC CONFIGURATION #3) (see page 26)	
PCC-ADV	OnGuard ADV Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner and Login Driver. (USE PC CONFIGURATION #6) (see page 26)	
PCC-HPC-ADV	OnGuard ADV High Performance Video Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner and Login Driver. (USE PC CONFIGURATION #7) (see page 26)	
SWS-PRO	OnGuard PRO Networked Dedicated Server Software License on DVD – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Login Driver, support for up to 128 card access readers, and first year support plan SUSP-W-PRO-S. (USE PC CONFIGURATION #5) (see page 26)	
SWC-ADV	OnGuard ADV Client Software License – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner, Communication Server and Login Driver. (USE PC CONFIGURATION #6) (see page 26)	
PCS-PRO	OnGuard PRO Networked Dedicated Server System with PC & DVD – includes Microsoft Windows Server 2008 SP2 Standard, SQL 2008 server database standard edition (Single Application License), OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Login Driver, support for up to 128 card access readers and first year support plan SUSP-W-PRO-S. (USE PC CONFIGURATION #5) (see page 26)	
PCC-ADV	OnGuard ADV Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner, and Login Driver. (USE PC CONFIGURATION #6) (see page 26)	
PCC-HPC-ADV	OnGuard ADV High Performance Video Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner and Login Driver. (USE PC CONFIGURATION #7) (see page 26)	

ATTACHMENT "B"- PART 1

SWS-IDES	OnGuard IDES Server Software on DVD – includes OnGuard Server software licenses for License Server, Import, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, Login Driver and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
SWC-IDES	OnGuard IDES Client Software License – includes OnGuard Client software licenses for CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, and Login Driver. (USE PC CONFIGURATION #6) (see page 26)	
PCS-IDES	OnGuard IDES Server System with PC & DVD – includes Microsoft Windows XP Professional, SQL2005 Express database, OnGuard Server software licenses for License Server, Import, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, Login Driver and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
PCC-IDES	OnGuard IDES Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, and Login Driver. (USE PC CONFIGURATION #6) (see page 26)	
SWS-IDADV	OnGuard IDADV Server Software License on DVD – includes OnGuard Server software licenses for License Server, Import, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, Login Driver and first year support plan SUSP-W-ADV-S. (USE PC CONFIGURATION #3) (see page 26)	
SWC-IDADV	OnGuard IDADV Client Software License – includes OnGuard Client software licenses for CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, and Login Driver. (USE PC CONFIGURATION #6) (see page 26)	
PCS-IDADV	OnGuard IDADV Server System with PC & DVD – includes Microsoft Windows 7 Professional, SQL 2008 standard server database standard edition, OnGuard Server software licenses for License Server, Import, Login Driver, Account Linkage CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner and first year support plan SUSP-W-ADV-S. (USE PC CONFIGURATION #3) (see page 26)	

ATTACHMENT "B"- PART 1

PCC-IDADV	OnGuard IDADV Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), and BadgeDesigner. (USE PC CONFIGURATION #6) (see page 26)	
PCL-IDES	Laptop Badging Station IDES Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, Login Driver. (USE PC CONFIGURATION #8) (see page 26)	
SWS-IDPRO	OnGuard IDPRO Networked Dedicated Server Software License on DVD – includes OnGuard Server software licenses for License Server, Import, Login Driver and first year support plan SUSP-W-PRO-S. (USE PC CONFIGURATION #5) (see page 26)	
SWC-IDADV	OnGuard IDADV Client Software License – includes OnGuard Client software licenses for CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, and Login Driver. (USE PC CONFIGURATION #6) (see page 26)	
PCS-IDPRO	OnGuard IDPRO Networked Dedicated Server System with PC & DVD – includes Microsoft Windows Server 2008 SP2 Standard, SQL 2008 server database standard edition, OnGuard Server software licenses for License Server, Import, Login Driver and first year support plan SUSP-W-PRO-S. (USE PC CONFIGURATION #5) (see page 26)	
PCC-IDADV	OnGuard IDADV Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), and BadgeDesigner. (USE PC CONFIGURATION #6) (see page 26)	
SWS-32ESI	OnGuard 32ESI Server Software License on DVD – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, support for up to 32 card access readers, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	

ATTACHMENT "B"- PART 1

SWC-32ESI	OnGuard 32ESI Client Software License – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), and BadgeDesigner. (USE PC CONFIGURATION #6) (see page 26)	
PCS-32ESI	OnGuard 32ESI Server System with PC & DVD – includes Microsoft Windows 7 Professional, SQL 2008 Express database, OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, support for up to 32 card access readers, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3) (see page 26)	
PCC-32ESI	OnGuard 32ESI Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting) and BadgeDesigner. (USE PC CONFIGURATION #6) (see page 26)	
SWS-ADVI	OnGuard ADVI Server Software License on DVD - includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, support for up to 64 card access readers and first year support plan SUSP-W-ADV-S. (USE PC CONFIGURATION #3) (see page 26)	
SWC-ADVI	OnGuard ADVI Client Software License – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner, Login Driver, IdentityCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting) and BadgeDesigner. (USE PC CONFIGURATION #6) (see page 26)	

ATTACHMENT "B"- PART 1

PCS-ADVI	OnGuard ADVI Server System with PC & DVD – includes Microsoft Windows 7 Professional, SQL 2008 standard database, OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, support for up to 64 card access readers and first year support plan SUSP-W-ADV-S. (USE PC CONFIGURATION #3) (see page 26)	
PCC-ADVI	OnGuard ADVI Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting) and BadgeDesigner. (USE PC CONFIGURATION #6) (see page 26)	
PCC-HPC-ADVI	OnGuard ADVI High Performance Video Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting) and BadgeDesigner. (USE PC CONFIGURATION #7) (see page 26)	
PCL-PROI	OnGuard Laptop Access Client Station System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting) and BadgeDesigner. (USE PC CONFIGURATION #8) (see page 26)	
SWC-MOB-IDNH	Mobile Badging (Distributed Id) Station IDES Client System Software License – support mobile badging functionality using a local (replicated) cardholder database. Includes OnGuard Client software licenses for: Replication Administration, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, and Login Driver. Note: No hardware is included with this package. (USE PC CONFIGURATION #8) (see page 26)	
SWS-PROI	OnGuard PROI Networked Dedicated Server Software License on DVD – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Login Driver, support for up to 128 card access readers and first year support plan SUSP-W-PRO-S. (USE PC CONFIGURATION #5) (see page 26)	

ATTACHMENT "B"- PART 1

SWC-ADVI	OnGuard ADVI Client Software License – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting) and BadgeDesigner. (USE PC CONFIGURATION #6) (see page 26)	
PCS-PROI	OnGuard PROI Networked Dedicated Server System with PC & DVD – includes Microsoft Windows Server 2008 SP2 Standard, SQL 2008 server database standard edition, OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Login Driver, support for up to 128 card access readers, and first year support plan SUSP-W-PRO-S. (USE PC CONFIGURATION #5) (see page 26)	
PCC-ADVI	OnGuard ADVI Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting) and BadgeDesigner. (USE PC CONFIGURATION #6) (see page 26)	
PCC-HPC-ADVI	OnGuard ADVI High Performance Video Client System with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting) and BadgeDesigner. (USE PC CONFIGURATION #7) (see page 26)	
SWS-ENTMAS-LT	OnGuard Enterprise Lite Networked Dedicated Server Software License on DVD – includes OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, SWG-1240 database segmentation, support for up to 8 ENTREG-LT or ENTREG-SM servers, support for up to 64 local card access readers and first year support plan SUSP-W-ENT, NOTE: support for card access readers are based on regional server(s) card reader capacities with a maximum number of 512 readers total per Master-LT. MUST BE SENT TO LENEL FOR CONFIGURATION (USE PC CONFIGURATION #5) (see page 26)	

ATTACHMENT "B"- PART 1

SWS-ENTMAS1	OnGuard Enterprise Networked Dedicated Server Software License on DVD - includes OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, SWG-1240 database segmentation support for up to 10 of any combination of ENTREG1 or ENTREG-LT or ENTREG-SM servers, support for up to 128 local card access readers and first year support plan SUSP-W-ENT. NOTE: support for card access readers are based on regional server(s) card reader capacities. MUST BE SENT TO LENEL FOR CONFIGURATION (USE PC CONFIGURATION #9) (see page 26)	
PCS-ENTMAS-LT	OnGuard Enterprise Lite Networked Dedicated Server System with PC & DVD – includes Microsoft Windows Server 2008 SP2 Standard, SQL 2008 server database standard edition, SWG-1240 database segmentation, support for up to 8 ENTREG-LT or ENTREG-SM servers, OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, support for up to 64 local card access readers and first year support plan SUSP-W-ENT, NOTE: support for card access readers are based on regional server(s) card reader capacities with a maximum number of 512 readers total per Master-LT. (INCLUDES PC CONFIGURATION #5) (see page 26)	
PCS-ENTMAS1	OnGuard Enterprise Networked Dedicated Server System with PC & DVD – includes Microsoft Windows Server 2008 SP2 Standard, SQL 2008 server database standard edition, SWG-1240 database segmentation, support for up to 10 of any of any combination of ENTREG1 or ENTREG-LT or ENTREG-SM servers, OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, support for up to 128 local card access readers and first year support plan SUSP-W-ENT, NOTE: support for card access readers are based on regional server(s) card reader capacities. (INCLUDES PC CONFIGURATION #9) (see page 26)	
SWS-ENTMAS2	Additional Regional Server Licenses for ENTMAS1 Master Servers - Allows for 10 additional regions to be added to the Enterprise Master (ENTMAS1 only).	
SWS-MASLT2	Additional Regional Server Licenses for ENTMAS-LT Master Servers - Allows for 8 additional regions (16 total) to be added to the Enterprise Master (ENTMAS-LT only).	
PCC-ENTMAS1	OnGuard Enterprise Master Client with PC – includes Microsoft Windows 7 Professional, OnGuard Client software licenses for System Administration. (INCLUDES PC CONFIGURATION #6) (see page 26)	

ATTACHMENT "B"- PART 1

SWS-ENTREG-SM	OnGuard Regional SM Networked Dedicated Server Software License on DVD - includes OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Communication server, SWG-1240 database segmentation, support for up to 16 card access readers standard (optional 16 reader upgrade) and first year support plan SUSP-W-ES. MUST BE SENT TO LENEL FOR CONFIGURATION. (USE PC CONFIGURATION #3) (see page 26)	
SWS-ENTREG-LT	OnGuard Regional Lite Networked Dedicated Server Software License on DVD - includes OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Communication server, SWG-1240 database segmentation, support for up to 64 card access readers and first year support plan SUSP-W-PRO-S. MUST BE SENT TO LENEL FOR CONFIGURATION. (USE PC CONFIGURATION #5) (see page 26)	
SWS-ENTREG1	OnGuard Regional Networked Dedicated Server Software License on DVD - includes OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Communication server, SWG-1240 database segmentation, support for up to 128 card access readers and first year support plan SUSP-W-PRO-S. MUST BE SENT TO LENEL FOR CONFIGURATION. (USE PC CONFIGURATION #5) (see page 26)	
PCS-ENTREG-SM	OnGuard Enterprise Regional SM Networked Dedicated Server System with PC & DVD – includes Microsoft Windows 7, SQL 2008 Express database, SWG-1240 database segmentation, OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Communication server, support for up to 16 card access readers standard (optional 16 reader upgrade) and first year support plan SUSP-W-ES. (INCLUDES PC CONFIGURATION #3) (see page 26)	
PCS-ENTREG-LT	OnGuard Regional Lite Networked Dedicated Server System with PC & DVD – includes Microsoft Windows Server 2008 SP2 Standard, SQL 2008 server database standard edition, SWG-1240 database segmentation, OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Communication server, support for up to 64 card access readers and first year support plan SUSP-W-PRO-S. (INCLUDES PC CONFIGURATION #5) (see page 26)	

ATTACHMENT "B"- PART 1

PCS-ENTREG1	OnGuard Regional Networked Dedicated Server System with PC & DVD – includes Microsoft Windows Server 2008 SP2 Standard, SQL 2008 server database standard edition, SWG-1240 database segmentation, OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Communication server, support for up to 128 card access readers software and first year support plan SUSP-W-PRO-S. (INCLUDES PC CONFIGURATION #5) (see page 26)	
S00080	SQL 2008 Standard Edition, core software with (5 Clients)	
S00082	SQL 2008 Enterprise edition, core software with (25 Clients)	
S00085	SQL 2008 Single Client Access License	
S00021	Crystal Reports Professional Version 11.0	
HO-2072	Four Port serial expansion board for 64 bit PCI Slots	
HO-2074	Eight Port serial expansion board for 64 bit PCI Slots	
HO-2065	Two Port LAN/serial hub, 10/100base-T input, with two selectable output ports (either RS-232, RS-422 or RS-485) using a DB9 connector	
HO-2066	Four port LAN /serial hub, DeviceMaster Serial 4Port RTS, 10/100T input, with four selectable output ports (either RS-232, RS-422 or RS-485) using a DB9 connector	
HO-2067	Eight port LAN/serial hub, DeviceMaster Serial 8Port RTS, 10/100T input, with eight selectable output ports (either RS-232, RS-422 or RS-485) using a DB9 connector	
HO-2073	USB to Serial Rocketport Hub SH II with 4 DB9 connectors	
HO-DVD-INT	CDRW/DVD COMBO 52X/32X/16X IDE BLACK 5.25HH RETAIL W/ MEDIA	
HO-DVD-EXT	CDRW/DVD COMBO 52X/24X/6X USB 2.0 EXTERNAL DRIVE	
SIS-DELL	Integration of Dell PC	
SW-FIS-NAPC	Integration of all other nationally recognized PC Brand	
SW-FIS-RPC	Redundant server configuration per server (i.e. RAID, Clustered and NEC Servers)	
WDG-5912	USB Universal Wedge with cable – supports most standard Wiegand data bit stream output formats. You must order WDG-Custom for each wedge order, and provide a sample reader, cards and detailed information on the card format and usage for the order to be processed.	
WDG-Custom	Custom Format (Cards and Readers) Setup Fee is per order of identically programmed wedge readers. Customer must provide sample reader, cards and detailed information on the card format and usage for the order to be processed.	
SWC-VIEW1ES	View Client Workstation Software License - Single License Pack	
SWC-EDIT1ES	Edit Client Workstation Software License - Single License Pack	
SWC-VIEW1ADV	View Client Workstation Software License - Single License Pack (*)	
SWC-VIEW5	View Client Workstation Software License - 5 License Pack (*)	

ATTACHMENT "B"- PART 1

SWC-EDIT1ADV	Edit Client Workstation Software License - Single License Pack (*)	
SWC-EDIT5	Edit Client Workstation Software License - 5 License Pack (*)	
SWC-VIEW10	View Client Workstation Software License - 10 License Pack (*)	
SWC-VIEW25	View Client Workstation Software License - 25 License Pack (*)	
SWC-VIEW50	View Client Workstation Software License - 50 License Pack (*)	
SWC-VIEW100	View Client Workstation Software License - 100 License Pack (*)	
SWC-EDIT10	Edit Client Workstation Software License - 10 License Pack (*)	
SWC-EDIT25	Edit Client Workstation Software License - 25 License Pack (*)	
SWC-EDIT50	Edit Client Workstation Software License - 50 License Pack (*)	
SWC-EDIT100	Edit Client Workstation Software License - 100 License Pack (*)	
SWG-VM-1	Single Visitor Management License	
SWG-VM-5	5 Pack Visitor Management License	
SWG-VM-10	10 Pack Visitor Management License	
SWG-VM-25	25 Pack Visitor Management License	
SWG-VM-50	50 Pack Visitor Management License	
SWG-VM-100	100 Pack Visitor Management License	
SWG-EV1K	OnGuard Visitor software visit licenses (1,000 visits) for all OnGuard Servers – includes 1,000 customer visits per OnGuard server	
SWG-EV5K	OnGuard Visitor software visit licenses (5,000 visits) for all OnGuard Servers – includes 5,000 customer visits per OnGuard server	
SWG-EV10K	OnGuard Visitor software visit licenses (10,000 visits)– includes 10,000 scheduled customer visits per OnGuard IDADV, ADVI, IDPRO, PROI or ENTREG1 server	
SWG-EV25K	OnGuard Visitor software visit licenses (25,000 visits)– includes 25,000 scheduled customer visits per OnGuard IDADV, ADVI, IDPRO, PROI or ENTREG1 server	
SWG-EV50K	OnGuard Visitor software visit licenses (50,000 visits)– includes 50,000 scheduled customer visits per OnGuard IDADV, ADVI, IDPRO, PROI or ENTREG1 server	
SWG-EV100K	OnGuard Visitor software visit licenses (100,000 visits) for PRO or Enterprise servers only – includes 100,000 scheduled customer visits per OnGuard IDPRO, PROI or ENTREG1 server	
SWG-EV250K	OnGuard Visitor software visit licenses (250,000 visits) for PRO or Enterprise servers only – includes 250,000 scheduled customer visits per OnGuard IDPRO, PROI or ENTREG1 server	
SWG-EV500K	OnGuard Visitor software visit licenses (500,000 visits) for PRO or Enterprise servers only – includes 500,000 scheduled customer visits per OnGuard IDPRO, PROI or ENTREG1 server	
SWG-EV1M	OnGuard Visitor software visit licenses (1,000,000 visits) for PRO or Enterprise servers only – includes 1,000,000 scheduled customer visits per OnGuard IDPRO, PROI or ENTREG1 server	
UP-EV1K	OnGuard Visitor software visit license upgrade (1,000 visits) for all OnGuard Servers – includes 1,000 additional visits	

ATTACHMENT "B"- PART 1

UP-EV5K	OnGuard Visitor software visit license upgrade (5,000 visits) for all OnGuard Servers – includes 5,000 additional visits	
UP-EV10K	OnGuard Visitor software visit license upgrade (10,000 visits)– includes 10,000 additional visits for IDADV, ADVI, IDPRO, PROI or ENTREG1 server solutions	
UP-EV25K	OnGuard Visitor software visit license upgrade (25,000 visits)– includes 25,000 additional visits for IDADV, ADVI, IDPRO, PROI or ENTREG1 server solutions	
UP-EV50K	OnGuard Visitor software visit license upgrade (50,000 visits) – includes 50,000 additional visits for IDADV, 64ADVI, IDPRO, PROI or ENTREG1 server solutions	
UP-EV100K	OnGuard Visitor software visit license upgrade (100,000 visits) for PRO or Enterprise servers only – includes 100,000 additional visits for IDPRO, PROI or ENTREG1 server solutions	
UP-EV250K	OnGuard Visitor software visit license upgrade (250,000 visits) for PRO or Enterprise servers only – includes 250,000 additional visits for IDPRO, PROI or ENTREG1 server solutions	
UP-EV500K	OnGuard Visitor software visit license upgrade (500,000 visits) for PRO or Enterprise servers only – includes 500,000 additional visits for IDPRO, PROI or ENTREG1 server solutions	
UP-EV1M	OnGuard Visitor software visit license upgrade (1,000,000 visits) for PRO or Enterprise servers only – includes 1,000,000 additional visits for IDPRO, PROI or ENTREG1 server solutions	
IDVM-ES-FD	Front Desk for OnGuard ES system	
IDVM-ADV-FD	Front Desk for OnGuard ADV system	
IDVM-PRO/ENT-FD	Front Desk for OnGuard PRO or Enterprise system	
IDVM-HOST	Host Registration module for ES, ADV, PRO and ENT systems. The Host module must be purchased with either the Front Desk or Kiosk. Only one is needed per OnGuard server.	
IDVM-KIOSK-1	Pedestal Style 1, Weight: 145 lbs, 25" Wide / 22" Deep / 65" Height, base cabinet access from the rear of the unit, please specify color with order. Volume discounts available for orders of more than 3 units.	
IDVM-KIOSK-2	Pedestal Style 2, Weight: 145 lbs, 25" Wide / 22" Deep / 65" Height, base cabinet access is from the front of the unit, please specify color with order. Volume discounts available for orders of more than 3 units.	
SWG-RAM1	OnGuard Area Access Manager software license for any OnGuard servers – includes 1 concurrent user license.	
SWG-RAM5	OnGuard Area Access Manager software license for any OnGuard Server – includes up to 5 concurrent user licenses.	
SWG-RAM10	OnGuard Area Access Manager software license for ADV or PRO servers – includes up to 10 concurrent user licenses (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES)	

ATTACHMENT "B"- PART 1

SWG-RAM25	OnGuard Area Access Manager software license for PRO servers – includes up to 25 concurrent user licenses (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES)	
SWG-RAM50	OnGuard Area Access Manager software license for PRO servers – includes up to 50 concurrent user licenses (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES)	
SWG-RAM100	OnGuard Area Access Manager software license for PRO servers – includes up to 100 concurrent user (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES)	
SWG-AMES-8	OnGuard ES Asset Software License Option – includes asset control software license for 32ES and 32 ESI software products.	
SWG-AMADV-8	OnGuard ADV Asset Software License Option – includes asset control software license for 64ADV and 64ADVI software products.	
SWG-AMPRO-8	OnGuard PRO Asset Software License Option – includes asset control software license for PRO and PROI software products.	
SWG-AMENT-8	OnGuard Regional Asset Software License Option – includes asset control software license for Enterprise Regional software products.	
SWG-1120	OnGuard Mustering Software Option	
SWG-1225	DataExchange – Global Data Import/Export Utility	
SWG-1210	OnGuard FormsDesigner (User definable Fields)	
SWG-1250	Automatic Alarm Export, provides an output text file for configured alarms. The text file can the be pulled into a third party application to report on alarm conditions (previously offered as Automatic Paging Interface)	
SWG-1400	OnGuard RSI Hand Geometry Interface Global Software Option for OnGuard - for ID3D, Handkey CR and Handkey II Readers (requires LNL-500B as reader interface module)	
SWG-1402	Bioscrypt and Integrated Engineering interface for Fingerprint authentication option	
SWG-1407	CrossMatch/Sagem-Morpho - Finger Print Capture. Captures 500PPI images, ANSI378 templates, and Sagem-Morpho PKCOMP templates (for Lenel/HID bioCLASS support)	
SWG-1340	Intercom Communication Interface for OnGuard, supports - Zenitel Alphacom and Alphanet systems, Vandal-Proof Products Presidium Interface supervised communications, Avaya PBX and Ericsson MD-110 phone systems. (interface purchase per intercom system)	
SWG-1350	Fire Alarm Panel Communications Interface for OnGuard, supports Cerberus Pyrotronics model (MXL-IQ), Notifier AM-2020, NFS-640 and ESPA 4.4.4 protocol (interface purchased per Fire panel)	
SWS-VSA	OnGuard Alert Management Software License – includes global server software license for the Visonic communications interface (Requires SWG-1355 per SLC-5)	

ATTACHMENT "B"- PART 1

SWG-1355	Visonic Technologies SLC-5 – Communications device driver per SLC-5 controller (includes 255 bus transmitters) (requires SWS-VSA)	
SWG-1410	Central Station Receiver Interface – communication software for central station receivers, must be order one SWG-1410 for each receiver. (Currently supported receivers are Radionics 6500, 6600, Osborne Hoffman 2000, 2000E and AES 7000 series)	
SWG-1450	Intrusion Panel Support Option (per panel) Radionics 9412, 7412, Guardall RxQxPx, Detection Systems 7400Xi version 3 and 4 panels and Galaxy Intrusion Alarm Panel Support for models (8, 16, 60, 128, 500, 504). Also required for Guardall and OAAP intrusion panel add-ins.	
SWG-LP	Language Pack Module - supported languages on OnGuard 2009 6.3.249 are Arabic, Simple Chinese, Traditional Chinese, Croatian, Czech, Dutch, Finnish, German, Hebrew, Italian, Japanese, Korean, Portuguese e-B, Russian, Spanish and Spanish. Call factory for updated information and supported version of OnGuard Software	
SWG-1470	OnGuard MobileVerify - Includes license for single client workstation for MobileVerify (threat protection) option. Enables custom User Interface within System Administration and ID Credential Center to display go / no go results based on card swipe and cardholder level/ threat level combination. Includes Mobile Badging Station client license for use without primary Server connectivity.	
SWG-1475	INTELLI-CHECK Software communications interface option per unit option	
SWG-1476	OnGuard Software Option for either the CSS-800 or CSS-1000 scanner. One license is required per scanner.	
SWG-1600	Barco Wall Integration (per Video Stream)	
SWG-1610	Seamless Elevator Entry Devices – Integration to the Otis Compass elevator destination system, with Timezone control interface to update elevator control status. Timezone control interface requires one DataConduIT connection SWG-1140)	
SWG-LG	LG IrisAccess Software Interface option for OnGuard ES, ADV and PRO Solutions	
SWG-LGENT	LG IrisAccess Software Interface option for OnGuard ENT Solutions. This license is required for each region in which LG Iris templates will be enrolled.	
SWG-1490	HID Custom Key Generator Software Option – includes the ability to create site specific custom iCLASS/MIFARE keys for customer cards encoded with HID Access Control or HID MIFARE applications, it also includes the ability to create HID Corporate 1000 site specific formats. This is a per card encoding cost. (note – this option requires either a standalone HID Programmer or an inline HID programmer unit from Lenel)	

ATTACHMENT "B"- PART 1

SWG-1460-1	OPC Data Access Server Allows external OPC client access to OnGuard data sources. One license is required for each 3rd party OPC client connection to OnGuard. (includes one DataConduIT connection SWG-1140)	
SWG-1460-2	OPC Alarms and Events Server Allows external OPC clients to view OnGuard Alarms and Events. One license is required for each 3rd party OPC client connection to OnGuard. (includes one DataConduIT connection SWG-1140)	
SWG-1465	OPC Client Option Allows all OnGuard Alarm Monitoring workstations to accept alarms and events from external OPC servers that comply with the industry OPC standard for alarms and events. This option allows for unlimited 3rd party OPC server connections to OnGuard. This option does not require DataConduIT.	
SWG-1480	OnGuard SNMP Manager software support option is for applications that run from a monitoring center and used to monitor a number of SNMP agents. This option does not require DataConduIT.	
SWG-1485	OnGuard SNMP Agent with message queue option supports a single hardware and/or software applications that are reporting to an SNMP Manager with OnGuard being the Agent. (includes one DataConduIT connection SWG-1140)	
SWG-1485-5	OnGuard SNMP Agent with message queue option supports five hardware and/or software applications that are reporting to an SNMP Manager with OnGuard being the Agent. (includes one DataConduIT connection SWG-1140)	
SWG-1440	Oracle Support for ADV based servers only	
SWG-1290	Oracle Support for PRO based servers only	
SWG-1360	OnGuard support for Citrix MetaFrame for Windows 2003 and XP Terminal Server version 4.0 on PRO solutions (Does not included Citrix license)	
SWG-1370	OnGuard support for Citrix MetaFrame for Windows 2003 and XP Terminal Server version 4.0 on Enterprise Regional solutions (Does not included Citrix license)	
SWG-1240	Database Segmentation (included with all Regional and Master server licenses	
SWG-1293	Oracle Support for Enterprise Regional Server only	
SWG-1295	Oracle Support for Enterprise Master Servers	

ATTACHMENT "B"- PART 1

SWG-1330	Multiple instances of Alarm Event Monitoriing on a single client workstation - This license bit allows the customer to run multiple instances of Alarm Monitoring on the same workstation. Its purpose is to allow customers to take advantage of having separate instances of Alarm Monitoring running on multiple video monitors. The customer can then use these instances to monitor separate monitor zones within the same system (database), or to monitor zones within the same Enterprise system but different regional databases". Note: Multi-regional monitoring is available in OnGuard 6.0 and higher without the use of this license.	
SWG-UL1981S	UL1981 Classified option with a single operator seat. In most cases, you will need this license for both your primary and backup (standby) OnGuard system. For Enterprise systems, if any region has this option, the Enterprise Master must also have this license for proper operation. System must be configured in accordance with UL 1981 requirements and the provisions of the Lenel UL 1981 manual in order for a site to be eligible for UL-1981 Listing. For OnGuard 6.1.222 Only, Hot Fix 1 or higher.	
SWG-UL1981O	Add-on operator seat. Requires SWG-UL1981S. Required if more than one UL1981 operator must be logged in simultaneously. Order one instance of SWG-UL1981O for each additional operator for both the primary and backup OnGuard systems. For OnGuard 6.1.222 Only, Hot Fix 1 or higher.	
SWG-1500	Card Management Server Option (Required for ActivIdentity Server integration) – Select the number of Certificates that will be linked between OnGuard and ActivIdentity	
SWG-1140	DataConduIT includes one connection license, supporting documentation and scripting examples. See the Corporate Services/Professional Engineering Services Section for support related details	
SWG-OITVM	DataConduIT Visitor Management API – includes documentation and scripting examples for visitor management. See Corporate Services/Professional Engineering Services Section for support related details	
SWG-OITVM-5	DataConduIT Visitor Client support for 5 clients	
SWG-OITVM-10	DataConduIT Visitor Client support for 10 clients	
SWG-OITVM-25	DataConduIT Visitor Client support for 25 clients	
SWG-OITVM-50	DataConduIT Visitor Client support for 50 clients	
SWG-OITVM-10K	DataConduIT Visit support for 10K visits	
SWG-OITVM-25K	DataConduIT Visit support for 25K visits	
SWG-OITVM-50K	DataConduIT Visit support for 50K visits	
SWG-OITVM-100K	DataConduIT Visit support for 100K visits	
SWG-OITVM-250K	DataConduIT Visit support for 250K visits	

ATTACHMENT "B"- PART 1

SWG-DC100	Digital Certificate Encoder of an OnGuard account with Window XP account (100 Users accounts) uses Account Linkage that is included with OnGuard	
SWG-DC1K	Digital Certificate Encoder of an OnGuard account with Window XP account (1,000 Users accounts) uses Account Linkage that is included with OnGuard	
SWG-DC5K	Digital Certificate Encoder of an OnGuard account with Window XP account (5,000 Users accounts) uses Account Linkage that is included with OnGuard	
SWG-DC10K	Digital Certificate Encoder of an OnGuard account with Window XP account (10,000 Users accounts) uses Account Linkage that is included with OnGuard	
SWG-DC25K	Digital Certificate Encoder of an OnGuard account with Window XP account (25,000 Users accounts) uses Account Linkage that is included with OnGuard	
SWG-DCUSL	Digital Certificate Encoder of an OnGuard account with Window XP account (USL User Site License) uses Account Linkage that is included with OnGuard	
UPS-3264	OnGuard 32ES to OnGuard ADV	
UPS-64PRO	OnGuard ADV to OnGuard PRO	
UPS-3232I	OnGuard 32ES to OnGuard 32ESI	
UPS-6464I	OnGuard ADV to OnGuard ADVI	
UPS-PROI	OnGuard PRO to OnGuard PROI	
UPS-IDESADV	OnGuard IDES to OnGuard IDADV	
UPS-IDPRO	OnGuard IDADV to OnGuard IDPRO	
UPS-ID32I	OnGuard IDES to OnGuard 32ESI	
UPS-ID64I	OnGuard IDADV to OnGuard ADVI	
UPS-IDPROI	OnGuard IDPRO to OnGuard PROI	
UPS-3264I	OnGuard 32ESI to OnGuard ADVI	
UPS-64PROI	OnGuard ADVI to OnGuard PROI	
UPS-SMREG	Enterprise Regional SM server to Enterprise Regional Lite Server	
UPS-LTREG1	Enterprise Regional Lite server to Enterprise Regional Server	
UPS-LTMAS1	Enterprise Master Lite server to Enterprise Master Server	
UPC-32ADV	OnGuard 32ES to OnGuard ADV	
UPC-3232I	OnGuard 32ES to OnGuard 32ESI	
UPC-ADVADVI	OnGuard ADV to OnGuard ADVI	
UPC-IDESIDADV	OnGuard IDES to OnGuard IDADV	
UPC-ID32I	OnGuard IDES to OnGuard 32ESI	
UPC-IDADVI	OnGuard IDADV to OnGuard ADVI	
UPC-32ADVI	OnGuard 32ESI to OnGuard ADVI	
32ES-32RUP	32 Access Readers upgrade for all 32ES systems (max of 64 readers).	
64ADV-64RUP	64 Access Readers upgrade for all ADV systems (max of 256 readers).	

ATTACHMENT "B"- PART 1

PRO-64RUP	64 Access Readers upgrade for all PRO systems, no maximum on number of readers.	
REGSM-16RUP	16 Access Readers upgrade for any OnGuard Enterprise Regional SM systems, maximum of 32 readers.	
SWS-ADV-REDU	OnGuard ADV Redundant Server Software License on DVD – includes OnGuard Redundant Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail Interface, Login Driver, Account Linkage support for up to 64 card access readers, and first year support plan SUSP-W-ADV-S (USE PC CONFIGURATION # 3), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
SWS-ADVI-REDU	OnGuard ADVI Redundant Server Software License on DVD - includes OnGuard Redundant Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, Account Linkage CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail Interface, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, support for up to 64 card access readers and first year support plan SUSP-W-ADV-S (USE PC CONFIGURATION # 3), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
SWS-PRO-REDU	OnGuard PRO Networked Dedicated Redundant Server Software License on DVD – includes OnGuard Redundant Server software licenses for System Administration, License Server, Import, Communication Server, CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail Interface, Login Driver, Account Linkage support for up to 128 card access readers, and first year support plan SUSP-W-PRO-S (USE PC CONFIGURATION # 5), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
SWS-PROI-REDU	OnGuard PROI Networked Dedicated Redundant Server Software License on DVD – includes OnGuard Redundant Server software licenses for System Administration, License Server, Import, Communication Server, Login Driver, Account Linkage CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail Interface, support for up to 128 card access readers and first year support plan SUSP-W-PRO-S (USE PC CONFIGURATION # 5), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	

ATTACHMENT "B"- PART 1

SWS-ENTMAS-LT-RED	OnGuard Enterprise Lite Networked Dedicated Redundant Server Software License on DVD – includes OnGuard Redundant Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Account Linkage CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail Interface, SWG-1240 database segmentation, support for up to 8 ENTREG-LT or ENTREG-ES servers, support for up to 64 local card access readers and first year support plan SUSP-W-ENT, NOTE: support for card access readers are based on regional server(s) card reader capacities with a maximum number of 512 readers total per Master-LT (USE PC CONFIGURATION # 5), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
SWS-ENTMAS1-REDU	OnGuard Enterprise Networked Dedicated Redundant Server Software License on DVD - includes OnGuard Redundant Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Account Linkage CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail Interface, SWG-1240 database segmentation support for up to 10 of any combination of ENTREG1 or ENTREG-LT or ENTREG-ES servers, support for up to 128 local card access readers and first year support plan SUSP-W-ENT. NOTE: support for card access readers are based on regional server(s) card reader capacities (USE PC CONFIGURATION # 9), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
SWS-ENTREG-SM-REI	OnGuard Enterprise Regional SM Networked Dedicated Redundant Server Software License on DVD - includes OnGuard Redundant Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Account Linkage CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail Interface, Communication server, SWG-1240 database segmentation, support for up to 16 card access readers standard (optional 16 reader upgrade) and first year support plan SUSP-W-ES (USE PC CONFIGURATION #3), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
SWS-ENTREG-LT-RED	OnGuard Enterprise Regional Lite Networked Dedicated Redundant Server Software License on DVD - includes OnGuard Redundant Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Account Linkage CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail Interface, Communication server, SWG-1240 database segmentation, support for up to 64 card access readers and first year support plan SUSP-W-PRO-S (USE PC CONFIGURATION # 5), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	

ATTACHMENT "B"- PART 1

SWS-ENTREG1-REDU	OnGuard Regional Networked Dedicated Redundant Server Software License on DVD - includes OnGuard Redundant Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Communication server, SWG-1240 database segmentation, support for up to 128 card access readers and first year support plan SUSP-W-PRO-S (USE PC CONFIGURATION # 5), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
PCS-ADV-REDU	OnGuard ADV Redundant Server System with PC & DVD – includes Microsoft Windows 7 Professional, SQL 2008 standard server database standard edition (Single Application License), OnGuard Redundant Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, support for up to 64 card access readers and first year support plan SUSP-W-ADV-S (INCLUDES PC CONFIGURATION # 3), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
PCS-ADVI-REDU	OnGuard ADVI Redundant Server System with PC & DVD – includes Microsoft Windows 7 Professional, SQL 2008 standard server database standard edition, OnGuard Redundant Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, support for up to 64 card access readers and first year support plan SUSP-W-ADV-S (INCLUDES PC CONFIGURATION # 3), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
PCS-PRO-REDU	OnGuard PRO Networked Dedicated Redundant Server System with PC & DVD – includes Microsoft Windows 2008 Standard Server R2, SQL 2008 server database standard edition (Single Application License), OnGuard Redundant Server software licenses for System Administration, License Server, Import, Communication Server, Login Driver, support for up to 128 card access readers, and first year support plan SUSP-W-PRO-S (INCLUDES PC CONFIGURATION # 5), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	

ATTACHMENT "B"- PART 1

PCS-PROI-REDU	OnGuard PROI Networked Dedicated Redundant Server System with PC & DVD – includes Microsoft Windows 2008 Standard Server R2, SQL 2008 server database standard edition, OnGuard Redundant Server software licenses for System Administration, License Server, Import, Communication Server, Login Driver, upport for up to 128 card access readers, and first year support plan SUSP-W-PRO-S (INCLUDES PC CONFIGURATION # 5), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
PCS-ENTMAS-LT-REDU	OnGuard Enterprise Lite Networked Dedicated Redundant Server System with PC & DVD – includes Microsoft Windows 2008 Server R2, SQL 2008 server database standard edition, SWG-1240 database segmentation, support for up to 8 ENTREG-LT or ENTREG-ES servers, OnGuard Redundant Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, support for up to 64 local card access readers and first year support plan SUSP-W-ENT, NOTE: support for card access readers are based on regional server(s) card reader capacities with a maximum number of 512 readers total per Master-LT (INCLUDES PC CONFIGURATION # 5), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
PCS-ENTMAS1-REDU	OnGuard Enterprise Networked Dedicated Redundant Server System with PC & DVD – includes Microsoft Windows 2008 Server R2, SQL 2008 server database Enterprise edition, SWG-1240 database segmentation, support for up to 10 of any of any combination of ENTREG1 or ENTREG-LT or ENTREG-ES servers, OnGuard Redundant Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, support for up to 128 local card access readers and first year support plan SUSP-W-ENT, NOTE: support for card access readers are based on regional server(s) card reader capacities (INCLUDES PC CONFIGURATION # 9), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
PCS-ENTREG-SM-RED	OnGuard SM Regional Networked Dedicated Redundant Server System with PC & DVD – includes Microsoft Windows 7, SQL 2008 Express database, SWG-1240 database segmentation, OnGuard Redundant Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Communication server, support for up to 16 card access readers standard (optional 16 reader upgrade) and first year support plan SUSP-W-ES (INCLUDES PC CONFIGURATION #3), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	

ATTACHMENT "B"- PART 1

PCS-ENTREG-LT-REDU	OnGuard Regional Lite Networked Dedicated Redundant Server System with PC & DVD – includes Microsoft Windows 2008 Server R2, SQL 2008 standard server database standard edition, SWG-1240 database segmentation, OnGuard Redundant Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, Communication server, support for up to 64 card access readers and first year support plan SUSP-W-PRO-S (INCLUDES PC CONFIGURATION # 5), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
PCS-ENTREG1-REDU	OnGuard Regional Networked Dedicated Redundant Server System with PC & DVD – includes Microsoft Windows 2008 Standard Server R2, SQL 2008 server database standard edition, SWG-1240 database segmentation, OnGuard Redundant Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, communication server, support for up to 128 card access readers software and first year support plan SUSP-W-PRO-S (INCLUDES PC CONFIGURATION # 5), MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER.	
NEC-RACK5800RaE4-F	NEC Express5800-R320a Single 2.0GHz Quad Core CPU – Each 19" Rackmount chassis has two server modules. Each server module is redundant to the other. Each server module includes (1) E5504 2.0GHz Quad Core Xeon processor, (6) FB-DIMM slots (Each server module is required to have at least 4GB of RAM installed and allows for a maximum of 48GB of RAM to be installed), integrated SAS storage controller, (Each server module is required to have at least two hard drives installed and allows for a maximum of three hard drives to be installed), 2 PCI-X expansion risers, two Dual Port integrated 10/100/1000BASE-T NICs (4 physical RJ45 ports), onboard 16MB video card, one CD/DVD-RW drive, and (3) USB 2.0 ports. Each chassis comes with Windows 2008 Server R2 Enterprise Edition 64bit operating system software with 25 user licenses, (FTSS) Fault Tolerant System Software, RDR Software, EXPRESSBUILDER installation software, Active Upgrade, NEC Fault Tolerant Server Monitor Software, 3 year limited warranty. INCLUDES 1 LICENSE OF SWG-1140 DataConduIT.	

ATTACHMENT "B"- PART 1

NEC-RACK5800RaE4-D	NEC Express5800-R320a Dual 2.0GHz Quad Core CPUs – Each 19" Rackmount chassis has two server modules. Each server module is redundant to the other. Each server module includes (2) E5504 2.0GHz Quad Core Xeon processors, (6) FB-DIMM slots (Each server module is required to have at least 4GB of RAM installed and allows for a maximum of 48GB of RAM to be installed), integrated SAS storage controller, (Each server module is required to have at least two hard drives installed and allows for a maximum of three hard drives to be installed), 2 PCI-X expansion risers, two Dual Port integrated 10/100/1000BASE-T NICs (4 physical RJ45 ports), onboard 16MB video card, one CD/DVD-RW drive, and (3) USB 2.0 ports. Each chassis comes with Windows 2008 Server R2 Enterprise Edition 64bit operating system software with 25 user licenses, (FTSS) Fault Tolerant System Software, RDR Software, EXPRESSBUILDER installation software, Active Upgrade, NEC Fault Tolerant Server Monitor Software, 3 year limited warranty. INCLUDES 1 LICENSE OF SWG-1140.	
NEC-RACK5800RbM4	NEC Express5800-R320a Single 2.93GHz Hexacore CPU – Each 19" Rackmount chassis has two server modules. Each server module is redundant to the other. Each server module includes (1) x5670 2.93GHz Hexacore Xeon processor, (6) FB-DIMM slots (Each server module is required to have at least 4GB of RAM installed and allows for a maximum of 48GB of RAM to be installed), integrated SAS storage controller, (Each server module is required to have at least two hard drives installed and allows for a maximum of three hard drives to be installed), 2 PCI-X expansion risers, two Dual Port integrated 10/100/1000BASE-T NICs (4 physical RJ45 ports), onboard 16MB video card, one CD/DVD-RW drive, and (3) USB 2.0 ports. Each chassis comes with Windows 2008 Server R2 Enterprise Edition 64bit operating system software with 25 user licenses, (FTSS) Fault Tolerant System Software, RDR Software, EXPRESSBUILDER installation software, Active Upgrade, NEC Fault Tolerant Server Monitor Software, 3 year limited warranty. INCLUDES 1 LICENSE OF SWG-1140.	

ATTACHMENT "B"- PART 1

NEC-RACK5800RbM4-I	NEC Express5800-R320a Dual 2.93GHz Hexacore CPUs – Each 19" Rackmount chassis has two server modules. Each server module is redundant to the other. Each server module includes (2) x5670 2.93GHz Hexacore Xeon processors, (6) FB-DIMM slots (Each server module is required to have at least 4GB of RAM installed and allows for a maximum of 48GB of RAM to be installed), integrated SAS storage controller, (Each server module is required to have at least two hard drives installed and allows for a maximum of three hard drives to be installed), 2 PCI-X expansion risers, two Dual Port integrated 10/100/1000BASE-T NICs (4 physical RJ45 ports), onboard 16MB video card, one CD/DVD-RW drive, and (3) USB 2.0 ports. Each chassis comes with Windows 2008 Server R2 Enterprise Edition 64bit operating system software with 25 user licenses, (FTSS) Fault Tolerant System Software, RDR Software, EXPRESSBUILDER installation software, Active Upgrade, NEC Fault Tolerant Server Monitor Software, 3 year limited warranty. INCLUDES 1 LICENSE OF SWG-1140.	
162-03515-000	73GB SAS 15K RPM, w/carrier	
162-03516-000	146GB SAS 15K RPM, w/carrier	
162-03623-000	300GB SAS 10K RPM, w/carrier	
Q24-HL000000000466	4GB DDR3-1066/800 SDRAM DIMM	
Q24-HL000000000469	8GB DDR3-1066/800 SDRAM DIMM	
162-03611-000	1x Intel Dual Port Server Adapter, 1000 Base-T, PCI-E Low profile	
162-03610-000	SAS, 8-port PCIe (Low Profile) Fiber HBA	
CBL-007-3M	1 x LC-LC Fiber cable, 3 meters	
CS-DEV-FTMON	NEC Fault Tolerant Server Monitor Software: The Lenel NEC Fault Tolerant Server Monitoring Service is a Windows Service designed to monitor changes in hardware and network status on NEC Fault Tolerant servers. Status changes include hardware that is removed, malfunctions, fails diagnostics, or becomes otherwise disconnected. This service will monitor for these conditions and will send an alarm for each failure to Lenel Alarm Monitoring as well as send an email message detailing the status change. This service is designed to work with any NEC Fault Tolerant server that reports status events. (requires SWG-1140 for use with any version of OnGuard 6.1.222 or older)	
EXTST-FTAE4-1Y	1 YR Extended Standard Warranty (R320a-E4-R2/E4-D-R2)	
EXTST-FTAM4-1Y	1 YR Extended Standard Warranty (R320b-M4/M4-D)	
UPGLD-FTAE4-3Y	Upgrade to Gold Warranty for 3 years (R320a-E4-R2/E4-D-R2)	
EXTGLD-FTAE4-1Y	1 Yr Extended Gold Warranty (R320a-E4-R2/E4-D-R2) Maximum of two additonal years can be added to an existing 3 year warranty.	
UPGLD-FTAM4-3Y	Upgrade to Gold Warranty for 3 years (R320b-M4/M4-D)	
EXTGLD-FTAM4-1Y	1 Yr Extended Gold Warranty (R320b-M4/M4-D) Maximum of two additonal years can be added to an existing 3 year warranty.	
UPPLT-FTAE4-3Y	Upgrade to Platinum Warranty for 3 years (R320a-E4-R2/E4-D-R2)	

ATTACHMENT "B"- PART 1

EXTPLT-FTAE4-1Y	1 YR Extended Platinum Warranty (R320a-E4-R2/E4-D-R2) Maximum of two additonal years can be added to an existing 3 year warranty.	
UPPLT-FTAM4-3Y	Upgrade to Platinum Warranty for 3 years (R320b-M4/M4-D)	
EXTPLT-FTAM4-1Y	1 YR Extended Platinum Warranty (R320b-M4/M4-D) Maximum of two additonal years can be added to an existing 3 year warranty.	
850193310	D3-10 Disk Array Unit, 4GB cache (2GB per controller), dual controllers, dual power supplies, LAN port, Storage Manager software, Access Control, Reallocation Control, PathManager, 3 Year Warratny	
850193310N	D3-10i Disk Array Unit, 4GB cache (2GB per controller), dual controllers, dual power supplies, 4x1Gbps iSCSI ports, Storage Manager software, Access Control, Reallocation Control, PathManager, 3 Year Warratny	
850193310SN	D3-10i Disk Array Unit, 2GB cache, single controller, 2x1Gbps iSCSI ports, Storage Manager software, Access Control, Reallocation Control, PathManager, 3 Year Warranty	
NF5021-SE60E-000	SAS/SATA Disk Enclosure	
NF5021-SZ021E	Extended Battery Backup Unit -1U Extended Battery will extend the data in cache while the power is out. Data in a cache is held a standard 24 hours by the battery. By adding an optional extended battery backup unit, the backup time can be extended to a maximum of 72 hours (D3-1x).	
NF5131-SP14E	Optional iSCSI Controller for D3-10i	
NF5021-SM624E	SAS Disk Drive(15krpm/147GB/3Gbps)	
NF5021-SM806E	SATA Disk Drive (7200RPM/1TB)	
NF5021-SM808E	SATA Disk Drive (7200RPM/2TB)	
EXTST850193310	1 Year Extended Standard Warranty for D3-10 Base Model	
EXTPLT-D310NSC-1Y	1 Year Extended Standard Warranty D3-10i Disk Array Unit (iSCSI) Single Ctlr w/ NEC bezel	
EXTSTD-D310NDC-1Y	1 Year Extended Standard Warranty D3-10i Disk Array Unit (iSCSI) Dual Ctlr w/ NEC bezel	
EXTSTD-D310NDC-1Y	1 Year Extended Standard Warranty D3-10i Disk Array Unit (iSCSI) Dual Ctlr w/ NEC bezel	
UPPT850193310	3 Years of Platinum Warranty Upgrade for D3-10 Base Model	
UPPLT-D310NDC-3Y	3 Years Upgraded Platinum Warranty D3-10i Disk Array Unit (iSCSI) Dual Ctlr w/ NEC bezel	
UPPLT-D310NSC-3Y	3 Years Upgraded Platinum Warranty D3-10i Disk Array Unit (iSCSI) Single Ctlr w/ NEC bezel	
EXTPT850193310	1 Year Extended Platinum Warranty for D3-10 Base Model	
EXTPLT-D310NSC-1Y	1 Year Extended Platinum Warranty D3-10i Disk Array Unit (iSCSI) Single Ctlr w/ NEC bezel	

ATTACHMENT "B"- PART 1

NEC-EXPCLU-LANX32-	ExpressCluster X LAN R2 32bit No PES Deployment Services Included– includes two ExpressCluster X LAN R2 32bit software licenses for two security server nodes on a Local Area Netwrok only (050-02292-012). This option also includes two NEC Express Cluster Monitoring Software licenses and two licenses of SWG-1140. ExpressCluster requires a minimum of two hard disk drives and two network cards in both OnGuard security servers. Disk drives in both servers must be the same capacities. (PES services are recommended for planning and installation).	
NEC-EXPCLU-LANX64-	ExpressCluster X LAN R2 64bit No PES Deployment Services Included– includes two ExpressCluster X LAN R2 64bit software licenses for two security server nodes on a Local Area Network only (050-03451-012). You must use a 64bit Operating System and 64bit Database. This option also includes two NEC Express Cluster Monitoring Software licenses and two licenses of SWG-1140. ExpressCluster requires a minimum of two hard disk drives and two network cards in both OnGuard security servers. Disk drives in both servers must be the same capacities. (PES services are recommended for planning and installation)	
PES-NEC-LAN-O	PES Pre-planning, onsite NEC ExpressCluster LAN Deployment and Post Project warrantyper Cluster Required PES-00X	
PES-NEC-LAN-R	PES Pre-planning, remote NEC Express Cluster LAN Deployment and Post Project warranty per Cluster. Remote connection to site required for deployment.	
NEC-EXPCLU-WANX32	ExpressCluster X WAN R2 32bit with PES Onsite Deployment– includes two ExpressCluster X WAN R2 32bit software licenses for two security server nodes on a Wide Area Network (050-02293-012). This option also includes two NEC Express Cluster Monitoring Software licenses and two licenses of SWG-1140. ExpressCluster requires a minimum of two hard disk drives and two network cards in both OnGuard security servers. Disk drives in both servers must be the same capacities. Includes (PES-NEC-WAN) PES pre-planning and on-site deployment of NEC ExpressCluster. Includes 1 year of PES support for issues escalated through Lenel Technical Support. Travel expenses are at an additional charge. Travel Expenses will be billed at project completion at actual cost under part number PES-00X.	

ATTACHMENT "B"- PART 1

NEC-EXPCLU-WANX64	ExpressCluster X WAN R2 64bit with PES Onsite Deployment– includes two ExpressCluster X WAN R2 64bit software licenses for two security server nodes on a Wide Area Network (050-03452-012). You must use a 64bit Operating System and 64bit Database. This option also includes two NEC Express Cluster Monitoring Software licenses and two licenses of SWG-1140. ExpressCluster requires a minimum of two hard disk drives and two network cards in both OnGuard security servers. Disk drives in both servers must be the same capacities. Includes (PES-NEC-WAN) PES pre-planning and on-site deployment of NEC ExpressCluster. Includes 1 year of PES support for issues escalated through Lenel Technical Support. Travel expenses are at an additional charge. Travel Expenses will be billed at project completion at actual cost under part number PES-00X.	
CS-DEV-ECMON	NEC ExpressCluster Monitoring Software. NEC ExpressCluster Monitoring software is designed to monitor the status of the NEC ExpressCluster LAN/WAN solution and to proactively report any failures or problems. Alerts are configurable and can be sent to Alarm Monitoring and/or Email recipients. This component is designed to work with all Lenel supported versions of the NEC ExpressCluster software. (requires SWG-1140 for use with any version of OnGuard 6.1.222 or older)	
SWS-02292-012	ExpressCluster X R2 LAN Edition for Windows x32 Annual standard maintenance support. PLEASE NOTE: A QUANTITY OF 2 MUST BE ORDERED TO COVER BOTH SERVER NODES.	
SWS-02293-012	ExpressCluster X R2 WAN Edition for Windows x32 Annual standard maintenance service. PLEASE NOTE: A QUANTITY OF 2 MUST BE ORDERED TO COVER BOTH SERVER NODES.	
SWS-03451-012	ExpressCluster X R2 LAN Edition for Windows x64 Annual standard maintenance support. PLEASE NOTE: A QUANTITY OF 2 MUST BE ORDERED TO COVER BOTH SERVER NODES.	
SWS-03452-012	ExpressCluster X R2 WAN Edition for Windows x64 Annual standard maintenance service. PLEASE NOTE: A QUANTITY OF 2 MUST BE ORDERED TO COVER BOTH SERVER NODES.	
ADV-02292-012	ExpressCluster X R2 LAN Edition for Windows x32 Annual upgrade of standard maintenance service to PLATINUM support. PLEASE NOTE: A QUANTITY OF 2 MUST BE ORDERED TO COVER BOTH SERVER NODES.	
ADV-02293-012	ExpressCluster X R2 WAN Edition for Windows x32 Annual upgrade of standard maintenance service to PLATINUM support. PLEASE NOTE: A QUANTITY OF 2 MUST BE ORDERED TO COVER BOTH SERVER NODES.	

ATTACHMENT "B"- PART 1

ADV-03451-012	ExpressCluster X R2 LAN Edition for Windows x64 Annual upgrade of standard maintenance service to PLATINUM support. PLEASE NOTE: A QUANTITY OF 2 MUST BE ORDERED TO COVER BOTH SERVER NODES.	
ADV-03452-012	ExpressCluster X R2 WAN Edition for Windows x64 Annual upgrade of standard maintenance service to PLATINUM support. PLEASE NOTE: A QUANTITY OF 2 MUST BE ORDERED TO COVER BOTH SERVER NODES.	
NGP-2220	NGP-2220, Dual Door System Controller, board access control features enabled with dual reader ports enabled, RoHS, CE and UL294 certified.	
NGP-2220I	NGP-2220I- Dual Door System Controller, board only with access control and intrusion detection features enabled and dual reader ports enabled, RoHS, CE and UL294 certified.	
NGP-2220UL	NGP220UL- Dual Door System Controller - access control features enabled, with dual reader ports enabled, mounted in a UL approved enclosure, with integrated 110VAC power supply, RoHS, and UL294 certified.	
NGP-2220IUL	NGP220IUL- Dual Door System Controller - with access control and intrusion detection features enabled, and dual reader ports enabled, mounted in a UL approved enclosure, with integrated 110VAC power supply, RoHS, and UL294 certified.	
NGP-2220CE	NGP-2220, Dual Door System Controller, access control features enabled, with dual reader ports enabled, mounted in a CE approved enclosure, 220VAC CE Power Supply.	
NGP-2220ICE	NGP220ICE- Dual Door System Controller - with access control and intrusion detection features enabled, and dual reader ports enabled, mounted in a CE approved enclosure, with integrated 220VAC power supply, RoHS, CE, certified.	
NGP-3320	NGP-3320- Extended Dual Door System Controller, board access control features enabled with dual path IP communications and dual reader ports enabled, RoHS, CE and UL294 certified.	
NGP-3320I	NGP-3320I- Extended Dual Door System Controller, board only access control and intrusion detection features enabled, dual path IP communications and dual reader ports enabled, RoHS, CE and UL294 certified.	
NGP-3320UL	NGP-3320UL- Extended Dual Door System Controller - access control features enabled with dual path IP communications and dual reader ports enabled, mounted in a CE approved enclosure, with integrated 110VAC power supply, RoHS, UL294 certified.	

ATTACHMENT "B"- PART 1

NGP-3320IUL	NGP-3320IUL- Extended Dual Door System Controller - with access control and intrusion detection features enabled, dual path IP communications and dual reader ports enabled, mounted in a CE approved enclosure, with integrated 110VAC power supply, RoHS, UL294 certified.	
NGP-3320CE	NGP-3320CE- Extended Dual Door System Controller - access control features enabled with dual path IP communications and dual reader ports enabled, mounted in a CE approved enclosure, with integrated 220VAC power supply, RoHS, CE, certified.	
NGP-3320ICE	NGP-3320ICE- Extended Dual Door System Controller - with access control and intrusion detection features enabled, dual path IP communications and dual reader ports enabled, mounted in a CE approved enclosure, with integrated 220VAC power supply, RoHS, CE, certified.	
NGP-UP-2IX3I	Upgrade from NGP-2220i to NGP-3320i, Capacity Increase.	
NGP-UP-2X2I	Upgrade from NGP-2220 to NGP-2220i, Add Intrusion Features.	
NGP-UP-2X3	Upgrade from NGP-2220 to NGP-3320, Capacity Increase.	
NGP-UP-2X3I	Upgrade from NGP-2220 to NGP-3320i, Capacity Increase and Intrusion Features.	
NGP-UP-3X3I	Upgrade from NGP-3320 to NGP-3320i, Add Intrusion Features.	
120-3633L	World Wide Modem, required for NGP Panel central station communication via phone line, RoHS, CE, UL294 certified.	
NGP-CKGE	LCD Keypad with ext reader interface, Gray.	
NGP-CKGN	LCD Keypad, Gray.	
NGP-CKWE	LCD Keypad with ext reader interface, White.	
NGP-CKWN	LCD Keypad, White.	
120-3650L	Intelligent Power Supply, with UL enclosure, with out transformer. RoHS, UL294 certified.	
120-3651L	Intelligent Power Supply, with CE enclosure, 220VAC Transformer. RoHS, CE certified.	
859-2244	120VAC Transformer Wall Wart, UL certified.	
NGP-VTX-UMP-1	NGP-1208 Universal Mounting Plate, (2) NGP-1208 boards can be mounted to plate, for use in CTX enclosuses	
NGP-VTX-UMP-2	NGP-1100 and NGP-1208 Universal Mounting Plate, (1) NGP-1100 and (1) NGP-1208 boards can be mounted to plate, for use in CTX enclosuses	
NGP-VTX-UMP-3	NGP-1320 Universal Mounting Plate, (1) NGP-1320 board can be mounted to plate, for use in CTX enclosuses	
NGP-1100	1NGP-1100 board only, 16 Input Module, 12 VDC, RoHS, CE, UL294 certified.	
NGP-1100-UMP	1 NGP-1100 on universal mounting plate for standard CTX or CTX6 enclosures.	

ATTACHMENT "B"- PART 1

NGP-1208	1 NGP-1208 board only. Has 8 Output Modules and must connect to a NGP-1100 module. RoHS, CE, UL294 certified.	
NGP-1216K	2 NGP-1208 Output Control Modules - 12 VDC, total 16 output relays , RoHS, CE, UL294 certified.	
NGP-1216K-UMP	2 NGP-1208 Output Control Modules on universal mounting plate for standard CTX or CTX6 enclosures.	
NGP-1320	NGP-1320 board Only, Dual Door Controller, 2 Doors with In/Out Readers Module - 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified.	
NGP-1320-UMP	NGP-1320 Dual Door Controller on universal mounting plate for standard CTX or CTX6 enclosures.	
LNL-500	Intelligent System Controller – 12 VAC or 12 VDC, (5 year lithium battery or 3 months full run) 512K standard memory and stand-offs, RoHS, CE, C-Tick and UL294 certified	
LNL-2210	Intelligent Single Door Controller – PoE or12 VDC @ 900mA, size (5.5" (140mm) W x 2.75" (70mm) L x 0.96" (24mm) H, (rechargeable battery) 6 MB standard cardholder flash memory, 50,000 of Event memory, maximum of one door, two readers (entry and exit reader , On-board PoE Ethernet, two inputs (supervised/unsupervised), two outputs (NO/NC), power fault input and cabinet tamper monitors. Reader power 12VDC@ 650mA max, RoHS, CE, and UL 294 (pending)	
LNL-2220	Intelligent Dual Reader Controller – 12 VDC or 24 VDC @ 700mA, size (6" (152mm) W x 8" (203mm) L x 1" (25mm)H), (5 year lithium battery or 3 months full run) 6 MB standard cardholder flash memory, 50,000 of Event memory, maximum of 32 devices, On-board Ethernet, on-board two door control, eight inputs, four outputs, cabinet tamper and power fault input monitors. RoHS, CE, C-Tick and UL 294	
LNL-3300	Intelligent System Controller – 12 VDC or 24 VDC @300mA,size (5 in. (127mm) W x 6 in. (152.4mm) L x 1 in. (25mm) H), (5 year lithium battery or 3 months full run) 15 MB standard cardholder flash memory, 50,000 Event memory, maximum of 64 devices, On-board Ethernet, Dual Path capability, cabinet tamper and power fault input monitors. RoHS, CE, C-Tick and UL294	
LNL-8000	Star Multiplexer –12 VDC, (8) Downstream RS-485 2-wire ports or (4) RS-485 4-wire ports and stand-offs	
LNL-837A	RS-232 /RS-485 High Speed Line Driver, stand-alone, 115 VAC 60 Hz, (115 Kbps)	
LNL-838A	RS-232 /RS-485 High Speed Line Driver, stand-alone, 115 VAC 60 Hz, Optically isolated from data ground (115.2 Kbps)	
LNL-108A	Converter RS-232 to RS-485	
LNL-109A	Converter RS-232 to RS-485 with Optical Isolation	
LNL-CCK-1401L	Lenel Time & Attendance real time display timer, with 1 inch LCD display	

ATTACHMENT "B"- PART 1

LNL-ETHLAN-UDS	Lantronix UDS1100 Micro Serial Server, DB25 serial port RJ45 (10/100baseT) Ethernet interface, diagnostic LED's, External power 120/220 VAC (now includes pre-terminated Lenel-specific cable)	
LNL-ETHLAN	Universal Micro Serial Server for Ethernet, Flash ROM, DB25 serial port RJ45 (10/100baseT) Ethernet interface, diagnostic LED's, External power 120/220 VAC (includes cable HOC-ETHLAN)	
LNL-ETHLAN-MICR	On-Board 10/100Mbps Ethernet for LNL-500 & 2000 - CoBox Micro100 serial server, Flash ROM, RJ45 (10/100BaseT), diagnostic LED's, Dimensions 1.57" (40mm) x 1.93" (49mm), internally powered and includes standoffs.	
LANSD1101002-11	Secure External Device Server with international power supply– supports AES encryption from Lenel, 10/100 Ethernet interface, for secure third party product interface to OnGuard.	
LNL-DC336K	12 VDC powered/33.6K External modem for Intelligent System Controller Dial-up, includes HOC-56KEXT custom made modem to ISC communication cable as well as the 12 VDC power cable when purchase from Lenel RoHS compliant device.	
HOC-56KEXT	Communications Cable for all Lenel Intelligent Systems Controllers to LNL-56KEXT Dial up modem.	
HOC-BC00301	Host to modem cable 6 foot length	
LNL-1100-UKIT	Input Control Module (Universal Series) with Adapter Mounting Plate (LNL-CONV-1U) for CTX enclosures –12/24 VDC, 16 zone input monitor module, (32) 1k resistors (with 2 programmable output relays); RoHS, CE, C-Tick, and ETL 294 certified; no AES bus support	
LNL-1200-UKIT	Output Control Module (Universal Series) with Adapter Mounting Plate (LNL-CONV-1U) for CTX enclosures – 12/24 VDC, 16 relay output control module; RoHS, CE, C-Tick, and ETL 294 certified; no AES bus support	
LNL-1100-U	Input Control Module (Universal Series) –12/24 VDC, 16 zone input monitor module, (32) 1k resistors (with 2 programmable output relays); RoHS, CE, C-Tick, and ETL 294 certified; no AES bus support	
LNL-1200-U	Output Control Module (Universal Series) – 12/24 VDC, 16 relay output control module; RoHS, CE, C-Tick, and ETL 294 certified; no AES bus support	
LNL-CONV-1U	Metal adapter plate to mount single full size Universal Series IO Board (LNL-1320-U, LNL-1100-U, or LNL-1200-U) in any CTX enclosure, maximum two per LNL-CTX enclosure or maximum six per LNL-CTX6. Dimensions 8.1" x 6".	
LNL-1300-U	Single Reader Interface Module (Univerisal Series - Supports OSDP Readers) – 12/24 VDC, 1 Reader interface, W/M, 2 inputs and 2 outputs relays (one of each, 2A and 5A) and cabinet tamper pigtail , RoHS, CE, C-Tick, and ETL 294 certified; no AES bus support or Biometric template download	

ATTACHMENT "B"- PART 1

LNL-CONV-2U	Metal adapter plate to mount a two Single Reader Interface Modules (LNL-1300-U) in any CTX enclosure, maximum two per LNL-CTX enclosure or maximum six per LNL-CTX6. Dimensions 8.1" x 6".	
LNL-1320-UKIT	Dual Reader Interface Module (Universal Series) with Adapter Mounting Plate (LNL-CONV-1U) for CTX enclosures – Supports OSDP Readers – 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick, and ETL 294 certified; no AES bus support or Biometric template download	
LNL-1320-U	Dual Reader Interface Module (Universal Series–Supports OSDP Readers) – 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick, and ETL 294 certified; no AES bus support or Biometric template download	
LNL-CONV-1U	Metal adapter plate to mount single full size Universal Series IO Board (LNL-1320-U, LNL-1100-U, or LNL-1200-U) in any CTX enclosure, maximum two per LNL-CTX enclosure or maximum six per LNL-CTX6. Dimensions 8.1" x 6".	
LNL-1100	Input Control Module (Series two) –12/24 VDC, 16 zone input monitor module, (32) 1K resistors (with 2 programmable output relays) , RoHS, CE, C-Tick and UL294 certified	
LNL-1200	Output Control Module (Series two) – 12/24 VDC, 16 relay output control module , RoHS, CE, C-Tick and UL294 certified	
LNL-1300	Single Reader Interface Module (Series 2 - Supports OSDP Readers) – 12/24 VDC, 1 Reader interface, W/M, 2 inputs and 2 outputs relays (one of each, 2A and 5A) and cabinet tamper pigtail , RoHS, CE, C-Tick and UL294 certified	
LNL-CONV-1	Plastic Adapter plate to mount a single LNL-1300 module (2.75" x 4.25")	
LNL-CONV-4	Adapter plate to mount up to 4 LNL-1300s in any CTX enclosure, Maximum two per LNL-CTX enclosure	
LNL-1320	Dual Reader Interface Module (Series 2 –Supports OSDP Readers) – 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	
LNL-500B	Biometric Reader Interface Gateway – 12 VDC or 12 VAC, (5 year lithium battery) 512K standard memory, support for a maximum of 8 Schlage Hand Geometry readers per interface (supported readers are ID3D, Handkey II and Handkey CR),also supports Identix V20 readers. The LNL-500B is NOT required for Bioscrypt readers are individually connected to reader ports of Lenel Series 2 reader interface modules, but IS required for use of Bioscrypt readers with Series 1 reader interface modules with controller-based (non-smartcard) template storage. RoHS, CE, C-Tick and UL294 certified.	

ATTACHMENT "B"- PART 1

LNL-500W	Wireless Gateway Interface – 12 VDC or 12 VAC, (5 year lithium battery) 512K standard memory, support for a maximum of 16 Wireless readers per interface (supports all MIRL, WRI and WRP Readers) available for use with OnGuard Version 5.10.4xx , RoHS, CE, C-Tick and UL294 certified	
LNL-1K-32	Resistors – one complete set of sixteen, 1K-ohm resistors for the LNL-1100, LNL-1300 or LNL-1320 modules	
LNL-OLS75A	2.5 A Power Supply Only – The OLS75A is a power supply/charger that will auto-convert a 115/230VAC 50/60Hz input, into a 12VDC or 24VDC output, with 2.5 amps of continuous supply current, UPS capable (Battery Optional)	
LNL-OLS120A	4.0 A Power Supply - Board Only – The OLS120A is a power supply/charger that will auto-convert a 115/230VAC 50/60Hz input, into a 12VDC or 24VDC output, with 4 amps of continuous supply current, UPS capable (Battery Optional)	
LNL-OLS75ACTX	2.5 A Power Supply with enclosure – The OLS75A is a power supply/charger that will auto-convert a 115/230VAC 50/60Hz input, into a 12VDC or 24VDC output, with 2.5 amps of continuous supply current, UPS capable (Battery Optional) with enclosure and lock	
LNL-OLS120ACTX	4.0 A Power Supply with Enclosure - The OLS120A is a power supply/charger that will auto-convert a 115/230VAC 50/60Hz input, into a 12VDC or 24VDC output, with 4 amps of continuous supply current, UPS capable (Battery Optional) with enclosure and lock	
LNL-MOM-5	Multi-output power supply interface (board Only)	
LNL-AL400ULX	Lenel UL Listed 4A, 110VAC Power Supply – 12VDC 4A or 24VDC 3A output (switch selectable), 115VAC input, continuous supply current with enclosure (15.5" x 12.5" x 4.5"), lock, tamper switch, UPS capable (Battery Optional) UL & CUL Approved	
LNL-600ULX-4CB6	Lenel UL Listed Power Supply – 12VDC or 24VDC 6A output (switch selectable), 115VAC (1.6 amps) input, continuous supply current with enclosure (24" x 18" x 4.5"), lock, tamper switch, power distribution module, UPS capable (Battery Optional) UL & CUL Approved	
LNL-400X-CE220	Lenel CE Listed 4A, 220VAC Power Supply – 12VDC 4A or 24VDC 3A output (switch selectable), 220/230 VAC input, continuous supply current with enclosure (15.5" x 12.5"x 4.5"), lock and open frame transformer, tamper switch UPS capable (Battery Optional) CE Approved	
LNL-600X6-CE220	Lenel CE Listed Power Supply – 12VDC or 24VDC 6A output (switch selectable), 220/230 VAC (1.6 amps) input, continuous supply current with enclosure (24" x 18"x 4.5"), lock and open frame transformer, tamper switch, power distribution module, UPS capable (Battery Optional) CE Approved	

ATTACHMENT "B"- PART 1

LNL-CTX	Lenel UL listed hardware enclosure (15.5" x 12.5" x 4.5") only with lock and tamper switch support up to two Lenel access hardware modules (UL Approved) (can house 2 boards)	
LNL-CTX-6	Lenel UL listed hardware enclosure (24" x 18" x 4.5"), only with lock and tamper switch support up to six Lenel access hardware modules (UL Approved) (can house up to 6 boards)	
ABT-12	Battery Kit, includes, 12 VDC, 12 AH Battery (PS-12120) (Available North America Only)	
ABT-24	Battery Kit, includes, two 12 VDC, 12 AH Battery (PS-12120) (Available North America Only)	
PSH-12100FR	Battery Kit, includes 12VDC, 10.5AH Battery, Slim Line for goEntry bundles	
LNL-CAM1	Lock assembly and keys for Lenel standard power supply cabinets	
LNL-XF1100D	OpenCard/OpenProx Mullion Mount, 6 -16VDC	
LNL-XF2100D	OpenCard/OpenProx Mid-Range, wall mount, , 6 -16VDC	
LNL-XF2110D	OpenCard/OpenProx Mid-Range Keypad, wall mount, 6 -16VDC	
LNL-XF1500D	OpenCard/OpenProx Wall Mount , 5-16VDC, Black, Pigtail, Wiegand output only, single gang, adds EM 125kHZ compatibility	
LNL-XF1100D-S	OpenCard-Secure Mullion Mount, 6 -16VDC	
LNL-XF2100D-S	OpenCard-Secure Mid-Range, wall mount, , 6 -16VDC	
LNL-XF2110D-S	OpenCard-Secure Mid-Range Keypad, wall mount, 6 -16VDC	
LNL-XF1500D-S	OpenCard-Secure Wall Mount, 5-16VDC, Black, Pigtail, Wiegand output only, single gang, adds EM 125kHZ compatibility	
LNL-XF1560D-S	OpenCard Wall Mount 5-16VDC, Black, Pigtail, Wiegand output only, single gang, adds XceedID Secure MIFARE and ISO-X Lite	
LNL-XF1060MF	Mini-Mullion 13.56 MHz reader, reads XceedID ISO-X LITE and XceedID Secure MIFARE PRE-PROGRAMMED cards ONLY. Reads non-programmable CSN of ISO15693 credentials, Black	
LNL-XF1060XX	Mini-Mullion 13.56 MHz reader, reads XceedID ISO-X (NOT ISO-X Lite) PRE-PROGRAMMED cards ONLY. Reads non-programmable CSN/UID of ISO1443A credentials, Black	
LNL-XF1100D-P2	GSA Approved PIV Mullion Mount, 6 -16VDC, 200 bit PIV output, 200 bit PIV output, Black	
LNL-XF1500P-P2	OpenCard-Secure Wall Mount, 5-16VDC, Black, Pigtail, Wiegand output, output, 200 bit PIV output, single gang	
LNL-XF2100D-P2	GSA Approved PIV Mid-Range, wall mount, , 6 -16VDC, 200 bit PIV output, Black	
LNL-XF2110D-P2	GSA Approved PIV Mid-Range Keypad, wall mount, 6 -16VDC, 200 bit PIV output, Black	
LNL-XF1050K	OpenProx Mini-Mullion 125 kHz, 5-16 VDC, adds EM 125kHZ	
LNL-XF1550K	OpenProx Wall Mount; 5-16VDC; Black; pigtail; Wiegand output only; single gang; adds EM 125kHZ	

ATTACHMENT "B"- PART 1

LNL-9520	ISO-X Lite Card, direct printable, preprogrammed (minimum order qty 100)	
LNL-9540M1	ISO-X 10k bit card, direct printable, preprogrammed, with magnetic stripe (minimum order qty 100)	
LNL-2005W	Magnetic Card Access Reader – 12 VDC, track 2 weatherized, one-million pass extended wear read head, (No keypad Available), Black, tamper not available on this reader. (UL Approved)	
LNL-2005W-5	Magnetic Card Access Reader – 5 VDC, track 2 weatherized, one-million pass extended wear read head, (No Keypad Available), Black, tamper not available on this reader (UL Approved)	
LNL-2010W	Magnetic Card Access Reader – 12 VDC, track 2, weatherized, one-million pass extended wear read head, Black (UL Approved)	
LNL-2010W-5	Magnetic Card Access Reader – 5 VDC, track 2, weatherized, one-million pass extended wear read head, Black (UL Approved)	
LNL-2020W	Magnetic Card Access Reader with Keypad – 12 VDC, track 2, one-million pass extended wear read head, weatherized, Black (UL Approved)	
LNL-2020W-5	Magnetic Card Access Reader with Keypad – 5 VDC, track 2, one-million pass extended wear read head, weatherized, Black (UL Approved)	
LNL-2020W-NDK	Magnetic Card Access Reader with non-destructible Keypad – 12 VDC, track 2, one-million pass extended wear read head, weatherized, (UL Approved)	
Reader # + OT	Tamper Contact - for both direct & data Outputs (must order with reader, only available for LNL-2010 or LNL-2020 readers)	
LNL-WP10	Wall Plate cover for Single Gang electrical box (Grey)	
LNL-WP10-BL	Wall Plate cover for Single Gang electrical box (Black)	
LNL-WP20	Wall Plate cover for Double Gang electrical box (Grey)	
LNL-WP20-BL	Wall Plate cover for Double Gang electrical box (Black)	
LNL-RCC	Reader Connector Cable, Replacement (Lots of 5)	
LNL-SS	Security Screw (Lot of 10)	
LNL-SSK	Security Screw Key for A-SS (Lot of 5)	
LNL-WS10	Single Reader Weather Shield for LNL-2005W, 2010W and 2020W	
LNL-RPL-KPD	Replacement Keypads for the LNL-2020W readers	
LNL-CK	Command Display terminal Lenel Command Keypad - 32-character back-lit LCD display with a 16-position keypad, supports both direct RS-485 communication with the ISC and Wiegand TTL output, supports one external Wiegand input, 12VDC±15% @175mA (keypad only). C-Tick Certified	
LPKP-6840GRMP	LENELPROX KEYPAD READER	
LNL-834S121NN	Lenel Brushed Aluminum Keypad, 3 keys across and 4 keys down, 8-bit word output, 12 to 28 VDC, 30 mA, ADA compliant, weather proof with tamper proof keypad. Designed for a single gang electrical box	

ATTACHMENT "B"- PART 1

LNL-826S121NN	Lenel Brushed Aluminum Keypad, 2 keys across and 6 keys down, 8-bit word output, 12 to 28 VDC, 30 mA, ADA compliant, weather proof with tamper proof keypad. Designed for mullion mounting	
LNL-2020W-NDK	Magnetic Card Access Reader with non-destructible Keypad – 12 VDC, track 2, one-million pass extended wear read head, weatherized, (UL Approved)	
BT-ASPKP-HID	HID proximity reader with Lenel's non-destructible keypad, 2 keys across and 5 keys down, 8 bit word output, 5 to 12 VDC, 150 mA, 2 to 3 inch read range, ADA compliant, weather proof with tamper proof keypad, solid state pezo sounder technology and red, green and yellow status LED's. Designed for an international single gang electrical box mounting. Optional colors are available on request	
BT-ASP-HID	Non-destructible HID proximity reader only - 5 to 12 VDC, 150 mA, 2 to 3 inch read range, weather proof , solid state pezo sounder technology and red and green status LED's. Designed for an international single gang electrical box mounting. Optional colors are available on request	
BT-ASPKP-iCLASS	iCLASS reader with Lenel's non-destructible keypad, 2 keys across and 5 keys down, 8 bit word output, 12 to 16 VDC, 170 mA, up to a 2 inch read range, ADA compliant, weather proof with tamper proof keypad, solid state pezo sounder technology and red, green and yellow status LED's. Designed for an international single gang electrical box mounting. Optional colors are available on request	
LPSR-2400GRMP	LenelProx/HID Prox Special Range Reader, Wiegand Output, 4 to 5.5 inch Read Range, Metal Compensated, 5-12 VDC [40 to 70 mA typical], Mullion Width, Indoor/Outdoor, (color Gray)	
LPMM-6800GRMP	LenelProx/HID Prox Mullion Mount Reader, Wiegand and RS232 (simultaneous) output, 6 to 8 inch Read Range, Metal Compensated, 5-12 VDC [65 to 85 mA typical], Mullion Width, Indoor/Outdoor, (color Gray)	
LPSP-6820GRMP	LenelProx/HID Prox Switch Plate Reader, Wiegand and RS232 (simultaneous) output, 6 to 8 inch Read Range, 5-12 VDC [65 to 85 mA typical], Single Gang Box Mount, (color Gray)	
LPMR-1824GRMP	LenelProx/HID Prox Mid Range Reader, Wiegand and RS232 (simultaneous) output, 18 to 24 inch Read Range, 5-12 VDC [250 to 650 mA typical] Dimensions only 8"x8"x1", Indoor/Outdoor, (color Gray only)	
LPMR-1824MCGMP	LenelProx/HID Prox Mid Range Reader Metal Compensated, Wiegand and RS232 (simultaneous) output, 14 to 16 inch Read Range, 5-12 VDC [250 to 650 mA typical] Dimensions only 8"x8"x1", Indoor/Outdoor, (color Gray only)	
LPUA-612MU	UHF Access Proximity Reader – Works Only with UHF Tags, 6-12in. read range, Midnight Black, RoHS	

ATTACHMENT "B"- PART 1

LPLR-2000BU	LenelProx Long Range UHF Reader - Wiegand output, passive tag reader with directional 9 to 11 foot Read Range, 5 to 15 VDC [1.5A to 0.4 A typical], (color Beige only) – Works Only with UHF Tags (1 year warranty). INSTALLER KIT LPLR-2000KIT00 required for set up and installation (not RoHS Compliant)	
LPLR-2000HILOMABU	LenelProx Long Range UHF Reader with dual antennas – Same as LPLR-2000BU, but includes 2nd remote antenna and 4ft Coax cable to provide expanded read range in 1 axis only, to allow greater range of tag locations in either the horizontal OR vertical axis – Works Only with UHF Tags (1 year warranty). INSTALLER KIT LPLR-2000KIT00 required for set up and installation (not RoHS Compliant)	
LPLR-2000KIT00	Installer kit for LPLR-2000 REQUIRED for any LR-2000 Installation - includes test reader, sample tags, and a power supply (PS121A) modified with spring clips	
LPLRMB	Mounting Bracket for LPLR-2000 and LR-911 Reader, 11 inches long with pan & tilt swivel head. Order 2 for HiLo applications.	
LP-GR	Graphics Quality both sides, ISO compliant credential with laser etched card number, 26 bit default format, others available, (minimum order qty 100)	
LP-GRMAG	Graphics Quality ISO with 3 track High-Co ABA Magnetic Stripe Graphics Quality both sides, ISO compliant credential with laser etched card number, 26 bit default format, others available, with 3 track High-Co ABA Magnetic Stripe (minimum order qty 100)	
LP-CS	"Clam Shell" style Prox Badge, with laser etched card number, 26 bit default format, others available, Pre-punched in Portrait Orientation (minimum order qty 100)	
LP-KT	Proximity Key Tag with laser etched card number, 26 bit default format, others available, (Key Fob) (minimum order qty 50)	
LP-PW	Proximity Wafer, 1 inch diameter, adhesive backing, with laser etched card number, 26 bit default format, others available, (minimum order qty 50)	
LPCS-UHF-0-U	UHF CLAMSHELL BADGE, minimum order qty 50, for LR-2000 ONLY	
LPGR-UHF-0-U	UHF, GRAPHICS QUALITY BADGE, minimum order qty 50, for LR-2000 ONLY	
LPVT-UHF-0-U	UHF VISOR TAG, minimum order qty 50, for LR-2000 ONLY	
LPWS-UHF-0-U	UHF WINDSHIELD TAG, minimum order qty 50, for LR-2000 ONLY	
LPRV-UHF-0-0	UHF REAR VIEW MIRROR TAG, minimum order qty 50, for LR-2000 ONLY	
LPMT-UHF-0-0	UHF METAL MOUNT TAG, minimum order qty 50, for LR-2000 ONLY	
LPHT-UHF-0-0	UHF HANG TAG, BLANK, minimum order qty 50, for LR-2000 ONLY	
LP-WS	Windshield Tag High Frequency, for use with LPLR-911 and LPLR-911HILO only. adhesive mount (minimum order qty 50)	

ATTACHMENT "B"- PART 1

LP-MT	Metal Mount Tag High Frequency, for use with LPLR-911 and LPLR-911HILO only. (minimum order qty 50)	
LP-GR-1KM	1K MIFARE Cards with a 125 Proximity insert, graphic quality on both sides, ISO Compliant (minimum order qty 2500) 10 week lead time	
LP-GR-4KM	4K MIFARE Cards with a 125 Proximity insert, graphic quality on both sides, ISO Compliant (minimum order qty 2500) 10 week lead time	
LP-GRMAG-1KM	1K MIFARE Cards with a 125 Proximity insert, High-Co Magnetic stripe graphic quality on both sides, ISO Compliant (minimum order qty 2500) 10 week lead time	
LP-GRMAG-4KM	4K MIFARE Cards with a 125 Proximity insert, High-Co Magnetic stripe, graphic quality on both sides, ISO Compliant (minimum order qty 2500) 10 week lead time	
LNL-9551	MIFARE 1 Kbyte/8Kbit 14443 memory card, direct printable, non programmed (100 card minimum order) two year warranty	
LNL-9551M1	MIFARE 1 Kbyte/8Kbit 14443 memory card with magnetic stripe, direct printable, non programmed, (100 card minimum order) two year warranty	
LNL-9558	MIFARE 4 Kbyte/32Kbit 14443 memory card, direct printable, non programmed, (100 card minimum order) two year warranty	
LNL-9574	DESFire 4Kbyte/32Kbit memory card, direct printable, non programmed, (100 card minimum order) two year warranty	
SWG-ILS-1	ILS lock integration license, maximum number of licenses is capped based on the type of OnGuard system. License is needed for every ILS lock that is integrated with OnGuard. Locks with an ILS prefix includes the license with the lock price.	
ILS-C4W6MFXCCL0	MAG Stripe Offline Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4W6MFXCCL9	MAG Stripe Wireless Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4W6MFXCCR0	MAG Stripe Offline Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4W6MFXCCR9	MAG Stripe Wireless Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4W6MFXSCL0	MAG Stripe Offline Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4W6MFXSCL9	MAG Stripe Wireless Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	

ATTACHMENT "B"- PART 1

ILS-C4W6MFXSCR0	MAG Stripe Offline Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4W6MFXSCR9	MAG Stripe Wireless Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4W6ML1CC0	MAG Stripe Offline Lock Toledo Handle with C Keyway Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4W6ML1CC9	MAG Stripe Wireless Lock Toledo Handle with C Keyway Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4W6ML1SC0	MAG Stripe Offline Lock Toledo Handle with SFIC Key Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4W6ML1SC9	MAG Stripe Wireless Lock Toledo Handle with SFIC Key Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4P6MFXCCL0	125Khz Prox Offline Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4P6MFXCCL9	125Khz Prox Wireless Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4P6MFXCCR0	125Khz Prox Offline Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4P6MFXCCR9	125Khz Prox Wireless Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4P6MFXSCL0	125Khz Prox Offline Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4P6MFXSCL9	125Khz Prox Wireless Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4P6MFXSCR0	125Khz Prox Offline Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4P6MFXSCR9	125Khz Prox Wireless Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	

ATTACHMENT "B"- PART 1

ILS-C4P6ML1CC0	125Khz Prox Offline Lock Toledo Handle with C Keyway Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4P6ML1CC9	125Khz Prox Wireless Lock Toledo Handle with C Keyway Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4P6ML1SC0	125Khz Prox Offline Lock Toledo Handle with SFIC Key Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4P6ML1SC9	125Khz Prox Wireless Lock Toledo Handle with SFIC Key Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4A6MFXCCL0	iClass Offline Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4A6MFXCCL9	iClass Wireless Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4A6MFXCCR0	iClass Offline Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4A6MFXCCR9	iClass Wireless Lock Toledo Handle with C Keyway Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4A6MFXSCL0	iClass Offline Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4A6MFXSCL9	iClass Wireless Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Left Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4A6MFXSCR0	iClass Offline Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4A6MFXSCR9	iClass Wireless Lock Toledo Handle with SFIC Key Override ANSI Mortise with Deadbolt Right Hand in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4A6ML1CC0	iClass Offline Lock Toledo Handle with C Keyway Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4A6ML1CC9	iClass Wireless Lock Toledo Handle with C Keyway Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	

ATTACHMENT "B"- PART 1

ILS-C4A6ML1SC0	iClass Offline Lock Toledo Handle with SFIC Key Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-C4A6ML1SC9	iClass Wireless Lock Toledo Handle with SFIC Key Override Cylindrical Latch for 2 3/4 Backset with 1 3/4 Door thickness in Satin Chrome Finish (626) →NOTE: STANDARD ITEM←	
ILS-KIL-PDA	Mobile Configurator for both the Wireless Lock and the Offline Lock with PDA Adapter, Power Source and USB. NOTE: Product and Construction card lead times will vary based on quantity ordered as follows: (1-5 units; 2 weeks); (6-10 units; 12 weeks); (11 or more units; 14 weeks)	
ILS-C4XPPA1	Lenel ILS Mobile Configurator Adapter (Uses 3 AA Batteries)	
ILS-656357111	Lock, Mag Strip Reader module, Satin Chrome Finish (626) (field upgrade kit)	
ILS-C4XCMWAPW	900 mHz to 802.11b Wireless Gateway with AC Power converter	
ILS-C4XCMWAPA	900 MHz to 10/100 Ethernet Wireless Gateway with AC Power converter	
ILS-C4XCMWAPE	900 MHz to 10/100 Ethernet Wireless Gateway with POE converter	
ILS-C4XRWA	Lock, Prox Reader module (field upgrade kit) NOTE: Product lead times will vary based on quantity ordered as follows: (1-100 units, 2 weeks), (101-500 units, 12 weeks), (more than 500 units, 14 weeks)	
ILS-C4XRWMC	Lock, Mag Stripe Reader module, Satin Chrome Finish (626) (field upgrade kit) NOTE: Product lead times will vary based on quantity ordered as follows: (1-100 units, 2 weeks), (101-500 units, 12 weeks), (more than 500 units, 14 weeks)	
ILS-C4XRWI	Lock, iCLASS Reader module (field upgrade kit) NOTE: Product lead times will vary based on quantity ordered as follows: (1-100 units, 2 weeks), (101-500 units, 12 weeks), (more than 500 units, 14 weeks)	
ILS-C4XRAD	Lock, 900MHz Radio Kit (field upgrade kit) NOTE: Product lead times will vary based on quantity ordered as follows: (1-100 units, 2 weeks), (101-500 units, 12 weeks), (more than 500 units, 14 weeks)	
ILS-C4XDCON	Lock, Door Contact Kit (field upgrade kit) NOTE: Product lead times will vary based on quantity ordered as follows: (1-100 units, 2 weeks), (101-500 units, 12 weeks), (more than 500 units, 14 weeks)	
ILS-JH400480	Lock, Toledo Handle Satin Chrome Finish (626) outside (Meets California Code for 1/2 gap from lever to door surface) NOTE: Product lead times will vary based on quantity ordered as follows: (1-100 units, 2 weeks), (101-500 units, 12 weeks), (more than 500 units, 14 weeks)	

ATTACHMENT "B"- PART 1

ILS-JH400580	Lock, Toledo Handle Satin Chrome Finish (626) inside (Meets California Code for 1/2 gap from lever to door surface) NOTE: Product lead times will vary based on quantity ordered as follows: (1-100 units, 2 weeks), (101-500 units, 12 weeks), (more than 500 units, 14 weeks)	
ILS-C4XMTCO	Lock, Multi technology construction card, support Magnetic Stripe, 125KHz Prox and iCLASS locks	
SWG-1411	Onity lock integration license - License is needed for every lock that is integrated with OnGuard. Locks with a KTDL includes the license with the lock price.	
ONT-KTDL-C-K-12-626	Onity Integra cylindrical lock, magnetic stripe with keypad, 626 (satin chrome finish) , includes SWG-1411	
ONT-KTDL-M-L-626-L	Onity Integra left hand mortise lock, magnetic stripe, 626 (satin chrome finish) , includes SWG-1411	
ONT-KTDL-M-L-626-R	Onity Integra right hand mortise lock, magnetic stripe, 626 (satin chrome finish) , includes SWG-1411	
ONT-KTDL-M-LK-626-L	Onity Integra left hand mortise lock, magnetic stripe with keypad, 626 (satin chrome finish) , includes SWG-1411	
ONT-KTDL-M-LK-626-R	Onity Integra right hand mortise lock, magnetic stripe with keypad, 626 (satin chrome finish) , includes SWG-1411	
ONT-KTDL-M-D-626-L	Onity Integra left hand mortise with deadbolt lock, magnetic stripe, 626 (satin chrome finish) , includes SWG-1411	
ONT-KTDL-M-D-626-R	Onity Integra right hand mortise with deadbolt lock, magnetic stripe, 626 (satin chrome finish) , includes SWG-1411	
ONT-KTDL-M-DK-626-L	Onity Integra left hand mortise with deadbolt lock, magnetic stripe with keypad, 626 (satin chrome finish) , includes SWG-1411	
ONT-KTDL-M-DK-626-R	Onity Integra right hand mortise with deadbolt lock, magnetic stripe with keypad, 626 (satin chrome finish) , includes SWG-1411	
ONT-KTF-XPPM	Onity Portable Programmer for Integra Locks with memory module and 12V transformer (Serial Port required on Computer)	
ONT-KTD-CUSTOM	Custom finish, srike plates, or lock handles (Call for Quote)	
ONT-G4K6WLNCCL	Onity CodePro left hand cylindrical lock with keypad, 626 (satin chrome finish), Wing	
ONT-G4K6WLNCCR	Onity CodePro right hand cylindrical lock with keypad, 626 (satin chrome finish), Wing	
ONT-G4K6WFXCCL	Onity CodePro left hand mortise lock with keypad, 626 (satin chrome finish), Wing	
ONT-G4K6WFXCCR	Onity CodePro right hand mortise lock with keypad, 626 (satin chrome finish), Wing	
ONT-G4K-PDAKIT	Onity Portable PDA Programmer with memory module, cables and 12V transformer	

ATTACHMENT "B"- PART 1

8031DSCM-LNL-3060	ISO 14443-3 MIFARE Serial Number PINpad Reader PINpad housing, with buzzer (Output format Lenel PIN, serial number output 34 bit) 4.5 - 16 VDC, 1.68W max.	
8030DSCM-LNL-3000	ISO 14443-3 MIFARE Serial Number Reader Read-ONLY MT/Wiegand, SmartID housing, with buzzer (output format Wiegand 34 bit) 4.5 - 16 VDC 1.68W max.	
8030DSCM-LNL-3010	ISO 14443-3 MIFARE Sector Reader Read-ONLY MT/Wiegand, SmartID housing, with buzzer (output format Lenel WG36) 4.5 - 16 VDC 1.68W max.	
8030DSCM-LNL-3030	MIFARE Sector Reader Read-ONLY MT/Wiegand, SmartID housing, with buzzer (output format NMC) 5 - 12 VDC @ 200mA	
8030DSCM-LNL-3040	MIFARE Sector Reader Read-ONLY MT/Wiegand, SmartID housing, with buzzer (output format SLBRAW) 5 - 12 VDC @ 200mA	
8031DSCM-LNL-3020	ISO 14443-3 MIFARE Sector Reader Read-ONLY MT/Wiegand Pinpad, SmartID Housing, with buzzer (output format Lenel WG36) 4.5 - 16 VDC 1.68W max.	
8031DSCM-LNL-3030	ISO 14443-3 MIFARE Sector Reader Read-ONLY MT/Wiegand Pinpad, SmartID Housing, with buzzer (output format NMC) 4.5 - 16 VDC 1.68W max.	
8031DSCM-LNL-3040	ISO 14443-3 MIFARE Sector Reader Read-ONLY MT/Wiegand Pinpad, SmartID Housing, with buzzer (output format SLBRAW) 4.5 - 16 VDC 1.68W max..	
8031DSDF-LNL-4000	ISO 14443-4 DESFire Lenel OpenCard/GSC format card PINpad reader, SmartID™ housing (Output format DESFire 40 digits ABA, full FASC-N), with buzzer, 4.5 - 16 VDC, 1.68W max.	
8030DSDF-LNL-4040	ISO 14443-4 DESFire reader, SmartID™ housing (Output format Serial number Wiegand 58 with parity) 4.5 - 16 VDC, 1.68W max.	
8030DSDF-LNL-4045	ISO 14443-4 DESFire reader, SmartID™ housing (Output format Serial number Wiegand 56 no parity) 4.5 - 16 VDC, 1.68W max.	
8030DSDF-LNL-4050	ISO 14443-4 DESFire reader, SmartID™ housing (Output format Serial number RS232 14 digits hex) 4.5 - 16 VDC, 1.68W max.	
8030DSDF-LNL-4051	ISO 14443-4 DESFire reader, SmartID™ housing (Output format Serial number RS232 20 digits BCD) 4.5 - 16 VDC, 1.68W max.	
8031DSDF-LNL-4011	ISO 14443-4 DESFire Lenel OpenCard/GSC format card PINpad reader, SmartID™ housing (Output format Wiegand 200, full FASC-N - ABA data, no parity), with buzzer, 4.5 - 16 VDC, 1.68W max.	
8031DSDF-LNL-4014	ISO 14443-4 DESFire Lenel OpenCard/GSC format card PINpad reader, SmartID housing (Output format Wiegand 80 Medium assurance no parity, Agency, System, Credential, +32 HMAC), with buzzer, 4.5 - 16 VDC, 1.68W max.	
8031DSDF-LNL-4040	ISO14443-4 DESFire PINpad reader, SmartID™ housing (Output format Serial number Wiegand 58 with parity) 4.5 - 16 VDC, 1.68W max.	

ATTACHMENT "B"- PART 1

8031DSDF-LNL-4045	ISO14443-4 DESFire PINpad reader, SmartID™ housing (Output format Serial number Wiegand 56 no parity) 4.5 – 16 VDC, 1.68W max.	
9287AS	Smart ID Wall mounting spacer for mullion reader with Standard housing and external pinpad	
4045-CGKU0	EntryProx with keytag kit (includes 10 Proxkey II proximity keytag's) 37 Bit card format (H10302) standard other formats are available with special orders	
4045-CGCU0	EntryProx with Cards kit (includes 20 ProxCard II proximity cards) 37 Bit card format (H10302) standard other formats are available with special orders	
4045PRN	Hewlett-Packard Infrared Printer (HP-#82240B)	
04-0001-03	Security Tool - for tamper resistant screw on EntryProx	
3110-2305	Dorado Model 230 Reader, Black, universal combination reader formats include magnetic stripe (ABA & EMPI) and proximity (HID, Prox 10 & EMPI)	
3110-2405	Dorado Model 240 Keypad Reader, Black, universal combination reader formats include magnetic stripe (ABA & EMPI) and proximity (HID, Prox 10 & EMPI)	
3110-2405-C	Dorado Model 240 Keypad Reader with Ceramic read head, Black, universal combination reader formats include magnetic stripe (ABA & EMPI) and proximity (HID, Prox 10 & EMPI)	
3100500	Classic Swipe Reader (Beige wood grain w/arrow)	
3100130	Classic Swipe Reader (Black w/logo & arrow)	
3152540	EPIC Swipe Reader (Black)	
3103560	PINpad Wiegand Reader (Black) 8 bit pin pad with Wiegand swipe	
LNL-500W	Lenel Wireless Gateway Interface – 12 VDC or 12 VAC, (5 year lithium battery) 512K standard memory, support for a maximum of 16 Wireless readers per interface (supports all WA, WRI and WPR Readers) available for use with OnGuard Version 5.10.4xx , RoHS, CE and UL294 certified	
PIM400-TD2	Wiegand (data1/data0) or magnetic stripe (clock & data) output; includes weatherproof enclosure, internal antenna with ability to add remote antennal; requires 12 or 24 VDC power supply. Dry Contact board not included. (7.1" x 7.1" enclosure)	
RLBD	Optional Dry contact board available for PIM400-TD2 to simplify installation with Acess Control Panels that require relays. Configurable for Normally Open or Normally Closed.	
PIM400-485	RS-485 panel interface module for up to 16 doors/with outdoor enclosure	
HHD-KIT	Handheld Device pre-loaded with SUS; USB Cable	
HH-USB	Cable used to connect HHD to AD and CO Series products, including PIM400 and PIB300	

ATTACHMENT "B"- PART 1

HH-Serial	Cable used to connect HHD to CIP for programming legacy CM/CL/KC products	
PIMWA-CV	Converter used to connect HHD to WA Series PIM, using the HH-Serial Cable	
KP	Keypad Only Reader Module.	
MG	Magnetic Stripe Reader Module (Track 1, 2, or 3).	
MGK	Magnetic Stripe Reader Plus Keypad Module (Track 1, 2, or 3).	
PR	125 kHz Proximity Reader Module (HID, AWID, Casi, XceedID).	
PRK	125 kHz Proximity Reader Plus Keypad Module (HID, AWID, Casi, XceedID).	
SM	13.56 MHz Smart Card Reader Module.	
SMK	13.56 MHz Smart Card Reader Plus Keypad Module.	
MT	125 kHz Proximity and 13.56 MHz Smart Card Reader Module.	
MTK	125 kHz Proximity and 13.56 MHz Smart Card Reader Plus Keypad Module.	
WPR400-KP	Keypad Reader, Battery-operated, handheld unit with keypad reader.	
WPR400-MG	Magnetic Stripe Reader, Battery-operated, handheld unit with magnetic stripe reader (Track 1, 2, or 3)	
WPR400-MGK	Magnetic Stripe Reader + Keypad, Battery-operated, handheld unit with magnetic stripe reader (Track 1, 2, or 3)	
WPR400-PR	Proximity Reader, Battery-operated, handheld unit with proximity reader.	
WPR400-PRK	Proximity Reader + Keypad, Battery-operated, handheld unit with proximity reader and keypad.	
WPR400-SM	Smart Card Reader, Battery-operated, handheld unit with smart card reader.	
WPR400-SMK	Smart Card Reader + Keypad, Battery-operated, handheld unit with smart card reader and keypad.	
WPR400-MT	Multi-Technology Reader, Battery-operated, handheld unit with multi-technology reader.	
WPR400-MTK	Multi-Technology, Battery-operated, handheld unit with multi-technology reader and keypad.	
COM400L	Wireless AD-400 Communication Kit. AD400 900Mhz Wireless Comm Board plus Cover for Classroom/Storeroom Function, w/ LED Lens on CY & MS Chassis. All Functions on MD Chassis	
COM400P	Wireless AD-400 Communication Kit. AD400 900Mhz Wireless Comm Board plus Cover for Office/Privacy/Apartment Function, w/ LED Lens and Push Button on CY & MS Chassis.	
ANT400-REM-I/O	Omni-directional remote indoor/outdoor antenna module. Grounding kit for outdoor applications sold separately. Includes antenna, 15' coax, cable gland, wall mounting hardware; For use with PIM400-TD2, and WRI400. Requires available Grounding Kit (MGB+MCA5) for outdoor installations.	

ATTACHMENT "B"- PART 1

ANT400-REM-I/O+6DB	Directional, flat panel, remote indoor/outdoor antenna w/ 6DB Omni-directional remote indoor antenna module, Grounding kit for outdoor applications sold separately. Includes 15' of 50 ohm coax cable with connector. Requires available Grounding Kit (MGB+MCA5) for outdoor installations.	
ANT400-REM-Ceiling	Omni-directional remote indoor antenna module. Includes antenna, 15' coax, cable gland, ceiling mounting hardware; not compatible with Grounding Kit (MGB+MCA5). For indoor use with PIM400-TD2 and WRI400.	
ANT400-REM-HALL	Bi-directional remote indoor antenna module. Includes antenna, 15' coax, cable gland, ceiling mounting hardware; not compatible with Grounding Kit (MGB+MCA5). For indoor use with PIM400-TD2 and WRI400.	
MPAB4	Adjustable Mast Mount for use with ANT-REM-I/O+6DB ONLY	
MGB-MCA5	Grounding Kit for ANT-REM-I/O+6DB ONLY	
4C	Interior Battery Cover only for interior escutcheon; no AA Batteries or Holder.	
4B	Battery Kit for 4 AA (Cover and Holder) Batteries not included.	
8B	Battery Kit for 8 AA (Cover and Holder) Batteries not included.	
23458599	Exterior Shim Plate	
23458565	Interior Shim Plate - AD-401	
23451735	Small size surface mount decorative plate to address retrofit door prep.	
23451727	Medium size surface mount decorative plate to address retrofit door prep.	
23451719	Large size surface mount decorative plate to address retrofit door prep.	
K380-001	Single Replacement Battery Pack	
K380-0012	Pack of 12 Replacement Battery Packs	
593PI-12DC	12 VDC Power Supply	
SERIII-WS	Scramble Keypad with Surface Mount Kit- The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by a LED with a different set of numbers every time the keypad is used. Weatherized for outdoor use, 8 - 14VDC, and a wiegand output. Standard color is gray. Includes collar for surface mounting.	
SERIII-WF	Scramble Keypad with Flush Mount Kit- The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by a LED with a different set of numbers every time the keypad is used. Weatherized for outdoor use, 8 - 14VDC, and a wiegand output. Standard color is gray. Includes bezel for flush mounting.	
SWG-1400	OnGuard RSI Hand Geometry Interface Global Software Option for OnGuard - for ID3D, Handkey CR and Handkey II Readers (requires LNL-500B as reader interface module)	

ATTACHMENT "B"- PART 1

LNL-500B	Lenel Biometric Reader Interface Gateway – 12 VDC or 12 VAC, (5 year lithium battery) 512K standard memory, support for a maximum of 8 Schlage Hand Geometry readers per interface (supported readers are ID3D, Handkey II and Handkey CR),also supports Identix V20 readers. The LNL-500B is NOT required for Bioscrypt readers are individually connected to reader ports of Lenel Series 2 reader interface modules, but IS required for use of Bioscrypt readers with Series 1 reader interface modules with controller-based (non-smartcard) template storage. RoHS, CE and UL294 certified.	
HK-CR-EK	HandKey II-CR Enrollment Reader Kit - includes a hand geometry biometric reader for enrollment, desktop stand, power supply (120VAC to 13.5VDC) w/connector, RJ-45 cable and converter to RS-232 DB9 connector which enable connection to any badging workstation	
HK-CR-EUK	HandKey II-CR Enrollment Reader 220VAC Kit - includes a hand geometry biometric reader for enrollment, desktop stand, power supply (220VAC to 13.5VDC) w/connector, RJ-45 cable and converter to RS-232 DB9 connector which enables connection to any badging workstation	
ID3D-R	Handkey ID3D Right handed hand geometry biometric reader for biometric verification, 12-24VDC 50/60Hz 1A Max, this reader requires an LNL-500B gateway. The total number of cardholder templates is controlled by the amount of memory on the LNL-2000 controller	
LH-100	Left handed option for ID3D-R	
ID3D-RW	Handkey ID3D Outdoor, Right handed hand geometry biometric reader- for biometric verification, 12-24VDC 50/60Hz 1A Max, this reader requires an LNL-500B gateway. The total number of cardholder templates is controlled by the amount of memory on the LNL-2000 controller	
LH-100W	Left handed option for ID3D-RW	
TM-100	Enrollment station table top secure mounting base	
WM-200	Recessed wall mount kit for the Handkey ID3D-R reader	
WM-201	Surface mount kit for the Handkey ID3D-R reader	
PS110	HK-CR and HK-2 - Power supply 120VAC to 13.5 VDC w/connector	
TF-100	ID3D-RW Transformer for out door heaters (117VAC to 24 VAC)	
CR-2	Magnetic Stripe Card Reader - Wall Mount	
EM-602	Memory Expansion - 9,728 users for ID3D, ID3D-RW	
CR-RW	Magnetic Stripe Card Reader - Outdoor	
EM-801-F3	Memory Expansion - 9728 Users for current HK-CR, HK-2.	
EM-801	Memory Expansion - 9728 Users for original HK-CR, HK-2.	
EN-100	Factory Installed Ethernet Communication Module for ID3D-R & ID3D-RW	
EN-200	Ethernet Communication Module for HK-2, HK-CR	

ATTACHMENT "B"- PART 1

INT-HTR	Internal heater for the HK-2, HR-CR and HK-CM, factory installed option. Requires 24VAC input to reader to operate.	
HURCNE	Outdoor enclosure for F Series hand readers	
TSNAMI	Water tight enclosure for F Series hand readers	
iCLASS-100	Handkey II and Handkey CR iCLASS Reader add on at the time of hand reader order - Internally mounting iCLASS reader with clear acrylic card holder. Template and ID using page 0 application 2 with default iCLASS HID keys, 26 bit Wiegand output format standard (call for custom output) factory option only and cannot be field installed. Option requires HandReader voltage input to be 12VDC	
SC-100	Handkey II and Handkey CR integrated side mounted MIFARE reader add on with clear acrylic card holder. Template and ID using sectors 2 and 3 with standard public key, 26 bit output standard, (call for custom output) only available on HK-CR, HK-II readers and must be ordered with the hand reader. Option requires HandReader voltage input to be 12VDC	
HK-PROX	Handkey II and Handkey CR iCLASS Reader add on at the time of hand reader order - Externally top mounted HID ProxPoint Reader - 26 bit Wiegand format standard, alternate configurations available. HK-PROX option must be ordered with F series readers only and cannot be field installed	
SWG-1402	Bioscrypt Interface for Fingerprint authentication option	
LNL-500B	Lenel Biometric Reader Interface Gateway – 12 VDC or 12 VAC, (5 year lithium battery) 512K standard memory, support for a maximum of 8 Schlage Hand Geometry readers per interface (supported readers are ID3D, Handkey II and Handkey CR),also supports Identix V20 readers. The LNL-500B is NOT required for Bioscrypt readers are individually connected to reader ports of Lenel Series 2 reader interface modules, but IS required for use of Bioscrypt readers with Series 1 reader interface modules with controller-based (non-smartcard) template storage. RoHS, CE and UL294 certified.	
BIO-4GFXU1	4G V-Flex / UPEK TCS1	
BIO-4GFXU1G	4G V-Flex / UPEK TCS1 / Gemalto Mifare & Desire	
BIO-4GSTU1	4G V-Station 4G / UPEK TCS1	
BIO-4GSTU1G	4G V-Station / UPEK TCS1 / Gemalto Mifare & DesFire	
BIO-DSK4GFX	V-Flex 4G Desktop stand (Includes Power Supply, Mounting Hardware)	
BIO-DSK4GST	V-Station 4G Desktop stand (Includes Power Supply, Mounting Hardware)	
BIO-CNVR	V-Series converter, RS232 to RS485	
BIO-PWRR	V-Series Power Supply	
BIO-4PTUTGGC	4G PIV-TWIC Station (G,GC) - 4G PIV.TWIC Station (Contactless & Contact Reader), no TPK support from OnGuard	
BIO-EPTVG	4G PIV-TWIC Station Extreme (V,G) - 4G PIV-TWIC Station Extreme (Contactless), no TPK support from OnGuard	

ATTACHMENT "B"- PART 1

BIO-EPTVGW	4G PIV-TWIC Station Extreme (V,G,W) - 4G PIV-TWIC Station Extreme (Contactless, Wireless), no TPK support from OnGuard	
BIO-EPTVGGC	4G PIV-TWIC Station Extreme (V,G,GC) - 4G PIV-TWIC Station Extreme (Contactless, Contact), no TPK support from OnGuard	
BIO-EPTVGGCW	4G PIV-TWIC Station Extreme (V,G,GC,W) - 4G PIV-TWIC Station Extreme (Contactless, Contact, Wireless), no TPK support from OnGuard	
BIO-EPTVGMG	4G PIV.TWIC Station Extreme (V,G,MG) - 4G PIV-TWIC Station Extreme (Contactless, Mag-Stripe), no TPK support from OnGuard	
BIO-EPTVGMGW	4G PIV.TWIC Station Extreme (V,G,MG, W) - 4G PIV-TWIC Station Extreme (Contactless, Mag-Stripe, Wirless), no TPK support from OnGuard	
BIO-EPTVGGCMG	4G PIV.TWIC Station Extreme (G,GC,MG) - 4G PIV-TWIC Station Extreme (Contactless, Contact, Mag-Stripe), no TPK support from OnGuard	
BIO-EPTVGGCMGW	4G PIV.TWIC Station Extreme (G,GC,MG,W) - 4G PIV-TWIC Station Extreme (Contactless, Contact, Mag-Stripe, Wireless), no TPK support from OnGuard	
BIO-ETEC	4G Extreme Cooler Module - 4G Extreme / TEC Module	
BIO-ETECMG	4G Extreme Cooler Module (MG) - 4G Extreme / TEC Module / For Mag-Stripe Models)	
SWG-LG	LG IrisAccess Software Interface option for OnGuard ES, ADV and PRO Solutions	
SWG-LGENT	LG IrisAccess Software Interface option for OnGuard ENT Solutions. This license is required for each region in which LG Iris templates will be enrolled.	
LG-EAC500	IrisAccess EAC Software for 500 LG Iris users. Requires SWG-LGxx above.	
LG-EAC-2500	IrisAccess EAC Software for 2500 LG Iris users. Requires SWG-LGxx above.	
LG-EAC-5K	IrisAccess EAC Software for 5000 LG Iris users. Requires SWG-LGxx above.	
LG-EAC-30K	IrisAccess EAC Software for 30,000 LG Iris users. Requires SWG-LGxx above.	
LG-EAC-50K	IrisAccess EAC Software for 50,000 LG Iris users. Requires SWG-LGxx above.	
LG-EAC-75K	IrisAccess EAC Software for 75,000 LG Iris users. Requires SWG-LGxx above.	
LG-EAC-100K	IrisAccess EAC Software for 100,000 LG Iris users. Requires SWG-LGxx above.	

ATTACHMENT "B"- PART 1

LG-iCAM4000	iCAM 4000 IP connected Iris Camera Verification Unit with connection port for external HID RW400 iCLASS smart card reader (reader not included) this unit is also recommend for enrollment of iris templates to OnGuard	
LG-iCAM4010-H1	iCAM 4010 IP connected Iris Camera Verification Unit with internal HID iCLASS smart card reader	
LG-iCAM4100	iCAM 4100 IP Iris Camera with VFD with connection port for external HID RW400 iCLASS smart card reader (reader not included)) this unit is also recommend for enrollment of iris templates to OnGuard	
LG-ICU4000R-W	Identification Control Unit kit for 4000 series verification units - for up to four LG iCAM4xxx series Iris verification unit	
LG-iCAM4110-H1	Iris Camera with VFD, embedded with internal HID iClass smart card reader	
LG-iCAM4110-E1	Iris Camera with VFD, embedded with internal DESFire smart card reader	
LG-ICAM-ST	Enrollment Stand for iCAM4000/4100 (iCAM-STDESK4000)	
LG-iCAM-RM	Flush Mount Kit for the iCAM4000	
LNL-3121-HSB	USB Contact Reader used to import PIV compliant credentials and other contact smart cards, includes Heavy Standing Base	
LNL-5121-HSB	USB Contact/Contactless Reader used to import PIV compliant credentials and other contact smart cards. Also includes Contactless smart card interface for importing MIFARE/iCLASS Serial Numbers, includes Heavy Standing Base.	
LNL-5125-HSB	USB Contact/Prox Reader used to import PIV compliant credentials and other contact smart cards. Also includes 125KHz prox card interface for importing HID Prox Numbers, includes Heavy Standing Base.	
LNL-HSB	Heavy Standing Base for 31xx and 51xx Reader	
SM-MSO-300	MorphoSmart 500 ppi Optical Fingerprint sensor (Metal Housing, USB)	
SM-MSO-301	MSO-300 with Fake Finger detection	
SM-MSO-350PIV	MSO-300 with contact smart card reader and FBI certified sensor	
SM-MSO-351	MSO-300 with Fake Finger detection and contact smart card reader	
SM-MSO-1300	Morpho Smart Mini Optic Fingerprint sensor (Plastic housing, USB, CBM module)	
SM-PS-BUILD	PreScan Ridge Builder film (1.5" x 2") Increases the quality of the capture on the Morpho Smart sensors, recommended for each Morpho Smart sensor	
CAM-24Z704USB-N-KIT	Includes camera with mounting block (enables mounting to a standard tripod); power supply and 6 ft. USB cable; Twain Data Source and camera control / set-up software.	
CAM-24Z704USB-P-KIT	Includes camera with mounting block (enables mounting to a standard tripod); power supply and 6 ft. USB cable; Twain Data Source; European wall plug and camera control / set-up software.	

ATTACHMENT "B"- PART 1

CAM-24Z704USB-N-SY	Includes camera with stand; power supply and 6 ft USB cable; Twain Data Source and camera control / set-up software.	
CAM-24Z704USB-P-SY	Includes camera with stand; power supply and 6 ft USB cable; Twain Data Source; European wall plug and camera control / set-up software.	
EHK-K42U-A	Professional Continuous Lighting Kit – includes two 600-watt quartz lights, two bounce back white umbrellas, two stands, mounting brackets and carrying case (110VAC)	
C00020	5647 Standard Gray Backdrop (Storm Clouds, 5' x 6')	
C00022	5687 2 in one Collapsible Chromakey Blue/green Backdrop (size 3' x 4')	
C00024	5686 2 in one Collapsible Chromakey Blue/green Backdrop (size 5' x 6')	
C00017	1103 Back Drop Stand	
K62440	USB Signature Capture Kit - Intuos3 USB Graphics Tablet 4x6 with erasing UltraPen PTZ430 (UD2-0405S-PC)	
F94089	Replacement Pen for Intuos3 tablets	
232277	Replacement Pen for Intuos2 tablets	
Z-TS261-USB	Topaz 1" x 5" Signature Capture USB Kit -	
SWG-1476	OnGuard Software Option for either the CSS-800 or CSS-1000 scanner. One license is required per scanner.	
CSS-SNAPSHELL	IdData library (Driver's License reader and Library) Scanner Kit – one SnapShell, USB, with a 12 month warranty. (New Visitor Management Only, Driver license scanning is currently not supported)	
CSS-EXTWAR	Annual Extended Hardware Warranty this includes one additional year of hardware warranty.	
ID-CLIP	Badge Clip, Clear Vinyl (100 units)	
ID-CHAIN	Neck Chain, 36", Nickel Plated (100 units)	
ID-MBHP	Magnetic Badge Holder, Portrait, CC, Black (100 units)	
ID-MBHL	Magnetic Badge Holder, Landscape, CC, Black (100 units)	
ID-LANYARD	Lanyard, Breakaway, Black* (100 units)	
ID-RETRACT	Retractable Badge Clip, Black* (100 units)	
ID-SPHH	Slot Punch, Hand Held, Heavy Duty	
ID-SPTT	Slot Punch, Table Top, Heavy Duty	
EV-G06336	DYMO label writer 400 USB printer – Black and white, 300 DPI, support for XP USB and prints 40 labels per minute, with auto switching power supply	
EV-G06337	DYMO label writer 400 TURBO USB printer – Black and white, 300 DPI, support for XP USB and prints 55 labels per minute, with auto switching power supply	
EV-30256	Peel and stick labels – 2 5/16" x 4" labels, 300 per roll	

ATTACHMENT "B"- PART 1

INT-NetDVMS-OG-1C	OnGuard Integration Part Number for 1 NetDVMS channel (NetDVMS-1C). Provides the ability to import NetDVMS channels into the OnGuard database and link other OnGuard alarms/actions to NetDVMS video. Additionally provides the ability to view NetDVMS video within Alarm Monitoring as well as the ability to send video from OnGuard to Open SkyPoint client applications.	
INT-SPDVMS-OG-1C	OnGuard Integration Part Number for 1 NetDVMS channel running under SkyPoint-DV (SP-DVMS-1C). Provides the ability to import NetDVMS channels into the OnGuard database and link other OnGuard alarms/actions to NetDVMS video. Additionally provides the ability to view NetDVMS video within Alarm Monitoring as well as the ability to send video from OnGuard to Open SkyPoint client applications.	
INT-SPEVS-OG-1C	OnGuard Integration Part Number for 1 NetEVS channel running under SkyPoint-EV (SP-EVS-1C). Provides the ability to import NetEVS channels into the OnGuard database and link other OnGuard alarms/actions to NetEVS video. Additionally provides the ability to view NetEVS video within Alarm Monitoring as well as the ability to send video from OnGuard to Open SkyPoint client applications.	
SP-DV	Base License for the SkyPoint Base Server. The SkyPoint Base Server is an integral part of the SkyPoint platform responsible for coordinating collabortaion between clients; event handling; video wall control and much more. SkyPoint-DV can utilize NetDVMS (SP-DVMS-1C) recorder channels. One SP-DV Required per entire system/customer - SUP is optional	
SP-DVMS-1C	1 Channel of NetDVMS video. Can be used with SkyPoint-DV (SP-DV) or SkyPoint-EV (SP-EV) - SUP is optional for SkyPoint-DV systems but is required for SkyPoint-EV systems.	
SP-EV	Base License for the SkyPoint Base Server. The SkyPoint Base Server is an integral part of the SkyPoint platform responsible for coordinating collabortaion between clients; event handling; video wall control and much more. SkyPoint-EV can utilize NetEVS (SP-EVS-1C) or NetDVMS (SP-DVMS-1C) recorder channels. One SP-EV Required per entire system/customer - Requires Minimum of 1 Year SUP at time of purchase	
SP-EVS-1C	1 Channel of NetEVS video. Can be used with SkyPoint-EV (SP-EV) - Requires Minimum of 1 Year SUP at time of purchase.	
SP-DVMS-1C	1 Channel of NetDVMS video. Can be used with SkyPoint-DV (SP-DV) or SkyPoint-EV (SP-EV) - SUP is optional for SkyPoint-DV systems but is required for SkyPoint-EV systems.	

ATTACHMENT "B"- PART 1

SP-VWM-Base	The SkyPoint VideoWall Add-On enables a SkyPoint operator to remotely display and control video on another SkyPoint client station. 1 Base License is required per system/customer. A SkyPoint VideoWall channel (SP-VWM-1C) must be purchased for any video channel that may be displayed through the SkyPoint VideoWall control interface. - SUP is optional	
SP-VWM-1C	Allows the ability to display manage 1 channel of video on a SkyPoint Video Wall (SP-VWM-Base). 1 Channel required per video that may be sent to the wall. SUP is Optional	
SP-VSYN-1C	Allows the ability to run 1 video channel on a SkyPoint-EV or SkyPoint-DV system through the VideoSynopsis engine. 1 channel required for each channel that may be run through the VideoSynopsis engine. SUP Optional. Note that there is no BASE part number for SP-VSYN-1C.	
NetDVMS-Base	Multi-site/multi-server intelligent IP Surveillance software suite, for managing an unlimited number of cameras. Includes NetMatrix server as well as free NetPDA, NetCell clients and Lenel SkyPoint Client for unlimited users. Required one per entire system.	
NetDVMS-1C	NetDVMS Camera license, required one per NetDVMS attached IP camera or concurrently-used video encoder channel (for analog cameras).	
NetDVR-Base	Single-server intelligent IP Surveillance software suite. Includes NetMatrix server as well as free NetPDA, NetCell and Lenel SkyPoint clients for unlimited users, as well as synchronous multiple-camera playback, motion detection and flexible video export tools.	
NetDVR-1C	One NetDVR Camera license; required one per NetDVR attached IP camera or concurrently-used video encoder channel (for analog cameras).	
ProSight-SMB-4C	4-camera single-server intelligent IP Surveillance software suite. Includes NetGuard, NetGuard-EVS and Lenel's SkyPoint clients, as well as synchronous multiple-camera playback, motion detection and flexible video export tools. -- Note that there are no Software Upgrade Plans for ProSight Systems	
ProSight-SMB-6C	6-camera single-server intelligent IP Surveillance software suite. Includes NetGuard, NetGuard-EVS and Lenel's SkyPoint clients, as well as synchronous multiple-camera playback, motion detection and flexible video export tools. -- Note that there are no Software Upgrade Plans for ProSight Systems	
ProSight-SMB-9C	9-camera single-server intelligent IP Surveillance software suite. Includes NetGuard, NetGuard-EVS and Lenel's SkyPoint clients, as well as synchronous multiple-camera playback, motion detection and flexible video export tools. -- Note that there are no Software Upgrade Plans for ProSight Systems	

ATTACHMENT "B"- PART 1

ProSight-SMB-16C	16-camera single-server intelligent IP Surveillance software suite. Includes NetGuard, NetGuard-EVS and Lenel's SkyPoint clients, as well as synchronous multiple-camera playback, motion detection and flexible video export tools. -- Note that there are no Software Upgrade Plans for ProSight Systems	
ProSight-SMB-25C	25-camera single-server intelligent IP Surveillance software suite. Includes NetGuard, NetGuard-EVS and Lenel's SkyPoint clients, as well as synchronous multiple-camera playback, motion detection and flexible video export tools. -- Note that there are no Software Upgrade Plans for ProSight Systems	
NetSwitcher-AServer-48	48-camera virtual matrix switch video-wall display software. Intuitive map-driven touch-screen interfaces enable instantly navigating to any camera and routing it to any display. System requires AServer, input, controller & viewer licenses.	
NetSwitcher-AServer-64	64-camera virtual matrix switch video-wall display software. Intuitive map-driven touch-screen interfaces enable instantly navigating to any camera and routing it to any display. System requires AServer, input, controller & viewer licenses.	
NetSwitcher-AServer-12	128-camera virtual matrix switch video-wall display software. Intuitive map-driven touch-screen interfaces enable instantly navigating to any camera and routing it to any display. System requires AServer, input, controller & viewer licenses.	
NetSwitcher-AServer-25	256-camera virtual matrix switch video-wall display software. Intuitive map-driven touch-screen interfaces enable instantly navigating to any camera and routing it to any display. System requires AServer, input, controller & viewer licenses.	
NetSwitcher-AServer-51	512-camera virtual matrix switch video-wall display software. Intuitive map-driven touch-screen interfaces enable instantly navigating to any camera and routing it to any display. System requires AServer, input, controller & viewer licenses.	
NetSwitcher-AServer-10	1024-camera virtual matrix switch video-wall display software. Intuitive map-driven touch-screen interfaces enable instantly navigating to any camera and routing it to any display. System requires AServer, input, controller & viewer licenses.	
NetSwitcher-AServer-20	2048-camera virtual matrix switch video-wall display software. Intuitive map-driven touch-screen interfaces enable instantly navigating to any camera and routing it to any display. System requires AServer, input, controller & viewer licenses.	
NetSwitcher-AServer-40	4096-camera virtual matrix switch video-wall display software. Intuitive map-driven touch-screen interfaces enable instantly navigating to any camera and routing it to any display. System requires AServer, input, controller & viewer licenses.	

ATTACHMENT "B"- PART 1

NetSwitcher-Input	Concurrent camera/video encoder channel license for NetSwitcher. Required one per concurrent camera or video encoder channel.	
NetSwitcher-Controller	Concurrent controller license for NetSwitcher. Required one per concurrent controller.	
NetSwitcher-Viewer	Concurrent display monitor license for NetSwitcher. Required one per concurrent display monitor.	
NDV-3U1608-8	NetDVMS Video Recorder Software with Extended Storage PC Chassis (DVC-EX3) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and an Extended Storage Chassis (DVC-EX3) PC with two 160GB Operating System drives in RAID1, and eight (8) 1TB SATA DRIVES. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED.	
NDV-3U1608-8-2TB	NetDVMS Video Recorder Software with Extended Storage PC Chassis (DVC-EX3) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and an Extended Storage Chassis (DVC-EX3) PC with two 160GB Operating System drives in RAID1, and eight (8) 2TB SATA DRIVES. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED.	
NDV-3U1608-16	NetDVMS Video Recorder Software with Extended Storage PC Chassis (DVC-EX3) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and an Extended Storage Chassis (DVC-EX3) PC with two 160GB Operating System drives in RAID1, and sixteen (16) 1TB SATA DRIVES. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED.	
NDV-3U1608-16-2TB	NetDVMS Video Recorder Software with Premium Extended Storage PC Chassis (DVC-EX3) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and an Extended Storage Chassis (DVC-EX3) PC with two 160GB Operating System drives in RAID1, and sixteen (16) 2TB SATA DRIVES. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED.	
NDV-3U08-4	NetDVMS Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and an Extended Storage Chassis (DVC-EX2) PC with one 160GB Operating System drive and four (4) 1TB SATA DRIVES. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED.	

ATTACHMENT "B"- PART 1

NDV-3U08-4-2TB	NetDVMS Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and an Extended Storage Chassis (DVC-EX2) PC with one 160GB Operating System drive and four (4) 2TB SATA DRIVES. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED.	
NDV-3U08-8	NetDVMS Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and an Extended Storage Chassis (DVC-EX2) PC with one 160GB Operating System drive and eight (8) 1TB SATA DRIVES. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED.	
NDV-3U08-8-2TB	NetDVMS Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and an Extended Storage Chassis (DVC-EX2) PC with one 160GB Operating System drive and eight (8) 2TB SATA DRIVES. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED.	
DV-UP3ULNVRCPU	Upgrade to Intel Q9650 3.0GHz Quad Core CPU for 3U Video Servers (requires PC-LNR8-3U-x or NDV-3U08-x at the time of order)	
NDV-1U08-1	NetDVMS Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and a low profile Chassis (DVC-1U) PC with one 80GB Operating System drive and one (1) 1TB SATA data drive. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED	
NDV-1U08-1-2TB	NetDVMS Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and a low profile Chassis (DVC-1U) PC with one 80GB Operating System drive and one (1) 2TB SATA data drive. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED	
NDV-1U08-3	NetDVMS Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and a low profile Chassis (DVC-1U) PC with one 80GB Operating System drive and three (3) 1TB SATA data drives. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED	

ATTACHMENT "B"- PART 1

NDV-1U08-3-2TB	NetDVMS Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes eight IP/Network camera channel licenses (NetDVMS-1C) and a low profile Chassis (DVC-1U) PC with one 80GB Operating System drive and three (3) 2TB SATA data drive. Additional IP channels can be added using (NetDVMS-1C) -- Each site will require at least 1 NetDVMS-Base (NOT INCLUDED), SUP NOT INCLUDED	
SUP-NetDVMS-Base-1Y	1-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVMS-Base-2Y	2-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVMS-Base-3Y	3-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVMS-Base-4Y	4-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVMS-Base-5Y	5-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVMS-Base-1D	1-day software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVMS-1C-1Y	1-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVMS-1C-2Y	2-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVMS-1C-3Y	3-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVMS-1C-4Y	4-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVMS-1C-5Y	5-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVMS-1C-1D	1-day software Upgrade Plan (optional) provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	

ATTACHMENT "B"- PART 1

SUP-NetDVR-Base-1Y	1-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVR version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NetDVR-1C-1Y	1-year software Upgrade Plan (optional) provides eligibility to all major and interim NetDVR version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SPDV-1Y	1 Year Software Upgrade Plan (SUP) for SP-DV. Provides eligibility to all major and interim SkyPoint-DV version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SPDV-2Y	2 Year Software Upgrade Plan (SUP) for SP-DV. Provides eligibility to all major and interim SkyPoint-DV version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SPDV-3Y	3 Year Software Upgrade Plan (SUP) for SP-DV. Provides eligibility to all major and interim SkyPoint-DV version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SPDV-4Y	4 Year Software Upgrade Plan (SUP) for SP-DV. Provides eligibility to all major and interim SkyPoint-DV version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SPDV-5Y	5 Year Software Upgrade Plan (SUP) for SP-DV. Provides eligibility to all major and interim SkyPoint-DV version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SPDV-1D	1 Day Software Upgrade Plan (SUP) for SP-EV. - This is used primarily to ensure proper SUP coverage across the site when upgrading or adding components to the system	
SUP-SP-DVMS-1C-1Y	1 Year Software Upgrade Plan (SUP) for SPDVMS-1C. Provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SP-DVMS-1C-2Y	2 Year Software Upgrade Plan (SUP) for SPDVMS-1C. Provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SP-DVMS-1C-3Y	3 Year Software Upgrade Plan (SUP) for SPDVMS-1C. Provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SP-DVMS-1C-4Y	4 Year Software Upgrade Plan (SUP) for SPDVMS-1C. Provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	

SUP-SP-DVMS-1C-5Y	5 Year Software Upgrade Plan (SUP) for SPDVMS-1C. Provides eligibility to all major and interim NetDVMS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SP-DVMS-1C-1D	1 Day Software Upgrade Plan (SUP) for SPDVMS-1C. - This is used primarily to ensure proper SUP coverage across the site when upgrading or adding components to the system	
SUP-SPEV-1Y	1 Year Software Upgrade Plan (SUP) for SP-EV. Provides eligibility to all major and interim SkyPoint-EV Base Server version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SPEV-2Y	2 Year Software Upgrade Plan (SUP) for SP-EV. Provides eligibility to all major and interim SkyPoint-EV Base Server version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SPEV-3Y	3 Year Software Upgrade Plan (SUP) for SP-EV. Provides eligibility to all major and interim SkyPoint-EV Base Server version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SPEV-4Y	4 Year Software Upgrade Plan (SUP) for SP-EV. Provides eligibility to all major and interim SkyPoint-EV Base Server version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SPEV-5Y	5 Year Software Upgrade Plan (SUP) for SP-EV. Provides eligibility to all major and interim SkyPoint-EV Base Server version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SPEV-1D	1 Day Software Upgrade Plan (SUP) for SP-EV. - This is used primarily to ensure proper SUP coverage across the site when upgrading or adding components to the system. Provides eligibility to all major and interim SkyPoint-EV Base Server version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SP-EVS-1C-1Y	1 Year Software Upgrade Plan (SUP) for SP-EVS-1C. Provides eligibility to all major and interim NetEVS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SP-EVS-1C-2Y	2 Year Software Upgrade Plan (SUP) for SP-EVS-1C. Provides eligibility to all major and interim NetEVS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SP-EVS-1C-3Y	3 Year Software Upgrade Plan (SUP) for SP-EVS-1C. Provides eligibility to all major and interim NetEVS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	

ATTACHMENT "B"- PART 1

SUP-SP-EVS-1C-4Y	4 Year Software Upgrade Plan (SUP) for SP-EVS-1C. Provides eligibility to all major and interim NetEVS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SP-EVS-1C-5Y	5 Year Software Upgrade Plan (SUP) for SP-EVS-1C. Provides eligibility to all major and interim NetEVS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SP-EVS-1C-1D	1 Day Software Upgrade Plan (SUP) for SP-EV-1C. - This is used primarily to ensure proper SUP coverage across the site when upgrading or adding components to the system. Provides eligibility to all major and interim NetEVS version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SP-VWM-B-1Y	1 Year Software Upgrade Plan (SUP) for SP-VWM-Base. Provides eligibility to all major and interim SkyPoint VideoWall Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VWM-B-2Y	2 Year Software Upgrade Plan (SUP) for SP-VWM-Base. Provides eligibility to all major and interim SkyPoint VideoWall Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VWM-B-3Y	3 Year Software Upgrade Plan (SUP) for SP-VWM-Base. Provides eligibility to all major and interim SkyPoint VideoWall Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VWM-B-4Y	4 Year Software Upgrade Plan (SUP) for SP-VWM-Base. Provides eligibility to all major and interim SkyPoint VideoWall Add-On version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-SP-VWM-B-5Y	5 Year Software Upgrade Plan (SUP) for SP-VWM-Base. Provides eligibility to all major and interim SkyPoint VideoWall Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VWM-1C-1Y	1 Year Software Upgrade Plan (SUP) for SP-VWM-1C. Provides eligibility to all major and interim SkyPoint VideoWall Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VWM-1C-2Y	2 Year Software Upgrade Plan (SUP) for SP-VWM-1C. Provides eligibility to all major and interim SkyPoint VideoWall Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VWM-1C-3Y	3 Year Software Upgrade Plan (SUP) for SP-VWM-1C. Provides eligibility to all major and interim SkyPoint VideoWall Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VWM-1C-4Y	4 Year Software Upgrade Plan (SUP) for SP-VWM-1C. Provides eligibility to all major and interim SkyPoint VideoWall Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VWM-1C-5Y	5 Year Software Upgrade Plan (SUP) for SP-VWM-1C. Provides eligibility to all major and interim SkyPoint VideoWall Add-On version upgrades. Requires SUP for all components of system.	

ATTACHMENT "B"- PART 1

SUP-SP-VSYN-1C-1Y	1 Year Software Upgrade Plan (SUP) for SkyPoint VideoSynopsis Add-On. Provides eligibility to all major and interim SkyPoint VideoSynopsis Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VSYN-1C-2Y	2 Year Software Upgrade Plan (SUP) for SkyPoint VideoSynopsis Add-On. Provides eligibility to all major and interim SkyPoint VideoSynopsis Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VSYN-1C-3Y	3 Year Software Upgrade Plan (SUP) for SkyPoint VideoSynopsis Add-On. Provides eligibility to all major and interim SkyPoint VideoSynopsis Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VSYN-1C-4Y	4 Year Software Upgrade Plan (SUP) for SkyPoint VideoSynopsis Add-On. Provides eligibility to all major and interim SkyPoint VideoSynopsis Add-On version upgrades. Requires SUP for all components of system.	
SUP-SP-VSYN-1C-5Y	5 Year Software Upgrade Plan (SUP) for SkyPoint VideoSynopsis Add-On. Provides eligibility to all major and interim SkyPoint VideoSynopsis Add-On version upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	1-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	2-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	3-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	1-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	2-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	3-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	1-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	2-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	3-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	

ATTACHMENT "B"- PART 1

SUP-NETSWITCH-ASE	1-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	2-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	3-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	1-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	2-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	3-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	1-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	2-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	3-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	1-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	2-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	3-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	1-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-ASE	2-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	

ATTACHMENT "B"- PART 1

SUP-NETSWITCH-ASE	3-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCHER-I	1-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCHER-I	2-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCHER-I	3-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-CTR	1-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-CTR	2-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCH-CTR	3-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCHER-V	1-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCHER-V	2-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
SUP-NETSWITCHER-V	3-year software Upgrade Plan (optional) provides eligibility to all major and interim OnSSI version upgrades as well as Lenel SkyPoint Client upgrades. Requires SUP for all components of system.	
TIC-DVMSB	Provides a credit for previously purchased NetDVMS-Base towards the purchase a newer NetDVMS version (necessary if there is no VALID SUP) or upgrade to NetEVS.	
TIC-DVMS-1C	Provides a credit for previously purchased NetDVMS-1C towards the purchase a newer NetDVMS version (necessary if there is no VALID SUP) or upgrade to NetEVS.	
TIC-DVRB	Provides a credit for previously purchased NetDVR-BASE towards the purchase a newer NetDVR version (necessary if there is no VALID SUP) or upgrade to NetDVMS or NetEVS.	
TIC-DVR-1C	Provides a credit for previously purchased NetDVR-1C towards the purchase a newer NetDVR version (necessary if there is no VALID SUP) or upgrade to NetDVMS or NetEVS.	

ATTACHMENT "B"- PART 1

SWS-DV	OnGuard Video Security Server Software License on CD – include this part number if you already have purchased a security server pc- includes OnGuard digital video server software license, system administration for video, communication server for video, alarm monitoring for video, a single OnGuard digital video client license and first year support plan SUSP-W-DV.	
SWC-DV	OnGuard Video Client Software License – includes a single digital video client software for any client workstation.	
SWC-DV-5	OnGuard Video Client Software License (Qty 5) – includes five concurrent digital video client software licenses for any client workstation.	
SWC-DV-10	OnGuard Video Client Software License (Qty 10) – includes ten concurrent digital video client software licenses for any client workstation.	
SWC-DV-25	OnGuard Video Client Software License (Qty 25) – includes twenty-five digital video client software licenses for any client workstation.	
DV-CH-8UP	8 Camera channel device license to Non Lenel supplied server solutions.	
PCS-DV	OnGuard Video Security Server System with PC – include this part number if you DO NOT HAVE an OnGuard Security Server PC- includes Microsoft Windows XP Professional, SQL 2005 Express database, OnGuard digital video security server software license with PC, System Administration for video, Communication Server for video, Alarm Monitoring for video, a single OnGuard digital video client license and first year support plan SUSP-W-DV. Note: Digital Video Recorders are sold separately. (INCLUDES CONFIGURATION #3) (see page 59)	
PCC-HPC-DV	OnGuard Video Client Software with PC – includes single digital video client software with PC. (INCLUDES CONFIGURATION #7) (see page 26)	
IVSP-SC	Smart Camera Solution - should be installed on almost every camera, indoors or outdoors. It has two main functions: Detecting occurrences of motion within the camera views in order to trigger recording or to alert the monitoring operator as well as automatic monitoring of the condition of the camera such as covered camera. This includes one video channel license. (Requires Server License Key Number for every upgrade order).	

ATTACHMENT "B"- PART 1

IVSP-HL	Loitering Solution – offers detection of loiterers in un-crowded regions at times when people are not expected to linger around (areas near entrances, sensitive regions, and sidewalks in residential areas). Contains a bundle of advanced mechanisms to deal with numerous problems usually encountered in an outdoor surveillance scene. The solution is virtually calibration-free as part of the Lenel IntelligentVideo Suite. This includes one video channel license. (Requires Server License Key Number for every upgrade order).	
IVSP-SV	Standing Vehicles Solution - offers detection of vehicles that were left standing within a forbidden region for more than an acceptable duration. Typical examples include a Vehicle that was left in front of an entrance to a shopping center, airport terminal, bridge, corporate building and others. The Standing Vehicle solution contains a bundle of advanced mechanisms to deal with the numerous problems usually encountered in an outdoor surveillance scene. This includes one video channel license. (Requires Server License Key Number for every upgrade order).	
IVSP-ID	Intrusion Detection Solution - detects the presence of an object in the Region of Interest. Differentiates between human to vehicle to small animals. Supports also day/night camera with IR illumination. Compensates for vibrations in a windy day. Detects intruders also on the background of vegetation, but with limited object differentiation capabilities. This includes one video channel license. (Requires Server License Key Number for every upgrade order).	
IVSP-FPM	Forbidden Path of Motion Solution – offers the ability to detect forbidden direction or path of motion. The solution offers detection of objects moving in a certain direction or along a specified path. Typical examples include human or vehicle exiting through an "enter only" gate or vehicle taking a forbidden turn at an intersection. This includes one video channel license. (Requires Server License Key Number for every upgrade order).	
IVSP-CC	Crowd Control Solution - offers detection of a line of people exceeding a pre-defined "length" or detection of a crowd of people. Typical examples are: Detecting when a line of people has accumulated before a service point in an airport terminal, detecting when a street becomes occupied by a group of people late at night, detecting when people are gathering at the lobby or the entrance to a building are a few examples. Crowd Control solution requires virtually no calibration. This includes one video channel license. (Requires Server License Key Number for every upgrade order).	

ATTACHMENT "B"- PART 1

IVSP-FU	Facility Utilization Solution -single application license for the Facility Utilization Application that runs on an IntelligentVideo Application Server. Includes four (4) IVS-PC licenses for support of up to four doors. Support for additional doors can be added by ordering additional IVS-PC licenses. Includes first year of annual support (qty 4) SUSP-W-IVS. This includes one video channel license. (Requires Server License Key Number for every upgrade order).	
DVC-IVS-2B	IntelligentVideo Dual CPU Server – 1U, Dual Quad Core Intel E5520 2.26GHz, with 4GB (4 x 1GB DIMMS) DDR3 1333MHz RAM, DVD-RW, and two (2) 160GB SATA II 7,200rpm OS Drives running Windows 2008 Server Standard 32 bit, includes Intelligent Video Server software. No IVS Channel Licenses Included	
HVR-2UCCXX1600-1-R	2U Standard Chassis with Sixteen Video Channels – includes DVC-2U chassis with sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the (1) DVB-16H264 16 channel H.264 video board, full use of the OnGuard Intelligent Video suite for forensic investigations and one (1) 1TB SATA DRIVE. Up to eight (8) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 24 (16 analog / 8 IP) - Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-2UCCXX1600-1-2T	2U Standard Chassis with Sixteen Video Channels – includes DVC-2U chassis with sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the (1) DVB-16H264 16 channel H.264 video board, full use of the OnGuard Intelligent Video suite for forensic investigations and one (1) 2TB SATA DRIVE. Up to eight (8) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 24 (16 analog / 8 IP) - Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-2UCCXX1600-4-R	2U Standard Chassis with Sixteen Video Channels – includes DVC-2U chassis with sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the (1) DVB-16H264 16 channel H.264 video board, full use of the OnGuard Intelligent Video suite for forensic investigations and one (4) 1TB SATA DRIVE. Up to eight (8) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 24 (16 analog / 8 IP) - Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	

ATTACHMENT "B"- PART 1

HVR-2UCCXX1600-4-2	2U Standard Chassis with Sixteen Video Channels – includes DVC-2U chassis with sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the (1) DVB-16H264 16 channel H.264 video board, full use of the OnGuard Intelligent Video suite for forensic investigations and four (4) 2TB SATA DRIVE. Up to eight (8) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 24 (16 analog / 8 IP) - Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-3UCCXX1600-4	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the (1) DVB-16H264 16 channel H.264 video board. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 48 (16 analog / 32 IP). The Extended Storage Chassis (DVC-EX2) PC comes with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and four (4) 1TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-3UCCXX1600-4-2	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the one (1) DVB-16H264 16 channel H.264 video board. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 48 (16 analog / 32 IP). The Extended Storage Chassis (DVC-EX2) PC comes with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and four (4) 2TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-3UCCXX1600-8	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the (1) DVB-16H264 16 channel H.264 video board. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 48 (16 analog / 32 IP). The Extended Storage Chassis (DVC-EX2) PC comes with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 1TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	

ATTACHMENT "B"- PART 1

HVR-3UCCXX1600-8-2	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the one (1) DVB-16H264 16 channel H.264 video board. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 48 (16 analog / 32 IP). The Extended Storage Chassis (DVC-EX2) PC comes with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 2TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-3UCCXX3200-8	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes thirty-two (32) IP/Network camera channel licenses (SW-LNR-CH1) for (2) DVB-16H264 16 channel H.264 video boards. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 64 (32 analog / 32 IP). The Extended Storage Chassis (DVC-EX2) PC comes with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 1TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-3UCCXX3200-8-2	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes thirty-two (32) IP/Network camera channel licenses (SW-LNR-CH1) for two (2) DVB-16H264 16 channel H.264 video boards. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 64 (32 analog / 32 IP). The Extended Storage Chassis (DVC-EX2) PC comes with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 2TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
DV-UP3ULNVRCPU	Upgrade to Intel Q9650 3.0GHz Quad Core CPU for 3U Video Servers (requires PC-LNR8-3U-x or NDV-3U08-x or HVR-3UCCXX-x at the time of order)	

ATTACHMENT "B"- PART 1

HVR-3U16CCXX1600-8	Lenel Network Video Recorder Software with Premium Extended Storage PC Chassis (DVC-EX3) - Includes sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the one (1) DVB-16H264 16 channel H.264 video board. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 48 (16 analog / 32 IP). The Premium Extended Storage Chassis (DVC-EX3) PC comes with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 1TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-3U16CCXX1600-8	Lenel Network Video Recorder Software with Premium Extended Storage PC Chassis (DVC-EX3) - Includes sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the one (1) DVB-16H264 16 channel H.264 video board. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 48 (16 analog / 32 IP). The Premium Extended Storage Chassis (DVC-EX3) PC comes with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 2TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-3U16CCXX1600-1	Lenel Network Video Recorder Software with Premium Extended Storage PC Chassis (DVC-EX3) - Includes sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the one (1) DVB-16H264 16 channel H.264 video board. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 48 (16 analog / 32 IP). The Premium Extended Storage Chassis (DVC-EX3) PC comes with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and sixteen (16) 1TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	

ATTACHMENT "B"- PART 1

HVR-3U16CCXX1600-1	Lenel Network Video Recorder Software with Premium Extended Storage PC Chassis (DVC-EX3) - Includes sixteen (16) IP/Network camera channel licenses (SW-LNR-CH1) for the one (1) DVB-16H264 16 channel H.264 video board. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 48 (16 analog / 32 IP). The Premium Extended Storage Chassis (DVC-EX3) PC comes with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and sixteen (16) 2TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-3U16CCXX3200-8	Lenel Network Video Recorder Software with Premium Extended Storage PC Chassis (DVC-EX3) - Includes thirty-two (32) IP/Network camera channel licenses (SW-LNR-CH1) for two (2) DVB-16H264 16 channel H.264 video boards. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 64 (32 analog / 32 IP). The Premium Extended Storage Chassis (DVC-EX3) PC comes with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 1TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-3U16CCXX3200-8	Lenel Network Video Recorder Software with Premium Extended Storage PC Chassis (DVC-EX3) - Includes thirty-two (32) IP/Network camera channel licenses (SW-LNR-CH1) for the two (2) DVB-16H264 16 channel H.264 video board. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 64 (32 analog / 32 IP). The Premium Extended Storage Chassis (DVC-EX3) PC comes with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 2TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	

ATTACHMENT "B"- PART 1

HVR-3U16CCXX3200-1	Lenel Network Video Recorder Software with Premium Extended Storage PC Chassis (DVC-EX3) - Includes thirty-two (32) IP/Network camera channel licenses (SW-LNR-CH1) for (2) DVB-16H264 16 channel H.264 video boards. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 64 (32 analog / 32 IP). The Premium Extended Storage Chassis (DVC-EX3) PC comes with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and sixteen (16) 1TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
HVR-3U16CCXX3200-1	Lenel Network Video Recorder Software with Premium Extended Storage PC Chassis (DVC-EX3) - Includes thirty-two (32) IP/Network camera channel licenses (SW-LNR-CH1) for the two (2) DVB-16H264 16 channel H.264 video board. Up to thirty-two (32) SW-LNR-CH1 channels for IP cameras can be added for a maximum combined camera total of 64 (32 analog / 32 IP). The Premium Extended Storage Chassis (DVC-EX3) PC comes with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and sixteen (16) 2TB SATA DRIVES. Requires OnGuard version 6.1.222 with Hot Fix 2.0 AND LNVR 6.223 with Hot Fix 1.0 or later.	
PC-LNR0-1U-1	Lenel Network Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes a low profile Chassis (DVC-1U) PC with one 160GB Operating System drive; full use of the OnGuard Intelligent Video suite for forensic investigations and one (1) 1TB SATA data drive. IP channels can be added using SW-LNR-CH1	
PC-LNR0-1U-3	Lenel Network Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes a low profile Chassis (DVC-1U) PC with one 160GB Operating System drive; full use of the OnGuard Intelligent Video suite for forensic investigations and three (3) 1TB SATA data drives. IP channels can be added using SW-LNR-CH1	
PC-LNR8-1U-1	Lenel Network Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1) and a low profile Chassis (DVC-1U) PC with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and one (1) 1TB SATA data drive. Additional IP channels can be added using SW-LNR-CH1	

ATTACHMENT "B"- PART 1

PC-LNR8-1U-1-2TB	Lenel Network Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1) and a low profile Chassis (DVC-1U) PC with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and one (1) 2TB SATA data drive. Additional IP channels can be added using SW-LNR-CH1	
PC-LNR8-1U-3	Lenel Network Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1) and a low profile Chassis (DVC-1U) PC with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and three (3) 1TB SATA data drives. Additional IP channels can be added using SW-LNR-CH1	
PC-LNR8-1U-3-2TB	Lenel Network Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1) and a low profile Chassis (DVC-1U) PC with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and three (3) 2TB SATA data drive. Additional IP channels can be added using SW-LNR-CH1	
PC-LNR0-3U-4	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes an Extended Storage Chassis (DVC-EX2) PC with one 160GB Operating System drive; full use of the OnGuard Intelligent Video suite for forensic investigations and four (4) 1TB SATA DRIVES. IP channels can be added using SW-LNR-CH1	
PC-LNR0-3U-8	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes an Extended Storage Chassis (DVC-EX2) PC with one 1680GB Operating System drive; full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 1TB SATA DRIVES. IP channels can be added using SW-LNR-CH1	
PC-LNR8-3U-4	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1)and an Extended Storage Chassis (DVC-EX2) PC with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and four (4) 1TB SATA DRIVES. Additional IP channels can be added using SW-LNR-CH1	
PC-LNR8-3U-4-2TB	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1)and an Extended Storage Chassis (DVC-EX2) PC with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and four (4) 2TB SATA DRIVES. Additional IP channels can be added using SW-LNR-CH1	

ATTACHMENT "B"- PART 1

PC-LNR8-3U-8	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1)and an Extended Storage Chassis (DVC-EX2) PC with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 1TB SATA DRIVES. Additional IP channels can be added using SW-LNR-CH1	
PC-LNR8-3U-8-2TB	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX2) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1)and an Extended Storage Chassis (DVC-EX2) PC with one 160GB Operating System drive, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 2TB SATA DRIVES. Additional IP channels can be added using SW-LNR-CH1	
DV-UP3ULNVRCPU	Upgrade to Intel Q9650 3.0GHz Quad Core CPU for 3U Video Servers (requires PC-LNR8-3U-x or NDV-3U08-x at the time of order)	
PC-LNR0-3U16-8	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX3) - Includes a Premium Extended Storage Chassis (DVC-EX3) PC with two 160GB Operating System drives in RAID1; full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 1TB SATA DRIVES. IP channels can be added using SW-LNR-CH1.	
PC-LNR0-3U16-16	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX3) - Includes a Premium Extended Storage Chassis (DVC-EX3) PC with two 160GB Operating System drives in RAID1; full use of the OnGuard Intelligent Video suite for forensic investigations and sixteen (16) 1TB SATA DRIVES. IP channels can be added using SW-LNR-CH1.	
PC-LNR8-3U16-8	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX3) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1) and a Premium Extended Storage Chassis (DVC-EX3) PC with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 1TB SATA DRIVES. Additional IP channels can be added using SW-LNR-CH1.	
PC-LNR8-3U16-8-2TB	Lenel Network Video Recorder Software with Premium Extended Storage PC Chassis (DVC-EX3) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1) and a Premium Extended Storage Chassis (DVC-EX3) PC with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and eight (8) 2TB SATA DRIVES. Additional IP channels can be added using SW-LNR-CH1.	

ATTACHMENT "B"- PART 1

PC-LNR8-3U16-16	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX3) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1) and a Premium Extended Storage Chassis (DVC-EX3) PC with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and sixteen (16) 1TB SATA DRIVES. Additional IP channels can be added using SW-LNR-CH1.	
PC-LNR8-3U16-16-2TB	Lenel Network Video Recorder Software with Premium Extended Storage PC Chassis (DVC-EX3) - Includes eight IP/Network camera channel licenses (SW-LNR-CH1) and a Premium Extended Storage Chassis (DVC-EX3) PC with two 160GB Operating System drives in RAID1, full use of the OnGuard Intelligent Video suite for forensic investigations and sixteen (16) 2TB SATA DRIVES. Additional IP channels can be added using SW-LNR-CH1.	
SW-LNR-CH1	Lenel Network Video Recorder Software - Includes a single channel software license for one IP/ Network based camera channel to be used with either a customer provided PC or adding on to a turnkey system. The customer provided PC must meet or exceed the Minimum DVC-EX PC Configuration requirements listed above (maximum of 63 IP/network channels per recorder based on video resolution, framerate, quality and processing options being utilized)	
DV-LNR-CHA1	Lenel Network Audio Recording – single channel audio license for use with the Lenel Network Video Recorder. Records synchronized audio along with LNVR video from supported Lenel Network Video Recorder devices. Requires SW-LNR-CH1 per Audio Channel. (Requires License Key Number for every upgrade order).	
DV-LNR-ICS1	In-Camera Storage - Single channel license for In-Camera Storage on supported DV-LNR-CH1 devices. Video can be stored and retrieved from supported IP camera(s) or server(s) allowing scheduled retrieval, and reduction in network bandwidth. (Requires License Key Number for every upgrade order).	
DVG-RM	Remote Monitor Client - Single Remote Monitor Client Software license. Video can be transmitted to a remote computer on the network running the Remote Monitoring Client Software. (Requires License Key Number for every upgrade order).	
DVB-16H264	High Resolution sixteen Channel H.264 full frame rate Video Board (LNVR Channel Licenses Not Included)	
DV-UP2K8	Windows 7 Professional upgrade to Windows Server 2008 R2 Standard	
DV-RECOV-XP	Include this part number when ordering a replacement recovery CD for your Lenel Digital Video Recorder running on a Windows XP Operating System. Requires Serial Number of Video Recorder when ordering.	

ATTACHMENT "B"- PART 1

SWS-LAS	Lenel Archive Server License – One archive server license is required per storage library or storage server vault configuration. (When using tape libraries you must have a three internal hard drives)	
DV1000-SGC-SATA	Additional 1TB Seagate Constellation SATA II 7,200 RPM Drive	
DV2000-SGC-SATA	Additional 2TB Seagate Constellation SATA II 7,200 RPM Drive	
F1F-081000HERB	SATABoy - 3U, 14 bay, RAID Storage Device, Single RAID controller, (2) 4Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 8) SATA II 1TB, 7,200rpm Drives	
F1F-141000HERB	SATABoy - 3U, 14 bay, RAID Storage Device, Single RAID controller, (2) 4Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 14) SATA II 1TB, 7,200rpm Drives	
F1F-082000HERB	SATABoy - 3U, 14 bay, RAID Storage Device, Single RAID controller, (2) 4Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 8) SATA II 2TB, 7,200rpm Drives	
F1F-142000HERB	SATABoy - 3U, 14 bay, RAID Storage Device, Single RAID controller, (2) 4Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 14) SATA II 2TB, 7,200rpm Drives	
G1F-141000HERB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 4Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 14) SATA II 1TB, 7,200rpm Drives	
G1F-281000HERB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 4Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 28) SATA II 1TB, 7,200rpm Drives	
G1F-421000HERB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 4Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 42) SATA II 1TB, 7,200rpm Drives	
G1F-142000HERB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 4Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 14) SATA II 2TB, 7,200rpm Drives	
G1F-282000HERB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 4Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 28) SATA II 2TB, 7,200rpm Drives	
G1F-422000HERB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 4Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 42) SATA II 2TB, 7,200rpm Drives	
G18-141000HFRB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 8Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 14) SATA II 1TB, 7,200rpm Drives	
G18-281000HFRB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 8Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 28) SATA II 1TB, 7,200rpm Drives	

ATTACHMENT "B"- PART 1

G18-421000HFRB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 8Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 42) SATA II 1TB, 7,200rpm Drives	
G18-142000HFRB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 8Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 14) SATA II 2TB, 7,200rpm Drives	
G18-282000HFRB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 8Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 28) SATA II 2TB, 7,200rpm Drives	
G18-422000HFRB	SATABeast - 4U, 42 bay, RAID Storage Device, Single RAID controller, (2) 8Gbps LC Fibre ports / (2) 1Gbps iSCSI Ethernet ports, (qty 42) SATA II 2TB, 7,200rpm Drives	
E181A-18/2	E18 - 2U, 18 bay, RAID Storage Device, Single RAID controller, (2) 1Gbps iSCSI Ethernet ports only, (qty 9) SATA II 2TB, 7,200rpm Drives	
E181A-36/2	E18 - 2U, 18 bay, RAID Storage Device, Single RAID controller, (2) 1Gbps iSCSI Ethernet ports only, (qty 18) SATA II 2TB, 7,200rpm Drives	
E181A-27/3	E18 - 2U, 18 bay, RAID Storage Device, Single RAID controller, (2) 1Gbps iSCSI Ethernet ports only, (qty 9) SATA II 3TB, 7,200rpm Drives	
E181A-54/3	E18 - 2U, 18 bay, RAID Storage Device, Single RAID controller, (2) 1Gbps iSCSI Ethernet ports only, (qty 18) SATA II 3TB, 7,200rpm Drives	
E182-18/2	E18 - 2U, 18 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 9) SATA II 2TB, 7,200rpm Drives	
E182-36/2	E18 - 2U, 18 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 18) SATA II 2TB, 7,200rpm Drives	
E182-27/3	E18 - 2U, 18 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 9) SATA II 3TB, 7,200rpm Drives	
E182-54/3	E18 - 2U, 18 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 18) SATA II 3TB, 7,200rpm Drives	
E602-20/1	E60 - 4U, 60 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 20) SATA II 1TB, 7,200rpm Drives	
E602-40/1	E60 - 4U, 60 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 40) SATA II 1TB, 7,200rpm Drives	
E602-60/1	E60 - 4U, 60 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 60) SATA II 1TB, 7,200rpm Drives	

ATTACHMENT "B"- PART 1

E602-40/2	E60 - 4U, 60 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 20) SATA II 2TB, 7,200rpm Drives	
E602-80/2	E60 - 4U, 60 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 40) SATA II 2TB, 7,200rpm Drives	
E602-120/2	E60 - 4U, 60 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 60) SATA II 2TB, 7,200rpm Drives	
E602-60/3	E60 - 4U, 60 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 20) SATA II 3TB, 7,200rpm Drives	
E602-120/3	E60 - 4U, 60 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 40) SATA II 3TB, 7,200rpm Drives	
E602-180/3	E60 - 4U, 60 bay, RAID Storage Device, Dual RAID controller, (4) 8Gbps LC Fibre ports / (4) 1Gbps iSCSI Ethernet ports, (qty 60) SATA II 3TB, 7,200rpm Drives	
E60X-40/2	E60X - 4U, 60 bay Expander, 4 SAS Connectors, (qty 20) SATA II 2TB, 7,200rpm Drives, for SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only. One Expander per SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only allowed.	
E60X-80/2	E60X - 4U, 60 bay Expander, 4 SAS Connectors, (qty 40) SATA II 2TB, 7,200rpm Drives, for SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only. One Expander per SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only allowed.	
E60X-120/2	E60X - 4U, 60 bay Expander, 4 SAS Connectors, (qty 60) SATA II 2TB, 7,200rpm Drives, for SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only. One Expander per SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only allowed.	
E60X-60/3	E60X - 4U, 60 bay Expander, 4 SAS Connectors, (qty 20) SATA II 3TB, 7,200rpm Drives, for SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only. One Expander per SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only allowed.	
E60X-120/3	E60X - 4U, 60 bay Expander, 4 SAS Connectors, (qty 40) SATA II 3TB, 7,200rpm Drives, for SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only. One Expander per SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only allowed.	

ATTACHMENT "B"- PART 1

E60X-180/3	E60X - 4U, 60 bay Expander, 4 SAS Connectors, (qty 60) SATA II 3TB, 7,200rpm Drives, for SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only. One Expander per SATABeast (G18-XXXXXXXXXX) and E60 (E602-XX/X) with Dual 8GB RAID Controllers only allowed.	
CBL-007-3M	Cable for Nexsan storage to recorders Fibre Optic LC-LC Cable - 3 Meter	
NX-8900064-3	Single Fibre Port HBA (LSI)	
NX-8900064-4	Dual Port HBA Fibre (LSI)	
CTR-017-1000	Second RAID Controller for SATABoy - adds two additional 4Gbps LC Fibre ports and two additional 1Gbps iSCSI ports	
CTR-018-1000	Second RAID Controller for SATABeast - adds two additional 4Gbps LC Fibre ports and two additional 1Gbps iSCSI ports	
CTR-020-2000	Second RAID Controller for SATABeast - adds two additional 8Gbps LC Fibre ports and two additional 1Gbps iSCSI ports	
SATAF-1000-H	1TB Hitachi Disk / 7200 RPM	
SATAF-2000-H	2TB Hitachi Disk / 7200 RPM	
SATAG-1000-H	1TB Hitachi Disk / 7200 RPM	
SATAG-2000-H	2TB Hitachi Disk / 7200 RPM	
DP18-18/2	18TB SATA Capacity Expansion & License for E18 using (9) 2TB drives (Requires one empty drive drawer)	
DP18-27/3	27TB SATA Capacity Expansion & License for E18 using (9) 3TB drives (Requires one empty drive drawer)	
DP60-10/1	10TB SATA Capacity Expansion & License for E60 and E60x using (10) 1TB drives (Requires one half empty drive Drawer)	
DP60-20/1	20TB SATA Capacity Expansion & License for E60 and E60x using (20) 1TB drives (Requires one empty drive Drawer)	
DP60-20/2	20TB SATA Capacity Expansion & License for E60 and E60x using (10) 2TB drives (Requires one half empty drive Drawer)	
DP60-40/2	40TB SATA Capacity Expansion & License for E60 and E60x using (20) 2TB drives (Requires one empty drive Drawer)	
DP60-30/3	30TB SATA Capacity Expansion & License for E60 and E60x using (10) 3TB drives (Requires one half empty drive Drawer)	
DP60-60/3	60TB SATA Capacity Expansion & License for E60 and E60x using (20) 3TB drives (Requires one empty drive Drawer)	
GO-ESLNVR1U8	1U OnGuard GO Chassis with Eight IP Video Channels – includes OnGuard GO 1U chassis (DVC-1U-GO), (8) eight IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	
GO-ESILNVR1U8	1U OnGuard GO Chassis with Eight IP Video Channels – includes OnGuard GO 1U chassis (DVC-1U-GO), (8) eight IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	
DV-SRSP8	Video DA 8 channel-in, two 8 channel out Loop through Adaptor	
UPGO-VOES	Upgrade from a GO Video Only to a GO with access control	

ATTACHMENT "B"- PART 1

UPGO-VOESI	Upgrade from a GO Video Only to a GO with integrated access control and IdentityCenter	
UPGO-ESESI	Upgrade from a GO with access control only to GO with integrated access control and IdentityCenter system	
LNVEF04-0500	4 Channel goVision DVR with 500GB of storage – 4 Channel DVR; Embedded OS. Includes 4 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 4 audio channels (BNC Connections), 4 alarm input connections and 2 relay outputs (pin-block connections), DVD writer for easily exporting video, 1x 500GB video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 4 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	
LNVEF04-1000	4 Channel goVision DVR with 1000GB of storage – 4 Channel DVR; Embedded OS. Includes 4 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 4 audio channels (BNC Connections), 4 alarm input connections and 2 relay outputs (pin-block connections), DVD writer for easily exporting video, 2x 500GB (total 1000GB) video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 4 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	
LNVEF08-0500	8 Channel goVision DVR with 500GB of storage – 8 Channel DVR; Embedded OS. Includes 8 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 8 audio channels (BNC Connections), 8 alarm input connections and 4 relay outputs (pin-block connections), DVD writer for easily exporting video, 1x 500GB video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 8 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	

ATTACHMENT "B"- PART 1

LNVEF08-1000	8 Channel goVision DVR with 1000GB of storage – 8 Channel DVR; Embedded OS. Includes 8 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 8 audio channels (BNC Connections), 8 alarm input connections and 4 relay outputs (pin-block connections), DVD writer for easily exporting video, 2x 500GB (total 1000GB) video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 8 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	
LNVEF08-2000	8 Channel goVision DVR with 2000GB of storage – 8 Channel DVR; Embedded OS. Includes 8 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 8 audio channels (BNC Connections), 8 alarm input connections and 4 relay outputs (pin-block connections), DVD writer for easily exporting video, 4x 500GB (total 2000GB) video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 8 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	
LNVEF16-0500	16 Channel goVision DVR with 500GB of storage – 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm input connections and 4 relay outputs (pin-block connections), DVD writer for easily exporting video, 1x 500GB video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 16 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	
LNVEF16-1000	16 Channel goVision DVR with 1000GB of storage – 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm input connections and 4 relay outputs (pin-block connections), DVD writer for easily exporting video, 2x 500GB (total 1000GB) video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 16 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	

LNVEF16-2000	16 Channel goVision DVR with 2000GB of storage – 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm input connections and 4 relay outputs (pin-block connections), DVD writer for easily exporting video, 4x 500GB (total 2000GB) video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 16 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	
2LNVEF04D-1000	4 Channel goVision 2.0 DVR with 1000GB of storage – 4 Channel DVR; Embedded OS. Includes 4 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real-time frame rate, H.264 Compression, 4 audio channels (BNC Connections), 4 alarm input connections and 4 relay outputs (pin-block connections), DVD writer for easily exporting video, 1TB internal storage, e-SATA capable, forensic analytics search, video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 4 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	
2LNVEF08D-1000	8 Channel goVision 2.0 DVR with 1000GB of storage – 8 Channel DVR; Embedded OS. Includes 8 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real-time frame rate, H.264 Compression, 8 audio channels (BNC Connections), 8 alarm input connections and 4 relay outputs (pin-block connections), DVD writer for easily exporting video, 1TB internal storage, e-SATA capable, forensic analytics search, video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 8 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	
2LNVEF08D-2000	8 Channel goVision 2.0 DVR with 2000GB of storage – 8 Channel DVR; Embedded OS. Includes 8 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real-time frame rate, H.264 Compression, 8 audio channels (BNC Connections), 8 alarm input connections and 4 relay outputs (pin-block connections), DVD writer for easily exporting video, 2TB internal storage, e-SATA capable, forensic analytics search, video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 8 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	

ATTACHMENT "B"- PART 1

2LNVEF16D-1000	16 Channel goVision 2.0 DVR with 1000GB of storage – 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real-time frame rate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm input connections and 4 relay outputs (pin-block connections), DVD writer for easily exporting video, 1TB internal storage, e-SATA capable, forensic analytics search, video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 16 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	
2LNVEF16D-2000	16 Channel goVision 2.0 DVR with 2000GB of storage – 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real-time frame rate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm input connections and 4 relay outputs (pin-block connections), 2 USB V2 ports DVD writer for easily exporting video, 2TB internal storage, e-SATA capable, forensic analytics search, video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 16 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite.	
2LNVEF041D-1000	4 Channel goVision 2.0 DVR with 1000GB of storage S-Model-4 channels of real-time analytics – 4 Channel DVR; Embedded OS. Includes 4 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real-time frame rate, H.264 Compression, 4 audio channels (BNC Connections), 4 alarm input connections and 4 relay outputs (pin-block connections), 2 USB V2 ports, DVD writer for easily exporting video, 1TB internal storage, e-SATA capable, forensic analytics search, 4 channels of real-time analytics, video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 16 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite (Real-time Analytics package includes: Smart Video Motion Detection, Invalid Camera, General Object or intrusion Detection, Loitering, Object Crosses a Region(Virtual Fence), and Object Left Behind)	

ATTACHMENT "B"- PART 1

2LNVEF081D-2000	8 Channel goVision 2.0 DVR with 2000GB of storage S-Model-4 channels of real-time analytics – 8 Channel DVR; Embedded OS. Includes 4 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real-time frame rate, H.264 Compression, 8 audio channels (BNC Connections), 8 alarm input connections and 4 relay outputs (pin-block connections), 2 USB V2 ports, DVD writer for easily exporting video, 2TB internal storage, e-SATA capable, forensic analytics search, 4 channels of real-time analytics, video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 8 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite (Real-time Analytics package includes: Smart Video Motion Detection, Invalid Camera, General Object or intrusion Detection, Loitering, Object Crosses a Region(Virtual Fence), and Object Left Behind)	
2LNVEF161D-1000	16 Channel goVision 2.0 DVR with 1000GB of storage S-Model-4 channels of real-time analytics – 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real-time frame rate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm input connections and 4 relay outputs (pin-block connections), 2 USB V2 ports, DVD writer for easily exporting video, 1TB internal storage, e-SATA capable, forensic analytics search, 4 channels of real-time analytics, video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 16 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite. (Real-time Analytics package includes: Smart Video Motion Detection, Invalid Camera, General Object or intrusion Detection, Loitering, Object Crosses a Region(Virtual Fence), and Object Left Behind)	

ATTACHMENT "B"- PART 1

2LNVEF161D-2000	16 Channel goVision 2.0 DVR with 2000GB of storage S-Model- 4 channels of real-time analytics – 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real-time frame rate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm input connections and 4 relay outputs (pin-block connections), 2 USB V2 ports, DVD writer for easily exporting video, 2TB internal storage, e-SATA capable, forensic analytics search, 4 channels of real-time analytics, video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 16 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite (Real-time Analytics package includes: Smart Video Motion Detection, Invalid Camera, General Object or intrusion Detection, Loitering, Object Crosses a Region(Virtual Fence), and Object Left Behind)	
2LNVEF164D-1000	16 Channel goVision 2.0 DVR with 1000GB of storage Q-Model-16 channels of real-time analytics – 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real-time frame rate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm input connections and 4 relay outputs (pin-block connections), 2 USB V2 ports, DVD writer for easily exporting video,1TB internal storage, e-SATA capable, forensic analytics search, 16 channels of real-time analytics, video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 16 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite (Real-time Analytics package includes: Smart Video Motion Detection, Invalid Camera, General Object or intrusion Detection, Loitering, Object Crosses a Region(Virtual Fence), and Object Left Behind)	

ATTACHMENT "B"- PART 1

2LNVEF164D-2000	16 Channel goVision 2.0 DVR with 2000GB of storage Q-Model- 16 channels of Real-time Analytics– 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real-time frame rate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm input connections and 4 relay outputs (pin-block connections), 2 USB V2 ports, DVD writer for easily exporting video, 2TB internal storage, e-SATA capable, forensic analytics search,16 channels of real-time analytics, video storage, manuals, PC client software for configuration/monitoring or alternatively interface directly from the unit using the front faceplate or included mouse, 16 OnGuard video channel licenses and 1st year SUSP-W-GOVIS – Use as standalone video system or tie into OnGuard software suite (Real-time Analytics package includes: Smart Video Motion Detection, Invalid Camera, General Object or intrusion Detection, Loitering, Object Crosses a Region(Virtual Fence), and Object Left Behind)	
2LNVEF-4UGD	S-Model field upgrade to the goVision 2.0 DVR – Field upgrade that adds 4 channels of real-time analytics to goVision 2 standard chassis DVR. Kit includes real-time analytics daughter card with one digital signal processor for processing of 4 -channels of Real-time Analytics. Upon installation, the real-time analytics will become functional in goVision 2 Remote Station. This upgrade is limited to the following goVision 2 models. 2LNVEF04D-500, 2LNVEF04D-1000, 2LNVEF08D-500, 2LNVEF08D-1000, 2LNVEF08D-1000, 2LNVEF08D-2000, 2LNVEF16D-500, 2LNVEF16D-1000, 2LNVEF16D-2000. This upgrade kit is not compatible with goVision revision 1 or 1.5 DVR chassis. (Real-time Analytics package includes: Smart Video Motion Detection, Invalid Camera, General Object or intrusion Detection, Loitering, Object Crosses a Region(Virtual Fence), and Object Left Behind)	
2LNVEF-16UGD	Q- Model field upgrade to the goVision 2.0 DVR Field upgrade that adds 16-channels of real-time analytics to goVision 2 standard chassis DVR. Kit includes real-time analytics daughter card with four digital signal processors for processing 16- channels of Real-time Analytics. Upon installation, the real-time analytics will become functional in goVision 2 Remote Station. This field upgrade is limited to the following goVision 2 models. 2LNVEF16D-1000, 2LNVEF16D-2000. This upgrade kit is not compatible with goVision revision 1 or 1.5 DVR chassis. (Real-time Analytics package includes: Smart Video Motion Detection, Invalid Camera, General Object or intrusion Detection, Loitering, Object Crosses a Region(Virtual Fence), and Object Left Behind)	

ATTACHMENT "B"- PART 1

FUG-5GB	500 GB hard disk field upgrade kit for GoVision 2; Field Upgrade of 500Gb hard disk for GoVision 2 chassis. Kit includes 1 x 500Gb hard disk. Field upgrade kits must be purchased from Lenel to maintain existing 3 yr warranty. Hard Disk Serial Number:	
FUG-1TB	1 TB hard disk field upgrade kit for GoVision 2; Field Upgrade of 1TB hard disk for GoVision 2 chassis. Kit includes 1 x 1TB hard disk. Field upgrade kits must be purchased from Lenel to maintain existing 3 yr warranty. Hard Disk Serial Number:	
POE-8023af	(Single Channel 802.3af PoE In-Line Power and Data Adapter) (NEW) (all regions) May be used with a standard 802.3af PoE Ethernet switch, this adaptor supplies power and data to ICT220, ICT230, or ICT510. Power supply is not required. May be used to replace existing injector (ICTPOE) if PoE switch is available. For single camera or video server.	
ALR615DC616UL	Atonics 2U Power Supply - Provides 6-15VDC distributed via sixteen (16) fuse protected outputs; UL Listed UL Listed for Commercial CCTV Equipment (UL2044) CUL Listed - CSA Standard C22.2 No.1-98, Audio, Video and Similar Equipment. File# E148639.; CE Approved.	
HIK-DS-2CD802NF-E	IP CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, Support SD card. NTSC: 704 x 480/30 fps, 420 lines, 0.1 Lux@F 1.2, DC12V/PoE (w/o Lens).	
HIK-DS-2CD802NF-E-P	IP CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, Support SD card. PAL: 704 x 576/25 fps, 420 lines, 0.1 Lux@F 1.2, DC12V/PoE (w/o Lens).	
HIK-DS-2CD812NF-E	IP CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, Support SD card. NTSC: 704 x 480/30 fps, 480 lines, 0.1 Lux@F 1.2, DC12V/PoE (w/o Lens).	
HIK-DS-2CD812PF-E-P	IP CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, Support SD card. PAL: 704 x 576/25 fps, 480 lines, 0.1 Lux@F 1.2, DC12V/PoE (w/o Lens).	
HIK-DS-2CD892NF-E	IP CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, Support SD card. NTSC: 704 x 480/30 fps, 540 lines, 0.1 Lux@F 1.2, DC12V/PoE (w/o Lens)	
HIK-DS-2CD892PF-E	IP CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, Support SD card. PAL: 704 x 576/25 fps, 540 lines, 0.1 Lux@F 1.2, DC12V/PoE (w/o Lens)	
HIK-DS-2CD802N-IR1	IP IR Water-Proof CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, NTSC: 704 x 480/30 fps, 420 lines, 10 Meter, 0Lux with IR, DC 12V (w 6mm Lens)	
HIK-DS-2CD802P-IR1	IP IR Water-Proof CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, PAL: 704 x 576/25 fps, 420 lines, 10 Meter, 0Lux with IR, DC 12V (w 6mm Lens)	
HIK-DS-2CD802N-IR3	IP IR Water-Proof CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, NTSC: 704 x 480/30 fps.	

ATTACHMENT "B"- PART 1

HIK-DS-2CD802P-IR3	IP IR Water-Proof CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, PAL: 704 x 576/25 fps, 420 lines, 30 Meter, 0Lux with IR, DC 12V (w 12mm Lens)	
HIK-DS-2CD812N-IR1	IP IR Water-Proof CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, 480 lines, 10 Meter, 0Lux with IR, DC 12V (w 6mm Lens).	
HIK-DS-2CD812P-IR1	IP IR Water-Proof CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, PAL: 704 x 576/25 fps, 480 lines, 10 Meter, 0Lux with IR, DC 12V (w 6mm Lens)	
HIK-DS-2CD812N-IR3	IP IR Water-Proof CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, NTSC: 704 x 480/30 fps, 480 lines, 30 Meter, 0Lux with IR, DC 12V (w 12mm Lens)	
HIK-DS-2CD812P-IR3	IP IR Water-Proof CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, PAL: 704 x 576/25 fps, 480 lines, 30 Meter, 0Lux with IR, DC 12V (w 12mm Lens)	
HIK-DS-2CD892PF-IR1	IP IR Water-Proof CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, PAL: 704 x 576/25 fps, 540 lines, 10 Meter, 0Lux@F1.2, DC 12V (w 6mm Lens).	
HIK-DS-2CD892NF-IR3	IP IR Water-Proof CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, NTSC: 704 x 480/30 fps, 540 lines, 30 Meter, 0Lux@F1.2, DC 12V (w 12mm Lens)	
HIK-DS-2CD892PF-IR3	IP IR Water-Proof CCD Box Camera - Sony 1/3 CCD, H.264 10/100 Ethernet, PAL: 704 x 576/25 fps, 540 lines, 30 Meter, 0Lux@F1.2, DC 12V (w 12mm Lens)	
HIK-DS-2CD702NF-E	IP Dome Cameras (IP CCD Mini Dome), 420 TVL, 0.1Lux/F1.2, 3.5-9mm manual lens, Shutter:1/50-1/100,000s, DC12V/PoE.	
HIK-DS-2CD702PF-E	IP Dome Cameras (IP CCD Mini Dome), 420 TVL, 0.1Lux/F1.2, 3.5-9mm manual lens, Shutter:1/50-1/100,000s, DC12V/PoE.	
HIK-DS-2CD712NF-E	480 TVL, 0.1Lux/F1.2, 3.5-9mm manual lens, Shutter:1/50-1/100,000s, DC12V/PoE.	
HIK-DS-2CD712PF-E	480 TVL, 0.1Lux/F1.2, 3.5-9mm manual lens, Shutter:1/50-1/100,000s, DC12V/PoE.	
HIK-DS-2CD792NF-E	540 TVL, 0.1Lux/F1.2, 3.5-9mm manual lens, Shutter:1/50-1/100,000s, DC12V/PoE.	
HIK-DS-2CD792PF-E	540 TVL, 0.1Lux/F1.2, 3.5-9mm manual lens, Shutter:1/50-1/100,000s, DC12V/PoE.	
RCT-SERV-50	REACT Enterprise Server Software License with 50 REACT Desktop Player Licenses, Unlimited REACT Consoles (A support plan is required for the first year to accompany this item. Please include part # SUSP-RCT- MAINT-SERV for the first year)	

ATTACHMENT "B"- PART 1

RCT-INT-ONG	REACT Interface to OnGuard.Required if REACT is to integrate with OnGuard (as opposed to purchasing a stand alone REACT solution) (A support plan is required for the first year to accompany this item. Please include part # SUSP-RCT- MAINT-ONG for the first year) In order to enable this integration, you must also purchase OnGuard's DataConduIT License, (SWG-1140), please refer to the DataConduIT section of this price book for cost.	
SWG-1140	DataConduIT includes one connection license, supporting documentation and scripting examples.	
RCT-DESK-50	REACT Desktop Player License, Client License # 51 - 249	
RCT-DESK-250	REACT Desktop Player License, Client License # 250 - 999	
RCT-DESK-1000	REACT Desktop Player License, Client License # 1000 - 2499	
RCT-DESK-2500	REACT Desktop Player License, Client License #2500 – 4999	
RCT-DESK-5000	REACT Desktop Player License, Client License #5000 - 9999	
RCT-DESK-SITE	REACT Desktop Player License, Enterprise Site License, Unlimited Computers	
RCT-DED-1	Single REACT Dedicated Player per Computer License (A support plan is required for the first year to accompany this item. Please include part # SUSP-RCT- MAINT-DED1 for the first year)	
RCT-SMS-ACT	SMS Activation Fee, one time charge (Required if using SMS Texting)	
RCT-SMS-1	SMS Annual Subscription per User, Users # 1 - 249	
RCT-SMS-250	SMS Annual Subscription per User, Users # 250 - 999	
RCT-SMS-1000	SMS Annual Subscription per User, Users # 1000 - 2499	
RCT-SMS-2500	SMS Annual Subscription per User, Users # 2500 - 4999	
RCT-SMS-5000	SMS Annual Subscription per User, Users # 5000 - 9999	
RCT-SMS-10000	SMS Annual Subscription per User, Users # 10000 – 24999	
RCT-SMS-SPEC	SMS Annual Subscription per User, Users over 25,000 (Call for Quote)	
RCT-VOICE-ACT	Voice Activation Fee, one time charge (Required if using Voice Service)	
RCT-VOICE-1	Voice Annual Subscription per User, Users # 1 - 249	
RCT-VOICE-250	Voice Annual Subscription per User, Users # 250 -999	
RCT-VOICE-1000	Voice Annual Subscription per User, Users # 1000 – 2499	
RCT-VOICE-2500	Voice Annual Subscription per User, Users # 2500 – 4999	
RCT-VOICE-5000	Voice Annual Subscription per User, Users # 5000 - 9999	
RCT-VOICE-10000	Voice Annual Subscription per User, Users # 10000 - 24999	
RCT-VOICE-SPEC	Voice Annual Subscription per User, Users over 25000 (Call for Quote)	
SUSP-RCT-MAINT-SER	REACT Server Annual Support and Maintenance (includes 50 REACT Desktop Players)	
SUSP-RCT-MAINT-ONC	REACT OnGuard Interface Annual Support and Maintenance	
SUSP-RCT-MAINT-P50	REACT Desktop Annual Support and Maintenance, Client License # 51 - 249 (MAINT-SERV includes first 50 computers)	
SUSP-RCT-MAINT-P25	REACT Desktop Annual Support and Maintenance, Client License # 250 - 999	

ATTACHMENT "B"- PART 1

SUSP-RCT-MAINT-P10	REACT Desktop Annual Support and Maintenance, Client License # 1000 - 2499	
SUSP-RCT-MAINT-P25	REACT Desktop Annual Support and Maintenance, Client License # 2500 - 4999	
SUSP-RCT-MAINT-P50	REACT Desktop Annual Support and Maintenance, Client License # 5000 - 9999	
SUSP-RCT-MAINT-DED	REACT Dedicated Player Annual Support and Maintenance	
SUSP-W-ES	Covers 32ES, 32ESI, & IDES Systems	
SUSP-W-ADV-S	Covers ADV, ADVI, & IDADV systems	
SUSP-W-PRO-S	Covers PRO, IDPRO, PROI, Regional Systems	
SUSP-W-ENT-SM	Covers Regional Small Servers	
SUSP-W-ENT-REG	Covers Regional Servers	
SUSP-W-EN-LT	Covers ENT Master LT Servers	
SUSP-W-ENT	Covers ENT Master Servers	
SUSP-W-GO	Covers GO-VO, GO-ES & GO-ESI Systems	
SUSP-W-VO	Covers Video Only Systems	
SUSP-W-GOVIS	HW configuration and SW support for 1 goVision DVR	
SUSP-EN1000	Covers goEntry Systems	
SUSP-W-LNVRSP-1C	1 Year of OnGuard Software Upgrade and Support for 1 Channel of SkyPoint LNVR	
SUSP-W-DVMS-1C	1 Year of OnGuard Software Upgrade and Support for 1 channel of SkyPoint NetDVMS	
SUSP-W-EVS-1C	1 Year of OnGuard Software Upgrade and Support for 1 channel of SkyPoint NetEVS	
SUSP-W-ADV-REDU	Covers ADV, ADVI, & IDADV systems – redundant configuration, covers both servers	
SUSP-W-PRO-REDU	Covers PRO, IDPRO, PROI – redundant configuration, covers both servers	
SUSP-W-ENT-SM-RED	Covers Regional Servers	
SUSP-W-ENT-REG-RE	Covers ENT Regional Servers	
SUSP-W-ENT-LT-REDU	Covers Regional Lite Servers	
SUSP-W-ENT-REDU	Covers ENT Master Servers — redundant configuration, covers both servers	
SUSP-W-PRO-64	SW support for each additional 64 reader software	
SUSP-W-DV	SW support for each single channel video (all supported manufacturers) includes IVSP-SC channels	
SUSP-ILS-1	SW support for each ILS lock enabled in the OnGuard system (Call for Quote)	
SUSP-W-IVS	SW support for each channel of IntelligentVideo software (except for IVSP-SC)	
SUDS-NES-32	OnGuard User Direct Technical Support for 32ES & 32ESI systems (requires current SUSP)	

ATTACHMENT "B"- PART 1

SUDS-NES-64	OnGuard User Direct Technical Support for ADV & ADVI systems (requires current SUSP)	
SUDS-NES-PRO	OnGuard User Direct Technical Support for PRO & PROI systems (requires current SUSP)	
SUDS-NES-VID	OnGuard User Direct Technical Support for OG Video Only systems (per recorder) (requires current SUSP)	
RMS-NES-ENTL	OnGuard User Direct Technical Support for Enterprise Lite customers (with RMS escalation)	
RMS-NES-ENT	OnGuard User Direct Technical Support for Enterprise customers (with RMS escalation)	
CYB-2122	CyberDome II Flush Housing Clear Polycarbonate Dome	
CYB-2204	CyberDome II Pendant Housing Chrome Acrylic Dome	
CYB-2302	CyberDome II Plenum Rated Housing Clear Acrylic Dome	
CYB-2305	CyberDome II Plenum Rated Housing Gold Acrylic Dome	
CYB-2402	CyberDome II Rugged Housing Clear Acrylic Dome	
CYB-2403	CyberDome II Rugged Housing Smoke Acrylic Dome	
CYB-2422	CyberDome II Rugged Housing Clear Polycarbonate Dome	
CYB-2423	CyberDome II Rugged Housing Smoke Polycarbonate Dome	
CYB-2522	CyberDome II Heavy Duty Housing Clear Polycarbonate Dome	
CYB-2523	CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome	
CYH-4101	CyberDome II Select; Flush Mount Housing; Coax	
CYH-4201	CyberDome II Select; Pendant Mount Housing; Coax	
CYH-4202	CyberDome II Select; Pendant Mount Housing; Htr/Fan; Coax	
CYH-4301	CyberDome II Select; Plenum Rated Flush Mount Housing; Coax	
CYH-4401	CyberDome II Select; Rugged Housing; Coax	
CYH-4402	CyberDome II Select; Rugged Housing; Htr/Fan; Coax	
CYH-4501	CyberDome II Select; Heavy Duty Housing; Wall Mount; Coax	
CYH-4502	CyberDome II Select; Heavy Duty Housing; Wall Mount; Htr/Fan; Coax	
CYH-6101	CyberDome II; Flush Mount Housing; Alarm Inputs/Outputs; Coax/UTP	
CYH-6201	CyberDome II; Pendant Mount Housing; Alarm Inputs/Outputs; Coax/UTP	
CYH-6202	CyberDome II; Pendant Mount Housing; Alarm Inputs/Outputs; Htr/Fan; Coax/UTP	
CYH-6301	CyberDome II; Plenum Rated Flush Mount Housing; Alarm Inputs/Outputs; Coax/UTP	
DFAMMF01-RX	Multi Mode Single Channel Audio Receiver	
DFAMMF01-TX	Multi Mode Single Channel Audio Transmitter	
DFASMF01-RX	Single Mode Single Channel Audio Receiver	
DFASMF01-TX	Single Mode Single Channel Audio Transmitter	
DFCCMMF0008-RX	Multi Mode 8 Channel Contact Closure Receiver	
DFCCMMF0008-TX	Multi Mode 8 Channel Contact Closure Transmitter	
DFCCSMD0001-RX	Single Mode Single Channel Duplex Contact Closure Receiver	
DFCCSMD0001-TX	Single Mode Single Channel Duplex Contact Closure Transmitter	
DFCCSMLD0001-RX	Single Mode Single Channel Duplex Contact Closure Receiver; Long	

ATTACHMENT "B"- PART 1

DFCCSMLD0001-TX	Single Mode Single Channel Duplex Contact Closure Transmitter; Long	
DFDMM001-RX	Multi Mode Duplex Data Receiver	
DFDMM001-TX	Multi Mode Duplex Data Transmitter	
DFDMM004-RX	Multi Mode 4 Channel Duplex Data Receiver	
DFDMM004-TX	Multi Mode 4 Channel Duplex Data Transmitter	
DFDSM001-RX	Single Mode Duplex Data Receiver	
DFDSM001-TX	Single Mode Duplex Data Transmitter	
DFR	Rack Chassis Only	
DFR-BPF	Blank Front Rack Cover Panel	
DFR-NETC	Communications Rack Self Contain Network Web Server Module	
DFR-PS1	Single PSU for Primary and Redundancy	
DFVMM1-R	10 Bit Multi Mode Video Receiver	
DFVMM1-T	10 Bit Multi Mode Video Transmitter	
DFVMM2-R	10 Bit Multi Mode Two Channel Video Receiver	
DFVMM2-T	10 Bit Multi Mode Two Channel Video Transmitter	
DFVMM4-R	10 Bit Multi Mode Four Channel Video Receiver	
DFVMM4-T	10 Bit Multi Mode Four Channel Video Transmitter	
DFVMM8-R	10 Bit Multi Mode Eight Channel Video Receiver	
DFVMM8-T	10 Bit Multi Mode Eight Channel Video Transmitter	
DFVMMD1001-R	10 Bit Multi Mode Video Single Channel Duplex Contact Closure Receiver	
DFVMMD1001-T	10 Bit Multi Mode Video Single Channel Duplex Contact Closure Transmitter	
DFVMMD101-R	10 Bit Multi Mode Video Single Channel Duplex Data Receiver	
DFVMMD101-T	10 Bit Multi Mode Video Single Channel Duplex Data Transmitter	
DFVMMD102-R	10 Bit Multi Mode Video Dual Channel Duplex Data Receiver	
DFVMMD102-T	10 Bit Multi Mode Video Dual Channel Duplex Data Transmitter	
DFVMMD11-R	10 Bit Multi Mode Video Single Channel Duplex Audio Receiver	
DFVMMD11-T	10 Bit Multi Mode Video Single Channel Duplex Audio Transmitter	
DFVMMD201-R	10 Bit Multi Mode Two Channel Video Single Channel Duplex Data Receiver	
DFVMMD201-T	10 Bit Multi Mode Two Channel Video Single Channel Duplex Data Transmitter	
DFVMMD401-R	10 Bit Multi Mode Four Channel Video Single Channel Duplex Data Receiver	
DFVMMD401-T	10 Bit Multi Mode Four Channel Video Single Channel Duplex Data Transmitter	
DFVMMD402-R	10 Bit Multi Mode Four Channel Video Dual Channel Duplex Data Receiver	
DFVMMD402-T	10 Bit Multi Mode Four Channel Video Dual Channel Duplex Data Transmitter	
DFVMMD801-R	10 Bit Multi Mode Eight Channel Video Single Channel Duplex Data Receiver	

ATTACHMENT "B"- PART 1

DFVMMD801-T	10 Bit Multi Mode Eight Channel Video Single Channel Duplex Data Transmitter	
DFVSM1-R	10 Bit Single Mode Video Receiver	
DFVSM1-T	10 Bit Single Mode Video Transmitter	
DFVSM2-R	10 Bit Single Mode 2 Channel Video Receiver	
DFVSM2-T	10 Bit Single Mode 2 Channel Video Transmitter	
DFVSM4-R	10 Bit Single Mode Four Channel Video Receiver	
DFVSM4-T	10 Bit Single Mode Four Channel Video Transmitter	
DFVSM8-R	10 Bit Single Mode Eight Channel Video Receiver	
DFVSM8-T	10 Bit Single Mode Eight Channel Video Transmitter	
DFVSMD101-R	10 Bit Single Mode Video Single Channel Duplex Data Receiver	
DFVSMD101-T	10 Bit Single Mode Video Single Channel Duplex Data Transmitter	
DFVSMD102-R	10 Bit Single Mode Video Two Channel Duplex Data Receiver	
DFVSMD102-T	10 Bit Single Mode Video Two Channel Duplex Data Transmitter	
DFVSMD11-R	10 Bit Single Mode Video and Duplex Audio Receiver	
DFVSMD11-T	10 Bit Single Mode Video and Duplex Audio Transmitter	
DFVSMD2001-R	10 Bit Single Mode Two Channel Video Single Channel Duplex Contact Closure Receiver	
DFVSMD2001-T	10 Bit Single Mode Two Channel Video Single Channel Duplex Contact Closure Transmitter	
DFVSMD201-R	10 Bit Single Mode Two Channel Video Single Channel Duplex Data Receiver	
DFVSMD201-T	10 Bit Single Mode Two Channel Video Single Channel Duplex Data Transmitter	
DFVSMD202-R	10 Bit Single Mode Two Channel Video Two Channel Duplex Data Receiver	
DFVSMD202-T	10 Bit Single Mode Two Channel Video Two Channel Duplex Data Transmitter	
DFVSMD401-R	10 Bit Single Mode Four Channel Video Single Channel Duplex Data Receiver	
DFVSMD401-T	10 Bit Single Mode Four Channel Video Single Channel Duplex Data Transmitter	
DFVSMD801-R	10 Bit Single Eight Four Channel Video Single Channel Duplex Data Receiver	
DFVSMD801-T	10 Bit Single Mode Eight Channel Video Single Channel Duplex Data Transmitter	
DFVSML2-R	10 Bit Single Mode Two Channel Video Receiver; Long Distance	
DFVSML2-T	10 Bit Single Mode Two Channel Video Transmitter; Long Distance	
DFVSMLD2001-R	10 Bit Single Mode Two Channel Video Single Channel Duplex Contact Closure Receiver; Long Distance	
DFVSMLD2001-T	10 Bit Single Mode Two Channel Video Single Channel Duplex Contact Closure Transmitter; Long Distance	

ATTACHMENT "B"- PART 1

DFVSMLD201-R	10 Bit Single Mode Two Channel Video Single Channel Duplex Data Receiver; Long Distance	
DFVSMLD201-T	10 Bit Single Mode Two Channel Video Single Channel Duplex Data Transmitter; Long Distance	
DFVSMLD202-R	10 Bit Single Mode Two Channel Video Two Channel Duplex Data Receiver; Long Distance	
DFVSMLD202-T	10 Bit Single Mode Two Channel Video Two Channel Duplex Data Transmitter; Long Distance	
DR-FM	Flush Mount for Rugged Dome	
DR-PM	Pendant Mount for Rugged Dome	
DR-RWM	Wall Mount for Rugged Dome	
FVMM1-RX	8 Bit Multi Mode Single Channel Video Receiver; Rack Unit	
FVMM1-TX	8 Bit Multi Mode Single Channel Video Transmitter; Rack Unit	
FVMM3-RX	8 Bit Multi Mode 3 Channel Video Receiver; Rack	
FVMM3-TX	8 Bit Multi Mode 3 Channel Video Transmitter; Rack	
FVMMD101-RX	8 Bit Multi Mode Single Channel Video Receiver w/Duplex Data; Rack	
FVMMD101-TX	8 Bit Multi Mode Single Channel Video Transmitter w/Duplex Data; Rack	
FVSM1-RX	8 Bit Single Mode Video Receiver; Rack	
FVSM1-TX	8 Bit Single Mode Video Transmitter; Rack	
FVSMD101-RX	8 Bit Single Mode Video/Data Receiver; Rack	
FVSMD101-TX	8 Bit Single Mode Video/Data Transmitter; Rack	
FVSMDDD1111-RX	8 Bit Single Channel Video/Duplex Data Audio Contact Closure Receiver	
FVSMDDD1111-TX	8 Bit Single Channel Video/Duplex Data Audio Contact Closure Transmitter	
FVSML1-RX	8 Bit Single Mode Video Receiver; Long Distance; Rack	
FVSML1-TX	8 Bit Single Mode Video Transmitter; Long Distance; Rack	
GE-DS-242-POE	24-Port 10/100+2 GigE TP/SFP Full PoE Managed Switch	
GE-DS-82	8-Port 10/100+2 GigE TP/SFP Managed Switch	
GE-DS-82-POE	8-Port 10/100+2 GigE TP/SFP Full PoE Managed Switch	
GE-DSG-244	24-Port 10/100/1000 w/4 Shared SFP Managed Switch	
GE-DSG-8	8-Port 10/100/1000 Unmanaged Switch	
GE-DSGH-5	5-Port 10/100/1000 Industrial Unmanaged Switch	
GE-DSGH-8	8-Port 10/100/1000 Industrial Unmanaged Switch	
GE-DSH-73	7-Port 10/100+3 GigE TP/SFP Industrial Managed Switch	
GE-DSH-82	8-Port 10/100+2 GigE TP/SFP Industrial Managed Switch	
GE-DSH-82-POE	8-Port 10/100+2 GigE TP/SFP Industrial Full PoE Managed Switch	
GE-DSSG-244	24-Port Fiber GigE SFP Slots w/8 Shared 10/100/1000Base-T Stackable Managed Switch	
GE-DSSG-244-POE	24-Port 10/100/1000+4 GigE SFP PoE Stackable Managed Switch	
GEA-102	Legend/CyberDome II Wall Mount; Cast Aluminum	
GEA-104	Legend/CyberDome II Parapet Swing-Arm Mount	
GEA-105	Legend/CyberDome II Corner-Mount Adapter	
GEA-106	Legend/CyberDome II Pole-Mount Adapter	
GEA-114	Legend/CyberDome II T-Bar Panel Support Kit	

ATTACHMENT "B"- PART 1

GEA-C3-D26N	Legend Dome; 26X Day/Night; Wall Mount Housing; Clear Acrylic; NTSC; Coax/UTP	
GEA-C3-D36N	Legend IP Dome; 36X day/Night WDR; Wall Mount Housing; Clear Acrylic; NTSC; Ethernet; Coax/UTP	
GEA-CE3-D26N	Legend Dome; 26X Day/Night; Wall Mount Housing; Htr/Fan; Clear Acrylic; NTSC; Coax/UTP	
GEA-CE3-D36N	Legend Dome; 36X day/Night WDR; Wall Mount Housing; Htr/Fan; Clear Acrylic; NTSC; Coax/UTP	
GEA-CE4-D26N	Legend Dome; 26X Day/Night; Wall Mount Housing; Htr/Fan; Smoke Acrylic; NTSC; Coax/UTP	
GEA-CE4-D36N	Legend Dome; 36X day/Night WDR; Wall Mount Housing; Htr/Fan; Smoke Acrylic; NTSC; Coax/UTP	
GEA-F4-D26N	Legend Dome; 26X Day/Night; Flush Mount Housing; Smoke Acrylic; NTSC; Coax/UTP; T-Bar Support Kit	
GEA-F4-D36N	Legend Dome; 36X day/Night WDR; Flush Mount Housing; Smoke Acrylic; NTSC; Coax/UTP	
GEA-H3-D26N	Legend Dome; 26X Day/Night; Pendant Mount Housing; Clear Acrylic; NTSC; Coax/UTP	
GEA-H3-D36N	Legend Dome; 36X day/Night WDR; Pendant Mount Housing; Clear Acrylic; NTSC; Coax/UTP	
GEA-HE4-D26N	Legend Dome; 26X Day/Night; Pendant Mount Housing; Htr/Fan; Smoke Acrylic; NTSC; Coax/UTP	
GEA-HE4-D36N	Legend Dome; 36X day/Night WDR; Pendant Mount Housing; Htr/Fan; Smoke Acrylic; NTSC; Coax/UTP	
GEC-16PVPDTCHUB	16-ch UTP Powered VPD Combiner - Transceiver Hub	
GEC-16VARHUB-4	16-ch UTP Active Receiver Hub w/AVC - 4000 ft. max.	
GEC-16VARHUB-6.5	16-ch UTP Active Receiver Hub w/AVC - 6000 ft. max.	
GEC-16VDPBC	16-ch UTP Video/Power/Data Combiner - Transceiver	
GEC-16VDPC	16-ch UTP Video/Data/Power Combiner	
GEC-16VPDCHUB	16-ch UTP Powered VPD Combiner Hub	
GEC-16VPHUB	16-ch UTP Passive Hub - 19 inch - 1U	
GEC-1AVR-AVC-4	UTP Active Receiver w/AVC - 4000 ft. max.	
GEC-1AVT	UTP Video Transmitter	
GEC-32VARHUB-4	32-ch UTP Active Receiver Hub w/AVC - 4000 ft. max.	
GEC-32VARHUB-6.5	32-ch UTP Active Receiver Hub w/AVC - 6000 ft. max.	
GEC-32VPHUB	32-ch UTP Passive Hub - 19 inch - 1U	
GEC-4VARHUB-4	4-ch UTP Active Receiver Hub w/AVC - 4000 ft. max.	
GEC-4VDPBC	4-ch UTP Video/Power/Data Combiner - Transceiver	
GEC-4VDPC	4-ch UTP Video/Power/Data Combiner	
GEC-4VPHUB	4-ch UTP Passive Hub - 1U	
GEC-8PVPDTCHUB	8-ch UTP Powered VPD Combiner - Passive Transceiver Hub	
GEC-8VARHUB-4	8-ch UTP Active Receiver Hub w/AVC - 4000 ft. max.	
GEC-8VARHUB-6.5	8-ch UTP Active Receiver Hub w/AVC - 6000 ft. max.	
GEC-8VPDCHUB	8-ch UTP Powered VPD Combiner Hub	

ATTACHMENT "B"- PART 1

GEC-8VPHUB	8-ch UTP Passive Hub - 19 inch rack - 1U	
GEC-PVTC-FCSP	UTP Passive Transceiver - Female BNC - w/Surge Protection	
GEC-PVTC-M	UTP Passive Transceiver - Male BNC Screwless Terminal	
GEC-PVTC-MC	UTP Passive Transceiver - Coax with Male BNC	
GEC-PVTC-MCSP	UTP Passive Transceiver - 9 inch Coax with Male BNC w/Surge Protection	
GEC-PVTC-MRTSP	UTP Passive Transceiver - Right Angle - Male BNC w/Surge Protection	
GEC-PVTC-MSP	UTP Passive Transceiver - Male BNC w/Surge Protection	
GEC-RPK	UTP Rack Panel Kit Supports up to 2 or 4 port Hubs	
GEC-VCR	UTP Video/Power/Combiner - Transceiver	
GEC-VCR12V	12 VDC UTP Combiner - Transceiver	
GEC-VIT	Hi-res Coax Video Isolation Transformer	
GEC-VPDBC	UTP Video/Power/Data Data Combiner - Transceiver	
GEL-15DV	TruVisionTM LCD 15 inch Monitor; 1024 x 768; BNC; VGA; S-Video	
GEL-17DV	TruVisionTM LCD 17 inch Monitor; 1280 x 1024; BNC; VGA; S-Video	
GEL-17DV-RK	Rack mount kit; silver; for TruVisionTM LCD 17 inch Monitor (Not compatible with GEL-17VGA)	
GEL-17VGA	TruVisionTM LCD 17 inch Monitor; 1280 x 1024; VGA only	
GEL-19DV	TruVisionTM LCD 19 inch Monitor; 1280 x 1024; BNC; VGA; S-Video	
GEL-19DV-RK	Rack mount kit; silver; for TruVisionTM LCD 19 inch Monitor	
GEL-26SV	UltraViewTM LCD 26 inch Monitor; 1366 x 768; BNC; VGA; S-Video; DVI; Audio	
GEL-32SV	UltraViewTM LCD 32 inch Monitor; 1366 x 768; BNC; VGA; S-Video; DVI; Audio	
GEL-42SV	UltraViewTM LCD 42 inch Monitor; 1366 x 768; BNC; VGA; S-Video; DVI; Audio	
GEL-SV-DESK	Desktop leg mount; for UltraViewTM LCD 26 inch; 32 inch and 42 inch Monitors	
GEL-SV26-WM	Wall mount bracket; for UltraViewTM LCD 26 inch Monitor	
GEL-SV3242-WM	Wall mount bracket; for UltraViewTM LCD 32 inch and 42 inch Monitors	
KTD-405	Three-Axis Variable-Speed Controller Keypad. Controls 2;048 PTZ Sites; 256 Switched Monitors; Multiplexers; DVMRe; DVR; VCR	
KTD-405-2D	Variable-Speed Desktop Keypad; 37 Key; 2-Axis Joystick; Calibur/Digiplex	
KTD-83	RS422 Data Signal Distributor; Provides 6 Separate RS422 Outputs From Single Input	
KTD-83-16	RS422 Data Signal Distributor; Provides 16 Separate RS422 Outputs From Single Input	
KTE-400	Indoor/Outdoor Housing w/Heater; Bracket; 24VAC	
KTE-400-SS	Sun Shield for KTE-400	
KTE-400CM	Ceiling-Mount Indoor/Outdoor Housing w/Heater; 24VAC	
KTE-500	Indoor/outdoor Housing w/Heater and Blower; Bracket; 24VAC	
KTL-2.5-10VA	2.5-10mm; f 1.4; Varifocal; DC Auto Iris Lens	
KTL-2.7-13.5VA	2.7-13.5mm; f 1.3; Varifocal; DC Auto Iris Lens	

ATTACHMENT "B"- PART 1

KTL-5-50VA	5-50mm; Varifocal; DC Auto Iris Lens	
KTL-7-70VA	7-70mm; f 1.8; Varifocal; DC Auto Iris Lens	
KTP-00-24	Rack-Mount Kit for the KTP-24-8	
KTP-24	24 VAC/100 VA Outdoor Power Supply	
KTP-24-4I-200	Indoor Power Supply; 4 Isolated and Fused 24 VAC Outputs; 200VA	
KTP-24-4I-400	Indoor Power Supply; 4 Isolated and Fused 24 VAC Outputs; 400VA	
KTP-24-8	24 VAC Multiple-Output Power Supply; 8 Isolated Outputs; 24 VA Per Output	
KTP-24-8I-400	Indoor Power Supply; 8 Isolated and Fused 24 VAC Outputs; 400VA	
KTS-250-16	16-channel Distribution Amplifier; 4 Outputs per Channel	
MC-4TX1FXMM-2KM	4 Ethernet to 1 Fiber (2MM) 10/100 Industrial Media Converter - 2km	
MC-4TX1FXSM-15KM	4 Ethernet to 1 Fiber (2SM) 10/100 Industrial Media Converter - 15km	
MC-4TX2FX	4 Ethernet to 2 Fiber (2MM) 10/100 Industrial Drop-and-Repeat Media Converter - 2km	
MC100FX-TX-POE	Ethernet to Fiber (2MM) 10/100 w/PoE Injector Media Converter	
MCE-COAX	Ethernet to Coax 10/100 Media Converter Note: Order in quantities of 2	
MD2-1500	2 inch Mini-Dome High Resolution Color Camera w/24VAC Adapter; 3-Axis; 480 TVL; 12VDC	
MFVMM1-RX	8 Bit Multi Mode Single Channel Video Receiver; Module	
MFVMM1-TX	8 Bit Multi Mode Single Channel Video Transmitter; Module	
MFVMMD101-RX	8 Bit Multi Mode Single Channel Video Receiver w/Duplex Data; Module	
MFVMMD101-TX	8 Bit Multi Mode Single Channel Video Transmitter w/Duplex Data; Module	
MFVSM1-RX	8 Bit Single Mode Video Receiver; Module	
MFVSM1-TX	8 Bit Single Mode Video Transmitter; Module	
MFVSMD101-RX	8 Bit Single Mode Video/Data Receiver; Module	
MFVSMD101-TX	8 Bit Single Mode Video/Data Transmitter; Module	
MS-POE	PoE 15.4W Mid-span Injector (IEEE 802.3af)	
PS12VDC1.5A-U	Power Supply 12VDC1.5A-U	
SC/FC-OA	SC To FC Optical Adapter	
SC/LC-MM-FPC	SC/LC Multi Mode Fiber Patch Cord	
SC/LC-SM-FPC	SC/LC Single Mode Fiber Patch Cord	
SC/SC-OA	SC to SC Optical Adapter	
SC/ST-OA	SC to ST Optical Adapter	
SFP1000LX-10KM	SFP 1000Base-LX Mini-GBIC - 2SM (1310nm) - 10km	
SFP1000SX-220	SFP 1000Base-SX Mini-GBIC - 2MM (850nm) - 220m	
SFP100FX1310TSC20K	SFP 100Base-FX Mini-GBIC - 2SM (1310nm) - 20km	
SFP100FX1310TSC2KM	SFP 100Base-FX Mini-GBIC - 2MM (1310nm) - 2km	
SP-POE	PoE 15.4W Splitter (IEEE 802.3af)	
TVC-BIR-HR	TruVision IR Bullet High-Res Camera; 530 TVL Color; 6.050.0mm Varifocal Lens; 180.4 ft./55m IR Range; 24VAC/12VDC	
TVC-BIR-MR	TruVision Bullet IR Mid-Res Camera; 480 TVL Color; 3.512mm Varifocal Lens; 82 ft./25m IR Range; 24VAC/12VDC	

ATTACHMENT "B"- PART 1

TVC-BIR-SR	TruVision IR Bullet Standard-Res Camera; 380 TVL Color; 4.3mm Fixed Lens; 49.2 ft./15m IR Range; 12VDC only	
TVC-BIR-WM	6 inch Wall mount arm for TruVision Cam IR Bullet Cameras	
TVC-PIR2-HR	TruVision Covert Motion Detector (Non-Functioning) 550 TVL Color; 0.4 Lux; 2.8mm Lens; 12VDC Only	
TVC-PIR3-HR	TruVision Covert Motion Detector (Non-Functioning) 550 TVL Color; 0.4 Lux; 3.8mm Lens; 12VDC Only	
TVC-RCM-HR	TruVision Specialty Rugged Corner Mount; 550 TVL Color; 0.4 Lux; 2.8mm Lens; 12VDC; Vandal Resistant	
TVC-SDC2-HR	TruVision Covert Smoke Detector (Non-Functioning) 550 TVL Color; 0.4 Lux; 2.8mm Lens; 12VDC Only	
TVC-SDC2-MODULE	Add-On Covert TruVision Camera Module for Smoke Detector Housings 550 TVL Color; 0.4 Lux; 2.8mm Lens; 12VDC	
TVC-SDC3-HR	TruVision Covert Smoke Detector (Non-Functioning) 550 TVL Color; 0.4 Lux; 3.8mm Lens; 12VDC Only	
TVC-SDC3-MODULE	Add-On Covert TruVision Camera Module for Smoke Detector Housings 550 TVL Color; 0.4 Lux; 3.8mm Lens; 12VDC	
TVD-DOME-HR	TruVision™ Dome 500 TVL Color; 2.6mm6.0mm AI lens; 12VDC or 24VAC	
TVD-TIR-SR	TruVision Dome IR Standard-ResCamera; 380 TVL Color; 4.3mm Fixed Lens; 32.8 ft./10m IR Range; 12VDC only	
TVD-TIR2-HR	TruVision Dome IR Camera; 530 TVL Color; 3.58.0mm Varifocal Lens; 65.6 ft./20m IR Range; 12VDC/24VAC	
TVD-TIR2-MR	TruVision Dome IR Mid-Res Camera; 480 TVL Color; 3.58.0mm Varifocal Lens; 65.6 ft./20m IR Range; 12VDC/24VAC	
TVP-12C	Truvision PTZ Mini, 12x Color, Indoor, NTSC	
TVP-12C-E	TruVision PTZ Mini; 12X Color; Outdoor; NTSC	
TVP-12DN	TruVision PTZ Mini; 12X; D/N; Indoor; NTSC	
TVP-12DN-E	TruVision PTZ Mini; 12X; D/N; Outdoor; NTSC	
TVP-ECB	TruVision PTZ Mini outdoor clear bubble	
TVP-ESB	TruVision PTZ Mini outdoor smoked bubble	
TVP-FM	TruVision PTZ Mini indoor flush mount	
TVP-ICB	TruVision PTZ Mini indoor clear bubble	
TVP-ISB	TruVision PTZ Mini indoor smoked bubble	
TVP-IWA	TruVision PTZ Mini indoor wall mount adapter (Requires TVP-WM or TVP-LWM)	
TVP-LWM	TruVision PTZ Mini long wall mount	
TVP-WM	TruVision PTZ Mini wall mount	
TVPS-01-24AC	TruVision Power Single-position outdoor PTZ power supply; 120/240VAC input; 24/28VAC output @ 4A	
TVR-3008-1T	Truvision DVR 30; 8 Ch;DVD/CD; 1 Tb Storage	
TVR-3008-2T	Truvision DVR 30; 8 Ch; DVD/CD; 2 Tb Storage	
TVR-3008-500	Truvision DVR 30; 8 Ch; DVD/CD; 500 Gb Storage	

ATTACHMENT "B"- PART 1

TVR-3016-1T	Truvision DVR 30;16 Ch; DVD/CD; 1 Tb Storage	
TVR-3016-3T	Truvision DVR 30, 16 Ch, DVD/CD, 3 Tb Storage	
TVR-3016-500	Truvision DVR 30; 16 Ch; DVD/CD; 500 Gb Storage	
UVC-EVRDN-HR	UltraView EVR Series True Day/Night Traditional Box Camera; 540 TVL; UTP; BNC; 12vdc/24vac	
UVC-XP3-HR	UltraView XP3 Series Traditional Box Camera; 540 TVL; UTP; BNC; WDR; 12vdc/24vac	
UVD-EVRDNR-VA2	UltraView EVR Series True Day/Night Rugged Dome; 540 TVL; UTP; BNC; 2.8mm-10.0mm AI IR Corrected; 12vdc/24vac	
UVD-EVRDNR-VA9	UltraView EVR Series True Day/Night Rugged Dome; 540 TVL; UTP; BNC; 9.0mm-22.0mm AI; 12vdc/24vac	
UVD-XP3DNR-VA2	UltraView XP3 Series True Day/Night Rugged Dome; 540 TVL; UTP; BNC; WDR; 2.8mm-10.0mm AI IR Corrected; 12vdc/24vac	
UVD-XP3DNR-VA9	UltraView XP3 Series True Day/Night Rugged Dome; 540 TVL; UTP; BNC; WDR; 9.0mm-22.0mm AI; 12vdc/24vac	
UVP-C3-D27N	UltraView PTZ; Wall Mount Housing; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-C3-D37N	UltraView PTZ; Wall Mount Housing; Clear Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-C4-D37N	UltraView PTZ; Wall Mount Housing; Smoke Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-CE3-D27N	UltraView PTZ; Wall Mount Housing; Heater/Fan; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-CE3-D37N	UltraView PTZ; Wall Mount Housing; Heater/Fan; Clear Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-CE4-D27N	UltraView PTZ; Wall Mount Housing; Heater/Fan; Smoke Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-CE4-D37N	UltraView PTZ; Wall Mount Housing; Heater/Fan; Smoke Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-D27N	ULTRAVIEW PTZ; PAN/TILT W/ SHROUD; 27X DAY/NIGHT WDR; IMAGE STAB; NTSC	
UVP-D37N	ULTRAVIEW PTZ; PAN/TILT W/ SHROUD; 37X DAY/NIGHT WDR; IMAGE STAB; NTSC	
UVP-D8-D27N	UltraView PTZ; Heavy Duty Housing; Clear Polycarbonate Dome; 27x Day/Night Camera; NTSC	
UVP-D8-D37N	UltraView PTZ; Heavy Duty Housing; Clear Polycarbonate Dome; 37x Day/Night Camera; NTSC	
UVP-D9-D27N	UltraView PTZ; Heavy Duty Housing; Smoke Polycarbonate Dome; 27x Day/Night Camera; NTSC	
UVP-D9-D37N	UltraView PTZ; Heavy Duty Housing; Smoke Polycarbonate Dome; 37x Day/Night Camera; NTSC	
UVP-DE8-D27N	UltraView PTZ; Heavy Duty Housing; Heater/Fan; Clear Polycarbonate Dome; 27x Day/Night Camera; NTSC	

ATTACHMENT "B"- PART 1

UVP-DE8-D37N	UltraView PTZ; Heavy Duty Housing; Heater/Fan; Clear Polycarbonate Dome; 37x Day/Night Camera; NTSC	
UVP-DE9-D27N	UltraView PTZ; Heavy Duty Housing; Heater/Fan; Smoke Polycarbonate Dome; 27x Day/Night Camera; NTSC	
UVP-DE9-D37N	UltraView PTZ; Heavy Duty Housing; Heater/Fan; Smoke Polycarbonate Dome; 37x Day/Night Camera; NTSC	
UVP-F3-D27N	UltraView PTZ; Flush Mount Housing; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-F4-D37N	UltraView PTZ; Flush Mount Housing; Smoke Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-F9-D27N	UltraView PTZ; Flush Mount Housing; Smoke Polycarbonate Dome; 27x Day/Night Camera; NTSC	
UVP-F9-D37N	UltraView PTZ; Flush Mount Housing; Smoke Polycarbonate Dome; 37x Day/Night Camera; NTSC	
UVP-H3-D27N	UltraView PTZ; Pendant Mount Housing; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-H3-D37N	UltraView PTZ; Pendant Mount Housing; Clear Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-H4-D27N	UltraView PTZ; Pendant Mount Housing; Smoke Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-H4-D37N	UltraView PTZ; Pendant Mount Housing; Smoke Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-HE3-D27N	UltraView PTZ; Pendant Mount Housing; Heater/Fan; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-HE3-D37N	UltraView PTZ; Pendant Mount Housing; Heater/Fan; Clear Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-HE4-D27N	UltraView PTZ; Pendant Mount Housing; Heater/Fan; Smoke Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-HE4-D37N	UltraView PTZ; Pendant Mount Housing; Heater/Fan; Smoke Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-PE2-D27N	UltraView PTZ; PressurDome Housing; Htr/Fan; Bronze Dome; Coax/UTP/Alarm; 27x Day/Night Camera; NTSC	
UVP-PE2-D37N	UltraView PTZ; PressurDome Housing; Htr/Fan; Bronze Dome; Coax/UTP/Alarm; 37x Day/Night Camera; NTSC	
UVP-PE3-D27N	UltraView PTZ; PressurDome Housing; Htr/Fan; Clear Dome; Coax/UTP/Alarm; 27x Day/Night Camera; NTSC	
UVP-PE3-D37N	UltraView PTZ; PressurDome Housing; Htr/Fan; Clear Dome; Coax/UTP/Alarm; 37x Day/Night Camera; NTSC	
UVP-R3-D27N	UltraView PTZ; Rugged Housing; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-R3-D37N	UltraView PTZ; Rugged Housing; Clear Acrylic Dome; 37x Day/Night Camera; NTSC	

ATTACHMENT "B"- PART 1

UVP-R4-D27N	UltraView PTZ; Rugged Housing; Smoke Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-R4-D37N	UltraView PTZ; Rugged Housing; Smoke Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-R8-D27N	UltraView PTZ; Rugged Housing; Clear Polycarbonate Dome; 27x Day/Night Camera; NTSC	
UVP-R8-D37N	UltraView PTZ; Rugged Housing; Clear Polycarbonate Dome; 37x Day/Night Camera; NTSC	
UVP-R9-D27N	UltraView PTZ; Rugged Housing; Smoke Polycarbonate Dome; 27x Day/Night Camera; NTSC	
UVP-R9-D37N	UltraView PTZ; Rugged Housing; Smoke Polycarbonate Dome; 37x Day/Night Camera; NTSC	
UVP-RE3-D27N	UltraView PTZ; Rugged Housing; Heater/Fan; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-RE3-D37N	UltraView PTZ; Rugged Housing; Heater/Fan; Clear Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-RE4-D27N	UltraView PTZ; Rugged Housing; Heater/Fan; Smoke Acrylic Dome; 27x Day/Night Camera; NTSC	
UVP-RE4-D37N	UltraView PTZ; Rugged Housing; Heater/Fan; Smoke Acrylic Dome; 37x Day/Night Camera; NTSC	
UVP-RE8-D27N	UltraView PTZ; Rugged Housing; Heater/Fan; Clear Polycarbonate Dome; 27x Day/Night Camera; NTSC	
UVP-RE8-D37N	UltraView PTZ; Rugged Housing; Heater/Fan; Clear Polycarbonate Dome; 37x Day/Night Camera; NTSC	
UVP-RE9-D27N	UltraView PTZ; Rugged Housing; Heater/Fan; Smoke Polycarbonate Dome; 27x Day/Night Camera; NTSC	
UVP-RE9-D37N	UltraView PTZ; Rugged Housing; Heater/Fan; Smoke Polycarbonate Dome; 37x Day/Night Camera; NTSC	
UVPS-C3-D27N	UltraView PTZ Select; Wall Mount Housing; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVPS-C4-D27N	UltraView PTZ Select; Wall Mount Housing; Smoke Acrylic Dome; 27x Day/Night Camera; NTSC	
UVPS-CE3-D27N	UltraView PTZ Select; Wall Mount Housing; Heater/Fan; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVPS-CE4-D27N	UltraView PTZ Select; Wall Mount Housing; Heater/Fan; Smoke Acrylic Dome; 27x Day/Night Camera; NTSC	
UVPS-F3-D27N	UltraView PTZ Select; Flush Mount Housing; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVPS-F4-D27N	UltraView PTZ Select; Flush Mount Housing; Smoke Acrylic Dome; 27x Day/Night Camera; NTSC	
UVPS-F9-D27N	UltraView PTZ Select; Flush Mount Housing; Smoke Polycarbonate Dome; 27x Day/Night Camera; NTSC	

ATTACHMENT "B"- PART 1

UVPS-H3-D27N	UltraView PTZ Select; Pendant Mount Housing; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVPS-H4-D27N	UltraView PTZ Select; Pendant Mount Housing; Smoke Acrylic Dome; 27x Day/Night Camera; NTSC	
UVPS-HE3-D27N	UltraView PTZ Select; Pendant Mount Housing; Heater/Fan; Clear Acrylic Dome; 27x Day/Night Camera; NTSC	
UVPS-HE4-D27N	UltraView PTZ Select; Pendant Mount Housing; Heater/Fan; Smoke Acrylic Dome; 27x Day/Night Camera; NTSC	
IQM30NE-B5	Alliance-mx H.264 SD480p Exterior Day/Night Vandal Dome Camera; Day/Night Varifocal Lens	
IQM31NE-B5	Alliance-mx H.264 HD720p Exterior Day/Night Vandal Dome Camera; Day/Night Varifocal Lens	
IQM32NE-B5	Alliance-mx H.264 HD1080p Exterior Day/Night Vandal Dome Camera; Day/Night Varifocal Lens	
IQD30SV-F1	Alliance-mini H.264 SD480p Vandal Dome Camera; Wide Lens	
IQD31SV-F1	Alliance-mini H.264 HD720p Vandal Dome Camera; Wide Lens	
IQD32SV-F1	Alliance-mini H.264 HD1080p Vandal Dome Camera; Wide Lens	
IQA30NI-B5	Alliance-pro H.264 480p Interior Day/Night Vandal Dome Camera; Wide Varifocal Lens	
IQA31NI-B5	Alliance-pro H.264 720p Interior Day/Night Vandal Dome Camera; Wide Varifocal Lens	
IQA32NI-B5	Alliance-pro H.264 1080p Interior Day/Night Vandal Dome Camera; Wide Varifocal Lens	
IQA30NE-B5	Alliance-pro H.264 480p Exterior Day/Night Vandal Dome Camera; Day/Night Varifocal Lens	
IQA31NE-B5	Alliance-pro H.264 720p Exterior Day/Night Vandal Dome Camera; Day/Night Varifocal Lens	
IQA32NE-B5	Alliance-pro H.264 1080p Exterior Day/Night Vandal Dome Camera; Day/Night Varifocal Lens	
IQA30NX-B5	Alliance-pro H.264 480p Extreme Day/Night Vandal Dome Camera; Day/Night Varifocal Lens	
IQA31NX-B5	Alliance-pro H.264 720p Extreme Day/Night Vandal Dome Camera; Day/Night Varifocal Lens	
IQA32NX-B5	Alliance-pro H.264 1080p Extreme Day/Night Vandal Dome Camera; Day/Night Varifocal Lens	
IQD40SV-F1	Alliance-mini VGA Vandal Dome Camera; Wide Lens	
IQD41SV-F1	Alliance-mini 1.3 MP Vandal Dome Camera; Wide Lens	
IQD42SV-F1	Alliance-mini 2 MP Vandal Dome Camera; Wide Lens	
IQ540SI-V9	IQeye 5 Series Camera VGA; Wide Varifocal Lens	
IQ541SI-V10	IQeye 5 Series Camera 1.3 MP; Wide Varifocal Lens	
IQ542SI-V11	IQeye 5 Series Camera 2 MP; Wide Varifocal Lens	
IQ030NI-V11	IQeye 3 Series H.264 SD480p Camera; Wall/Celing Mount; Wide Varifocal Lens	

ATTACHMENT "B"- PART 1

IQ031NI-V12	IQeye 3 Series H.264 HD720p Camera; Wall/Celing Mount; Wide Varifocal Lens	
IQ032NI-V13	IQeye 3 Series H.264 HD1080p Camera; Wall/Celing Mount; Wide Varifocal Lens	
LVB01-IQM30NE-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQM30NE-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQM31NE-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQM31NE-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQM32NE-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQM32NE-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQD30SV-F1	IQ Camera bundle with Lenel Video Channel license; including [1] IQD30SV-F1 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQD31SV-F1	IQ Camera bundle with Lenel Video Channel license; including [1] IQD31SV-F1 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQD32SV-F1	IQ Camera bundle with Lenel Video Channel license; including [1] IQD32SV-F1 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQA30NI-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQA30NI-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQA31NI-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQA31NI-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQA32NI-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQA32NI-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	

ATTACHMENT "B"- PART 1

LVB01-IQA30NE-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQA30NE-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQA31NE-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQA31NE-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQA32NE-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQA32NE-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQA30NX-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQA30NX-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQA31NX-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQA31NX-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQA32NX-B5	IQ Camera bundle with Lenel Video Channel license; including [1] IQA32NX-B5 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQD40SV-F1	IQ Camera bundle with Lenel Video Channel license; including [1] IQD40SV-F1 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQD41SV-F1	IQ Camera bundle with Lenel Video Channel license; including [1] IQD41SV-F1 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQD42SV-F1	IQ Camera bundle with Lenel Video Channel license; including [1] IQD42SV-F1 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQ540SI-V9	IQ Camera bundle with Lenel Video Channel license; including [1] IQ540SI-V9 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	

ATTACHMENT "B"- PART 1

LVB01-IQ541SI-V10	IQ Camera bundle with Lenel Video Channel license; including [1] IQ541SI-V10 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQ542SI-V11	IQ Camera bundle with Lenel Video Channel license; including [1] IQ542SI-V11 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQ030NI-V11	IQ Camera bundle with Lenel Video Channel license; including [1] IQ030NI-V11 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQ031NI-V12	IQ Camera bundle with Lenel Video Channel license; including [1] IQ031NI-V12 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
LVB01-IQ032NI-V13	IQ Camera bundle with Lenel Video Channel license; including [1] IQ032NI-V13 [1] SW-LNR-CH1 Lenel Video Channel license [1] IVS-IC Invalid Camera software and [1] IVS-SVMD Smart Video Motion Detection software	
OG-32ES-M-16EP-NP	OnGuard 32ES 16 Door Server Software Entry package without power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [7] LNL-1320 two door interface module, [16] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
OG-32ES-M-16EP2	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [7] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6 power supply with enclosure, [1] LNL-CTX6 enclosure, [16] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
OG-32ES-M-16EPEU2	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [7] LNL-1320 two door interface module, [1] LNL-600X6-CE220 power supply with cabinet, [1] LNL-CTX6 enclosure, [16] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	

ATTACHMENT "B"- PART 1

OG-32ES-M-16NCR2	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [7] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6 power supply with enclosure, [1] LNL-CTX6 enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
OG-32ES-M-16NEU2	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [7] LNL-1320 two door interface module, [1] LNL-600X6-CE220 power supply with enclosure, [1] LNL-CTX6 enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
OG-32ES-M-4EP2	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-1320 two door interface module, [1] LNL-OLS75CTX power supply with enclosure, [4] LNL-XF1050K OpenProx card readers, [50] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
OG-32ES-M-4EPE-NP	OnGuard 32ES 4 Door Server Software Entry package without power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-1320 two door interface module, , [4] LNL-XF1050K OpenProx card readers, [50] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
OG-32ES-M-4EPEU2	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-1320 two door interface module, [1] LNL-400X-CE220 power supply with enclosure, [4] LNL-XF1050K OpenProx card readers, [50] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
OG-32ES-M-4NCR2	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-1320 two door interface module, [1] LNL-OLS75ACTX power supply with enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	

ATTACHMENT "B"- PART 1

	OG-32ES-M-4NEU2	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [1] LNL-1320 two door interface module, [1] LNL-400X-CE220 power supply with enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
	OG-32ES-M-8EP2	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [3] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6 power supply with enclosure, [8] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
	OG-32ES-M-8EPE-NP	OnGuard 32ES 8 Door Server Software Entry package without power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [3] LNL-1320 two door interface module, [8] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
	OG-32ES-M-8EPEU2	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [3] LNL-1320 two door interface module, [1] LNL-600X6-CE220 power supply with cabinet, [8] LNL-XF1050K OpenProx card readers, [100] LP-CS Lenel Prox clam shell access cards and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
	OG-32ES-M-8NCR2	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [3] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6 power supply with enclosure and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
	OG-32ES-M-8NEU2	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, OnGuard CredentialCenter Client software [1] SWC-IDES, [1] LNL-2220 intelligent system controller, [3] LNL-1320 two door interface module, [1] LNL-600X6-CE220 power supply with cabinet and first year support plan SUSP-W-ES. (USE PC CONFIGURATION #3)	
	HOFFMAN		
HOFFMAN	A12N126	NEMA 1 HINGED ENCLOSURE 12x12x6	
	A12N12P	BACK PANEL	

ATTACHMENT "B"- PART 1

	A16N16ALP	NEMA 1 HINGED ENCLOSURE 16X16X6	
	A16N16MP	BACK PANEL	
	A20N16ALP	NEMA 1 HINGED ENCLOSURE 20X16X6	
	A20N16BLP	NEMA 1 HINGED ENCLOSURE 20X16X8	
	A20N16MP	BACK PANEL	
	A24N20BLP	NEMA 1 HINGED ENCLOSURE 24X20X8	
	A24N20MP	BACK PANEL	
	A24N24ALP	NEMA 1 HINGED ENCLOSURE 24X24X6	
	A24N24BLP	NEMA 1 HINGED ENCLOSURE 24X24X8	
	A24N24MP	BACK PANEL	
	A30N24BLP	NEMA 1 HINGED ENCLOSURE 30X24X8	
	A30N24MP	BACK PANEL	
	A36N30ALP	NEMA 1 HINGED ENCLOSURE 36X30X6	
	A36N30BLP	NEMA 1 HINGED ENCLOSURE 36X30X8	
	A36N30MP	BACK PANEL	
	A42N3609	NEMA 1 HINGED ENCLOSURE 42X36X9	
	A42P36	BACK PANEL	
	A48N3609	NEMA 1 HINGED ENCLOSURE 48X36X9	
	A48P36	BACK PANEL	
	ASE6X6X4	NEMA 1 SCREW COVER ENCLOSURE 6X6X4	
	ASE12X12X4	NEMA 1 SCREW COVER ENCLOSURE 12X12X4	
	ASE12X12X6	NEMA 1 SCREW COVER ENCLOSURE 12X12X6	
	ASE18X12X6	NEMA 1 SCREW COVER ENCLOSURE 18X12X6	
	ASE12124-SO	NEMA 1 SCREW COVER ENCLOSURE 12X12X4 W/STANDOFFS	
	ASE16124-SO	NEMA 1 SCREW COVER ENCLOSURE WITH STANDOFFS	
	A16N12P	BACK PANEL	
	NITEK		
NITEK	VT1656	Video Transmitter Hub - 16 Ports - Selectable - up to 6,000 feet	
	VH3239	Video Balun Transceiver Hub - 32 Ports - up to 750 feet	
	VH3251	Video Receiver Hub - 32 Ports - Selectable 100 feet to 1,500 feet	
	VH3256	Video Receiver Hub - 32 Ports - Selectable 100 feet to 6,000 feet	
	VB41x4 *	Four Balun Transceiver Card, w/ Surge Suppression - Up to 750 ft	
	TR515x4 *	Four Channel Video Link Receiver Card - Selectable 100 feet to 1,500 feet	
	TR560x4 *	Four Channel Video Link Receiver Card - Selectable 100 feet to 6,000 feet	
	EX1120RR *	Single Channel Video Link System - Selectable 100 feet to 12,000 feet	
	DA422 *	Data Distribution Card - RS422 - 1 In and 4 out	
	RK400	Modular Card Cage - Black, w/ Fused Power Supply - For Desktop or Rack Use	
	VB41x8 **	Eight Balun Transceiver Card, w/ Surge Suppression - Up to 750 ft	
	TR515x8 **	Eight Channel Video Link Receiver Card - Selectable 100 feet to 1,500 feet	

ATTACHMENT "B"- PART 1

TR560x8 **	Eight Channel Video Link Receiver Card - Selectable 100 feet to 6,000 feet	
VH3200	Modular Card Cage - Black, 1 RU High	
XP4	UTP 4 Camera Crossover & Power Insertion Panel	
XP4D	UTP 4 Camera Crossover, RS422 Distribution & Power Insertion Panel	
XP4/439	UTP 4 Camera Crossover & Power Insertion Panel w/ Video Balun Transceivers	
XP4D/439	UTP 4 Camera Crossover, RS422 Dist & Pwr Insertion w/ Video Balun Transcvrs	
XP8	UTP 8 Camera Crossover & Power Insertion Panel	
XP8D	UTP 8 Camera Crossover, RS422 Distribution & Power Insertion Panel	
XP8/439	UTP 8 Camera Crossover & Power Insertion Panel w/ Video Balun Transceivers	
VL5022	Monochrome Video Link - Up to 4 miles	
VL5024	Monochrome Video Link - Up to 7 miles	
VL5028	Monochrome Video Link - Up to 10 miles	
VL6022	Color Video Link - Up to 4 miles	
VL6024	Color Video Link - Up to 7 miles	
VL6028	Color Video Link - Up to 10 miles	
DL1142	RS422 Line Driver - 12,000 feet	
DL2105	RS232 Extender - 12,000 feet	
DL2120	RS422 and RS232 Line Driver/Data Extender - Up to 10 miles	
CDX440	Coaxitron to RS422D Converter	
MMB1	Multi-Media "S" Video Balun/ with audio channels - up to 300 feet	
AS1000	Line Level Audio Extender - Up to 2 miles	
RK100	Rack Panel - for multi-AS1000 Mounting - 19" - 1 Rack Height	
RK115	Rack Panel - for multi-VB37M or VB39M Mounting - 19" - 1 Rack Height	
RB102	Rack Panel Wall Bracket - for mounting 2 - RK115 Rack Panels	
RB104	Rack Panel Wall Bracket - for mounting 4 - RK115 Rack Panels	
BP40	Blank Panel - Black, for RK400 Modular Card Cage (Covers one empty Card slot)	
CXJ10	RG59/U Coax Jumper Assembly - 2 feet long - Kit of 8	
CXJ20	RG59/U Coax Jumper Assembly - 2 feet long - Kit of 16	
CXJ30	RG59/U Coax Jumper Assembly - 3 feet long - Kit of 16	
DVRPTR16	DVR Surge Protector - 16 Channel, Multi-Stage - BNC in to BNC out	
CAMPTR1	Camera Surge Protector - Single Channel, Multi-Stage	
CAMPVC24	Coax Camera, RS422, 24VAC Surge Protector - Single Channel, Multi-Stage	
CAMUTP24	UTP Camera, RS422, 24VAC Surge Protector - Single Channel, Multi-Stage	
CHM12A ***	Crossover & 12 VDC Power Insertion Module, w/ 4 Video Transceivers	
CHM16 ***	Crossover & 24 VAC Power Insertion Module, w/ 4 Video Transceivers	
CHM22 ***	Crossover, RS422 Dist & 24 VAC Power Insertion Module, w/ 4 Video Transceivrs	

ATTACHMENT "B"- PART 1

	CIP16 ***	IP Camera Crossover and Power Insertion Card - Use withVB43IP	
	CXM16 ***	4 Channel Crossover & 24 VAC Power Insertion Module	
	CXM22 ***	4 Channel Crossover, RS422 Distribution & 24 VAC Power Insertion Module	
	CX452	Modular Card Cage - Black, w/ Fused Power Supply - 1 RU High	
	CX160	16 Channel Crossover & 24 VAC Power Insertion Unit	
	CX220	16 Channel Crossover, RS422 Distribution & 24 VAC Power Insertion Unit	
	VH170	16 Channel Video Transceiver Hub with Telco Connector	
	PS105	Power Supply - 28VAC, 5 AMP	
	PS110	Power Supply - 28VAC, 10 AMP	
	VB43F	Video Balun Transceiver, Combiner - Up to 1,000 feet - Female BNC Conn.	
	VB43FPD	Video Balun Transceiver, Combiner - Up to 1,000 feet - Female BNC Conn.	
	VB43ATF	Video Balun Transceiver, Combiner - 1,000 feet - 11" Mini-Coax Pigtail, Male BNC	
	VB43IP	Video Power Combiner - Use with CIP16 Card	
	WB42	Video Balun Transceiver, Wall Plate - Up to 1,000 feet - Female BNC Conn.	
	WB42S	Video Balun Transceiver, Security Wall Plte - Up to 1,000 ft - Female BNC	
	TATUNG		
TATUNG	TCM-2102S	21" Color CRT Monitor, Black Metal case, 450 TVL, Inputs: 2 Video BNC switchable from front panel with loop thru, 1 S-Video DIN swiitchable from front panel with loop thru, 2 Audio RCA with loop thru, Speaker 1.0 Watts	
	5005L13-D	15" LCD Computer Monitor, Black textured case, 1024 x 768 XGA (D-sub 15pin) Inputs: 400:1 contract ratio, Very Fast 5ms response, DVI (TMDS 30 pin) Speakers,16.7 M colors, .29mm dot pitch, Base Included, 250 nit Brightness	
	CT-15SI	15" LCD Computer Monitor, Almond textured case, 1024 x 768 XGA (D-sub 15pin) Inputs: 400:1 contract ratio, Very Fast 4/12ms response, Speakers,16.7 M colors, .29mm dot pitch, Base Included, 250 nit Brightness. Does not have DVI inputs.	
	7005L-D	17" LCD Computer Monitor, Black textured case, 1280 x 1024 XGA (D-sub 15pin) Inputs: 600:1 contract ratio, Very Fast 8ms response, DVI (TMDS 30 pin) Speakers,16.7 M colors, .26mm dot pitch, Base Included, 300 nit Brightness (1.3 Megapixel Display Density)	
	9005L-D	19" LCD Computer Monitor, Black textured case, 1280 x 1024 XGA (D-sub 15pin) Inputs: 800:1 contract ratio, Very Fast 5ms response, DVI (TMDS 30 pin) Speakers,16.7 M colors, .29mm dot pitch, Base Included, 300 nit Brightness. (1.3 Megapixel Display Density)	

ATTACHMENT "B"- PART 1

W9005S-D	19" LCD Computer Monitor, (16:9) WIDE VIEW (16:9 Aspect Ratio) LCD, Black textured case, 1280 x 1024 XGA (D-sub 15pin) Inputs: 800:1 contract ratio, Very Fast 5ms response, DVI (TMDS 30 pin) Speakers,16.7 M colors, .29mm dot pitch, Base Included, 300 nit Brightness (1.3 Megapixel Display Density)	
W2205S-D	22" LCD Computer Monitor, WIDE VIEW(16:10 Aspect Ratio) LCD, Black textured case, 1680 x 1050 WSXGA (D-sub 15pin) Inputs: 1000:1 contract ratio, Very Fast 5ms response, DVI (TMDS 30 pin) Speakers,16.7 M colors, .28mm dot pitch, Base Included, 300 nit Brightness (1.7 Megapixel Display Density)	
TWM-157	Universal Wall Mount, Black, 75 & 100mm Vesa, Tilt & Swivel Positions, 18Lbs load (8 kg) For models: TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TPM-157	Universal Pole Mount, Black, 75 & 100mm Vesa, Tilt & Swivel Positions, 18Lbs load (8 kg) For models: TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TWM-DA1520	Universal Wall Mount, Black, 75 & 100mm Vesa, Dual Articulated Arm (3.5" to 13.5 ") Tilt & Swivel Positions, 18Lbs load (8 kg) For models TLM-2001, TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TLM-1506	15" LCD Monitor, Black Textured Case, 1024 x 768 XGA resolution, 8ms response time, 500:1 contrast ratio, Inputs: 1 x Video BNC with loop thru, 1 x S-Video DIN with loop thru, 2 x Audio RCA with loop thru,1 x XGA (D sub15 pin) Speakers 2 x 2.0 Watt, 16.2 Million Colors, Desk Top Base Included, 450 nit Brightness (Rack Mountable)	
TRK-1506	Standard EIA 19" Rack Mount Kit for TLM-1506 Color LCD Monitor	
THR15X	15" TFT (4:3 Aspect Ratio)) LCD Monitor, .29 dot pitch, Black Textured Case with Anti-Reflective Glass, 1024 x 768 Up to SXGA, 500:1 Contrast ratio, Inputs: 2 x Video BNC with loop thru, 1 x S-Video DIN, 2 x Audio RCA, 1 x Analog RGB (D sub15 pin) DVI-I, Very Fast 8ms response time, Speakers 2 x 1.0 Watt, 16.2 Million Colors, Rack mountable and Vesa 100 x100 mounting. Additional Features: 600 TVL with 4:3 aspect ratio in Video Mode, 3D Comb Filter, 3D De-Interlace, Noise Reduction DNR, Color Transient CTI, Picture Freeze, Desk Top Base Included, 3.01 Kgs, 340 x 350 x 190mm. 250 nit Brightness (Rack Mountable)	

ATTACHMENT "B"- PART 1

TRK-HR15X	Model TRK-HR15X Standard 19" EIA Rack Mount Kit for THR15X Color LCD Monitor	
TWM-157	Universal Wall Mount, Black, 75 & 100mm Vesa, Tilt & Swivel Positions, 18Lbs load (8 kg) For models: TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TPM-157	Universal Pole Mount, Black, 75 & 100mm Vesa, Tilt & Swivel Positions, 18Lbs load (8 kg) For models: TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TWM-DA1520	Universal Wall Mount, Black, 75 & 100mm Vesa, Dual Articulated Arm (3.5" to 13.5 ") Tilt & Swivel Positions, 18Lbs load (8 kg) For models TLM-2001, TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TLM-1706	17" LCD Monitor, Black Textured Case, 1280 x 1024 SXGA resolution, 5ms response time, 1000:1 contrast ratio, Inputs: 1 x Video BNC with loop thru, 1 x S-Video DIN with loop thru, 2 x Audio RCA with loop thru,1 x SXGA (D sub15 pin) Speakers 2 x 2.0 Watt, 16.2 Million Colors, 14.5 lbs, 300 nit Brightness. VESA 100 x100 mm, (Includes Desk Top Base)	
TRK-1706	Standard EIA 19" Rack Mount Kit for TLM-1706 Color LCD Monitor	
THR17X	17" TFT (5:4 Aspect Ratio) LCD Monitor, .26 dot pitch, Black Textured Case with Anti-Reflective Glass, 1280 x 1024 Up to SXGA, 1000:1 Contrast ratio, Inputs: 2 x Video BNC with loop thru, 1 x S-Video DIN, 2 x Audio RCA, 1 x Analog RGB (D sub15 pin) DVI-I, Very Fast 5ms response time, Speakers 2 x 1.0 Watt, 16.2 Million Colors, Rack mountable and Vesa 100 x100 mounting. Additional Features: 600 TVL with 4:3 aspect ratio in Video Mode, 3D Comb Filter, 3D De-Interlace, Noise Reduction DNR, Color Transient CTI, Picture Freeze, Desk Top Base Included, 4.07 Kgs, 372 x 359 x 190mm. 300 nit Brightness (Rack Mountable)	
TRK-HR17X	Model TRK-HR17X Standard 19" EIA Rack Mount Kit for THR17X Color LCD Monitor	
TWM-157	Universal Wall Mount, Black, 75 & 100mm Vesa, Tilt & Swivel Positions, 18Lbs load (8 kg) For models: TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	

ATTACHMENT "B"- PART 1

TPM-157	Universal Pole Mount, Black, 75 & 100mm Vesa, Tilt & Swivel Positions, 18Lbs load (8 kg) For models: TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TWM-DA1520	Universal Wall Mount, Black, 75 & 100mm Vesa, Dual Articulated Arm (3.5" to 13.5 ") Tilt & Swivel Positions, 18Lbs load (8 kg) For models TLM-2001, TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TLM-1906	19" LCD Monitor, Black Textured Case, 1280 x 1024 SXGA resolution, 5ms response time, 1000:1 contrast ratio, Inputs: 1 x Video BNC with loop thru, 1 x S-Video DIN with loop thru, 2 x Audio RCA with loop thru,1 x SXGA (D sub15 pin) Speakers 2 x 2.0 Watt, 16.2 Million Colors, Desk Top Base Included, 300 nit Brightness (Rack Mountable)	
TRK-1906	Standard EIA 19" Rack Mount Kit for TLM-1906 Color LCD Monitor	
TLM-1901W	19" Wide View 16:9 LCD Monitor, Black Textured Case, 1440 x 900 resolution, 800:1 contrast ratio, Inputs: 2 x Video BNC with looping output, 1 x S-Video DIN with looping output, 2 x Audio RCA with looping output, 1 x VGA (D sub15 pin), 1 x DVI-I TMDS, Speakers; 1 x 1.0 Watt, 5ms response time, 16.7 Million Colors, 100 x 100mm VESA mounting, 14.3 lbs., Desk Top Base Included. 300 nit Brightness. (Rack Mountable)	
TRK-1901W	Standard EIA 19" Rack Mounting Kit for TLM-1901W (Wide Angle LCD Monitor)	
THR19X	19" TFT (5:4 Aspect Ratio) LCD Monitor, .29 dot pitch, Black Textured Case with Anti-Reflective Glass, 1280 x 1024 Up to SXGA, 1000:1 Contrast ratio, Inputs: 2 x Video BNC with loop thru, 1 x S-Video DIN, 2 x Audio RCA, 1 x Analog RGB (D sub15 pin) DVI-I, Very Fast 5ms response time, Speakers 2 x 1.0 Watt, 16.2 Million Colors, Rack mountable and Vesa 100 x100 mounting. Additional Features: 600 TVL with 4:3 aspect ratio in Video Mode, 3D Comb Filter, 3D De-Interlace, Noise Reduction DNR, Color Transient CTI, Picture Freeze, Desk Top Base Included, 4.37 Kgs, 420 x 406 x 190mm. 300 nit Brightness (Rack Mountable)	
TRK-HR19X	Model TRK-HR19X Standard 19" EIA Rack Mount Kit for THR19X Color LCD Monitor	

ATTACHMENT "B"- PART 1

TWM-157	Universal Wall Mount, Black, 75 & 100mm Vesa, Tilt & Swivel Positions, 18Lbs load (8 kg) For models: TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TPM-157	Universal Pole Mount, Black, 75 & 100mm Vesa, Tilt & Swivel Positions, 18Lbs load (8 kg) For models: TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TWM-DA1520	Universal Wall Mount, Black, 75 & 100mm Vesa, Dual Articulated Arm (3.5" to 13.5 ") Tilt & Swivel Positions, 18Lbs load (8 kg) For models TLM-2001, TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TLM-2001	20.1" TFT type LCD Monitor, Black Textured Case, 800 x 600, Inputs: 2 x Channels Video BNC with loop thru,1 x S-Video DIN with no loop thru, 2 x Audio RCA with loop thru, 1 x XGA & Analog RGB (D sub15 pin) 1 x DVI - I (30 pin) 16ms response time, Speakers 2 x 1.0 Watt, 16.7M Colors, Enhanced features; 3D Comb Filter, De-Interlaced, PIP/VOV features, RoHS compliant, Plug & play DDC2B, 700:1 contrast ratio. Desk Top Base Included, Up to 450 nit Brightness	
TCK-2001	24" Black, Telescoping Pole & Ceiling Mounting Bracket Kit for TLM-2001PVM & TLM-2001	
TLM-2001PVM	Public View Monitor System - 20.1" TFT type LCDMonitor, Black Textured Case, 800 x 600, Inputs: 2 x Video BNC with loop thru, 1 x Internal camera (480 TV Line DSP Wide Dynamic Range Color Camera with 4-9mm varifocal lens, Dynamic range 95dB-120dB), accepts 1 x external camera, 1 x Audio RCA (R+L Speakers 2 x 1.0 Watt), CF Type Media Card Reader, 3D Comb Filter, De-Interlaced, PIP/VOV features, RoHS compliant, 700:1 contrast ratio. Up to 450 nit Brightness. 120 VAC only.	

ATTACHMENT "B"- PART 1

TLM-2601PVMSTD	Public View Monitor System - 26" TFT type LCD Display, Black Textured Case, 1366 x 768, Inputs: 2 x Video BNC with loop thru, 1 x DVI-I, 1 x Internal camera (480 TV Line Color Camera with 3.7-12mm varifocal lens), 1 x Audio RCA (R+L Speakers 2 x 1.0 Watt), 3D Comb Filter, De-Interlaced, RoHS compliant, 3000:1 contrast ratio. Up to 450 nit Brightness. 12VDC power input. No Motion Detector, No Media Reader, No PIP, VOV or PAP features and no wide dynamic range camera.	
TLM-2601PVMADV	Public View Monitor System - 26" TFT type LCD Display, Black Textured Case, 1366 x 768, Inputs: 2 x Video BNC with loop thru,1 x DVI-I, 1 x Internal camera (480 TV Line DSP Wide Dynamic Range Color Camera with 3.7-12mm varifocal lens), 1 x Audio RCA (R+L Speakers 2 x 1.0 Watt), 3D Comb Filter, De-Interlaced, RoHS compliant, 3000:1 contrast ratio. Up to 450 nit Brightness. 12VDC power input. No Motion Detector, No Media Reader, No PIP, VOV or PAP features.	
TWM-157	Universal Wall Mount, Black, 75 & 100mm Vesa, Tilt & Swivel Positions, 18Lbs load (8 kg) For models: TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TPM-157	Universal Pole Mount, Black, 75 & 100mm Vesa, Tilt & Swivel Positions, 18Lbs load (8 kg) For models: TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	
TWM-DA1520	Universal Wall Mount, Black, 75 & 100mm Vesa, Dual Articulated Arm (3.5" to 13.5 ") Tilt & Swivel Positions, 18Lbs load (8 kg) For models TLM-2001, TLM-1506, TLM-1706, TLM-1906, 5005L13-D, 7005L-D, 9005L-D, W9005S-D, W2205S-D, TLTM-19AD, TLM-1901W, THR15X, THR17X and THR19X	

ATTACHMENT "B"- PART 1

TLM-2401	24" Commercial Grade LCD Display, 1920 x 1080 resolution, UP to WSXGA, 300 nit brightness, 176 degree viewing angles, 2ms response time, 1000:1 contrast ratio, .27mm dot pitch. Inputs: 1 x S-Video with looping output (4 pin DIN), 1 x Analog RGB (15 pin D-sub), 1 x DVI-I, 2 x Composite BNC video with looping output, HDMI (19 pin Type A Full HD 1080p) 2 x 2W speakers. No tuner, VESA 100 x 100 mounting. (Optional touchscreen with USB interface). Additional Features: 600 TVL in 4:3 Video Mode, PIP, VOV, PAP, 3D De-Interlace, 3D Comb Filter, DNR, CTI & Picture Freeze. 30.0 lbs (16 Kgs) (RoHS Compliant) Remote Control included and Optional Desk Top base available.	
TLM-3201	32" Commercial Grade LCD Display, 1920 x 1080 resolution, UP to WSXGA, 500 nit brightness, 176 degree viewing angles, 6.5ms response time, 4000:1 contrast ratio, .36mm dot pitch. Inputs: 1 x S-Video with looping output (4 pin DIN), 1 x Analog RGB (15 pin D-sub), 1 x DVI-D, 2 x Composite BNC video with looping output, HDMI (19 pin Type A Full HD 1080p) 2 x 2W speakers. No tuner, VESA 400 x 200 mounting. Additional Features: 600 TVL in 4:3 Video Mode, PIP, VOV, PAP, 3D De-Interlace, 3D Comb Filter, DNR, CTI & Picture Freeze. 32.0 lbs (14.5 Kgs) 771 x 465 x 96.5mm (30.4 x 18.3 x 3.8") (RoHS Compliant) Remote Control included and Optional Desk Top base available.	
TLM-4201	42" Commercial Grade LCD Display, 1920 x 1080 resolution, UP to WSXGA, 500 nit brightness, 176 degree viewing angles, 6.5ms response time, 5000:1 contrast ratio, .48mm dot pitch. Inputs: 1 x S-Video with looping output (4 pin DIN), 1 x Analog RGB (15 pin D-sub), 1 x DVI-D, 2 x Composite BNC video with looping output, HDMI (19 pin Type A Full HD 1080p) 2 x 2W speakers. No tuner, VESA 400 x 200 mounting. Additional Features: 600 TVL in 4:3 Video Mode, PIP, VOV, PAP, 3D De-Interlace, 3D Comb Filter, DNR, CTI circuitry & Picture Freeze. 55.4 lbs (25.1Kgs) 1004 x 657 x 111mm (39.5x 25.9 x 4.4") (RoHS Compliant) Remote Control included and Optional Desk Top base available.	

ATTACHMENT "B"- PART 1

	TLM-5201	52" Commercial Grade LCD Display, 1920 x 1080 resolution, UP to WSXGA, 500 nit brightness, 176 degree viewing angles, 6.5ms response time, 5000:1 contrast ratio, .48mm dot pitch. Inputs: 1 x S-Video, 1 x RGB (VGA), 1 x DVI-I, 2 x Composite BNC video with looping output (HDMI Full HD 1080p), 2 x speakers. No tuner, VESA 400 x 200 mounting Additional Features: 600 TVL in 4:3 Video Mode, PIP, VOV, PAP, 3D De-Interlace, 3D Comb Filter, DNR, CTI circuitry & Picture Freeze. 61.6 lbs, (32.1Kgs) 52" x 31.8 x 4.5" (RoHS Compliant) Remote Control included. Desktop Stand not available.	
	LDW42	Flat Wall Mounting kit for Model ST-HB42AIX, TLM-3201 & TLM-4201 (19.37" x 13.75" x1.2") Loadcapacity of 120 lbs	
	TWM-2636	Universal 15 degree Tilt Wall Mount for TLM-3201	
	TWM-3646	Universal 15 degree Tilt Wall Mount for TLM-4201 and TLM-5201	
	TLM-4201-BS120	Universal Desk Top Stand for TLM-3201 and TLM-4201	
	ZEBRA		
ZEBRA	P330i	P330i Single Sided Card Printer, USB connection	
	P420i	P420i Dual Sided Card Printer, Parallel connection	
	P430i	P430i Dual Sided Card Printer, USB connection	
	P520i	P520i Dual Sided Card Printer with Inline Lamination, Parallel connection	
	800015-540	YMCKO Full Color Ribbon, 330 prints	
	800015-440	YMCKO Full Color Ribbon, 200 prints	
	105912-707	Cleaning Kit for P330i/430i	
	105909-169	Cleaning Kit includes 50 cleaning cards, 25 cleaning swabs	
	105912-003	Cleaning Rollers, set of 5	
	YUASA		
YUASA	NP12A12V	12V 12AMP BATTERY	
	NP1812B	12V 17.2AMP BATTERY	
	NP712	12V 7AMP BATTERY	
	PROTECTION TECHNOLOGIES		
PROTECTION TECHNOLOGIES	LENS(A-D)	Option, Fresnel Lens Modules (A-D)	
	PH-4	Mount, Pole, Universal, 1 1/2" To 4 ½" Dia, XL Series	
	PH-4A	Mount, Pole, Universal, 4 1/2" To 8" Dia, XL Series	
	PH-4EXMTKIT	Lens (A-D) Option, Fresnel Lens Modules (A-D)	
	PH-6	PIR, XL Accessory, Ladder Mounting Bracket	
	PH-6JB	PIR, XL Accessory, Ladder Mounting Bracket, With Junction Box	
	PH4A	Mount, Pole, Universal, (2) Required, EX Series	
	SDI-76XL-DIR-LT	PIR, Outdoor, Wide Angle, "LT" Ladder and Tower Technology, XL Series	
	SDI-76XL2	Microwave / PIR, Outdoor, Wide Angle, 50' X 50', DC Power "And Gate" XL2 Series	
	SDI-76XL2V	Microwave / PIR, Outdoor, w/ Housing For Camera, Wide Angle (w/Lens A), 50' x 50', Includes Heater, XL2V Series	

ATTACHMENT "B"- PART 1

	SDI-77XL2	Microwave / PIR, Outdoor, Wide Angle, 90' X 50', DC Power "And Gate" XL2 Series	
	SDI-77XL2-B	Microwave / PIR, Outdoor, Medium Angle, 100' X 35', DC Power "And Gate" XL2 Series	
	SDI-77XL2-C	Microwave / PIR, Outdoor, Narrow Angle, 125' X 20', DC Power "And Gate" XL2 Series	
	SDI-77XL2-D	Microwave / PIR, Outdoor, Vertical Barrier, 100' X 10', DC Power "And Gate" XL2 Series	
	SDI-77XL2-EX	Power Supply, Std DC, 100' X 40', EX Series	
	SDI-77XL2-EX-MEA	Microwave, Electronic Assembly Without Housing, EX Series	
	SDI-77XL2V	Microwave / PIR, Outdoor, w/ Housing For Camera, Wide Angle (w/Lens A), 90' x 50', Includes Heater, XL2V Series	
	SDI-77XL2V-B	Microwave / PIR, Outdoor, w/ Housing For Camera, Medium Angle (w/Lens B), 100' x 35', Includes Heater, XL2V Series	
	SDI-77XL2V-WC	Microwave / PIR, Outdoor, w/ Housing For Camera, Wide Angle, 90' X 50', 1/3" Cube Camera, Includes Heater, XL2V Series	
	SDI-77XLV-C	PIR-Microwave, Outdoor, w/ Housing For Camera, 125' X 20', DC Power "And Gate" Piramid XLV	
	SDI77XL-DIR-LT	PIR, Outdoor, Narrow Angle, "LT" Ladder and Tower Technology, XL Series	
	AIPHONE		
AIPHONE	81220550C	5 CONDUCTOR, 22AWG, NON-SHIELDED, 500 FEET	
	81221050C	10 CONDUCTOR, 22AWG, NON-SHIELDED, 500 FEET	
	81221650C	16 CONDUCTOR, 22AWG, NON-SHIELDED, 500 FEET	
	82180210C	2 CONDUCTOR, 18AWG, OVERALL SHIELD, 1000 FEET	
	82180310C	3 CONDUCTOR, 18AWG, OVERALL SHIELD, 1000 FEET	
	82220210C	2 CONDUCTOR, 22AWG, OVERALL SHIELD, 1000 FEET	
	82220250C	2 CONDUCTOR, 22AWG, OVERALL SHIELD, 500 FEET	
	82220350C	3 CONDUCTOR, 22AWG, OVERALL SHIELD, 500 FEET	
	82220650C	6 CONDUCTOR, 22AWG, OVERALL SHIELD, 500 FEET	
	82221050C	10 CONDUCTOR, 22AWG, OVERALL SHIELD, 500 FEET	
	82221250C	12 CONDUCTOR, 22AWG, OVERALL SHIELD, 500 FEET	
	82221550C	15 CONDUCTOR, 22AWG, OVERALL SHIELD, 500 FEET	
	82222050C	20 CONDUCTOR, 22AWG, OVERALL SHIELD, 500 FEET	
	83220410C	2 TWISTED PAIR, 22AWG, NON-SHIELDED, 1000 FEET	
	851602DB10C	2 CONDUCTOR, 16AWG, LOW CAP, PE, SOLID, NON-SHIELDED, DIRECT BURIAL, 1000 FEET	
	85160210C	2 CONDUCTOR, 16AWG, LOW CAP, PE, SOLID, NON-SHIELDED, 1000 FEET	
	85220710C	7 CONDUCTOR, 22AWG, MID CAP, PE, NON-SHIELDED,1000 FEET	
	86220810C	4 TWISTED PAIR, 22AWG, MID CAP, PE, OVERALL SHIELD,1000 FEET	

ATTACHMENT "B"- PART 1

86221025C	5 TWISTED PAIR, 22AWG, MID CAP, PE, OVERALL SHIELD, 250 FEET	
871802P10C	2 CONDUCTOR, 18AWG, LOW CAP, FEP, SOLID, NON-SHIELDED, PLENUM RATED, 1000 FEET	
87180210C	2 CONDUCTOR, 18AWG, LOW CAP, PE, SOLID, NON-SHIELDED, 1000 FEET	
87180250C	2 CONDUCTOR, 18AWG, LOW CAP, PE, SOLID, NON-SHIELDED, 500 FEET	
871804P50C	4 CONDUCTOR, 18AWG, LOW CAP, FEP, SOLID, NON-SHIELDED, PLENUM RATED, 500 FEET	
87180450C	4 CONDUCTOR, 18AWG, LOW CAP, PE, SOLID, NON-SHIELDED, 500 FEET	
872002P10C	2 CONDUCTOR, 20AWG, MID CAP, FEP, SOLID, NON-SHIELDED, PLENUM RATED, 1000 FEET	
87200210C	2 CONDUCTOR, 20AWG, MID CAP, PE, SOLID, NON-SHIELDED, 1000 FEET	
87200250C	2 CONDUCTOR, 20AWG, MID CAP, PE, SOLID, NON-SHIELDED, 500 FEET	
AC-10F	ACCESS CONTROL KEYPAD, FLUSH MOUNT	
AC-10S	ACCESS CONTROL KEYPAD, SURFACE MOUNT, JF/JK-DV DOOR STNS	
AD-1210P	12V DC POWER SUPPLY, 1A, FOR AN SERIES	
-AH 108	10W HORN SPEAKER, 8 OHM	
AH-16TN	16W HORN SPEAKER, 25V/70V, 8 OHM	
AH-32TN	32W HORN SPEAKER, 25V/70V	
AN-8000EX	AN SERIES EXCHANGE UNIT	
AN-8000MI	MULTI-INTERFACE ADAPTOR	
AN-8000MS	MULTI-FUNCTION MASTER STATION	
AN-8010MS	STANDARD MASTER STATION	
AN-8011MS	HANDS-FREE MASTER STATION	
AN-8020MS	INDUSTRIAL MASTER STATION	
AN-8031MS	FLUSH MOUNT MASTER STATION, STAINLESS STEEL	
AN-8050DS	DOOR STATION, FLUSH MOUNT	
AN-8050DSW	WEATHERIZED DOOR STATION, FLUSH MOUNT	
AN-8500MS	IP MULTI-FUNCTION MASTER	
AN-8540DS	IP DOOR STATION, FLUSH MOUNT	
AP-10M	10-CALL HIGH POWER MASTER, AC CORD	
AP-1M	1-CALL HIGH POWER MASTER, AC CORD	
AP-5M	5-CALL HIGH POWER MASTER, AC CORD	
AS-3A	WALL/DESK SUB FOR MP-S, AP-M	
AS-3N	FLUSH MOUNT CEILING SPEAKER SUB FOR MP-S, AP-M	
AT-306	WHITE HANDSET SUB FOR AT-406	
AT-406	SET - 2 HANDSETS, WHITE (AT-206, AT-306)	
AT-406B	SET - 2 HANDSETS, CHARCOAL GRAY (AT-206B, AT-306B)	

ATTACHMENT "B"- PART 1

AX-084C	AX SERIES CENTRAL EXCHANGE UNIT (4 MASTER - 8 DOOR)	
AX-16SW	16-DOOR/SUB ADD-ON SELECTOR, BLACK	
AX-248C	AX SERIES CENTRAL EXCHANGE UNIT (8 MASTER - 24 DOOR)	
AX-320C	32-DOOR/SUB ADD-ON EXCHANGE UNIT	
AX-8M	AUDIO MASTER STATION	
AX-8MV	AUDIO/VIDEO MASTER STATION, BLACK	
AX-8MV-W	AUDIO/VIDEO MASTER STATION, WHITE	
AX-A	INDOOR SUB STATION, SURFACE OR DESK MOUNT	
AX-AN	INDOOR SUB STATION WITH PRIVACY, SURFACE OR DESK MOUNT	
AX-B	INDOOR SUB STATION, SEMI-FLUSH MOUNT	
AX-BN	INDOOR SUB STATION WITH PRIVACY, SEMI-FLUSH MOUNT	
AX-DM	MULLION AUDIO DOOR STATION	
AX-DV	SURFACE VANDAL VIDEO DOOR STATION	
AX-DVF	FLUSH VANDAL VIDEO DOOR STATION, STAINLESS STEEL FACEPLATE	
AX-DVF-P	FLUSH VANDAL VIDEO DOOR W/HID® PROXPOINT® PLUS CARD READER	
AX-DVF-XP	FLUH VANDAL VIDE DR WTAND-ALNE ARD READER S O OO /S O C	
AX-DV-P	SURFACE VANDAL VIDEO DOOR W/HID® PROXPOINT® PLUS CARD READER	
AX-DV-XP	SURFACE VANDAL VIDEO DOOR W/STAND-ALONE CARD READER	
AX-SS	AMPLIFIED FL MT 2 GANG SUB STATION, STAINLESS STEEL	
AXW-AVR	AX SERIES ALTERNATIVE CONNECTION ADAPTOR - RECEIVER	
AXW-AVT	AX SERIES ALTERNATIVE CONNECTION ADAPTOR - TRANSMITTER	
AXW-AZ	VIDEO ADAPTOR FOR CCTV CAMERA AND AUDIO DOOR STATION	
AXW-PA1	PAGING ADAPTOR FOR AX SERIES	
BA-1	PAGING ADAPTOR FOR NEM / LEF MASTERS	
BA-1P	PAGING ADAPTOR FOR MP-S, AP-M	
BBX-1E	BACKBOX FOR LE-B/BN/C/CN, LEF-1C/3C, AX-B/BN	
BBX-3E	BACKBOX FOR LEF-5C/10C	
BG-10C	ALL CALL/CHIME/BGM ADAPTOR FOR LEF/LAF (11 STNS)	
C-123L/A	CHIME COM SET, 1 DOOR, 1 MASTER	
C-123LW	DUAL MASTER CHIME COM SET, 1 DOOR, 2 MASTERS, DAK-2S	
CCS-1A	CHIME COM 2 SET, 1 DOOR, 1 MASTER	
C-ML/A	MASTER STATION FOR C-123L/A, INCL. DAK-2S	
DA-1AS	SILVER DOOR PHONE SET W/POWER SUPPLY	
DA-1DS	1-CALL DA SERIES DOOR STATION, SILVER	
DA-1MD	HANDSET MASTER STATION FOR DA SERIES	
DA-2DS	2-CALL DA SERIES DOOR STATION, SILVER	
DA-4DS	4-CALL DA SERIES DOOR STATION, SILVER	
DAK-2S	DUAL MASTER ADAPTOR SET FOR LEM & C-ML, 1 PER CHANNEL	
DAR-1	CALL EXTENSION SOUNDER FOR DA-1MD	
DB-1MD	HANDS-FREE MASTER STATION	

ATTACHMENT "B"- PART 1

DB-1SD	HANDS-FREE SUB MASTER STATION	
DBS-1A	DB SERIES 1 DOOR, 1 MASTER KIT (KIT CONTAINS: DA-1DS, DB-1MD, PT-1211C)	
DE-UR	DOOR STATION ADAPTOR FOR TD-H	
DMA2060	60 WATT AMPLIFIER	
DMA2120	120 WATT AMPLIFIER	
E-7000TB	40 STATION TERMINAL BOARD FOR AN SERIES	
EL-12S	12V AC/DC ELECTRIC DOOR STRIKE	
GF-102HA	GF/GH RAIN HOOD 2-MODULE (1HX2V)	
GF-102HBA	GF/GH SURFACE BOX W/ RAIN HOOD, 2-MODULE (1HX2V)	
GF-103HA	GF/GH RAIN HOOD 3-MODULE (1HX3V)	
GF-103HBA	GF/GH SURFACE BOX W/RAIN HOOD, 3-MODULE (1HX3V)	
GF-10K	GF DIGITAL KEYPAD MODULE	
GF-10KP	PANEL FOR GF-10K AND GH-10K	
GF-1DK	AUDIO-ONLY TENANT STATION	
GF-1DKS	AUDIO-ONLY TENANT STATION W/SERVICE SWITCH	
GF-1P	1-CALL PANEL FOR GF-SW OR GH-SW	
GF-202HA	GF/GH RAIN HOOD 4-MODULE (2HX2V)	
GF-202HBA	GF/GH SURFACE BOX W/RAIN HOOD, 4-MODULE (2HX2V)	
GF-203HA	GF/GH RAIN HOOD 6-MODULE (2HX3V)	
GF-203HBA	GF/GH SURFACE BOX W/RAIN HOOD, 6-MODULE (2HX3V)	
GF-2B	GF/GH 2-MODULE BACKBOX	
GF-2F	GF/GH 2-MODULE FRONT FRAME	
GF-2P	2-CALL PANEL FOR GF-SW OR GH-SW	
GF-3B	GF/GH 3-MODULE BACKBOX	
GF-3F	GF/GH 3-MODULE FRONT FRAME	
GF-3P	3-CALL PANEL FOR GF-SW OR GH-SW	
GF-4P	4-CALL PANEL FOR GF-SW OR GH-SW	
GF-AC	ACCESS CONTROL KEYPAD MODULE FOR GF/GH	
GF-AD	GF/GH ADDRESS MODULE	
GFA-DES	GF AUDIO-ONLY 10-KEY DIGITAL ENTRANCE PANEL	
GF-AP	PANEL FOR GF-AD	
GF-BC	2-WIRE BUS CONTROL UNIT FOR GF SYSTEM	
GF-BP	GF/GH BLANK PANEL	
GF-C	30" EXTENSION WIRE FOR EXPANDED DIRECT SELECT GF PANELS	
GF-DA/B	AUDIO MODULE FOR GF SYSTEM	
GF-DP	PANEL FOR GF-DA/B	
GF-HID	HID® PROXPOINT® PLUS CARD READER MODULE FOR GF/GH	
GF-HID-I	ICLASS® CARD READER MODULE FOR GF/GH	
GFK-PS	N/C PANIC SWITCH FOR GF/GH SYSTEM	
GF-MK	GF CONCIERGE/SECURITY STATION (AUDIO ONLY)	
GF-NS/A	GF DIGITAL LCD DIRECTORY MODULE	
GF-NSP	PANEL FOR GF-NS/A	

ATTACHMENT "B"- PART 1

GF-OP2	2 MODULE FRAME W/POSTAL LOCK PROVISION FOR GF/GH SYSTEM	
GF-OP3	3 MODULE FRAME W/ POSTAL LOCK FOR GF/GH (1 OPEN MODULE)	
GF-SW	GF 4-CALL SWITCH MODULE	
GF-VP	PANEL FOR GF/GH-VA, GF/GF-VAX	
GFW-LD	LONG DISTANCE AUDIO BUS ADAPTOR FOR GF SYSTEM	
GFW-S	DESK STAND FOR GF-MK, GF-1MDK, GH-MK	
GH OP. PLATE	PLATE DESCRIBING OPERATION OF GF/GH 10 KEY ENTRY PANEL	
GH CONNECTOR	6-PIN OPTION CONNECTOR FOR GH-1KD, GH-1AD	
GH-10AS	GH DIGITAL KEYPAD AUDIO ENTRY PANEL, STAINLESS STEEL	
GH-10K	10 KEY MODULE FOR GH	
GH-10VS-2	GH DIGITAL KEYPAD AUDIO/VIDEO ENTRY PANEL, STAINLESS STEEL	
GH-1AD	HANDS-FREE AUDIO ROOM STATION FOR GH	
GH-1AD-SW	HANDS-FREE AUDIO ROOM STATION FOR GH WITH EXTRA SW CONTACT	
GH-1KD	3.5' CLR VIDEO HANDS-FREE ROOM STATION FOR GH - WHITE	
GH-1KDS	3.5' CLR VIDEO HANDS-FREE ROOM STATION FOR GH - SILVER	
GH-1KD-SW	3.5' CLR VIDEO HANDS-FREE ROOM STN FOR GH, WHITE, W/ EXTRA SW CONTACT	
GH-4Z	VIDEO 4-MONITOR DISTRIBUTION ADAPTOR FOR GH	
GH-AD	ADDRESS MODULE FOR GF	
GHA-DES/A	GH DIGITAL KEYPAD AUDIO ENTRY PANEL	
GH-BC	TWO-WIRE BUS CONTROL UNIT	
GH-BCX/A	EXPANDED AUDIO CONTROL UNIT	
GH-CCTV	CCTV INTERFACE ADAPTOR FOR GH-MK	
GH-DA/A	AUDIO MODULE FOR GH SYSTEM	
GH-DP	PANEL FOR GH-DA	
GH-HS	AUDIO HANDSET FOR GH-1KD/GH-1KD-SW	
GH-MK	GH CONCIERGE/SECURITY STATION (AUDIO ONLY)	
GH-NS	GH DIGITAL VFD DIRECTORY MODULE	
GH-RY	LIGHT CONTROL / EXT. SIGNALING RELAY, GH	
GH-SW	GH 4-CALL SWITCH MODULE	
GH-VA	GH CAMERA MODULE	
GH-VAX	CCTV MODULE FOR GH SYSTEM	
GH-VBC	GH VIDEO CONTROL UNIT	
GH-VBX	GH EXPANDED VIDEO CONTROL UNIT	
GHV-DES/A	GH DIGITAL KEYPAD AUDIO/VIDEO ENTRY PANEL	
GHW-LC	GH PROGRAMMABLE SELECTIVE CONTACT ADAPTOR	
GH-XP	XP CARD READER ENTRANCE MODULE FOR GF/GH	
HID-SS	2-GANG PROXIMITY CARD READER, STAINLESS STEEL	
IAI-100	SECURITY WINDOW ACOUSTIC INTERFACE SET (DR-100 DRIVER, AI-100 ACOUSTIC TUBE)	

ATTACHMENT "B"- PART 1

IAX-100	ACOUSTIC TUBE EXTENSION (39')	
ICP-AB	ANTIQUE BRASS PANEL FOR LE-DA, NE/IE-JA	
ICP-BR	BRASS PANEL FOR LE-DA, IE/NE-JA	
IE-1AD	HANDSET MASTER STATION FOR 1 DOOR, 1 ROOM MAX	
IE-1GD	HANDSET MASTER STATION FOR 1 DOOR, 3 ROOMS MAX	
IE-2AD	HANDSET MASTER STATION FOR 2 DOORS, 3 ROOMS MAX	
IE-8HD	HANDSET SUB MASTER FOR IE-8MD	
IE-8MD	SELECTIVE CALL HANDSET MASTER, 2 DOORS, 6 ROOMS MAX	
IE-DC	SURFACE MOUNT DOOR STATION, BROWN PLASTIC/ALUMINUM	
IEH-1CD	HANDSET SUB MASTER FOR IE-1GD/2AD	
IE-JA	FLUSH MOUNT DOOR STATION, STAINLESS STEEL COVER	
IE-JA-LD	FLUSH MOUNT SUB FOR LEF-LD SERIES	
IER-2	CHIME EXTENSION SPEAKER	
IES-1AD	CHIME TONE SET (INCLUDES IE-1AD, IF-DA, PT-1210N)	
IE-SS	FL MT 2-GANG SUB STATION, STAINLESS STEEL	
IE-SS-LD	FL MT 2-GANG SUB STATION, STAINLESS STEEL FOR LEF-LD SERIES	
IE-SSR	FL MT 2-GANG SUB STATION W/ RED MUSHROOM BUTTON, STAINLESS STEEL	
IE-SSR-LD	FL MT 2-GANG SUB STATION, STAINLESS STEEL FOR LEF-LD SERIES	
IE-SSV	FLUSH MOUNT 2-GANG SUB W/CCTV CAMERA FOR AX/IE, VAN. RES., SS	
IF-DA	SURFACE MOUNT DOOR STATION, BROWN PLASTIC	
IF-DA-LD	SURFACE MOUNT SUB FOR LEF-LD SERIES	
IM-1	CASHIER WINDOW SYSTEM SET (IMU-100, IAI-100, IAX-100, IME-100, ISE-100, PS-2420UL)	
IME-100	GOOSENECK MICROPHONE FOR IM SYSTEM	
IME-150	OPTIONAL MICROPHONE FOR IM, WINDOW SIDE	
IMU-100	SECURITY WINDOW INTERCOM KIT (MU-100 CONTROL UNIT, OU-100 OPERATION UNIT)	
IPW-1A	NETWORK INTERCOM ADAPTOR	
ISE-100	PROXIMITY SENSOR FOR IM SYSTEM	
JA-2HCD	PANTILT COLOR VIDEO HANDS-FREE SUB MASTER FOR JA	
JA-2MCD	JA PANTILT COLOR VIDEO HANDS-FREE MASTER	
JA-2MECD	JA PANTILT COLOR VIDEO HANDS-FREE MASTER W/PICTURE MEMORY	
JA-2SD	HANDS-FREE AUDIO ONLY SUB MASTER FOR JA	
JA-D	AUDIO ONLY DOOR STATION FOR JA	
JA-DAC	SURFACE MOUNT COLOR PANTILT DOOR STATION	
JA-DGC	SEMI-FLUSH MOUNT COLOR PANTILT DOOR STATION, METAL	
JA-DGV	FLUSH MOUNT VANDAL RESISTANT COLOR PANTILT DOOR STATION, SS	

ATTACHMENT "B"- PART 1

JAS-2MCD	HANDS-FREE PANTILT COLOR VIDEO SET (JA-2MCD, JA-DAC, PS-2420UL)	
JAS-2MECD	HANDS-FREE PANTILT COLOR VIDEO SET WITH PICTURE MEMORY (JA-2MECD, JA-DAC, PS-2420UL)	
JAW-AZ	CCTV CAMERA MODULATOR FOR JA SYSTEM	
JBW-BA	LONG DISTANCE ADAPTOR FOR JA/JF/KC	
JBW-M	CCTV CAMERA MODULATOR FOR JF SYSTEM	
JF-2HD	HANDS-FREE SUB MASTER FOR JF-2MED	
-JF 2MED	JF 2 X 3 COLOR VIDEO HANDS-FREE MASTER STATION	
JF-2SD	HANDS-FREE AUDIO SUB MASTER FOR JF-2MED	
JF-D	AUDIO ONLY DOOR STATION FOR JF	
JF-DA	JF SURFACE MOUNT COLOR VIDEO DOOR STATION	
JF-DV	JF SURFACE MOUNT COLOR VANDAL DOOR STATION	
JF-DVF	JF FLUSH MOUNT COLOR VANDAL DOOR STATION - STAINLESS STEEL	
JF-DVF-HID	JF FL. MNT CLR VNDL DR STN, SS WITH EMBEDDED HID® PROXPOINT® PLUS READER	
JF-DVF-HID-I	JF FL. MNT CLR VNDL DR STATION, SS WITH EMBEDDED HID ICLASS® READER	
JF-DVF-XP	JF FLUSH MOUNT COLOR VANDAL DOOR STATION, STAINLESS STEEL WITH STAND-ALONE CARD READER	
JFS-2AED	HANDS-FREE 2 X 3 COLOR VIDEO STANDARD SET (JF-2MED, JF-DA, PS-1820UL)	
JFS-2AEDF	HANDS-FREE 2 X 3 COLOR VIDEO VANDAL FLUSH SET (JF-2MED, JF-DVF, PS-1820UL)	
JFS-2AEDV	HANDS-FREE 2 X 3 COLOR VID, SET VANDAL (JF-2MED, JF-DV, PS-1820UL)	
JK-1HD	HANDS-FREE VIDEO SUB MASTER FOR JK SERIES	
JK-1MD	PANTILT ZOOM HANDS-FREE COLOR VIDEO MASTER	
JK-1MED	PANTILT ZOOM HANDS-FREE COLOR VIDEO MASTER W/MEMORY	
JK-1SD	HANDS-FREE AUDIO ONLY SUB MASTER FOR JK SERIES	
JK-DA	JK SURFACE MOUNT COLOR VIDEO DOOR STATION, PLASTIC	
JK-DV	JK SURFACE MOUNT COLOR VANDAL DOOR STATION, ZINC DIE CAST	
JK-DVF	JK FLUSH MOUNT COLOR VANDAL DOOR STATION, STAINLESS STEEL	
JK-DVF-AC	JK FLUSH MOUNT COLOR VANDAL DOOR STATION, STAINLESS STEEL WITH KEYPAD	
JK-DVF-HID	JK FLUSH MOUNT COLOR VANDAL DOOR STATION, STAINLESS STEEL WITH EMBEDDED HID® PROXPOINT® PLUS READER	
JK-DVF-XP	JK FLUSH MOUNT COLOR VANDAL DOOR STATION, STAINLESS STEEL WITH STAND-ALONE CARD READER	

ATTACHMENT "B"- PART 1

JKS-1AD	PANTILT ZOOM HANDS-FREE 1 X 2 COLOR VIDEO SET (JK-1MD, JK-DA, PS-1820UL)	
JKS-1ADF	PANTILT ZOOM HANDS-FREE 1 X 2 COLOR VIDEO SET (JK-1MD, JK-DVF, PS-1820UL)	
JKS-1ADV	PANTILT ZOOM HANDS-FREE 1 X 2 COLOR VIDEO SET (JK-1MD, JK-DV, PS-1820UL)	
JKS-1AED	PANTILT ZOOM HANDS-FREE 1 X 2 COLOR VIDEO SET W/MEMORY (JK-1MED, JK-DA, PS-1820UL)	
JKS-1AEDF	PANTILT ZOOM HANDS-FREE 1 X 2 COLOR VIDEO SET W/MEMORY (JK-1MED, JK-DVF, PS-1820UL)	
JKS-1AEDV	PANTILT ZOOM HANDS-FREE 1 X 2 COLOR VIDEO SET W/MEMORY (JK-1MED, JK-DV, PS-1820UL)	
JKS-IPED	IP VIDEO INTERCOM SET, 1 DOOR, 1 MASTER, UP TO 10 PCS (JK-1MED, JK-DA, JKW-IP, SOFTWARE, PS-1820UL)	
JKS-IPEF	IP VIDEO INTERCOM SET, 1 DOOR, 1 MASTER, UP TO 10 PCS (JK-1MED, JK-DVF, JKW-IP, SOFTWARE, PS-1820UL)	
JKS-IPEV	IP VIDEO INTERCOM SET, 1 DOOR, 1 MASTER, UP TO 10 PCS (JK-1MED, JK-DV, JKW-IP, SOFTWARE, PS-1820UL)	
JK-MB	MULLION MOUNT BRACKET FOR THE JF-DV/JK-DV	
JKW-BA	LONG DISTANCE ADAPTOR FOR JK	
JKW-IP	JK SERIES NETWORK ADAPTOR KIT (JKW-IP, SOFTWARE)	
KA-DGR PANEL	STAINLESS STEEL HOUSING FOR KB-DAR/KC-DAR	
KA-FSH	FLUSH MOUNT ST STEEL HOUSING FOR KB-DAR/KC-DAR	
KAW-D	30 DEGREE ANGLE BOX FOR ONE GANG VIDEO DOOR STATIONS	
KB-3HRD	COLOR SUB MASTER STATION FOR KB (MAX 4 PER SYSTEM)	
KB-3MRD	KB COLOR MASTER STATION (1 PER SYSTEM)	
KB-3SD	AUDIO ONLY SUB MASTER HANDSET FOR KB (MAX 2 PER SYSTEM)	
KB-DAR	KB COLOR TILT DOOR STATION (MAX 3 PER SYSTEM)	
KB-DAR-M	KB-DAR WITH CONTACTS FOR REMOTE ACTIVATION	
KBW-M	CCTV CAMERA MODULATOR FOR KB SYSTEM	
KC-1GRD	KC COLOR MASTER STATION (1 PER SYSTEM)	
KC-1HRD	KC COLOR SUB MASTER STATION (MAX 2 PER SYSTEM)	
KC-1SD	KC AUDIO-ONLY SUB MASTER HANDSET (MAX 2 PER SYSTEM)	
KC-DAR	KC COLOR TILT DOOR STATION (1 PER SYSTEM)	
KCS-1ARD	KC COLOR VIDEO SET WITH TILT (KC-1MRD, KC-DAR, PS-2420UL)	
KCW-D/B	VIDEO DEMODULATOR FOR KC, GF, GH	
KMB-45	45 DEGREE MULLION MOUNTING BRACKET FOR ONE GANG SFC DOOR STNS	
LA-20AS	20-CALL ADD-ON SELECTOR FOR LAF-C/CA	
LA-40AS	40-CALL ADD-ON SELECTOR FOR LAF-C/CA	
LAF-20C	20-CALL CONSOLE MASTER STATION	
LAF-20CA	20-CALL CONSOLE MASTER WITH HANDSET	

ATTACHMENT "B"- PART 1

LAF-20CA-LD	20-CALL CONSOLE MASTER WITH HANDSET FOR LONG DIST/ELEVATORS	
LAF-20C-LD	20-CALL CONSOLE MASTER STATION FOR LONG DIST/ELEVATORS	
LAF-40C	40-CALL CONSOLE MASTER STATION	
LAF-40CA	40-CALL CONSOLE MASTER WITH HANDSET	
LAF-40CA-LD	40-CALL CONSOLE MASTER WITH HANDSET FOR LONG DIST/ELEVATORS	
LAF-40C-LD	40-CALL CONSOLE MASTER STATION FOR LONG DIST/ELEVATORS	
LE-A	SURFACE MOUNT SUB STATION	
LE-A3	3-CALL SURFACE MOUNT SUB STATION	
LE-AN	SURFACE MOUNT SUB WITH PRIVACY	
LE-AN3	3-CALL SURFACE MOUNT SUB WITH PRIVACY	
LE-B	SEMI-FLUSH MOUNT SUB STATION	
LE-BN	SEMI-FLUSH MOUNT SUB WITH PRIVACY	
LE-C	SEMI-FLUSH SUB WITH MUSIC VOLUME CONTROL	
LE-CN	SEMI-FLUSH SUB WITH PRIVACY, MUSIC VOLUME CONTROL	
LE-D	SURFACE MOUNT DOOR STATION	
LE-DA	FLUSH MOUNT DOOR STATION, STAINLESS STEEL FACEPLATE	
LE-DL	SURFACE MT METAL DOOR STATION W/ ILLUM. DIRECTORY	
LEF-10	10-CALL SURFACE MOUNT MASTER W/ SEL DOOR REL	
LEF-10C	10-CALL SEMI-FLUSH MOUNT MASTER	
LEF-10C-LD	10-CALL SEMI-FLUSH MT MASTER FOR LONG DIST/ELEVATORS	
LEF-10-LD	10-CALL SURFACE MT MASTER FOR LONG DIST/ELEVATORS	
LEF-10S	10-CALL SURFACE MT MASTER W/SEL DOOR REL, ALL CALL BTN	
LEF-10S-LD	10-CALL SURFACE MT MASTER W/ALL CALL BTN FOR LONG DIST/ELEVATORS	
LEF-1C	1-CALL SEMI-FLUSH SUB MASTER (REQUIRES BG-10C)	
LEF-3	3-CALL SURFACE MOUNT MASTER STATION	
LEF-3C	3-CALL SEMI-FLUSH MOUNT MASTER STATION	
LEF-3C-LD	3-CALL SEMI-FLUSH MT MASTER FOR LONG DIST/ELEVATORS	
LEF-3L	3-CALL SURFACE MT MASTER W/SEL DOOR RELEASE	
LEF-3-LD	3-CALL SURFACE MT MASTER FOR LONG DIST/ELEVATORS	
LEF-3L-LD	3-CALL SURFACE MT MASTER FOR LONG DIST/ELEV W/SEL DOOR REL	
LEF-5	5-CALL SURFACE MT MASTER W/ SEL DOOR RELEASE	
LEF-5C	5-CALL SEMI-FLUSH MOUNT MASTER STATION	
LEF-5C-LD	5-CALL SEMI-FLUSH MT MASTER FOR LONG DIST/ELEVATORS	
LEF-5-LD	5-CALL SURFACE MT MASTER FOR LONG DIST/ELEVATORS	
LEM-1	1-CALL SURFACE MOUNT MASTER STATION	
LEM-1DL	1-CALL SURFACE MOUNT MASTER WITH DOOR RELEASE	
LEM-1DLC	1-CALL SURFACE MT MASTER W/DOOR REL, MULTI-MASTER SYS	
LEM-1DLS	ACCESS SENTRY SET (LEM-1DL, LE-D, PT-1210N)	

ATTACHMENT "B"- PART 1

LEM-3	3-CALL SURFACE MT MASTER STATION	
LE-SS	FL MT 2-GANG SUB STATION, STAINLESS STEEL	
LE-SS-1G	FLUSH MOUNT 1-GANG SUB STATION, STAINLESS STEEL	
LE-SSR	FLUSH MOUNT 2-GANG SUB STATION, SS W/ RED MUSHROOM BUTTON	
LE-SSV	FLUSH MOUNT 2-GANG SUB W/CCTV CAMERA FOR LEF/LEM, VAN. RES., SS	
LEW-10	DESKTOP TERMINAL BOX FOR LEF-10 (NO DOOR REL)	
LEW-10S	- DESKTOP TERMINAL BOX FOR LEF 10S (NO DOOR REL)	
LEW-5	DESKTOP TERMINAL BOX FOR LEF-5 (NO DOOR REL)	
LS-NVP/C	3-GANG VANDAL SUB STATION, FLUSH MOUNT	
LT-1	MATCHING TRANSFORMER 20 TO 8 OHM	
MAW-B	EXTERNAL LIGHT ACTIVATION RELAY	
MC-60/4A	WALL MOUNT MARKET-COM MASTER STATION, 4 LINES	
MC-60/4B	DESKTOP MARKET-COM MASTER STATION, 4 LINES	
MC-60/4H	REPLACEMENT HANDSET FOR MC-60/4, 4A	
MC-A/A	PAGING ADAPTOR FOR MARKET-COM	
MC-S12	CHECKSTAND PEDESTAL MOUNT FOR MC-60/4A, 12"	
MC-S23	CHECKSTAND PEDESTAL MOUNT FOR MC-60/4A, 23"	
MCW-S/A	DESK STAND FOR VIDEO MONITOR, ADJUSTABLE 45/60 DEGREES	
MKW-DK/A	MOTION SENSOR ADAPTOR, KC, JA, JF DOOR STATIONS	
MKW-P	MOUNTING PLATE FOR JF-DV/JK-DV	
MP-1S	1-CALL MID-POWER MASTER STATION	
MP-3S	3-CALL MID-POWER MASTER STATION	
N-20AS	20-CALL ADD-ON SELECTOR FOR NEM	
N-40AS	40-CALL ADD-ON SELECTOR FOR NEM	
NA-A	SURFACE MOUNT SUB STATION	
NA-AN	SURFACE MOUNT SUB STATION W/PRIVACY	
NA-NE	FLUSH MOUNT INDOOR SUB STATION, ALUMINUM	
NAR-2A	RESET BUTTON FOR NEM SUB STATIONS	
NAR-6A	CALL BUTTON FOR NEM SUB STATIONS	
NA-T/A	SURFACE MOUNT HANDSET SUB STATION	
NB-L	FLUSH MOUNT CEILING SUB STATION	
NBR-7AS	BATHROOM PULL CORD SWITCH W/MANUAL RESET FOR NEM	
NBR-8A	HANDHELD CALL BUTTON, 5' CORD FOR NEM, REQ'S NBY-1A	
NB-U	BGM ADAPTOR FOR NEM (40 STNS, REQ'S T3115BGM AMP)	
NBX-2	SURFACE MOUNT BOX FOR NA-NE	
NBY-1A	RECEPTACLE FOR NBR-8A	
NBY-4A	CORRIDOR LAMP FOR NEM SUB STATIONS	
NBZ-M	CEILING MOUNTING FRAME FOR NB-L, AS-3N	
NDA-20	20-CALL RACK MOUNT ADD-ON PANEL W/TERMINAL ASS'Y FOR NDRM	

ATTACHMENT "B"- PART 1

NDA-40	40-CALL RACK MOUNT ADD-ON PANEL W/TERMINAL ASS'Y FOR NDRM	
NDR-10	10-CALL MASTER W/ SELECTIVE OUTPUTS	
NDR-10A	10-CALL MASTER W/ HANDSET, SEL OUTPUTS	
NDR-20	20-CALL MASTER W/ SELECTIVE OUTPUTS	
-NDR 20A	20-CALL MASTER W/ HANDSET, SEL OUTPUTS	
NDR-30	30-CALL MASTER W/ SELECTIVE OUTPUTS	
NDR-30A	30-CALL MASTER W/ HANDSET, SEL OUTPUTS	
NDR-40	40-CALL MASTER W/ SELECTIVE OUTPUTS	
NDR-40A	40-CALL MASTER W/ HANDSET, SEL OUTPUTS	
NDRM-12	12-CALL RACK MOUNT MASTER W/TERMINAL ASSEMBLY	
NDRM-20	20-CALL RACK MOUNT MASTER W/TERMINAL ASSEMBLY	
N-EA	SURFACE MOUNT ENCLOSURE FOR NB-L, AS-3N	
NE-DA	SURFACE MT DOOR STATION FOR NEM, EXTRA OUTPUT	
NE-JA	FLUSH MT DOOR STATION FOR NEM, EXTRA OUTPUT	
NEM-10/C	10-CALL MASTER W/ LAMP MEMORY, ALL CALL	
NEM-10A/C	10-CALL MASTER W/HANDSET, LAMP MEMORY, ALL CALL	
NEM-20/C	20-CALL MASTER W/ LAMP MEMORY, ALL CALL	
NEM-20A/C	20-CALL MASTER W/HANDSET, LAMP MEMORY, ALL CALL	
NEM-30/C	30-CALL MASTER W/ LAMP MEMORY, ALL CALL	
NEM-30A/C	30-CALL MASTER W/HANDSET, LAMP MEMORY, ALL CALL	
NEM-40/C	40-CALL MASTER W/ LAMP MEMORY, ALL CALL	
NEM-40A/C	40-CALL MASTER W/HANDSET, LAMP MEMORY, ALL CALL	
NE-NVP/C	WEATHER / VANDAL RESISTANT SUB STATION FOR NEM	
NE-NVP-2DC	NE-NVP WITH EXTRA DPDT CALL BUTTON	
NE-NVP-RA	VANDAL RESISTANT SUB FOR RESCUE ASSISTANCE (ADA)	
NE-SS	FLUSH MOUNT VANDAL RESISTANT 2-GANG SUB, SS	
NE-SS-1G	FLUSH MOUNT VANDAL RESISTANT 1-GANG SUB, SS	
NE-SSR	FLUSH MOUNT 2-GANG VANDAL RESISTANT SUB W/RED BUTTON, SS	
NEW-5	DUAL MASTER ADAPTOR FOR NEM (1 PER 5 SUBS, REQ'S PS-1225UL)	
NH-1SA/A	SINGLE CALL PATIENT STATION (UL 1069)	
NH-1SA-AC	SINGLE CALL PATIENT STATION FOR ALL CALL	
NH-1SA-ACB	PATIENT STATION WITH CALL BUTTON	
NH-2SA/A	DUAL CALL PATIENT STATION (UL 1069)	
NH-2SA-AC	DUAL CALL PATIENT STATION FOR ALL CALL	
NH-50AC	49 STATION ALL CALL ADAPTOR FOR NHX	
NHR-30K	30-CALL ADD-ON PCB FOR NHX-80X (UL 1069)	
NHR-3A-4	4-ZONE INDICATOR LIGHT (UL 1069)	
NHR-3TS	COMMON AREA CALL STATION (UL 1069)	
NHR-4A	2 BULB CORRIDOR LAMP (UL 1069)	
NHR-7A	BATHROOM PULL CORD (UL 1069)	
NHR-8A-L	BEDSIDE CALL CORD WITH LOCKING SWITCH	

ATTACHMENT "B"- PART 1

NHR-8B	BEDSIDE CALL CORD, 7' (UL 1069)	
NHR-DP	DUMMY CALL CORD PLUG	
NHR-SP	DUTY STATION (UL 1069)	
NHX-30G	30-CALL ADD-ON SELECTOR FOR NHX-50M (UL 1069)	
NHX-50M	NHX 50-CALL CONSOLE MASTER STATION (UL 1069)	
NHX-80X	NHX CENTRAL CONTROL UNIT (UL 1069)	
NP-25V	NON-POLARIZED CAPACITOR, 33MFD, 25V	
NP-B	CALL BUTTON	
NP-W	SURFACE MOUNT BOX FOR NP-B	
PC-359B	CALL HOLDING CIRCUIT BOARD FOR NEM, NDR, NDRM	
PD-1	PAGING ADAPTOR FOR TD-H	
PD-2	PAGING TALKBACK ADAPTOR FOR TD-H	
PS-1225UL	12V DC POWER SUPPLY, 2.5A, UL	
PS-1820UL	18V DC POWER SUPPLY, 2A UL	
PS-2420UL	24V DC POWER SUPPLY, 2A UL	
PT-1210N	12V AC PLUG-IN TRANSFORMER, 110V INPUT, UL	
PT-1211C	15V AC PLUG-IN TRANSFORMER, 110V INPUT, UL	
RS-191	WALL MOUNT HANDSET FOR USE WITH AN-8031	
RY-18L	FORM C DOOR RELEASE RELAY, 12-18V DC INPUT	
RY-24L	FORM C DOOR RELEASE RELAY, 24V DC INPUT	
RY-3DL	SELECTIVE DOOR RELEASE ADAPTOR - IE-2AD, JA, JF, KB	
RY-AC	EXTERNAL SIGNALING RELAY, LEF	
RY-ES	EXTERNAL SIGNALING RELAY, JA, JF, JK, KB, KC, AX, NEM, DB	
RY-PA	DOOR RELEASE RELAY, 12V DC, N/O	
RY-PA-10	RELAY ADAPTOR W/10 12V DC RELAYS (FORM-C)	
SA-1	SURGE ARRESTOR	
SBX-2BH	HORIZONTAL SURFACE MOUNT BOX, HID-SS + 2-GANG SUB	
SBX-2BV	VERTICAL SURFACE MOUNT BOX, HID-SS + 2-GANG SUB	
SBX-1G	SURFACE MOUNT BOX FOR LE-SS-1G & NE-SS-1G	
SBX-2G	2-GANG STAINLESS STEEL SURFACE MOUNT BOX	
SBX-3G	3-GANG VERTICAL STAINLESS STEEL SURFACE MOUNT BOX	
SBX-ACE	SURFACE MOUNT STAINLESS STEEL DEVICE ENCLOSURE	
SBX-AXDV30	30 DEGREE ANGLE BOX FOR AX-DV	
SBX-AXDVF	SURFACE BOX FOR AX-DVF	
SBX-DGV	VANDAL RESISTANT SURFACE MOUNT BOX FOR JA-DGV	
SBX-DV30	30 DEGREE ANGLE BOX FOR JF-DV, JK-DV	
SBX-DVF	SURFACE MOUNT BOX FOR JF-DVF, JK-DVF	
SBX-DVF-P	SURFACE MOUNT BOX FOR AX-DVF-P, JF-DVF-HID, JK-DVF-HID	
SBX-LSE	LOCKING SS VIDEO DOOR STATION COVER FOR JF/JK-DV & JF/JK-DVF	
SBX-LSP	LOCKING SS VIDEO DOOR STATION COVER FOR AX W/HID	
SBX-NVP	SURFACE MOUNT BOX FOR ALL -NVP SUB STATIONS	
SKK-620B	6V DC POWER SUPPLY, 200mA, 110V INPUT, UL	
SP-20N	CEILING SPEAKER, 20 OHM	

ATTACHMENT "B"- PART 1

SP-2570N	CEILING SPEAKER, 25V & 70V XFRMR, 4W	
SSB-2	CEILING SUPPORT BRIDGE FOR SP-20N & SP-2570N	
T3115BGM	15 WATT AMPLIFIER	
T3130BGM	30 WATT AMPLIFIER	
TAR-3	EXTERNAL SIGNALING RELAY, AT	
TB-AD1	1-STATION AUDIO DOOR ADAPTOR FOR TC-M	
TB-AD10	10-STATION AUDIO DOOR ADAPTOR FOR TC-M	
TB-SE	HANDSET SUB STATION FOR TC-M	
TC-10M	10-CALL HANDSET MASTER CONSOLE	
TC-20G	20-CALL ADD-ON SELECTOR FOR TC-M	
TC-20M	20-CALL HANDSET MASTER CONSOLE	
TC-40G	40-CALL ADD-ON SELECTOR FOR TC-M	
TD-12H/B	12-CALL HANDSET MASTER STATION	
TD-12HL	12-CALL HANDSET MASTER WITH LED & TONE OFF SWITCH	
TD-1H/B	1-CALL HANDSET SUB MASTER STATION	
TD-1HL	1-CALL HANDSET SUB MASTER WITH LED & TONE OFF SWITCH	
TD-24H/B	24-CALL HANDSET MASTER STATION	
TD-3H/B	3-CALL HANDSET MASTER STATION	
TD-3HL	3-CALL HANDSET MASTER WITH LED & TONE OFF SWITCH	
TD-6H/B	6-CALL HANDSET MASTER STATION	
TD-6HL	6-CALL HANDSET MASTER WITH LED & TONE OFF SWITCH	
TD-H/B	REPLACEMENT HANDSET ONLY	
TDW-1/A	DESKTOP TERMINAL BOX FOR TD-1H/B	
TDW-12/A	DESKTOP TERMINAL BOX FOR TD-12H/B	
TDW-24/A	DESKTOP TERMINAL BOX FOR TD-24H/B	
TDW-3/A	DESKTOP TERMINAL BOX FOR TD-3H/B	
TDW-6/A	DESKTOP TERMINAL BOX FOR TD-6H/B	
VC-0M	0-CALL ENTRANCE STATION	
VC-10M	10-CALL ENTRANCE STATION	
VC-2M	2-CALL ENTRANCE STATION	
VC-4M	4-CALL ENTRANCE STATION	
VC-6M	6-CALL ENTRANCE STATION	
VC-8M	8-CALL ENTRANCE STATION	
VC-BBX	SURFACE MOUNT BOX FOR VC-NM, VCH PANELS	
VCH-16	16-CALL ADD-ON PANEL FOR VC-M	
VCH-8	8-CALL ADD-ON PANEL FOR VC-M	
VC-K	HANDSET ROOM STATION FOR VC-M	
VCM-0P/A	0-CALL ENTRANCE STATION W/POSTAL LOCK PROVISION	
W-DIN11	DIN RAIL MOUNTING BRACKET FOR GH/GF ADAPTORS	
XC4/9	-- -- BLANK PROX CARD FOR AX DV XP AND AX/JF/JK DVF XP	
XMMC3/9	MASTER CARD SET FOR AX-DV-XP AND AX/JF/JK-DVF-XP	
XP KIT	XP DOOR STATION PROGRAMMING KIT	
XP-SS	XP VANDAL, FLUSH MOUNT READER, STAINLESS STEEL	

ATTACHMENT "B"- PART 1

XRP3	WIRELESS PROGRAMMER FOR AX-DV-XP AND AX/JF/JK-DVF-XP	
YAW-R	PAGING ADAPTOR FOR YAZ	
YAZ-90-3W	MICROPROCESSOR MASTER HANDSET, WHITE	
YC-150	3-GANG BACK BOX FOR AN-8050DS	
YC-241	5-GANG BACK BOX FOR AN-8031MS	
YC-251	5-GANG SURFACE MOUNT BOX FOR AN-8031MS	
YC-280	WALL BRACKET FOR AN-8000, AN-8010 & AN-8020	
YC-290	WALL BRACKET FOR AN-8011	
YS-13A	3-GANG INDOOR SURFACE MOUNT BOX FOR AN-8050DS	
IS-CCU	CENTRAL CONTROL UNIT, 4 MASTERS, 4 VIDEO DOORS	
IS-DV	VANDAL RES. COLOR VIDEO DOOR STN., SURFACE MT.	
IS-DVF	VANDAL RES. COLOR VIDEO DOOR STN., FLUSH MT.	
IS-DVF-2RA	FLUSH VIDEO DOOR STN. W/ STD. & EMERGENCY CALL BUTTONS	
IS-DVF-HID	FLUSH VIDEO DOOR STN. W/ HID PROX. CARD READER	
IS-DVF-HID-I	FLUSH VIDEO DOOR STN. W/ HID iCLASS CARD READER	
IS-MB	MULLION MOUNT BRACKET FOR IS-DV	
IS-MV	IS VIDEO MASTER STATION	
IS-PU-UL	48V DC POWER SUPPLY, 1 PER IS CONTROL UNIT	
IS-RACK	RACK MOUNT TRAY FOR UP TO 3 IS-PU-UL	
IS-RCU	ROOM STATION CONTROL UNIT, UP TO 30 AUDIO DOORS/HANDSETS	
IS-RS	AUDIO HANDSET ROOM STATION	
IS-SCU	ADD-ON CENTRAL CONTROL UNIT, 8 MASTERS, 8 VIDEO DOORS	
IS-SS	AUDIO DOOR STATION, FLUSH MOUNT	
IS-SS-2RA	AUDIO DOOR STATION W/ STD. & EMERGENCY CALL BUTTONS	
IS-SS-CI	AUDIO DOOR STN. W/ CCTV INPUT, FLUSH MT.	
IS-SS-HID	AUDIO DOOR STN. W/ HID PROX. CARD READER	
IS-SS-HID-I	AUDIO DOOR STN. W/ HID iCLASS CARD READER	
IS-SS-RA	AUDIO DOOR STN. W/ EMERGENCY CALL BUTTON	
IS-WBCA	ADA WALL MOUNT ENCLOSURE W/LIGHT CAGE & ASSISTANCE LETTERING	
IS-WBCE	ADA WALL MOUNT ENCLOSURE W/LIGHT CAGE & EMERGENCY LETTERING	
IS-WBHA	ADA WALL MOUNT ENCLOSURE W/LIGHT HOOD & ASSISTANCE LETTERING	
IS-WBHE	ADA WALL MOUNT ENCLOSURE W/LIGHT HOOD & EMERGENCY LETTERING	
SBX-ISDVF	SURFACE MOUNT BOX, IS-DVF, IS-SS	
SBX-ISDVFP	SURFACE MOUNT BOX, IS-DVF-HID/HID-I, IS-SS-HID/HID-I	
SBX-ISDVFRA	SURFACE MOUNT BOX, IS-DVF-2RA, IS-SS-RA/2RA/CI	
TW-20B	2-MODULE MID LEVEL TOWER, BLUE	
TW-20K	2-MODULE MID LEVEL TOWER, BLACK	
TW-20R	2-MODULE MID LEVEL TOWER, RED	
TW-20W	2-MODULE MID LEVEL TOWER, WHITE	

ATTACHMENT "B"- PART 1

TW-20Y	2-MODULE MID LEVEL TOWER, YELLOW	
TW-22B	3-MODULE DUAL STATION HEIGHT TOWER, BLUE	
TW-22K	3-MODULE DUAL STATION HEIGHT TOWER, BLACK	
TW-22R	3 MODULE DUAL STATION HEIGHT TOWER, RED	
TW-22W	3-MODULE DUAL STATION HEIGHT TOWER, WHITE	
TW-22Y	3-MODULE DUAL STATION HEIGHT TOWER, YELLOW	
TW-23B	3-MODULE HIGH LEVEL TOWER, BLUE	
TW-23K	3-MODULE HIGH LEVEL TOWER, BLACK	
TW-23R	3-MODULE HIGH LEVEL TOWER, RED	
TW-23W	3-MODULE HIGH LEVEL TOWER, WHITE	
TW-23Y	3-MODULE HIGH LEVEL TOWER, YELLOW	
TW-ASB	TOWER ASSISTANCE LABEL, BLUE	
TW-ASK	TOWER ASSISTANCE LABEL, BLACK	
TW-ASR	TOWER ASSISTANCE LABEL, RED	
TW-ASW	TOWER ASSISTANCE LABEL, WHITE	
TW-ASY	TOWER ASSISTANCE LABEL, YELLOW	
TW-EMB	TOWER EMERGENCY LABEL, BLUE	
TW-EMK	TOWER EMERGENCY LABEL, BLACK	
TW-EMR	TOWER EMERGENCY LABEL, RED	
TW-EMW	TOWER EMERGENCY LABEL, WHITE	
TW-EMY	TOWER EMERGENCY LABEL, YELLOW	
TW-LCB	TOWER TOP W/LIGHT & CAGE, BLUE	
TW-LCK	TOWER TOP W/LIGHT & CAGE, BLACK	
TW-LCR	TOWER TOP W/LIGHT & CAGE, RED	
TW-LCW	TOWER TOP W/LIGHT & CAGE, WHITE	
TW-LCY	TOWER TOP W/LIGHT & CAGE, YELLOW	
TW-MKL	L-BOLT MOUNTING KIT FOR TOWER	
TW-TPB	TOWER TOP PLATE, BLUE	
TW-TPK	TOWER TOP PLATE, BLACK	
TW-TPR	TOWER TOP PLATE, RED	
TW-TPW	TOWER TOP PLATE, WHITE	
TW-TPY	TOWER TOP PLATE, YELLOW	
GT-102H	2 MODULE RAIN HOOD (1Hx2V)	
GT-102HB	3 MODULE SURFACE BOX (1Hx2V)	
GT-103H	3 MODULE RAIN HOOD (1Hx3V)	
GT-103HB	3 MODULE SURFACE BOX (1Hx3V)	
GT-104H	4 MODULE RAIN HOOD (1Hx4V)	
GT-104HB	4 MODULE SURFACE BOX (1Hx4V)	
GT-10K	10-KEY DIGITAL KEYPAD MODULE	
GT-1A	OPEN VOICE AUDIO TENANT STATION	
GT-1C	COLOR VIDEO TENANT STATION	
GT-1D	AUDIO HANDSET TENANT STATION	
GT-1M-L	COLOR VIDEO TENANT STATION W/HANDSET	
GT-202H	4 MODULE RAIN HOOD (2Hx2V)	

ATTACHMENT "B"- PART 1

GT-202HB	4 MODULE SURFACE BOX (2Hx2V)	
GT-203H	6 MODULE RAIN HOOD (2Hx3V)	
GT-203HB	6 MODULE SURFACE BOX (2Hx3V)	
GT-2C	VIDEO TENANT STN. W/MEM, IND. DR. STN, & UP TO 3 GT-2H	
GT-2H	SUB-TENANT STATION FOR GT-2C	
GT-303HB	9 MODULE SURFACE BOX (3Hx3V)	
GT-4B	4 MODULE BACK BOX (1Hx4V)	
GT-4F	4 MOD FRONT FRAME (1Hx4V)	
GT-4Z	4-TENANT VIDEO DISTRIBUTION ADAPTOR	
GT-AC	ACCESS CONTROL KEYPAD MODULE	
GT-AD	GT ADDRESS MODULE	
GTA-DES	10-KEY AUDIO ENTRANCE PANEL KIT, 1x3 SIZE	
GT-BC	GT AUDIO BUS CONTROL UNIT	
GT-BCX	EXPANDED AUDIO BUS CONTROL UNIT	
GT-D	AUDIO-ONLY INDIVIDUAL DOOR STATION	
GT-DA-L	GT AUDIO MODULE	
GT-DM	STAINLESS STEEL 10-KEY VIDEO ENTRANCE PANEL	
GT-DP-L	PANEL FOR GT-DA-L	
GT-HS	OPTIONAL HANDSET FOR GT-1C/2C	
GT-MK	CONCIERGE / GUARD STATION	
GT-NS	DIGITAL DISPLAY MODULE	
GT-NSP-L	PANEL FOR GT-NS	
GT-RY	GT EXTERNAL SIGNALING RELAY	
GT-SW	4-CALL SWITCH MODULE	
GT-VA	GT VIDEO MODULE	
GT-VBC	GT VIDEO CONTROL UNIT	
GT-VBX	EXPANDED VIDEO CONTROL UNIT	
GTV-DES104	10-KEY VIDEO ENTRANCE PANEL KIT, 1x4 SIZE	
GTV-DES202	10-KEY VIDEO ENTRANCE PANEL KIT, 2x2 SIZE	
GT-VP	PANEL FOR GT-VA	
GTW-LC	LIFT CONTROL ADAPTOR	
IS-IFB	INTERFACE BOX FOR IS-RA STATIONS INSTALLED IN NON-AIPHONE TOWERS	
IS-IPC	IS IP CONTROL UNIT (1 PER IS-CCU OR IS-RCU ON NETWORK, MAX 8)	
IS-IPDV	IS IP VANDAL RES. COLOR VIDEO DOOR STN., SURFACE MT.	
IS-IPDVF	IS IP VANDAL RES. COLOR VIDEO DOOR STN., FLUSH MT.	
IS-IPMV	IS IP VIDEO MASTER STATION	
IS-SOFT	IS IP SOFTWARE MASTER STATION	
ISS-C1X3	IS SERIES 1 x 3 KIT, 1 DOOR, 3 MASTERS (1)IS-DV, (3)IS-MV, (1)IS-CCU, POWER SUPPLY	
ISS-C2X1	IS SERIES 2 x 1 KIT, 2 DOORS, 1 MASTER (2)IS-DV, (1)IS-MV, (1)IS-CCU, POWER SUPPLY	

ATTACHMENT "B"- PART 1

	ISS-S0X2	IS SERIES MASTER STATION ADD-ON KIT (2)IS-MV, (1)IS-SCU, POWER SUPPLY	
	ISS-S2X0	IS SERIES DOOR STATION ADD-ON KIT (2)IS-DV, (1)IS-SCU, POWER SUPPLY	
	LB-SDVF	STAINLESS STEEL SECURITY LOCK BOX FOR IS-DV & IS-DVF	
	LB-XDVF	STAINLESS STEEL SECURITY LOCK BOX FOR AX-DV & AX-DVF	
	NHR-8C	BEDSIDE CALL CORD, 7', UL 1069 (REPL. NHR-8B)	
	NHR-4A/A	DUAL LED CORRIDOR LAMP, NHX SYSTEM, UL 1069 (REPL. NHR-4A)	
	NHR-DPA	DUMMY PLUG, NHX SYSTEM, UL 1069 (REPL. NHR-DP)	
	CSC		
CSC	221126	18-2C STR TC OUTDOOR BURIAL	
	221170	18-4C STR NON-SHIELD OUTDOOR BURIAL	
	319633	18-6C STR NON-SHIELD OUTDOOR BURIAL	
	412873	18-12C STR NON-SHIELD OUTDOOR BURIAL	
	412875	18-2C STR OVERALL SHIELD OUTDOOR BURIAL	
	412876	18-3C OS TC PVC-NYL/PVC BLK 1RL 2RL CCK2	
	412879	18-4C STR OVERALL SHIELD OUTDOOR BURIAL	
	412880	18-6C STR OVERALL SHIELD OUTDOOR BURIAL	
	412882	18-2P STR IND SHLD PAIRS OUTDOOR BURIAL	
	412883	20 2P STR SPOS PLTC OUTDOOR	
	412884	20-4PR STR OVERALL SHIELD OUTDOOR	
	412887	24-1P STR OVERALL SHIELDED LO CAP CMP RS485	
	412890	24-2P STR TC OS DATA CL2P REEL	
	412899	22-2C STR OS CMP REEL	
	412900	22-2C STR OS CMP 1000' BOX	
	412903	22 2C STR OS CMP 500' BOX	
	412904	22-2C STR CMP REEL	
	412908	22-2C STR CMP 1000' BOX	
	423381	22-2C STR CMP 500' BOX	
	V-529151	22-4C STR OS CMP REEL	
	500757	22-4C STR OS CMP BOX	
	503863	22 4C STR OS CMP 500' BOX	
	V-518331	22-4C STR CMP REEL	
	512877	22-4C STR CMP BOX	
	530208	22 4C STR CMP 500' BOX	
	543384	22-6C STR CMP REEL	
	550277	22-6C STR CMP -BOX	
	562927	22-6C STR CMP -500' BOX	
	566194	22-6C STR OS CMP REEL	
	581484	22-6C STR OS CMP BOX	
	581487	22 6C STR OS CMP 500' BOX	
	581488	22-8C STR CMP REEL	

ATTACHMENT "B"- PART 1

581489	22-8C STR CMP BOX	
836862	22-8C STR CMP 500' BOX	
586507	20-2C STR OS CMP REEL	
586971	20-2C STR OS CMP BOX	
588181	20-2C STR CMP REEL	
588343	20-2C STR CMP BOX	
588925	20-4C STR (2C OS) CMP REEL	
591248	20-4C STR CMP REEL	
862742	20-2P STR SP CMP REEL	
865759	22-2P STR SP CMP REEL	
862741	22-2P STR SP CMP BOX	
862744	22 2P STR SP CMP 500' BOX	
862740	22-3P STR OS CMP REEL	
595444	18-2C STR OS CMP REEL	
580012	18-2C STR OS CMP BOX	
596977	18 2C STR OS CMP 500' BOX	
700820	18-2C STR CMP REEL	
702790	18-2C STR CMP BOX	
841799	18 2C STR CMP 500' BOX	
706621	18-4C STR OS CMP BOX	
708157	18 4C STR OS CMP 500' BOX	
708159	18-2P STR SP CMP REEL	
V-881275	18-4C STR CMP REEL	
711102	18-4C STR CMP BOX	
711444	18 4C STR CMP 500' BOX	
749548	18-4C + 22-3P OS + 22-2C + 22-4C STR CMP 77LBS	
749549	18-4C OS + 22-3P OS + 4C OS + 2C OS STR JKT CMP REEL 100LBS	
749641	18-6C STR CMP REEL	
749642	18-6C STR OS CMP REEL	
749737	18-6C STR OS CMP BOX	
749738	16-2C STR OS CMP REEL	
749739	16-2C STR CMP REEL	
749740	16-2C STR CMP BOX	
749782	16-2C STR CMP 500 BX	
749783	22-2C STR CMR BOX	
749784	22-2C STR CMR REEL	
761214	22-4C STR CMR BOX	
761237	22-4C STR CMR REEL	
773997	22-6C STR CMR GRY REEL	
773998	20-2C STR CMR REEL	
776782	20-2C STR CMR BOX	
777177	18-2C STR CMR REEL	
788959	18-2C STR CMR BOX	

ATTACHMENT "B"- PART 1

	791224	18-4C STR CMR REEL	
	809404	18-4C + 22-3P OS + 22-2C + 22-4C STR CMR REEL 84LBS	
	819950	16 2C STR CMR REEL	
	836768	16 2C STR CMR BOX	
	836772	22-2C STR OS CMR REEL	
	836774	22-2C STR OS CMR BOX	
	839482	22-4C STR OS CMR REEL	
	100501	22-4C STR OS CMR BOX	
	100652	22 6C STR OS CMR REEL	
	110803	22 6C STR OS CMR BOX	
	111190	20-2C STR OS CMR REEL	
	112165	20-2C STR OS CMR BOX	
	113300	20-2P STR (1P OS) CMR REEL	
	122008	18-2C STR OS CMR REEL	
	161005	18-2C STR OS CMR BOX	
	171102	18-4C STR OS CMR REEL	
	221107	18-4C STR OS CMR BOX	
	221126	18-6C STR OS CMR REEL	
	497421	24-1P STR TC OS DATA CM REEL	
	497422	24-2P STR TC OS DATA CM REEL	
	497423	22-2P STR PP/PVC SHLD PAIR CM REEL	
	497424	22-2P STR PP/PVC SP CM BOX	
	500506	22-3P STR OS CM REEL	
	537420	22-4P STR SP CM GRY REEL	
	538131	18-2P STR SP CMR GRY REEL	
	579777	RG6 18 SOL F+65% ALB CM/CL2	
	587026	RG6 18 SOL BC 95% BCB CL2 REEL	
	595446	RG6 18 SOL 95% BCB WB OUTDOOR PE CCTV REEL	
	595972	RG6 18 SOL 95% BCB +16-2C AERIAL MESSENGERED REEL	
	802359	RG59 20 SOL 95% BCB WB OUTDOOR PE CCTV REEL	
	806861	RG59 20 SOL 95% BCB CL2 REEL	
	822835	RG59U 20 AWG SOL BC 95% COPPER WHITE JACKET CM REEL	
	822838	RG59 20 SOL 95% BCB CL2 REEL	
	873792	MINI COAX 75 OHM 25 SOL 95% BCB CM BLK CCTV REEL	
	811751	RG59 + 18-2C SIAMESE CM WHITE	
	AXIS		
AXIS	160030	A LICENSE DOCUMENT THAT GRANTS INSTALLATION OF AXIS MPEG-4 DECODER ONTO 50 SEPARATE COMPUTERS. APPLICABLE FOR ALL AXIS	
	160040	A LICENSE DOCUMENT THAT GRANTS INSTALLATION OF AXIS MPEG-4 AND AAC DECODER ONTO 50 SEPARATE COMPUTERS. APPLICABLE FOR	

ATTACHMENT "B"- PART 1

160050	A LICENSE DOCUMENT THAT GRANTS INSTALLATION OF AXIS AVC/H.264 DECODER ONTO 50 SEPARATE COMPUTERS. APPLICABLE FOR ALL A	
160060	A LICENSE DOCUMENT THAT GRANTS INSTALLATION OF AXIS AVC/H.264 AND AAC DECODER ONTO 50 SEPARATE COMPUTERS. APPLICABLE F	
17000401	USE WITH POWER OVER LAN MIDSPANS TO ENABLE POWER OVER LAN FOR AXIS 213 AND AXIS 230. OUTPUT 12 VDC. THE POWER OVER LAN	
185004	FOUR PORT HIGH FRAME RATE MOTION JPEG AND MPEG-4 VIDEO SERVER. SECURITY PACKAGE WITH IP FILTERING HTTPS SUPPORT MULTI-L	
185024	INCLUDES 10 PCS OF AXIS 241Q IN A BULK PACK. NO MANUALS ARE INCLUDED.	
186004	ONE PORT HIGH FRAME RATE MOTION JPEG AND MPEG-4 VIDEO SERVER. SECURITY PACKAGE WITH IP FILTERING HTTPS SUPPORT MULTI-LE	
186024	INCLUDES 10 PCS OF AXIS 241S IN A BULK PACK. NO MANUALS ARE INCLUDED.	
192004	VIDEO SERVER RACK UNIT. 19?. WILL HOLD UP TO 12 BLADE VIDEO SERVERS. COMES COMPLETE WITH INTEGRATED POWER SUPPLY AND BL	
197004	FEATURE-RICH NETWORK CAMERA WITH CCD SENSOR FOR SUPERIOR IMAGE QUALITY. UP TO VGA 640X480 RESOLUTION AT FULL 30 FPS FRA	
197024	AXIS 210 IN 10-PACK. CANNOT BE SOLD SEPARATELY. POWER SUPPLIES INCLUDED.	
197034	INCLUDES TEN AXIS 210 NETWORK CAMERAS WITHOUT LENS BUT OTHER ACCESSORIES AND ONE INSTALLATION GUIDE IN ONE BOX. PLEASE	
197084	BUNDLE CONTAINING FOUR AXIS 210 NETWORK CAMERAS AND A 4 CAMERA BASE LICENSE OF AXIS CAMERA STATION IP-SURVEILLANCE SOFT	
198004	FEATURE-RICH NETWORK CAMERA WITH CCD SENSOR IDEAL FOR PROFESSIONAL INDOOR AND OUTDOOR MONITORING HAS BUILT-IN POWER OVE	
198024	INCLUDES 10 AXIS 211 NETWORK CAMERA WITH POWER SUPPLIES AND STANDS IN ONE BOX. ONLY ONE MANUAL AND CD ARE INCLUDED. CAN	
198054	AXIS 211 BAREBONE IN 10-PACK. CANNOT BE SOLD SEPARATELY. POWER SUPPLIES INCLUDED.	

ATTACHMENT "B"- PART 1

199004	SMALL NETWORK CAMERA WITH BUILT-IN WEB SERVER 10/100 NETWORK CONNECTION AND COMPACT SIZE (2.17" X 1.34" X 3.35").RESOLU	
199024	BUNDLE CONTAINING FOUR AXIS 206 NETWORK CAMERAS AND A FOUR CAMERA LICENSE OF AXIS CAMERA STATION IP-SURVEILLANCE SOFTWA	
199044	AXIS 206 IN 10-PACK. CANNOT BE SOLD SEPARATELY. POWER SUPPLIES INCLUDED.	
202004	VERSATILE PC SOFTWARE FOR UP TO TEN AXIS VIDEO SOURCES/CAMERAS. SCHEDULED CONTINUOUS EVENT OR MOTION BASED RECORDING. R	
202014	ADDITIONAL LICENSE TO BE ADDED TO "AXIS CAMERA STATION 10" BASE LICENSE PROVIDES RECORDING FOR ADDITIONAL 5 AXIS NETWOR	
202024	ADDS A 1 YEAR FREE SUPPORT AND SOFTWARE UPGRADE RIGHT TO THE 1 YEAR PERIOD INCLUDED IN THE AXIS CAMERA STATION 4 OR 10	
202034	ADDITIONAL LICENSE TO BE ADDED TO "AXIS CAMERA STATION 10" BASE LICENSE PROVIDES RECORDING FOR ADDITIONAL 1 AXIS NETWOR	
202054	AXIS CAMERA STATION CONTAINS A LICENSE FOR FOUR VIDEO SOURCES/CAMERAS. ADDITIONAL CAMERAS/CHANNELS CAN BE ADDED WITH TH	
202264	ADDITIONAL LICENSE TO BE ADDED TO "AXIS CAMERA STATION 10" BASE LICENSE PROVIDES RECORDING FOR ADDITIONAL 20 AXIS NETWO	
209011	THE AXIS 241Q VIDEO SERVER BLADES OFFER FULL FRAME-RATE SIMULTANEOUSLY ON ALL CHANNELS AND HAVE THE ABILITY TO DIGITIZE	
209031	INCLUDES 10 PCS OF AXIS 241Q BLADE IN A BULK PACK. NO MANUALS ARE INCLUDED.	
210011	THE AXIS 241 VIDEO SERVER BLADES OFFER FULL FRAME-RATE SIMULTANEOUSLY ON ALL CHANNELS AND HAVE THE ABILITY TO DIGITIZE	
210031	INCLUDES 10 PCS OF AXIS 241S BLADE IN A BULK PACK. NO MANUALS ARE INCLUDED.	
213004	VIDEO DECODER PROVIDING ONE CHANNEL ANALOG VIDEO AND AUDIO FROM A SINGLE AXIS MPEG-2 OR MOTION JPEG BASED PRODUCT. DECO	
217021	WALL BRACKET WITH BALL JOINT. FOR USE WITH AXIS T92A00/T92A10 VT VERSO AND AXIS HOV HOUSING VT	
217031	WALL BRACKET WITH INTERNAL CABLE CHANNEL. FOR USE WITH AXIS T92A00/T92A10 VT VERSO AND AXIS HOV HOUSING VT	

ATTACHMENT "B"- PART 1

217041	SIMPLE SQUARE TUBING CEILING BRACKET WITH BALL JOINT. FOR USE WITH AXIS T92A00/T92A10 VT VERSO AND AXIS HOV HOUSING VT	
217051	STYLISH ROUND TUBING CEILING BRACKET WITH INTERNAL CABLE CHANNEL. FOR USE WITH AXIS T92A00/T92A10 VT VERSO AND AXIS HOV	
217061	STYLISH ROUND TUBING CEILING BRACKET WITH BALL JOINT. FOR USE WITH AXIS T92A00/T92A10 VT VERSO AND AXIS HOV HOUSING VT	
217071	COLUMN MOUNT WITH BALL JOINT. FOR USE WITH AXIS T92A00/T92A10 VT VERSO AND AXIS HOV HOUSING VT	
217081	POLE MOUNT ADAPTER FOR AXIS T92A HOUSING. FOR USE WITH AXIS T92A00/T92A10 VT VERSO AND AXIS HOV HOUSING VT	
217091	WALL BRACKET ADAPTER PLATE. FOR USE WITH AXIS T92A00/T92A10/T92A20 VT VERSO AND AXIS HOV HOUSING VT	
217101	CORNER MOUNT. FOR USE WITH AXIS T92A00/T92A10 VT VERSO AND AXIS HOV HOUSING VT	
220004	PAN/TILT/ZOOM NETWORK CAMERA WITH BUILT-IN 26X OPTICAL ZOOM AUTO FOCUS LENS AND IR MODE FOR NIGHTTIME CONDITIONS (UP TO	
221004	HIGH-END DAY & NIGHT NETWORK CAMERA WITH PROGRESSIVE SCAN CCD. 640X480 RESOLUTION @ 45FPS POWER OVER ETHERNET SIMULTANE	
221054	INCLUDES 10 AXIS 221 DAY&NIGHT NETWORK CAMERA WITHOUT LENSES BUT OTHER ACCESSORIES AND ONE INSTALLATION GUIDE IN ONE BO	
221084	INCLUDES 10 AXIS 221 DAY&NIGHT NETWORK CAMERA WITH LENSES OTHER ACCESSORIES AND ONE INSTALLATION GUIDE IN ONE BOX. LENS	
223004	FEATURE-RICH NETWORK CAMERA WITH CCD SENSOR DELIVERS SUPERIOR IMAGE QUALITY AT UP TO 30 FPS IN VGA 640X480 RESOLUTION.	
223024	INCLUDES 10 AXIS 211A NETWORK CAMERA WITH POWER SUPPLIES AND STANDS IN ONE BOX. CANNOT BE SOLD SEPARATELY. POWER SUPPLI	
226004	AXIS BRANDED. SECURE INJECTION OF POWER INTO A SINGLE STANDARD CAT 5 NETWORK CABLE. MAXIMUM CABLE LENGTH 328FT/100M/ SU	
227001	THE 802.3AF COMPLIANT AXIS POWER OVER ETHERNET ACTIVE SPLITTER ADDS POE CAPABILITIES TO AXIS 2100 2110 210 2120 2420 24	

ATTACHMENT "B"- PART 1

230004	HIGH QUALITY VIDEO AT UP TO 30 FPS PER CHANNEL ON FOUR CHANNELS. SIMULTANEOUS MPEG-4 AND MOTION JPEG STREAMS IN RESOLUT	
232004	4 CHANNEL NTSC/PAL VIDEO ENCODER. MOTION JPEG. UP TO 24/20 TOTAL FPS. I/O FOR ALARM/EVENT HANDLING. RS-232/RS-485 FOR D	
232024	BLADE VERSION OF 240Q VIDEO SERVER. REQUIRES THE AXIS VIDEO SERVER RACK FOR INSTALLATION.	
232054	INCLUDES 10 PCS OF AXIS 240Q IN A BULK PACK. POWER SUPPLIES INCLUDED. NO MANUALS ARE INCLUDED.	
232084	INCLUDES 10 PCS OF AXIS 240Q BLADE IN A BULK PACK. NO MANUALS ARE INCLUDED.	
0233004??	INDOOR CAMERA FIXED LENS. 1/4" PROGRESSIVE SCAN CCD. UP TO VGA 640X480 RESOLUTION AT 30 FPS. MOTION JPEG AND MPEG-4. VI	
0233024??	INCLUDES 10 AXIS 210A NETWORK CAMERAS WITH POWER SUPPLIES AND STANDS IN ONE BOX. ONLY ONE MANUAL AND CD ARE INCLUDED. C	
233054	INCLUDES 10 AXIS 210A NETWORK CAMERAS WITHOUT LENSES BUT OTHER ACCESSORIES AND ONE INSTALLATION GUIDE IN ONE BOX. PLEAS	
233064	BUNDLE WITH FOUR UNITS OF AXIS 210A AND A FOUR CAMERA LICENSE AXIS CAMERA STATION SURVEILLANCE SOFTWARE FOR VIDEO MONIT	
0235034??	AXIS 207 IN 10-PACK. CANNOT BE SOLD SEPARATELY. POWER SUPPLIES INCLUDED.	
235064	BUNDLE WITH FOUR UNITS OF AXIS 207 AND A FOUR CAMERA LICENSE AXIS CAMERA STATION SURVEILLANCE SOFTWARE FOR VIDEO MONITO	
237001	BARE BOARD 1 CHANNEL VIDEO SERVER FOR BUILT-IN PURPOSES. SMALL FOOTPRINT UNIT FOR FLEXIBLE INTEGRATION. MOTION JPEG AND	
237011	20 PCS OF BARE BOARD 1 CHANNEL VIDEO SERVER FOR BUILT-IN PURPOSES. MOTION JPEG AND MPEG-4. UP TO 30 FPS. I/O FOR ALARM	
238001	BARE BOARD 1 CHANNEL VIDEO SERVER WITH DUPLEX AUDIO FOR BUILT-IN PURPOSES. SMALL FOOTPRINT UNIT FOR FLEXIBLE INTEGRATIO	
240004	FIXED DOME WITH DISCREET AND TAMPER-RESISTANT CASING. VARIFOCAL DC-IRIS LENS. 1/4" HIGH-QUALITY PROGRESSIVE-SCAN CMOS S	
240024	INCLUDES 10 AXIS 216FD FIXED DOME NETWORK CAMERAS. CANNOT BE SOLD SEPARATELY. POWER SUPPLIES INCLUDED.	

ATTACHMENT "B"- PART 1

241004	INDOOR CAMERA FIXED LENS. CONNECTS BOTH OVER WIRELESS LAN (IEEE 802.11G) AND WIRED ETHERNET. MOTION JPEG AND MPEG-4 NET	
241034	AXIS 207W IN 10-PACK. CANNOT BE SOLD SEPARATELY. POWER SUPPLIES INCLUDED.	
243004	VARIFOCAL 2.8-5.8 MM DC-IRIS LENS. 1/4" PROGRESSIVE SCAN CCD. AUTO DAY/NIGHT MODE. FIXED DOME WITH DISCREET VANDAL-RESI	
243064	225FD W/V-FOCAL 9-22 MM DC-IRIS LENS	
246004	PAN/TILT/ZOOM (X18) CAMERA. AUTO-IRIS AUTOMATIC DAY/NIGHT AND AUTO-FOCUS ZOOM LENS. UP TO 4CIF RESOLUTION AT 30 FPS FRA	
247004	2.0 MEGAPIXEL 1/2.7" CCD. VARIFOCAL DC-IRIS MEGAPIXEL LENS. AUTO DAY/NIGHT MODE. UP TO 1600X1200 RESOLUTION. UP TO 12 F	
247031	INCLUDES 10 AXIS 223M DAY&NIGHT MEGAPIXEL NETWORK CAMERA WITH LENSES OTHER ACCESSORIES AND ONE INSTALLATION GUIDE IN ON	
247051	AXIS 223M IN BAREBONE 10-PACK. CANNOT BE SOLD SEPARATELY. NO POWER SUPPLIES. NO LENS	
248001	PROFESSIONAL JOYSTICK FOR ACCURATE CONTROL OVER NETWORK OF ALL AXIS PAN/TILT/ZOOM AND DOME NETWORK CAMERAS. CONNECTS TO	
251001	AUTO IRIS AUTO FOCUS ZOOM LENS. 1/4" CCD. WDR. DOWN TO 0.3 LUX. CONTINUOUS 360 DEGREE ROTATION. >0 DEGREE TO -90 DEGREE	
253001	AUTO IRIS AUTO FOCUS ZOOM LENS. 1/4" CCD. WDR. DOWN TO 0.3 LUX IN COLOR. AUTO DAY/NIGHT MODE. CONTINUOUS 360 DEGREE ROT	
256004	ONE CHANNEL HIGH QUALITY FULL FRAME RATE VIDEO UP TO 25/30 FPS IN ALL RESOLUTIONS IN MPEG-4 AS WELL AS MOTION JPEG. SUP	
257004	PAN/TILT/ZOOM CAMERA WITHOUT MOVING PARTS. 3X ZOOM. 140 DEGREES PAN AND 105 DEGREES TILT. UP TO VGA RESOLUTION AT 30 FP	
257024	INCLUDES 10 AXIS 212 PTZ NETWORK CAMERAS. CANNOT BE SOLD SEPARATELY. POWER SUPPLIES INCLUDED.	
261001	4 CHANNEL BLADE SERVER HIGH QUALITY FULL FRAME RATE VIDEO UP TO 25/30 FPS IN ALL RESOLUTIONS IN MPEG-4 OR MOTION JPEG.	
261021	INCLUDES 10 PCS OF AXIS 243Q IN A BULK PACK. NO MANUALS ARE INCLUDED.	

ATTACHMENT "B"- PART 1

264004	INDOOR MEGAPIXEL HIGH RESOLUTION NETWORK CAMERA FIXED LENS. CONNECTS BOTH OVER WIRELESS LAN (IEEE 802.11G) AND WIRED ET	
264024	AXIS 207MW IN 10-PACK. CANNOT BE SOLD SEPARATELY. POWER SUPPLIES INCLUDED.	
266004	35X OPTICAL ZOOM DOME CAMERA WITH WDR AND AREA ZOOM. AUTO DAY/NIGHT MODE DOWN TO 0.5 LUX IN COLOR AND 0008 IN NIGHT MOD	
267004	1U 19? RACK UNIT WITH THREE EXPANSIONS SLOTS COMPATIBLE WITH ALL AXIS BLADE VIDEO SERVERS. UNIVERSAL BUILT-IN POWER SUP	
268004	FIXED DOME WITH VANDAL-RESISTANT AND COMPACT INDOOR CASING. VARIFOCAL DC-IRIS LENS. 1/4" HIGH-QUALITY PROGRESSIVE-SCAN	
268024	INCLUDES 10 AXIS 216FD-V FIXED DOME NETWORK CAMERAS. CANNOT BE SOLD SEPARATELY. POWER SUPPLIES INCLUDED.	
269004	1.3 MEGAPIXEL 1/3" PROGRESSIVE SCAN CMOS SENSOR. VARIFOCAL DC-IRIS F1.0 LENS. SIMULTANEOUS MOTION JPEG AND MPEG-4 IN FU	
269021	INCLUDES 10 AXIS 211M. CANNOT BE SOLD SEPARATELY. NO POWER SUPPLIES.	
270004	VARIFOCAL DC-IRIS LENS. 1/4" PROGRESSIVE SCAN CMOS. CONNECTS OVER WIRELESS LAN (IEEE 802.11G) OR WIRED ETHERNET. EXCHAN	
270024	AXIS 211W IN 10-PACK. CANNOT BE SOLD SEPARATELY. POWER SUPPLIES INCLUDED	
272001	1 CHANNEL HIGH QUALITY VIDEO UP TO 30/25 FPS IN ALL RESOLUTIONS. SIMULTANEOUS MOTION JPEG AND MPEG-4. ONE-WAY AUDIO MOT	
272021	INCLUDES 10 AXIS 247S VIDEO SERVERS	
274004	COMPACT PAN/TILT/ZOOM (12X) CAMERA INCLUDING AUTO-IRIS AUTOMATIC DAY/NIGHT AND AUTO-FOCUS ZOOM LENS. UP TO 4CIF RESOLUT	
275004	FIXED DOME CAMERA WITH RUGGED DESIGN ADAPTED FOR MOBILE VIDEO SURVEILLANCE. FIXED LENS. 1/4" HIGH-QUALITY PROGRESSIVE-S	
275021	AXIS 209FD-R IN 10-PACK EXCLUDING 1-PORT MIDSPANS. CANNOT BE SOLD SEPARATELY	
277004	3 X AXIS 243Q BLADE MOUNTED IN AN AXIS 291 1U RACK.	
278004	1.3 MEGAPIXEL 1/3" PROGRESSIVE SCAN CMOS SENSOR. VARIFOCAL DC-IRIS LENS. FIXED DOME WITH DISCREET AND TAMPER-RESISTANT	

ATTACHMENT "B"- PART 1

278021	AXIS 216MFD IN 10-PACK. CANNOT BE SOLD SEPARATELY. NO POWER SUPPLIES.	
279004	1.3 MEGAPIXEL 1/3" PROGRESSIVE SCAN CMOS SENSOR. VARIFOCAL DC-IRIS LENS. FIXED DOME WITH VANDAL-RESISTANT AND COMPACT I	
279021	AXIS 216MFD-V IN 10-PACK. CANNOT BE SOLD SEPARATELY. NO POWER SUPPLIES.	
280004	VANDAL RESISTANT AXIS 212 PTZ	
280024	AXIS 212 PTZ-V IN 10 PACK. CANNOT BE SOLD SEPARATELY. POWER SUPPLIES INCLUDED.	
281004	NON RUGGED VERSION OF AXIS 209FD-R FOR GENERIC USE. FIXED LENS. 1/4" HIGH-QUALITY PROGRESSIVE-SCAN CMOS SENSOR. FLAT DI	
281021	AXIS 209FD IN 10-PACK WITHOUT MIDSPANS. CANNOT BE SOLD SEPARATELY.	
283004	MEGAPIXEL VERSION OF AXIS 209FD. FIXED LENS. 1.3 MEGAPIXEL 1/3" PROGRESSIVE-SCAN CMOS SENSOR. FLAT DISCREET AND TAMPER-	
283021	AXIS 209MFD IN 10-PACK WITHOUT MIDSPANS. CANNOT BE SOLD SEPARATELY.	
284004	ULTRA-DISCREET FIXED DOME CAMERA FOR RECESSED MOUNTING IN DROP CEILINGS. FIXED LENS. 1/4" PROGRESSIVE SCAN CMOS SENSOR.	
284021	AXIS M3011 IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS	
285004	ULTRA-DISCREET FIXED DOME CAMERA FOR RECESSED MOUNTING IN DROP CEILINGS. FIXED LENS PROGRESSIVE SCAN CMOS SENSOR. MULTI	
285021	AXIS M3014 IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS.	
286004	FIXED DOME CAMERA WITH RUGGED DESIGN ADAPTED FOR FOR MOBILE VIDEO SURVEILLANCE. FIXED LENS. 1.3 MEGAPIXEL 1/3" PROGRESS	
286021	AXIS 209MFD-R IN 10-PACK EXCLUDING ONE-PORT MIDSPANS. CANNOT BE SOLD SEPARATELY	
287004	4U 19? RACK WITH 14 SLOTS FOR AXIS VIDEO ENCODER BLADES. SUPPORTS UP TO 84 ANALOG CHANNELS. MULTIPLE VIDEO STREAMS PER	
288004	1 CHANNEL VIDEO ENCODER. MULTIPLE INDIVIDUALLY CONFIGURABLE H.264 AND MOTION JPEG STREAMS; MAX. D1 RESOLUTION AT 30/25	

ATTACHMENT "B"- PART 1

289001	6 CHANNEL VIDEO ENCODER BLADE. MULTIPLE INDIVIDUALLY CONFIGURABLE H.264 AND MOTION JPEG STREAMS; MAX. D1 RESOLUTION AT	
290004	FIXED DOME WITH DISCREET AND TAMPER-RESISTANT CASING. VARIFOCAL 2.8-10 MM LENS. 1/4" PROGRESSIVE SCAN CMOS SENSOR. MULT	
290021	AXIS P3301 IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO POWER SUPPLIES.	
291004	FOUR-CHANNEL VIDEO ENCODER. MULTIPLE INDUVIDUALLY CONFIGURABLE H.264 AND MOTION JPEG STREAMS PER CHANNEL;MAX. D1 RESOLU	
291024	AXIS Q7404 IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS	
292004	FIXED DOME WITH DISCREET AND VANDAL-RESISTANT CASING. VARIFOCAL 2.8-10 MM LENS. 1/4" PROGRESSIVE SCAN CMOS SENSOR. MULT	
292021	AXIS P3301-V IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO POWER SUPPLIES.	
293004	FIXED CS-MOUNT LENS 1/4? PROGRESSIVE SCAN CMOS SENSOR. MULTIPLE INDIVIDUALLY CONFIGURABLE H.264 AND MOTION JPEG STREAMS	
293021	AXIS P1311 IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO POWER SUPPLIES.	
293051	AXIS P1311 BAREBONE IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO POWER SUPPLIES. NO LENS.	
294001	FIXED DOME CAMERA WITH RUGGED DESIGN ADAPTED FOR FOR MOBILE VIDEO SURVEILLANCE. FIXED LENS. 1/4" HIGH-QUALITY PROGRESSI	
294021	AXIS 209FD-R M12 IN 10-PACK/BULK. NO MIDSPANS	
295001	FIXED DOME CAMERA WITH RUGGED DESIGN ADAPTED FOR FOR MOBILE VIDEO SURVEILLANCE. FIXED LENS. 1.3 MEGAPIXEL 1/3" PROGRESS	
295021	AXIS 209MFD-R M12 IN 10-PACK. NO MIDSPANS	
298001	1-CHANNEL VIDEO ENCODER. DUAL STREAMING IN H.264 AND MOTION JPEG; MAX. D1 RESOLUTION AT 30/25 FPS. VIDEO MOTION DETECTI	
298021	AXIS M7001 IN 10-PACK/BULLK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS	
298031	1-CHANNEL VIDEO ENCODER TOGETHER WITH A SMALL IP66 COVERT CAMERA. DUAL STREAMING IN H.264 AND MOTION JPEG; MAX. D1 RESO	

ATTACHMENT "B"- PART 1

298041	AXIS M7001 COVERT SURVEILLANCE KIT IN 10-PACK/BULLK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS	
299001	SVGA DAY/NIGHT FIXED DOME WITH DISCREET VANDAL-RESITANT IP66-RATED OUTDOOR CASING. VARIFOCAL 2.5-6 MM DC-IRIS LENS REMO	
299021	AXIS P3343-VE 6MM IN 4-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	
299031	SVGA DAY/NIGHT FIXED DOME WITH DISCREET VANDAL-RESITANT IP66-RATED OUTDOOR CASING. VARIFOCAL 3.3-12 MM DC-IRIS LENS REM	
299041	AXIS P3343-VE 12MM IN 4-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	
299051	AXIS P3343-VE 12MM IN 4-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. SMOKED TRANSPARENT COVER ONLY.	
299061	AXIS P3343-VE 6MM IN 4-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. SMOKED TRANSPARENT COVER ONLY.	
300004	SMALL-SIZED INDOOR NETWORK CAMERA. FIXED LENS. 1/4" PROGRESSIVE SCAN CMOS SENSOR. CONNECTS OVER WIRELESS LAN (IEEE 802.	
300024	AXIS M1031-W IN 10-PACK/BULK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. POWER SUPPLIES INCLUDED. NO CLAMPS.	
300044	BUNDLE WITH 4 UNITS OF AXIS M1031-W AND A 4-LICENSE AXIS CAMERA STATION SURVEILLANCE SOFTWARE FOR VIDEO MONITORING RECO	
301004	SMALL-SIZED INDOOR NETWORK CAMERA. FIXED LENS. 1/4" PROGRESSIVE SCAN CMOS SENSOR. CONNECTS OVER WIRELESS LAN (IEEE 802.	
301024	AXIS M1011-W IN 10-PACK/BULK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. POWER SUPPLIES INCLUDED. NO CLAMPS.	
302004	SMALL-SIZED INDOOR NETWORK CAMERA. FIXED LENS. 1/4" PROGRESSIVE SCAN CMOS SENSOR. MULTIPLE INDIVIDUALLY CONFIGURABLE H.	
302024	AXIS M1011 IN 10-PACK/BULK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. POWER SUPPLIES INCLUDED. NO CLAMPS.	
302044	BUNDLE WITH 4 UNITS OF AXIS M1011 AND A 4-LICENSE AXIS CAMERA STATION SURVEILLANCE SOFTWARE FOR VIDEO MONITORING RECORD	

ATTACHMENT "B"- PART 1

304001	2.0 MEGAPIXEL HDTV CAMERA WITH 10X ZOOM AUTO FOCUS AND DAY/NIGHT MODE. COMPLYING WITH SMPTE STANDARDS FOR HDTV 1080I AN	
304021	AXIS Q1755 60HZ IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPAN.	
304034	2.0 MEGAPIXEL HDTV CAMERA WITH 10X ZOOM AUTO FOCUS AND DAY/NIGHT MODE. COMPLYING WITH SMPTE STANDARDS FOR HDTV 1080I AN	
306001	OUTDOOR IP66-RATED PAN/TILT/ZOOM CAMERA INCLUDING AUTO-IRIS AUTOMATIC DAY/NIGHT AND AUTOFOCUS 12X ZOOM LENS. UP TO 4CIF	
307001	SVGA DAY/NIGHT FIXED DOME WITH DISCREET TAMPER-RESITANT INDOOR CASING. VARIFOCAL 2.5-6 MM DC-IRIS LENS REMOTE FOCUS AND	
307021	AXIS P3343 6MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	
307031	SVGA DAY/NIGHT FIXED DOME WITH DISCREET TAMPER-RESITANT INDOOR CASING. VARIFOCAL 3.3-12 MM DC-IRIS LENS REMOTE FOCUS AN	
307041	AXIS P3343 12MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	
307051	AXIS P3343 12MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. SMOKED TRANSPARENT COVER ONLY.	
307061	AXIS P3343 6MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	
308001	SVGA DAY/NIGHT FIXED DOME WITH DISCREET VANDAL-RESISTANT INDOOR CASING. VARIFOCAL 2.5-6 MM DC-IRIS LENS REMOTE FOCUS AN	
308021	AXIS P3343-V 6MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	
308031	SVGA DAY/NIGHT FIXED DOME WITH DISCREET VANDAL-RESISTANT INDOOR CASING. VARIFOCAL 3.3-12 MM DC-IRIS LENS REMOTE FOCUS A	
308041	AXIS P3343-V 12MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	

ATTACHMENT "B"- PART 1

308051	AXIS P3343-V 12MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. SMOKED TRANSPARENT COVER ONLY.	
308061	AXIS P3343-V 6MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. SMOKED TRANSPARENT COVER ONLY.	
314004	HDTV 720P COMPLIANT PTZ CAMERA WITH 18X OPTICAL ZOOM FOR INDOOR USE. HDTV 720P @ 25/30FPS (1280X720) IN H.264 AND MOTIO	
318004	OUTDOOR-READY IP66-RATED PTZ DOME CAMERA WITH 35X OPTICAL ZOOM. ARCTIC TEMPERATURE CONTROL ENABLES OPERATION AND START	
318014	OUTDOOR-READY IP66-RATED PTZ DOME CAMERA WITH 35X OPTICAL ZOOM. ARCTIC TEMPERATURE CONTROL ENABLES OPERATION AND START	
320001	SVGA DAY/NIGHT FIXED CAMERA WITH VARIFOCAL 3-8 MM DC-IRIS LENS AND REMOTE BACK FOCUS. MULTIPLE INDIVIDUALLY CONFIGURABL	
320021	AXIS P1343 IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO POWER SUPPLIES.	
320051	AXIS P1343 BAREBONE IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO POWER SUPPLIES.	
321004	NETWORK I/O AND AUDIO MODULE. EIGHT DIGITAL PORTS CONFIGURABLE AS INPUTS OR OUTPUTS. TWO-WAY AUDIO CONFIGURABLE TO SIMP	
321021	AXIS P8221 IN 10-PACK/BULK. CANNOT BE SOLD SEPARATELY AS SINGLE PACK. NO MIDSPANS. POWER SUPPLIES INCLUDED.	
322004	3 X AXIS Q7406 BLADE MOUNTED IN AN AXIS 291 1U RACK.	
323004	14 X AXIS Q7406 BLADE MOUNTED IN AN AXIS Q7900 RACK.	
324001	HDTV DAY/NIGHT FIXED CAMERA WITH VARIFOCAL 3-8 MM DC-IRIS LENS AND REMOTE BACK FOCUS. MULTIPLE INDIVIDUALLY CONFIGURABL	
324021	AXIS P1344 IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO POWER SUPPLIES.	
324051	AXIS P1344 BAREBONE IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO POWER SUPPLIES.	
325001	HDTV DAY/NIGHT FIXED DOME WITH VANDAL-RESITANT IP66-RATED OUTDOOR CASING. VARIFOCAL 2.5-6 MM DC-IRIS LENS REMOTE FOCUS	
325021	AXIS P3344-VE 6MM IN 4-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	

ATTACHMENT "B"- PART 1

325031	AXIS P3344-VE 6MM IN 4-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. SMOKED TRANSPARENT COVER ONLY.	
325041	HDTV DAY/NIGHT FIXED DOME WITH VANDAL-RESITANT IP66-RATED OUTDOOR CASING. VARIFOCAL 3.3-12 MM DC-IRIS LENS REMOTE FOCUS	
325051	AXIS P3344-VE 12MM IN 4-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	
325061	AXIS P3344-VE 12MM IN 4-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. SMOKED TRANSPARENT COVER ONLY.	
326001	HDTV DAY/NIGHT FIXED DOME WITH DISCREET TAMPER-RESITANT INDOOR CASING. VARIFOCAL 2.5-6 MM DC-IRIS LENS REMOTE FOCUS AND	
326021	AXIS P3344 6MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	
326031	AXIS P3344 6MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. SMOKED TRANSPARENT COVER ONLY.	
326041	HDTV DAY/NIGHT FIXED DOME WITH DISCREET TAMPER-RESITANT INDOOR CASING. VARIFOCAL 3.3-12 MM DC-IRIS LENS REMOTE FOCUS AN	
326051	AXIS P3344 12MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	
326061	AXIS P3344 12MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. SMOKED TRANSPARENT COVER ONLY.	
327001	HDTV DAY/NIGHT FIXED DOME WITH DISCREET VANDAL-RESITANT INDOOR CASING. VARIFOCAL 2.5-6 MM DC-IRIS LENS REMOTE FOCUS AND	
327021	AXIS P3344-V 6MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	
327031	AXIS P3344-V 6MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. SMOKED TRANSPARENT COVER ONLY.	
327041	HDTV DAY/NIGHT FIXED DOME WITH DISCREET VANDAL-RESITANT INDOOR CASING. VARIFOCAL 3.3-12 MM DC-IRIS LENS REMOTE FOCUS AN	

ATTACHMENT "B"- PART 1

327051	AXIS P3344-V 12MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. CLEAR TRANSPARENT COVER ONLY.	
327061	AXIS P3344-V 12MM IN 10-PACK. CANNOT BE SOLD SEPARATELY AS SINGLE PACKS. NO MIDSPANS. SMOKED TRANSPARENT COVER ONLY.	
328001	HDTV DAY/NIGHT FIXED CAMERA WITH VARIFOCAL 4-10 MM P-IRIS LENS AND REMOTE BACK FOCUS (CAMERA ALSO SUPPORTS DC-IRIS LENS	
333011	LICENSE CODE THAT GRANTS INSTALLATION OF AXIS CROSS LINE DETECTION APPLICATION ON ONE CAMERA/ENCODER.? VISIT WWW.AXIS.C	
333031	LICENSE CODE THAT GRANTS INSTALLATION OF AXIS CROSS LINE DETECTION APPLICATION ON UP TO 10 CAMERAS/ENCODERS.? VISIT WWW	
333051	LICENSE CODE THAT GRANTS INSTALLATION OF AXIS CROSS LINE DETECTION APPLICATION ON UP TO 50 CAMERAS/ENCODERS.? VISIT WWW	
18593	LOCK RING FOR AXIS 2120	
18599	4 PIN TERMINAL CONNECTOR 3.81 MM FOR 210 211 207W 216FD 250S	
18601	8 PIN TERMINAL CONNECTOR 3.81 MM FOR 2400/2401 2400+/2401+ 2490	
18604	POWER SUPPLY PS-D FOR AXIS 2100 2110 2120 2420 2400/2401 2400+/2401+ AND 2490	
18608	EXTENSION CABLE FOR POWER SUPPLY 3.3 METERS FOR PS-D	
18610	SERIAL NULL MODEM CABLE FOR 2100 2110 2120 2420	
18614	CS MOUNT VARIFOCAL 3.5-8 MM DC-IRIS FOR 2120 AND 2420	
18616	PLASTIC STAND FOR 2100	
18618	METAL STAND FOR AXIS 221 AXIS 230	
18620	CABLE TO CONNECT PTZ CONTROL OF SONY EVI VISCA TO VIDEO SERVER 3 METERS	
18622	EXTENSION CABLE FOR PTZ CONTROL OF SONY EVI VISCA 3 METERS	
20191	POWER SUPPLY FOR AXIS 213/2130/2130R INCLUDING POWER CABLE	
20242	12 PIN TERMINAL CONNECTOR 3.81 MM	
21242	THE 8 TO 1 POWER SPLITTER FOR 2400/01+. FEEDS UP TO EIGHT AXIS 2400+/2401+. ONE 6.5 FEET INPUT CORD AND EIGHT 2.9 FEET	
21764	REQUIRED HOUSING FOR 24V AC OUTSIDE POWER SUPPLY UNIT (#5000-001) WALL AND POLE MOUNT INCLUDED. POLE MOUNT REQUIRES US	
21774	SMOKED DOME INDOOR FOR AXIS 231/232D.	

ATTACHMENT "B"- PART 1

21776	TOOL FOR STEEL STRAP TENSIONING. FOR USE WITH 21764 AND AXIS T91A67	
21779	MOUNTING KIT FOR AXIS 231D+/232D+ NETWORK DOME CAMERA.	
21781	JUNCTION BOX FOR AXIS 231D+/232D+ NETWORK DOME CAMERA.	
21782	ACCESSORY FOR AXIS 231D+/232D+ OUTDOOR HOUSING: 1 METER POWER CABLE FOR OUTDOOR POWER BOX	
21783	ACCESSORY FOR AXIS 231D+/232D+ OUTDOOR HOUSING: 2 METER POWER CABLE FOR OUTDOOR POWER BOX	
21784	ACCESSORY FOR AXIS 231D+/232D+ OUTDOOR HOUSING: 5 METER POWER CABLE FOR OUTDOOR POWER BOX	
21785	ACCESSORY FOR AXIS 231D+/232D+ OUTDOOR HOUSING: 10 METER POWER CABLE FOR OUTDOOR POWER BOX	
21786	ACCESSORY FOR AXIS 23XD+ OUTDOOR HOUSING: 1 METER JUNCTION CABLE	
21787	ACCESSORY FOR AXIS 23XD+ OUTDOOR HOUSING: 2 METER JUNCTION CABLE	
21788	ACCESSORY FOR AXIS 23XD+ OUTDOOR HOUSING: 5 METER JUNCTION CABLE	
21789	ACCESSORY FOR AXIS 23XD+ OUTDOOR HOUSING: 10 METER JUNCTION CABLE	
21790	ACCESSORY FOR AXIS 23XD+ INDOOR HOUSING: MAINS CABLE	
21795	INDOOR 110V POWER SUPPLY UNIT FOR AXIS 23XD+ INDOOR HOUSING (OUTDOOR VERSION IS INCLUDED IN AXIS 23XD)	
21832	CABLE ADAPTER TO CONNECT A Y/C (S-VIDEO) CABLE TO THE AXIS 241S VIDEO SERVER. SAME AS 21833 BUT FOR US	
21896	POLE MOUNT ADAPTOR FOR THE AXIS PENDANT INDOOR OUTDOOR AND VANDAL DOME HOUSINGS.	
21898	INDOOR RECESSED CEILING HOUSING WITH SMOKED GLASS FOR THE AXIS 213 AXIS 214 AXIS 215 AXIS 23XD+ AND AXIS 233 NETWORK CA	
21899	INDOOR IP65 CLASSIFIED HOUSING FOR AXIS 210 AXIS 211 AXIS 221 AXIS 223M NETWORK CAMERAS.	
22059	CORNER MOUNT ADAPTOR FOR THE AXIS PENDANT INDOOR OUTDOOR AND VANDAL DOME HOUSINGS.	
22473	GRAY PLASTIC STAND FOR AXIS 20X SERIES NETWORK CAMERAS	
22512	POWER SUPPLY FOR THE AXIS VIDEO ENCODER RACK	
22581	CONNECTION MODULE FOR THE AXIS 213 PTZ NETWORK CAMERA. PROVIDES TWO WAY FULL DUPLEX AUDIO FUNCTIONALITY ANALOG VIDEO OU	
22870	INDOOR RECESSED CEILING HOUSING FOR AXIS 210 AXIS 211 AXIS 221 AND AXIS 223M NETWORK CAMERAS.	

ATTACHMENT "B"- PART 1

23452	PLASTIC STAND FOR AXIS 210 AND AXIS 211 NETWORK CAMERAS	
24886	VANDAL-RESISTANT WALL MOUNT INDOOR HOUSING FOR AXIS 210 AXIS 211 AXIS 221AND AXIS 223M NETWORK CAMERAS.	
24887	VANDAL-RESISTANT CORNER MOUNT INDOOR HOUSING FOR AXIS 210 AXIS 211 AXIS 221AND AXIS 223M NETWORK CAMERAS.	
24888	VANDAL-RESISTANT CORNER MOUNT INDOOR HOUSING FOR AXIS 210 AXIS 211 AXIS 221AND AXIS 223M NETWORK CAMERAS.	
24889	OUTDOOR IP65 CLASSIFIED HOUSING WITH HEATER AND BLOWER FOR AXIS 211 AXIS 221AND AXIS 223M NETWORK CAMERAS. CAN BE PO	
25733	OUTDOOR IP66 HOUSING WITH CLEAR DOME FOR THE AXIS 213 AXIS 214 AXIS 215 AXIS 23XD+ AND AXIS 233 NETWORK CAMERAS (HEATER	
25734	OUTDOOR VANDAL-RESISTANT HOUSING WITH CLEAR DOME FOR THE AXIS 213 AXIS 214 AXIS 215 AND AXIS 23XD+ NETWORK CAMERAS (HEA	
25735	INDOOR IP66 CLASSIFIED HOUSING WITH CLEAR DOME FOR THE AXIS 213 AXIS 214 AXIS 215 AXIS 23XD+ AND AXIS 233 NETWORK CAMER	
25736	GOOSENECK WALL MOUNT FOR THE AXIS PENDANT DOME	
25738	PARAPET MOUNT FOR THE AXIS PENDANT DOME	
25740	SMOKED BUBBLE FOR AXIS PENDANT DOMES (SPARE PART)	
25741	CLEAR BUBBLE FOR AXIS PENDANT DOME (SPARE PART)	
25742	COLD WEATHER KIT FOR THE AXIS PENDANT FUSION DOME LINE	
26349	THE CEILING MOUNT OPTIONS ARE USED TO SECURE THE AXIS PENDANT DOME FAMILY OF HOUSING TO HARD CEILINGS. THEY SHIP WITH	
26350	THE CEILING MOUNT OPTIONS ARE USED TO SECURE THE AXIS PENDANT DOME FAMILY OF HOUSING TO HARD CEILINGS. THEY SHIP WITH	
26549	INDOOR RECESSED CEILING HOUSING FOR AXIS 206/ AXIS 207 (NOT WIRELESS) NETWORK CAMERAS. BRONZE SMOKED DOME.	
26550	VANDAL-RESISTANT INDOOR HOUSING FOR AXIS 206/AXIS 207 (NOT WIRELESS) NETWORK CAMERAS. CLEAR DOME.	
28256	CABLE TO CONNECT 233D TO PS24 POWER SUPPLY.	
29892	OUTDOOR IP65 CLASSIFIED HOUSING FOR THE AXIS 211W NETWORK CAMERA. REMOVABLE ANTENNAE INCLUDED.	
30334	RUGGED CAST ALUMINUM POWER BOX. 220/115VAC INPUT 24VAC OUTPUT AT 96VA FUSED UL AND CE APPROVED. INCLUDES POLE MOUNTIN	
30335	RUGGED CAST ALUMINUM POWER BOX. 220/115VAC INPUT 24VAC OUTPUT AT 96VA FUSED UL AND CE APPROVED. ETHERNET SURGE PROTEC	

ATTACHMENT "B"- PART 1

30336	RUGGED CAST ALUMINUM POWER BOX. 220/115VAC INPUT 24VAC OUTPUT AT 96VA FUSED UL AND CE APPROVED. MULTIMODE MEDIA CONVE	
30337	ADAPTER PLATE FOR MOUNTING AXIS 212 216 AND 225FD NETWORK CAMERA TO EITHER A SINGLE OR DOUBLE GANG ELECTRICAL BOX.	
35540	INDOOR IP66 CLASSIFIED HOUSING WITH CLEAR DOME FOR THE AXIS 213 AXIS 214 AXIS 215 AXIS 23XD+ AND AXIS 233 NETWORK CAMER	
35541	OUTDOOR IP66 HOUSING WITH CLEAR DOME FOR THE AXIS 213 AXIS 214 AXIS 215 AXIS 23XD+ AND AXIS 233 NETWORK CAMERAS (HEATER	
35542	OUTDOOR VANDAL-RESISTANT HOUSING WITH CLEAR DOME FOR THE AXIS 213 AXIS 214 AXIS 215 AND AXIS 23XD+ NETWORK CAMERAS (HEA	
5000001	24V AC POWER ADAPTER FOR AXIS 23XD. AC INPUT: 100-120VAC / 220-240VAC MAX 800MA / 400MA 80VA. AC OUTPUT: 24VAC MAX 63VA	
5000011	METAL BOX USED TO MOUNT AXIS PS24 OUTDOOR POWER SUPPLY	
5000021	12V OUTDOOR/INDOOR POWER SUPPLY. 5 METER (16.4 FT) INPUT AND OUTPUT CABLE. SUPPLIED WITHOUT POWER PLUG.	
5003001	DROP CEILING MOUNT FOR AXIS 225FD NETWORK CAMERA.	
5003011	SMOKED GLASS BUBBLE FOR AXIS 225FD NETWORK CAMERA.	
5003021	CLEAR GLASS BUBBLE FOR AXIS 225FD NETWORK CAMERA.	
5003031	SPARE SET OF TAMPER-PROOF SCREWS FOR AXIS 225FD NETWORK CAMERA WITH KEY. MOUNTING SCREWS ALSO INCLUDED.	
5004001	CLAMP TO MOUNT AXIS 206 SERIES AND AXIS 207 SERIES.	
5005001	CASING WITH SMOKED TRANSPARENT COVER FOR AXIS 216FD/216MFD/P3301	
5005011	CASING WITH CLEAR TRANSPARENT COVER FOR AXIS 216FD/216MFD/P3301	
5005021	SPARE SET OF TAMPER-PROOF SCREWS FOR AXIS 216FD/216FD-V/216MFD/216MFD-V/P3301/P3301-V WITH TORX SCREW DRIVER. MOUNTING	
5005031	DROP CEILING MOUNT KIT FOR AXIS 216FD/216MFD/P3301 INCLUDING CLEAR TRANSPARENT COVER	
5005041	DROP CEILING MOUNT KIT FOR AXIS 216FD/216MFD/P3301 INCLUDING SMOKED TRANSPARENT COVER	
5005051	VANDAL-RESISTANT CASING WITH CLEAR TRANSPARENT COVER. CAN ALSO UPGRADE AN AXIS 216FD/216MFD TO AN AXIS 216FD-V/216MFD-V	

ATTACHMENT "B"- PART 1

5005061	VANDAL-RESISTANT CASING WITH SMOKED TRANSPARENT COVER. CAN ALSO UPGRADE AN AXIS 216FD/216MFD/P3301 TO AN AXIS 216FD-V/2	
5008001	POWER OVER ETHERNET (802.3AF) COMPATIBLE. USE WITH POWER OVER ETHERNET-MIDSPANS OR POE-ENABLED SWITCHES TO ENABLE POWER	
5010001	100-240 VAC INPUT. INCL HEATER/FAN.	
5010101	24VAC INPUT (REC POWER SUPPLY PS24)	
5010611	WALL BRACKET FOR T95A00 AND T95A10	
5010621	CEILIING / PARAPET BRACKET FOR AXIS T95A00 AND T95A10 DOME HOUSING. LENGTH: 48.5CM	
5010631	EXTENSION BRACKET FOR AXIS T95A00 AND T95A10 DOME HOUSING. USED WITH AXIS T95A62 CEILING / PARAPET BRACKET. LENGTH: 27	
5010641	REQUIRES AXIS T95A61 WALL BRACKET.	
5010661	ROTATION BRACKET FOR AXIS T95A00 AND T95A10 DOME HOUSING.USED WITH AXIS T95A62 CEILING / PARAPET BRACKET.	
5010671	REQUIRES AXIS T95A61 WALL BRACKET.	
5012004	802.3AF COMPLIANT POWER INJECTOR FOR STANDARD CAT 5 NETWORK CABLES. MAXIMUM CABLE LENGTH IS 328FT/100M. SUPPORTING UP T	
5012014	802.3AF COMPLIANT POWER INJECTOR FOR STANDARD CAT 5 NETWORK CABLES. MAXIMUM CABLE LENGTH IS 328FT/100M. SUPPORTING UP T	
5013011	850 NM SEMI-COVERT IR LED ILLUMINATOR FOR USE WITH THE AXIS DAY/NIGHT NETWORK CAMERAS. FIXED ANGLE 50 DEGREES. RANGE 14	
5013061	WHITE LED ILLUMINATOR FOR USE WITH THE AXIS NETWORK CAMERAS. FIXED ANGLE 50 DEGREES. RANGE 13 METERS. INPUT: POWER OVER	
5013111	850 NM SEMI-COVERT IR LED ILLUMINATOR FOR USE WITH THE AXIS DAY/NIGHT NETWORK CAMERAS. FIXED ANGLE 50 DEGREES. RANGE 14	
5013161	WHITE LED ILLUMINATOR FOR USE WITH THE AXIS NETWORK CAMERAS. FIXED ANGLE 50 DEGREES. RANGE 13 METERS. INCLUDES POWER SU	
5013201	850 NM SEMI-COVERT IR LED ILLUMINATOR FOR USE WITH THE AXIS DAY/NIGHT NETWORK CAMERAS. ADJUSTABLE ANGLE BETWEEN 120 TO	
5013211	850 NM SEMI-COVERT IR LED ILLUMINATOR FOR USE WITH THE AXIS DAY/NIGHT NETWORK CAMERAS. ADJUSTABLE ANGLE BETWEEN 50 TO 1	

ATTACHMENT "B"- PART 1

5013261	WHITE LED ILLUMINATOR FOR USE WITH THE AXIS NETWORK CAMERAS. ADJUSTABLE ANGLE BETWEEN 50 TO 100 DEGREES. RANGE 20 METER	
5013321	850 NM SEMI-COVERT IR LED ILLUMINATOR FOR USE WITH THE AXIS DAY/NIGHT NETWORK CAMERAS. ADJUSTABLE ANGLE BETWEEN 30 TO 6	
5013331	850 NM SEMI-COVERT IR LED ILLUMINATOR FOR USE WITH THE AXIS DAY/NIGHT NETWORK CAMERAS. ADJUSTABLE ANGLE BETWEEN 10 TO 2	
5013371	WHITE LED ILLUMINATOR FOR USE WITH THE AXIS NETWORK CAMERAS. ADJUSTABLE ANGLE BETWEEN 30 TO 60 DEGREES. RANGE 42 METERS	
5013401	850 NM SEMI-COVERT IR LED ILLUMINATOR FOR USE WITH THE AXIS DAY/NIGHT NETWORK CAMERAS. ADJUSTABLE ANGLE BETWEEN 120 TO	
5013421	850 NM SEMI-COVERT IR LED ILLUMINATOR FOR USE WITH THE AXIS DAY/NIGHT NETWORK CAMERAS. ADJUSTABLE ANGLE BETWEEN 30 TO 6	
5013661	POLE BRACKET FOR AXIS T90A ILLUMINATORS.	
5014004	HIGH POE 1-PORT MIDSPAN (802.3.AT PRE-STANDARD). COMPLIANT WITH POE 802.3AF. A HIGH POE 802.3AT PRE-STANDARD SPLITTER	
5014501	12V DC HIGH POE SPLITTER (802.3.AT PRE-STANDARD). REQUIRES EITHER A AXIS T8121 MIDSPAN (MAX 24W OUTPUT) OR A 802.3AF P	
5014511	24V DC HIGH POE SPLITTER (802.3.AT PRE-STANDARD). REQUIRES HIGH POE MIDSPAN (AXIS T8121).	
5015101	OUTDOOR IP66 RATED HOUSING FOR AXIS 210/210A 211/211A/211M/211W 221 AND 223M. MADE OF DIE-CAST ALUMINIUM THE SUNSHIELD	
5015204	OUTDOOR HIGH POE POWERED IP66 RATED HOUSING FOR AXIS 210/210A 211/211A/211M/211W 221 AND 223M. MADE OF DIE-CAST ALUMINU	
5017611	WALL BRACKET. FOR USE WITH AXIS Q6032-E PTZ DOME NETWORK CAMERA AXIS P33 SERIES PENDANT KIT AXIS P33-VE SERIES PENDANT	
5017631	CEILIING BRACKET. 70 CM / 28 INCH. FOR USE WITH AXIS Q6032-E PTZ DOME NETWORK CAMERA AXIS P33 SERIES PENDANT KIT AXIS P	
5017641	CORNER BRACKET. REQUIRES AXIS T91A61 WALL BRACKET. FOR USE WITH AXIS Q6032-E PTZ DOME NETWORK CAMERA AXIS P33 SERIES PE	

ATTACHMENT "B"- PART 1

5017671	POLE BRACKET. FOR USE WITH AXIS Q6032-E PTZ DOME NETWORK CAMERA AXIS P33 SERIES PENDANT KIT AXIS P33-VE SERIES PENDANT	
5500051	CS MOUNT VARIFOCAL?3-8 MM DC-IRIS FOR AXIS 211	
5500061	CS MOUNT VARIFOCAL 3-8MM DC-IRIS FOR AXIS 221	
5500071	ALLOWS YOU TO MOUNT THE AXIS 213 PTZ NETWORK CAMERA ON A WALL OR OTHER VERTICAL SURFACE.	
5500081	ACC EXTENSION CABLE FOR PS-K PRODUCTS. 210 211 241S/Q.	
5500131	BLACK PLASTIC STAND FOR AXIS 210 AND AXIS 211 NETWORK CAMERAS	
5500141	1.8M EXTENSION CABLE FOR PS-H AND PS-L PRODUCTS	
5500161	CS MOUNT 4MM FOR 210/210A NEW LENS. ROHS COMPATIBLE	
5500191	CLEAR PLASTIC DOME FOR AXIS 231D+/232D+ NETWORK DOME CAMERA.	
5500201	SMOKED PLASTIC DOME FOR AXIS 231D+/232D+ NETWORK DOME CAMERA.	
5500211	MAIN ADAPTER AXIS 214 SPARE-PART	
5500221	POWER SUPPLY PS-K FOR AXIS 225FD. NO PLUG. MULTI-COUNTRY VERSION FOR US/JP AUS KOR ARG EUR AND UK	
5500231	POWER SUPPLY PS-K FOR AXIS 211/A 241Q/S/SA/QA 243SA. MULTI-COUNTRY VERSION FOR US/JP AUS KOR ARG EUR AND UK	
5500241	CABLE GLAND KIT FOR AXIS 225FD AS A SPARE PART.	
5500251	MAINS ADAPTER FOR IR-ILLUMINATORS SPARE PART. (PS-S)	
5500271	AXIS 212 PLASTIC WALL BRACKET AS SPARE PART	
5500291	CS MOUNT VARIOFOCAL 5-50MM DC-IRIS FOR AXIS 211 AND 221	
5500301	REPLACEABLE COVER FOR AXIS 209FD-R 10 PCS. INCLUDES DRYBAGS	
5500311	EXTERNAL ANTENNA FOR AXIS 211W. INCLUDES 3 M CABLE.	
5500321	LIGHTNING PROTECTOR FOR AXIS 211W WHEN USED OUTDOORS WITH EXTERNAL ANTENNA	
5500331	POWER SUPPLY PS-H FOR 207W AND AXIS 207MW AXIS 212 PTZ AND AXIS 216FD SERIES. MULTI-COUNTRY VERSION FOR US/JP AUS KOR E	
5500351	10M EXTENSION MULTI-CABLE BETWEEN AXIS 247S AND THE ANALOG CAMERA AND MICROPHONE. 6-PIN MINI-DIN TO RCA (VIDEO IN) RCA	
5500381	WITH AXIS 225FD PENDANT KIT IT IS POSSIBLE TO MOUNT THE AXIS 225FD NETWORK CAMERA ON AXIS T91A BRACKETS VT DOME MOUNTS	
5500441	4 PACK OF BNC TO RCA ADAPTORS. REPLACES 19403 AND 19404.	

ATTACHMENT "B"- PART 1

5500471	AXIS 233D MOUNTING BRACKET FOR VIDEO ALARM AND VIDEO TECHS OUTDOOR HOUSING THAT ARE DESIGNED FOR AXIS 231/232D	
5500501	SUPER WIDE ANGLE CONVERSION LENS FOR AXIS Q1755. CONVERTS AXIS Q1755PTZ LENS TO 2.55 -25.5MM.	
5500511	SUPER TELEPHOTO CONVERSION LENS FOR AXIS Q1755. 2.2X. CONVERTS AXIS Q1755 LENS TO 102MM. FOR USE IN FULL FOCAL LENGTH.	
5500591	DRY BAGS FOR AXIS 209FD-R 100 PCS	
5500601	CLEAR AND SMOKED PLASTIC DOME FOR AXIS 233D DOME CAMERAS	
5500671	SMOKED AND CLEAR DOME KIT FOR AXIS 215 PTZ AS SPARE PART	
5500681	DROP CEILING MOUNT KIT FOR AXIS 215 PTZ AS SPARE PART	
5500691	SCREW KIT FOR AXIS 215 PTZ AS SPARE PART	
5500721	POWER SUPPLY PS-P FOR AXIS 215 PTZ	
5500771	INTERCHANGEABLE BLACK CASING FOR AXIS 216FD/216MFD/P3301 WITH TRANSPARENT COVER. 10-PACK.	
5500791	VERTICAL TILT 37.7 DEGREE DOWNWARD	
5500821	INTERCHANGEABLE BLACK CASING FOR AXIS 216FD/216MFD/P3301 WITH TRANSPARENT COVER.	
5500871	CS MOUNT VARIFOCAL MEGAPIXEL LENS 2.4-6MM DC IRIS FOR 211M AND 223M. INCLUDES CS MOUNT RING FOR AXIS 223M.	
5500881	WITH AXIS 216FD PENDANT KIT IT IS POSSIBLE TO MOUNT AXIS 212PTZ 216FD AND P3301 NETWORK CAMERAS ON AXIS T91A BRACKETS V	
5500891	WITH AXIS 216FD PENDANT KIT IT IS POSSIBLE TO MOUNT AXIS 212PTZ 216FD AND P3301 NETWORK CAMERAS ON AXIS T91A BRACKETS V	
5500901	INDOOR P/S FOR AXIS 233D	
5500914	INDOOR POWER SUPPLY FOR AXIS 233D. INPUT 100-240VAC. OUTPUT 24VDC 1.5 A US ONLY. CAN ALSO BE USED FOR AXIS 231D+/232D+.	
5500921	POWER SUPPLY PS-T FOR AXIS P1311 AND AXIS Q7401 AS SPARE PART.	
5500931	POWER SUPPLY PS-T FOR AXIS P1311 AND AXIS Q7401 AS SPARE PART. 10 PACK	
5500941	CS MOUNT VARIFOCAL 5-50 MM DC-IRIS FOR 211 AND 221 IN 10-PACK	
5500951	ORGINAL LENS FOR AXIS 223M AS SPARE	
5500961	REPLACEABLE COVER FOR AXIS 209FD/209MFD 10 PCS	
5500971	REPLACEABLE COVER FOR AXIS 209FD/209MFD	

ATTACHMENT "B"- PART 1

5502001	WITH AXIS 225FD PENDANT KIT 15"NPT IT IS POSSIBLE TO MOUNT THE AXIS 225FD NETWORK CAMERA ON AXIS T91A BRACKETS AND ON 1	
5502011	WITH AXIS 216FD PENDANT KIT IT IS POSSIBLE TO MOUNT THE AXIS 216FD AND AXIS P3301 NETWORK CAMERAS IN THE SAME WAY AS OU	
5502021	WITH AXIS 216FD PENDANT KIT IT IS POSSIBLE TO MOUNT AXIS 212PTZ 216FD AND AXIS P3301 NETWORK CAMERAS ON AXIS T91A BRACK	
5502041	ALUMINUM SIDE WALL BRACKET AS SPARE	
5502051	10-PACK OF MALE RJ45 CONNECTOR	
5502061	VIBRATION RESIST CONNECTOR FOR 209	
5502091	VANDAL-RESISTANT CASING WITH CLEAR TRANSPARENT COVER AS A SPARE PART FOR AXIS 212PTZ-V.	
5502101	MEGAPIXEL LENS 2.8MM WITH M12 THREAD FOR AXIS 209FD / AXIS 209MFD / AXIS M3011. WITH IR FILTER. 10PCS	
5502111	MEGAPIXEL LENS 6MM LENS WITH M12 THREAD FOR AXIS 209FD / AXIS 209MFD / AXIS M3011. WITH IR FILTER 10PCS	
5502121	C MOUNT VARIFOCAL LENS 10-40MM DC IRIS DAY AND NIGHT CORRECTED FOR AXIS 221. INCLUDES C MOUNT RING FOR AXIS 221.	
5502131	RUGGED MALE D-CODED M12 CONNECTOR COMPATIBLE WITH 5502-141. FIELD INSTALLABLE WITH SCREW-IN CONTACTS. 10 PCS	
5502141	RUGGED FEMALE D-CODED M12 CONNECTOR COMPATIBLE WITH AXIS 209FD-R M12 /209MFD-R M12. FIELD INSTALLABLE WITH SCREW-IN CON	
5502151	MEGAPIXEL LENS 3.6MM WITH M12 THREAD FOR AXIS 209FD / AXIS 209MFD / AXIS M3011. WITH IR FILTER 10PCS	
5502161	MEGAPIXEL LENS 16MM WITH M12 THREAD FOR AXIS 209FD / AXIS 209MFD / AXIS M3011. WITH IR FILTER. 10PCS	
5502171	WHITE COVER WITH CLEAR BUBBLE FOR AXIS M30 SERIES AS SPARE PART. 10 PACK.	
5502181	BLACK COVER WITH CLEAR BUBBLE FOR AXIS M30 SERIES. 10 PACK	
5502191	SILVER COVER WITH CLEAR BUBBLE FOR AXIS M30 SERIES. 10 PACK	
5502201	GOLD COVER WITH CLEAR BUBBLE FOR AXIS M30 SERIES. 10 PACK	
5502221	CS MOUNT VARIFOCAL MEGAPIXEL LENS 5-50MM DC IRIS FOR 211M.	
5502261	POWER SUPPLY PS-P T-C FOR AXIS Q1755	
5502291	CORNER BRACKET FOR AXIS 215 PTZ-E.	

ATTACHMENT "B"- PART 1

5502301	POLE BRACKET FOR AXIS 215 PTZ-E.	
5502321	WITH AXIS P33-VE SERIES PENDANT KIT IT IS POSSIBLE TO MOUNT THE AXIS P3343-VE AND AXIS P3344-VE FIXED DOME NETWORK CAME	
5502331	AUDIO AND I/O EXTENSION CABLE FOR AXIS P33 SERIES. INCLUDES 4 PIN TERMINAL CONNECTOR 2.5MM FEMALE TO MALE 2 X STEREO PL	
5502341	MIXED COVERS WITH CLEAR BUBBLE FOR AXIS M30 SERIES. INCLUDES 3 BLACK 3 SILVER 3 GOLD AND 1 WHITE COVER.	
5502351	WITH AXIS P33 SERIES PENDANT KIT IT IS POSSIBLE TO MOUNT THE AXIS P3343 AXIS P3343-V AXIS P3344 AND AXIS P3343-V FIXED	
5502361	DROP CEILING MOUNT FOR AXIS P3343 AND AXIS P3344 INCLUDING CLEAR TRANSPARENT BUBBLE. FOR INDOOR USE	
5502371	DROP CEILING MOUNT FOR AXIS P3343 AND AXIS P3344 INCLUDING SMOKED TRANSPARENT BUBBLE. FOR INDOOR USE	
5502391	CLAMP TO MOUNT AXIS M10 SERIES. 10 PACK.	
5502401	MOUNTING PLATE FOR AXIS P3343 AXIS P3343-V AXIS P3344 AND AXIS P3344-V. USED WHEN MOUNTED ON A SINGLE OR DOUBLE GANG BO	
5502411	MEGAPIXEL LENS 8MM WITH M12 THREAD FOR AXIS 209FD / AXIS 209MFD / AXIS M3011. WITH IR FILTER. 10PCS	
5502431	WITH AXIS Q6032-E PENDANT KIT IT IS POSSIBLE TO MOUNT THE AXIS Q6032-E PTZ DOME NETWORK CAMERA ON STANDARD "15" NPT TH	
5502441	ADAPTER TO CONVERT M30 TO1.5" THREAD. USED TO CONVERT VT DOME MOUNTS TO 1.5" NPT THREAD. BLACK COLOR.	
5502451	CS MOUNT FIXEDFOCAL LENS 1.7 MM DC-IRIS FOR 211M AND 223M. INCLUDES CS MOUNT RING FOR AXIS 223M. WIDEANGLE LENS WITHOUT	
5502481	REPLACEABLE BLACK COVER FOR AXIS 209FD/209MFD. 10 PCS	
5700001	ORIGINAL LENS FOR AXIS 211M AS SPARE PART	
5700091	ELECTRONIC BOARDS FOR REPLACEMENT IN AXIS T95A10 24 VAC. INCLUDES 3 BOARDS.	
5700111	REPLACEMENT KIT WITH 3 HEATERS AND FANS FOR AXIS T95A10	
5700121	REPLACEMENT CLEAR BUBBLE FOR AXIS T95A. INCLUDES ALUMINUM RING RUBBER GASKET AND SCREWS.	
5700131	REPLACEMENT SMOKED BUBBLE FOR AXIS T95A. INCLUDES ALUMINUM RING RUBBER GASKET AND SCREWS.	
5700141	REPLACEMENT SUNSHIELD AND LID FOR AXIS T95A	
5700151	REPLACEMENT CABLE GLAND PLATE CABLE GLANDS AND SCREWS FOR AXIS T95A	
5700221	POWER SUPPLY PS-V FOR AXIS M10 SERIES. WHITE	
5700271	SPARE POWER SUPPLY FOR AXIS 215PTZ-E. NOT FOR JAPAN	

ATTACHMENT "B"- PART 1

	5700281	SPARE FAN AND HEATER RING FOR AXIS 215-PTZ-E. INCLUDES 2 FANS AND 2 HEATERS.	
	5700291	SPARE CLEAR DOME FOR AXIS 215-PTZ-E. INCLUDES MOUNTING RING CLEAR BUBBLE RUBBER GASKET AND 4 SCREWS.	
	5700301	SCREW KIT F?R AXIS P3343 P3343-V P3344 AND P3344-V AS SPARE PART. INCLUDES MOUNTING SCREWS PLUGS AND I/O CONNECTOR.	
	5700311	DOME KIT FOR AXIS P3343-V AND P3344-V AS SPARE PART. INCLUDES A CLEAR BUBBLE MOUNTED ON AN ALUMINIUM DOME COVER AND A S	
	5700321	DOME KIT FOR AXIS P3343 AND P3344 AS SPARE PART. INCLUDES A CLEAR BUBBLE MOUNTED ON O PLASTIC DOME COVER AND A SEPARATE	
	5700341	DOME KIT FOR AXIS P3343-VE AND P3344-VE AS SPARE PART. INCLUDES A CLEAR BUBBLE MOUNTED ON AN ALUMINIUM DOME COVER AND A	
	5700351	SCREW KIT FOR AXIS P3343-VE AND P3344-VE AS SPARE PART. INCLUDES MOUNTING SCREWS PLUGS AND I/O CONNECTOR.	
	5700361	SPARE POWER SUPPLY FOR AXIS 215PTZ-E. ALL REGIONS INCL. JAPAN.	
	5700371	SPARE RJ45 CONNECTOR PLUG FOR AXIS Q6032-E. IP 67 RATED.	
	5700401	SPARE AXIS T8124 HIGH POE MIDSPAN 60W AXIS Q6032-E.	
	5700471	COVERT CAMERA FOR AXIS M7001 AS SPARE PART.	
	5700481	PLASTIC STAND FOR AXIS M10 SERIES AS SPARE PART. 7CM. WHITE.	
	5700491	DOME KIT FOR AXIS Q6032-E AS SPARE PART. INCLUDES A CLEAR BUBBLE MOUNTED ON DOME RING AND A SEPARATE SMOKED BUBBLE.	
	ALTRONIX		
ALTRONIX	AL624	Linear Power Supply/Charger - 6VDC or 12VDC @ 1.2 amp or 24VDC @ 750mA.	
	DPS1	DIN Rail Mount Linear Power Supply/Charger - 6VDC or 12VDC @ 1.2 amp or 24VDC @ 750mA, Includes snap track & mounting clips (order DIN Rail separately).	
	AL62412C	Linear Power Supply/Charger - 12VDC @ 1.2 amp, 12VDC/4AH battery & 16.5VAC/20VA plug-in xfmr.	
	AL62412CX	Linear Power Supply/Charger - 12VDC @ 1.2 amp, 12VDC/7AH battery & 16.5VAC/20VA plug-in xfmr.	
	AL62424C	Linear Power Supply/Charger - 24VDC @ 750mA, two 12VDC/4AH batteries & 24VAC/40VA plug-in xfmr.	
	PM212	Linear Power Supply/Charger - 12VDC @ 1 amp, AC & battery monitoring.	

ATTACHMENT "B"- PART 1

PM224	Linear Power Supply/Charger - 24VDC @ 750mA, AC & battery monitoring.	
LPS3	Linear Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, 5 amp on demand.	
LPS3AC	Linear Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, 5 amp on demand, AC monitoring.	
AL624E	Linear Power Supply/Charger - 6VDC or 12VDC @ 1.2 amp or 24VDC @ 750mA, encl. 8.5"H x 7.5"W x 3.5"D.	
AL624ET	Linear Power Supply/Charger - 6VDC or 12VDC @ 1.2 amp or 24VDC @ 750mA, 16VAC/20VA plug-in xfmr, encl. 8.5"H x 7.5"W x 3.5"D.	
LPS3C12X	Linear Power Supply/Charger - 12VDC @ 2.5 amp, 5 amp on demand, encl. 13.5"H x 13"W x 3.25"D. 115VAC input.	
LPS3C24X	Linear Power Supply/Charger - 24VDC @ 2.5 amp, 5 amp on demand, encl. 13.5"H x 13"W x 3.25"D. 115VAC input.	
LPS3WP12	Linear Power Supply/Charger - 12VDC @ 2.5 amp, 5 amp on demand, NEMA4/IP65 rated outdoor encl. 12"H x 8"W x 6"D, 115VAC input.	
LPS3WP24	Linear Power Supply/Charger - 24VDC @ 2.5 amp, 5 amp on demand, NEMA4/IP65 rated outdoor encl. 12"H x 8"W x 6"D, 115VAC input.	
LPS5C12X	Linear Power Supply/Charger - 12VDC @ 3.5 amp, 8 amp on demand, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
LPS5C24X	Linear Power Supply/Charger - 24VDC @ 3.5 amp, 8 amp on demand, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP3	Power Supply/Charger - 6VDC, 12VDC or 24VDC @ 2.5 amp.	
DPS3	DIN Rail Mount Power Supply/Charger - 6VDC, 12VDC or 24VDC rated @ 2.5 amp, Includes snap track & mounting clips (order DIN Rail separately).	
SMP312C	Power Supply/Charger - 12VDC @ 2.5 amp power supply, 12VDC/4AH battery & 16.5VAC/40VA plug-in xfmr.	
SMP312CX	Power Supply/Charger - 12VDC @ 2.5 amp power supply, 12VDC/7AH battery & 16.5VAC/40VA plug-in xfmr.	
SMP3PM	Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, AC & battery monitoring.	
SMP5	Power Supply/Charger - 6VDC, 12VDC or 24VDC @ 4 amp.	
DPS5	DIN Rail Mount Power Supply/Charger - 6VDC, 12VDC or 24VDC rated @ 4 amp, Includes snap track & mounting clips (order DIN Rail separately).	
SMP5PM	Power Supply/Charger - 12VDC or 24VDC @ 4 amp, AC & battery monitoring.	
SMP7	Power Supply/Charger - 12VDC or 24VDC @ 6 amp.	

ATTACHMENT "B"- PART 1

SMP7PM	Power Supply/Charger - 12VDC or 24VDC @ 6 amp, AC & battery monitoring.	
SMP10	Power Supply/Charger - 12VDC or 24VDC @ 10 amp.	
SMP10PM	Power Supply/Charger - 12VDC or 24VDC @ 10 amp, AC & battery monitoring.	
SMP3E	Power Supply/Charger - 6VDC, 12VDC or 24VDC @ 2.5 amp, encl. 8.5"H x 7.5"W x 3.5"D.	
SMP3CTX	Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP3PMCTX	Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP5CTX	Power Supply/Charger - 12VDC or 24VDC @ 4 amp, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP5PMCTX	Power Supply/Charger - 12VDC or 24VDC @ 4 amp, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP7CTX	Power Supply/Charger - 12VDC or 24VDC @ 6 amp, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP7PMCTX	Power Supply/Charger - 12VDC or 24VDC @ 6 amp, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP10C12X	Power Supply/Charger - 12VDC @ 10 amp, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP10C24X	Power Supply/Charger - 24VDC @ 10 amp, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	
SMP10PMC12X	Power Supply/Charger - 12VDC @ 10 amp, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP10PMC24X	Power Supply/Charger - 24VDC @ 10 amp, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	
OLS20	Power Supply/Charger - 12VDC @ 1 amp or 24VDC @ 500 mA, 115VAC input	
OLS75	Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, AC & battery monitoring, 115VAC input.	
OLS120	Power Supply/Charger - 12VDC or 24VDC @ 4 amp, AC & battery monitoring, 115/230VAC input.	
OLS180	Power Supply/Charger - 12VDC or 24VDC @ 6 amp, AC & battery monitoring, 115VAC input.	
OLS200	Power Supply/Charger - 12VDC @ 10 amp, AC & battery monitoring, 115VAC input.	
OLS250	Power Supply/Charger - 24VDC @ 10 amp, AC & battery monitoring, 115VAC input.	

ATTACHMENT "B"- PART 1

AL125ULB	Power Supply/Charger - 12VDC or 24VDC @ 1 amp, latching/non-latching fire alarm disconnect, (24VAC 40VA Plug-in xfmr required), UL Recognized.	
AL175ULB	Power Supply/Charger - 12VDC or 24VDC @ 1.75 amp, latching/non-latching fire alarm disconnect, (28VAC 56VA xfmr required), UL Recognized.	
AL176ULB	Power Supply/Charger - 12VDC or 24VDC @ 1.75 amp, AC fail & low battery monitoring, (28VAC 56VA xfmr required), UL Recognized.	
AL201ULB	Power Supply/Charger - 12VDC or 24VDC @ 1.75 amp, AC & battery monitoring, UL Recognized.	
AL300ULXB	Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, AC & battery monitoring, Class 2 power limited output, 115VAC input, UL Recognized.	
AL400ULB	Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, AC & battery monitoring, Class 2 power limited output, (28VAC 175VA xfmr required), UL Recognized.	
AL400ULXB	Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, AC & battery monitoring, Class 2 power limited output, 115VAC input, UL Recognized.	
AL600ULB	Power Supply/Charger - 12VDC or 24VDC @ 6 amp, AC & battery monitoring, non-power limited output, (Two 28VAC 100VA xfmr required), UL Recognized.	
AL600ULXB	Power Supply/Charger - 12VDC or 24VDC @ 6 amp, AC & battery monitoring, non-power limited output, 115VAC input, UL Recognized.	
AL1012ULXB	Power Supply/Charger - 12VDC @ 10 amp, AC & battery monitoring, non-power limited output, 115VAC input. UL Recognized.	
AL1024ULXB	Power Supply/Charger - 24VDC @ 10 Amp, AC & battery monitoring, non-power limited output, 115VAC input. UL Recognized.	
AL100UL	Power Supply/Charger - 12VDC @ 750mA, Class 2 power limited output, encl. 8.5"H x 7.5" W x 3.5"D, 16VAC 20VA Plug-in xfmr required, UL Listed (UL603).	
AL176UL	Power Supply/Charger - 12VDC or 24 VDC @ 1.75 amp, AC & battery monitoring, Class 2 power limited output, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input, cULus Listed (UL294).	
AL176ULX	Power Supply/Charger - 12VDC or 24 VDC @ 1.75 amp, AC & battery monitoring, Class 2 power limited output, encl. 13.5"H x 13"W x 3.25"D., 115VAC input, cULus Listed (UL294).	
AL201UL	Power Supply/Charger - 12VDC @ 1.75 amp, AC & battery monitoring, Class 2 power limited output, encl. 8.5"H x 7.5" W x 3.5"D, 115VAC input, UL Listed (UL294/UL603).	

ATTACHMENT "B"- PART 1

AL300ULX	Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, AC & battery monitoring, Class 2 power limited output, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed, CSFM & MEA Approved.	
AL300ULXR	Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, AC & battery monitoring, Class 2 power limited output, red encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed, CSFM & MEA Approved.	
AL300ULXD	Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, AC & battery monitoring, Class 2 power limited output, encl. 15.5"H x 12"W x 4.5"D, 115/230VAC input, UL Listed (UL294/UL603/UL1069/UL1481), CSFM & MEA Approved.	
AL400UL	Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, AC & battery monitoring, Class 2 power limited output, encl. 12.25"H x 7.5"W x 4.5"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed, CSFM & MEA Approved.	
AL400ULX	Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, AC & battery monitoring, Class 2 power limited output, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed, CSFM, MEA & FM Approved.	
AL400ULXR	Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, AC & battery monitoring, Class 2 power limited output, red encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed, CSFM, MEA & FM Approved.	
AL600ULX	Power Supply/Charger - 12VDC or 24VDC @ 6 amp, AC & battery monitoring, non-power limited output, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed, CSFM, MEA & FM Approved.	
AL600ULXR	Power Supply/Charger - 12VDC or 24VDC @ 6 amp, AC & battery monitoring, non-power limited output, red encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed, CSFM, MEA & FM Approved.	
AL600ULXD	Power Supply/Charger - 12VDC or 24VDC @ 6 amp, AC & battery monitoring, non-power limited output, encl. 15.5"H x 12"W x 4.5"D, 115/230VAC input, UL Listed (UL294/UL1481).	

AL1012ULX	Power Supply/Charger - 12VDC @ 10 amp, AC & battery monitoring, non-power limited output, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1024ULX	Power Supply/Charger - 24VDC @ 10 amp, AC & battery monitoring, non-power limited output, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed, CSFM, MEA & FM Approved.	
AL1024ULXR	Power Supply/Charger - 24VDC @ 10 amp, AC & battery monitoring, non-power limited output, red encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed, CSFM, MEA & FM Approved.	
Multi-Output Power Supply/Chargers with Enclosures (Fused)		
MODEL	DESCRIPTION	
AL300ULPD4	4 Output Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, fused Class 2 power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL300ULPD8	8 Output Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, fused Class 2 power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL300ULXPD16	16 Output Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, fused Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL400ULPD4	4 Output Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, fused Class 2 power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL400ULPD8	8 Output Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, fused Class 2 power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL400ULXPD16	16 Output Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, fused Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL600ULPD4	4 Output Power Supply/Charger - 12VDC or 24VDC @ 6 amp, fused non-power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	

ATTACHMENT "B"- PART 1

AL600ULPD8	8 Output Power Supply/Charger - 12VDC or 24VDC @ 6 amp, fused non-power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	
AL600ULXPD16	16 Output Power Supply/Charger - 12VDC or 24VDC @ 6 amp, fused non-power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	
AL1012ULXPD4	4 Output Power Supply/Charger - 12VDC @ 10 amp, fused non-power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1012ULXPD8	8 Output Power Supply/Charger - 12VDC @ 10 amp, fused non-power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1012ULXPD16	16 Output Power Supply/Charger - 12VDC @ 10 amp, fused non-power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1024ULXPD4	4 Output Power Supply/Charger - 24VDC @ 10 amp, fused non-power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	
AL1024ULXPD8	8 Output Power Supply/Charger - 24VDC @ 10 amp, fused non-power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	
AL1024ULXPD16	16 Output Power Supply/Charger - 24VDC @ 10 amp, fused non-power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	
SMP10PM12P4	4 Output Power Supply/Charger - 12VDC @ 10 amp, fused outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP10PM12P8	8 Output Power Supply/Charger - 12VDC @ 10 amp, fused outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP10PM12P16	16 Output Power Supply/Charger - 12VDC @ 10 amp, fused outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP10PM24P4	4 Output Power Supply/Charger - 24VDC @ 10 amp, fused outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	

ATTACHMENT "B"- PART 1

SMP10PM24P8	8 Output Power Supply/Charger - 24VDC @ 10 amp, fused outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	
SMP10PM24P16	16 Output Power Supply/Charger - 24VDC @ 10 amp, fused outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	
AL300ULPD4CB	4 Output Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL300ULPD8CB	8 Output Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL300ULXPD16CB	16 Output Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL400ULPD4CB	4 Output Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL400ULPD8CB	8 Output Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL400ULXPD16CB	16 Output Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed.	
AL600ULPD4CB	4 Output Power Supply/Charger - 12VDC or 24VDC @ 6 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	
AL600ULPD8CB	8 Output Power Supply/Charger - 12VDC or 24VDC @ 6 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	
AL600ULXPD16CB	16 Output Power Supply/Charger - 12VDC or 24VDC @ 6 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	
AL1012ULXPD4CB	4 Output Power Supply/Charger - 12VDC @ 10 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	

ATTACHMENT "B"- PART 1

AL1012ULXPD8CB	8 Output Power Supply/Charger - 12VDC @ 10 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1012ULXPD16CB	16 Output Power Supply/Charger - 12VDC @ 10 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1024ULXPD4CB	4 Output Power Supply/Charger - 24VDC @ 10 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	
AL1024ULXPD8CB	8 Output Power Supply/Charger - 24VDC @ 10 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	
AL1024ULXPD16CB	16 Output Power Supply/Charger - 24VDC @ 10 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed.	
SMP10PM12P4CB	4 Output Power Supply/Charger - 12VDC @ 10 amp, PTC outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP10PM12P8CB	8 Output Power Supply/Charger - 12VDC @ 10 amp, PTC outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP10PM12P16CB	16 Output Power Supply/Charger - 12VDC @ 10 amp, PTC outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
SMP10PM24P4CB	4 Output Power Supply/Charger - 24VDC @ 10 amp, PTC outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	
SMP10PM24P8CB	8 Output Power Supply/Charger - 24VDC @ 10 amp, PTC outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	
SMP10PM24P16CB	16 Output Power Supply/Charger - 24VDC @ 10 amp, PTC outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	

ATTACHMENT "B"- PART 1

AL125UL	2 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC or 24VDC @ 1 amp, Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL125ULX	2 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC or 24VDC @ 1 amp, Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D., 115VAC input, UL Listed (UL294), cUL Listed.	
AL125ULE	2 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC @ 1 amp or 24VDC @ .5 amp, Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL125ULP	2 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC @ 1 amp or 24VDC @ .5 amp, Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input (Includes TP2440 plug-in xfmr), UL Listed (UL294), cUL Listed.	
AL175UL	2 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC or 24VDC @ 1.75 amp, Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL175ULX	2 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC or 24VDC @ 1.75 amp, Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D., 115VAC input, UL Listed (UL294), cUL Listed.	
AL175ULX2	2 Class 2 power limited outputs, 12VDC or 24VDC @ 1.75 amp, fire alarm disconnect, Reset switch, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL300ULM	5 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC or 24VDC @ 2.5 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D., 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed, MEA & CSFM Approved.	
AL300ULMR	5 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC or 24VDC @ 2.5 amp, PTC Class 2 power limited outputs, red encl. 13.5"H x 13"W x 3.25"D., 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed, MEA & CSFM Approved.	
AL400ULM	5 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC @ 4 amp or 24VDC @ 3 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D., 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed, MEA & CSFM Approved.	
AL400ULMR	5 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC @ 4 amp or 24VDC @ 3 amp, PTC Class 2 power limited outputs, red encl. 13.5"H x 13"W x 3.25"D., 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed, MEA & CSFM Approved.	

ATTACHMENT "B"- PART 1

AL600ULM	5 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC or 24VDC @ 6 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D., 115VAC input, UL Listed (UL294/UL1481), cUL Listed, MEA & CSFM Approved.	
AL600ULMR	5 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC or 24VDC @ 6 amp, PTC Class 2 power limited outputs, red encl. 13.5"H x 13"W x 3.25"D., 115VAC input, UL Listed (UL294/UL1481), cUL Listed, MEA & CSFM Approved.	
AL1012ULM	5 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC @ 10 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D., 115VAC input, UL Listed (UL294), cUL Listed.	
AL1024ULM	5 Output Power Supply/Charger w/Fire Alarm Disconnect - 24VDC @ 10 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D., 115VAC input, UL Listed (UL294/UL1481), cUL Listed, CSFM & MEA Approved.	
AL1024ULMR	5 Output Power Supply/Charger w/Fire Alarm Disconnect - 24VDC @ 10 amp, PTC Class 2 power limited outputs, red encl. 13.5"H x 13"W x 3.25"D., 115VAC input, UL Listed (UL294/UL1481), cUL Listed, CSFM & MEA Approved.	
AL400UL3	Triple Voltage Power Supply/Charger - 5VDC & 12VDC @ 1.75 amp & 24VDC @ 1.5 amp, Class 2 power limited outputs, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed, CSFM & MEA Approved.	
AL400UL3X	Triple Voltage Power Supply/Charger - 5VDC & 12VDC @ 1.75 amp & 24VDC @ 1.5 amp, Class 2 power limited outputs, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481), cUL Listed, CSFM & MEA Approved..	
AL600UL3	Triple Voltage Power Supply/Charger - Class 2 power limited outputs 5VDC & 12VDC @ 1.75 amp & 24VDC @ 3 amp non power limited output, AC & battery monitoring, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed, CSFM & MEA Approved.	
AL600UL3X	Triple Voltage Power Supply/Charger - Class 2 power limited outputs 5VDC & 12VDC @ 1.75 amp & 24VDC @ 3 amp non power limited output, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294/UL1481), cUL Listed, CSFM & MEA Approved.	
AL400ULACM	Power Supply/Charger with Access power controller - 8 fused Class 2 power limited outputs provide 12VDC @ 4 amp or 24VDC @ 3 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed, CSFM & MEA Approved.	

ATTACHMENT "B"- PART 1

AL400ULACMJ	Power Supply/Charger with Access power controller - 8 fused Class 2 power limited outputs provide 12VDC @ 4 amp or 24VDC @ 3 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL600ULACM	Power Supply/Charger with Access power controller - 8 fused non-power limited outputs provide 12VDC or 24VDC @ 6 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed, CSFM & MEA Approved.	
AL600ULACMJ	Power Supply/Charger with Access power controller - 8 fused non-power limited outputs provide 12VDC or 24VDC @ 6 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1012ULACM	Power Supply/Charger with Access power controller - 8 fused non-power limited outputs provide 12VDC @ 10 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1012ULACMJ	Power Supply/Charger with Access power controller - 8 fused non-power limited outputs provide 12VDC @ 10 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1024ULACM	Power Supply/Charger with Access power controller - 8 fused non-power limited outputs provide 24VDC @ 10 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed, CSFM & MEA Approved.	
AL1024ULACMJ	Power Supply/Charger with Access power controller - 8 fused non-power limited outputs provide 24VDC @ 10 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed (UL294), cUL Listed.	

ATTACHMENT "B"- PART 1

AL400ULACMCB	Power Supply/Charger with Access power controller - 8 PTC Class 2 power limited outputs provide 12VDC @ 4 amp or 24VDC @ 3 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed, CSFM & MEA Approved.	
AL400ULACMCBJ	Power Supply/Charger with Access power controller - 8 PTC Class 2 power limited outputs provide 12VDC @ 4 amp or 24VDC @ 3 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL600ULACMCB	Power Supply/Charger with Access power controller - 8 PTC Class 2 power limited outputs provide 12VDC or 24VDC @ 6 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed, CSFM & MEA Approved.	
AL600ULACMCBJ	Power Supply/Charger with Access power controller - 8 PTC Class 2 power limited outputs provide 12VDC or 24VDC @ 6 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1012ULACMCB	Power Supply/Charger with Access power controller - 8 PTC Class 2 power limited outputs provide 12VDC @ 10 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1012ULACMCBJ	Power Supply/Charger with Access power controller - 8 PTC Class 2 power limited outputs provide 12VDC @ 10 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL1024ULACMCB	Power Supply/Charger with Access power controller - 8 PTC Class 2 power limited outputs provide 24VDC @ 10 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL294), cUL Listed, CSFM & MEA Approved.	

ATTACHMENT "B"- PART 1

AL1024ULACMCBJ	Power Supply/Charger with Access power controller - 8 PTC Class 2 power limited outputs provide 24VDC @ 10 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed (UL294), cUL Listed.	
AL168CB	8 Output Control Panel Power Supply - 16VAC @ 6 amp or 18VAC @ 5 amp, PTC outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
AL168175CB	8 Output Control Panel Power Supply - 16VAC @ 10 amp, PTC outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
AL168300CB	8 Output Control Panel Power Supply - 16VAC @ 18 amp or 18VAC @ 16 amp, PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
AL168300CBM	8 Output Control Panel Power Supply - 16VAC @ 18 amp or 18VAC @ 16 amp, PTC outputs, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input.	
AL168600CB	8 Output Control Panel Power Supply - 16VAC @ 36 amp or 18VAC @ 32 amp, PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
MAXIMAL3	Power Supply/Charger with Access power controllers - 16 fused non-power limited outputs, 16 outputs can be selected for 12VDC or 24VDC @ 5.5 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL5	Power Supply/Charger with Access power controllers - 16 fused non-power limited outputs, 16 outputs are 12VDC @ 9 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL7	Power Supply/Charger with Access power controllers - 16 fused non-power limited outputs, 16 outputs are 24VDC @ 9.4 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	

ATTACHMENT "B"- PART 1

MAXIMAL11	2 Power Supply/Chargers with Access power controllers - 16 fused Class 2 power limited outputs, each set of 8 outputs are selectable for 12VDC @ 3.5 amp or 24VDC @ 2.7 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL33	2 Power Supply/Chargers with Access power controllers - 16 fused non-power limited outputs, each set of 8 outputs are selectable for 12VDC @ 5.5 amp or 24VDC @ 5.7 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL55	2 Power Supply/Chargers with Access power controllers - 16 fused non-power limited outputs, each set of 8 outputs is 12VDC @ 9.5 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL77	2 Power Supply/Charger with Access power controllers - 16 fused non-power limited outputs, each set of 8 outputs is 24VDC @ 9.7 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL 294), cUL Listed, CSFM Approved.	
MAXIMAL75	2 Power Supply/Charger with Access power controllers - 16 fused non-power limited outputs, 8 outputs are 12VDC @ 9.5 amp and 8 outputs are 24VDC @ 9.7 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL3D	Power Supply/Charger with Access power controllers - 16 PTC Class 2 power limited outputs, 16 outputs can be selected for 12VDC or 24VDC @ 5.5 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	

ATTACHMENT "B"- PART 1

MAXIMAL5D	Power Supply/Charger with Access power controllers - 16 PTC Class 2 power limited outputs, 16 outputs are 12VDC @ 9 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL7D	Power Supply/Charger with Access power controllers - 16 PTC Class 2 power limited outputs, 16 outputs are 24VDC @ 9.4 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL11D	2 Power Supply/Charger with Access power controllers - 16 PTC Class 2 power limited outputs, each set of 8 outputs are selectable for 12VDC @ 3.5 amp or 24VDC @ 2.7 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL33D	2 Power Supply/Charger with Access power controllers - 16 PTC Class 2 power limited outputs, each set of 8 outputs are selectable for 12VDC @ 5.5 amp or 24VDC @ 5.7 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL55D	2 Power Supply/Charger with Access power controllers - 16 PTC power limited outputs, each set of 8 outputs is 12VDC @ 9.5 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL77D	2 Power Supply/Charger with Access power controllers - 16 PTC Class 2 power limited outputs, each set of 8 outputs is 24VDC @ 9.7 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	

ATTACHMENT "B"- PART 1

MAXIMAL75D	2 Power Supply/Charger with Access power controllers - 16 PTC Class 2 power limited outputs, 8 outputs are 12VDC @ 9.5 amp and 8 outputs are 24VDC @ 9.7 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D, 115VAC input, Accommodates up to 4 - 12VDC/12AH batteries, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL11E	2 Power Supply/Chargers - Each are selectable for 12VDC @ 4 amp or 24VDC @ 3 amp, Class 2 power limited outputs, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D accommodates a variety of Altronix modules for power distribution & control, Accommodates up to 4 - 12VDC/12AH batteries, 115VAC input, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL13E	2 Power Supply/Chargers - One is selectable for 12VDC @ 4 amp or 24VDC @ 3 amp Class 2 power limited output and One is selectable for 12VDC or 24VDC @ 6 amp non-power limited output, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D accommodates a variety of Altronix modules for power distribution & control, Accommodates up to 4 - 12VDC/12AH batteries, 115VAC input, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL33E	2 Power Supply/Chargers - Each are selectable for 12VDC or 24VDC @ 6 amp, non-power limited outputs, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D accommodates a variety of Altronix modules for power distribution & control, Accommodates up to 4 - 12VDC/12AH batteries, 115VAC input, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL35E	2 Power Supply/Chargers - One is selectable for 12VDC or 24VDC @ 6 amp and One is selectable for 12VDC @ 10 amp, non-power limited outputs, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D accommodates a variety of Altronix modules for power distribution & control, Accommodates up to 4 - 12VDC/12AH batteries, 115VAC input, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL37E	2 Power Supply/Chargers - One is selectable for 12VDC or 24VDC @ 6 amp and one is 24VDC @ 10 amp, non-power limited outputs, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D accommodates a variety of Altronix modules for power distribution & control, Accommodates up to 4 - 12VDC/12AH batteries, 115VAC input, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL55E	2 Power Supply/Chargers - Each are 12VDC @ 10 amp, non-power limited outputs, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D accommodates a variety of Altronix modules for power distribution & control, Accommodates up to 4 - 12VDC/12AH batteries, 115VAC input, UL Listed (UL294), cUL Listed, CSFM Approved.	

ATTACHMENT "B"- PART 1

MAXIMAL77E	2 Power Supply/Chargers - Each are 24VDC @ 10 amp, non-power limited outputs, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D accommodates a variety of Altronix modules for power distribution & control, Accommodates up to 4 - 12VDC/12AH batteries, 115VAC input, UL Listed (UL294), cUL Listed, CSFM Approved.	
MAXIMAL75E	2 Power Supply/Chargers - One is 12VDC @ 10 amp and one is 24VDC @ 10 amp, non-power limited outputs, AC & battery monitoring, encl. 26"H x 19"W x 6.25"D accommodates a variety of Altronix modules for power distribution & control, Accommodates up to 4 - 12VDC/12AH batteries, 115VAC input, UL Listed (UL294), cUL Listed.	
Rack Mount Multi-Output Power Supply/Charger (PTCs)		
MODEL	DESCRIPTION	
R1224DC16CB	16 Output Power Supply/Charger - 12VDC or 24VDC @ 4.5 amp per bank of 4 outputs, 18 amp total supply current, PTC Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL1012), cUL Listed.	
MAXIMAL1RH	Power Supply/Charger with Access power controllers - 8 fused outputs are selectable for 12VDC @ 4 amp or 24VDC @ 3 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, 2U EIA 19" Rack Mount Chassis, 115VAC input.	
MAXIMAL1R	Power Supply/Charger with Access power controllers - 16 fused outputs are selectable for 12VDC @ 4 amp or 24VDC @ 3 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, 2U EIA 19" Rack Mount Chassis, 115VAC input.	
MAXIMAL3RH	Power Supply/Charger with Access power controllers - 8 fused outputs are selectable for 12VDC or 24VDC @ 6 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, 2U EIA 19" Rack Mount Chassis, 115VAC input.	
MAXIMAL3R	Power Supply/Charger with Access power controllers - 16 fused outputs are selectable for 12VDC or 24VDC @ 6 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, 2U EIA 19" Rack Mount Chassis, 115VAC input.	

ATTACHMENT "B"- PART 1

MAXIMAL33R	2 Power Supply/Chargers with Access power controllers - 16 fused outputs, each set of 8 outputs are selectable for 12VDC or 24VDC @ 6 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation or as dry form "C" contacts, fire alarm disconnect is selectable by output, AC & battery monitoring, 2U EIA 19" Rack Mount Chassis, 115VAC input.	
MAXIMAL1RHD	Power Supply/Charger with Access power controllers - 8 PTC outputs are selectable for 12VDC @ 4 amp or 24VDC @ 3 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, 2U EIA 19" Rack Mount Chassis, 115VAC input.	
MAXIMAL1RD	Power Supply/Charger with Access power controllers - 16 PTC outputs are selectable for 12VDC @ 4 amp or 24VDC @ 3 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, 2U EIA 19" Rack Mount Chassis, 115VAC input.	
MAXIMAL3RHD	Power Supply/Charger with Access power controllers - 8 PTC outputs are selectable for 12VDC or 24VDC @ 6 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, 2U EIA 19" Rack Mount Chassis, 115VAC input.	
MAXIMAL3RD	Power Supply/Charger with Access power controllers - 16 PTC outputs are selectable for 12VDC or 24VDC @ 6 amp, outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, 2U EIA 19" Rack Mount Chassis, 115VAC input.	
MAXIMAL33RD	2 Power Supply/Chargers with Access power controllers - 16 PTC outputs, each set of 8 outputs are selectable for 12VDC or 24VDC @ 6 amp (12 amp max.), outputs are individually selectable for Fail-Safe or Fail-Secure operation, fire alarm disconnect is selectable by output, AC & battery monitoring, 2U EIA 19" Rack Mount Chassis, 115VAC input.	
StrikeIt1	Dual Panic Device Power Controller - Independently or simultaneously controlled lock outputs for two 24VDC panic hardware devices with high inrush current requirements. Programmable 1 to 30 sec. timed lock release, Two follower relay outputs, Two delayed momentary relay outputs, One 12VDC & One 24VDC aux. power outputs rated @ 1 amp each, Fire Alarm disconnect, built-in battery charger, encl: 13.5"H x 13"W x 3.25"D, Accommodates up to 2 - 12VDC/7AH batteries, 115VAC input, UL Listed (UL294), cUL Listed. MEA & CSFM Approved.	

ATTACHMENT "B"- PART 1

StrikeIt2	Panic Device Power Controller - Controlled lock output for 24VDC panic hardware device with high inrush current requirements or a mag lock/electric strike, One 24VDC aux. power output rated @ 0.5 amp, built-in battery charger, encl. 8.5"H x 7.5"W x 3.5"D, Accommodates up to 2 - 12VDC/4AH batteries, 115VAC input. UL Listed (UL294), cUL Listed.	
VertiLine3D	8 Output Rack Mount Power Supply - 12VDC @ 8 amp, PTC outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input	
VertiLine6D	8 Output Rack Mount Power Supply - 24VDC @ 8 amp, PTC outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input	
VertiLine33D	16 Output Rack Mount Power Supply - 12VDC @ 8 amp, PTC outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input	
VertiLine33TD	16 Output Rack Mount Power Supply - 12VDC @ 16 amp, PTC outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input	
VertiLine63D	16 Output Rack Mount Power Supply - 24VDC @ 8 amp, PTC outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input	
VertiLine63TD	16 Output Rack Mount Power Supply - 24VDC @ 16 amp, PTC outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input	
AL602ULADA	NAC Power Extender - 24VDC @ 6.5 amp, 2 - Class A or 4 - Class B NAC circuits, operates 2-wire Horn/Strobes, generates System Sensor, Gentex, Faraday & Amseco sync protocols, 1 amp aux. output, red encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed Fire (UL864/UL1481), MEA, CSFM & FM Approved.	
AL602ULADAJ	NAC Power Extender - 24VDC @ 6.5 amp, 2 - Class A or 4 - Class B NAC circuits, operates 2-wire Horn/Strobes, generates System Sensor, Gentex, Faraday & Amseco sync protocols, 1 amp aux. output, red encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed Fire (UL864/UL1481), MEA, CSFM Approved.	
AL642ULADA	NAC Power Extender - 24VDC @ 6.5 amp. 4 - Class A or 4 - Class B NAC circuits, operates 2-wire Horn/Strobes, generates System Sensor, Gentex, Faraday & Amseco sync protocols, two - 1 amp aux. outputs, red encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed Fire (UL864/UL1481) MEA, CSFM & FM Approved.	
AL802ULADA	NAC Power Extender - 24VDC @ 8 amp. 2 - Class A or 4 - Class B NAC circuits, operates 2-wire Horn/Strobes, generates System Sensor, Gentex, Faraday & Amseco sync protocols, 1 amp aux. output, red encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed Fire (UL864/UL1481), MEA, CSFM & FM Approved.	
AL802ULADAJ	NAC Power Extender - 24VDC @ 8 amp. 2 - Class A or 4 - Class B NAC circuits, operates 2-wire Horn/Strobes, generates System Sensor, Gentex, Faraday & Amseco sync protocols, 1 amp aux. output, red encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed Fire (UL864/UL1481), MEA, CSFM Approved.	

ATTACHMENT "B"- PART 1

AL842ULADA	NAC Power Extender - 24VDC @ 8 amp. 4 - Class A or 4 - Class B NAC circuits, operates 2-wire Horn/Strobes. Generates System Sensor, Gentex, Faraday & Amseco sync protocols, two - 1 amp aux. output, red encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed Fire (UL864/UL1481) MEA, CSFM & FM Approved.	
AL1002ULADA	NAC Power Extender - 24VDC @ 10 amp. 2 - Class A or 4 - Class B NAC circuits, operates 2-wire Horn/Strobes, generates Cooper/Wheelock, System Sensor, Gentex, Faraday & Amseco sync protocols, 1 amp aux. output, red encl. 15.5"H x 12"W x 4.5"D, 115VAC input, UL Listed (UL864), MEA, CSFM & FM Approved.	
AL1002ULADAJ	NAC Power Extender - 24VDC @ 10 amp. 2 - Class A or 4 - Class B NAC circuits, operates 2-wire Horn/Strobes, generates Cooper/Wheelock, System Sensor, Gentex, Faraday & Amseco sync protocols, two - 1 amp aux. output, red encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed (UL864), MEA, CSFM Approved.	
AL1042ULADA	NAC Power Extender - 24VDC @ 10 amp. 4 - Class A or 4 - Class B NAC circuits, operates 2-wire Horn/Strobes, generates Cooper/Wheelock, System Sensor, Gentex, Faraday & Amseco sync protocols, two - 1 amp aux. outputs, red encl. 18"H x 14.5"W x 4.625"D, 115VAC input, UL Listed (UL864) MEA, CSFM & FM Approved.	
NetWay1	Single Port Midspan PoE Injector - One PoE compliant port rated @ 15.4W IEEE 802.3af, PoE shutdown feature, compact insulated housing, UL/cUL Listed (UL60950-1).	
NetWay8	8 Port Midspan - PoE compliant ports rated @ 15.4W max. per IEEE 802.3af, 2 of these ports are selectable to accommodate IP PTZ cameras, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL/cUL Listed (UL60950-1).	
NetWay16	16 Port Midspan - PoE compliant ports rated @ 15.4W max. per IEEE 802.3af, 4 of these ports are selectable to accommodate IP PTZ cameras, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL/cUL Listed (UL60950-1).	
NetWay8M	8 Port Managed Midspan - each port provides PoE per IEEE 802.3af or PoE Plus per IEEE 802.3at. Total power 150W, PoE shutdown selectable by port, Ethernet port facilitates programming and status monitoring via laptop or LAN, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL/cUL Listed (UL60950-1).	
NetWay16M	16 Port Managed Midspan - each port provides PoE per IEEE 802.3af or PoE Plus per IEEE 802.3at. Total power 300W, PoE shutdown selectable by port, Ethernet port facilitates programming and status monitoring via laptop or LAN, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL/cUL Listed (UL60950-1).	
NetWay1512	12VDC/13W NetWay midspan adapter for IP cameras and devices, UL/cUL Listed (UL60950-1).	

ATTACHMENT "B"- PART 1

NetWay3012	12VDC/30W NetWay midspan adapter for IP cameras and devices, UL/cUL Listed (UL60950-1).	
NetWayXT	Repeater extends ethernet and PoE an additional 100m (328 ft.), UL/cUL Listed (UL60950-1).	
HubWay8CDS	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed.	
HubWay82CDS	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWay83CDS	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWay8CD	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed.	
HubWay82CD	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWay83CD	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWay8DS	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044).	

ATTACHMENT "B"- PART 1

HubWay82DS	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), includes 8 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWay83DS	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), includes 8 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWay8D	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044).	
HubWay82D	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), includes 8 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWay83D	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), includes 8 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWay8Di	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 8 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed.	
HubWay82Di	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 8 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	

ATTACHMENT "B"- PART 1

HubWay83Di	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 8 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWay16CD	16 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed.	
HubWay162CD	16 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 16 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWay163CD	16 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 16 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWay16D	16 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044).	
HubWay162D	16 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), includes 16 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWay163D	16 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), includes 16 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWay16Di	16 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 16 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed.	

ATTACHMENT "B"- PART 1

HubWay162Di	16 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 16 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed, includes 16 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWay163Di	16 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 16 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed, includes 16 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWayH16	16 Channel Passive UTP Transceiver Hub, allows Video, remote power and PTZ control to be transmitted over a single CAT-5e/6 cable, individual channels are selectable for video/PTZ control/power or video and power only, 1U EIA 19" Rack Mount Chassis	
HubWayEX16	Active UTP Transceiver Hub. Allows video transmission of up to 16 cameras over four (4) Cat 5 cables. Video up to one mile. Automatic Picture and Gain control. 1U EIA 19" Rack Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed.	
HubWayEX32	Active UTP Transceiver Hub. Allows video transmission of up to 32 cameras over eight (8) Cat 5 cables. Video up to one mile. Automatic Picture and Gain control. 1U EIA 19" Rack Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed.	
HubWayEX16S	16 Port Active UTP Transceiver Hub. Video/Data up to one mile. Automatic Picture and Gain control. 1U EIA 19" Rack Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed.	
HubWayEX16SP	16 Port Active UTP Transceiver Hub w/Isolated Integral camera power. Individually selectable for 24VAC or 28VAC at 1 amp per port. Video/Data up to one mile. Automatic Picture and Gain control. 1U EIA 19" Rack Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed.	
HubWayEX1	Single Port Active UTP Transceiver Module. Video/Data up to one mile. Automatic Picture and Gain control. High Impact Insulated Housing. 6VAC-24VAC or 12VDC-24VDC input, UL Listed (UL2044), cUL Listed.	
HubWayEXP	UTP Power Injector, 16 Isolated Power Ports. Individually selectable for 24VAC or 28VAC at 1 amp per port with pass-through video and data. 1U EIA 19" Rack Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed.	

ATTACHMENT "B"- PART 1

HubWayLD8CDS	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed.	
HubWayLD82CDS	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWayLD83CDS	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWayLD8CD	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed.	
HubWayLD82CD	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWayLD83CD	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWayLD8DS	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044).	
HubWayLD82DS	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), includes 8 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	

ATTACHMENT "B"- PART 1

HubWayLD83DS	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), includes 8 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWayLD8D	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044).	
HubWayLD82D	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, includes 8 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWayLD83D	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, includes 8 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWayLD8Di	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 8 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed.	
HubWayLD82Di	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 8 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWayLD83Di	8 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 8 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWayLD16CD	16 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed.	

ATTACHMENT "B"- PART 1

HubWayLD162CD	16 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 16 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWayLD163CD	16 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 16 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWayLD16D	16 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044).	
HubWayLD162D	16 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), includes 16 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWayLD163D	16 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), includes 16 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWayLD16Di	16 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 16 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed.	
HubWayLD162Di	16 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 16 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, includes 16 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubWayLD163Di	16 Channel Active UTP Transceiver Hub with Integral Camera Power, Video/Data up to 3000 ft., 16 amp total current, individually selectable 24VAC or 28VAC isolated PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, includes 16 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	

ATTACHMENT "B"- PART 1

HubWayLDH8	8 Channel Active UTP Transceiver Hub, Video/Data up to 3000 ft., 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed.	
HubWayLDH16	16 Channel Active UTP Transceiver Hub, Video/Data up to 3000 ft., 1U EIA 19" Rack Mount Chassis, 115/230VAC Input, UL Listed (UL2044), cUL Listed.	
HubSat4D	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC Input, UL Listed (UL2044), cUL Listed.	
HubSat42D	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 4 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubSat43D	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 4 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubSat8D	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 8 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC Input, UL Listed (UL2044), cUL Listed.	
HubSat82D	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 8 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubSat83D	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 8 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 8 UL Listed Accessory HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubSat4Di	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC isolated PTC outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC Input.	

ATTACHMENT "B"- PART 1

HubSat42Di	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC isolated PTC outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC Input, includes 4 HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubSat43Di	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC isolated PTC outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC Input, UL Listed (UL2044), cUL Listed, includes 4 HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubSat8Di	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 8 amp total current, individually selectable 24VAC or 28VAC isolated PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC Input.	
HubSat82Di	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 8 amp total current, individually selectable 24VAC or 28VAC isolated PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC Input, includes 8 HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubSat83Di	8 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 8 amp total current, individually selectable 24VAC or 28VAC isolated PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC Input, includes 8 HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubSat4WP	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC PTC outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC Input.	
HubSat42WP	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC Input, includes 4 HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubSat43WP	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC PTC outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC Input, includes 4 HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubSat4WPI	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC isolated PTC outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC Input.	

ATTACHMENT "B"- PART 1

HubSat42WPI	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC isolated PTC outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC Input, includes 4 HubWayAv Video Balun/Combiners for 24VAC cameras.	
HubSat43WPI	4 Channel Passive UTP Transceiver Hub with Integral Camera Power, Video/Data up to 750 ft., 4 amp total current, individually selectable 24VAC or 28VAC isolated PTC outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC Input, includes 4 HubWayDv Video Balun/Combiners for 12VDC cameras.	
HubWayAv	Video Balun/Combiner for 24VAC Cameras, UL Listed Accessory.	
HubWayAvPK	8 pack of Video Balun/Combiners for 24VAC Cameras, UL Listed Accessory.	
HubWayDv	Video Balun/Combiner for 12VDC Cameras, UL Listed Accessory.	
HubWayDvPK	8 pack of Video Balun/Combiner for 12VDC Cameras, UL Listed Accessory.	
HubWayDvi	Video Balun/Combiner for non-isolated 12VDC Cameras, UL Listed Accessory.	
HubWayAv2	Slim-line Video Balun/Combiner allows video/power and PTZ control to be transmitted over a single CAT-5e/6 cable, interfaces with any HubWay UTP Transceiver Hub	
HubWayAv2PK	8 pack of HubWayAv2 slim-line Video Balun/Combiners	
HubWayAP	Slim-line Video Balun/Combiner allows video/power to be transmitted over a single CAT-5e/6 cable	
HubWayAPPK	8 pack of HubWayAP slim-line Video Balun/Combiners	
ReServ1	Video Surveillance UPS - twelve 24VAC true sine wave outputs rated @ 4 amp and four 12VDC regulated outputs rated @ 2 amp, encl. 13.5"H x 13"W x 3.25"D, Accommodates up to 2 - 12VDC/7AH batteries, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ReServ2	Video Surveillance UPS - sixteen 24VAC true sine wave outputs rated @ 4 amp, encl. 13.5"H x 13"W x 3.25"D, Accommodates up to 2 - 12VDC/7AH batteries, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ReServ3	Video Surveillance UPS - sixteen 12VDC regulated outputs rated @ 8 amp, encl. 13.5"H x 13"W x 3.25"D, Accommodates up to 2 - 12VDC/7AH batteries, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ReServ1WP	Outdoor Video Surveillance UPS - twelve 24VAC true sine wave outputs rated @ 4 amp and four 12VDC regulated outputs rated @ 2 amp, NEMA 4/IP66 outdoor encl. 17.5"H x 12"W x 6.625"D, Accommodates up to 2 - 12VDC/12AH batteries, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	

ATTACHMENT "B"- PART 1

ReServ2WP	Outdoor Video Surveillance UPS - sixteen 24VAC true sine wave outputs rated @ 4 amp, NEMA 4/IP66 outdoor encl. 17.5"H x 12"W x 6.625"D, Accommodates up to 2 - 12VDC/12AH batteries, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ReServ3WP	Outdoor Video Surveillance UPS - sixteen 12VDC regulated outputs rated @ 8 amp, NEMA 4/IP66 outdoor encl. 17.5"H x 12"W x 6.625"D, Accommodates up to 2 - 12VDC/12AH batteries, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV244	4 Output CCTV Power Supply - 24VAC @ 4 amp or 28VAC @ 3.5 amp, fused outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
ALTV244UL	4 Output CCTV Power Supply - 24VAC @ 3.5 amp or 28VAC @ 3 amp, fused outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV244175	4 Output CCTV Power Supply - 24VAC @ 7.25 amp or 28VAC @ 6.25 amp, fused outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
ALTV244175UL	4 Output CCTV Power Supply - 24VAC @ 7 amp or 28VAC @ 6.25 amp, fused outputs, encl. 12.25"H x 7.75"W x 4.5"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV244300	4 Output CCTV Power Supply - 24VAC @ 14 amp or 28VAC @ 12.5 amp, fused outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
ALTV248	8 Output CCTV Power Supply - 24VAC @ 4 amp or 28VAC @ 3.5 amp, fused outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
ALTV248UL	8 Output CCTV Power Supply - 24VAC @ 3.5 amp or 28VAC @ 3 amp, fused outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV248175UL	8 Output CCTV Power Supply - 24VAC @ 7 amp or 28VAC @ 6.25 amp, fused outputs, encl. 12.25"H x 7.75"W x 4.5"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV248300	8 Output CCTV Power Supply - 24VAC @ 14 amp or 28VAC @ 12.5 amp, fused outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
ALTV248300UL	8 Output CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	

ATTACHMENT "B"- PART 1

ALTV248300ULM	8 Output CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, fused outputs, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV248600	8 Output CCTV Power Supply - 24VAC @ 28 amp or 28VAC @ 25 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV248600UL	8 Output CCTV Power Supply - 24VAC @ 25 amp or 28VAC @ 20 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV2416	16 Output CCTV Power Supply - 24VAC @ 8 amp or 28VAC @ 7 amp, fused outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
ALTV2416ULX	16 Output CCTV Power Supply - 24VAC @ 7 amp or 28VAC @ 6.25 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV2416350	16 Output CCTV Power Supply - 24VAC @ 14 amp or 28VAC @ 12.5 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV2416300UL	16 Output CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV2416300ULM	16 Output CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, fused outputs, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV2416600	16 Output CCTV Power Supply - 24VAC @ 28 amp or 28VAC @ 25 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV2416600UL	16 Output CCTV Power Supply - 24VAC @ 25 amp or 28VAC @ 20 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV2432350	32 Output CCTV Power Supply - 24VAC @ 14 amp or 28VAC @ 12.5 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV2432300UL	32 Output CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	

ATTACHMENT "B"- PART 1

ALTV2432600	32 Output CCTV Power Supply - 24VAC @ 28 amp or 28VAC @ 25 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV2432600UL	32 Output CCTV Power Supply - 24VAC @ 25 amp or 28VAC @ 20 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV244CB	4 Output CCTV Power Supply - 24VAC @ 4 amp or 28VAC @ 3.5 amp, PTC outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
ALTV244ULCB	4 Output CCTV Power Supply - 24VAC @ 3.5 amp or 28VAC @ 3 amp, PTC Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV244175CB	4 Output CCTV Power Supply - 24VAC @ 7.25 amp or 28VAC @ 6.25 amp, PTC outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
ALTV244175ULCB	4 Output CCTV Power Supply - 24VAC @ 7 amp or 28VAC @ 6.25 amp, PTC Class 2 power limited outputs, encl. 12.25"H x 7.75"W x 4.5"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV244300CB	4 Output CCTV Power Supply - 24VAC @ 14 amp or 28VAC @ 12.5 amp, PTC outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
ALTV248CB	8 Output CCTV Power Supply - 24VAC @ 4 amp or 28VAC @ 3.5 amp, PTC outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
ALTV248ULCB	8 Output CCTV Power Supply - 24VAC @ 3.5 amp or 28VAC @ 3 amp, PTC Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV248175ULCB	8 Output CCTV Power Supply - 24VAC @ 7 amp or 28VAC @ 6.25 amp, PTC Class 2 power limited outputs, encl. 12.25"H x 7.75"W x 4.5"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV248300CB	8 Output CCTV Power Supply - 24VAC @ 14 amp or 28VAC @ 12.5 amp, PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV248300ULCB	8 Output CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV248300ULCBM	8 Output CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, PTC Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV248600CB	8 Output CCTV Power Supply - 24VAC @ 28 amp or 28VAC @ 25 amp, PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	

ATTACHMENT "B"- PART 1

ALTV248600ULCB	8 Output CCTV Power Supply - 24VAC @ 25 amp or 28VAC @ 20 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV2416CB	16 Output CCTV Power Supply - 24VAC @ 8 amp or 28VAC @ 7 amp, PTC outputs, encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
ALTV2416ULCBX	16 Output CCTV Power Supply - 24VAC @ 7 amp or 28VAC @ 6 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV2416350CB	16 Output CCTV Power Supply - 24VAC @ 14 amp or 28VAC @ 12.5 amp, PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV2416300ULCB	16 Output CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV2416300UCBM	16 Output CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, PTC Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV2416600CB	16 Output CCTV Power Supply - 24VAC @ 28 amp or 28VAC @ 25 amp, PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV2416600ULCB	16 Output CCTV Power Supply - 24VAC @ 25 amp or 28VAC @ 20 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV2432350CB	32 Output CCTV Power Supply - 24VAC @ 14 amp or 28VAC @ 12.5 amp, PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV2432300ULCB	32 Output CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV2432600CB	32 Output CCTV Power Supply - 24VAC @ 28 amp or 28VAC @ 25 amp, PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV2432600ULCB	32 Output CCTV Power Supply - 24VAC @ 25 amp or 28VAC @ 20 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV1224DC	8 Output CCTV Power Supply - 12VDC or 24VDC @ 4 amp, fused outputs, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	
ALTV1224DC1	16 Output CCTV Power Supply - 12VDC or 24VDC @ 4 amp, fused outputs, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	

ATTACHMENT "B"- PART 1

ALTV1224DC2	16 Output CCTV Power Supply - 12VDC or 24VDC @ 6 amp, fused outputs, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	
ALTV615DC1016	16 Output CCTV Power Supply - 6-15VDC @ 10 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV615DC1016CB	16 Output CCTV Power Supply - 6-15VDC @ 10 amp, PTC outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV1224C4	4 Output CCTV Power Supply - two 24VAC @ 4 amp plus two 12VDC @ 4 amp, fused outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input.	
ALTV1224C	16 Output CCTV Power Supply - eight 24VAC @ 3.5 amp plus eight 12VDC @ 3.5 amp, fused outputs, encl. 15.5"H x 12"W x 4.5"D, 115VAC input.	
ALTV248ULHI	8 Output Isolated CCTV Power Supply - 24VAC @ 12.5 amp, isolated fused Class 2 power limited outputs rated @ 1.56 amp each, encl. 12.25"H x 7.75"W x 4.5"D, 115VAC input, UL Listed (UL2044), cUL Listed.	
ALTV248ULMI	8 Output Isolated CCTV Power Supply - 24VAC @ 12.5 amp, isolated fused Class 2 power limited outputs rated @ 1.56 amp each, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input, UL Listed (UL2044), cUL Listed.	
ALTV2416ULI	16 Output Isolated CCTV Power Supply - 24VAC @ 25 amp, isolated fused Class 2 power limited outputs rated @ 1.56 amp each, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed.	
ALTV248ULCBHI	8 Output Isolated CCTV Power Supply - 24VAC @ 12.5 amp, isolated PTC Class 2 power limited outputs rated @ 1.56 amp each, encl. 12.25"H x 7.75"W x 4.5"D, 115VAC input, UL Listed (UL2044), cUL Listed.	
ALTV248ULCBMI	8 Output Isolated CCTV Power Supply - 24VAC @ 12.5 amp, isolated PTC Class 2 power limited outputs rated @ 1.56 amp each, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input, UL Listed (UL2044), cUL Listed.	
ALTV2416ULCBI	16 Output Isolated CCTV Power Supply - 24VAC @ 25 amp, isolated PTC Class 2 power limited outputs rated @ 1.56 amp each, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed.	
ALTV615DC4UL	4 Output CCTV Power Supply - 6-12VDC @ 2.5 amp or 12-15VDC @ 2 amp, fused Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.5"D, 24VAC 40VA or 24VAC 50VA input (Altronix Model# TP2440 or TP2450), UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV615DC44ULM	4 Output CCTV Power Supply - 6-15VDC @ 4 amp, fused Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV615DC8UL	8 Output CCTV Power Supply - 6-15VDC @ 4 amp, fused Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	

ATTACHMENT "B"- PART 1

ALTV615DC48ULM	8 Output CCTV Power Supply - 6-15VDC @ 4 amp, fused Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV615DC416UL	16 Output CCTV Power Supply - 6-15VDC @ 4 amp, fuse protected Class 2 Rated power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV615DC616UL	16 Output CCTV Power Supply - 6-15VDC @ 6 amp, fuse protected non power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV615DC44UCBM	4 Output CCTV Power Supply - 6-15VDC @ 4 amp, PTC Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV615DC8ULCB	8 Output CCTV Power Supply - 6-15VDC @ 4 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV615DC48UCBM	8 Output CCTV Power Supply - 6-15VDC @ 4 amp, PTC Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV615DC416UCB	16 Output CCTV Power Supply - 6-15VDC @ 4 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV615DC416UBM	16 Output CCTV Power Supply - 6-15VDC @ 4 amp, PTC Class 2 power limited outputs, encl. 8.5"H x 7.5"W x 3.75"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
ALTV615DC616UCB	16 Output CCTV Power Supply - 6-15VDC @ 6 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
SAV4D	4 Output CCTV Power Supply - 12VDC @ 5 amp, PTC outputs, field installable grounded line cord, encl. 8.5"H x 7.5"W x 3.75"D, 115/230VAC input. UL Listed (UL2044), cUL Listed.	
SAV9D	9 Output CCTV Power Supply - 12VDC @ 5 amp, PTC outputs, field installable grounded line cord, encl. 8.5"H x 7.5"W x 3.75"D, 115/230VAC input. UL Listed (UL2044), cUL Listed.	
SAV18D	18 Output CCTV Power Supply - 12VDC @ 5 amp, PTC outputs, field installable grounded line cord, encl. 8.5"H x 7.5"W x 3.75"D, 115/230VAC input. UL Listed (UL2044), cUL Listed.	
SAV182D	18 Output CCTV Power Supply - 12VDC @ 11 amp, PTC outputs, field installable grounded line cord, encl. 13.5"H x 13"W x 3.25"D, 115/230VAC input. UL Listed (UL2044), cUL Listed.	
SAV36D	36 Output CCTV Power Supply - 12VDC @ 11 amp, PTC outputs, field installable grounded line cord, encl. 13.5"H x 13"W x 3.25"D, 115/230VAC input. UL Listed (UL2044), cUL Listed.	

ATTACHMENT "B"- PART 1

R248UL	8 Output Rack Mount CCTV Power Supply - 24VAC @ 3.5 amp or 28VAC @ 3 amp, fused outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R2416UL	16 Output Rack Mount CCTV Power Supply - 24VAC @ 7 amp or 28VAC @ 6 amp, fused outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R2416300UL	16 Output Rack Mount CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, fused outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R2416600UL	16 Output Rack Mount CCTV Power Supply - 24VAC @ 25 amp or 28VAC @ 20 amp, fused outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R2432300UL	32 Output Rack Mount CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, fused outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R2432600UL	32 Output Rack Mount CCTV Power Supply - 24VAC @ 25 amp or 28VAC @ 20 amp, fused outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
VertiLine8C	8 Output Rack Mount CCTV Power Supply - 5 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine83C	8 Output Rack Mount CCTV Power Supply - 10 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine16C	16 Output Rack Mount CCTV Power Supply - 10 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine166C	16 Output Rack Mount CCTV Power Supply - 14 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine24C	24 Output Rack Mount CCTV Power Supply - 10 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine246C	24 Output Rack Mount CCTV Power Supply - 14 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine8	8 Output Rack Mount CCTV Power Supply - 5 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	
VertiLine83	8 Output Rack Mount CCTV Power Supply - 10 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	

ATTACHMENT "B"- PART 1

VertiLine16	16 Output Rack Mount CCTV Power Supply - 10 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	
VertiLine166	16 Output Rack Mount CCTV Power Supply - 14 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	
VertiLine24	24 Output Rack Mount CCTV Power Supply - 10 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	
VertiLine246	24 Output Rack Mount CCTV Power Supply - 14 amp total current, individually selectable 24VAC or 28VAC fused outputs, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	
R248ULI	8 Output Isolated Rack Mount CCTV Power Supply - 24VAC @ 12.5 amp, isolated fused Class 2 power limited outputs rated @ 1.56 amp each, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
R2416ULI	16 Output Isolated Rack Mount CCTV Power Supply - 24VAC @ 25 amp, isolated fused Class 2 power limited outputs rated @ 1.56 amp each, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine8i	8 Output Isolated Rack Mount CCTV Power Supply - 24VAC or 28VAC @ 8 amp, isolated fused Class 2 power limited outputs rated @ 1 amp each, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine16i	16 Output Isolated Rack Mount CCTV Power Supply - 24VAC or 28VAC @ 16 amp, isolated fused Class 2 power limited outputs rated @ 1 amp each, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044), cUL Listed.	
R248ULCB	8 Output Rack Mount CCTV Power Supply - 24VAC @ 3.5 amp or 28VAC @ 3 amp, PTC Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R2416ULCB	16 Output Rack Mount CCTV Power Supply - 24VAC @ 7 amp or 28VAC @ 6 amp, PTC Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R2416300ULCB	16 Output Rack Mount CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, PTC Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	

ATTACHMENT "B"- PART 1

R2416600ULCB	16 Output Rack Mount CCTV Power Supply - 24VAC @ 25 amp or 28VAC @ 20 amp, PTC Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R2432300ULCB	32 Output Rack Mount CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, PTC Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R2432600ULCB	32 Output Rack Mount CCTV Power Supply - 24VAC @ 25 amp or 28VAC @ 20 amp, PTC Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
VertiLine8CD	8 Output Rack Mount CCTV Power Supply - 5 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine83CD	8 Output Rack Mount CCTV Power Supply - 10 mp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine16CD	16 Output Rack Mount CCTV Power Supply - 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine166CD	16 Output Rack Mount CCTV Power Supply - 14 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine24CD	24 Output Rack Mount CCTV Power Supply - 10 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine246CD	24 Output Rack Mount CCTV Power Supply - 14 amp total current, individually selectable 24VAC or 28VAC PTC Class 2 power limited outputs, 1U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine8D	8 Output Rack Mount CCTV Power Supply - 5 amp total current, PTC Class 2 power limited outputs, 24VAC or 28VAC selectable by output, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	
VertiLine83D	8 Output Rack Mount CCTV Power Supply - 10 amp total current, PTC Class 2 power limited outputs, 24VAC or 28VAC selectable by output, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	

ATTACHMENT "B"- PART 1

VertiLine16D	16 Output Rack Mount CCTV Power Supply - 10 amp total current, PTC Class 2 power limited outputs, 24VAC or 28VAC selectable by output, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	
VertiLine166D	16 Output Rack Mount CCTV Power Supply - 14 amp total current, PTC Class 2 power limited outputs, 24VAC or 28VAC selectable by output, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	
VertiLine24D	24 Output Rack Mount CCTV Power Supply - 10 amp total current, PTC Class 2 power limited outputs, 24VAC or 28VAC selectable by output, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	
VertiLine246D	24 Output Rack Mount CCTV Power Supply - 14 amp total current, PTC Class 2 power limited outputs, 24VAC or 28VAC selectable by output, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044).	
R248ULCBI	8 Output Isolated Rack Mount CCTV Power Supply - 24VAC @ 12.5 amp, isolated PTC Class 2 power limited outputs rated @ 1.56 amp each, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
R2416ULCBI	16 Output Isolated Rack Mount CCTV Power Supply - 24VAC @ 25 amp, isolated PTC Class 2 power limited outputs rated @ 1.56 amp each, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine8Di	8 Output Isolated Rack Mount CCTV Power Supply - 24VAC or 28VAC @ 8 amp, isolated PTC Class 2 power limited outputs rated @ 1 amp each, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044), cUL Listed.	
VertiLine16Di	16 Output Isolated Rack Mount CCTV Power Supply - 24VAC or 28VAC @ 16 amp, isolated PTC Class 2 power limited outputs rated @ 1 amp each, 1U EIA 19" Rack Mount Chassis, 115/230VAC input, UL Listed (UL2044), cUL Listed.	
R615DC8UL	8 Output Rack Mount CCTV Power Supply - 6-15VDC @ 4 amp, fused Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R615DC416UL	16 Output Rack Mount CCTV Power Supply - 6-15VDC @ 4 amp, fused Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R615DC616UL	16 Output Rack Mount CCTV Power Supply - 6-15VDC @ 6 amp, fused Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R615DC1016	16 Output Rack Mount CCTV Power Supply - 6-15VDC @ 10 amp, fused outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input.	
R615DC8ULCB	8 Output Rack Mount CCTV Power Supply - 6-15VDC @ 4 amp, PTC Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	

ATTACHMENT "B"- PART 1

R615DC416ULCB	16 Output Rack Mount CCTV Power Supply - 6-15VDC @ 4 amp, PTC Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R615DC616ULCB	16 Output Rack Mount CCTV Power Supply - 6-15VDC @ 6 amp, PTC Class 2 power limited outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
R615DC1016CB	16 Output Rack Mount CCTV Power Supply - 6-15VDC @ 10 amp, PTC outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input.	
WPTV244175UL	4 Output Outdoor CCTV Power Supply - 24VAC @ 7 amp or 28VAC @ 6.25 amp, 3 - PTC Class 2 power limited outputs rated @ 2.5 amp & 1 - fused output rated @ 10 amp, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
WPTV244300UL	4 Output Outdoor CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, 3 - PTC Class 2 power limited outputs rated @ 2.5 amp & 1 - fused output rated @ 15 amp, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
WPTV248UL	8 Output Outdoor CCTV Power Supply - 24VAC @ 3.5 amp or 28VAC @ 3 amp, fused outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
WPTV248175UL	8 Output Outdoor CCTV Power Supply - 24VAC @ 7 amp or 28VAC @ 6.25 amp, fused outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
WPTV248300UL	8 Output Outdoor CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, fused outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
WPTV248ULCB	8 Output Outdoor CCTV Power Supply - 24VAC @ 3.5 amp or 28VAC @ 3 amp, PTC outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
WPTV248175ULCB	8 Output Outdoor CCTV Power Supply - 24VAC @ 7 amp or 28VAC @ 6.25 amp, PTC outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
WPTV248300ULCB	8 Output Outdoor CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, PTC outputs, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved.	
T2428100WP	1 Output Outdoor CCTV Power Supply - 24VAC @ 4 amp or 28VAC @ 3.5 amp, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input.	
T2428175WP	1 Output Outdoor CCTV Power Supply - 24VAC @ 7.25 amp or 28VAC @ 6.25 amp, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input.	
T2428300WP	1 Output Outdoor CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input.	
SMP3WP	1 Output Outdoor CCTV Power Supply - 6VDC, 12VDC or 24VDC @ 2.5 amp, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input.	

ATTACHMENT "B"- PART 1

SMP5WP	1 Output Outdoor CCTV Power Supply - 12VDC or 24VDC @ 4 amp, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input.	
SMP7WP	1 Output Outdoor CCTV Power Supply - 12VDC or 24VDC @ 6 amp, NEMA 4/IP65 outdoor encl. 12"H x 8"W x 6"D, 115VAC input.	
T1656	Transformer - 16VAC/56VA (3.5 amp), 115VAC input.	
T16100	Transformer - 16.5VAC/100VA (6.25 amp), 115VAC input	
T2428100	Transformer - 24VAC/100VA (4 amp) or 28VAC/100VA (3.5 amp), 115VAC input, UL/cUL Recognized.	
T24130D	Transformer - 24VAC/100VA (4 amp), 115VAC/230VAC input.	
T2428175	Transformer - 24VAC/175VA (7.25 amp) or 28VAC/175VA (6 amp), 115VAC input, UL/cUL Recognized.	
T2428300	Transformer - 24VAC/300VA (12.5 amp) or 28VAC/300VA (10 amp), 115VAC input.	
T2856	Transformer - 28VAC/56VA (2 amp), 115VAC input.	
T2885D	Transformer - 28VAC/100VA (3.5 amp), 115VAC/230VAC input.	
T28140D	Transformer - 28VAC/175VA (6.25 amp), 115VAC/230VAC input.	
T2428100C	Transformer - 24VAC/100VA (4 amp) or 28VAC/100VA (3.5 amp), encl. 5.625"H x 7"W x 4.5"D, 115VAC input.	
T2428175C	Transformer - 24VAC/175VA (7.25 amp) or 28VAC/175VA (6 amp), encl. 5.625"H x 7"W x 4.5"D, 115VAC input.	
T2428300E	Transformer - 24VAC/300VA (12.5 amp) or 28VAC/300VA (10 amp), encl. 8.5"H x 7.5"W x 3.5"D, 115VAC input.	
T2856C	Transformer - 28VAC/56VA (2 amp), encl. 5.625"H x 7"W x 4.5"D, 115VAC input.	
TP1220	Plug-in transformer - 12VAC/20VA, 115VAC input, UL Listed.	
TP1620	Plug-in transformer - 16VAC/20VA, 115VAC input, UL Listed.	
TP1640	Plug-in transformer - 16VAC/40VA, 115VAC input, UL Listed.	
TP1650	Plug-in transformer - 16VAC/50VA, 115VAC input, UL Listed.	
TP2420	Plug-in transformer - 24VAC/20VA, 115VAC input, UL Listed.	
TP2440	Plug-in transformer - 24VAC/40VA, 115VAC input, UL Listed.	
TP2450	Plug-in transformer - 24VAC/50VA, 115VAC input, UL Listed.	
RAC24	Relay & Base - 24VAC operation, 45mA current draw, DPDT contacts rated @ 10 amp/220VAC or 28VDC, DIN Rail Mount, UL Recognized.	
RAC120	Relay & Base - 120VAC operation, 12mA current draw, DPDT contacts rated @ 10 amp/220VAC or 28VDC, DIN Rail Mount, UL Recognized.	
RB5	Relay Module - 6VDC or 12VDC operation, 120mA current draw, DPDT contacts rated @ 5 amp/220VAC or 28VDC.	

ATTACHMENT "B"- PART 1

RB524	Relay Module - 24VDC operation, 40mA current draw, DPDT contacts rated @ 5 amp/220VAC or 28VDC.	
RB1224	Relay Module - 12VDC or 24VDC operation, 75mA current draw, DPDT contacts rated @ 5 amp/220VAC or 28VDC.	
RBR1224	Electronic Ratchet/Toggle Relay Module - 12VDC to 24VDC operation, 3VDC to 24VDC Positive or negative sensitive trigger input, 20mA current draw, DPDT contacts rated @ 0.5 amp/120VAC or 2 amp/28VDC.	
RB30	Heavy Duty Load Switching Relay Module - 12VDC or 24VDC operation, 95mA current draw, SPDT contact rated @ 30 amp/120VAC or 28VDC.	
RB610	Break Away Relay 6 Pack - 12VDC or 24VDC operation, 50mA current draw, SPDT contact rated @ 10 amp/120VAC or 28VDC.	
RBSN	Relay Module - 12VDC or 24VDC operation, 15mA current draw, DPDT contacts rated @ 1 amp/120VAC or 2 amp/28VDC.	
RBSNTTL	Sensitive Relay Module - 12VDC to 24VDC operation, 3VDC to 24VDC isolated positive or negative trigger input, 18mA current draw, DPDT contacts rated @ 1 amp/120VAC or 2 amp/28VDC.	
RBST	Relay Module - 6VDC, 12VDC or 24VDC operation, 30mA current draw, DPDT contacts rated @ 1 amp/120VAC or 2 amp/28VDC.	
RBTUL	Sensitive Relay Module - 12VDC or 24VDC operation, 3VDC to 24VDC positive trigger input, 30mA current draw, SPDT contact rated @ 1 amp/28VDC, Includes Snap Track, UL Listed Burglary (UL749R).	
RBUL	Relay Module - 12VDC or 24VDC operation, 30mA current draw, SPDT contact rated @ 1 amp/28VDC, Includes Snap Track, UL Listed Burglary (UL749R).	
RB7	Ultra Sensitive Relay Cluster - 12VDC or 24VDC operation, 3VDC to 24VDC positive trigger inputs, Seven independent isolated SPDT contacts rated @ 1 amp/120VAC or 28VDC.	
RBOC7	Open Collector Module - 12VDC or 24VDC operation, 3VDC to 24VDC positive trigger inputs, Seven independent open collector outputs capable of sinking 100mA each.	
RDC12	DIN Rail Mount UL Recognized Relay & Base - 12VDC operation, 86mA current draw, DPDT contacts rated @ 10 amp/220VAC or 28VDC.	
RDC24	DIN Rail Mount UL Recognized Relay & Base - 24VDC operation, 43mA current draw, DPDT contacts rated @ 10 amp/220VAC or 28VDC.	
RDC48	DIN Rail Mount UL Recognized Relay & Base - 48VDC operation, 20mA current draw, DPDT contacts rated @ 10 amp/220VAC or 28VDC.	

ATTACHMENT "B"- PART 1

6030	Bell Cut-Off Timer - 6VDC or 12VDC, SPDT contacts rated @ 8 amp/115VAC.	
6062	Multi-Function Timer - 12VDC or 24VDC operation, SPDT contacts rated @ 8 amp/115VAC, 1 sec. to 60 min. adjustable timing range. One second momentary relay activation at the end of timing cycle.	
AT4	4 Channel 365 day/24 hr. Annual Event Timer - 12 to 24 volt AC or DC operation, Four SPDT contacts rated @ 10 amp/115VAC/28VDC, 254 daily/weekly events, 1778 weekly block events, 254 holiday exceptions, LCD display, built-in battery charger, encl. 12.25"H x 7.75"W x 4.5"D.	
AT4B	4 Channel 365 day/24 hr. Annual Event Timer - 12 to 24 volt AC or DC operation, Four SPDT contacts rated @ 10 amp/115VAC/28VDC, 254 daily/weekly events, 1778 weekly block events, 254 holiday exceptions, LCD display, built-in battery charger.	
DL1	Door Control Timer - 12 to 24 Volt AC or DC operation, SPDT contact rated @ 3 amp/120VAC/28VDC, Use with magnetic locks & electric strikes.	
DL3	Door Control Timer w/sounder - 12 to 24 Volt AC or DC operation, SPDT contact rated @ 3 amp/120VAC/28VDC, Use with magnetic locks & electric strikes.	
DPT724A	DIN Rail Mountable Annual Event Timer - 12 to 24 volt AC or DC operation, SPDT contact rated @ 10 amp/115VAC/28VDC, 365 day/24 hr. timer, LCD display, Programmable features: 50 individual daily/weekly events, 350 block events per week, 10 holiday dates.	
DTMR1	DIN Rail Mountable Multi-Function Timer - 12VDC or 24VDC operation, SPDT contacts rated @ 8 amp/115VAC, 1 sec. to 60 min. adjustable timing range. One second momentary relay activation at the end of timing cycle, Includes Snap Track & mounting clips.	
PT2724	2 Channel 365 day/24 hr. Annual Event Timer - 12 to 24 volt AC or DC operation, Two SPDT contacts rated @ 10 amp/115VAC/28VDC, 100 daily/weekly events, 700 weekly block events, 20 holiday exceptions, LCD display, built-in battery charger.	
PT724A	1 Channel 365 day/24 hr. Annual Event Timer - 12 to 24 volt AC or DC operation, SPDT contact rated @ 10 amp/115VAC/28VDC, 50 daily/weekly events, 350 weekly block events, 10 holiday exceptions, LCD display, built-in battery charger.	
PT724AE	1 Channel 365 day/24 hr. Annual Event Timer - 12 to 24 volt AC or DC operation, SPDT contact rated @ 10 amp/115VAC/28VDC, 50 daily/weekly events, 350 weekly block events, 10 holiday exceptions, LCD display, built-in battery charger, encl. 8.5"H x 7.5"W x 3.5"D.	

ATTACHMENT "B"- PART 1

TEMPO2	Universal Two Stage Timer - 12 or 24 volt AC or DC operation, SPDT contact rated @ 2 amp/115VAC/28VDC, adjustable timing range 1 sec.-60 seconds timed door release, daily weekly test mode, one shot activation, door prop alarm, EEProm memory, LCD Display.	
ACM4	4 Output Access Power Controller Module - Converts one (1) 12 to 24 volt AC or DC input into four (4) fused power outputs, individually selectable Fail-Safe/Fail-Secure outputs or dry form "C" contacts, fire alarm disconnect is selectable by output, UL Listed sub-assembly.	
ACM4E	4 Output Access Power Controller Module - Converts one (1) 12 to 24 volt AC or DC input into four (4) fused power outputs, individually selectable Fail-Safe/Fail-Secure outputs or dry form "C" contacts, fire alarm disconnect is selectable by output, encl. 8"H x 7.25"W x 3.5"D, UL Listed, cUL Listed.	
ACM4CB	4 Output Access Power Controller Module - Converts one (1) 12 to 24 volt AC or DC input into four (4) PTC power outputs, individually selectable Fail-Safe/Fail-Secure outputs, fire alarm disconnect is selectable by output, UL Listed sub-assembly.	
ACM4CBE	4 Output Access Power Controller Module - Converts one (1) 12 to 24 volt AC or DC input into four (4) PTC power outputs, individually selectable Fail-Safe/Fail-Secure outputs, fire alarm disconnect is selectable by output, encl. 8"H x 7.25"W x 3.5"D, UL Listed, cUL Listed.	
ACM8	8 Output Access Power Controller Module - Converts one (1) 12 to 24 volt AC or DC input into eight (8) fused power outputs, individually selectable Fail-Safe/Fail-Secure outputs or dry form "C" contacts, fire alarm disconnect is selectable by output, UL Recognized Component.	
ACM8E	8 Output Access Power Controller Module - Converts one (1) 12 to 24 volt AC or DC input into eight (8) fused power outputs, individually selectable Fail-Safe/Fail-Secure outputs or dry form "C" contacts, fire alarm disconnect is selectable by output, encl. 13.5"H x 13"W x 3.25"D, UL Listed, cUL Listed.	
ACM8CB	8 Output Access Power Controller Module - Converts one (1) 12 to 24 volt AC or DC input into eight (8) PTC power outputs, individually selectable Fail-Safe/Fail-Secure outputs, fire alarm disconnect is selectable by output, UL Recognized Component.	
ACM8CBE	8 Output Access Power Controller Module - Converts one (1) 12 to 24 volt AC or DC input into eight (8) PTC power outputs, individually selectable Fail-Safe/Fail-Secure outputs, fire alarm disconnect is selectable by output, encl. 13.5"H x 13"W x 3.25"D, UL Listed, cUL Listed.	
MOM5	5 Output Access Power Distribution Module - Converts one (1) 12VDC or 24VDC input into five (5) power outputs, PTC Class 2 power limited outputs rated @ 2.5 amp, Fire Alarm interface, UL Recognized.	

ATTACHMENT "B"- PART 1

MOM5C	5 Output Access Power Distribution Module - Converts one (1) 12VDC or 24VDC input into five (5) power outputs, PTC Class 2 power limited outputs rated @ 2.5 amp, Fire Alarm interface, encl. 8"H x 7.25"W x 3.5"D. UL Listed (UL294/UL1481), CSFM & MEA Approved.	
DP4	DIN Rail Mountable 4 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into four (4) fused power outputs. Includes Snap Track & mounting clips.	
PD4	4 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into four (4) fused power outputs.	
PD4CB	4 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into four (4) PTC power outputs.	
PD8	8 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into eight (8) fused power outputs.	
PD8CB	8 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into eight (8) PTC power outputs.	
PD4UL	4 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into four (4) fused power outputs, UL Recognized.	
PD4ULCB	4 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into four (4) PTC power outputs, UL Recognized.	
PD8UL	8 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into eight (8) fused power outputs, UL Recognized.	
PD8ULCB	8 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into eight (8) PTC power outputs, UL Recognized.	
PD16W	16 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into sixteen (16) fused power outputs, UL Recognized.	
PD16WCB	16 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into sixteen (16) PTC power outputs, UL Recognized.	
LPD	Low Power Disconnect Module - 12VDC/24VDC input, Disconnects at 10.5 volts (12 volt setting), 20 volts (24 volt setting)	
VR1	Power Conversion Module - Converts 24VAC or 24VDC input into 12VDC rated @ 1 amp, Modular connector/cable assembly. High impact insulated housing.	
VR1T	Power Conversion Module - Converts 24VAC or 24VDC input into 12VDC rated @ 1 amp, spring terminals. High impact insulated housing.	
VR1TM5	Power Conversion Module - Converts 24VAC or 24VDC input into 5VDC rated @ 1 amp, spring terminals. High impact insulated housing.	

ATTACHMENT "B"- PART 1

VR2T	Power Conversion Module - Converts 24VAC or 24VDC input into 12VDC rated @ 0.5 amp spring terminals. High impact insulated housing.	
VR3T	Power Conversion Module - Converts 24VDC input into 12VDC rated @ 2 amp, screw terminals. High impact insulated housing.	
VR4T	Power Conversion Module - Converts 24VDC input into 12VDC rated @ 3 amp output, screw terminals. High impact insulated housing.	
VR5T	Power Conversion Module - Converts 24VAC or 24VDC input into 12VDC rated @ 3 amp, spring terminals. High impact insulated housing.	
VR5BT	Power Conversion Module/Battery Charger - Converts 24VAC or 24VDC input into 12VDC rated @ 3 amp, spring terminals. High impact insulated housing.	
VB1	Power Conversion Module - Converts 12-24VDC input into regulated 24VDC rated @ 0.75 amp, Modular connector/cable assembly. High impact insulated housing.	
VB1T	Power Conversion Module - Converts 12-24VDC input into regulated 24VDC rated @ 0.75 amp output, screw terminals. High impact insulated housing.	
ALSD1	2 Channel Siren Driver - 6VDC to 12VDC operation, Yelp & Steady, High output, Current draw 0.5 to 1.8 amp is based on speaker resistance & input voltage.	
ALSD2	2 Channel Siren Driver - 6VDC to 12VDC operation, Yelp & Steady, Current draw 0.3 to 1.22 amp is based on speaker resistance & input voltage.	
Snap Track		
ST1	Snap Track for mounting: RB5, RBSN, RBST, RB30, RB524, RB1224, RBSNTTL.	
ST2	Snap Track for mounting: RB7, RBOC7.	
ST3	Snap Track for mounting for: SMP3, SMP5, AL624, 6062, PT724, PT724A.	
BT124	Lead Acid Battery - 12VDC/4AH, Dimensions 4"H x 3.5"W x 2.76"D.	
BT126	Lead Acid Battery - 12VDC/7AH, Dimensions 3.66"H x 5.94"W x 2.56"D.	
BT1212	Lead Acid Battery - 12VDC/12AH, Dimensions 3.5"H x 5.94"W x 3.75"D.	
BT1240	Lead Acid Battery - 12VDC/40AH, Dimensions 6.73"H x 7.72"W x 6.5"D.	
BC100	Enclosure - 8.5"H x 7.5"W x 3.5"D, 19 gauge steel. Fits 2 - 12VDC/4AH batteries or 1 - 12VDC/7AH battery.	
BC200	Enclosure - 12.25"H x 7.75"W x 4.5"D, 19 gauge steel. Fits up to 2 - 12VDC/7AH batteries.	
BC300	Enclosure - 13.5"H x 13"W x 3.25"D, 19 gauge steel, includes cam lock. Fits up to 2 - 12VDC/7AH batteries.	

ATTACHMENT "B"- PART 1

BC300R	Red Enclosure - 13.5"H x 13"W x 3.25"D, 19 gauge steel, includes cam lock. Fits up to 2 - 12VDC/7AH batteries.	
BC400	Enclosure - 15.5"H x 12"W x 4.5"D, 19 gauge steel, includes cam lock. Fits up to 2 - 12VDC/12AH batteries.	
BCS4G	Battery shelf for BC400 encl.	
BC400SG	Enclosure - 15.5"H x 12"W x 4.5"D, 19 gauge steel, includes battery shelf (BCS4G) & cam lock. Fits up to 4 - 12VDC/12AH batteries.	
BC400R	Red Enclosure - 15.5"H x 12"W x 4.5"D, 19 gauge steel, includes cam lock. Fits up to 2 - 12VDC/12AH batteries.	
BCS4R	Red battery shelf for BC400R encl.	
BC400SR	Red Enclosure - 15.5"H x 12"W x 4.5"D, 19 gauge steel, includes battery shelf (BCS4R) & cam lock. Fits up to 4 - 12VDC/12AH batteries.	
BC600	Red Enclosure - 18"H x 14.5"W x 4.5"D, 19 gauge steel, includes cam lock. Fits up to 2 - 12VDC/12AH batteries.	
BC600G	Enclosure - 18"H x 14.5"W x 4.5"D, 19 gauge steel, includes cam lock. Fits up to 2 - 12VDC/12AH batteries.	
BC800	Enclosure - 26"H x 19"W x 6.25"D, 16 gauge steel, includes cam lock. Mounting provided for up to 2 - power supply/chargers & up to 3 - optional accessory modules, fits up to 4 - 12VDC/12AH batteries	
BC1240	Enclosure - 9.5"H x 9.5"W x 7.5"D, 19 gauge steel, includes cam lock. Accommodates 1 - 12VDC/40AH battery.	
CAB4	Enclosure - 5.625"H x 7"W x 4.5"D, 19 gauge steel. Accommodates 1 - 12VDC/12AH battery.	
WP1	Enclosure - NEMA 4/IP65 outdoor rated 12"H x 8"W x 6"D.	
WP2	Enclosure - NEMA 4/IP66 outdoor rated 17.5"H x 12"W x 6.625"D.	
BF3	Blade Fuse 3 amp (violet). Package of 25.	
BF10	Blade Fuse 10 amp (red). Package of 25.	
BF15	Blade Fuse 15 amp (blue). Package of 25.	
BL2	2 - 8" Battery leads (Red & Black).	
BL3	2 - 18" Battery leads (Red & Black).	
BL4	1 - 8" Battery Jumper (Yellow).	
BNC24J	Coax Jumper 24" Male to Male.	
CAM1	Cam lock w/mounting hardware.	
CLIP1	2 - DIN Rail Mounting Clips.	
CP1	Conversion plate for mounting two (2) PD4/PD8 or two (2) MOM5 boards in BC400/BC400R enclosure.	
D10	1 - 10" length of DIN Rail.	

ATTACHMENT "B"- PART 1

	DK1	1 - DIN Rail Mount Kit - 1 piece of Snap Track and two (2) DIN Rail Mounting Clips.	
	FUSE1	Glass fuse - 3.5 amp (3AG). Package of 100	
	FUSE2	Glass fuse - 5 amp (3AG). Package of 100	
	FUSE3	Glass fuse - 10 amp (3AG). Package of 100	
	FUSE4	Glass fuse - 1 amp (3AG). Package of 100	
	FUSE5	Glass fuse - 5 amp slow blow (3AG). Package of 100	
	GL1	1 - 8" Ground Lead (Green).	
	LB2032	1 - Lithium battery (3v) for AT4, PT2724, PT724A & PT724AE.	
	LC1	6 ft. 2-Wire Line Cord.	
	LC2	6 ft. Grounded 3-Wire Line Cord.	
	SPACER1	5/8" Nylon Spacer. Package of 25.	
	TAPE1	Double Stick Tape Pads. Package of 25.	
	WPL	Lock for WP2 Enclosure	
	PANASONIC		
PANASONIC	PISM5V	INDOOR VANDAL RESISTANT DOME HOUSING, SURFACE MOUNT, FOR WV-NS202A, WV-NF302 AND WV-NF284 I-PRO NETWORK CAMERAS	
	PLAMP0550	1/3" MEGAPIXEL LENS, 5-50MM, AUTO IRIS	
	PLAMP2206	1/3" MEGAPIXEL LENS, 2.2-6MM, AUTO IRIS	
	PLAMP2406	1/3" MEGAPIXEL LENS, 2.4-6MM, AUTO IRIS	
	PLAMP2812	1/3" MEGAPIXEL LENS, 2.8-12MM, AUTO IRIS	
	POCNP244L2	IP COLOR CAMERA, FIXED CAMERA PAK, WV-NP244, 2.8-12MM LENS, HOUSING W/ WALL MOUNT BRACKET	
	POCNP244L5	IP COLOR CAMERA, FIXED CAMERA PAK, WV-NP244, 5-50MM LENS, HOUSING W/ WALL MOUNT BRACKET	
	POCNP502LMP05	IP MEGAPIXEL DAY/NIGHT CAMERA, FIXED CAMERA PAK, WV-NP502, 5-50MM MEGAPIXEL LENS, HOUSING W/ WALL MOUNT BRACKET	
	POCNP502LMP24	IP MEGAPIXEL DAY/NIGHT CAMERA, FIXED CAMERA PAK, WV-NP502, 2.4-6MM MEGAPIXEL LENS, HOUSING W/ WALL MOUNT BRACKET	
	PODV7CPNS	OUTDOOR VANDAL HOUSING PENDANT MOUNT WITH CLEAR LOWER DOME 24VAC, H AND B POWER BOARD	
	PODV7CWNS	OUTDOOR VANDAL HOUSING WALL MOUNT WITH CLEAR LOWER DOME 24VAC, H AND B POWER BOARD	
	POSM5V	OUTDOOR VANDAL RESISTANT DOME HOUSING, SURFACE MOUNT, FOR WV-NS202A, WV-NF302 AND WV-NF284 I-PRO NETWORK CAMERAS	
	PPFD9CN	PRESSURIZED DOME CAMERA HOUSING FOR WV-NS954, WV-NS202A, WV-NF302 AND WV-NF284 I-PRO NETWORK CAMERAS	
	ST320REM	320GB REMOVABLE HDD FOR WJ-ND200 NVR SERIES	
	WJGXD400	I-PRO MULTI-CHANNEL HD VIDEO RECORDER	

ATTACHMENT "B"- PART 1

WJHDE4001000	EXPANSION UNIT FOR WJ-ND400 NVR SERIES, WITH 1TB HDD	
WJHDE4009000	EXPANSION UNIT FOR WJ-ND400 NVR SERIES, WITH (9) 1TB HDDS	
WJND200320A	NETWORK VIDEO RECORDER, 320GB STORAGE CAPACITY, REMOVABLE HARD DRIVE (320GB BASE HARD DRIVE)	
WJND200640A	NETWORK VIDEO RECORDER, 640GB STORAGE CAPACITY, REMOVABLE HARD DRIVE (320GB BASE HARD DRIVE)	
WJND300A1000T	NETWORK DISK RECORDER, 1,000GB CAPACITY (1TB BASE DRIVE), UP TO 32 CAMERAS, RAID5 OPTIONAL	
WJND300A12000T	NETWORK DISK RECORDER, 12,000GB CAPACITY (1TB BASE DRIVE), UP TO 32 CAMERAS, RAID5 OPTIONAL, INCLUDES 2 WJ-HDE300/4000T	
WJND300A16000T	NETWORK DISK RECORDER, 16,000GB CAPACITY (1TB BASE DRIVE), UP TO 32 CAMERAS, RAID5 OPTIONAL, INCLUDES 3 WJ-HDE300/4000T	
WJND300A20000T	NETWORK DISK RECORDER, 20,000GB CAPACITY (1TB BASE DRIVE), UP TO 32 CAMERAS, RAID5 OPTIONAL, INCLUDES 4 WJ-HDE300/4000T	
WJND300A2000T	NETWORK DISK RECORDER, 2,000GB CAPACITY (1TB BASE DRIVE), UP TO 32 CAMERAS, RAID5 OPTIONAL	
WJND300A24000T	NETWORK DISK RECORDER, 24,000GB CAPACITY (1TB BASE DRIVE), UP TO 32 CAMERAS, RAID5 OPTIONAL, INCLUDES 5 WJ-HDE300/4000T	
WJND300A28000T	NETWORK DISK RECORDER, 28,000GB CAPACITY (1TB BASE DRIVE), UP TO 32 CAMERAS, RAID5 OPTIONAL, INCLUDES 6 WJ-HDE300/4000T	
WJND300A4000T	NETWORK DISK RECORDER, 4,000GB CAPACITY (1TB BASE DRIVE), UP TO 32 CAMERAS, RAID5 OPTIONAL	
WJND300A8000T	NETWORK DISK RECORDER, 8,000GB CAPACITY (1TB BASE DRIVE), UP TO 32 CAMERAS, RAID5 OPTIONAL, INCLUDES 1 WJ-HDE300/4000T	
WJND4001000	NETWORK VIDEO RECORDER WITH (1) REMOVABLE 1TB HARD DISK DRIVE	
WJND40018000	NETWORK VIDEO RECORDER WITH (1) EXPANSION UNIT, (18) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 18TB	
WJND4002000	NETWORK VIDEO RECORDER WITH (2) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 2TB	
WJND40027000	NETWORK VIDEO RECORDER WITH (2) EXPANSION UNITS, (27) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 27TB	
WJND4003000	NETWORK VIDEO RECORDER WITH (3) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 3TB	
WJND40036000	NETWORK VIDEO RECORDER WITH (3) EXPANSION UNITS, (36) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 36TB	

ATTACHMENT "B"- PART 1

WJND4004000	NETWORK VIDEO RECORDER WITH (4) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 4TB	
WJND40045000	NETWORK VIDEO RECORDER WITH (4) EXPANSION UNITS, (45) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 45TB	
WJND4005000	NETWORK VIDEO RECORDER WITH (5) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 5TB	
WJND40054000	NETWORK VIDEO RECORDER WITH (5) EXPANSION UNITS, (54) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 54TB	
WJND4006000	NETWORK VIDEO RECORDER WITH (6) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 6TB	
WJND4007000	NETWORK VIDEO RECORDER WITH (7) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 7TB	
WJND4008000	NETWORK VIDEO RECORDER WITH (8) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 8TB	
WJND4009000	NETWORK VIDEO RECORDER WITH (9) REMOVABLE 1TB HARD DISK DRIVES, TOTAL CAPACITY 9TB	
WJNDB301	OPTIONAL RAID5 BOARD FOR WJ-ND300A SERIES NVR	
WJNT304	4 CHANNEL JPG/MPEG4 NETWORK ENCODER	
WJNT314	4 CHANNEL JPG/MPEG4 NETWORK ENCODER WITH ADVANCED ANALYTICS	
WVCF4S	SMOKED DOME FOR I-PRO WV-NF284 FIXED MINI-DOME CAMERA	
WVLZA622	2.8 - 6MM HIGH RESOLUTION LENS, VARI-FOCAL, FOR WV-NP1004 NETWORK CAMERA	
WVNF284	COLOR FIXED MINI DOME NETWORK CAMERA	
WVNF302	RUGGEDIZED MEGAPIXEL DAY/NIGHT FIXED DOME NETWORK CAMERA	
WVNF5C	CLEAR DOME COVER FOR WV-NF302 MEGAPIXEL CAMERA	
WVNF5S	SMOKED DOME COVER FOR WV-NF302 MEGAPIXEL CAMERA	
WVNM100	COLOR NETWORK CAMERA, BUILT IN LENS AND PTZ	
WVNP1004	MEGAPIXEL DAY/NIGHT COLOR NETWORK CAMERA	
WVNP244	COLOR NETWORK CAMERA	
WVNP304	MEGAPIXEL DAY/NIGHT FIXED NETWORK CAMERA	
WVNP502	SD 5 1.3 MEGAPIXEL NETWORK CAMERA, H.264, DAY/NIGHT, AUTO-BACK FOCUS, VMD	
WVNS202A	SD III DAY/NIGHT MINI PTZ DOME NETWORK CAMERA	
WVNS954	SD III DAY/NIGHT, PTZ DOME NETWORK CAMERA	
WVNW484S	SD III VANDAL-RESISTANT DAY/NIGHT FIXED DOME NETWORK CAMERA, 3.8-8MM VARI-FOCAL LENS	
WVNW484S09	SD III VANDAL-RESISTANT DAY/NIGHT FIXED DOME NETWORK CAMERA, 9-22MM VARI-FOCAL LENS	
WVNW484S15	SD III VANDAL-RESISTANT DAY/NIGHT FIXED DOME NETWORK CAMERA, 15-50MM VARI-FOCAL LENS	

ATTACHMENT "B"- PART 1

	WVNW484S22	SD III VANDAL-RESISTANT DAY/NIGHT FIXED DOME NETWORK CAMERA, 2.2 WIDE ANGLE LENS	
	WVNW502S	MEGAPIXEL SD (3MP) VANDAL RESISTANT FIXED DOME NETWORK CAMERA, H.264, ABF, 2.8-8MM VARI-FOCAL LENS, 12V DC AND POE	
	WVNW964	SD III WEATHER RESISTANT DAY/NIGHT DOME NETWORK CAMERA	
	WVQ150C	WALL MOUNT BRACKET W/ CLEAR DOME COVER FOR WV-NS202	
	WVQ150S	WALL MOUNT BRACKET W/ SMOKED DOME COVER FOR WV-NS202	
	WVQ151C	RECESSED CEILING MOUNT W/ CLEAR DOME COVER FOR WV-NS202	
	WVQ151S	RECESSED CEILING MOUNT W/ SMOKED DOME COVER FOR WV-NS202	
	WVQ152C	CEILING SURFACE MOUNT W/ CLEAR DOME COVER FOR WV-NS202	
	WVQ152S	CEILING SURFACE MOUNT W/ SMOKED DOME COVER FOR WV-NS202	
	WVQ153	INNER DOME COVER FOR WV-NS202 CAMERA	
	WVQ167	RECESSED CEILING MOUNT FOR WV-NF284 IP CAMERA	
	WVQ169	RECESSED CEILING MOUNT FOR WVNW484S NETWORK I-PRO VANDAL PROOF CAMERA	
	WVQ173	EMBEDDED CEILING MOUNT FOR WV-NF302 I-PRO CAMERA	
	WVQ200P	RACK MOUNT BRACKET FOR WJND200	
	WVQ201	VERTICAL STAND FOR WJND200	
	ARECONT		
ARECONT	AV1310	1.3 Megapixel MJPEG Color Camera, 1280x1024, COMPACT	
	AV1310DN	1.3 Megapixel MJPEG Day/Night Camera, 1280x1024, motorized IR cut filter, COMPACT	
	AV1300M	1.3 Megapixel MJPEG Color Camera, 1280x1024	
	AV1300-AI	1.3 Megapixel MJPEG Color Camera, 1280x1024, w/ DC Auto Iris	
	AV1300DN	1.3 Megapixel MJPEG Day/Night Camera, 1280x1024, motorized IR cut filter	
	AV1115	1.3 Megapixel, 42 fps, H.264/MJPEG Color Camera, 1280x1024, COMPACT, 12VDC/24VAC/PoE	
	AV1115AI	1.3 Megapixel, 42 fps, H.264/MJPEG Color Camera, 1280x1024, DC Auto-iris, COMPACT, 12VDC/24VAC/PoE	
	AV1115DN	1.3 Megapixel, 42 fps, H.264/MJPEG Day/Night Camera, 1280x1024, motorized IR cut filter, COMPACT, 12VDC/24VAC/PoE	
	AV1305	1.3 Megapixel H.264/MJPEG Color Camera, 1280x1024	
	AV1305-AI	1.3 Megapixel H.264/MJPEG Color Camera, 1280x1024, w/DC Auto Iris	
	AV1305DN	1.3 Megapixel H.264/MJPEG Day/Night Camera, 1280x1024, motorized IR cut filter	
	AV2110	2 Megapixel MJPEG Color Camera, 1600x1200, COMPACT	

ATTACHMENT "B"- PART 1

AV2110DN	2 Megapixel MJPEG Day/Night Camera, 1600x1200, motorized IR cut filter, COMPACT	
AV2100M	2 Megapixel MJPEG Color Camera, 1600x1200	
AV2100-AI	2 Megapixel MJPEG Color Camera, 1600x1200, w/ DC Auto Iris	
AV2100DN	2 Megapixel MJPEG Day/Night Camera, 1600x1200, motorized IR cut filter	
AV2105	2 Megapixel H.264/MJPEG Color Camera, 1600x1200	
AV2105-AI	2 Megapixel H.264/MJPEG Color Camera, 1600x1200, w/DC Auto Iris	
AV2105DN	2 Megapixel H.264/MJPEG Day/Night Camera, 1600x1200, motorized IR cut filter	
AV2805	Full HD 1080p, 30fps, H.264/MJPEG Color Camera, 1920x1080	
AV2805-AI	Full HD 1080p, 30fps, H.264/MJPEG Color Camera, 1920x1080, w/DC Auto Iris	
AV2805DN	Full HD 1080p, 30fps, H.264/MJPEG Day/Night Camera, 1920x1080, motorized IR cut filter	
AV2115	1080p, 32 fps, Megapixel H.264/MJPEG Color Camera, 1920x1080, COMPACT, 12VDC/24VAC/PoE, CASINO MODE	
AV2115AI	1080p, 32 fps, Megapixel H.264/MJPEG Color Camera, 1920x1080, DC Auto-iris, COMPACT, 12VDC/24VAC/PoE, CASINO MODE	
AV2115DN	1080p, 32 fps, Megapixel H.264/MJPEG Day/Night Camera, 1920x1080, motorized IR cut filter, COMPACT, 12VDC/24VAC/PoE, CASINO MODE	
AV3110	3 Megapixel MJPEG Color Camera, 2048x1536, COMPACT	
AV3110DN	3 Megapixel MJPEG Day/Night Camera, 2048x1536, motorized IR cut filter, COMPACT	
AV3100M	3 Megapixel MJPEG Color Camera, 2048x1536	
AV3100-AI	3 Megapixel MJPEG Color Camera, 2048x1536, w/ DC Auto Iris	
AV3100DN	3 Megapixel MJPEG Day/Night Camera, 2048x1536, motorized IR cut filter	
AV3115	3 Megapixel, 21 fps, H.264/MJPEG Color Camera, 2048x1536, COMPACT, 12VDC/24VAC/PoE, Binning	
AV3115AI	3 Megapixel, 21 fps, H.264/MJPEG Color Camera, 2048x1536, w/ DC Auto Iris, COMPACT, 12VDC/24VAC/PoE, Binning	
AV3115DN	3 Megapixel, 21 fps, H.264/MJPEG Day/Night Camera, 2048x1536, motorized IR cut filter, COMPACT, 12VDC/24VAC/PoE, Binning	
AV3105	3 Megapixel H.264/MJPEG Color Camera, 2048x1536	
AV3105-AI	3 Megapixel H.264/MJPEG Color Camera, 2048x1536, w/ DC Auto Iris	
AV3105DN	3 Megapixel H.264/MJPEG Day/Night Camera, 2048x1536, motorized IR cut filter	
AV5110	5 Megapixel MJPEG Color Camera, 2592x1944, COMPACT	
AV5110DN	5 Megapixel MJPEG Day/Night Camera, 2592x1944, motorized IR cut filter, COMPACT	
AV5100M	5 Megapixel MJPEG Color Camera, 2592x1944	
AV5100-AI	5 Megapixel MJPEG Color Camera, 2592x1944, w/ DC Auto Iris	

ATTACHMENT "B"- PART 1

AV5100DN	5 Megapixel MJPEG Day/Night Camera, 2592x1944, motorized IR cut filter	
AV5115	5 Megapixel, 14 fps, H.264/MJPEG Color Camera, 2592x1944, COMPACT, 12VDC/24VAC/PoE, Binning	
AV5115AI	5 Megapixel, 14 fps, H.264/MJPEG Color Camera, 2592x1944, w/DC Auto Iris, COMPACT, 12VDC/24VAC/PoE, Binning	
AV5115DN	5 Megapixel, 14 fps, H.264/MJPEG Day/Night Camera, 2592x1944, motorized IR cut filter, COMPACT, 12VDC/24VAC/PoE, Binning	
AV5105	5 Megapixel H.264/MJPEG Color Camera, 2592x1944	
AV5105-AI	5 Megapixel H.264/MJPEG Color Camera, 2592x1944, w/DC Auto Iris	
AV5105DN	5 Megapixel H.264/MJPEG Day/Night Camera, 2592x1944, motorized IR cut filter	
AV10005	10 Megapixel/1080p Dual Mode H.264/MJPEG Color Camera, 3648 x 2752/1920 x 1080, binning	
AV10005DN	10 Megapixel/1080p Dual Mode H.264/MJPEG Day/Night Camera, 3648 x 2752/1920 x 1080, binning, motorized IR cut filter	
AV10115	10 Megapixel/1080p, 7 fps/30 fps, Dual Mode H.264/MJPEG Color Camera, 3648 x 2752/1920 x 1080, binning, COMPACT	
AV10115AI	10 Megapixel/1080p, 7 fps, 30 fps, Dual Mode H.264/MJPEG Color Camera, 3648 x 2752/1920 x 1080, binning, DC Auto-iris, COMPACT	
AV10115DN	10 Megapixel/1080p, 7 fps/30 fps, Dual Mode H.264/MJPEG Day/Night Camera, 3648 x 2752/1920 x 1080, binning, motorized IR cut filter, COMPACT	
AV3130M	3/1.3 Megapixel MJPEG DayNight (Dual Sensor) Color + B&W Camera, 2048x1536 / 1280 x 1024	
AV3135	3/1.3 Megapixel H.264/MJPEG DayNight (Dual Sensor) Color + B&W Camera, 2048x1536 / 1280 x 1024	
D4F-AV1115-3312	AV1115 + MPL33-12 Varifocal and D4F Flush Mount Indoor Dome	
D4F-AV1115DN-3312	AV1115DN + MPL33-12 Varifocal and D4F Flush Mount Indoor Dome	
D4S-AV1115-3312	AV1115 + MPL33-12 Varifocal and D4S Surface Mount Indoor Dome	
D4S-AV1115DN-3312	AV1115DN + MPL33-12 Varifocal and D4S Surface Mount Indoor Dome	
D4F-AV2115-3312	AV2115 + MPL33-12 Varifocal and D4F Flush Mount Indoor Dome, CASINO MODE	
D4F-AV2115DN-3312	AV2115DN + MPL33-12 Varifocal and D4F Flush Mount Indoor Dome, CASINO MODE	
D4S-AV2115-3312	AV2115 + MPL33-12 Varifocal and D4S Surface Mount Indoor Dome, CASINO MODE	
D4S-AV2115DN-3312	AV2115DN + MPL33-12 Varifocal and D4S Surface Mount Indoor Dome, CASINO MODE	
D4F-AV3115-3312	AV3115 + MPL33-12 Varifocal and D4F Flush Mount Indoor Dome	
D4F-AV3115DN-3312	AV3115DN + MPL33-12 Varifocal and D4F Flush Mount Indoor Dome	
D4S-AV3115-3312	AV3115 + MPL33-12 Varifocal and D4S Surface Mount Indoor Dome	
D4S-AV3115DN-3312	AV3115DN + MPL33-12 Varifocal and D4S Surface Mount Indoor Dome	

ATTACHMENT "B"- PART 1

D4F-AV5115-3312	AV5115 + MPL33-12 Varifocal and D4F Flush Mount Indoor Dome	
D4F-AV5115DN-3312	AV5115DN + MPL33-12 Varifocal and D4F Flush Mount Indoor Dome	
D4S-AV5115-3312	AV5115 + MPL33-12 Varifocal and D4S Surface Mount Indoor Dome	
D4S-AV5115DN-3312	AV5115DN + MPL33-12 Varifocal and D4S Surface Mount Indoor Dome	
AV1355	1.3 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV1355-1HK	AV1355 with 10V - 50V DC Heater	
AV1355DN	1.3 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV1355DN-1HK	AV1355DN with 10V - 50V DC Heater	
AV1355-16	1.3 Megapixel H.264/MJPEG IP Color All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV1355-16HK	AV1355-16 with 10V - 50V DC Heater	
AV1355DN-16	1.3 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV1355DN-16HK	AV1355DN-16 with 10V - 50V DC Heater	
AV2155	2 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV2155-1HK	AV2155 with 10V - 50V DC Heater	
AV2155DN	2 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV2155DN-1HK	AV2155DN with 10V - 50V DC Heater	
AV2155-16	2 Megapixel H.264/MJPEG IP Color All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV2155-16HK	AV2155-16 with 10V - 50V DC Heater	
AV2155DN-16	2 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV2155DN-16HK	AV2155DN-16 with 10V - 50V DC Heater	
AV3155	3 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV3155-1HK	AV3155 with 10V - 50V DC Heater	
AV3155DN	3 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV3155DN-1HK	AV3155DN with 10V - 50V DC Heater	
AV3155-16	3 Megapixel H.264/MJPEG IP Color All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV3155-16HK	AV3155-16 with 10V - 50V DC Heater	
AV3155DN-16	3 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV3155DN-16HK	AV3155DN-16 with 10V - 50V DC Heater	
AV5155	5 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV5155-1HK	AV5155 with 10V - 50V DC Heater	

ATTACHMENT "B"- PART 1

AV5155DN	5 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV5155DN-1HK	AV5155DN with 10V - 50V DC Heater	
AV5155-16	5 Megapixel H.264/MJPEG IP Color All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV5155-16HK	AV5155-16 with 10V - 50V DC Heater	
AV5155DN-16	5 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	
AV5155DN-16HK	AV5155DN-16 with 10V - 50V DC Heater	
MD-1HK	MegaDome® Optional Heater Kit, 10V - 50V DC	
MD-WMT2	Wall Mount for MegaDome® Series - 1.5" NPT Nipple	
MD-CMT	Pendant Mount for MegaDome® Series - 2 piece mount with gasket	
MD-PMA	Pole Mount Adapter for MD-WMT & MD-WMT2 MegaDome® Wall Mount, SV-WMT Day/Night SurroundVideo® Wall Mount and MegaView™	
MD-CRMA	Corner Mount Adapter for MD-WMT & MD-WMT2 MegaDome® Wall Mount, SV-WMT Day/Night SurroundVideo® Wall Mount and MegaView™	
MD-EBA	Electrical Box Adapter Plate for MegaDome® Series	
MD-FMA	Flush Mount for MegaDome® Series	
MD-JBA	Junction Box Adapter for MD-WMT MegaDome® Wall Mount	
AV8185DN	8.0 Megapixel H.264/MJPEG 180° Camera, 6400x1200, 4 x 8mm MP Lens, Surface/hard-ceiling mount, Indoor/Outdoor, IP66	
AV8185DN-HB	8.0 Megapixel H.264/MJPEG 180° Camera, 6400x1200, 4 x 8mm MP Lens, Surface/hard-ceiling mount, Indoor/Outdoor, IP66, 12VDC/24VAC Heater/Blower	
AV8365DN	8.0 Megapixel H.264/MJPEG 360° Camera, 6400x1200, 4 x 4mm MP Lens, Surface/hard-ceiling mount, Indoor/Outdoor, IP66	
AV8365DN-HB	8.0 Megapixel H.264/MJPEG 360° Camera, 6400x1200, 4 x 4mm MP Lens, Surface/hard-ceiling mount, Indoor/Outdoor, IP66, 12VDC/24VAC Heater/Blower	
SV-WMT	Wall Mount Bracket and Cap for AV8185DN & AV8365DN SurroundVideo® Models	
SV-CMT	Pendant Mount Bracket and Cap for AV8185DN & AV8365DN SurroundVideo® Models	
SV-FMA	False Ceiling Flush Mount Adapter for Day/Night Panoramic Series	
MV-EBA	Electrical Box Adapter for MegaView™ and Day/Night SurroundVideo® (AV8185DN & AV8365DN)	
MD-PMA	Pole Mount Adapter for MD-WMT2 MegaDome® Wall Mount, SV-WMT Day/Night SurroundVideo® Wall Mount and MegaView™	
MD-CRMA	Corner Mount Adapter for MD-WMT2 MegaDome® Wall Mount, SV-WMT Day/Night SurroundVideo® Wall Mount and MegaView™	

ATTACHMENT "B"- PART 1

AV1125DN	1.3 Megapixel H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night, 42fps	
AV1125IR	1.3 Megapixel H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night with IR LED Array, 42fps	
AV2125DN	1080p (2.1 Megapixel) H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night, 32fps, CASINO MODE	
AV2125IR	1080p (2.1 Megapixel) H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night with IR LED Array, 32fps, CASINO MODE	
AV3125DN	3 Megapixel H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night, 21fps, Binninb	
AV3125IR	3 Megapixel H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night with IR LED Array, 21fps, Binning	
AV5125DN	5 Megapixel H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night, 14fps, Binning	
AV5125IR	5 Megapixel H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night with IR LED Array, 14fps, Binning	
MV-EBA	Electrical Box Adapter for MegaView™ and Day/Night SurroundVideo® (AV8185DN & AV8365DN)	
MD-PMA	Pole Mount Adapter for MD-WMT MegaDome® Wall Mount, SV-WMT Day/Night SurroundVideo® Wall Mount and MegaView™	
MD-CRMA	Corner Mount Adapter for MD-WMT MegaDome® Wall Mount, SV-WMT Day/Night SurroundVideo® Wall Mount and MegaView™	
HSG1-O-W	Outdoor IP67 vandal proof Housing for single and dual sensor cameras, with heater/blower	
SS-HSG1	Sunshade for HSG1-O-W	
HSG-PMA	Pole mount adapter for HSG1-O-W housing	
HSG-CRMA	Corner mount adapter for HSG1-O-W housing	
D4F	Indoor Flush Mount Dome Accessory for Compact Cameras (Camera & Lens not included)	
D4S	Indoor Surface Mount Dome Accessory for Compact Cameras (Camera & Lens not included)	
DOME3-I	Indoor 3" dome for single sensor camera with fisheye lens (LENS2.3 sold separately)	

ATTACHMENT "B"- PART 1

DOME4-I	Outdoor 4" vandal resistant dome, dome for single/dual sensor cameras, IP66 (Arecont Vision fixed focal lenses only)	
DOME4-O	Outdoor 4" vandal resistant dome, dome for single/dual sensor cameras, IP66 w/heater (Arecont Vision fixed focal lenses only)	
LENS4.0	Arecont 4mm, 1/2", f2.0, Fixed Iris	
MPL4.0	Arecont 4mm, 1/1.8", f1.8, CS-mount, Fixed Iris	
H0514-MP	Computar 5mm, 1/2", f1.4, Manual Iris	
LENS6.0	Arecont 6mm, 1/2", f2.0, Fixed Iris	
MPL6.0	Arecont 6mm, 1/2", f1.4, Manual Iris	
M0814-MP	Computar 8mm, 2/3", f1.4, Manual Iris	
LENS8.0	Arecont 8mm, 1/2", f2.0, Fixed Iris	
MPL8.0	Arecont 8mm, 1/1.8", f1.8, CS-mount, Fixed Iris	
M1214-MP	Computar 12mm, 2/3", f1.4, Manual Iris	
LENS12.0	Arecont 12mm, 1/2", f2.0, Fixed Iris	
M1614-MP	Computar 16mm, 2/3", f1.4, Manual Iris	
M2514-MP	Computar 25mm, 2/3", f1.4, Manual Iris	
M5018-MP	Computar 50mm, 2/3", f1.8, Manual Iris	
SY110M	Theia 1.67mm, 1/2.5, f1.8, Manual Iris	
M118FM08	Tamron 8mm, 1/1.8", f1.4, C-mount	
M118FM16	Tamron 16mm, 1/1.8", f1.4, C-mount	
JHF25M	Spacecom 25mm, 2/3", f1.4, C-mount	
JHF35M	Spacecom 35mm, 2/3", f1.4, C-mount	
LENS4-10AI	Arecont 4-10mm, 1/2", f1.8, CS-mount, DC Auto Iris	
LENS4-13	Arecont 4.5-13mm,1/2",f1.8, CS-mount, IR Corrected	
MPL4-10	Arecont 4.5-10mm, 1/2", f1.6, CS-mount, IR Corrected	
MPL4-12	Arecont 4-12mm, 1/2", f1.4, CS-mount, IR Corrected	
MPL8-16	Arecont 8-16mm,1/2",f1.6, CS-mount, IR Corrected	
MPL33-12	Arecont 3.3-12mm,1/2.5",f1.4, CS-mount, IR Corrected	
MPL12-40	Arecont 12-40mm, 1/2", f1.8, CS-mount, IR Corrected	
HG2Z0414FC-MP	Computar 4-8mm, 1/2", f1.4, C-mount, DC Auto Iris	
M3Z1228C-MP	Computar 12-36mm, 2/3", C-mount	
12VM1040ASI	Tamron 10-40mm, 1/2", f1.4, C-mount	
12VG1040ASI	Tamron 10-40mm, 1/2", f1.4, C-mount, DC Auto Iris	
AV100	NVR Software License (per camera)	
FS108P	Netgear 8 (4 port PoE) Network Switch	
FS726TP	Netgear 24 (12 port PoE) L2 Managed Gigabit Switch	
Highwire	Highwire Ethernet to Coax to Ethernet Retrofit Module (one pair)	
PinPoint	IP Camera Focusing Adapter	
MegaKit 2MP US	2MP MegaKit, includes AV2105DN, MPL4-10 Varifocal MP Lens, PoE injecter, PinPoint, Cat5 Retractable Cables, and Mini Tripod, USA Power Cord	
MegaKit 3MP US	3MP MegaKit, includes A3105DN, MPL4-10 Varifocal MP Lens, PoE injecter, PinPoint, Cat5 Retractable Cables, and Mini Tripod, USA Power Cord	

ATTACHMENT "B"- PART 1

MegaKit 5MP US	5MP MegaKit, includes AV5105DN, MPL4-10 Varifocal MP Lens, PoE injecter, PinPoint, Cat5 Retractable Cables, and Mini Tripod, USA Power Cord	
MegaKit 2MP EU	2MP MegaKit, includes AV2105DN, MPL4-10 Varifocal MP Lens, PoE injecter, PinPoint, Cat5 Retractable Cables, and Mini Tripod, EU Power Cord	
MegaKit 3MP EU	3MP MegaKit, includes A3105DN, MPL4-10 Varifocal MP Lens, PoE injecter, PinPoint, Cat5 Retractable Cables, and Mini Tripod, EU Power Cord	
MegaKit 5MP EU	5MP MegaKit, includes AV5105DN, MPL4-10 Varifocal MP Lens, PoE injecter, PinPoint, Cat5 Retractable Cables, and Mini Tripod, EU Power Cord	
MegaKit 2MP UK	2MP MegaKit, includes AV2105DN, MPL4-10 Varifocal MP Lens, PoE injecter, PinPoint, Cat5 Retractable Cables, and Mini Tripod, UK Power Cord	
MegaKit 3MP UK	3MP MegaKit, includes A3105DN, MPL4-10 Varifocal MP Lens, PoE injecter, PinPoint, Cat5 Retractable Cables, and Mini Tripod, UK Power Cord	
MegaKit 5MP UK	5MP MegaKit, includes AV5105DN, MPL4-10 Varifocal MP Lens, PoE injecter, PinPoint, Cat5 Retractable Cables, and Mini Tripod, UK Power Cord	
AV1315	1.3 Megapixel, 32fps, H.264/MJPEG Color Camera, 1280x1024, COMPACT, PoE	
AV1315DN	1.3 Megapixel, 32fps, H.264/MJPEG Day/Night Camera, 1280x1024, motorized IR cut filter, COMPACT, PoE	
AV2815	1080p, 24fps, Megapixel H.264/MJPEG Color Camera, 1920x1080, COMPACT, PoE	
AV2815DN	1080p, 24fps, Megapixel H.264/MJPEG Day/Night Camera, 1920x1080, motorized IR cut filter, COMPACT, PoE	
AV1325DN	1.3 Megapixel H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night, 32fps	
AV1325IR	1.3 Megapixel H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night with IR LED Array, 32fps	
AV2825DN	1080p (2.1 Megapixel) H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night, 24fps	
AV2825IR	1080p (2.1 Megapixel) H.264/MJPEG IP All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Weatherproofing, Integrated 3-Axis Mount, 12VDC/24VAC Heater, Day/Night with IR LED Array, 24fps	
AV8180	8.0 Megapixel MJPEG 180° Camera, 6400x1200, 4 x 8mm MP Lens, indoor, surface mount	

ATTACHMENT "B"- PART 1

	AV8185	8.0 Megapixel H.264/MJPEG 180° Camera, 6400x1200, 4 x 8mm MP Lens, indoor, surface mount	
	AV8360	8.0 Megapixel MJPEG 360° Camera, 6400x1200, 4 x 4mm MP Lens, indoor, surface mount	
	AV8365	8.0 Megapixel H.264/MJPEG 360° Camera, 6400x1200, 4 x 4mm MP Lens, indoor, surface mount	
	DOME6-I-C	Indoor 6" vandal resistant dome for AV8xxx, pendant mount	
	DOME6-I-W	Indoor 6" vandal resistant dome for AV8xxx, wall mount	
	DOME6-O-C	Outdoor 6" vandal resistant dome for AV8xxx, w/heater blower, sunshade, pendant mount, IP66	
	DOME6-O-W	Outdoor 6" vandal resistant dome for AV8xxx, w/heater blower, sunshade, wall mount, IP66	
	D6-PMA	Pole mount for DOME6-x-W	
	D6-CMA	Corner mount for DOME6-x-W	
	RD-KIT	Recessed dome ring kit for the AV8xxx, Indoor	
	HID		
HID	0055A	END ITEM, SMARTID SCREW COVER, GEN II, ROHS C	
	0056A	END ITEM, SMARTID BLACK PLEXIGLASS COVER, GEN	
	0057A	END ITEM, SMARTID,8 PIN TERMINAL BLOCK FEMALE	
	01-0001-01	ADPTR, COAX INTFC	
	01-0002-01	MDL, PCSC WIEG CONV	
	01-0014-01	CBL, ASSY, BIO MODULE, SAGEM CBM, 5 IN.	
	02-0004-01	PWR SPLY, 100-240VAC-12VDC, 1.5A, LEAD FREE	
	0300-301-1	PROXKIT, MP & PROXPRO	
	0300-301-2	PROXKIT, MP & CLASSIC SWIPE	
	0300-301-3	ICLASS & MINIPROX DEMO KIT	
	0300A	END ITEM, SMARTID TAMPER SWITCH, ROHS COMPLI	
	04-0001-03	TOOL, SCTY-SPNR BIT, ENTRYPROX	
	1050-306-01	SFWR UTIL CD, PROXPRGMR USER	
	1321	PHOTO POUCH, ALL-PHOTO STYLE	
	1324CAN10	COV, DYE SUB OVLAY	
	1324GAN11	COV, DYE SUB OVLAY	
	1324GAN21	COV, DYE SUB OVLAY	
	1324GAN22	COV, DYE SUB OVLAY	
	1324GAV11	COV, DYE SUB OVLAY	
	1324GAV21	COV, DYE SUB OVLAY	
	1324GAV22	COV, DYE SUB OVLAY	
	1324GBN22	COV, CD TXP W/O SLT, PCII SIZE, 20 MIL, 3M AD	
	1324GBV22	COV, CD TXP W/ SLT, PCII SIZE, 20 MIL, 3M ADH	
	1324GGN31	COV, DYE SUB OVLAY	
	1324GGV31	COV, DYE SUB OVLAY	
	137-0005-11	STRAIN RELIEF, NYL, .11- .26 IN. (WITH OUT NU	
	146-0002-00	CONN SH-.100 CTR LEAD FREE	
	156-0008-00	IC, MCU-EPROM , 68705 ,	

ATTACHMENT "B"- PART 1

156-0059-01	IC, MCU-OTPROM , MC68HC705 MS018AC, LEAD FR	
21211-001	ENC,BASE,ASR-620	
21212-001	ENC,COVER,ASR-620++	
2121300	STR:SENSOR :22 2601:VIN	
2210-0305	HEAD, READER ASSEMBLY W/ 6inch WIRE, PASS TH	
2458500	PHOTO PAK W/FLAP	
2718030	CG3: PVC CARD, NO TECHNOLOGY, .030 THICK, GLO	
2930020	CAT GRAF QUAL OVLAY FOR CR CD	
2930030	OVERLAY,CLEARGUARD	
30-0003-01	SW MATRIX, MOLDED RUBBER, 3 X 4, LEAD FREE	
3010-101-01	MT, PRGMR/DRK/DEMO, HID MIFARE RDR	
3013AKN00	RDR, HID MIFARE DEMO	
31-0003-01	LED LENS, 3MM DOME, .360 LONG LEAD FREE	
31-0003-02	LED LENS, 2.25MM DOME, LEAD FREE	
3103400	SWIPE/EPIC MTG PLATE ASSY	
3121510	INSERT RDR MTG PLT MNT BRUSH SS	
3121520	INSERT RDR MTG PLT MNT SATIN BRSS	
3131560	KEY RDR MTG PLT SINGL SATIN BRASS	
3134ANA0000	EMBEDDED DEVELOPERS KIT, OEM50	
3134AND0000	EMBEDDED DEVELOPERS KIT, PROXPOINT PLUS	
3134ANE0000	EMBEDDED DEVELOPERS KIT, EPROXL	
3134ANF0000	END ITEM, OEM75 DEVELOPMENT KIT	
3134ANG0000	EMBEDDED DEVELOPERS KIT, OMNIKEY 5X21	
3134ANH0000	HID IDENTICLASS DEVELOPMENT TOOLKIT	
3134ANJ0000	HID VERICLASS DEVELOPER TOOLKIT	
3134BNB0000	EMBEDDED DEVELOPERS KIT, OEM150 (REV B)	
3134BNC0000	EMBEDDED OEM DEVELOPERS KIT, MCM2	
3134CNB0000	EMBEDDED DEVELOPERS KIT, OEM150 MULTICLASS (R	
3142220	TRNSTLE RDR MTG PLATE ASSY	
3150-302-01	SFWR UTIL CD, ICLASS RDR PRGMR	
3150-302-03	SFWR UTIL, CD, iCLASS RDR PRGMR	
3150-302-05	SFWR UTIL CD, iCLASS RDR PRGMR	
3150-304-01	SFWR UTIL CD, ICLASS PRGMR, V2.1.0	
3150-311-V4.1.14	SFWR UTIL CD, ICLASS OEM PRGMR, HIGH SECURITY	
3150-312-V4.1.14	SFWR UTIL CD, ICLASS OEM PRGMR, STD SECURITY,	
3175BNN00	SDK, ICLASS UNIVERSAL RDR, LEAD FREE	
3175BNN00-HRDW	ICLASS UNIVERSAL RDR, SDK, HRDW, LEAD FREE	
33-0001-01	RLY, 1.00A-24VDC , SPDT-1 FORM C, LEAD FREE	
40-0004-01	ANT, PROXPRO LEAD FREE	
40-0008-01	ANT, AIR CORE, 690UH 1KHZ, RECT, LEAD FREE	
40-0023-02	ANT, AIR CORE, 688UH 1KHZ, RECT	
40-0026-01	ANT, AIR CORE, 674UH	
40-0032-01	ANT, AIR CORE, 720uH, LEAD FREE	
40-0032-02	ANT, AIR CORE, 720uH LEAD FREE	

ATTACHMENT "B"- PART 1

40-0032-03	ANT, AIR CORE, 720uH, WITH 28 AWG EXTENSION L	
400-2D71-06	SCR M FL-82 SPNR .138-32X.375 SS LEAD FREE	
400-3D04-14	SCR M FL-82 PHIL .164-32X.875 BLK LEAD FREE	
4033BGN00	RDR, INTERFACE ADAPTOR	
4045-105-01	MTG PL, MULLION, ANT, ENTRYPROX, LEAD FREE	
4045-303-01	ANT ASSY, ENTRYPROX, LEAD FREE	
4045-390-03	ACC KIT, SPARE, ENTRYPROX	
4045-DTD	DATA TRANSFER DEVICE	
4045-PDA	PALM TUNGSTEN E2 PALM	
4045-RFL	PRTR PPR, ENTRYPROX ACC, HP-82240B,IR	
4045-SD	SIMPLE TECH SECURE DIGITAL CARD, 512MB	
4090A01	HID IDENTICLASS ID1 ANTENNA & CABLE - MOLEX C	
4090A02	HID IDENTICLASS ID3 ANTENNA & CABLE - MOLEX C	
4091A01	HID IDENTICLASS 10CM ANTENNA CABLE - MOLEX CO	
4091A04	HID IDENTICLASS 15CM SMART CARD ADAPTOR CABLE	
4093A01	HID IDENTICLASS SMART CARD ADAPTOR & CABLE -	
4093A02	HID IDENTICLASS SMART CARD ADAPTOR & CABLE -	
46-0007-03	TERM STP, PLUG, 3.5MM, 3 PIN LEAD FREE	
46-0007-06	CONN TERM-STP PL .138 CTR 6 POS LEAD FREE	
46-0007-08	CONN TERM-STP PL .138 CTR 8 POS LEAD FREE	
500-8095	SmartTouch SINGLE GANG ELECTRICAL BOX MOUNTIN	
50025-001	PWR,SUPPLY,PROXSMITH,UNIVERSAL	
5084400	COV ESCUTCHEON & LENS, ROHS	
51-0001-54	NUT, LKG, KNRLD, 8-32, BLK ZINC LEAD FREE	
5103500	PROXIMA MRP MOLDED COVER	
5103501	PROXIMA MRP MOLD COVER BLACK	
5104800	INSR RDR MLD MT PL BLK, ROHS	
5350-101-01	BASE, PROXPRO, GRY LEAD FREE	
5350-101-02	BASE, PROXPRO, BEI	
5350-113-01	BEZEL, PROXPRO, GRY, W/KYBD LEAD FREE	
5350-113-02	BEZEL, PROXPRO, GRY LEAD FREE	
5350-113-03	BEZEL, PROXPRO, BEI, W/KYBD	
5350-113-04	BEZEL, PROXPRO, BEI	
5352-305-H1311	MIPRCS, PROXPRO, CSTM HTFLD	
5355-320-01	PRGMD ASSY, PROXPRO DFM LEAD FREE	
5355A-302-01	COV ASSY, PROXPRO, GRY W/KEYPAD HOLES LEAD FR	
5355A-302-02	COV ASSY, PROXPRO, GRY, NO KEYPAD LEAD FREE	
5355A-302-03	COV ASSY, PROXPRO, BEI, W/KEYPAD HOLES, LEAD	
5355A-302-04	COV ASSY, PROXPRO, BEI, NO KEYPAD, LEAD FREE	
5355A-305-01	PRGMD ASSY, PROXPRO, LEAD FREE	
5355A-306-01	COV ASSY, PROXPRO, GRY, W/KEYPAD, LEAD FREE	
5355A-306-02	COV ASSY, PROXPRO, BEI, W/KEYPAD, LEAD FREE	
5355A-306-03	COV ASSY, PROXPRO, GRY, W/DIR CONN KEYPAD LEA	
5355A-306-04	COV ASSY, PROXPRO, BEI, W/DIR CONN KEYPAD, LE	

ATTACHMENT "B"- PART 1

5355A-306-05	COV ASSY, PROXPRO, GRY, W/KEYPAD AND BEZEL, L	
5355A-306-06	COV ASSY, PROXPRO, BEIGE, W/KEYPAD AND BEZEL,	
5355A-306-07	COV ASSY, PROXPRO, GRY, W/DIR CONN KEYPAD & B	
5355A-306-08	COV ASSY, PROXPRO, BEI, W/DIR CONN KEYPAD & B	
5365-359-01	ACC KIT, MP	
5365-360-01	PRGMD ASSY, MIPRCS, MP DFM, LEAD FREE	
5365-371-01	COV ASSY, UNIV MP, GRY LEAD FREE	
5365-371-02	COV ASSY, MP, BEI LEAD FREE	
5365-371-03	COV ASSY, MP, BLK, LEAD FREE	
5365-371-03-S3	COV ASSY, MP, BLK, LEAD FREE, SIEMENS	
5365-371-04	COV ASSY, MP, WHT LEAD FREE	
5365-372-01	COV ASSY, MP, DSGNR, BLK	
5365-372-02	COV ASSY, UNIV MP, DSGNR, GRY	
5365-372-04	COV ASSY, MP, DSGNR, WAVE	
5365-372-05	COV ASSY, MP, DSGNR, WHT	
5370A-305-01	COV ASSY, MAXIPROX, GRY, NO BUZ	
5375-106-01	LBL, LOGO, MAXIPROX DFM	
5375-303-01	ACC KIT, MAXIPROX	
5375-313-01	ACC KIT, MAXIPROX DFM LEAD FREE	
5375-325-01	PRGMD ASSY, MICPROCESSOR, MAXIPROX DFM	
5385-102-01	COV, MULTIPROX RDR, GRY LEAD FREE	
5385-103-01	BASE, MULTIPROX RDR, GRY, ALTRD, W/SIDE EXIT	
5385-104-01	LED LENS, PROXPRO PLUS LEAD FREE	
5395-101-01	HSG, THINLINE, WHT	
5395-101-02	HSG, THINLINE, BEI	
5395-101-03	HSG, THINLINE, BLK	
5395-104-01	COV, THINLINE DFM, WHT	
5395-104-02	COV, THINLINE DFM, BEI	
5395-104-03	COV, THINLINE DFM, BLK LEAD FREE	
5395-104-04	COV, THINLINE DFM, GRY LEAD FREE	
5395-371-01	COV ASSY, THINLINE UNIV, DSGNR, BLK	
5395-371-02	COV ASSY, THINLINE UNIV, DSGNR, GRY	
5395-371-04	COV ASSY, THINLINE UNIV, DSGNR, WAVE	
5395-371-05	COV ASSY, THINLINE, DSGNR, WHT	
5405-103-02	BEZEL, PROX 80, GRY LEAD FREE	
5405-103-05	BEZEL, PROX 80, WHT LEAD FREE	
5441840	FAB TRNSTLE RDR MT PLT BLK	
5455-311-01	COV ASSY, PROXPRO II, GRY LEAD FREE	
5455-311-02	COV ASSY, PROXPRO II, BEI LEAD FREE	
5455-311-03	COV ASSY, PROXPRO II, BLK LEAD FREE	
5455-311-04	COV ASSY, PROXPRO II, WHT	
5455AGM00	ACC KIT, PROXPRO/PROXPRO II, GL MT	
56-0001-01	GSKT, PROXPRO, LEAD FREE	
56-0002-01	O-RING, MAXIPROX LEAD FREE	

ATTACHMENT "B"- PART 1

57-0001-01	RING, KEY, 7/8" I.D.	
57-0001-02	RING, KEY, 1.0 INCH I.D.	
6005-111-01	COV, PROXPT, THICK, WHT LEAD FREE	
6005-111-02	COV, PROXPT, THICK, BEI LEAD FREE	
6005-111-03	COV, PROXPT, THICK, BLK LEAD FREE	
6005-111-04	COV, PROXPT, THICK, GRY LEAD FREE	
6005-312-01	COV ASSY, PROXPT, DSGNR, BLK LEAD FREE	
6005-312-02	COV ASSY, PROXPT, DSGNR, GRY LEAD FREE	
6005-312-04	COV ASSY, PROXPT, DSGNR, WAVE	
6005-312-05	COV ASSY, PROXPT, DSGNR, WHT	
6020-302-01	ACC KIT, SW MON, LEAD FREE	
6030-302-02	ACC KIT, PROXPRO PLUS, REAR	
6091-302-01	BEZEL ASSY, iCLASS RDR, MULLION, BLK, LEAD FR	
6091-302-02	BEZEL ASSY, iCLASS RDR, MULLION, GRY	
6091-302-04	BEZEL ASSY, iCLASS RDR, MULLION, WHT	
6092-302-01	BEZEL ASSY, iCLASS RDR, EURO, BLK, LEAD FREE	
6092-302-02	BEZEL ASSY, iCLASS RDR, EURO, GRY	
6093-101-01	MTG PL, iCLASS RDR, US, LEAD FREE	
6093-302-01	BEZEL ASSY, iCLASS RDR, U.S., BLK, LEAD FREE	
6093-302-02	BEZEL ASSY, iCLASS RDR, U.S., GRY	
6094-101-01	MT PLATE, iCLASS RDR, KEYPAD, BLK, LEAD FREE	
6094-107-01	LBL, OVERLAY, KEYPAD, iCLASS, BLK, LEAD FREE	
61-0008-01	BEZEL, SW PL, WHT	
61-0008-03	BEZEL, SW PL, BLK	
6132AG	SPACER ACC KIT, iCLASS RK40/RWK40 RDR, GRY	
6132AGB	SPACER ACC KIT, iCLASS R10 RDR, GRY	
6132AGC	SPACER ACC KIT, ICLASS R15 RDR, GRY	
6132AGD	SPACER ACC KIT, ICLASS R30 RDR, GRY	
6132AGE	SPACER ACC KIT, ICLASS R40 RDR, GRY	
6132AK	SPACER ACC KIT, iCLASS RK40/RWK40 RDR, BLK	
6132AKB	SPACER ACC KIT, iCLASS R10 RDR, BLK	
6132AKC	SPACER ACC KIT, ICLASS R15 RDR, BLK	
6132AKD	SPACER ACC KIT, ICLASS R30 RDR, BLK	
6132AKE	SPACER ACC KIT, ICLASS R40 RDR, BLK	
6250-103-01	MOUNT, iCLASS BIO PRGMR, LEAD FREE	
6303-104-01	MTG PL, iCLASS UNIV RDR, MULLION, LEAD FREE	
6305-312-01	BEZEL ASSY, iCLASS RDR, U.S., BLK, LEAD FREE	
6309-103-01	MOUNTING PLATE, HSG, iCLASS RDR RP15	
6402-103-01	BASEPLATE, ICLASS DFM, R30, BLK	
6403-109-01	BASEPLATE, ICLASS DFM, R40, BLK, NEW TOOL	
6410-102-01	HOUSING, MAGNETO, DFM KPD RDR, BLK, LEAD FREE	
6500-101-03	ANT, PROX, MULTICLASS RDR, WITH 28 AWG EXTENS	
71309630-01	STICKER, FRONT, NO LOGO, SMART READER	
7219000	LBL EPIC RDR HID, ROHS	

ATTACHMENT "B"- PART 1

7220300	LABEL MULLION LABEL	
7279202	LBL INSERT RDR HID ALUM., ROHS	
7285501	LBL SWIPE HID BLK, ROHS	
7285503	SWIPE LABEL-HID-PLAIN BLACK	
7298180	LBL PROD KP/SWP	
7343900	SWIPE INSTR KIT-HID TERMINAL STRIP	
7344300	SWIPE INSTR KIT-SIMPLEX TERM	
7348200	LAMINATOR,H/T,5000T PHOTO ID	
7348600	KIT-INSTRUCTION PROXIMA MULLION	
7348601	KIT INSTRUCTION PROX MULLION BLACK	
7348602	KIT INSTRUCT. PROX MULLION GRAY	
7393770	KIT ASSY KEYPAD/SWIPE	
7403040	CARD ACCESSORY: S-SERIES PROX CARD HOLDER - V	
8090AS	END ITEM, SMARTID SINGLE GANG ELECTRICAL BOX	
82000-303-09	ACC KIT, EDGE SOLO CNTLR, HARDWARE ONLY	
9033ANN00	MDL, WIEG INTFC, CDKEY W/O RDR, LEAD FREE	
9033ANR00	MDL, WIEG INTFC, CDKEY W/ RDR	
9287AS	END ITEM, SMARTID SPACER KIT, GEN II, ROHS CO	
AO-CLAM-ADH	CLAMSHELL ADHESIVE	
AO-CLAM-BLEED	CLAMSHELL BLEED PRINTING	
AO-CLAM-HI-FREQ	PROXCARD II 400 KHZ HIGH FREQUENCY ENCODING	
AO-CLAM-NO-ENCODE	CLAMSHELL PROGRAMMING CREDIT	
AO-CLAM-PRINT	CLAMSHELL PRINTING	
AO-COMPOSITE	COMPOSITE	
AO-CUSTOM-FIRMWA	CUSTOM READERS AND CUSTOM FIRMWARE CHIP	
AO-DESFIRE-HID-APP	HID PACS APP ON DESFIRE	
AO-HOLO-EMBEDDED	EMBEDDED HOLOGRAM	
AO-HOLO-SURFACE	SURFACE HOLOGRAM	
AO-INVISIBLE-INK	INVISIBLE INK	
AO-ISO-NO-ENCODE	ISO PROGRAMMING CREDIT	
AO-LITHO-BLACK	LITHO BLACK	
AO-LITHO-CMYK	LITHO FULL COLOR	
AO-LITHO-SPOT	LITHO SPOT COLOR - FIRST	
AO-LITHO-SPOTADD	LITHO SPOT COLOR - ADDITIONAL	
AO-LITHO-SURPRINT	SURFACE SPOT COLOR - FIRST	
AO-LITHO-SURPRINTA	SURFACE SPOT COLOR - ADDITIONAL	
AO-LONG-CABLE	LONG PIGTAIL (9 FEET/3 METERS): PROXPRO II, M	
AO-MAGSTRIPE	MAGSTRIPE/DEBITEK	
AO-MARKING-LASER	LASER ENGRAVING	
AO-MIFARE-HID-APP	HID PACS APP ON MIFARE	
AO-OVI	OPTICAL VARIABLE INK	
AO-PROGRAM-DESFIR	PROGRAMMING DESFIRE PORTION	
AO-PROGRAM-MIFARE	PROGRAMMING MIFARE PORTION	
AO-RDR-LABEL-COLO	CUSTOM READER LABEL PER COLOR	

ATTACHMENT "B"- PART 1

AO-SIG-PANEL	SIGNATURE PANEL	
AO-TAG-PRINT	TAG PRINTING - FIRST	
AO-TAG-PRINTADD	TAG PRINTING - ADDITIONAL	
AO-TRW-SURFACE	THERMAL REWRITABLE SURFACE	
BIL-422-232	BIL-422/232	
C30210009	Smart@Link (FW2.03) Demokit Chipset (VQFP32 -	
C30210020-1	Smart@Link (FW2.03) Demokit Chipset (QFN32 -	
CARDS_CUST_OWNEI	CDS CUST OWNED	
CONFIG-0001	CONFIG CARD PACK, HADP ADDRESSES 0-8, NON-LCD	
CONFIG-0002	CONFIG CARD PACK, HADP ADDRESSES 0-8, LCD REA	
CPS-02	SETUP FEE	
CPS-04	DATABASE MANAGEMENT FEE	
CSB-02	SETUP FEE	
FPZ-1511A	WAVE SLIM BLACK COVER	
FPZ-1521A	WALLSWITCH BLACK COVER	
FPZ-4511A	LINEAR SLIM BLACK COVER	
FPZ-4551A	LINEAR PROX BLACK COVER	
FPZ1231A	bezel wave mid 12" black(FPZ1231B (21258-001)	
FPZ1234A	CONSISTS OF FPZ1231B (21258-001) + FPZ1261B (	
FPZ1511A	BEZEL,WAVE,SLIM,5",BLACK (21260-001/ FPZ1511B	
FPZ1514A	BEZEL,WAVE,SLIM,5",BLUE (FPZ1511B -BASE + FPZ	
FPZ1521A	BEZEL,WAVE,W/S,5",BLACK (21259-001 (FPZ1521B)	
FPZ1524A	BEZEL,WAVE,W/S,5",BLUE FPZ1521B(21259-001) +	
FPZ2511A	ENC,BEZEL,CURVE,SLIM,5",BLACK (21241-001)	
FPZ2521A	ENC,BEZEL,CURVE,WAL/SW,5",BLACK (21242-001)	
FPZ3231A	ENC,BEZEL,ARCH,M/R,12",BLACK (21250-001)	
FPZ3235A	ENC,BEZEL,ARCH,M/R,12"GRAY (21250-002)	
FPZ3236A	ENC,BEZEL,ARCH,M/R,12",WHITE(21250-003)	
FPZ3237A	ENC,BEZEL,ARCH,M/R,12",BEIGE (21250-004)	
FPZ3511A	BEZEL,ARCH,SLIM,5",BLACK (21248-001)	
FPZ3511H	BEZEL,ARCH,SLIM,BLACK,HID	
FPZ3515A	BEZEL,ARCH,SLIM,5",GRAY (21248-002)	
FPZ3516A	BEZEL,ARCH,SLIM,5",WHITE (21248-003)	
FPZ3517A	BEZEL,ARCH,SLIM,5",BEIGE (21248-006)	
FPZ3517H	BEZEL,ARCH,SLIM,5",BEIGE,HID	
FPZ3521A	BEZEL,ARCH,W/S,5",BLACK (21249-001)	
FPZ3521H	BEZEL,ARCH,W/S,5",BLACK,HID	
FPZ3525A	BEZEL,ARCH,W/S,5",GRAY (21249-002)	
FPZ3526A	BEZEL,ARCH,W/S,5",WHITE (21249-003)	
FPZ3527A	BEZEL,ARCH,W/S,5",BEIGE(21249-004)	
FPZ3527H	BEZEL,ARCH,W/S,5",BEIGE,HID	
FPZ4511A	ENC,BEZEL,LINEAR,SLIM,5",BLACK (21225-001)	
FPZ4517A	ENC,BEZEL,LINEAR,SILM,5",BEIGE (21225-004)	
FPZ4521A	ENC,BEZEL,LINEAR,W/SW,5",BLACK (21226-001)	

ATTACHMENT "B"- PART 1

FPZ4525A	ENC,BEZEL,LINEAR,W/SW,5",GRAY	
FPZ4526A	ENC,BEZEL,LINEAR,W/SW,5",WHITE (21226-003)	
FPZ4527A	ENC,BEZEL,LINEAR,W/SW,5",BEIGE	
FPZ4551A	ENC,BEZEL,LINEAR,MAG/S,5",BLACK (21224-001)	
FPZC1511A	BEZEL,BLANK,WAVE,SLIM,5",BLACK	
FPZC1511H	BEZEL,WAVE,SLIM,5",BLACK,HID	
FPZC1514A	BEZEL,BLANK,WAVE,SLIM,5",BLUE	
FPZC1514H	BEZEL,WAVE,SLIM,5",BLUE,HID	
FPZC1521A	BEZEL,BLANK,WAVE,W/S,5",BLACK	
FPZC1524H	BEZEL,WAVE,W/S,5",BLUE,HID	
HD111AS-00	TRI ES100 S.ANSI 12V SS EXT PL .	
KIT-AFP1000-2005	KIT,AFP1000-2005,UPGRADE	
KIT-AFP1000-2005-A/R	KIT,AFP1000 ADVANCE REPLANCEMENT	
LC-0001	ARTWORK SET UP, REPROOF	
LC-0002	ARTWORK SET UP, ONE CLR	
LC-0003	ARTWORK SET UP, TWO CLR	
LC-0004	ARTWORK SET UP, THREE CLR	
LC-0005	ARTWORK SET UP, FOUR CLR	
LC-0006	ARTWORK SET UP, FIVE CLR	
LC-0007	ARTWORK SET UP, SIX CLR	
LC-0008	ARTWORK SET UP, SEVEN CLR	
LC-0009	ARTWORK SET UP, EIGHT CLR	
LC-0010	ARTWORK SAMPL	
LC-0011	EXPED FEE, 1TO 250 CDS	
LC-0012	EXPED FEE, 251 TO 500 CDS	
LC-0013	ENGRG CHG	
LC-0014	CROSS REF L, NON STRD	
LC-0015	SPECIAL PROCEDURE , SET UP	
LC-0016	SET-UP, MOLDING TOOL	
LC-0023	SETUP FEE, CUSTOM ARTWORK-SPECIAL OPTIONS	
LC-0025	HOLOGRAM ARTWORK SETUP CHARGE	
LC-0026	CONTACT CHIP EMBED SETUP FEE	
MC-0001	EVLTN CHG, NON DEF PART	
MC-0002	ADV REPLMNT CHG, NON WARR	
MC-0003	REPAIR CHARGE/EVALUATION, NON WARRANTY	
MC-0004	SPECIAL PROCEDURE, REPROGRAM CARDS	
MC-0005	SPECIAL PROCEDURE, REMOVE INK JET NUMBERING	
MC-0006	SPECIAL PROCEDURE, ADD INK JET NUMBERING	
MC-0007	SPECIAL PROCEDURE, CHANGE INK JET NUMBERING	
MC-0008	SPECIAL PROCEDURE, ADD SLOT PUNCH	
MC-0009	REBATE	
MC-0010	MISC CR	
MC-0011	MISC. CHARGE	
MC-0013	MISC CHG, PRGMG AND INKJETTING CDS	

ATTACHMENT "B"- PART 1

MC-001302	MISC CHG, ICLASS & PROX PRGMG AND INKJETTING	
MC-0014	TRAINING CHARGE	
MC-0015	SPECIAL PROCEDURE, ADD HOT STAMP	
MC-0016	MISC CHG, CANCELLATION	
MC-0017	MISC CHG, CHNG ORD	
MC-0018	Miscellaneous Charge (Cards), North Haven Man	
MC-0019	License Fee, Reader	
MC-0020	MISC CHG, LASER ENGRVG, CUST OWNED MATL	
MC-0021	MISC CHGE, CUST SP CD NO TRKG	
MC-0021-1167	MISC CHG, CUST SP CD NO TRKG, MOSLER	
MC-0022	MISC CHARGE, LASER ENGRAVING AND PROGRAMMING	
MC-0023	MISC CHARGE, FIELD PROGRAMMER UPGRADE, DOS TO	
MC-0025	MISCELLANEOUS CHARGE, ANTI-COUNTERFEITING	
MC-0026	MISC CHARGE, PROGRAMMING & INKJETTING NON-HID	
MC-0027	MISC CHG FOR CCS TO PROVIDE BADGE DESIGN CHA	
MC-0028	MISC CHG FOR CCS TO PROVIDE BADGE DESIGN CHA	
MC-0030	MISC CHARGE, PROGRAMMING CHARGE	
MC-0031	MISC CHG FOR 1 COLOR SURFACE PRINTING AND SPE	
MC-0032	MISC CHG FOR 2 COLOR SURFACE PRINTING AND SPE	
MC-0034	MISC CHG FOR 4 COLOR SURFACE PRINTING AND SPE	
MC-0036	MISC CHG, ELITE CARD MAINTENANCE FEE	
MC-0037	MISC CHG FOR SURFACE PRINTING ONE SIGNATURE P	
MC-0038	REPROGRAMMING FEE FOR PHYSICAL ACCESS ICLASS,	
MC-0039	REPAIR CHARGE, NON WARRANTY	
MC-0040	MISC CHG, SURFACE HOLOGRAM APPLICATION TO CUS	
MC-0041	MISC CHARGE, ICLASS PROTOTYPE CUSTOM DESIGNED	
MC-0044	EMBED SUPPLIED CONTACT CHIPS	
MC-0048	MISC CHG FOR TESTING CUSTOMER OWNED CARDS	
MC-0049	MISC CHG, PRGMG AND INKJETTING ICLASS CDS	
MC-1000	CORPORATE 1000 MAINTENANCE FEE	
MC-1001	SMARTS PROGRAM, PROGRAM/SHIP CUSTOMER INVENTO	
MC-2032-01	MISC CHG, ICLASS & PROX PRGMG AND INKJETTING	
MC-REWORK	MISC CHG, PRGMG AND INKJETTING CDS	
MC-REWORK-ICLASS	MISC CHG, PRGMG ICLASS AND INKJETTING CDS	
MC-REWORK-IP	MISC CHG, PRGMG AND INKJETTING ICLASS / PROX	
MC-YAG	MISC CHARGE, YAG LASER MARKING	
MR3501001	OUT OF WARRANTY REPAIR	
R31110016	OK Smart@Link Design-In Kit Serial (FW2.03) S	
R31210055	OK Smart@Link Design-In Kit USB (FW2.03) Sing	
SH-001	SPCL HNDLNG,NON SEQUENTIAL ID'S	
SH-003	SPCL HNDLNG,CUSTOM LABEL CODE FEE	
SH-007	SPCL HNDLNG,REPROGRAMMING FEE,RDRS	
SH-014	SPCL HNDLNG,FLEX PASS EXPRESS-2DAY EXPEDITE F	
SH-015	SPCL HNDLNG,FLEX PASS EXPRESS-3 DAY EXPEDITE	

ATTACHMENT "B"- PART 1

SH-022	SPCL HNDLNG,RUN CHARGE LABEL	
TS111AS	TS101AS 12V PTL ANSI SS FACEPLATE	
TS2001	ES2000 12V PTL CAST SS	
XXZ112	BEZEL,WAVE,SLIM,5",BLUE	
XXZ122	BEZEL,WAVE,W/S,5",BLUE	
XXZ321	BEZEL,ARCH,W/S,BLACK,FLXSMRT	
1436MEGMV	COMPOSITE HID MIFARE 1K COMP, PROG, F-GLOSS,	
1437BEGMNM	HID PROX & MIFARE 1K COMP, PROG HID 125K & 13	
1437LEGMNN	HID PROX & MIFARE 1K COMP, EMBEDDABLE, PROG,	
1446NE1NN	HID MIFARE 4K COMP, PROG, F-EMB. GLOSS, B-GLO	
1446NEGNN	HID MIFARE 4K COMP, PROG, F-EMB. GLOSS, B-GLO	
1447LEGMNN	HID PROX & MIFARE 4K COMP, EMBEDDABLE, PROG,	
1447NEGNNN	HID PROX & MIFARE 4K COMP, EMBEDDABLE, NON-PR	
1456NEGNN	COMPOSITE HID DESFIRE 4K EMBEDDABLE, NON-PROG	
1457NEGNNN	HID PROX & DESFIRE 4K COMP, EMBEDDABLE, NON-P	
1597LGGAN	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-	
1597LGGAV	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-	
1597LGGMN	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-	
1597LGGMV	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-	
1597LGGSN	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-	
1597NGGNN	COMPOSITE SMART ISOPROX II, NON - PROG, F-GLO	
1597NGGNN-210354	COMPOSITE SMART ISOPROX II, NON - PROG, F-CON	
1598LGGAN	COMPOSITE SMART DUOPROX II, F-GLOSS, B-GLOSS,	
1598LGGMN	COMPOSITE SMART DUOPROX II, PROG, F-GLOSS, B-	
1598LGGMV	COMPOSITE SMART DUOPROX II, PROG, F-GLOSS, B-	
1598LGGNN	COMPOSITE SMART DUOPROX II, PROG, F-GLOSS, B-	
1598LGGSN	COMPOSITE SMART DUOPROX II, PROG, F-GLOSS, B-	
1598LGGSV	COMPOSITE SMART DUOPROX II, PROG, F-GLOSS, B-	
1598NGGNN	COMPOSITE SMART DUOPROX II, NON - PROG, F-GLO	
2110CG1NN	COMPOSITE ICLASS EMBED 2K/2, CONFIG, F-GLOSS,	
2110CGGNN	COMPOSITE ICLASS EMBED 2K/2, CONFIG, F-GLOSS,	
2110NGGNN	COMPOSITE ICLASS EMBED 2K/2, NON-PRGMD, F-GLO	
2110PG1SN	COMPOSITE ICLASS EMBED 2K/2, PROGRAM, F-GLOSS	
2110PGGMN	COMPOSITE ICLASS EMBED 2K/2, PRGMD, F-GLOSS,	
2111CGGNN	ICLASS 16K/2, COMPOSITE EMBEDDABLE, CONF, F-G	
2111CGGNV	ICLASS 16K/2, COMPOSITE EMBEDDABLE, CONF, F-G	
2112CGGNN	ICLASS EMBED 16K/16, COMPOSITE, CONFIGURED NO	
2112PG1MN	ICLASS 16K/16, COMPOSITE EMBEDDABLE, PROG, F-	
2112PG1SN	ICLASS 16K/16, COMPOSITE EMBEDDABLE, PROG, F-	
2112PGGMN	ICLASS 16K/16, COMPOSITE EMBEDDABLE, PROG, F-	
2113PGGMN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE EMBEDDA	
2130BG1MNM	COMPOSITE ICLASS PROX 2K/2, PROG ICLASS & 125	
2130BGGMNM	COMPOSITE ICLASS/PROX 2K/2, PROGRAMMED, EMBED	
2130BGGMVM	COMPOSITE ICLASS/PROX 2K/2, PROX PROGRAMMED,	

ATTACHMENT "B"- PART 1

2131BG1MNM	ICLASS PROX COMP EMBED 16K, PROG, F-GLOSS, B-	
2131BG1MNN	ICLASS PROX COMP EMBED 16K, PROG, F-GLOSS, B-	
2132BG1MNM	ICLASS PROX COMP EMBED 16K, PROG., F-GLOSS, B	
2132BGGMNM	ICLASS PROX COMP EMBED 16K, PROG., F-GLOSS, B	
2132BGGMNN	ICLASS PROX COMP EMBED 16K, PROG., F-GLOSS, B	
2132CG1NNN	ICLASS PROX COMP EMBED 16K, CONF., F-GLOSS, B	
2132CGGNNN	ICLASS PROX COMP EMBED 16K/16, CONF., F-GLOSS	
2134BG1ANN	ICLASS/PROX 32K (16K/16+16K/1), COMP, EMBED,	
2134BGGNNA	ICLASS PROX COMP EMBED 32K (16k/1+16K/1), PRO	
IDBPCACN	CARD,idBank,125KHZ CASI,CORP 1000	
IDBPCANN	CARD,idBank,125KHZ CASI,NO ATTRIBUTE	
IDBPCBCN	CARD,idBank,125KHZ CASI,CORP 1000	
IDBPCBNN	CARD,idBank,125KHZ CASI,NO ATTRIBUTE	
IDBPCCCN	CARD,idBank,125KHZ CASI,CORP 1000	
IDBPCCNN	CARD,idBank,125KHZ CASI,NO ATTRIBUTE	
IDBPCDCN	CARD,idBank,125KHZ CASI,CORP 1000	
IDBPCDNN	CARD,idBank,125KHZ CASI,NO ATTRIBUTE	
IDBPCECN	CARD,idBank,125KHZ CASI,CORP 1000	
IDBPCENN	CARD,idBank,125KHZ CASI,NO ATTRIBUTE	
IDBPDACN	CARD,idBank,125KHZ INDALA,CORP 1000	
IDBPDANN	CARD,idBank,125KHZ INDALA,NO ATTRIBUTE	
IDBPDBCN	CARD,idBank,125KHZ INDALA,CORP 1000	
IDBPDBNN	CARD,idBank,125KHZ INDALA,NO ATTRIBUTE	
IDBPDCCN	CARD,idBank,125KHZ INDALA,CORP 1000	
IDBPDCNN	CARD,idBank,125KHZ INDALA,NO ATTRIBUTE	
IDBPDDCN	CARD,idBank,125KHZ INDALA,CORP 1000	
IDBPDDNN	CARD,idBank,125KHZ INDALA,NO ATTRIBUTE	
IDBPDECN	CARD,idBank,125KHZ INDALA,CORP 1000	
IDBPDENN	CARD,idBank,125KHZ INDALA,NO ATTRIBUTE	
IDBPHACN	CARD,idBank,125KHZ,CORP 1000	
IDBPHANN	CARD,idBank,125KHZ,NO ATTRIBUTE	
IDBPHBCN	CARD,idBank,125KHZ,CORP 1000	
IDBPHBNN	CARD,idBank,125KHZ,NO ATTRIBUTE	
IDBPHCCN	CARD,idBank,125KHZ,CORP 1000	
IDBPHCNN	CARD,idBank,125KHZ,NO ATTRIBUTE	
IDBPHDCN	CARD,idBank,125KHZ,CORP 1000	
IDBPHDNN	CARD,idBank,125KHZ,NO ATTRIBUTE	
IDBPHECN	CARD,idBank,125KHZ,CORP 1000	
IDBPHENN	CARD,idBank,125KHZ,NO ATTRIBUTE	
IDBPIACN	CARD,idBank,iCLASS,CORP 1000	
IDBPIANN	CARD,idBank,iCLASS,NO ATTRIBUTE	
IDBPIBCN	CARD,idBank,iCLASS,CORP 1000	
IDBPIBNN	CARD,idBank,iCLASS,NO ATTRIBUTE	
IDBPICCN	CARD,idBank,iCLASS,CORP 1000	

ATTACHMENT "B"- PART 1

IDBPICNN	CARD,idBank,iCLASS,NO ATTRIBUTE	
1445MSSMN	HID MIFARE ADH TAG 4K, PROG, F- STD HID AW, B	
2000CG1NN	ICLASS 2K/2, CONFIGURED, F-GLOSS, MAGSTRIPE,	
2000CG1NV	ICLASS 2K/2, CONFIGURED, F-GLOSS, MAGSTRIPE,	
2000CG1SN	ICLASS 2K/2, CONFIGURED, F-GLOSS, MAGSTRIPE,	
2000CGGNH	ICLASS 2K/2, CONFIGURED, F-GLOSS, B-GLOSS, NO	
2000CGGNN	ICLASS 2K/2, CONFIGURED NON-PROG , F-GLOSS, B	
2000CGGNV	ICLASS 2K/2, CONFIGURED, F-GLOSS, B-GLOSS, NO	
2000CGGSN	ICLASS 2K/2, MEMORY CONFIG, F-GLOSS, B-GLOSS,	
2000CGGSV	ICLASS 2K/2, CONFIGURED, F-GLOSS, B-GLOSS, SE	
2000PCCMN-120162	ICLASS 2K/2, PROG, F-ALCON TEMPORARY WORKER W	
2000PCGMN-120492	ICLASS 2K/2, PROG., F-MADAME TUSSAUDS LAS VEG	
2000PG1AH	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-BOTH SLO	
2000PG1MB	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-BOTH SLO	
2000PG1MH	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-MAGSTRIP	
2000PG1MN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, MAG STRIPE	
2000PG1MN-120252	ICLASS 2K/2,PROG ICLASS,F-GLOSS, MAG STRIPE,	
2000PG1MV	ICLASS 2K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE,	
2000PG1NN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE,	
2000PG1RN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE,	
2000PG1SB	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B- GLOSS W	
2000PG1SN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE,	
2000PG1SN-PACK50	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS W/	
2000PG7MN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS WI	
2000PGGAH	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #	
2000PGGAN	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #	
2000PGGAV	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #	
2000PGGBN	ICLASS 2K/2,PRGMD,ICLASS,F-GLOSS,B-GLOSS,ENGR	
2000PGGBV	ICLASS 2K/2,PRGMD,ICLASS,F-GLOSS,B-GLOSS,ENGR	
2000PGGCN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, E	
2000PGGMB	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS W/ BOTH	
2000PGGMH	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, M	
2000PGGMN	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #	
2000PGGMN-120252	ICLASS 2K/2,PROG ICLASS,F-GLOSS, B-GLOSS, MAT	
2000PGGMV	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, M	
2000PGGNB	ICLASS 2K/2, PROG., F-GLOSS, B-GLOSS W/BOTH V	
2000PGGNN	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS, NO #, N	
2000PGGNV	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, N	
2000PGGRN	ICLASS 2K/2, PROG, F-GLOSS, B-GLOSS, RANDOM,	
2000PGGSB	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS W/ BOTH	
2000PGGSH	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, S	
2000PGGSN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, S	
2000PGGSN-PACK50	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, S	
2000PGGSV	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, S	

ATTACHMENT "B"- PART 1

2001CG1NN	ICLASS 16K/2, CONFIG NON-PRGMD, F-GLOSS, B-GL	
2001CG1NV	ICLASS 16K/2, CONFIG NON-PRGMD, F-GLOSS, B-GL	
2001CGGNN	ICLASS 16K/2, CONFIG, F-GLOSS, B-GLOSS, NO IC	
2001CGGNV	ICLASS 16K/2, CONFIG, F-GLOSS, B-GLOSS, NO IC	
2001CGGSN	ICLASS 16K/2, CONFIGURED, F-GLOSS, B-GLOSS, S	
2001CGGSV	ICLASS 16K/2, CONFIGURED, F-GLOSS, B-GLOSS, S	
2001HPGGMN	ICLASS SE 16K/2, PRGMD, F-GLOSS, B-GLOSS, MAT	
2001PG1MH	ICLASS 16K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE	
2001PG1MN	ICLASS 16K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE	
2001PG1MN-1601Z	ICLASS 16K/2, PROG ICLASS, F-GLOSS, JIS II MA	
2001PG1MV	ICLASS 16K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE	
2001PG1NV	ICLASS 16K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE	
2001PGGAN	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, LASER	
2001PGGAV	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, LASER	
2001PGGBN	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, LASER	
2001PGGMB	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS W/ BOTH	
2001PGGMN	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH	
2001PGGMV	ICLASS 16K/2, PROG ICLASS, F-GLOSS, B-GLOSS,	
2001PGGNN	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, NO #,	
2001PGGRN	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, RANDOM	
2001PGGSN	ICLASS 16K/2, PROG ICLASS, F-GLOSS, B-GLOSS,	
2002CG1NN	ICLASS 16K/16, CONFIGURED NON-PROG, F-GLOSS,	
2002CG1NN-1601Z	ICLASS 16K/16, CONFIGURED NON-PROG, F-GLOSS,	
2002CG1SN	ICLASS 16K/2, CONFIGURED NON-PROG, F-GLOSS, M	
2002CG7NN	ICLASS 16K/16, CONFIGURED NON-PROG, F-GLOSS,	
2002CGGNN	ICLASS 16K/16, CONFIGURED NON-PRGMD, F-GLOSS,	
2002CGGNV	ICLASS 16K/16, CONFIG, F-GLOSS, B-GLOSS, NO #	
2002CGGSB	ICLASS 16K/16, MEMORY CONFIG, F-GLOSS, B-GLOS	
2002CGGSN	ICLASS 16K/16, MEMORY CONFIG, F-GLOSS, B-GLOS	
2002CGGSV	ICLASS 16K/16, CONFIGURED, F-GLOSS, B-GLOSS,	
2002PG1MB	CLASS 16K/16, PRGMD, F-GLOSS, B-MAG W/ BOTH V	
2002PG1MH	ICLASS 16K/16, PROG., F-GLOSS, B- MAGSTRIPE,	
2002PG1MN	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS,	
2002PG1MN-110348	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS	
2002PG1MN-1601Z	ICLASS 16K/16, PROG ICLASS, F-GLOSS, JIS II M	
2002PG1MV	ICLASS 16K/16, PROG ICLASS, F-GLOSS, MAGSTRIP	
2002PG1NN	ICLASS 16K/16, PROG ICLASS, F-GLOSS, MAGSTRIP	
2002PG1SN	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS,	
2002PGCMN-110243	ICLASS 16K/16, PROG, F-GLOSS, B-ICLASS LOGO W	
2002PGGAN	ICLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS, LASER	
2002PGGAV	ICLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS, LASER	
2002PGGMB	CLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS W/ BOTH	
2002PGGMH	CLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS, MATCH	
2002PGGMN	ICLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS, MATCH	

ATTACHMENT "B"- PART 1

2002PGGMN-120252	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS	
2002PGGMN-1601D	ICLASS 16K/16, PROG, F-GLOSS, B-GLOSS, CUSTOM	
2002PGGMV	ICLASS, 16K/16, PRGMD, F-GLOSS, B-GLOSS, MATC	
2002PGGNN	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS,	
2002PGGRN	ICLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS, RANDO	
2002PGGSN	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS,	
2002PGGSN-PACK50	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS,	
2002PGGSV	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS,	
2003CG1NN	ICLASS 32K (16K/2 + 16K/1), CONFIGURED, F-GLO	
2003CGGNN	ICLASS 32K (16K/2 + 16K/1), CONFIGURED, F-GLO	
2003CGGSN	ICLASS 32K (16K/2 + 16K/1), CONFIGURED, F-GLO	
2003HPGGMN	ICLASS SE 32K (16K/2 + 16K/1), PRGMD, F-GLOSS	
2003PG1MN	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLO	
2003PG1MN-TRW	ICLASS 32K (16K/2 +16K/1), CUSTOM, F-REWRITE,	
2003PG1SN	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLO	
2003PGGMB	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLO	
2003PGGMH	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLO	
2003PGGMN	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLO	
2003PGGMV	ICLASS 32K (16K/2 + 16K/1), PROG., F-GLOSS, B	
2003PGGNB	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLO	
2003PGGSN	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLO	
2003PGGSV	ICLASS 32K (16K/2 + 16K/1), PROG., F-GLOSS, B	
2004CG1NN	ICLASS 32K (16K/16 + 16K/1), CONFIGURED, F-GL	
2004CGGNN	ICLASS 32K (16K/16 + 16K/1), CONFIGURED, F-GL	
2004CGGNV	ICLASS 32K (16K/16 + 16K/1), CONFIGURED, F-GL	
2004CGGSN	ICLASS 32K (16K/16 + 16K/1), CONFIGURED, F-GL	
2004HPGGMN	ICLASS SE 32K (16K/16 + 16K/1), PRGMD, F-GLOS	
2004PG1BV	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GL	
2004PG1MB	ICLASS 32K 16K/16 + 16K/1, PROG, F-GLOSS, B-M	
2004PG1MN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GL	
2004PG1MV	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GL	
2004PG1NN	ICLASS 32K (16K/16 + 16K/1), PROG., F-GLOSS,	
2004PG1SN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GL	
2004PG7MN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GL	
2004PGGAN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GL	
2004PGGMB	ICLASS 32K 16K/16 + 16K/1, PROG, F-GLOSS, B-G	
2004PGGMN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GL	
2004PGGMV	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GL	
2004PGGNN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GL	
2004PGGSN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GL	
2020AG1NNM	ICLASS PROX 2K/2, NON-PROG CONFIGURED, F-GLOS	
2020AGGNNM	ICLASS PROX 2K/2, NON-PROG CONFIGURED, F-GLOS	
2020AGGNNN	ICLASS PROX 2K/2, NON-PROG CONFIGURED, F-GLOS	
2020AGGNVM	ICLASS PROX 2K/2, NON-PROG CONFIGURED, F-GLOS	

ATTACHMENT "B"- PART 1

2020BG1ANA	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BG1ANN	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BG1MNM	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BG1MNN	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BG1MVM	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BG1MVN	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BG1NNM	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BG1NNN	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BG1NNS	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BG1NVM	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGANA	ICLASS PROX 2K/2, PROG ICLASS & 125K, G-GLOSS	
2020BGGANN	ICLASS PROX 2K/2, PROG ICLASS & 125K, G-GLOSS	
2020BGGAVA	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGMNB	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGMNM	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGMNN	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGMNN-EM4102	ICLASS PROX 2K/2, PROG ICLASS, F-GLOSS B-GLOS	
2020BGGMNS	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGMVM	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGMVN	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGNNM	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGNNN	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGRNM	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGRNR	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGRVR	ICLASS PROX 2K/2, PROG ICLASS & 125K, F-GLOSS	
2020BGGSNM	ICLASS PROX 2K/2, PROG ICLASS & 125K, G-GLOSS	
2020BGGSNN	ICLASS PROX 2K/2, PROG ICLASS & 125K, G-GLOSS	
2020BGGSNS	ICLASS PROX 2K/2, PROG ICLASS & 125K, G-GLOSS	
2020BGGSNS-PACK50	ICLASS PROX, 2K/2, PROG., F-GLOSS, B-GLOSS, S	
2020BGGSVN	ICLASS PROX 2K/2, PROG ICLASS & 125K, G-GLOSS	
2020BGGSVS	ICLASS PROX 2K/2, PROG ICLASS & 125K, G-GLOSS	
2020CG1NNN	ICLASS PROX 2K/2, CONFIGURED, F-GLOSS, MAGSTR	
2020CGGMNN-EM4102	ICLASS PROX 2K/2, CONFIG. ICLASS, F-GLOSS B-G	
2020CGGNNM	ICLASS PROX 2K/2, CONFIGURED, F-GLOSS, B-GLOS	
2020CGGNNN	ICLASS PROX 2K/2, CONFIGURED, F-GLOSS, B-GLOS	
2020CGGNNS	ICLASS PROX 2K/2, CONFIGURED, F-GLOSS, B-GLOS	
2020CGGSNN	ICLASS PROX 2K/2, CONFIGURED, F-GLOSS, B-GLOS	
2020LG1NNM	ICLASS PROX 2K/2 WITH MAGSTRIPE	
2020LGGNNM	ICLASS PROX 2K/2, PROG 125K, F-GLOSS, B-GLOSS	
2020PG1MNN	ICLASS PROX 2K/2, PROG ICLASS, F-GLOSS, B-MAG	
2020PGGMNN	ICLASS PROX 2K/2, PROG ICLASS, F-GLOSS, B-GLO	
2020PGGMVN	ICLASS PROX 2K/2, PROG ICLASS, F-GLOSS, B-GLO	
2020PGGNNN	ICLASS PROX 2K/2, PROG ICLASS, F-GLOSS, B-GLO	
2020PGGNVN	ICLASS PROX 2K/2, PROG ICLASS, F-GLOSS, B-GLO	

ATTACHMENT "B"- PART 1

2020PGGSNN	ICLASS PROX 2K/2, PROG ICLASS, F-GLOSS, B-GLO	
2021AG1NNM	ICLASS PROX 16K/2, CONFIGURED & PROG 125K, F-	
2021AGGNNM	ICLASS PROX 16K/2, CONFIGURED & PROG 125K, F-	
2021AGGNVM	ICLASS PROX 16K/2, CONFIGURED & PROG 125K, F-	
2021BG1MNM	ICLASS PROX 16K/2, PROG ICLASS & 125K, F-GLOS	
2021BG1MNN	ICLASS PROX 16K/2, PROG ICLASS & 125K, F-GLOS	
2021BG1NNM	ICLASS PROX 16K/2, PROG ICLASS & 125K, F-GLOS	
2021BGGAVA	ICLASS PROX 16K/2, PROG ICLASS & 125K, F-GLOS	
2021BGGMNM	TXP, CD, ICLASS PRDX 16K/2, BOTH-PRGM, F-GLOS	
2021BGGMNN	ICLASS PROX 16K/2, PROG HID 125K & 13.56M, F-	
2021BGGMVM	ICLASS PROX 16K/2, PROG ICLASS & 125K, F-GLOS	
2021BGGNNM	ICLASS PROX 16K/2, PROG ICLASS & 125K, F-GLOS	
2021BGGNNN	ICLASS PROX 16K/2, PROG ICASS & 125K, F-GLOSS	
2021BGGNNS	ICLASS PROX 16K/2, PROG ICLASS & 125K, F-GLOS	
2021BGGNVM	ICLASS PROX 16K/2, PROG ICLASS & 125K, F-GLOS	
2021BGGNVN	ICLASS PROX 16K/2, PROG ICLASS & 125K, F-GLOS	
2021BGGSNM	ICLASS PROX 16K/2, PROG ICLASS & 125K, F-GLOS	
2021CG1NNN	ICLASS PROX 16K/2, CONFIGURED, F-GLOSS, MAGST	
2021CGGNNN	ICLASS PROX 16K/2, CONFIGURED, F-GLOSS, B-GLO	
2021CGGSNN	ICLASS PROX 16K/2, CONFIGURED, F-GLOSS, B-GLO	
2021CGGSNS	ICLASS PROX 16K/2, CONFIGURED, F-GLOSS, B-GLO	
2021PG1MNN	ICLASS PROX 16K/2, PROG ICLASS, F-GLOSS, B-GL	
2021PG1SNN	ICLASS PROX 16K/2, PROG ICLASS, F-GLOSS, MAGS	
2021PGGMNM	ICLASS PROX 16K/2, F-GLOSS, B-GLOSS, MATCH IC	
2021PGGMNN	ICLASS PROX 16K/2, F-GLOSS, B-GLOSS, MATCH IC	
2021PGGNNN	ICLASS PROX 16K/2, F-GLOSS, B-GLOSS, NO ICLAS	
2022AG1NNM	ICLASS PROX 16K/16, CONFIGURED, PROG HID 125K	
2022AG1NVM	ICLASS PROX 16K/16, CONFIGURED, PROG HID 125K	
2022AGGMVM	ICLASS PROX 16K/16, CONFIGURED, PROG 125K, F-	
2022AGGNNM	ICLASS PROX 16K/16, NON-PROG, CONFIGURED, PRO	
2022AGGNNN	ICLASS PROX 16K/16, NON-PROG, CONFIGURED, PRO	
2022AGGNVM	ICLASS PROX 16K/16, CONFIGURED, PROG 125K, F-	
2022BG1ANN	ICLASS PROX 16K/16, PROG ICLASS &125K, F-GLOS	
2022BG1MNM	ICLASS PROX 16K/16, PROG ICLASS &125K, F-GLOS	
2022BG1MNN	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BG1MVM	ICLASS PROX 16K/16, PROG ICLASS &125K, F-GLOS	
2022BG1NNM	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BG1NNN	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BG1NNS	ICLASS PROX 16K/16PROG ICLASS & 125K, F-GLOSS	
2022BG1NVM	ICLASS PROX 16K/16, PROG HID ICLASS & 125K, F	
2022BG1SNM	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BG1SNS	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BG1SVS	ICLASS PROX 16K/16, PROG ICLASS &125K, F-GLOS	
2022BGGANA	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	

ATTACHMENT "B"- PART 1

2022BGGANN	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BGGMNM	ICLASS PROX 16K/16, PROG ICLASS &125K, F-GLOS	
2022BGGMNN	ICLASS PROX 16K/16, PROG HID 125K & 13.56M, F	
2022BGGMNN-PXM	ICLASS PROX 16K/16, PROG ICLASS & PROX, F-GLO	
2022BGGMVM	ICLASS 16K/16, PROG ICLASS & 125K, F-GLOSS, B	
2022BGGMVN	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BGGNNA	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BGGNNM	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BGGNNN	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BGGNNS	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BGGNVM	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BGGNVN	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BGGRNN	ICLASS PROX 16K/16, PROG ICLASS &125K, F-GLOS	
2022BGGRNR	ICLASS PROX 16K/16, PROG ICLASS &125K, F-GLOS	
2022BGGRVN	ICLASS PROX 16K/16, PROG HID 125K & 13.56M, F	
2022BGGSNM	ICLASS PROX 16K/16, PROG ICLASS & 125K, G-GLO	
2022BGGSNN	ICLASS PROX 16K/16, PROG ICLASS & 125K, F-GLO	
2022BGGSNS	ICLASS PROX 16K/16, PROG ICLASS & 125K, G-GLO	
2022BGGSVS	ICLASS 16K/16, PROG ICLASS & 125K, F-GLOSS, B	
2022CG1NNN	ICLASS PROX 16K/16, CONFIGURED NON-PROG, F-GL	
2022CGGNNN	ICLASS PROX 16K/16, CONFIGURED NON-PRGMD, F-G	
2022CGGNNS	ICLASS PROX 16K/16, CONFIGURED NON-PRGMD, F-G	
2022CGGNVN	ICLASS PROX 16K/16, CONFIGURED NON-PRGMD, F-G	
2022CGGSNN	ICLASS PROX 16K/16, CONFIGURED, F-GLOSS, B-GL	
2022CGGSNS	ICLASS PROX 16K/16, CONFIGURED, F-GLOSS, B-GL	
2022LGGNNM	ICLASS PROX 16K/16, PROG 125K ONLY, F-GLOSS,	
2022PG1MNN	ICLASS PROX 16K/16, F-GLOSS, MAGSTRIPE, MATCH	
2022PGGMNN	ICLASS PROX 16K/16, PROG HID 125K & 13.56M, F	
2022PGGMVN	ICLASS PROX 16K/16, PROG HID 125K & 13.56M, F	
2023AGGNNM	ICLASS, PROX 32K (16K/2+16K/1), CONFIG/PROG 1	
2023AGGNVM	ICLASS, PROX 32K (16K/2+16K/1), CONFIG NON-PR	
2023BGGMNM	ICLASS, PROX 32K(16K/2+16K/1), PROG 125K/ICLA	
2023BGGMVM	ICLASS/PROX 32K (16k/2+16K/1), PROG ICLASS/PR	
2023BGGNNM	ICLASS, PROX 32K(16K/2+16K/1), PROG 125K/ICLA	
2023BGGNVN	ICLASS, PROX 32K(16K/2+16K/1), PROG 125K/ICLA	
2023CGGNNN	ICLASS, PROX 32K (16K/2+16K/1), CONFIGURED, F	
2023LGGNNM	ICLASS, PROX 32K (16K/2+16K/1), PROG 125K, F-	
2023PG1MNN	ICLASS, PROX 32K (16K/2+16K/1), PROG ICLASS,	
2023PGGMNN	ICLASS, PROX 32K (16K/2+16K/1), PROG ICLASS,	
2024AGGNNM	ICLASS, PROX 32K(16K/16+16K/1), CONFIG/PROG 1	
2024BG1MNM	ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICL	
2024BG1MNN	ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICL	
2024BGGANA	iCLASS, PROX 32K(16K/16+16K/1), PROG 125K/iCL	
2024BGGMNM	ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICL	

ATTACHMENT "B"- PART 1

2024BGGMNN	ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICL	
2024BGGMNS	ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICL	
2024BGGMVM	ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICL	
2024BGGMVN	iCLASS, PROX 32K(16k/16+16K/1), PROG 125K/iCL	
2024BGGNNM	ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICL	
2024BGGSNM	ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICL	
2024BGGSNN	ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICL	
2024BGGSNS	ICLASS, PROX 32K (16k/16+16K/1), PROG 125K/iC	
2024BGGSVM	ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICL	
2024CG1NNN	ICLASS, PROX 32K (16K/16+16K/1), CONFIGURED,	
2024CGGNNN	ICLASS, PROX 32K (16K/16+16K/1), CONFIGURED,	
2024CGGSNS	ICLASS, PROX 32K (16K/16+16K/1), CONFIGURED,	
2024LGGNNM	ICLASS, PROX 32K (16K/16+16K/1), PROG 125K, F	
2024PG1MNN	ICLASS, PROX 32K (16K/16+16K/1), PROG ICLASS,	
2024PGGMNN	ICLASS, PROX 32K (16K/16 + 16K/1), PROG ICLAS	
2040PGGMNN26A1	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2040PGGMNN26A1120	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2040PGGMNN34A1	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2040PGGMVM26A1	ICLASS WIEGAND 2K/2, PROG iCLASS, F-GLOSS, B-	
2040PGGNHM35A1	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2040PGGNNM26A	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2040PGGNNM26A1	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2040PGGNNM35A1	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2040PGGNNM37A1	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2040PGGNNR26A	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2040PGGNNS26A1	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2040PGGNNS32A	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2040PGGNVM26A1	ICLASS WIEGAND 2K/2, PROG ICLASS, F-GLOSS, B-	
2041PGGMNN26A1	ICLASS WIEGAND 16K/2, PROG ICLASS, F-GLOSS, B	
2041PGGMNN37A1	ICLASS WIEGAND 16K/2, PROG ICLASS, F-GLOSS, B	
2041PGGNNA34B	ICLASS WIEGAND 16K/2, PROG ICLASS, F-GLOSS, B	
2042CGGNNS26A	ICLASS WIEGAND 16K/16, CONFIG. NON-PRG, F-GLO	
2042PG1NNM26A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F-GLOSS,	
2042PG1NNM34B	ICLASS WIEGAND 16K/16, PROG ICLASS, F-GLOSS,	
2042PG1NNM35A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F-GLOSS,	
2042PGCMNN35A1210	ICLASS WIEGAND 16K/16, PROG ICLASS, F B-GLOS	
2042PGGMNM26A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F-GLOSS,	
2042PGGMNM34B	ICLASS WIEGAND 16K/16, PROG iCLASS, F-GLOSS,	
2042PGGMNN26A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F-GLOSS,	
2042PGGMNN30A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F-GLOSS,	
2042PGGMNN35A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F- GLOSS,	
2042PGGNNM26A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F-GLOSS,	
2042PGGNNM30A1	ICLASS WIEGAND 16K/16: PROG ICLASS: F-GLOSS:	
2042PGGNNM34A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F B-GLOS	

ATTACHMENT "B"- PART 1

2042PGGNNM34B	ICLASS WIEGAND 16K/16, PROG ICLASS, F- GLOSS	
2042PGGNNM35A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F B-GLOS	
2042PGGNNM36A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F-GLOSS,	
2042PGGNNM37A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F-GLOSS,	
2042PGGNNS32A	ICLASS WIEGAND 16K/16, PROG ICLASS, F-GLOSS,	
2042PGGNVM26A1	ICLASS WIEGAND 16K/16, PROG ICLASS, F-GLOSS,	
2050CKNMN	iCLASS KF 2K/2, CONFIGURED,NON-PROG, BLK, NON	
2050CKNNN	ICLASS KEYFOB 2K/2, CONFIG MEMORY, BLACK, NON	
2050CKNON	ICLASS KEYFOB 2K/2, CONFIG MEMORY, BLACK, NON	
2050CKNSN	ICLASS KEYFOB 2K/2, CONFIGURED, BLACK, SEQ IC	
2050CNNNN	ICLASS KF 2K/2, CONFIGURED,NON-PROG, BLACK W/	
2050CNNSN	ICLASS KF 2K/2, CONFIGURED,NON-PROG, BLACK W/	
2050PKNAN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK, NONE,	
2050PKNMN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK, NONE,	
2050PKNNN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK, NONE,	
2050PKNRN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK, RANDO	
2050PKNSN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK, SEQ I	
2050PNNAN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE	
2050PNNMN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE	
2050PNNSN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE	
2051CKNNN	ICLASS KEYFOB 16K/2, CONFIGURED, BLACK, NO IC	
2051CKNSN	ICLASS KEYFOB 16K/2, CONFIGURED, BLACK, SEQ I	
2051CNNNN	ICLASS KEYFOB 16K/2, CONFIGURED, BLACK W/BLUE	
2051PKNMN	ICLASS KEYFOB 16K/2, PROG ICLASS, BLACK, MATC	
2051PKNSN	ICLASS KEYFOB 16K/2, PROG ICLASS, BLACK, SEQ	
2051PNNAN	ICLASS KEYFOB 16K/2, PROG ICLASS, BLACK W/BLU	
2051PNNMN	ICLASS KEYFOB 16K/2, PROG ICLASS, BLACK W/BLU	
2051PNNNN	ICLASS KEYFOB 16K/2, PROG ICLASS, BLACK W/BLU	
2052CKNMN	ICLASS KF 16K/16, CONFIGURED NON-PRGMD, BLK,	
2052CKNNN	ICLASS KF 16K/16, CONFIGURED NON-PRGMD, BLK,	
2052CKNSN	ICLASS KEYFOB 16K/16, CONFIGURED, BLACK, SEQ	
2052CNNSN	ICLASS KF 16K/16, CONFIGURED NON-PRGMD, BLK W	
2052PKNMN	ICLASS KEYFOB, 16K/16, PRGMD, BLACK, MATCH #	
2052PKNNN	ICLASS KEYFOB 16K/2, PROG ICLASS, BLACK, NONE	
2052PKNRN	ICLASS KEYFOB, 16K/16, PRGMD, BLACK, RANDOM #	
2052PKNSN	ICLASS KEYFOB, 16K/16, PRGMD, BLACK, SEQ ICLA	
2052PNNAN	ICLASS KEYFOB 16K/16, ICLASS PROG, BLACK W/BL	
2052PNNMN	ICLASS KEYFOB 16K/16, ICLASS PROG, BLACK W/BL	
2053CKNNN	iCLASS KF 32K (16k/2+16k/1), CONFIG, BLK, NON	
2053PKNMN	iCLASS KF 32K (16k/2+16k/1), PRGMD, BLK, NONE	
2053PNNMN	ICLASS KF 32K (16K/2+16K/1), PRGMD, BLK W/BLU	
2054CKNNN	iCLASS KF 32K (16k/16+16k/1),CONFIG, BLK, NON	
2054CNNNN	ICLASS KF 32K (16K/16+16K/1),CONFIG, BLK W/BL	
2054PKNMN	iCLASS KF 32K (16k/16+16k/1),PRGMD, BLK, NONE	

ATTACHMENT "B"- PART 1

2054PKNNN	ICLASS KF 32K, PRGMD, BLK, NONE, NO #, NONE L	
2054PKNSN	ICLASS KF 32K, NON-PRGMD, BLK, NONE, NO #, NO	
2054PNNMN	ICLASS KF 32K, PROG., BLACK W/BLUE HID, MATCH	
2054PNNSN	ICLASS KF 32K, PROG., BLACK W/BLUE HID, SEQ.	
2060CKSMN	ICLASS TAG 2K/2, CONFIGURED, BLACK W/HID STAN	
2060CKSNN	ICLASS TAG 2K/2, CONFIGURED, BLACK W/HID STAN	
2060CKSSN	ICLASS TAG 2K/2, CONFIGURED, BLACK W/HID STAN	
2060CSSNN	ICLASS TAG 2K/2, CONFIGURED, F-HID LOGO, NO #	
2060CSSSN	ICLASS TAG 2K/2, CONFIGURED, F-HID LOGO, SEQ	
2060PCSSN-110279	ICLASS TAG 2K/2, CONFIGURED, F-HID LOGO, SEQ	
2060PKSMN	ICLASS TAG 2K/2, ICLASS PROG, BLACK W/HID STA	
2060PKSNN	ICLASS TAG 2K/2, ICLASS PROG, BLACK W/HID STA	
2060PKSRN	ICLASS TAG 2K/2, ICLASS PROG, BLACK W/HID STA	
2060PKSSN	ICLASS TAG 2K/2, ICLASS PROG, BLACK W/HID STA	
2060PSSMN	ICLASS TAG 2K/2, PROG ICLASS, F-HID LOGO, B-H	
2060PSSNN	ICLASS TAG 2K/2, PROG ICLASS, F-HID LOGO, B-H	
2060PSSRN	ICLASS TAG 2K/2, PROG ICLASS, F-GRAY W/HID LO	
2060PSSSN	ICLASS TAG 2K/2, PROG ICLASS, F-HID LOGO, B-H	
2060PSSSN-PACK50	ICLASS TAG 2K/2, PROG ICLASS, F-HID LOGO, B-H	
2061CKSNN	ICLASS TAG 16K/2, CONFIGURED, BLACK, NO ICLAS	
2061CSSNN	ICLASS TAG 16K/2, CONFIGURED, GRAY, NO ICLASS	
2061CSSSN	ICLASS TAG 16K/2, CONFIGURED, GRAY, SEQ ICLAS	
2061PKSMN	ICLASS TAG 16K/2, PROG ICLASS, BLACK W/HID ST	
2061PKSNN	ICLASS TAG 16K/2, PROGRAMMED, BLACK, NO ICLAS	
2061PKSSN	ICLASS TAG 16K/2, PROGRAMMED, BLACK, SEQ NON-	
2061PSSMN	ICLASS TAG 16K/2, PROG ICLASS, GRAY, ADHESIVE	
2062CKSNN	ICLASS TG 16K/16, CONFIGURED NON-PROG, BLK, A	
2062CSSNN	ICLASS TG 16K/16, CONFIGURED NON-PRGMD, GRY,	
2062CSSSN	ICLASS TG 16K/16, CONFIGURED NON-PRGMD, GRY,	
2062PKSMN	ICLASS TAG, 16K/16, PROG ICLASS, F-HID LOGO,	
2062PKSNN	ICLASS TAG, 16K/16, PROG ICLASS, F-HID LOGO,	
2062PKSSN	ICLASS TAG, 16K/16, PROG ICLASS, F-HID LOGO,	
2062PSSMN	ICLASS TAG, 16K/16, PROG ICLASS, F-HID LOGO,	
2062PSSNN	ICLASS TAG, 16K/16, PROG ICLASS, F-HID LOGO,	
2062PSSSN	ICLASS TAG 16K/16, PROG ICLASS, F-HID LOGO, B	
2063PKSMN	iCLASS TAG 32K, PRGMD, BLK, ADH, SEQ MATCHING	
2063PSSMN	ICLASS TG 16K/2+16K/1, PRGMD, GRAY, ADH, MATC	
2064PKSMN	ICLASS TAG 32K (16K/16+16K/1), PROGRAMMED, BL	
2064PSSMN	ICLASS TG 32K (16K/16+16K/1), PROGRAMMED, GRA	
2100CG1NN	COMPOSITE ICLASS 2K/2, CONFIGURED, NO-PROG.,	
2100CG1SN	COMPOSITE ICLASS 2K/2, CONFIGURED, NO-PROG.,	
2100CGGNN	COMPOSITE ICLASS 2K/2, CONFIGURED, NO-PROG.,	
2100PC3MH-110668-P	COMPOSITE ICLASS 2K/2, PROG, F-ALL CHILDREN'S	
2100PC3MH-110764-P	COMPOSITE ICLASS 2K/2, PROG, F-ALL CHILDREN'S	

ATTACHMENT "B"- PART 1

2100PC3MN-110668	COMPOSITE ICLASS 2K/2, PROG, F-ALL CHILDREN'S	
2100PG1CN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PG1MB	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PG1MN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PG1MV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PG1NN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PG1NV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PG1RN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PG1SN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PG7MN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PGGAN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PGGAV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PGGMB	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-HORZ	
2100PGGMH	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PGGMN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PGGMV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PGGNN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PGGNV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PGGRB	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-HORZ	
2100PGGRN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PGGSN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOS	
2100PGGSN-PACK50	COMPOSITE ICLASS 2K/2, PROG ICLASS, F-GLOSS,	
2101CGGNN	COMPOSITE ICLASS 16K/2, CONFIG, F-GLOSS, B-G	
2101CGGNV	COMPOSITE ICLASS 16K/2, CONFIG, F-GLOSS, B-	
2101CGGSV	COMPOSITE ICLASS 16K/2, CONFIG, F-GLOSS, B-	
2101PGCMN-110944	COMPOSITE ICLASS 16K/2, PROG, F-GLOSS, B-IF F	
2101PGGAN	COMPOSITE ICLASS 16K/2, PROG, F-GLOSS, B-GL	
2101PGGMN	COMPOSITE ICLASS 16K/2, PROG, F-GLOSS, B-GL	
2102CG1NN	COMPOSITE ICLASS, 16K/16, CONFIGURED, F-GLOSS	
2102CG1SN	COMPOSITE ICLASS, 16K/16, CONFIGURED, F-GLOSS	
2102CGGNN	COMPOSITE ICLASS, 16K/16, CONFIGURED, F-GLOSS	
2102CGGSB	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-HO	
2102PG1AN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GL	
2102PG1MB	COMPOSITE ICLASS, 16K/16, PRGMD, F-GLOSS, B-M	
2102PG1MN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GL	
2102PG1MV	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GL	
2102PGGAN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GL	
2102PGGMB	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-HO	
2102PGGMH	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GL	
2102PGGMN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GL	
2102PGGMV	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GL	
2102PGGNN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GL	
2102PGGSN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GL	
2103CG1BN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE, CONFIG	

ATTACHMENT "B"- PART 1

2103CGGNN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE, CONFIG	
2103NGGNN	ICLASS 32K COMPOSITE, NON-PRGMD, F-GLOSS, B-G	
2103PGGMN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE, PROGRA	
2103PGGMV	ICLASS 32K (16K/2 + 16K/1), COMPOSITE, PROGRA	
2104CG1NN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, CONFI	
2104CGGNN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, CONFI	
2104PG1AN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGR	
2104PG1CN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROG.	
2104PG1MN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGR	
2104PG1MN-120188	COMPOSITE ICLASS 32K (16K/16 + 16K/1), PROG,	
2104PG1MN-120888	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROG.	
2104PG7MN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGR	
2104PGGAN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROG.	
2104PGGBB	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROG.	
2104PGGBN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROG.	
2104PGGMN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGR	
2104PGGNN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGR	
2104PGGNV	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGR	
2120AGGNNN	COMPOSITE ICLASS PROX 2K/2, NON-PRGMD CONFIGU	
2120BG1MNM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLO	
2120BG1MNN	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLO	
2120BG1SNN	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B	
2120BG1SNS	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B	
2120BG1SVS	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B	
2120BG7MNM	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B	
2120BGGMNM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLO	
2120BGGMNN	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLO	
2120BGGMVM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLO	
2120BGGSNM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLO	
2120CGGNNN	COMPOSITE ICLASS PROX 2K/2, CONFIGURED, F-GLO	
2120CGGSNN	COMPOSITE ICLASS PROX 2K/2, CONFIGURED, F-GLO	
2120PG1MNN	COMPOSITE ICLASS PROX 2K/2, PROG. ICLASS, F-G	
2121AG1NNS	COMPOSITE ICLASS/PROX 16K/2, CONF. ICLASS, PR	
2121AGGNNM	COMPOSITE ICLASS/PROX 16K/2, CONF. ICLASS, PR	
2121BG1MNM	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PR	
2121BG1NNN	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PR	
2121BGGMNM	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PR	
2121BGGMNN-120129	COMPOSITE ICLASS/PROX 16K/2, PROG, F-GLOSS,	
2121BGGMVM	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PR	
2121BGGNNN	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PR	
2121BGGSNN	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PR	
2121LG1NNM	COMPOSITE ICLASS/PROX 16K/2, PROG PROX, F-GLO	
2122AGGNNM	COMPOSITE ICLASS/PROX, 16K/16, CONF. NON-PROG	
2122BG1ANN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	

ATTACHMENT "B"- PART 1

2122BG1MNM	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122BG1MNN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122BG1MVM	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122BG1MVN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122BG1SNS	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122BG1SVS	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122BGGANN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122BGGMNM	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122BGGMNN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122BGGMNN-120129	COMPOSITE ICLASS/PROX 16K/16, PROG, F-GLOSS	
2122BGGMVN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122BGGNNM	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122BGGNNS	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2122PGGMNN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS,	
2123AGGNNM	ICLASS, PROX 32K(16K/2+16K/1), COMPOS,CONFIG/	
2123BGGMNM	ICLASS, PROX 32K(16K/2+16K/1), COMP,PROG 125K	
2123BGGMNN	ICLASS, PROX 32K(16K/2+16K/1), COMP,PROG 125K	
2123BGGMVM	ICLASS, PROX 32K(16K/2+16K/1), COMP,PROG 125K	
2123CGGNVS	ICLASS, PROX 32K (16K/2+16K/1), COMPOSITE, CO	
2124AG1NNM	ICLASS, PROX 32K(16K/16+16K/1),COMP,CONFIG/PR	
2124AGGNNM	ICLASS, PROX 32K(16K/16+16K/1), COMP, CONFIG/	
2124BG1ANN	ICLASS/PROX 32K (16K/16+16K/1), COMP, PROG. ,	
2124BG1MNM	ICLASS, PROX 32K(16K/16+16K/1), COMP, PROG 12	
2124BG1MNN	ICLASS, PROX 32K(16K/16+16K/1),COMP,PROG 125K	
2124BGGANA	ICLASS, PROX 32K(16K/16+16K/1),COMP, PROG 125	
2124BGGMNM	ICLASS, PROX 32K(16K/16+16K/1), COMP, PROG 12	
2124BGGMNN	ICLASS, PROX 32K(16K/16+16K/1),COMP, PROG 125	
2124BGGMVN	ICLASS, PROX 32K(16K/16+16K/1),COMP, PROG 125	
2124BGGNNA	ICLASS, PROX 32K(16K/16+16K/1),COMP, PROG 125	
2124BGGNNM	ICLASS, PROX 32K(16K/16+16K/1),COMP, PROG 125	
2124BGGNNN	ICLASS, PROX 32K(16K/16+16K/1),COMP, PROG 125	
2124CGGNNN	ICLASS, PROX 32K (16K/16+16K/1), COMPOSITE, C	
2124CGGNVN	COMPOSITE ICLASS, PROX 32K (16K/16+16K/1), CO	
2124PGGMNN	ICLASS, PROX 32K (16K/16 + 16K/1), COMP, PROG	
2131CGGNNN	ICLASS PROX COMP EMBED 16K, CONFIG NON-PROG,	
2320BMGGMNN	ICLASS 2K/MIFARE 1K, PROG., F-GLOSS, B-GLOSS,	
2324PKGGMNN	ICLASS 32K (16K/16+16K/1)/DESFIRE EV1 8K, F-G	
2324PNGGMNN	ICLASS 32K (16K/16+16K/1) / MIFARE 4K, F-GLOS	
2424CNGGNNN	ICLASS 32K (16K/16+16K/1) MIFARE 4K, NON-PROG	
2523BKPG1ANNN	ICLASS 32K (16/2 + 16/1)/DESFIRE/PROX, F-GLOS	
2524PKPGGMNNM	ICLASS 32K/DESFIRE EV1 8K/PROX, F-GLOSS, B-G	
2524PKPGGMNNN	ICLASS 32K/DESFIE EV1 8K/PROX, F-GLOSS, B- G	
2524PNPGGMNNN	ICLASS 32K/MIFARE 4K/PROX, F-GLOSS, B- GLOSS	
2624PKPGGMNNM	COMPOSITE ICLASS 32K/DESFIRE EVI 8K/PROX, PRO	

ATTACHMENT "B"- PART 1

400AM-P12S	CONTACT/CONTACTLESS ICLASS PROX W/MAG, JCOP21	
VCI-SCCC	VIRTUAL CREDENTIAL, PRE-CONFIGURED CUSTOMER I	
VCI-SCCF	VIRTUAL CREDENTIAL, PRE-CONFIGURED CUSTOMER I	
2080CASMV	ICLASS 2K/2 CLAMSHELL, CONFG., ADHESIVE FRONT	
2080CASNV	ICLASS 2K/2 CLAMSHELL, CONFG., ADHESIVE FRONT	
2080CGSMV	ICLASS 2K/2 CLAMSHELL, CONF, F-GLOSS, B-HID L	
2080CGSNV	iCLASS 2K/2 CLAMSHELL, CONF, F-GLOSS, B-HID L	
2080CGSSV	iCLASS 2K/2 CLAMSHELL, CONF, F-GLOSS, B-HID L	
2080CMSMV	ICLASS CLAMSHELL,CONFIG ICLASS, F-MATTE, B-HI	
2080CMSNV	ICLASS CLAMSHELL,CONFIG ICLASS, F-MATTE, B-HI	
2080CMSSV	ICLASS CLAMSHELL,CONFIG ICLASS, F-MATTE, B-HI	
2080PASMV	iCLASS 2K/2 CLAMSHELL, PROG, ADHESIVE FRONT,	
2080PASSV	ICLASS 2K/2 CLAMSHELL, PROG, ADHESIVE FRONT,	
2080PGSMV	iCLASS 2K/2 CLAMSHELL, PRGMD, F-GLOSS, B-HID	
2080PGSNV	iCLASS 2K/2 CLAMSHELL, PRGMD, F-GLOSS, B-HID	
2080PGSRV	iCLASS 2K/2 CLAMSHELL, PRGMD, F-GLOSS, B-HID	
2080PGSSV	iCLASS 2K/2 CLAMSHELL, PRGMD, F-GLOSS, B-HID	
2080PMSMV	ICLASS CLAMSHELL,PROG ICLASS, F-MATTE, B-HID	
2080PMSNV	ICLASS CLAMSHELL,PROG ICLASS, F-MATTE, B-HID	
2080PMSRV	ICLASS CLAMSHELL,PROG ICLASS, F-MATTE, B-HID	
2080PMSSV	ICLASS CLAMSHELL,PROG ICLASS, F-MATTE, B-HID	
2080PMSSV-PACK50	ICLASS CLAMSHELL,PROG ICLASS, F-MATTE, B-HID	
3123ANM0000	EXPANSION MDL, ICLASS OEM, RS485 OSDP, HALF-D	
6100CGN0000	RDR, R10 ICLASS DFM, GRY, 18" PIG,NO SAMX	
6100CGN0001	RDR, R10, ICLASS, DFM, GRAY, PIG, 32 BIT REVE	
6100CGN0002	RDR, R10, ICLASS UNIV, GRAY, PIG, PIV II, 26	
6100CGN0003	RDR, R10, ICLASS UNIV, GRAY, PIG, PIV II, 34	
6100CGN0004	RDR, R10, ICLASS UNIV, GRAY, PIG, PIV II, 40	
6100CGN0005	RDR, R10, ICLASS, DFM, GRAY, PIG, 37 BIT, NO	
6100CGN0007-G3.0	RDR, R10, ICLASS, DFM, GRAY, PIG, 200 BIT, NO	
6100CGN0009-G3.0	RDR, R10, ICLASS, DFM, GRAY, PIG, 64 BIT REVE	
6100CGN000D-G3.0	RDR, R10, ICLASS, DFM, GRAY, PIG, 75 BIT GSA,	
6100CGN000U-G3.0	RDR, R10, ICLASS, DFM, GRAY, PIG, FASCN + REM	
6100CGN000Z	RDR,R10, ICLASS UNIV, GRAY, PIG, PIV II, CSN	
6100CGN0010	RDR, R10, ICLASS UNIV, GRAY, PIG, PIV II, ELI	
6100CGN00C0	RDR, R10, ICLASS, DFM, GRAY, PIG, STD COLL/TA	
6100CGN0102	RDR, R10, ICLASS DFM, GRAY, PIG, 26, BIT, NO	
6100CGN0200	RDR, R10, ICLASS , DFM, GRAY, PIG, 32 BIT, NO	
6100CGN0400	RDR, R10, ICLASS UNIV, GRAY, PIG, PIV II, 32	
6100CGN0402	RDR, R10, ICLASS, DFM, GRAY, PIG, 26 BIT, NO	
6100CGN0408-G3.0	RDR, R10, ICLASS, DFM, GRAY, PIG, 64 BIT, NO	
6100CGN0410	RDR, R10, ICLASS, DFM, GRAY, PIG, STANDARD EL	
6100CGN04C0	RDR, R10, ICLASS, DFM, GRAY, PIG, STD COLL/TA	
6100CGN0600	RDR, R10, ICLASS UNIV, GRAY, PIG, PIV II, 32	

ATTACHMENT "B"- PART 1

6100CGN0602	RDR, R10, ICLASS, DFM, GRAY, PIG, 26 BIT, NO	
6100CGN060F-G3.0	RDR, R10, ICLASS, DFM, GRAY, PIG, HMAC + 200	
6100CGN0700	RDR, R10, ICLASS UNIV, GRAY, PIG, PIV II, 32	
6100CGT0000	RDR, R10 ICLASS DFM, GRY, TERM STP, NO SAMX	
6100CGT0002	RDR, R10, ICLASS , DFM, GRAY, TERM, 26 BIT, N	
6100CGT0003	RDR, R10, ICLASS, DFM, GRAY, TERM, 34 BIT, NO	
6100CGT000U-G3.0	RDR, R10, ICLASS, DFM, GRAY, TERM, FASCN + RE	
6100CGT000Z	RDR, R10, ICLASS, DFM, GRAY, TERM, CSN SUPPRE	
6100CGT0100	RDR, R10, ICLASS, DFM, GRAY, TERM, 32 BIT, NO	
6100CGT0200	RDR, R10, ICLASS, DFM, GRAY, TERM, 32 BIT, NO	
6100CGT0202	RDR, R10, ICLASS , DFM, GRAY, TERM, 26 BIT, N	
6100CGT0402	RDR, R10, ICLASS DFM, GRAY, TERM, 26 BIT, NO	
6100CGT0600	RDR, R10, ICLASS, DFM, GRAY, TERM, 32 BIT, NO	
6100CGT060F-G3.0	RDR, R10, ICLASS, DFM, GRAY, TERM, HMAC + 200	
6100CGT06C0	RDR, R10, ICLASS, DFM, GRAY, TERM, 32 BIT, OP	
6100CGT06CZ	RDR, R10, ICLASS, DFM, GRAY, TERM, 32 BIT, OP	
6100CGT0700	RDR, R10, ICLASS, DFM, GRAY, TERM, 32 BIT, NO	
6100CKN0000	RDR, R10 ICLASS DFM, BLK, 18" PIG, NO SAMX	
6100CKN0001	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0002	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0003	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0004	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0005	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0006	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0007-G3.0	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0008-G3.0	RDR, R10, ICLASS DFM, BLK, 18" PIG, PIV II, 6	
6100CKN000D-G3.0	RDR, R10, ICLASS UNIV, BLK, PIG, PIV II, 75 G	
6100CKN000F-G3.0	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN000N-G3.0	RDR, R10, ICLASS DFM, BLK, PIG, 75 BIT GSA &	
6100CKN000U-G3.0	RDR, R10, ICLASS DFM BLK, PIG, PIV II, FASCN	
6100CKN000Z	RDR, R10, ICLASS UNIV, BLK, PIG, PIV II, CSN	
6100CKN0010	RDR, R10, ICLASS UNIV, BLK, 18" PIG, ELITE,	
6100CKN0012	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0014	RDR, R10, ICLASS DFM, BLK, PIG, ELITE, 40 BIT	
6100CKN0017-G3.0	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN001Z	RDR, R10, ICLASS DFM, BLK, PIG, ELITE, CSN SU	
6100CKN00C0	RDR, R10, ICLASS DFM, BLK, PIG, 32 BIT, OPEN	
6100CKN00C3	RDR, R10, ICLASS DFM, BLK, PIG, 34 BIT, OPEN	
6100CKN00CD-G3.0	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0100	RDR, R10, ICLASS UNIV, BLK, DFM, BLK, PIG, PI	
6100CKN0102	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0110	RDR, R10, ICLASS, DFM, BLK, PIG, ELITE, NO SA	
6100CKN0200	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0202	RDR, R10, ICLASS, DFM, BLK, PIG, 26 BIT, NO S	

ATTACHMENT "B"- PART 1

6100CKN02C0	RDR, R10, ICLASS DFM, BLK, PIG, 32 BIT, OPEN	
6100CKN0300	RDR, R10, ICLASS DFM, BLK, 18" PIG, 32 BIT,	
6100CKN0307-G3.0	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0400	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0401	RDR, R10, ICLASS, DFM, BLK, PIG, 32 BIT REVER	
6100CKN0402	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0403	RDR, R10, ICLASS DFM, BLK, PIG, 34 BIT,NO SAM	
6100CKN0404	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0405	RDR, R10, ICLASS, DFM. BLK, PIG, 37 BIT, NO S	
6100CKN0407-G3.0	RDR, R10, ICLASS DFM, BLK, PIG, 200 BIT,NO S	
6100CKN0408-G3.0	RDR, R10, ICLASS, DFM, BLK, PIG, 64 BIT BCD,	
6100CKN0409-G3.0	RDR, R10C, ICLASS UNIV, BLK, PIG, PIV II, 64	
6100CKN0410	RDR, R10, ICLASS UNIV ELITE RDR, BLK, 18" PIG	
6100CKN04C0	RDR, R10, ICLASS DFM, BLK, PIG, 32 BIT, OPEN	
6100CKN04C7-G3.0	RDR, R10, ICLASS ,BLK, 18" PIG, OPEN COLLECTO	
6100CKN0500	RDR, R10, ICLASS DFM, BLK, 18" PIG, 32 BIT,N	
6100CKN0506	RDR, R10, ICLASS, DFM, BLK, PIG, 56 BIT, NO S	
6100CKN0508-G3.0	RDR, R10, ICLASS, DFM, BLK, PIG, 64 BIT BCD,	
6100CKN0600	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0602	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0603	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0606	RDR, R10 ICLASS, DFM, BLK, PIG, 56 BIT, NO SA	
6100CKN0607-G3.0	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0609-G3.0	RDR, R10C, ICLASS DFM, BLK, PIG, 64 BIT BCD,	
6100CKN060M-G3.0	RDR, R10, ICLASS DFM, BLK, PIG, 200 BIT + MIF	
6100CKN0610	RDR, R10, ICLASS DFM, BLK, PIG, ELITE, NO SAM	
6100CKN06C5	RDR, R10 ICLASS, DFM, BLK, PIG,OPEN COLLECTOR	
6100CKN0700	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0702	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0703	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN0705	RDR, R10, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6100CKN07C0	RDR. R10, ICLASS, DFM, BLK, PIG, OCT/ENABLE,	
6100CKT0000	RDR, R10 ICLASS DFM, BLK, TERM STP, NO SAMX	
6100CKT0001	RDR, R10, ICLASS, DFM, BLK, TERM, 32 BIT REVE	
6100CKT0002	RDR, R10, ICLASS UNIV, BLK, TERM. PIV II, 26	
6100CKT0003	RDR, R10, ICLASS, DFM, BLK, TERM, 34 BIT, NO	
6100CKT0004	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, 40	
6100CKT0005	RDR, R10C, ICLASS UNIV, BLK, TERM, PIV II, 37	
6100CKT0006	RDR, R10, ICLASS, DFM, BLK, TERM, 56 BIT, NO	
6100CKT0007-G3.0	RDR, R10, ICLASS DFM, BLK, TERM, 200 BIT,NO	
6100CKT000D-G3.0	RDR, ICLASS, R10, BLK, TERM, 75 BIT, NO SAMX,	
6100CKT000M-G3.0	RDR, ICLASS, R10, BLK, TERM, 200 BIT + 26 MI	
6100CKT000N-G3.0	RDR, ICLASS, R10, BLK, TERM, 75 BIT GSA & 14	
6100CKT000U-G3.0	RDR, R10, ICLASS, DFM, BLK, TERM, FASCN + REM	

ATTACHMENT "B"- PART 1

6100CKT000Z	RDR, R10, ICLASS DFM, BLK, TERM, CSN SURPPRES	
6100CKT0010	RDR, R10, ICLASS UNIV, BLACK, TERM, PIV II, E	
6100CKT0015	RDR, R10, ICLASS DFM, BLK, TERM, ELITE 37 BIT	
6100CKT001Z	RDR, R10, ICLASS DFM, BLK, TERM, ELITE, WITH	
6100CKT00C0	RDR, R10, ICLASS, DFM, BLK, TERM, OPEN COLLEC	
6100CKT0100	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, 32	
6100CKT0102	RDR, R10, ICLASS DFM, BLK, TERM, 26 BIT, NO	
6100CKT0105	RDR, R10, ICLASS DFM, BLK, TERM, 37 BIT, NO S	
6100CKT0200	RDR, R10, ICLASS, DFM, BLK, TERM, 32 BIT, NO	
6100CKT0202	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, 26	
6100CKT0302	RDR, R10, ICLASS DFM, BLK, TERM. 26 BIT, NO S	
6100CKT0400	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, 32	
6100CKT0402	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, 26	
6100CKT0403	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, 34	
6100CKT0410	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, ELI	
6100CKT04C2	RDR, R10, ICLASS DFM, BLK, TERM, OPEN COLLECT	
6100CKT04C8-G3.0	RDR, R10, ICLASS, DFM, BLK, TERM, ENABLE TAMP	
6100CKT04C9-G3.0	RDR, R10, ICLASS, DFM, BLK, TERM, ENABLE TAMP	
6100CKT0600	RDR, R10C, ICLASS UNIV, BLK, TERM, PIV II, 32	
6100CKT0602	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, 26	
6100CKT0605	RDR, R10C, ICLASS, DFM, BLK, TERM, 37 BIT, N	
6100CKT0607-G3.0	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, 200	
6100CKT060Z	RDR, R10, ICLASS, DFM, BLK, TERM, CSN SUPPRES	
6100CKT06CZ	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, OPE	
6100CKT0700	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, 32	
6100CKT0702	RDR, R10, ICLASS DFM, BLK, TERM, 26 BIT, NO S	
6100CKT0703	RDR, R10, ICLASS UNIV, BLK, TERM, PIV II, 34	
6100CKT07C6	RDR, R10, ICLASS DFM, BLK, TERM, OPEN COLLECT	
6101BG40000	RDR, RW100 iCLASS UNIV, RS485, GRY	
6101BG40003	RDR, RW100 ICLASS UNIV, RS485, GRY, 34 BIT, L	
6101BGT0000	RDR, RW100 iCLASS UNIV, RS232, GRY	
6101BGT0002	RDR, ICLASS, RW100 SMART CARD, GRAY, RS232, S	
6101BGT0003	RDR, RW100 ICLASS UNIV, RS232, GRAY, TERMINAL	
6101BGT0007-G3.0	RDR, ICLASS, RW100 SMART CARD, GRAY, RS232, S	
6101BGT000D-G3.0	RDR, ICLASS, RW100 SMART CARD, GRAY, RS232, S	
6101BGT0402	RDR, ICLASS, RW100 SMART CARD, GRAY, RS232, S	
6101BGT0500	RDR, ICLASS, RW100 SMART CARD, GRAY, RS232, S	
6101BGU0000	RDR, RW100 iCLASS UNIV, USB, GRY	
6101BGU0002	RDR, RW100 iCLASS UNIV, USB, GRY, STANDARD 26	
6101BGU010Z	RDR, RW100, ICLASS, GRAY, USB, CSN SUPPRESSED	
6101BGU0402	RDR, RW100 ICLASS UNIV, USB, GRY, STANDARD 26	
6101BGU0408-G3.0	RDR, RW100 iCLASS UNIV, USB, GRY, STANDARD 64	
6101BK40000	RDR, RW100 iCLASS UNIV, RS485, BLK	
6101BK40200	RDR, RW100 ICLASS UNIV, RS485, BLK, STD 32 BI	

ATTACHMENT "B"- PART 1

6101BKB0000	RDR, RW100 iCLASS UNIV, UART TO UART, BLK	
6101BKB0003	RDR, RW100 ICLASS UNIV, UART TO UART, BLK, 34	
6101BKB0700	RDR, RW100 ICLASS UNIV, UART TO UART, BLK, 32	
6101BKT0000	RDR, RW100 iCLASS UNIV, RS232, BLK	
6101BKT0002	RDR, RW100 iCLASS UNIV, RS232, BLK, TERMINAL	
6101BKT0003	RDR, RW100 iCLASS UNIV, RS232, BLK, TERMINAL	
6101BKT0007-G3.0	RDR, RW100 ICLASS UNIV, RS232, BLK, TERMINAL	
6101BKT0009-G3.0	RDR, RW100 ICLASS UNIV, RS232, BLK, TERMINAL	
6101BKT000D-G3.0	RDR, RW100 ICLASS UNIV, RS232, BLK, TERMINAL	
6101BKT0010	RDR, RW100 iCLASS UNIV, RS232, BLK, TERMINAL,	
6101BKT0100	RDR, RW100 iCLASS UNIV, RS232, BLK, 32 BIT, L	
6101BKT0200	RDR, RW100 ICLASS UNIV, RS232, BLK, STANDARD,	
6101BKT0402	RDR, RW100 iCLASS UNIV, RS232, BLK, TERMINAL	
6101BKT0500	RDR, RW100 ICLASS UNIV, RS232, BLK, STANDARD,	
6101BKT0600	RDR, RW100 iCLASS UNIV, RS232, BLK	
6101BKU0000	RDR, RW100 iCLASS UNIV, USB, BLK	
6101BKU0002	RDR, RW100 iCLASS UNIV, USB, BLK, 26 BIT, CSN	
6101BKU0003	RDR, RW100 ICLASS UNIV, USB, BLK, 34 BIT, CSN	
6101BKU000D-G3.0	RDR, RW100 G3.0 ILCASS UNIV, USB, BLK, 75 GSC	
6101BKU0010	RDR, RW100 ICLASS UNIV, USB, BLK, 32 BIT, ELI	
6101BKU0100	RDR, RW100 ICLASS UNIV, USB, BLK, 32 BIT, CSN	
6101BKU010Z	RDR, RW100 ICLASS UNIV, USB, BLK, 32 BIT, CSN	
6101CG40000	RDR, RW100 ICLASS DFM, GRY,TERM STP,RS485, NO	
6101CGB0000	RDR, RW100 ICLASS DFM, GRY,TERM STP,UART TO U	
6101CGM0000	RDR, RW100 ICLASS DFM,GRY, TERM STP,RS485 HAL	
6101CGT0000	RDR, RW100 ICLASS DFM,GRY, TERM STP,RS232,NO	
6101CGT0003	RDR, RW100, ICLASS, DFM, GRAY, TERM, RS232, 3	
6101CGU0000	RDR, RW100 ICLASS DFM,GRY,TERM STP, USB,NO SA	
6101CK40000	RDR, RW100 ICLASS DFM,BLK,TERM STP, RS485,NO	
6101CK40002	RDR, RW100, ICLASS, DFM, BLK, TERM, RS485, 26	
6101CK403C0	RDR, RW100, ICLASS, DFM, BLK, TERM, RS485, OP	
6101CKB0000	RDR, RW100 ICLASS DFM, BLK,TERM STP,UART TO U	
6101CKB07DZ	RDR, RW100 ICLASS DFM, BLK,TERM STP,UART TO U	
6101CKM0000	RDR, RW100 ICLASS DFM,BLK, TERM STP,RS485 HAL	
6101CKT0000	RDR, RW100 ICLASS DFM, BLK,TERM STP,RS232,NO	
6101CKT0001	RDR, RW100, ICLASS DFM, BLK, TERM, 32 BIT REV	
6101CKT0002	RDR, RW100, ICLASS DFM, BLK, TERM, 26 BIT, NO	
6101CKT0003	RDR, RW100, ICLASS, DFM, BLK, TERM, RS232, 34	
6101CKT0004	RDR, RW100, ICLASS, DFM, BLK, TERM, RS232, 40	
6101CKT0005	RDR, RW100, ICLASS, DFM, BLK, TERM, RS232, 37	
6101CKT0006	RDR, RW100, ICLASS, DFM, BLK, TERM, RS232, 56	
6101CKT0010	RDR, RW100, ICLASS, DFM, BLK, TERM, ELITE, NO	
6101CKT0100	RDR, RW100, ICLASS, DFM, BLK, TERM, 32 BIT, N	
6101CKT02C0	RDR, RW100, ICLASS DFM, BLK, TERM, OPEN COLLE	

ATTACHMENT "B"- PART 1

6101CKT0400	RDR, RW100, ICLASS, DFM, BLK, TERM, RS232, 32	
6101CKT060Z	RDR, RW100, ICLASS, DFM, BLK, TERM, CSN SUPPR	
6101CKT0700	RDR, RW100, ICLASS, DFM, BLK, TERM. RS232, PI	
6101CKT0701	RDR, RW100, ICLASS DFM, BLK, TERM, 32 BIT REV	
6101CKU0000	RDR, RW100 ICLASS DFM,BLK,TERM STP, USB,NO SA	
6101CKU0002	RDR, RW100, ICLASS, DFM, BLK, 26 BIT, USB, NO	
6101CKU0003	RDR, RW100, ICLASS, DFM, BLK, 34 BIT, USB, NO	
6101CKU0005	RDR, RW100, ICLASS, DFM, BLK, 37 BIT, USB, NO	
6101CKU010Z	RDR, RW100. ICLASS, DFM, BLK, USB, 32 BIT, CS	
6101CKU0600	RDR, RW100, ICLASS, DFM, BLK, 32 BIT, USB, NO	
6102CGH0000	RDR, R10 ICLASS DFM, GRY,TERM STP,HI-O,NO SAM	
6102CKH0000	RDR, R10 ICLASS DFM, BLK,TERM STP,HI-O,NO SAM	
6108CGN0000	RDR, R10, ICLASS, DFM, CLOCK AND DATA, GRAY,	
6108CGN0002	RDR, R10, ICLASS, DFM, GRAY, PIG, C&D, 26 BIT	
6108CKN0000	RDR, R10, ICLASS, DFM, BLK, PIG, CLOCK AND DA	
6108CKN000D-G3.0	RDR, R10-T, ICLASS, DFM CLOCK & DATA, BLK, PI	
6108CKN0600	RDR, R10, ICLASS UNIV, CLOCK & DATA, BLK, PI	
6108CKT0000	RDR, R10, ICLASS UNIV, CLOCK & DATA, BLK, TER	
6108CKT0007-G3.0	RDR, R10, ICLASS DFM, CLOCK & DATA, BLK, TERM	
6109CGN0005	RDR, R10-T, ICLASS DFM, TRANSIT, BLK, PIG, 64	
6109CGN000D	RDR R10-T, ICLASS DFM, TRANSIT, GRAY, PIG, 64	
6109CGN000E	RDR, R10-T, ICLASS DFM, TRANSIT, GRAY, PIG, 2	
6109CGN000F	RDR R10-T, ICLASS DFM, TRANSIT, GRAY, PIG, 64	
6109CKN0005	RDR, R10-T, ICLASS DFM, TRANSIT, BLK, PIG, 64	
6109CKN0006	RDR, R10-T, ICLASS DFM, TRANSIT, BLK, PIG,64	
6109CKN0007	RDR, R10-T, ICLASS DFM, TRANSIT, BLK, PIG,64	
6109CKN000B	RDR, R10-T,ICLASS DFM,TRAN, BLK,PIG,26 BIT E/	
6109CKN000D	RDR, R10-T, ICLASS DFM, TRANSIT, BLK, PIG, 64	
6109CKN000E	RDR, R10-T, ICLASS DFM, TRANSIT, BLK, PIG, 26	
6109CKN000F	RDR, R10-T, ICLASS DFM, TRANSIT, BLK PIG, 64	
6109CKN060F	RDR, R10-T, ICLASS DFM, TRANSIT, BLK PIG, MIF	
6110CGN0000	RDR, R30 ICLASS DFM, GRY, 18" PIG, NO SAMX	
6110CGN0002	RDR, R30, ICLASS UNV, DFM, GRAY, PIG, PIV II,	
6110CGN0003	RDR, R30, ICLASS, DFM, GRAY, PIG, 34 BIT, NO	
6110CGN000D-G3.0	RDR, R30, ICLASS, DFM, GRAY, PIG, 75 BIT GSA,	
6110CGN000U-G3.0	RDR, R30, ICLASS, DFM, GRAY, PIG, FASCN + REM	
6110CGN0100	RDR, R30, ICLASS DFM, GRAY, PIG, 32 BIT, NO S	
6110CGN0603	RDR, R30, ICLASS, DFM, GRAY, PIG, 34 BIT, NO	
6110CGT0000	RDR, R30 ICLASS DFM, GRY, TERM STP, NO SAMX	
6110CGT0002	RDR, R30, ICLASS UNIV, DFM, GRAY, TERM, PIV I	
6110CGT0003	RDR, R30, ICLASS UNIV, DFM, GRAY, TERM, 34 BI	
6110CGT000U-G3.0	RDR, R30, ICLASS, DFM, GRAY,TERM, PIG, FASCN	
6110CGT0100	RDR, R30, ICLASS, DFM, GRAY, TERM, 32 BIT, NO	
6110CGT0400	RDR, R30, ICLASS, DFM, GRAY, TERM, 32 BIT, NO	

ATTACHMENT "B"- PART 1

6110CKN0000	RDR, R30 ICLASS DFM, BLK, 18" PIG, NO SAMX	
6110CKN0001	RDR, R30, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6110CKN0002	RDR, R30, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6110CKN0003	RDR, R30, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6110CKN0004	RDR, R30, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6110CKN0005	RDR, R30, ICLASS, DFM, BLK, PIG, 37 BIT, NO S	
6110CKN0007-G3.0	RDR, R30, ICLASS DFM, BLK, PIG, 200 BIT, NO S	
6110CKN000D-G3.0	RDR, R30, ICLASS, DFM, BLK, PIG, PIV II, 75 B	
6110CKN000U-G3.0	RDR, R30, ICLASS DFM, BLK, PIG, FASCN + REMOV	
6110CKN000Z	RDR, R30, ICLASS, DFM, BLK, PIG, CSN SUPPRESS	
6110CKN0010	RDR, R30, ICLASS UNIV, BLACK, PIG, PIV II, EL	
6110CKN001Z	RDR, R30, ICLASS DFM,BLK, PIG, ELITE, CSN SUR	
6110CKN00C0	RDR, R30, ICLASS, DFM, BLK, PIG, 32 BIT OPEN	
6110CKN00C5	RDR, R30, ICLASS, DFM, BLK, PIG, 37 BIT OPEN	
6110CKN0100	RDR, R30, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6110CKN0110	RDR, R30, ICLASS ELITE RDR, DFM, BLK, PIG, NO	
6110CKN0200	RDR, R30, ICLASS UNIV, BLK, PIG, PIV II, 32 B	
6110CKN0202	RDR, R30, ICLASS DFM, BLK, PIG, 26 BIT, NO S	
6110CKN0400	RDR, R30, ICLASS UNIV, BLK, PIG, PIV II, 32 B	
6110CKN0402	RDR, R30, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6110CKN0407-G3.0	RDR, R30, ICLASS DFM, BLK, PIG, 200 BIT, NO S	
6110CKN0410	RDR, R30, ICLASS ELITE RDR, DFM, BLK, PIG, NO	
6110CKN0600	RDR, R30, ICLASS, DFM, BLK, PIG, 32 BIT, NO S	
6110CKN0603	RDR, R30, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6110CKN0703	RDR, R30, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6110CKN070A-G3.0	RDR, R30, ICLASS UNIV, BLK, 18" PIG, PIV II,	
6110CKT0000	RDR, R30 ICLASS DFM, BLK, TERM STP,NO SAMX	
6110CKT0001	RDR, R30, ICLASS, DFM, BLK,TERM, 32 BIT REVER	
6110CKT0002	RDR, R30, ICLASS, DFM, BLK,TERM, 26 BIT, NO S	
6110CKT0003	RDR, R30, ICLASS, DFM, BLK,TERM, 34 BIT, NO S	
6110CKT0005	RDR, R30, ICLASS, DFM, BLK, TERM, 37 BIT, NO	
6110CKT0006	RDR, R30, ICLASS DFM, BLK, TERM, 56 BIT, NO S	
6110CKT000U-G3.0	RDR, R30, ICLASS, DFM, BLK, TERM, FASCN + REM	
6110CKT0010	RDR, R30, ICLASS UNIV, BLACK, TERM, PIV II, E	
6110CKT00C0	RDR, R30, ICLASS, DFM, BLK, TERM, 32 BIT, OPE	
6110CKT0100	RDR, R30, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6110CKT0200	RDR, R30, ICLASS DFM, BLK, TERM, 32 BIT, NO S	
6110CKT0400	RDR, R30, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6110CKT04C9-G3.0	RDR, R30, ICLASS, DFM, BLK, TERM, 64 BIT REVE	
6110CKT0500	RDR, R30, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6110CKT0600	RDR, R30, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6110CKT0700	RDR, R30, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6110CKT0710	RDR, R30, ICLASS DFM, BLACK, TERM, ELITE, NO	
6111CG40000	RDR, RW300 ICLASS DFM, GRY,TERM STP,RS485, NO	

ATTACHMENT "B"- PART 1

6111CG400C0	RDR, RW300, ICLASS UNIV, DFM, GRAY, PIG, 32 B	
6111CGB0000	RDR, RW300 ICLASS DFM, GRY,TERM STP,UART TO U	
6111CGM0000	RDR, RW300 ICLASS DFM, GRY,TERM STP,RS485 HAL	
6111CGT0000	RDR, RW300 ICLASS DFM, GRY,TERM STP,RS232, NO	
6111CGT0202	RDR, RW300, ICLASS, DFM, GRAY, TERM, 26 BIT,	
6111CGU0000	RDR, RW300 ICLASS DFM, GRY,TERM STP,USB, GRY,	
6111CK40000	RDR, RW300 ICLASS DFM, BLK,TERM STP,RS485, NO	
6111CKB0000	RDR, RW300 ICLASS DFM, BLK,TERM STP,UART TO U	
6111CKM0000	RDR, RW300 ICLASS DFM, BLK,TERM STP,RS485 HAL	
6111CKT0000	RDR, RW300 ICLASS DFM,BLK,TERM STP,RS232,NO S	
6111CKT0001	RDR, RW300, ICLASS, DFM, BLK, TERM, RS232, 32	
6111CKT0002	RDR, RW300, ICLASS, DFM, BLK, TERM, RS232, 26	
6111CKT0003	RDR, RW300, ICLASS, DFM, BLK, TERM, RS232, 34	
6111CKT0004	RDR, RW300, ICLASS, DFM, BLK, TERM, RS232, 40	
6111CKT0005	RDR, RW300, ICLASS, DFM, BLK, TERM, RS232, 37	
6111CKT0010	RDR, RW300, ICLASS, DFM, BLK, TERM, RS232, EL	
6111CKT00C0	RDR, RW300, ICLASS, DFM, BLK, TERM, RS232, OP	
6111CKT0100	RDR, RW300, ICLASS, DFM, BLK, TERM, RS232, 32	
6111CKT0600	RDR, RW300, ICLASS, DFM, BLK, TERM, RS232, 32	
6111CKT0702	RDR, RW300, ICLASS, DFM, BLK, TERM, RS232, 26	
6111CKU0000	RDR, RW300 ICLASS DFM,BLK,TERM STP,USB, NO SA	
6111CKU0100	RDR, RW300 ICLASS DFM,BLK,TERM STP,USB, 32 BI	
6112CGH0000	RDR, R30 ICLASS DFM,GRY,TERM STP,HI-O,NO SAMX	
6112CKH0000	RDR, R30 ICLASS DFM, BLK,TERM STP,HI-O,NO SAM	
6112CKP0000	RDR, R30 ICLASS DFM, BLK,TERM STP,HADP/OSDP,N	
6112CKP000D-G3.0	RDR, R30 ICLASS DFM, BLK,TERM STP,HADP/OSDP,	
6112CKP06P6	RDR, R30 ICLASS DFM, BLK,TERM STP,HADP/OSDP W	
6118CGT0000	RDR, R30, ICLASS, DFM, CLOCK AND DATA, GRAY,	
6118CKT0000	RDR, R30, ICLASS, DFM, CLOCK AND DATA, BLK, T	
6119CKN0007	RDR, R30-T, ICLASS DFM, TRANSIT, BLK, PIG,64	
6120CGN0000	RDR, R40 ICLASS DFM, GRY, 18" PIG, NO SAMX	
6120CGN0001	RDR, R40, ICLASS UNIV, GRAY, PIG, PIV II, 32	
6120CGN0002	RDR, R40, ICLASS UNIV, DFM, GRAY, PIG, PIV II	
6120CGN0003	RDR, R40, ICLASS UNIV, DFM, GRAY, PIG, PIV II	
6120CGN0004	RDR, R40, ICLASS UNIV, DFM, GRAY, PIG, PIV II	
6120CGN0005	RDR, R40, ICLASS UNIV, DFM, GRAY, PIG, PIV II	
6120CGN0006	RDR, R40, ICLASS, DFM, GRAY, PIG, 56 BIT, NO	
6120CGN0007-G3.0	RDR, R40, ICLASS UNIV, DFM, GRAY, PIG, PIV II	
6120CGN000D-G3.0	RDR, R40, ICLASS, DFM, GRAY, PIG, 75 BIT GSA,	
6120CGN000U-G3.0	RDR, R40, ICLASS, DFM, GRAY, PIG, FASCN + REM	
6120CGN000Z	RDR, R40, ICLASS, DFM, GRAY, PIG, CSN SUPPRES	
6120CGN0010	RDR. R40, ICLASS DFM, GRAY, PIG, ELITE, NO SA	
6120CGN00C0	RDR,R40,ICLASS,DFM,GRY,PIG,OPEN COLLECTOR TAM	
6120CGN0100	RDR, R40, ICLASS UNIV, DFM, GRAY, PIG, PIV II	

ATTACHMENT "B"- PART 1

6120CGN0102	RDR, R40, ICLASS UNIV, DFM, GRAY, PIG, PIV II	
6120CGN0200	RDR, R40, ICLASS UNIV, DFM, GRAY, PIG, PIV II	
6120CGN0400	RDR, R40, ICLASS UNIV, DFM, GRAY, PIG, PIV II	
6120CGN0401	RDR, R40, ICLASS UNIV, DFM, GRAY, PIG, PIV II	
6120CGN0402	RDR, R40, ICLASS, UNIV, DFM, GRAY, PIG PIV II	
6120CGN0408-G3.0	RDR, R40, ICLASS, DFM, GRAY, PIG, 64 BIT, NO	
6120CGN0600	RDR, R40, ICLASS, DFM, GRAY, PIG, 32 BIT, NO	
6120CGN0604	RDR, R40, ICLASS, DFM, GRAY, PIG, 40 BIT, NO	
6120CGN0700	RDR, R40, ICLASS, DFM, GRAY, PIG, 32 BIT, NO	
6120CGT0000	RDR, R40 ICLASS DFM, GRY, TERM STP, NO SAMX	
6120CGT0002	RDR, R40, ICLASS DFM, GRAY, TERM, 26 BIT, NO	
6120CGT0003	RDR, R40, ICLASS, DFM, GRAY, TERM, 34 BIT, NO	
6120CGT0007-G3.0	RDR, R40, ICLASS, DFM, GRAY, TERM, 200 BIT, N	
6120CGT000U-G3.0	RDR, R40, ICLASS UNV. DFM, GRAY, TERM, FASCN	
6120CGT000Z	RDR, R40, ICLASS, DFM, GRAY, TERM, CSN SUPPRE	
6120CGT0010	RDR, R40, ICLASS DFM, GRAY, TERM, PIG, ELITE,	
6120CGT00CD-G3.0	RDR, R40, ICLASS UNV. DFM, GRAY, TERM,, OPEN	
6120CGT0202	RDR, R40, ICLASS DFM, GRAY, TERM, 26 BIT, NO	
6120CGT0600	RDR, R40, ICLASS, DFM, GRAY, TERM, 32 BIT, NO	
6120CKN0000	RDR, R40 ICLASS DFM, BLK, 18" PIG,NO SAMX	
6120CKN0001	RDR, R40, ICLASS, DFM, BLK, PIG, 32 BIT REVER	
6120CKN0002	RDR, R40 ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0003	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0004	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0005	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0006	RDR, R40, ICLASS DFM, BLK, PIG, 56 BIT, NO S	
6120CKN0007-G3.0	RDR, R40C, ICLASS UNIV, DFM, BLK, PIG, PIV II	
6120CKN0008-G3.0	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0009-G3.0	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN000A-G3.0	RDR, R40C, ICLASS, DFM, BLK, PIG, 40 BIT, BCD	
6120CKN000C-G3.0	RDR, R40, ICLASS DFM, BLK, PIG, 40 BIT, REVER	
6120CKN000D-G3.0	RDR, R40, ICLASS UNIV, BLK, PIG, PIV II, 75 B	
6120CKN000I-G3.0	RDR, R40, ICLASS, DFM, BLK, PIG, 80 BIT COMBI	
6120CKN000K-G3.0	RDR, R40, ICLASS, DFM, BLK, PIG, 200 BIT + MI	
6120CKN000N-G3.0	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN000P-G3.0	RDR, R40, ICLASS UNIV, BLK, PIG, PIV II, 75 B	
6120CKN000U-G3.0	RDR, R40C, ICLASS DFM, BLK, PIG, PIV II, FASC	
6120CKN000Z	RDR, R40, ICLASS UNIV, BLK, PIG, PIV II, CSN	
6120CKN0010	RDR, R40, ICLASS DFM, BLACK, PIG, ELITE, NO S	
6120CKN0012	RDR, R40, ICLASS DFM, ELITE ,BLK, PIG, 26 BIT	
6120CKN001Z	RDR, R40, ICLASS DFM, ELITE ,BLK, PIG, CSN SU	
6120CKN00C0	RDR, R40, ICLASS, DFM, BLK, PIG, STD 32 BIT,	
6120CKN00C5	RDR, R40, ICLASS DFM, DFM, BLK, PIG, OPEN COL	
6120CKN00CD-G3.0	RDR, R40, ICLASS UNV. DFM, BLK, PIG, PIV II,	

ATTACHMENT "B"- PART 1

6120CKN0100	RDR, R40, ICLASS, DFM, BLK, PIG, 32 BIT, NO S	
6120CKN0200	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0201	RDR, R40, ICLASS, DFM, BLK, PIG, 32 BIT REVER	
6120CKN0202	RDR- R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0204	RDR, R40, ICLASS, DFM, BLK, PIG, 40 BIT, NO S	
6120CKN02C0	RDR, R40, ICLASS, DFM, BLK, PIG, OCT/ENABLE,	
6120CKN0400	RDR, R40, ICLASS UNIV, DFM, BLK, PIG , PIV II	
6120CKN0401	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0402	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0403	RDR, R40, ICLASS UNIV, BLK, PIG, PIV II, 34 B	
6120CKN0408-G3.0	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN040D-G3.0	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0410	RDR, R40, ICLASS ELITE RDR, DFM, BLK, PIG, NO	
6120CKN041D-G3.0	RDR, R40, ICLASS DFM, 18" PIG, PIV II, NO SAM	
6120CKN04C2	RDR, R40, ICLASS , DFM, BLK, PIG, OPEN COLLEC	
6120CKN0500	RDR, R40, ICLASS, DFM, BLK, PIG, 32 BIT, NO	
6120CKN0600	RDR, R40 ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0602	RDR, R40 ICLASS DFM, BLK, PIG, 26 BIT, NO SAM	
6120CKN0609-G3.0	RDR, R40, ICLASS, DFM, BLK, PIG, 64 BIT REVER	
6120CKN060D-G3.0	RDR, R40 G3.0 ICLASS, BLACK, 18" PIG, PIV II,	
6120CKN0610	RDR, R40, ICLASS DFM, BLACK, PIG, ELITE, NO S	
6120CKN06CD-G3.0	RDR, R40, ICLASS UNV, BLK, 18" PIG, PIV II, N	
6120CKN0700	RDR, R40, ICLASS UNIV, DFM, BLK, PIG, PIV II,	
6120CKN0703	RDR, R40, ICLASS, DFM, BLK, PIG, 34 BIT, NO S	
6120CKT0000	RDR, R40 ICLASS DFM, BLK, TERM STP,NO SAMX	
6120CKT0002	RDR, R40, ICLASS UNIV, BLK, TERM, PIV II, 26	
6120CKT0003	RDR, R40, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6120CKT0004	RDR, R40, ICLASS UNIV, BLK, TERM, PIV II, 40	
6120CKT0005	RDR, R40, ICLASS, DFM, BLK, TERM, 37 BIT, NO	
6120CKT0006	RDR, R40, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6120CKT0007-G3.0	RDR, R40, ICLASS ,DFM, BLK, TERM, 200 BIT, NO	
6120CKT000C-G3.0	RDR, R40, ICLASS ,DFM, BLK, TERM, 40 BIT REVE	
6120CKT000D-G3.0	RDR, R40, ICLASS ,DFM, BLK, TERM, 75 BIT GSA,	
6120CKT000K-G3.0	RDR, R40, ICLASS, DFM, BLK, TERM, 200 BIT + M	
6120CKT000M-G3.0	RDR, R40, ICLASS, DFM, BLK, TERM, 200 BIT + M	
6120CKT000N-G3.0	RDR, R40, ICLASS, DFM, BLK, TERM, 75 BIT GSA,	
6120CKT000U-G3.0	RDR, R40, ICLASS ,DFM, BLK, TERM, FASCN + REM	
6120CKT000Z	RDR, R40, ICLASS,DFM, BLK, TERM, CSN SUPPRESS	
6120CKT0010	RDR, R40, ICLAS UNIV, BLACK, TERM, PIV II, EL	
6120CKT0012	RDR, R40, ICLASS, DFM, BLK, TERM, ELITE, 26 B	
6120CKT0015	RDR, R40, ICLASS, DFM, BLK, TERM, ELITE, 37 B	
6120CKT0016	RDR, R40, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6120CKT00C7-G3.0	RDR, R40, ICLASS ,DFM, BLK, TERM, OPEN COLLEC	
6120CKT00D0	RDR, R40, ICLASS UNIV, DFM, BLK, TERM, PIV II	

ATTACHMENT "B"- PART 1

6120CKT01C7-G3.0	RDR, R40, ICLASS ,DFM, BLK, TERM, OPEN COLLEC	
6120CKT0200	RDR, R40, ICLASS DFM, DFM, BLK, TERM, 32 BIT	
6120CKT0307-G3.0	RDR, R40, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6120CKT0400	RDR, R40, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6120CKT0402	RDR, R40, ICLASS, DFM, BLK, TERM, 26 BIT, NO	
6120CKT04C8-G3.0	RDR, R40, ICLASS, DFM BLK, TERM, 64 BIT BCD,T	
6120CKT04C9-G3.0	RDR, R40, ICLASS, DFM, BLK, TERM, TAMPER ENAB	
6120CKT0600	RDR, R40, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6120CKT0602	RDR, R40, ICLASS, DFM, BLK, TERM, 26 BIT, NO	
6120CKT0607-G3.0	RDR, R40, ICLASS, DFM, BLK, TERM, 200 BIT, NO	
6120CKT060D-G3.0	RDR, R40, ICLASS, DFM, BLK, TERM, 75 BIT GSA,	
6120CKT0700	RDR, R40, ICLASS UNIV, DFM, BLK, TERM, PIV II	
6120CKT0702	RDR, R40, ICLASS, DFM, BLK, TERM, 26 BIT, NO	
6120CKT0710	RDR, R40, ICLASS, DFM, BLK, TERM, ELITE, NO S	
6121CG40000	RDR, RW400 ICLASS DFM, GRY,TERM STP,RS485, NO	
6121CGB0000	RDR, RW400 ICLASS DFM, GRY,TERM STP,UART TO U	
6121CGM0000	RDR, RW400 ICLASS DFM, GRY,TERM STP,RS485 HAL	
6121CGT0000	RDR, RW400 ICLASS DFM, GRY,TERM STP,RS232,NO	
6121CGT0002	RDR, RW400, ICLASS, DFM, GRAY, TERM, RS232, 2	
6121CGT0003	RDR, RW400, ICLASS, DFM, GRAY, TERM, RS232, 3	
6121CGT0004	RDR, RW400, ICLASS, DFM, GRAY, TERM, RS232, 4	
6121CGU0000	RDR, RW400 ICLASS DFM, GRY,TERM STP,USB,NO SA	
6121CK40000	RDR, RW400 ICLASS DFM,BLK, TERM STP,RS485,NO	
6121CK40003	RDR, RW400 ICLASS DFM,BLK, TERM STP,RS485, 34	
6121CK40007-G3.0	RDR, RW400 ICLASS DFM, BLK, TERM STP,RS485, 2	
6121CK4000D-G3.0	RDR, RW400 ICLASS DFM, BLK, TERM STP,RS485, 7	
6121CKB0000	RDR, RW400 ICLASS DFM, BLK,TERM STP,UART TO U	
6121CKM0000	RDR, RW400 ICLASS DFM,BLK, TERM STP,RS485 HAL	
6121CKT0000	RDR, RW400 ICLASS DFM, BLK,TERM STP,RS232, NO	
6121CKT0001	RDR, RW400, ICLASS, DFM, BLK, TERM, RS232, 32	
6121CKT0002	RDR, RW400, ICLASS, DFM, BLK, TERM, RS232, 26	
6121CKT0003	RDR, RW400, ICLASS, DFM, BLK, TERM, SERIAL RS	
6121CKT0005	RDR, RW400, ICLASS, DFM, BLK, TERM, SERIAL RS	
6121CKT0007-G3.0	RDR, RW400 ICLASS, DFM, BLK, TERM, RS232, 200	
6121CKT0008-G3.0	RDR, RW400 ICLASS, DFM, BLK, TERM, RS232, 64	
6121CKT000D-G3.0	RDR, RW400 ICLASS, DFM, BLK, TERM, RS232, 75	
6121CKT000Z	RDR, RW400, ICLASS, DFM, BLK, TERM, RS232, CS	
6121CKT0402	RDR, RW400, ICLASS, DFM, BLK, TERM, RS232, 26	
6121CKT0600	RDR, RW400, ICLASS, DFM, BLK, TERM, RS232, 32	
6121CKT0702	RDR, RW400, ICLASS, DFM, BLK, TERM, RS232, 26	
6121CKU0000	RDR, RW400 ICLASS DFM, BLK,TERM STP,USB, NO S	
6121CKU0002	RDR, RW400, ICLASS, DFM, BLK, TERM, USB, 26 B	
6121CKU0006	RDR, RW400, ICLASS, DFM, BLK, TERM, USB, 56 B	
6121CKU0100	RDR, RW400, ICLASS, DFM, BLK, TERM, USB, 32 B	

ATTACHMENT "B"- PART 1

6122CGH0000	RDR, R40 ICLASS DFM, GRY,TERM STP,HI-O,NO SAM	
6122CGP0600	RDR R40, ICLASS, DFM, GRAY, TERM, HADP/OSDP,	
6122CKA0000	RDR, R40 ICLASS DFM, BLK,TERM STP,NO SAMX HAD	
6122CKH0000	RDR, R40 ICLASS DFM, BLK,TERM STP,HI-O,NO SAM	
6122CKP0000	RDR, R40 ICLASS DFM, BLK,TERM STP,HADP/OSDP,N	
6122CKP0008-G3.0	RDR, R40, ICLASS, DFM, BLK, TERM, STP, 64 BIT	
6122CKP00Q7-G3.0	RDR, R40, ICLASS, DFM, BLK, TERM, STP, 200 BI	
6122CKP0100	RDR, R40, ICLASS DFM, BLK,TERM STP,HADP/OSDP,	
6122CKP0605	RDR, R40, ICLASS DFM, BLK,TERM STP,HADP/OSDP,	
6122CKP06P6	RDR, R40, ICLASS DFM, BLK,TERM STP,HADP/OSDP,	
6123CGN0000	RDR, RP40, MULTICLASS, DFM, GRAY, CLOCK AND D	
6123CGN000Z	RDR, RP40, MULTICLASS, DFM, GRAY, CLOCK AND D	
6123CKD0000	RDR, RP40, MULTICLASS, DFM, BLK, 32 BIT, INDA	
6123CKD0700	RDR, RP40, MULTICLASS, DFM, BLK, 32 BIT, INDA	
6123CKN0000	RDR, RP40, MULTICLASS, DFM, BLK, 32 BIT, CLOC	
6123CKN0007-G3.0	RDR, RP40C, MULTI ICLASS, DFM, CLOCK & DATA,	
6123CKN0300	RDR, RP40, MULTICLASS DFM CLOCK & DATA, BLK,	
6124CGN0005	RDR, RP40-T, ICLASS DFM, HID PROX, TRANSIT, G	
6124CGN000D	RDR, RP40-T, ICLASS DFM, HID PROX, TRANSIT, G	
6124CGN000F	RDR, RP40-T, ICLASS DFM, HID PROX, TRANSIT, G	
6124CKD000D	RDR, RP40-T, ICLASS DFM, INDALA,TRANSIT, BLK,	
6124CKN0005	RDR, RP40-T, ICLASS DFM, HID PROX, TRANSIT, B	
6124CKN0007	RDR, RP40-T, ICLASS DFM, HID PROX, TRANSIT, B	
6124CKN000C	RDR, RP40-T, ICLASS, TRANSIT, DFM, BLK, PIG,	
6124CKN000D	RDR, RP40-T, ICLASS, TRANSIT, DFM, BLK, PIG,	
6124CKN000E	RDR, RP40-T, ICLASS, TRANSIT, DFM, BLK, PIG,	
6124CKN000F	RDR, RP40-T, ICLASS DFM, HID PROX, TRANSIT, B	
6125BGN0000	RDR, RP40 MULTICLASS UNIV, GRY, 18" PIG, STND	
6125BKN0000	RDR, RP40 MULTICLASS UNIV, BLK, 18" PIG, PROX	
6125CGD0000	RDR, RP40 MULTICLASS DFM, GRY, 18" PIG, STNDR	
6125CGD0002	RDR, RP40, MULTICLASS, DFM, GRAY, 26 BIT, IND	
6125CGD0007-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, 200 BIT, IN	
6125CGD000D-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, INDALA	
6125CGD0400	RDR, RP40, MULTICLASS, DFM, GRAY, 32 BIT, IND	
6125CGD0407-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, 200 BIT, IN	
6125CGD0410	RDR, RP40, MULTICLASS, DFM, GRAY, ELITE, INDA	
6125CGE000K	RDR, RP40, MULTICLASS, GRAY, PIG, EM PROX (AS	
6125CGN0000	RDR, RP40 MULTICLASS DFM, GRY, 18" PIG, STNDR	
6125CGN0001	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV II	
6125CGN0002	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV II	
6125CGN0003	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV II	
6125CGN0004	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV II	
6125CGN0005	RDR, RP40, MULTI ICLASS, DFM, GRAY, PIG, PIV	
6125CGN0005-PNONE	RDR, RP40, MULTI ICLASS, DFM, GRAY, PIG, 37 B	

ATTACHMENT "B"- PART 1

6125CGN0007-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV II	
6125CGN0008-G3.0	RDR, RP40, MUTIL ICLASS, DFM, GRAY, PIG, PIV	
6125CGN0009-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, 64 BIT	
6125CGN000A-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, 40 BIT	
6125CGN000D-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV II	
6125CGN000M-G3.0	RDR, RP40, MULTI ICLASS, DFM, GRAY, PIG, PIV	
6125CGN000Z	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV I	
6125CGN0010	RDR, RP40, MULTI ICLASS, DFM, GRAY, PIG, ELIT	
6125CGN00C0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, OCT/EN	
6125CGN0200	RDR, RP40, MULTICLASS, DFM, GRAY, PIG. 32 BIT	
6125CGN0201	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, 32 BIT	
6125CGN0202	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, 26 BIT	
6125CGN0307-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, 200 BI	
6125CGN0400	RDR, RP40, MUTLICLASS, DFM, GRAY, PIG, 32 BIT	
6125CGN0402	RDR, RP40, MULTI ICLASS, DFM, GRAY, PIG, 26 B	
6125CGN0404	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, 40 BIT	
6125CGN0407-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, 200 BI	
6125CGN0408-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, 64 BIT	
6125CGN040D-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV II	
6125CGN04CA-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, O/C TA	
6125CGN04CD-G3.0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV II	
6125CGN0600	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV II	
6125CGN06C0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, OCT/EN	
6125CGN06C2	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV II	
6125CGN0700	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, PIV II	
6125CGN07C0	RDR, RP40, MULTICLASS, DFM, GRAY, PIG, 32 BIT	
6125CKD0000	RDR, RP40 MULTICLASS DFM, BLK, 18" PIG, STNDR	
6125CKD0001	RDR, RP40, MULTICLASS, DFM, BLK, 32 BIT REVER	
6125CKD0002	RDR, RP40, MULTICLASS, DFM, BLK, 26 BIT, INDA	
6125CKD0003	RDR, RP40, MULTICLASS, DFM, BLK, PIG, INDALA,	
6125CKD0005	RDR, RP40, MULTICLASS, DFM, BLK, 37 BIT, INDA	
6125CKD0006	RDR, RP40, MULTICLASS, DFM, BLK, 56 BIT, INDA	
6125CKD0007-G3.0	RDR, RP40, MULTICLASS, BLK, PIG, 200 BIT, IND	
6125CKD000A-G3.0	RDR, RP40, MULTILCASS, DFM, BLK, PIG, PIV II,	
6125CKD000D-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, PIV II,	
6125CKD000F-G3.0	RDR, RP40, MULITCLASS, DFM, BLK, HMAC + 200 B	
6125CKD0010	RDR, RP40, MULTICLASS, DFM, BLK, ELITE,INDALA	
6125CKD00C7-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, OPEN COLLECT	
6125CKD00C8-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, OPEN COLLECT	
6125CKD0100	RDR, RP40, MULTICASS, DFM, BLK, 32 BIT, INDAL	
6125CKD0105	RDR, RP40, MULTICLASS, DFM, BLK, PIG, 37 BIT,	
6125CKD0200	RDR, RP40, MULTICASS, DFM, BLK, 32 BIT, INDAL	
6125CKD0400	RDR, RP40, MULTICASS, DFM, BLK, 32 BIT, INDAL	
6125CKD0402	RDR, RP40, MULTICASS, DFM, BLK, 26 BIT, INDAL	

ATTACHMENT "B"- PART 1

6125CKD0410	RDR, RP40, MULTICLASS, DFM, BLK, ELITE, INDAL	
6125CKD0412	RDR, RP40, MULTICLASS, DFM, BLK, ELITE, INDAL	
6125CKD0600	RDR, RP40, MULTICASS, DFM, BLK, 32 BIT, INDAL	
6125CKD060D-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, 75 BIT GSA,	
6125CKD0610	RDR, RP40, MULTICLASS, DFM, BLK, ELITE, INDAL	
6125CKE0000	RDR, RP40 MULTICLASS DFM, BLK, 18" PIG, STNDR	
6125CKE0000-LPIG	RDR, RP40 MULTICLASS DFM, BLK, PIG 120" (10 F	
6125CKE000K	RDR, RP40, MULTICLASS, BLK, PIG, EM PROX (ASK	
6125CKE000T	RDR, RP40, MULTICLASS, DFM, BLK, 18"PIG, EM41	
6125CKE000U	RDR, RP40, MULTICLASS, DFM, BLK, 18"PIG, EM41	
6125CKE000V	RDR, RP40, MULTICLASS, DFM, BLK, 18"PIG, EM41	
6125CKE0603	RDR, RP40, MULTICLASS, DFM, BLK, 34 BIT WIEGA	
6125CKN0000	RDR, RP40 MULTICLASS DFM, BLK, 18" PIG, STNDR	
6125CKN0000-LPIG	RDR, RP40 MULTICLASS DFM, BLK,PIG 120" (10 FT	
6125CKN0000-PX	RDR, RP40, MULTICLASS, DFM, BLK, PIG, HID PR	
6125CKN0001	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG, PIV I	
6125CKN0002	RDR, RP40, MULTICLASS, DFM, BLK, PIG, PIV II,	
6125CKN0003	RDR, RP40, MULTICLASS, DFM, BLK, PIG, PIV II,	
6125CKN0004	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG, 40 BI	
6125CKN0005	RDR, RP40, MULTICLASS, DFM, BLK, PIG, PIV II,	
6125CKN0006	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG, PIV I	
6125CKN0007-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, PIV II,	
6125CKN0008-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, PIV II,	
6125CKN0009-G3.0	RDR, RP40, MULTICLASS, BLK, PIG, PIV II, 64 B	
6125CKN000A-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG , PIV II	
6125CKN000D-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, PIV II,	
6125CKN000F-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, HMAC +	
6125CKN000H-G3.0	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG, PIV I	
6125CKN000M-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, 200 BIT	
6125CKN000N-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, 75 BIT	
6125CKN000T-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG ,HID PRO	
6125CKN000Z	RDR, RP40, MULTICLASS, DFM, BLK, PIG, PIV II,	
6125CKN000Z-LPIG	RDR, RP40, MULTICLASS, DFM, BLK, 10FT PIG, HI	
6125CKN0010	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG, PIV I	
6125CKN0014	RDR. RP40, MULTICLASS, DFM, BLK, ELITE, HID P	
6125CKN0015	RDR. RP40, MULTICLASS, DFM, BLK, ELITE, HID P	
6125CKN0016	RDR, RP40, MULTICLASS, DFM, BLK, PIG, ELITE,	
6125CKN0017-G3.0	RDR, RP40, MULTICLASS DFM, BLK, 18" PIG, 200	
6125CKN00C0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, OCT/ENA	
6125CKN00C0-PX	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG, OPEN	
6125CKN00C2	RDR, RP40, MULTI ICLASS, DFM BLK, PIG, PIV II	
6125CKN00C3	RDR, RP40, MULTICLASS, DFM, BLK, PIG, O/C TAM	
6125CKN00C7-G3.0	RDR, RP40, MULTICLASS, BLK, PIG, PIV II, OPEN	
6125CKN00C8-G3.0	RDR, RP40, MULTICLASS, BLK, PIG, PIV II, OPEN	

ATTACHMENT "B"- PART 1

6125CKN00CD-G3.0	RDR, RP40, MULTICLASS, BLK, PIG, PIV II, OPEN	
6125CKN0100	RDR, RP40C. MULTICLASS, DFM, BLK, PIG, 32 BIT	
6125CKN0200	RDR, RP40, MULTICLASS, DFM, BLK, PIG, 32 BIT,	
6125CKN020D-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, 75 BIT,	
6125CKN0400	RDR, RP40C. MULTICLASS, DFM, BLK, PIG, PIV II	
6125CKN0402	RDR, RP40, MULTICLASS, DFM, BLK, PIG, 26 BIT,	
6125CKN0405	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG, 37 BI	
6125CKN0407-G3.0	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG, PIV I	
6125CKN0409-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, PIV II,	
6125CKN040A-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, 40 BIT	
6125CKN040D-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, 75 BIT,	
6125CKN0410	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG, PIV I	
6125CKN0417-G3.0	RDR, RP40, MULTICLASS DFM, BLK, 18" PIG, 200	
6125CKN04CD-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, 75 BIT,	
6125CKN04CN-G3.0	RDR, RP40, MULTICLASS, DFM, BLK, PIG, 75 BIT	
6125CKN0500	RDR. RP40, MULTICLASS, DFM, BLK, PIG, PIV II,	
6125CKN0509-G3.0	RDR, RP40, MUTLI ICLASS, DFM, BLK, PIG, PIV I	
6125CKN0600	RDR, RP40, MULTICLASS, DFM, BLK, PIG , PIV II	
6125CKN0607-G3.0	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG , PIV	
6125CKN0610	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG, PIV I	
6125CKN0700	RDR, RP40C. MULTICLASS, DFM, BLK, PIG, 32 BI	
6125CKN0706	RDR, RP40C. MULTICLASS, DFM, BLK, PIG, 56 BI	
6125CKN0707-G3.0	RDR, RP40, MULTI ICLASS, DFM, BLK, PIG , PIV	
6125CKN07CD-G3.0	RDR, RP40, MULTICLASS, DFM BLK, PIG PIV II, O	
6128CGN0000	RDR, R40, ICLASS, DFM, GRAY PIG, 32 BIT CLOCK	
6128CKN0000	RDR, R40 ICLASS, DFM, BLK, PIG, CLOCK AND DAT	
6128CKT0000	RDR, R40, ICLASS ,DFM, BLK, TERM, CLOCK AND D	
6128CKT0007-G3.0	RDR, R40, ICLASS ,DFM, BLK, TERM, CLOCK AND D	
6129CGN000F	RDR, R40-T, ICLASS DFM, GRY, PIG, 64 BIT LSB	
6129CKN0007	RDR, R40-T, ICLASS DFM, BLK, PIG,64 BIT MSB R	
6129CKN0008	RDR, R40-T, ICLASS DFM, BLK, PIG,64 BIT MSB R	
6129CKN000D	RDR, R40-T, ICLASS DFM, BLK, PIG, 64 BIT REVE	
6129CKN000F	RDR, R40-T, ICLASS DFM, BLK, PIG, 64 BIT REVE	
6130AKT030214	ICLASS RK40 KEYPAD, READ ONLY, BLACK, TERMINA	
6130BGN000700-G3.0	RDR, RK40, ICLASS KEYPAD ,GRY, PIG, 200 BIT,	
6130BGN000709-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, GRY, 18" PIG, 20	
6130BGN000809-G3.0	RDR, RK40, ICLASS, KEYPAD GRAY, 18" PIG, 64 B	
6130BGN000C09-G3.0	RDR, RK40, ICLASS, KEYPAD GRAY, 18" PIG, 40 B	
6130BGN000D00-G3.0	RDR,.ICLASS RK40, KYPD, GRAY, PIG, STD, 75 BI	
6130BGN000D09-G3.0	RDR, ICLASS RK40 KYPD, GRAY, PIG, STD, 75 BIT	
6130BGN000D14-G3.0	ICLASS RK40 RDR, GRAY, PIGTAIL, STANDARD, 75B	
6130BGN000K00-G3.0	RDR,.ICLASS RK40, KYPD, GRAY, PIG, STD, 200 B	
6130BGN040800-G3.0	RDR, RK40, ICLASS, KEYPAD GRAY, 18" PIG, 64 B	
6130BGT000700-G3.0	RDR,ICLASS, KYPD, RK40 GRAY, TERM STD, 200 BI	

ATTACHMENT "B"- PART 1

6130BGT000709-G3.0	RDR, ICLASS KYPD RK40, GRAY, TERM STD, 200 BI	
6130BGT000D09-G3.0	RDR, ICLASS RK40, KYPD, GRAY, TERM, STD, 75 B	
6130BGT00CD00-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, GRAY, TERM, 75 B	
6130BKN0007-G3.0	RDR, RK40 G3.0 iCLASS, BLK, 18" PIG, 200 BIT	
6130BKN000700-G3.0	RDR, RK40 G3.0 ICLASS, KEYPAD BLK, 18" PIG, 2	
6130BKN000709-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, BLK, 18" PIG, 20	
6130BKN000800-G3.0	RDR, RK40 WITH KEYPAD, ICLASS, BLK, PIG, STD	
6130BKN000809-G3.0	RDR, RK40, ICLASS, KEYPAD BLK, 18" PIG, 64 BI	
6130BKN000811-G3.0	RDR, RK40 WITH KEYPAD, ICLASS, BLACK, PIGTAIL	
6130BKN000A09-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, BLK, PIGTAIL 18"	
6130BKN000D00-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, BLK, PIGTAIL 18"	
6130BKN000D09-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, BLK, PIGTAIL 18"	
6130BKN000D14-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, BLK, PIGTAIL 18"	
6130BKN000F00-G3.0	RDR, RK40, ICLASS, KEYPAD BLK, 18" PIG, 32 BI	
6130BKN000I09-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, BLK, 18" PIG, 80	
6130BKN000K09-G3.0	RDR, RK40, ICLASS, KPD, BLK, PIG, 200 BIT + M	
6130BKN000N00-G3.0	RDR, RK40, ICLASS, BLK, 18" PIG, 75 BIT GSA +	
6130BKN000P00-G3.0	RDR, RK40, ICLASS KEYPAD. BLK, PIGTAIL 18",	
6130BKN00CD00-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, BLK, PIGTAIL 18"	
6130BKN00CD09-G3.0	ICLASS KEYP, RK40 RDR, BLK, PIG, STD OPEN CO	
6130BKN010D09-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, BLK, PIGTAIL 18"	
6130BKN040709-G3.0	RDR, RK40,ICLASS KEYPAD BLK, PIGTAIL 18", 200	
6130BKN040D00-G3.0	ICLASS KEYPAD RK40 RDR, BLK, PIGTAIL 18", 75	
6130BKN040D09-G3.0	ICLASS KEYPAD RK40 RDR, BLK, PIGTAIL 18", 75	
6130BKN060809-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, BLK, 18" PIG, 64	
6130BKN060909-G3.0	RDR, RK40, ICLASS, KEYPAD, BLK, PIG, 64 BIT B	
6130BKT000700-G3.0	RDR, ICLASS KYPD, RK40, BLK, TERM STD 200 BIT	
6130BKT000709-G3.0	RDR, ICLASS, KYPD, RK40, BLK, TERM STD, 200 B	
6130BKT000809-G3.0	RDR, RK40, ICLASS, KEYPAD BLK, 18" TERM, 64 B	
6130BKT000811-G3.0	RDR, ICLASS, RK40 KEYPAD, BLK, TERMINAL, STAN	
6130BKT000A14-G3.0	RDR, RK40, ICLASS, KPD, BLK, TERM, 40 BIT BCD	
6130BKT000D00-G3.0	RDR, ICLASS KYPD, RK40, BLK, TERM STD 75 BIT,	
6130BKT000D09-G3.0	RDR, ICLASS KYPD, RK40, BLK, TERM STD 75 BIT,	
6130BKT000K09-G3.0	RDR, RK40, ICLASS, KPD, BLK, TERM, 200 BIT +	
6130BKT000M00-G3.0	RDR, ICLASS KYPD, RK40, BLK, TERM 200 BIT + M	
6130BKT000M09-G3.0	RDR, ICLASS KYPD, RK40, BLK, TERM STD, 200 B	
6130BKT000N09-G3.0	RDR, ICLASS, RK40, KEYPAD, BLK, TERM, TAMPER	
6130BKT00CD00-G3.0	ICLASS KEYPAD RK40 G3.0 RDR, BLK, TERM, 75 BI	
6130BKT010819-G3.0	RDR, ICLASS, RK40 KEYPAD, BLK, TERMINAL, STD,	
6130BKT020D00-G3.0	RDR, ICLASS KYPD, RK40, BLK, TERM STD, 75 BIT	
6130BKT040809-G3.0	RDR, ICLASS KYPD, RK40, BLK, TERM STD, 64 BI	
6130BKT040900-G3.0	RDR, ICLASS, KYPD, RK40, BLK, TERM STD, 64 B	
6130BKT04C800-G3.0	RDR, ICLASS KYPD, RK40, BLK, TERM, ENABLE TA	
6130BKT04C900-G3.0	RDR, RK40,ICLASS, KYPD, BLK, TERM, TAMPER ENA	

ATTACHMENT "B"- PART 1

6130BKT060C00-G3.0	RDR. ICLASS RK40 W/KEYPAD, BLK, TERMINAL, STA	
6130BKT06CD00-G3.0	RDR, ICLASS, RK40, KEYPAD, BLK, TERM, TAMPER	
6130CGN000000	ICLASS DFM II KEYPAD RK40 RDR, GRY, PIGTAIL,	
6130CGN000009	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG, 32	
6130CGN000014	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG, 32	
6130CGN000200	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG, 26	
6130CGN000209	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG, 26	
6130CGN000214	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG, 26	
6130CGN000222	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG, 26	
6130CGN000300	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG, 34	
6130CGN000314	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG, 34	
6130CGN000514	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG, 37	
6130CGN000J09-G3.0	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG 32	
6130CGN000U00-G3.0	RDR, RK40, MULTICLASS DFM II, KPD, GRAY, PIG,	
6130CGN001000	RDR, RK40, ICLASS, DFM II, KPD, GRAY,PIG, ELI	
6130CGN001009	RDR, RK40, ICLASS, DFM II, KPD, GRAY,PIG, ELI	
6130CGN020000	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG, 32	
6130CGN040209	RDR, RK40, ICLASS, DFM II, KPD, GRAY, PIG, 26	
6130CGN040800-G3.0	RDR,RK40, ICLASS, DFM II, KPD, GRAY, PIG, 64	
6130CGN061Z09	RDR, RK40, ICLASS, DFM II, KPD, GRAY,PIG, ELI	
6130CGT000000	ICLASS DFM II KEYPAD RK40 RDR, GRY, TERMINAL,	
6130CGT000009	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, 3	
6130CGT000014	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, 3	
6130CGT000022	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, 3	
6130CGT000200	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 26	
6130CGT000209	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, 2	
6130CGT000214	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, 2	
6130CGT000300	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, 3	
6130CGT000J09-G3.0	RDR, RK40, ICLASS, DFM II, KPD, GRAY TERM, 32	
6130CGT000U00-G3.0	RDR, RK40, ICLASS, DFM II, KPD, GRAY TERM, FA	
6130CGT020209	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, 2	
6130CGT020214	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, 2	
6130CGT061000-21012	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, E	
6130CGT061209	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, E	
6130CGT061Z09	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, E	
6130CGT06CZ09	RDR, RK40, ICLASS, DFM II, KPD, GRAY, TERM, O	
6130CKN000000	ICLASS DFM II KEYPAD RK40 RDR, BLK, PIGTAIL,	
6130CKN000009	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 32	
6130CKN000011	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 32	
6130CKN000014	RDR, RK40, ICLASS, DFM II, KPD,BLK, PIG, 32 B	
6130CKN000020	RDR, RK40, ICLASS, DFM II, KPD,BLK, PIG, 32 B	
6130CKN000022	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 32	
6130CKN000023	RDR, RK40, ICLASS, DFM II, KPD,BLK, PIG, 32 B	
6130CKN000100	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 32	

ATTACHMENT "B"- PART 1

6130CKN000109	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 32	
6130CKN000200	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 26	
6130CKN000209	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 26	
6130CKN000214	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 26	
6130CKN000214-12421	RDR, RK40, ICLASS DFM II, KYPD, BLK, PIG, 26	
6130CKN000300	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 34	
6130CKN000311	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 34	
6130CKN000314	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 34	
6130CKN000319	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 34	
6130CKN000400-1575A	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 40	
6130CKN000409	RDR, RK40, ICLASS, DFM II, PYD, BLK, PIG, 40	
6130CKN000509	RDR, RK40, ICLASS, DFM II, PYD, BLK, PIG, 37	
6130CKN000600	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 56	
6130CKN000700-G3.0	RDR, RK40, ICLASS, DFM II, KYP, BLK,PIG, 200	
6130CKN000709-G3.0	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 200	
6130CKN000800-G3.0	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 64	
6130CKN000D00-G3.0	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 75	
6130CKN000D09-G3.0	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 75	
6130CKN000U00-G3.0	RDR, RK40, ICLASS, DFM II, KYP, BLK,PIG,FASCN	
6130CKN000Z00	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, CSN	
6130CKN000Z09	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, CSN	
6130CKN001000	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, ELI	
6130CKN001009	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, ELI	
6130CKN001014	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, ELI	
6130CKN001200	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG,ELIT	
6130CKN001Z00	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, ELI	
6130CKN001Z09	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, ELI	
6130CKN00CD09-G3.0	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, OPE	
6130CKN010000	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 32	
6130CKN02C009	RDR, RK40, ICLASS, DFM II, PYD, BLK, PIG, OPE	
6130CKN040000	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 32	
6130CKN040009	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 32	
6130CKN040014	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 32	
6130CKN040209	RDR, RK40, ICLASS, DFM II, PYD, BLK, PIG, 26	
6130CKN040214	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 26	
6130CKN040400	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 40	
6130CKN04C009	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, OPE	
6130CKN04C209	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, OPE	
6130CKN050000	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 32	
6130CKN060000	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 32	
6130CKN060000-S3	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 32	
6130CKN060009	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 32	
6130CKN060011	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 32	
6130CKN060022	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 32	

ATTACHMENT "B"- PART 1

6130CKN060200	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 26	
6130CKN060309	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, 34	
6130CKN061000	RDR, RK40, ICLASS, DFM II, KPD, BLK, PIG, ELI	
6130CKN070009	RDR, RK40, ICLASS, KYPD, DFM II, BLK, PIG, 32	
6130CKN070311	RDR, RK40, ICLASS, DFM II, KYD, BLK, PIG, 34	
6130CKT000000	ICLASS DFM II KEYPAD RK40 RDR, BLK, TERMINAL,	
6130CKT000009	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT000011	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT000014	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT000022	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT000100	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 3	
6130CKT000200	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 26	
6130CKT000209	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 26	
6130CKT000214	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 26	
6130CKT000300	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 34	
6130CKT000309	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 34	
6130CKT000409	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 40	
6130CKT000414	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 40	
6130CKT000509	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 37	
6130CKT000U00-G3.0	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, FA	
6130CKT000Z00	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, CS	
6130CKT000Z09	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, CS	
6130CKT001000	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, EL	
6130CKT001200	RDR, RK40, ICLASS, DFM II, KYD, BLK, TERM,ELI	
6130CKT001500	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, EL	
6130CKT00C009	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, OP	
6130CKT00C500	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, OP	
6130CKT00CZ00	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, OP	
6130CKT040000	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT040009	RDR, RK40, ICLASS, KPYD, DFM II, BLK, TERM, 3	
6130CKT040109	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT040209	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 26	
6130CKT04C009	RDR, RK40, ICLASS, KPYD, DFM II, BLK, TERM, O	
6130CKT060000	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT060009	RDR. RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT060011	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT060014	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT060211	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 26	
6130CKT060309	RDR, RK40, ICLASS, DFM II, PYD, BLK, TERM, 34	
6130CKT060514	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 37	
6130CKT061000	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, EL	
6130CKT06C000	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT06C009	RDR. RK40, ICLASS, DFM II, KPD, BLK, TERM, OP	
6130CKT06CD00-G3.0	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, OC	

ATTACHMENT "B"- PART 1

6130CKT06CZ09	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, OP	
6130CKT06DZ09	RDR. RK40, ICLASS, DFM II, KPD, BLK, TERM, EL	
6130CKT070000	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT070009	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 32	
6130CKT070200	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 26	
6130CKT070311	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, 34	
6130CKT071000	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, EL	
6130CKT07C609	RDR, RK40, ICLASS, DFM II, KPD, BLK, TERM, OP	
6131CG4020000	RDR, ICLASS DFM II KEYPAD RWK400, GRY, TERMIN	
6131CGT000000	RDR, ICLASS DFM II KEYPAD RWK400, GRY, TERMIN	
6131CGT000300	RDR, ICLASS DFM II KEYPAD RWK400, GRY, TERMIN	
6131CGT020000	RDR, ICLASS DFM II KEYPAD RWK400, GRY, TERMIN	
6131CK4000000	RDR, ICLASS DFM II KEYPAD RWK400, BLK, TERMIN	
6131CK4000300	RDR, RWK400 ,ICLASS DFM II KEYPAD, BLK, TERMI	
6131CK4020000	RDR, RWK400 ,ICLASS DFM II KEYPAD, BLK, TERMI	
6131CKM000000	RDR, ICLASS DFM II KEYPAD RWK400, BLK, TERMIN	
6131CKM000214	RDR, ICLASS DFM II KEYPAD RWK400, BLK, TERMI,	
6131CKT000000	RDR, ICLASS DFM II KEYPAD RWK400, BLK, TERMIN	
6131CKT000000-31011	RDR, RWK400, ICLASS, DFM, KYPD, BLK, TERM, RS	
6131CKT000009	RDR, RWK400, ICLASS, DFM, KYPD, BLK, TERM, RS	
6131CKT000014	RDR, RWK400, ICLASS, DFM, KYPD, BLK, TERM, RS	
6131CKT000214	RDR, RWK400, ICLASS, DFM, KYPD, BLK, TERM, RS	
6131CKT060200	RDR, RWK400, ICLASS, DFM, KYPD, BLK, TERM, RS	
6131CKT060600	RDR, RWK400, ICLASS, DFM, KYPD, BLK, TERM, RS	
6131CKU000000	RDR, ICLASS DFM II KEYPAD RWK400, BLK, TERMIN	
6131CKU000009	RDR,RWK400, ICLASS DFM II KEYPAD, BLK, TERM,	
6131CKU010000	RDR,RWK400, ICLASS DFM II KEYPAD, BLK, TERM,	
6131CKU010014	RDR,RWK400, ICLASS DFM II KEYPAD, BLK, TERM,	
6131CKU020009	RDR,RWK400, ICLASS DFM II KEYPAD, BLK, TERM,	
6132BKP00Q709-G3.0	RDR, RK40 ICLASS UNIV,RS485, OSDP, ELITE WITH	
6132CKH000000	RDR, RK40 ICLASS DFM II, BLK,TERM STP,HI-O,NO	
6132CKP000000	RDR, ICLASS DFM II KEYPAD RK40, BLK, TERMINAL	
6132CKP000009	RDR, RK40, ICLASS DFM II KYPD, BLK, TERM, RS4	
6132CKP001009	RDR, RK40, ICLASS DFM II KYPD, BLK, TERM, RS4	
6132CKP001011	RDR, RK40, ICLASS DFM II KYPD, BLK, TERM, RS4	
6132CKP00P000	RDR, RK40, ICLASS DFM II KYPD, BLK, TERM, RS4	
6132CKP00P009	RDR, RK40, ICLASS DFM II KYPD, BLK, TERM, RS4	
6132CKP060514	RDR, RK40, ICLASS DFM II KYPD, BLK, TERM, RS4	
6132CKP06P009	RDR, RK40, ICLASS DFM II KYPD, BLK, TERM, RS4	
6132CKP06P609	RDR, RK40, ICLASS DFM II KYPD, BLK, TERM, RS4	
6133AKD000009	RDR, RPK40 MULTICLASS UNIV KYPD, C & D, INDAL	
6133AKE000Q00	RDR, RPK40 MULTICLASS KYD, CLOCK AND DATA, BL	
6133AKN000000	RDR, RPK40 MULTICLASS UNIV KEYPAD, CLOCK & DA	
6133CGN000000	RDRM RPK40, MULTICLASS, DFM, C&D, GRAY, PIG,	

ATTACHMENT "B"- PART 1

6133CKD070000	RDR. RPK40, MULTICLASS, KYD, DFM II, CLOCK &	
6134CGD000600	ICLASS DFM II KEYPAD RPK40 RDR, GRY, PIGTAIL,	
6134CGD000700	ICLASS DFM II KEYPAD RPK40 RDR, GRY, PIGTAIL,	
6134CGD000800	ICLASS DFM II KEYPAD RPK40 RDR, GRY, PIGTAIL,	
6134CGD000900	ICLASS DFM II KEYPAD RPK40 RDR, GRY, PIGTAIL,	
6134CGD000A00	ICLASS DFM II KEYPAD RPK40 RDR, GRY, PIGTAIL,	
6134CGD000B00	ICLASS DFM II KEYPAD RPK40 RDR, GRY, PIGTAIL,	
6134CGD000C00	ICLASS DFM II KEYPAD RPK40 RDR, GRY, PIGTAIL,	
6134CGD000D00	ICLASS DFM II KEYPAD RPK40-T RDR, GRY, PIGTAI	
6134CGD000E00	ICLASS DFM II KEYPAD RPK40-T RDR, GRY, PIGTAI	
6134CGD000F00	ICLASS DFM II KEYPAD RPK40-T RDR, GRY, PIGTAI	
6134CGN000500	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CGN000600	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CGN000700	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CGN000800	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CGN000900	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CGN000A00	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CGN000B00	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CGN000C00	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CGN000D00	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, GRAY	
6134CKD000500	ICLASS DFM II KEYPAD RPK40 RDR, BLK, PIGTAIL,	
6134CKD000600	ICLASS DFM II KEYPAD RPK40 RDR, BLK, PIGTAIL,	
6134CKD000700	ICLASS DFM II KEYPAD RPK40 RDR, BLK, PIGTAIL,	
6134CKD000800	ICLASS DFM II KEYPAD RPK40 RDR, BLK, PIGTAIL,	
6134CKD000900	ICLASS DFM II KEYPAD RPK40 RDR, BLK, PIGTAIL,	
6134CKD000A00	ICLASS DFM II KEYPAD RPK40 RDR, BLK, PIGTAIL,	
6134CKD000B00	ICLASS DFM II KEYPAD RPK40 RDR, BLK, PIGTAIL,	
6134CKD000C00	ICLASS DFM II KEYPAD RPK40 RDR, BLK, PIGTAIL,	
6134CKD000D00	ICLASS DFM II KEYPAD RPK40-T RDR, BLK, PIGTAI	
6134CKD000E00	ICLASS DFM II KEYPAD RPK40-T RDR, BLK, PIGTAI	
6134CKD000F00	ICLASS DFM II KEYPAD RPK40-T RDR, BLK, PIGTAI	
6134CKN000500	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CKN000600	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CKN000700	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CKN000709	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CKN000800	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CKN000D00	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CKN000F00	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6134CKN070F09	RDR, RPK40-T, MULTICLASS DFM II KEYPAD, TRAN	
6136AGD000709-G3.0	RDR, ICLASS MUTLICLASS,UNIV, KEYPAD, PROX MOD	
6136AKD000709-G3.0	RDR, RPK40 MULTICLASS UNIV KDYPAD, INDALA PRO	
6136AKD000D00-G3.0	RDR, RPK40 MULTICLASS UNIV KDYPAD, INDALA PRO	
6136AKD000D09-G3.0	RDR, RPK40 MULTICLASS UNIV KDYPAD, INDALA PRO	
6136CGD000000	ICLASS DFM II KEYPAD RPK40 RDR, GRY, PIGTAIL,	

ATTACHMENT "B"- PART 1

6136CGD000709-G3.0	RDR,ICLASS DFM II KEYPAD RPK40, GRY, PIGTAIL,	
6136CGE000000	ICLASS DFM KEYPAD RPK40 RDR, GRY, PIGTAIL, EM	
6136CGN000000	ICLASS DFM KEYPAD RPK40 RDR, GRY, PIGTAIL, HI	
6136CGN000009	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CGN000014	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CGN000200	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CGN000209	RDR, RPK40, MULTICLASS, DFM II, KYPD, GRAY, P	
6136CGN000214	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CGN000300	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CGN000509	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRAY, P	
6136CGN000509-PNON	RDR, RPK40, MULTICLASS, DFM II, KYPD, GRAY, P	
6136CGN000600	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRAY, P	
6136CGN000700-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, 20	
6136CGN000709-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, 20	
6136CGN000714-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, 20	
6136CGN000800-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, 64	
6136CGN000900-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, 64	
6136CGN000909-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, 64	
6136CGN000A00-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, 40	
6136CGN000C09-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, 40	
6136CGN000D00-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRAY, P	
6136CGN000D09-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, 75	
6136CGN000D14-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, 75	
6136CGN000Z00	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRAY, P	
6136CGN000Z14	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRAY, P	
6136CGN001400	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CGN00C014	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CGN00C200	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CGN040000	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CGN040014	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CGN040700-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, PI	
6136CGN040D14-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, 75	
6136CGN04CA00-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, GRY, PI	
6136CGN060000	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CGN06C200	RDR. RPK40, MULTICLASS, DFM II, KPD, GRAY, PI	
6136CKD000000	ICLASS DFM II KEYPAD RPK40 RDR, BLK, PIGTAIL,	
6136CKD000000-LPIG	ICLASS DFM II KEYPAD RPK40 RDR, BLK, 10FT PIG	
6136CKD000009	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 32	
6136CKD000009-LPIG	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 10	
6136CKD000014	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 32	
6136CKD000200	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 26	
6136CKD000214	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 26	
6136CKD000709-G3.0	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 200	
6136CKD000D00-G3.0	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 75	

ATTACHMENT "B"- PART 1

6136CKD000D09-G3.0	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 75	
6136CKD010009	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 32	
6136CKD040009	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 32	
6136CKD040014	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 32	
6136CKD041209	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, ELI	
6136CKD050009	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 32	
6136CKD060000	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 32	
6136CKD060009	RDR. RPK40, MULTICLASS, KYD, DFM II, BLK, 32	
6136CKE000000-LPIG	ICLASS DFM II KEYPAD RPK40 RDR, BLK, 10 FT PI	
6136CKE000300-LPIG	RDR, RPK40, ICLASS, DFM, KEYPD, BLK, 120" PI	
6136CKE000309	RDR, RPK40, ICLASS, DFM, KEYPD, BLK, PIG, EM	
6136CKE000T00	RDR, RPK40, ICLASS, DFM, KEYPD, BLK, PIG, EM	
6136CKE000U00	RDR, RPK40, ICLASS, DFM, KEYPD, BLK, PIG, EM	
6136CKE000U09	RDR, RPK40, ICLASS, DFM, KEYPD, BLK, PIG, EM	
6136CKE000V00	RDR, RPK40, ICLASS, DFM, KEYPD, BLK, PIG, EM	
6136CKE001000-LPIG	RDR, RPK40, ICLASS, DFM, KEYPD, BLK, 120" PI	
6136CKE020009	RDR, RPK40, ICLASS, DFM, KEYPD, BLK, PIG, EM	
6136CKE020209	RDR, RPK40, ICLASS, DFM, KEYPD, BLK, PIG, EM	
6136CKE060309	RDR, RPK40, ICLASS, DFM, KEYPD, BLK, PIG, EM	
6136CKN000000	ICLASS DFM KEYPAD RPK40 RDR, BLK, PIGTAIL, HI	
6136CKN000000-LPIG	ICLASS DFM II KEYPAD RPK40 RDR, BLK, 10 FT PI	
6136CKN000000-PX	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000009	RDR, RPK40, MULTICLASS, DFM II, KYPD, BLK, PI	
6136CKN000009-LPIG	RDR, ICLASS RPK40 DFM II KYPD BLK, 10 FT PIG	
6136CKN000009-PX	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000014	RDR, RPK40, MULTICLASS, DFM II, KYPD, BLK, PI	
6136CKN000014-PX	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000020	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000022	RDR, RPK40, MULTICLASS, DFM II, KYPD, BLK, PI	
6136CKN000023	RDR, RPK40, MULTICLASS, DFM II, KYPD, BLK, PI	
6136CKN000100	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000200	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000209	RDR, RPK40, MULTICLASS, DFM II, KYPD, BLK, PI	
6136CKN000214	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000300	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000400	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000409	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000500	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000522	RDR, RPK40, MULTICLASS, DFM II, KYPD, BLK, PI	
6136CKN000700-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000709-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000714-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000720-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000800-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	

ATTACHMENT "B"- PART 1

6136CKN000811-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000819-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000900-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000909-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000914-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000A00-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000A09-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000A14-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000D00-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000D09-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000D14-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000M09-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000N00-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000N09-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000T09-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000Z00	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000Z09	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN000Z09-LPIG	RDR, ICLASS RPK40 DFM II KYPD BLK, 10 FT PIG	
6136CKN000Z14	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN001000	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN00C009-PX	RDR, RPK40, MULTICLASS, DFM II, KYPD, BLK, PI	
6136CKN00C709-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN00C800-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN020009	RDR, RPK40, MULTICLASS, DFM II, KYPD, BLK, PI	
6136CKN02C009	RDR, RPK40, MULTICLASS, DFM II, KYPD, BLK, PI	
6136CKN040000	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN040014	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN040209	RDR, RPK40, MULTICLASS, DFM II, KYPD, BLK, PI	
6136CKN040214	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN040700-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN040714-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN040900-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN040D00-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN04CA00-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN04CD14-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN060000	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN060009	RDR, RPK40, MULTICLASS, DFM II, KYPD, BLK, PI	
6136CKN060009-LPIG	RDR, ICLASS RPK40 DFM II KYPD BLK, 10 FT PIG	
6136CKN060011	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN060714-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN060D09-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN061009	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN06C000	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN070709-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	

ATTACHMENT "B"- PART 1

6136CKN070F09-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN07C214	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6136CKN07CD00-G3.0	RDR, RPK40, MULTICLASS, DFM II, KPYD, BLK, PI	
6139CGN000F00	RDR, RK40-T, ICLASS DFM, KEYPAD, TRANSIT, GRA	
6139CGN000F09	RDR, RK40-T, ICLASS DFM, KEYPAD, TRANSIT, GRA	
6139CKN000500	RDR, RK40-T, ICLASS DFM II KEYPAD, TRANSIT, B	
6139CKN000C00	RDR, RK40-T, ICLASS DFM II KEYPAD, TRANSIT, B	
6139CKN000D00	RDR, RK40-T, ICLASS DFM, KEYPAD, TRANSIT, BLK	
6139CKN000F00	RDR, RK40-T, ICLASS DFM, KEYPAD, TRANSIT, BLK	
6139CKN000F09	RDR, RK40-T, ICLASS DFM, KEYPAD, TRANSIT, BLK	
6140CGN0000	RDR, R15 ICLASS DFM, GRY, 18" PIG, NO SAMX	
6140CGN0002	RDR, R15, ICLASS, DFM, GRAY, PIG, 26 BIT, NO	
6140CGN0004	RDR, R15, ICLASS, DFM, GRAY, PIG, 40 BIT, NO	
6140CGN000C-G3.0	RDR, R15, ICLASS, DFM, GRAY, PIG, PIV II, 40	
6140CGN000K-G3.0	RDR, R15, ICLASS, DFM, GRAY, PIG, PIV II, 200	
6140CGN000U-G3.0	RDR, R15, ICLASS, DFM, GRAY, PIG, PIV II, FAS	
6140CGN0400	RDR, R15, ICLASS, DFM, GRAY, PIG, 32 BIT, NO	
6140CGT0000	RDR, R15 ICLASS DFM, GRY, TERM STP,NO SAMX	
6140CGT000U-G3.0	RDR, R15, ICLASS, DFM, GRAY, PIG, PIV II, FAS	
6140CGT0500	RDR, R15, ICLASS DFM, GRAY, TERM, 32 BIT, NO	
6140CKN0000	RDR, R15 ICLASS DFM, BLK, 18" PIG,NO SAMX	
6140CKN0002	RDR, R15, ICLASS UNIV, BLK, PIG, PIV II, 26 B	
6140CKN0003	RDR, R15, ICLASS DFM, BLK, PIG, 34 BIT, NO SA	
6140CKN0007-G3.0	RDR, R15, ICLASS, DFM, BLK, PIG, 200 BIT, NO	
6140CKN0008-G3.0	RDR, R15, ICLASS, DFM, BLK, PIG, 64 BIT BCD,	
6140CKN000A-G3.0	RDR, R15, ICLASS, DFM, BLK, PIG, 40 BIT BCD,	
6140CKN000D-G3.0	RDR, R15, ICLASS, DFM, BLK, PIG, PIV II, 75 B	
6140CKN000H-G3.0	RDR, R15, ICLASS, DFM, BLK, PIG, PIV II, 32 B	
6140CKN000N-G3.0	RDR, R15, ICLASS, DFM, BLK, PIG, PIV II,, 75	
6140CKN000U-G3.0	RDR, R15, ICLASS, DFM, BLK, PIG, FASCN + REMO	
6140CKN0010	RDR, R15, ICLASS UNIV, BLK, PIG, PIV II, ELIT	
6140CKN00C0	RDR, R15, ICLASS, DFM, BLK, PIG, 32 BIT, TAMP	
6140CKN0403	RDR, R15, ICLASS DFM, BLK, PIG, 34 BIT, NO SA	
6140CKN0407-G3.0	RDR, R15, ICLASS, DFM, BLK, PIG, 200 BIT, NO	
6140CKN0600	RDR, R15, ICLASS DFM, BLK, PIG, 32 BIT, NO SA	
6140CKN0602	RDR, R15, ICLASS DFM, BLK, PIG, 26 BIT, NO SA	
6140CKN0609-G3.0	RDR, R15, ICLASS, DFM, BLK, PIG, 64 BIT BCD,	
6140CKN0610	RDR, R15, ICLASS UNIV, BLK, PIG, ELITE, NO SA	
6140CKN0706-61566	RDR, R15, ICLASS, DFM, BLK, PIG, NO SAMX, MIF	
6140CKN0709-G3.0	RDR, R15, ICLASS, DFM, BLK, PIG, 64 BIT REVER	
6140CKT0000	RDR, R15 ICLASS DFM, BLK, TERM STP,NO SAMX	
6140CKT0002	RDR, R15, ICLASS, DFM, BLK, TERM, 26 BIT, NO	
6140CKT000U-G3.0	RDR, R15, ICLASS, DFM, BLK, TERM, FASCN + REM	
6140CKT0010	RDR, R15, ICLASS DFM, BLK, TERM, ELITE , NO S	

ATTACHMENT "B"- PART 1

6140CKT0016	RDR, R15, ICLASS, DFM, BLK, TERM, ELITE, 56 B	
6140CKT04C9-G3.0	RDR, R15, ICLASS, DFM, BLK, TERM, OPEN COLLEC	
6141CG40000	RDR, RW150 ICLASS DFM, GRY,TERM STP,RS485,NO	
6141CGB0000	RDR, RW150 ICLASS DFM, GRY,TERM STP,UART TO U	
6141CGM0000	RDR, RW150 ICLASS DFM, GRY,TERM STP,RS485 HAL	
6141CGT0000	RDR, RW150 ICLASS DFM, GRY,TERM STP,RS232,NO	
6141CGT0002	RDR, RW150, ICLASS, DFM, GRAY TERM, RS232, 26	
6141CGU0000	RDR, RW150 ICLASS DFM,GRY,TERM STP, USB,NO SA	
6141CK40000	RDR, RW150 ICLASS DFM, BLK,TERM STP,RS485,NO	
6141CKM0000	RDR, RW150 ICLASS DFM, BLK,TERM STP,RS485 HAL	
6141CKT0000	RDR, RW150 ICLASS DFM, BLK,TERM STP,RS232,NO	
6141CKU0000	RDR, RW150 ICLASS DFM, BLK,TERM STP,USB,NO SA	
6141CKU02C0	RDR, RW150 ICLASS DFM, BLK,TERM STP,USB,NO SA	
6142CGH0000	RDR, R15 ICLASS DFM, GRY,TERM STP,HI-O,NO SAM	
6142CGP0600	RDR, R15, ICLASS, DFM, GRAY, TERM, HADP/OSDP,	
6142CKH0000	RDR, R15 ICLASS DFM, BLK,TERM STP,HI-O,NO SAM	
6142CKP0000	RDR, R15 ICLASS DFM, BLK,TERM STP,HADP/OSDP,N	
6142CKP0007-G3.0	RDR, R15, ICLASS, DFM, BLK, TERM, 200 BIT, HA	
6142CKP000F-G3.0	RDR, R15, ICLASS, DFM, BLK, TERM, 32 BIT HMAC	
6142CKP000Z	RDR, R15, ICLASS DFM, BLK,TERM, RS485.,HADP/O	
6142CKP00Q7-G3.0	RDR, R15, ICLASS, DFM, BLK, TERM, 200 BIT, HA	
6142CKP0100	RDR, R15 ICLASS DFM, BLK,TERM, RS485.,HADP/OS	
6142CKP06P6	RDR, R15 ICLASS DFM, BLK,TERM STP,HADP/OSDP,	
6143CGN0000	RDR, RP15, MULTICLASS, GRAY, CLOCK AND DATA,	
6143CGN0007-G3.0	RDR, RP15, MULTICLASS, GRAY, CLOCK AND DATA,	
6143CKD0000	RDR, RP15, MUTLICLASS CLOCK AND DATA, DFM, BL	
6143CKE000Q	RDR, RP15, MULTICLASS, DFM, PIG, EM4102, CLOC	
6143CKN0000	RDR, RP15, MULTICLASS CLOCK AND DATA, BLK, PI	
6144CGN000D	RDR,RP15-T, ICLASS DFM, HID PROX, TRANSIT,GRA	
6144CKN0005	RDR, RP15-T, ICLASS DFM, HID PROX, TRANSIT, B	
6144CKN000D	RDR,RP15-T, ICLASS DFM, HID PROX, TRANSIT,BLK	
6144CKN000F	RDR,RP15-T, ICLASS DFM, HID PROX, TRANSIT,BLK	
6145CGD0000	RDR, RP15 MULTICLASS DFM, GRY, 18" PIG, STND	
6145CGD000D-G3.0	RDR, RP15, MULTICLASS, DFM, GRAY, PIV, PIV II	
6145CGE0000	RDR, RP15 MULTICLASS DFM, GRY, 18" PIG, STND	
6145CGN0000	RDR, RP15 MULTICLASS DFM, GRY, 18" PIG, STND	
6145CGN0001	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 32 BIT	
6145CGN0002	RDR, RP15 MULTICLASS, DFM, GRAY, PIG, 26 BIT,	
6145CGN0003	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 34 BIT	
6145CGN0004	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 40 BIT	
6145CGN0005	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 37 BIT	
6145CGN0005-PNONE	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 37 BIT	
6145CGN0006	RDR, RP15, MULTICLASS, DFM. GRAY, PIG, 56 BIT	
6145CGN0007-G3.0	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 200 BI	

ATTACHMENT "B"- PART 1

6145CGN000A-G3.0	RDR, RP15C, MULTICLASS, DFM, GRAY, PIG, 40 BI	
6145CGN000D-G3.0	RDR, RP15 MULTICLASS, DFM, GRAY, PIG, PIV II,	
6145CGN000Z	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, HID PR	
6145CGN00C0	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 32 BIT	
6145CGN0100	RDR, RP15, ICLASS, DFM, GRAY PIG, 32 BIT, HID	
6145CGN0200	RDR, RP15, MULTICLASS, GRAY, PIG, 32 BIT, HID	
6145CGN0400	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 32 BIT	
6145CGN0401	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 32 BIT	
6145CGN0407-G3.0	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 200 BI	
6145CGN0408-G3.0	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 64 BIT	
6145CGN040D-G3.0	RDR, RP15, MULTICLASS, DFM, GRAY, PIG, 75 BIT	
6145CKD0000	RDR, RP15 MULTICLASS DFM, BLK, 18" PIG, STND	
6145CKD0000-LPIG	RDR, RP15 MULTICLASS DFM, BLK, 120" (10 FT)	
6145CKD0001	RDR, RP15, MULTICLASS, DFM, BLK, 32 BIT REVER	
6145CKD0002	RDR, RP15, MULTICLASS, DFM, BLK, PIV II, 26 B	
6145CKD0003	RDR, RP15, MULTICLASS, DFM, BLK, 34 BIT INDAL	
6145CKD0007-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 200 BIT	
6145CKD000D-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 75 BIT	
6145CKD000F-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, HMAC + 200 B	
6145CKD000N-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 75 BIT	
6145CKD000Z	RDR, RP15, MULTICLASS, DFM, BLK, CSN SUPPRESS	
6145CKD0100	RDR, RP15, MULTICLASS, DFM, BLK, 32, INDALA P	
6145CKD0105	RDR, RP15, MULTICLASS, DFM, BLK, 37, INDALA P	
6145CKD0410	RDR, RP15, MULTICLASS, DFM, BLK, ELITE, INDAL	
6145CKD0600	RDR, RP15, MULTICLASS, DFM, BLK, PIG, INDALA,	
6145CKD0610	RDR, RP15, MULTICLASS, DFM, BLK, ELITE, INDAL	
6145CKD0700	RDR, RP15, MULTICLASS, DFM, BLK, PIG, INDALA,	
6145CKE0000	RDR, RP15 MULTICLASS DFM, BLK, 18" PIG, STND	
6145CKE0000-LPIG	RDR, RP15 MULTICLASS DFM, BLK, 120" (10 FT)	
6145CKE0002	RDR, RP15. MULTICLASS, BLK, PIG, DFM, EM4102	
6145CKE000K	RDR, RP15. MULTICLASS, BLK, PIG, DFM, EM4102	
6145CKE000K-LPIG	RDR, RP15 MULTICLASS DFM, BLK, 120" (10FT) EM	
6145CKE000N	RDR, RP15. MULTICLASS, BLK, PIG, DFM, EM4102	
6145CKE000S	RDR, RP15. MULTICLASS, BLK, PIG, DFM, EM4102	
6145CKE000T	RDR, RP15. MULTICLASS, BLK, PIG, DFM, NO SAMX	
6145CKE000U	RDR, RP15. MULTICLASS, BLK, PIG, DFM, NO SAMX	
6145CKE000V	RDR, RP15. MULTICLASS, BLK, PIG, DFM, NO SAMX	
6145CKE0010	RDR, RP15, ICLASS, DFM, BLK, ELITE, EM4102 (A	
6145CKE00C0	RDR, RP15, ICLASS, DFM, BLK,STD O/C TAMPER EN	
6145CKE0603	RDR, RP15, MULTICLASS DFM, 34 BIT WIEGAND, EM	
6145CKN0000	RDR, RP15 MULTICLASS DFM, BLK, 18" PIG, STND	
6145CKN0000-LPIG	RDR, RP15 MULTICLASS DFM, BLK, 120" (10 FT)	
6145CKN0000-PX	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 32 BIT,	
6145CKN0001	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 32 BIT	

ATTACHMENT "B"- PART 1

6145CKN0002	RDR, RP15, MULTICLASS, DFM, BLK, PIG, PIV II,	
6145CKN0003	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 34 BIT,	
6145CKN0004	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 40 BIT,	
6145CKN0005	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 37 BIT,	
6145CKN0006	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 56 BIT,	
6145CKN0007-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 200 BIT	
6145CKN0008-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 64 BIT	
6145CKN0009-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 64 BIT	
6145CKN000A-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 40 BIT	
6145CKN000D-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, PIV II	
6145CKN000F-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, HMAC +	
6145CKN000N-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 75 BIT	
6145CKN000T-G3.0	RDR, RP15, MULTI ICLASS, DFM, BLK, PIG ,HID P	
6145CKN000Z	RDR, RP15, MULTICLASS, DFM, BLK, PIG, PIV II,	
6145CKN0010	RDR, RP15 MULTICLASS DFM, BLK, 18" PIG, ELITE	
6145CKN0015	RDR, RP15 MULTICLASS DFM, BLK, 18" PIG, ELITE	
6145CKN00C0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, OCT/ENA	
6145CKN00C2	RDR, RP15, MULTICLASS, DFM, BLK, PIG, OPEN CO	
6145CKN0100	RDR, RP15,MULTICLASS, DFM, BLK, PIG, 32 BIT,	
6145CKN0107-G3.0	RDR, RP15 MULTICLASS DFM, BLK, 18" PIG, 200 B	
6145CKN0116	RDR, RP15, MUTLICLASS, DFM, BLK, PIG, ELITE,	
6145CKN0200	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 32 BIT,	
6145CKN0204	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 40 BIT,	
6145CKN0204-ZCAM1	RDR, RP15, MULTICLASS, DFM, BLK, PIG, HID PRO	
6145CKN02C0	RDR, RP15, MULTICLASS, DFM, BLK, PIG,OPEN COL	
6145CKN0400	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 32 BIT,	
6145CKN0402	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 26 BIT,	
6145CKN0407-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 200 BIT	
6145CKN0409-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 64 BIT	
6145CKN040D-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 75 BIT,	
6145CKN0410	RDR, RP15, MULTICLASS, DFM, BLK, PIG, ELITE,	
6145CKN0500	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 32 BIT,	
6145CKN0600	RDR, RP15C, MULTICLASS, DFM, BLK, PIG, PIV II	
6145CKN0602	RDR, RP15C, MULTICLASS, DFM, BLK, PIG,HID PRO	
6145CKN0610	RDR, RP15 MULTICLASS, DFM, BLK, PIG, ELITE, H	
6145CKN06CD-G3.0	RDR, RP15, MULTICLASS, DFM, BLK, PIG, OPEN CO	
6145CKN0700	RDR, RP15, MULTICLASS, DFM, BLK, PIG, 32 BIT,	
6145CKN0706-61566	RDR, RP15, MULTICLASS, DFM, BLK, PIG, HID PRO	
6150AKT0000	RDR, R90 iCLASS, BLK, TERM STP, STNDRD CONFIG	
6150AKT0006	ICLASS R90 READ ONLY,BLACK,TERM,STRIP,STNDRD,	
6150AKT0010	RDR, R90 ICLASS, BLK, TERM STP, ELITE KEY	
6150AKT00C0	RDR, R90 ICLASS, BLK, TERM STP, OPEN COLLECTO	
6150AKT0100	ICLASS R90 READ ONLY,BLACK,TERM,STRIP,STNDRD,	
6150AKT0110	RDR, R90 ICLASS ELITE RDR, BLK, TERM, LEAD FR	

ATTACHMENT "B"- PART 1

6150AKT01C0	ICLASS R90 READ ONLY,BLACK,TERM,STRIP,STNDRD	
6150AKT0200	RDR, R90 ICLASS, BLK, TERM STP, STNDRD CONFIG	
6150AKT0400	RDR, R90 ICLASS, BLK, TERM STP, STNDRD CONFIG	
6150AKT0410	RDR, R90 ICLASS ELITE RDR, BLK, TERM, LEAD FR	
6150AKT04C0	RDR, R90, ICLASS, BLK, TERM, OPEN COLLECTOR T	
6150AKT0500	RDR, R90 ICLASS, BLK, TERM STP, STNDRD CONFIG	
6150AKT0600	RDR, R90 ICLASS, BLK, TERM STP, STNDRD CONFIG	
6150AKT0602	RDR, R90 ICLASS, BLK, TERM STP, STNDRD CONFIG	
6150AKT0610	RDR, R90 ICLASS, BLK, TERM STP, ELITE KEY	
6150AKT06C0	RDR, R90, ICLASS, BLK, TERM, OPEN COLLECTOR T	
6150AKT0700	ICLASS R90,LONG RANGE,READ ONLY,BLACK,TREMINA	
6170BKT000000	RDR, RKL55, ICLASS, BLK, TERM, STD CONFIG, 32	
6170BKT000009	RDR, ICLASS, RKL55, BLK, TERM, STD, 32 BIT, B	
6170BKT000022	RDR, ICLASS, RKL55, BLK, TERM, STD, 32 BIT, L	
6170BKT000209	RDR, ICLASS, RKL55, BLK, TERM, STD, 26 BIT, B	
6170BKT000300	RDR, ICLASS, RKL55, BLK, TERM, STD, 34 BIT, B	
6170BKT000500	RDR, ICLASS, RKL55, BLK, TERM, STD, 37 BIT, B	
6170BKT000600	RDR, ICLASS, RKL55, BLK, TERM, STD, 56 BIT, B	
6170BKT000700-G3.0	RDR, ICLASS, RKL55, BLK, TERM, STD, 200 BIT,	
6170BKT000900-G3.0	RDR, ICLASS, RKL55, BLK, TERM, STD, 64 BIT RE	
6170BKT001000	RDR, ICLASS, RKL55, BLK, TERM, ELITE, BUFFER	
6170BKT001019	RDR, ICLASS, RKL55, BLK, TERM, STD,ELITE, BUF	
6170BKT001022	RDR, ICLASS, RKL55, BLK, TERM, STD,ELITE, LOC	
6170BKT001520	RDR, ICLASS, RKL55, BLK, TERM, ELITE, 37 BIT	
6170BKT00C000	RDR, ICLASS, RKL550, BLK, TERM, STD, OPEN COL	
6170BKT00C500	RDR, ICLASS, RKL550, BLK, TERM, STD, OPEN COL	
6170BKT060000	RDR, ICLASS, RKL550, BLK, TERM, STD, 32 BIT,	
6171BK4000000	RDR, RWKL550, iCLASS, BLK, TERM, RS485 32 BIT	
6171BK4000014	RDR, RWKL550, ICLASS, BLK, TERM, RS485 ,32 BI	
6171BK4000214	RDR, RWKL550, ICLASS, BLK, TERM, RS485 ,26 BI	
6171BK4000500	RDR, RWKL550, ICLASS, BLK, TERM, RS485 ,37 BI	
6171BK4040Z14	RDR, RWKL550, ICLASS, BLK, TERM, RS485, CSN S	
6171BK4060000	RDR, RWKL550, ICLASS, BLK, TERM, RS485 ,32 BI	
6171BK4060209	RDR, RWKL550, ICLASS, BLK, TERM, RS485 ,26 BI	
6171BK4060Z09	RDR, RWKL550, ICLASS, BLK, TERM, RS485 ,CSN S	
6171BK4061000	RDR, RWKL550, ICLASS, BLK, TERM, RS485 ,ELITE	
6171BKB000000	RDR, RWKL550, ICLASS, BLK, UART TO UART, STD	
6171BKM000000	RDR, RWKL550, ICLASS, BLK, TERM, RS485,HALF D	
6171BKM040400	RDR, RWKL550, ICLASS, BLK, TERM, RS485,HALF D	
6171BKT000000	RDR, RWKL550, ICLASS, BLK, TERM, STD CONFIG,	
6171BKT000009	RDR, RWKL550, ICLASS, BLK, TERM, STD 32 BIT,	
6171BKT000014	RDR, RWKL550, ICLASS, BLK, TERM, STD 32 BIT,	
6171BKT000200	RDR, RWKL550, ICLASS, BLK, TERM, STD CONFIG,	
6171BKT000214	RDR, RWKL550, ICLASS, BLK, TERM, STD CONFIG,	

ATTACHMENT "B"- PART 1

6171BKT000300	RDR, RWKL550, ICLASS, BLK, TERM, STD CONFIG,	
6171BKT001000	RDR, RWKL550, ICLASS, BLK, TERM, STD CONFIG,	
6171BKT04C000	RDR, RWKL550, ICLASS, BLK, TERM, OPEN COLLECT	
6171BKT04C300	RDR, RWKL550, ICLASS, BLK, TERM, OPEN COLLECT	
6171BKT060209	RDR, RWKL550, ICLASS, BLK, TERM, STD CONFIG,	
6171BKU000000	RDR, RWKL550, ICLASS, BLK, TERM, STD CONFIG,	
6171BKU000300	RDR, RWKL550, ICLASS, BLK, TERM, STD CONFIG,	
6171BKU000510	RDR, RWKL550, ICLASS, BLK, TERM, STD CONFIG,	
6172BKP000000	RDR, RKL55 ICLASS UNIV,HADP, BLK	
6172BKP000009	RDR, RKL55, ICLASS, BLK, TERM, STD CONFIG, 32	
6172BKP000709-G3.0	RDR, RKL55, ICLASS, BLK, TERM, STD HADP/OSDP,	
6172BKP000D00-G3.0	RDR, RKL55, ICLASS, BLK, TERM, STD CONFIG, 75	
6172BKP00P009	RDR, RKL55, ICLASS, BLK, TERM, STD CONFIG, 32	
6172BKP00P022	RDR, RKL55, ICLASS, BLK, TERM, STD CONFIG, 32	
6172BKP00Q009	RDR, RKL55, ICLASS, BLK, TERM, STD 32 BIT, EL	
6172BKP04P009	RDR, RKL55, ICLASS, BLK, TERM, STD CONFIG, 32	
6172BKP060009	RDR, RKL55, ICLASS, BLK, TERM, STD HADP, 32 B	
6172BKP061009	RDR, RKL55, ICLASS, BLK, TERM, STD 32 BIT, EL	
6172BKP06P609	RDR, RKL55, ICLASS, BLK, TERM, STD HADP/OSDP	
6172BKP06QZ09	RDR, RKL55, ICLASS, BLK, TERM, STD 32 BIT, EL	
6178BKT000000	RDR, RKL55, ICLASS, BLK, TERM, C&D, 32 BIT	
6180BKE000000	ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLACK, TE	
6180BKR000000	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR000009	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR000014	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR000020	RDR / ENROLLER, BIOCLASS, RKLB575, KEYPAD, BL	
6180BKR000022	RDR / ENROLLER, BIOCLASS, RKLB575, KEYPAD, BL	
6180BKR001000	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR001022	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR00C000	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR00D000	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR02C009	RDR / ENROLLER, BIOCLASS, RKLB57, KYPD, BLK,	
6180BKR040000	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR040009	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR040014	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR041000	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR041014	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR041022	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR04D000	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR050000	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR060000	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR060011	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR060014	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKR070000	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	

ATTACHMENT "B"- PART 1

6180BKR070009	RDR / ENROLLER, BIOCLASS, RKLB57, KEYPAD, BLA	
6180BKT000000	RDR, RKLB57, ICLASS, BLK, TERM, STD CONFIG, 3	
6180BKT000009	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT000014	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT000020	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT000022	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT001000	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT00D000	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT010000	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT010000-3451	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT040009	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT041000	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT041022	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT04C009	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT04D000	RDR, BIOCLASS, RKL575, KEYPAD, BLACK, TERMINA	
6180BKT050000	RDR, BIOCLASS, RKLB57, KEYPAD, BLACK, TERMINA	
6180BKT060000	RDR, BIOCLASS, RKL575, KEYPAD, BLACK, TERMINA	
6180BKT060011	RDR, BIOCLASS, RKL575, KEYPAD, BLACK, TERMINA	
6180BKT060014	RDR, BIOCLASS, RKL575, KEYPAD, BLACK, TERMINA	
6180BKT070000	RDR, BIOCLASS, RKLB575, KEYPAD, BLACK, TERMIN	
6181AKT000300	ICLASS RWKL575, BLACK, TERMINAL, STANDARD, 34	
6181BK4000000	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG,	
6181BK4000009	RDR,RS485 BIOCLASS,RWKLB575,BLK, 32 BIT, BUFF	
6181BK4000014	RDR,RS485 BIOCLASS,RWKLB575,BLK, 32 BIT, BUFF	
6181BK4000022	RDR,RS485 BIOCLASS,RWKLB575,BLK, 32 BIT, LOCA	
6181BK406C009	RDR,RS485 BIOCLASS,RWKLB575,BLK,O/C TAMP/ENAB	
6181BKB000000	RDR, RWKLB575, ICLASS, BLK, TERM, UART TO UAR	
6181BKT000000	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG,	
6181BKT000009	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG	
6181BKT000014	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG	
6181BKT000022	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG	
6181BKT001000	RDR, RWKLB575, ICLASS, BLK, TERM, ELITE, LEAD	
6181BKT020000	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG	
6181BKT040000	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG	
6181BKT040009	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG	
6181BKT041000	RDR, RWKLB575, ICLASS, BLK, TERM, STD,32 BIT,	
6181BKT04C000	RDR, RWKLB575, ICLASS, BLK, TERM, STD,32 BIT,	
6181BKT060000	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG	
6181BKT060009	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG	
6181BKT060011	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG	
6181BKT070000	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG	
6181BKU000000	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG,	
6181BKU000009	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG,	
6181BKU000014	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG,	

ATTACHMENT "B"- PART 1

6181BKU000022	RDR, RWKLB575, ICLASS, BLK, TERM, STD CONFIG,	
6181BKU001000	RDR, RWKLB575, ICLASS, BLK, USB, ELITE, LEAD	
6181BKU00C000	RDR, RWKLB575, ICLASS, BLK, USB,STD, OPEN COL	
6181BKU040000	RDR, RWKLB575, ICLASS, BLK, USB, STD CONFIG,	
6181BKU040022	RDR, RWKLB575, ICLASS, BLK, USB, STD CONFIG,	
6181BKU060000	RDR, RWKLB575, ICLASS, BLK, USB, STD CONFIG,	
6182BKP000000	RDR, RKLB575 iCLASS UNIV,HADP, BLK	
6188BKT000000	RDR, RKLB57, ICLASS, BLK, TERM, C&D, 32 BIT	
6190BKN000000	RDR, BIO 500, ICLASS, BLK, STD CONFIG, LEAD F	
6220CKN0000	RDR, RM40, MULTICLASS MAG STRIPE, BLK, PIG,AW	
6220CKN0005	RDR, RM40, MULTICLASS MAG STRIPE, BLK, PIG,AW	
6220CKN000B	RDR, RM40, MULTICLASS, MAGSTRIPE, BLK, PIG, N	
6220CKN000F	RDR, RM40, MULTICLASS MAG STRIPE, BLK, PIG,AW	
6220CKT0000	RDR, RM40, MULTICLASS MAG STRIPE, BLK, TERM,A	
6220CKT000A	RDR, RM40, MULTICLASS MAG STRIPE, BLK, TERM,N	
6220CKT000B	RDR, RM40, MULTICLASS, MAGSTRIPE, BLK, TERM,	
6223CKN0001	RDR, RMP40, ICLASS, DFM, MAGNETO,CLOCK AND DA	
6223CKN0004	RDR, RMP40, ICLASS, DFM, MAGNETO,CLOCK AND DA	
6225CKN0000	RDR, RMP40, ICLASS, DFM, MAGNETO, BLK, PIG, C	
6225CKN0005	RDR, RMP40, ICLASS, DFM, MAGNETO, BLK, PIG, C	
6225CKN0007	RDR, RMP40, ICLASS, DFM, MAGNETO, BLK, PIG, C	
6225CKN0009	RDR, RMP40, ICLASS, DFM, MAGNETO, BLK, PIG, C	
6225CKN000B	END ITEM, RMP40 MULTICLASS MAG STRIPE DFM, BL	
6225CKN000C	RDR, RMP40, ICLASS, DFM, MAGNETO, BLK, PIG, (	
6225CKN000F	RDR, RMP40, ICLASS, DFM, MAGNETO, BLK, PIG, (	
6225CKN001D-G3.0-5	RDR, RMP40, ICLASS, DFM, MAGNETO, BLK, PIG, E	
6225CKN00C0	RDR, RMP40, ICLASS, DFM, MAGNETO, BLK, PIG, (	
6225CKN0100	RDR, RMP40, ICLASS, DFM, MAGNETO, BLK, PIG, C	
6225CKT0005	RDR, RMP40, ICLASS, DFM, MAGNETO, BLK, TERM,	
6225CKT000B	END ITEM, RMP40 MULTICLASS MAG STRIPE DFM, BL	
6228CKN0001	RDR, RM40, MULTICLASS MAG STRIPE, BLK, CLOCK	
6230CKN000000	RDR, RMK40, MULTICLASS MAG STRIPE KYD, BLK, P	
6230CKN000009	RDR, RMK40, MULTICLASS, DFM II, MAG, KYPD,BLK	
6230CKN000509	RDR, RMK40, MULTICLASS, DFM II, MAG, KYPD,BLK	
6230CKN000B00	RDR, RMK40, MULTICLASS, MAGSTRIPE, KYD, BLK,	
6230CKN000C00	RDR, RMK40, MULTICLASS, DFM II, MAG, KYPD,BLK	
6230CKN000C09	RDR, RMK40, MULTICLASS, DFM II, MAG, KYPD,BLK	
6230CKN000E00	RDR, RMK40, MULTICLASS, DFM II, MAG, KYPD,BLK	
6230CKN06CF00	RDR, RMK40, MULTICLASS, DFM II, MAG, KYPD,BLK	
6230CKT000000	RDR, RMK40, MUTLICLASS, MAG STRIPE, KYD, BLK,	
6230CKT000009	RDR, RMK40, MUTLICLASS, MAG STRIPE, KYD, BLK,	
6230CKT000B00	RDR, RMK40, MULTICLASS, MAGSTRIPE, KYD, BLK,	
6230CKT000B14	RDR, RMK40 MULTICLASS MAG STRIPE DFM, BLK, TE	
6233CKN000100	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM, B	

ATTACHMENT "B"- PART 1

6233CKT000100	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM, B	
6233CKT000109	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM, B	
6236CKN000000	RDR, RMPK40, MULTICLASS, MAG STRIPE, KYD, BLK	
6236CKN000000-2002	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM II	
6236CKN000009	RDR, RMPK40 MULTICLASS MAG STRIPE DFM, BLK, P	
6236CKN000500	RDR, RMPK40, MULTICLASS, MAG STRIPE, KYD, BLK	
6236CKN000709-G3.0-	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM, B	
6236CKN000711-G3.0-	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM, B	
6236CKN000A09-G3.0-	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM, B	
6236CKN000B00	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM, B	
6236CKN000C00	RDR, RMPK40, MULTICLASS, MAG STRIPE, KYD, BLK	
6236CKN000C14	RDR, RMPK40, MULTICLASS, MAG STRIPE, KYD, BLK	
6236CKN000D00-G3.0-	RDR, RMPK40 MULTICLASS MAG STRIPE DFM, BLK, P	
6236CKN000D00-G3.0-	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM, B	
6236CKN000D09	RDR, RMPK40, MULTICLASS, MAG STRIPE, KYD, BLK	
6236CKN000D11-G3.0-	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM, B	
6236CKT000000	RDR, RMPK40, MULTICLASS, MAG STRIPE, KYD, BLK	
6236CKT000000-2002	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM, B	
6236CKT000009	RDR, RMPK40 MULTICLASS MAG STRIPE DFM, BLK, T	
6236CKT000509	RDR, RMPK40 MULTICLASS MAG STRIPE DFM, BLK, T	
6236CKT000B00	END ITEM, RMPK40 MULTICLASS MAG STRIPE DFM, B	
6236CKT000B09	RDR, RMPK40 MULTICLASS MAG STRIPE DFM, BLK, T	
6236CKT000D09	RDR, RMPK40 MULTICLASS MAG STRIPE DFM, BLK, T	
6236CKT000E09	RDR, RMPK40 MULTICLASS MAG STRIPE DFM, BLK, T	
6236CKT000F00	RDR, RMPK40, MULTICLASS, DFM II, MAGSTRIPE, K	
6236CKT00C009-2002	RDR, RMPK40 MULTICLASS MAG STRIPE DFM, BLK, T	
6236CKT06CC00	RDR, RMPK40, MULTICLASS, MAG STRIPE, KYD, BLK	
6238CKN000100	RDR, RMK40, MULTICLASS, MAG STRIPE, KYD, CLOC	
6238CKT000100	RDR, RMK40 MULTICLASS MAG STRIPE DFM, BLK, TE	
7100CKS-EVP00000	RDR, RS10 ICLASS DFM, BLK, TERM, SAMX, HF MIG	
7100CKT-EVP00000	RDR, RS10 ICLASS DFM, BLK, TERM, SAMX, HF MIG	
7100CKT-RJP00000	RDR, RS10 ICLASS DFM, BLK, TERM, SAMX, RIJKSP	
7100CKT-RJP00008	RDR, RS10 ICLASS DFM, BLK, TERM, SAMX, RIJKSP	
7100CKT-RJP00060	RDR, RS10 ICLASS DFM, BLK, TERM, SAMX, RIJKSP	
7102CKS-EVP00120	RDR, RS10 ICLASS DFM, BLK,TERM STP,HADP/OSDP,	
7102CKT-EVP00120	RDR, RS10 ICLASS DFM, BLK,TERM STP,HADP/OSDP,	
7120CKS-EVP00000	RDR, RS40 ICLASS DFM, BLK, TERM, SAMX, HF MIG	
7120CKT-EVP00000	RDR, RS40 ICLASS DFM, BLK, TERM, SAMX, HF MIG	
7120CKT-RJP00000	RDR, RS40 ICLASS DFM, BLK, TERM, SAMX, RIJKSP	
7120CKT-RJP00060	RDR, RS40 ICLASS DFM, BLK, TERM, SAMX, RIJKSP	
7122CKS-EVP00120	RDR, RS40 ICLASS DFM, BLK,TERM STP,HADP/OSDP,	
7122CKT-EVP00120	RDR, RS40 ICLASS DFM, BLK,TERM STP,HADP/OSDP,	
7125CKN-EVP00000	RDR, RSP40 ICLASS DFM, BLK, HID PROX, SAMX, H	
7125CKU-EVP00000	RDR, RSP40 ICLASS DFM, BLK, HID PROX, SAMX, H	

ATTACHMENT "B"- PART 1

7130CKS-EVP00000	RDR, RSK40 ICLASS DFM, BLK, TERM, SAMX, HF MI	
7130CKS-EVPH0012	RDR, RSK40 ICLASS DFM, BLK, TERM, SAMX, HF MI	
7130CKT-EVP00000	RDR, RSK40 ICLASS DFM, BLK, TERM, SAMX, HF MI	
7130CKT-MFC20100	RDR, RSK40 ICLASS DFM, KYPD, BLK, TERM, SAMX,	
7130CKT-RJP00000	RDR, RSK40 ICLASS DFM, BLK, TERM, SAMX, RIJKS	
7130CKT-RJP00008	RDR, RSK40 ICLASS DFM, BLK, TERM, SAMX, RIJKS	
7132CKS-EVP00120	RDR, RSK40 ICLASS DFM, BLK,TERM STP,HADP/OSDP	
7132CKT-EVP00120	RDR, RSK40 ICLASS DFM, BLK,TERM STP,HADP/OSDP	
7136CKN-EVP00000	RDR, RSPK40 ICLASS DFM, BLK, HID PROX, SAMX,	
7136CKU-EVP00000	RDR, RSPK40 ICLASS DFM, BLK, HID PROX, SAMX,	
7145CKN-EVP00000	RDR, RSP15 ICLASS DFM, BLK, HID PROX, SAMX, H	
7145CKU-EVP00000	RDR, RSP15 ICLASS DFM, BLK, HID PROX, SAMX, H	
7230CKT-EVCM0589	END ITEM, RSMK40 MULTICLASS MAG STRIPE DFM II	
7230CKT-EVPM000B	END ITEM, RSMK40 MULTICLASS MAG STRIPE DFM II	
910NNNNAK00000	RDR, ICLASS SE, R15, MULLION, NO KPD, NO PROX	
910PNNNAK00004	RDR, RP15,MULTICLASS SE, MULLION, NO KPD, NO	
ACS-PFL000006-00	APPLICATION CARD SET, ICLASS REVISION C RDRS,	
AO-ICLASS-SPACER	HIGH-FREQUENCY MIGRATION ICLASS READER SPACER	
10650	100 CT CLEAR VINYL STRAP CLIP W/2-HOLE NPS CL	
10651	100 CT REINFORCED VINYL STRAP CLIP W/ NPS SUS	
10652	100 CT CLEAR VINYL VERTICAL ANTI-PRINT TRANSF	
10653	100 CT CLEAR VINYL HORIZONTAL ANTI-PRINT TRAN	
10654	100 CT FROSTED HORIZONTAL RIGID PLASTIC CARD	
10655	100 CT FROSTED VERTICAL RIGID PLASTIC CARD DI	
10656	100 CT FROSTED HORIZONTAL 2-CARD DISPENSER W/	
10658	100 CT FROSTED VERTICAL 2-CARD ACCESS CARD DI	
10659	100 CT FROSTED CLEAR VERTICAL OPEN-FACE RIGID	
10660	100 CT FROSTED CLEAR HORIZONTAL OPEN-FACE RIG	
10661	100 CT BLACK BADGE REEL W/ CLEAR VINYL STRAP	
10662	100 CT ROYAL BLUE BADGE REEL W/ CLEAR VINYL S	
10663	100 CT BLACK/CHROME HEAVY-DUTY BADGE REEL W/	
10664	100 CT BLACK BADGE REEL W/ QUICK LOCK & RELEA	
10665	100 CT BLUE BADGE REEL W/ QUICK LOCK & RELEAS	
10666	100 CT BLACK BADGE REEL W/ CLEAR VINYL STRAP	
10676	100 CT BLACK 3/8" (10MM) FLAT BRAID BREAKAWAY	
10677	100 CT NAVY BLUE 3/8" (10MM) FLAT BRAID BREAK	
10678	100 CT RED 3/8" (10MM) FLAT BRAID BREAKAWAY W	
10679	100 CT BLACK 3/8" (10MM) FLAT BRAID BREAKAWAY	
10680	100 CT NAVY BLUE 3/8" (10MM) FLAT BRAID BREAK	
10681	100 CT RED 3/8" (10MM) FLAT BRAID BREAKAWAY W	
10682	100 CT BLACK 3/8" (10MM) FLAT BRAID BREAKAWAY	
10683	100 CT NAVY BLUE 3/8" (10MM) FLAT BRAID BREAK	
10684	100 CT RED 3/8" (10MM) FLAT BRAID BREAKAWAY W	
10685	100 CT BLACK GRIPPER CARD CLAMP	

ATTACHMENT "B"- PART 1

IOD-0001	HID IDENTITY ON DEMAND SERVICE 1	
IOD-A	SINGLE SIDED PRINT/MONOCHROME	
IOD-B	SINGLE SIDED PRINT/COLOR AND BLACK	
IOD-BC	BARCODE ENCODING	
IOD-C	DUAL SIDED PRINT/COLOR AND BLACK FRONT/BLACK	
IOD-CC	CARD CARRIER/MAILER (CUSTOMER PROVIDES CARRIE	
IOD-D	DUAL SIDED PRINT/COLOR AND BLACK	
IOD-M	SINGLE SIDED 0.6 MIL CLEAR POLYGUARD OVERLAMI	
IOD-ME	MAGENTIC STRIPE ENCODING	
IOD-N	DUAL SIDED 0.6 MIL CLEAR POLYGUARD OVERLAMINA	
IOD-O	SINGLE SIDED 0.6 MIL SECURE HOLOGRAPHIC POLYG	
IOD-P	DUAL SIDED 0.6 MIL SECURE HOLOGRAPHIC POLYGUA	
IOD-PC	13.56 MHZ CHP - MATCH/PROGRAM/READ AND CROSS	
IOD-PP	125 KHZ CHIP READ - MATCH/PROGRAM/READ AND CR	
IOD-RC	13.56 MHZ CHIP READ AND CROSS REFERENCE LIST	
IOD-RP	125 KHZ CHIP READ AND CROSS REFERENCE LIST	
2124BG3MNN-10PAK	iCLASS 32K - 16K/16 + 16K/1 10-CARD TRIAL PAC	
4002M-S03B	ICLASS 32K, COMPOSITE EMBEDDABLE W/ MAG, INFI	
400F-N01A	CONTACT/CONTACTLESS, ICLASS 32K/MIFARE 4K, SA	
4022	CRESCENDO C200, ICLASS 32K	
4022M	CRESCENDO C200, ICLASS 32K, WITH MAG	
4024	CRESCENDO C200, MIFARE 4K	
4024M	CRESCENDO C200, MIFARE 4K, WITH MAG	
4024M-210196	CRESCENDO C200, MIFARE 4K, C200 CHIP WITH MAG	
4025M	CRESCENDO C200, DESFIRE 4K V0.6, WITH MAG	
402A	CRESCENDO C200, ICLASS PROX 32K, NO MAG	
402AM	CRESCENDO C200, ICLASS PROX 32K, WITH MAG	
402AM-10PAK	CRESCENDO C200 10-CARD TRIAL PACK (ICLASS/HID	
402C	CRESCENDO C200, MIFARE PROX	
402CM	CRESCENDO C200, MIFARE PROX W/ MAG	
402CM-10PAK	CRESCENDO C200 10-CARD TRIAL PACK (MIFARE/HID	
4072	CRESCENDO C700, ICLASS 32K	
4072-210353	CRESCENDO C700, ICLASS 32K, LEGIC PROGRAMMED	
4072M	CRESCENDO C700, ICLASS 32K, WITH MAG	
4074	CRESCENDO C700, MIFARE 4K	
4074M	CRESCENDO C700, MIFARE 4K, WITH MAG	
4075	CRESCENDO C700, DESFIRE 4K V0.6	
4076	CRESCENDO C700, DESFIRE EV1 8K	
407A	CRESCENDO C700, ICLASS PROX 32K, NO MAG	
407AM	CRESCENDO C700, ICLASS PROX 32K, WITH MAG	
407AM-10PAK	CRESCENDO C700 10-CARD TRIAL PACK (ICLASS/HID	
407C	CRESCENDO C700, MIFARE PROX	
407CM	CRESCENDO C700, MIFARE PROX W/ MAG	
407CM-10PAK	CRESCENDO C700 10-CARD TRIAL PACK (MIFARE/HID	

ATTACHMENT "B"- PART 1

407CM-EM4102	CRESCENDO C700, MIFARE 4K PROX, EM4102 PROX P	
407D	CRESCENDO C700, DESFIRE/PROX	
407E	CONTACT/CONTACTLESS, ICLASS 2K/MIFARE 1K, 407	
MQ1000C	MULTIQEY 1000 CHROME HOUSING	
MR0094208B	5000 SERIES BACK BOX BLACK	
MR5132B	5000 SERIES,MAGNETIC,STRIPE,SWIPE,RDR,5V,3COL	
MR51D2B	READER CARD - TYPE 51D2B	
MR51D2C	READER CARD - TYPE 51D2C	
MR51N2B-001	WIDE,GAP,MEGNETIC,STRIPE,RDR,BLK,TRK 1	
MR51N2B-002	WIDE,GAP,MAGNETIC,STRIPE,RDR,BLK,TRK 2	
MR51N2B-003	WIDE,GAP,MAGNETIC,STRIPE,RDR,BLK,TRK 3	
MR51T0D	READER CARD- TYPE 51T0D ISS3	
MR51T2C	5000 SERIES,MAGNETIC,STRIPE,SWIPE,RDR,5V,2COL	
MR5321B	READER CARD- TYPE 5321B ISS1	
MR5321C	READER CARD- TYPE 5321C ISS1	
MR56T2B	5000 SERIES,MAGNETIC,STRIPE,SWIPE,RDR,12V,2CO	
MR5851B	READER CARD -TYPE 5851B ISS2	
MR5CM1B	READER CARD- TYPE 5CM1B	
MR69D1	KEYPAD - TYPE 69D1	
MR6MW1G	READER/KEYPAD - TYPE 6MW1G	
1405080111	CRESCENDO EVALUATION KIT C700 ICLASS, PROX, M	
1405080112	CRESCENDO EVALUATION KIT C200 ICLASS, PROX, M	
1405080113	CRESCENDO EVALUATION KIT C700 MIFARE, PROX, M	
1405080114	CRESCENDO EVALUATION KIT C200 MIFARE, PROX, M	
5321CLI-5PAK	5321 CLi USB ICLASS READERS, 5 PAK	
5325CL-5PAK	5325 CL USB PROX READERS, 5 PAK	
6321CLI-5PAK	6321 CLi USB ICLASS READERS (DONGLE READER),	
CLI VARIETY PAK	CLi VARIETY PACK, (3) 6321 CLi AND (2) 5321 C	
CONTACT_VARIETY_P	CONTACT VARIETY PACK, (2) 3121, (1) 3021, (1)	
R53210039-1	OMNIKEY 5321 CLI ROHS CONF.	
R53250002-1	OMNIKEY 5325 CL (FW5.10) TAA, ROHS CONF.	
R63210003-1	OMNIKEY 6321 CLI ROHS CONF.	
AO-INDALA-SERIAL	INDALA READER SERIAL OUTPUT	
API-1000	API-1000	
ASR-503-NGR	ASR-503,NGR	
ASR-503-NGR/L	ASR-503,NGR,V2,120",CABLE	
ASR-505-NGR-BGE	ASR-505,NGR,BEIGE,W/18",CABLE	
ASR-505-NGR-BGE/L	ASR-505,NGR,BEIGE,W/120",CABLE	
ASR-505-NGR-BLK	ASR-505,NGR,BLACK,W/18",CABLE	
ASR-505-NGR-BLK/L	ASR-505,NGR,BLACK,W/120",CABLE	
ASR-620++	ASR-620++	
ASR-620++/L	ASR-620++/L,120",CBL.	
FP0200A	CORE,ELECTRONIC,MOD,MID/RNG.	
FP0200S	CEM,MID,SERIAL	

ATTACHMENT "B"- PART 1

FP0200S/L	CEM,MID,SERIAL,120",CABLE	
FP0500A	FP0500 MR READER,MODULE	
FP0500A/L	FP0500 MR,READER,MODULE,W/120",CABLE	
FP1231A	WAVE,MIDRANGE,12",BLACK	
FP1231S	WAVE,MIDRANGE,SERIAL,BLACK	
FP1234A	WAVE,MIDRANGE,12",BLUE	
FP1234S	WAVE,MIDRANGE,SERIAL,BLUE	
FP1511A	***WAVE,SLIM,5",BLACK	
FP1514A	WAVE,SLIM,5",BLUE	
FP1521A	WAVE,WALLSWITCH,5",BLACK	
FP1524A	WAVE,WALLSWITCH,5",BLUE	
FP2511A	CURVE,SLIM,5",BLACK	
FP2521A	CURVE,WALLSWITCH,5",BLACK	
FP3231A	ARCH,MIDRANGE,12",BLACK	
FP3231A-HW	ARCH,MIDRANGE,12",BLACK, HONEYWELL FP610BK	
FP3231S	ARCH,MIDRANGE,SERIAL,BLACK	
FP3235A	ARCH,MIDRANGE,12",GRAY	
FP3235S	ARCH,MIDRANGE,SERIAL,GRAY	
FP3236A	ARCH,MIDRANGE,12",WHITE	
FP3236S	ARCH,MIDRANGE,SERIAL,WHITE	
FP3237A	ARCH,MIDRANGE,12",BEIGE	
FP3237S	ARCH,MIDRANGE,SERIAL,BEIGE	
FP3511A	ARCH,SLIM,5",BLACK	
FP3515A	ARCH,SLIM,5",GRAY	
FP3516A	ARCH,SLIM,5",WHITE	
FP3517A	ARCH,SLIM,5",BEIGE	
FP3521A	ARCH,WALLSWITCH,5",BLACK	
FP3525A	ARCH,WALLSWITCH,5",GRAY	
FP3526A	ARCH,WALLSWITCH,5",WHITE	
FP3527A	ARCH,WALLSWITCH,5",BEIGE	
FP4511A	LINEAR,SLIM,5",BLACK	
FP4515A	LINEAR,SLIM,5",GRAY	
FP4517A	LINEAR,SLIM,5",BEIGE	
FP4521A	LINEAR,WALLSWITCH,5",BLACK	
FP4525A	LINEAR,W/S,5",GRAY	
FP4526A	LINEAR,WALLSWITCH,5",WHITE	
FP4527A	LINEAR,WALLSWITCH,5",BEIGE	
FP4551A	LINEAR,CLASSIC,5",BLACK	
FP5061B	ARK-501+,BLK.	
FP5061B/L	ARK-501+,BLK,120",CBL.	
FP5061M	ARK-501+,3X4,BLACK	
FP5067B	ARK-501+,BEIGE	
FP5067B/L	ARK-501+,BEIGE,120",CBL.	
FP5067M	ARK-501+,3x4,BEIGE	

ATTACHMENT "B"- PART 1

FP5071B	KEYPAD READER,METAL,BLACK	
FP5071B/L	KEYPAD,READER,METAL,BLACK,W/120",CBL.	
FP5077B	KEYPAD READER,METAL,BEIGE	
FP5077B/L	KEYPAD,READER,METAL,BEIGE,W/120",CBL.	
FPDXI-SSSCNAB-0000	FLEX ISO DESFIRE 4K COMBO NO/MAG.	
KIT-AFP1000	KIT,AFP1000,UPGRADE	
AO-INDALA-CABLE	INDALA READER LONG CABLE 120"	
CXCRD-MSSMW-0000	CXCARD,CLAM,W/LOGO,MATCHING	
CXCRD-QSSMW-0000	CXCARD,CLAM,W/LOGO,NON MATCHING	
CXCRD-SCSMW-0000	CXCARD,WHITE,NO/LOGO	
CXCRD-SSSKW-0000	CXCRD,CLAMSHELL,W/LOGO	
CXCRD-SSSMW-0000	CXCARD,CLAMSHELL,WITH LOGO	
CXISO-MSSCNA-0000	CXISO NO MAGSTRIPE MATCHING	
CXISO-MSSCNB-0000	CXISO 4000,MAGSTRIPE,MATCHING	
CXISO-MSSCVA-0000	CXISO NO MAG,MATCHING,V SLOT	
CXISO-QSSCNA-0000	CXISO NO MAGSTRIPE NON MATCHING	
CXISO-QSSCNB-0000	CXISO 4000,MAGSTRIPE,NON MATCHING	
CXISO-QSSCVA-0000	CXISO NO MAGSTRIPE NON MATCHING	
CXISO-QSSPNA-0000	CXISO NO MAGSTRIPE NON MATCHING	
CXISO-SSSCHA-0000	ISO 30 NO MAG.HORIZONTALSLOT	
CXISO-SSSCNA-0000	CXISO NO MAGSTRIPE	
CXISO-SSSCNB-0000	CXISO 4000,MAGSTRIPE	
CXISO-SSSCVA-0000	ISO NO MAGSTRIPE VERTICAL SLOT	
CXIXT-MSSCNA-0000	CXISO NO MAGSTRIPE,MATCHING	
CXIXT-MSSCNB-0000	CXISO 4000,MAGSTRIPE,MATCHING	
CXIXT-MSSCVA-0000	CXIXT NO MAGSTRIPE MATCHING	
CXIXT-QSSCNA-0000	CXISO NO MAGSTRIPE,NON MATCHING	
CXIXT-QSSCNB-0000	CXISO 4000,MAGSTRIPE,NON MATCHING	
CXIXT-QSSCVA-0000	CXIXT NO MAGSTRIPE NON MATCHING	
CXIXT-SSSCNA-0000	CXISOXT,NO MAGSTRIPE	
CXIXT-SSSCNB-0000	CXISOXT,4000 MAGSTRIPE	
CXIXT-SSSCVA-0000	CXISOXT,NO MAGSTRIPE	
CXKEY-MSSS-0000	CXKEYTAG,MATCHING	
CXKEY-QSSS-0000	CXKEYTAG,NON MATCHING	
CXKEY-SSSS-0000	CXKEYTAG,PROGRAMMED	
CXPL5-MCCCHA-0000	CXPL5 CARD,WHITE/WHITE	
CXPL5-MCCCNA-0000	CXPL5 CARD,WHITE/WHITE,MATCHING	
CXPL5-MSCCNA-0000	CXPL5 - 50 MIL PVC CARD W/CX BLUE LOGO, NO MA	
CXPL5-MSCCVA-0000	CXPL5 - 50 MIL PVC CARD W/CX BLUE LOGO, VERT.	
CXPL5-QCCCHA-0000	CXPL5 CARD,WHT/WHT,H.SLOT,NON,MATCHING	
CXPL5-QCCCNA-0000	CXPL5 CARD,WHITE/WHITE,NON,MATCHING	
CXPL5-QCCCVA-0000	CXPL5 CARD,WHT/WHT,V SLOT,NON MATCHING	
CXPL5-QSCCNA-0000	CXPL5 - 50 MIL PVC CARD W/CX BLUE LOGO, NO MA	
CXPL5-QSCCVA-0000	CXPL5 - 50 MIL PVC CARD W/CX BLUE LOGO, VERT.	

ATTACHMENT "B"- PART 1

CXPL5-SCCCHA-0000	CXPL5 CARD WHITE/WHITE NO MAG.H SLOT	
CXPL5-SCCCNA-0000	CXPL5 CARD,WHITE/WHITE NO MAGSTRIPE	
CXPL5-SCCCVA-0000	CXPL5 CARD, WHITE/WHITE, NO MAGSTRIPE, VERTIC	
CXPL5-SSCCHA-0000	CXPL5 - 50 MIL PVC CARD W/CX BLUE LOGO, HORZ.	
CXPL5-SSCCNA-0000	CXPL5 - 50 MIL PVC CARD W/CX BLUE LOGO, NO MA	
CXPL5-SSCCVA-0000	CXPL5 - 50 MIL PVC CARD W/CX BLUE LOGO, VERT.	
CXPL5-XCCCNA-0000	CXPL5 - 50 MIL PVC CARD, WHITE, CUSTOM MARKIN	
CXTAG-MSSS-0002	CX GRAY 125KHZ COIL MATCHING	
CXTAG-QSSS-0002	CX TAG 125KHZ COIL NON MATCHING	
CXTAG-SSSS-0002	CX TAG GRAY 125KHZ COIL	
FPCRD-NCSAW-0000	FLEX CARD WHITE NO/LOGO	
FPCRD-NCSCP-0000	FLEX CARD PRINTABLE NO/LOGO	
FPCRD-NCSCW-0000	FLEX CARD WHITE NO/LOGO	
FPCRD-NCSMP-0000	FLEX CARD PRINTABLE NO/LOGO	
FPCRD-NCSMW-0000	FLEX CARD WHITE NO/LOGO	
FPCRD-NSSCP-0000	FLEX CARD PRINTABLE W/LOGO	
FPCRD-NSSCW-0000	FLEX CARD WHITE W/LOGO	
FPCRD-NSSKW-0000	FLEX CARD WHITE W/LOGO	
FPCRD-NSSMP-0000	FLEX CARD PRINTABLE W/LOGO	
FPCRD-NSSMW-0000	FLEX CARD WHITE W/LOGO	
FPCRD-SCSAW-0000	FLEX CARD WHITE NO/LOGO	
FPCRD-SCSCP-0000	FLEX CARD PRINTABLE NO/LOGO	
FPCRD-SCSKW-AF01	FLEX CLAMSHELL PROX CARD, ADT, WHITE, #, PTD	
FPCRD-SCSMP-0000	FLEX CARD PRINTABLE NO/LOGO	
FPCRD-SCSMW-0000	FLEX CARD WHITE NO/LOGO	
FPCRD-SSSAP-0000	FLEX CARD PRINTABLE W/LOGO	
FPCRD-SSSAW-0000	FLEX CARD PRINTABLE W/LOGO	
FPCRD-SSSCP-0000	FLEX CARD PRINTABLE W/LOGO	
FPCRD-SSSCW-0000	FLEX CARD WHITE W/LOGO	
FPCRD-SSSKW-0000	FLEX CARD WHITE W/LOGO	
FPCRD-SSSMP-0000	FLEX CARD PRINTABLE,W/LOGO	
FPCRD-SSSMW-0000	FLEX CARD WHITE W/LOGO	
FPCRD-SSSPW-0000	FLEX CARD WHITE W/LOGO	
FPDXI-CSSCNAB-0000	FLEX ISO DESFIRE 4K COMBO NO/MAG.CSTM.FORMAT	
FPDXI-SSSCNAB-0000	FLEX ISO DESFIRE 4K COMBO NO/MAG.	
FPISO-NSSCHA-0000	ISO 30 NO MAGSTRIPE	
FPISO-NSSCHB-0000	ISO 30 4000 MAGSTRIPE	
FPISO-NSSCNA-0000	ISO 30 NO MAGSTRIPE	
FPISO-NSSCNB-0000	ISO 30 4000 MAGSTRIPE	
FPISO-NSSCND-0000	ISO 30 2750 MAGSTRIPE	
FPISO-NSSCNH-0000	ISO LOGO MAGSTRIPE	
FPISO-NSSCVA-0000	ISO 30 NO MAGSTRIPE	
FPISO-NSSCVB-0000	ISO 30 4000 MAGSTRIPE	
FPISO-NSSCVD-0000	ISO 30 2750 MAGSTRIPE	

ATTACHMENT "B"- PART 1

FPISO-SSSCHA-0000	ISO 30 NO MAGSTRIPE	
FPISO-SSSCHB-0000	ISO 30 4000 MAGSTRIPE	
FPISO-SSSCHD-0000	ISO 30 2750 MAGSTRIPE	
FPISO-SSSCNA-0000	ISO 30 NO MAGSTRIPE	
FPISO-SSSCNA-11036	ISO 30 NO MAGSTRIPE, PACK IN BOXES OF 50, LAS	
FPISO-SSSCNB-0000	ISO 30 4000 MAGSTRIPE	
FPISO-SSSCNC-0000	ISO 30 DEBIT 2799 AND 4000 MAGSTRIPE	
FPISO-SSSCND-0000	ISO 2750 LO COERCITIVTY MAGSTRIPE	
FPISO-SSSCNE-0000	ISO GIROVEND MAGSTRIPE	
FPISO-SSSCNF-0000	ISO JIS-2 MAGSTRIPE	
FPISO-SSSCNI-0000	ISO TWO 4000 MAGSTRIPE	
FPISO-SSSCNJ-0000	ISO TWO 2750 MAGSTRIPE	
FPISO-SSSCVA-0000	ISO 30 NO MAGSTRIPE	
FPISO-SSSCVB-0000	ISO 30 4000 MAGSTRIPE	
FPISO-SSSCVC-0000	ISO 30 DEBIT 2799 AND 4000 MAGSTRIPE	
FPISO-SSSCVD-0000	ISO 30 2750 MAGSTRIPE	
FPISO-SSSCVH-0000	ISO LOCO MAGSTRIPE, VERT SLOT	
FPIXT-NSSCNA-0000	FLEX ISO XT STANDARD NO MAGSTRIPE	
FPIXT-NSSCNB-0000	FLEX ISO XT 4000 MAGSTRIPE	
FPIXT-SSSCNA-0000	FLEX ISO XT STANDARD NO MAGSTRIPE	
FPIXT-SSSCNB-0000	FLEX ISO XT 4000 MAGSTRIPE	
FPIXT-SSSCNC-0000	FLEX ISO XT, 30 DEBIT 2799 AND 4000 MAGSTRIPE	
FPIXT-SSSCVA-0000	FLEX ISO XT STANDARD NO/MAG.	
FPKEY-NSSS-0000	KEYTAG UNPROGRAMMED	
FPKEY-SSSS-0000	KEYTAG PROGRAMMED	
FPMXI-CSSCNAA-0000	FLEX ISO MIFARE 1K COMBO NO/MAG.CSTM.FORMAT	
FPMXI-CSSCNAB-0000	FLEX ISO MIFARE 4K COMBO N/MAG.CSTM,FMT.	
FPMXI-CSSCNBA-0000	FLEX ISO MIFARE 1K COMBO W/MAG.CSTM.FORMAT	
FPMXI-CSSCNBB-0000	FLEX ISO MIFARE 4K COMBO, CUST. FORMAT, GLOSS	
FPMXI-NSSCNAA-0000	FLEX ISO MIFARE 1K COMBO NO MAG.	
FPMXI-NSSCNAB-0000	FLEX ISO MIFARE 4K COMBO, F-GLOSS, B-GLOSS, I	
FPMXI-NSSCNBA-0000	FLEX ISO MIFARE 1K COMBO MAG, NITRO PROGRAMMI	
FPMXI-SSSCNAA-0000	FLEX ISO MIFARE 1K COMBO NO/MAG.	
FPMXI-SSSCNAB-0000	FLEX ISO MIFARE 4K COMBO NO/MAG.	
FPMXI-SSSCNBA-0000	FLEX ISO MIFARE 1K COMBO W/MAG	
FPMXI-SSSCNBB-0000	FLEX ISO MIFARE 1K COMBO MAG.	
FPMXI-SSSCVAA-0000	FLEX ISO MIFARE 1K COMBO NO/MAG., VERT SLOT,	
FPPL5-SCCCNA-0000	FPPL5 CARD WHITE/WHITE N/MAG	
FPPL5-SCCCVA-0000	FPPL5 CARD WHITE/WHITE NO MAG.	
FPTAG-NSSS-0002	FLEX TAG GRAY 125KHZ COIL	
FPTAG-SSSS-0002	FLEX TAG GREY 125 KHZ COIL	
MIFXT-SSSCNAA-0000	MIFARE 1K XT NO/MAGSTRIPE, COMBO CARD	
6074ABP00	STD, CONFIG, MIFARE, WIEG, BEIGE	
6074AGP00	STD, CONFIG, MIFARE, WEIG, HID MODE	

ATTACHMENT "B"- PART 1

6074AGP02	STD, CONFIG, MIFARE, WEIG, HID MODE	
6074AGP10	STD, CONFIG, MIFARE, WEIG, CSN SECTOR MODE	
6074AGP12	STD, CONFIG, MIFARE, WIEG	
6074AKP00	STD, CONFIG, MIFARE, WIEG, BLACK	
6074AKP02	STD, CONFIG, MIFARE, WIEG, BLACK	
6074AKP12	STD, CONFIG, MIFARE, WIEG, BLACK	
6074AWP02	STD, CONFIG, MIFARE, WIEG, WHITE	
6055BGL0022	HID MIFARE, GRAY, 9FT CABLE, HID OR CSN DATA,	
6055BKL0002	HID MIFARE, BLACK, 9FT CABLE, HID DATA, 26 BI	
6072AKN000000	HID FLEXSMART MIFARE KEYPAD RDR,READ ONLY,BLK	
6072AKN004010	HID FLEXSMART MIFARE KEYPAD RDR,READ ONLY,BLK	
6073AKN003210	HID FLEXSMART DESFIRE RDR,READ ONLY,BLK PIG 1	
6075BKN00000	HID FLEXSMART MIFARE RDR,READ ONLY,CONF,BLK A	
6075BKN00200	HID FLEXSMART MIFARE RDR,READ ONLY,BLK,ARCH S	
6091AKT00401-TY4	HID FLEXSMART MIFARE 80mm SQ RDR,READ ONLY,BL	
1430HNGGMN	HID MIFARE SE 1K, NON PROG HID 13.56M, F-GLOS	
1430MG1AV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1430MG1MN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1430MG1NN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1430MGGMN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1430MGGMV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1430MGGNN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1430MGGNV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1430MGGSN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1430MGGSV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1430MGSBV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-HID L	
1430MGSMN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-HID L	
1430MGSNV	HID MIFARE, 1K, PROG., F-GLOSS, B-HID LOGO, N	
1430MGSRN	HID MIFARE, 1K, PROG., F-GLOSS, B-HID LOGO, R	
1430MGSSN	HID MIFARE, 1K, PROG., F-GLOSS, B-HID LOGO, S	
1430NG1NN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS W/ MAG	
1430NG1NV	HID MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS, NO	
1430NG1SN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS W/ MAG	
1430NG1SN-110796	HID MIFARE 1K, NON-PROG, F-GLOSS, B-NO BUG W/	
1430NG1SV	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, SEQ #	
1430NGGBN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, SEQ L	
1430NGGCN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, ENGRA	
1430NGGMN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, MATCH	
1430NGGNN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1430NGGNN-120190	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1430NGGNN-310109	MIFARE 1K CARD, NON-PROGRAM, F-GLOSS, B-GLOSS	
1430NGGNV	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1430NGGSN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, SEQ #	
1430NGGSV	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, SEQ #	

ATTACHMENT "B"- PART 1

1430NGGUN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, CARD	
1430NGGUV	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, CARD	
1430NGSNN	HID MIFARE 1K, NON-PROG, F-GLOSS, B-HID LOGO,	
1430NGSNV	HID MIFARE, NON-PROG, F-GLOSS, B-HID LOGO, NO	
1430NGSSN	HID MIFARE, NON-PROG, F-GLOSS, B-HID LOGO, SE	
1430SG1NN	HID MIFARE 1K, CUSTOM PROG, F-GLOSS, B-GLOSS	
1430SGGMN	HID MIFARE 1K, CUSTOM PROG, F-GLOSS, B-GLOSS,	
1430SGGMV	HID MIFARE 1K, CUSTOM PROG, F-GLOSS, B-GLOSS,	
1431BG1AVA	HID PROX & MIFARE, PROG., F-GLOSS, B-MAG STRI	
1431BG1MNM	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BG1MNN	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BG1MVM	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BGCMNM-110314	HID PROX & MIFARE, F-GLOSS, B-SLOT DOTS ONLY,	
1431BGGMNM	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BGGMNN	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BGGMVM	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BGGMVN	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BGGNNM	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BGGNNN	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BGGSNS	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BGGSVN	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BGSMNM	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BGSMNN	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431BGSRNR	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1431LG1MNN	HID PROX & MIFARE, PROG 125K ONLY, F-GLOSS, B	
1431LG1MNN-HW	HID PROX & MIFARE, PROG 125K ONLY, F-GLOSS, B	
1431LG1MVN	HID PROX & MIFARE, PROG 125K, F-GLOSS, PLAIN	
1431LG1NNN	HID PROX & MIFARE, PROG 125K, F-GLOSS, MAGSTR	
1431LG1SNN	HID PROX & MIFARE, PROG 125K, F-GLOSS, MAGSTR	
1431LG1SNS	HID PROX & MIFARE, PROG 125K, F-GLOSS, MAGSTR	
1431LGGANN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, SE	
1431LGGBNN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, SE	
1431LGGMNM	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, MA	
1431LGGMNN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, MA	
1431LGGMNS	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, MA	
1431LGGMVN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, MA	
1431LGGMVU	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, CS	
1431LGGNNN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, NO	
1431LGGRNN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, RA	
1431LGGSNN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, SE	
1431LGGSNS	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, SE	
1431LGGSVN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, SE	
1431LGSMNM	HID PROX & MIFARE, PROG, F-GLOSS, B-HID LOGO,	
1431LGSMNN	HID PROX & MIFARE, PROG, F-GLOSS, B-HID LOGO,	

ATTACHMENT "B"- PART 1

1431LGSMVN	HID PROX & MIFARE, PROG, F-GLOSS, B-HID LOGO,	
1431LGSSNM	HID PROX & MIFARE, PROG, F-GLOSS, B-HID LOGO,	
1431MG1NNM	HID PROX & MIFARE, PROG 13.56M, F-GLOSS, B-GL	
1431MGGMNM	HID PROX & MIFARE, PROG HID 13.56M, F-GLOSS,	
1431MGGNNM	HID PROX & MIFARE, PROG 13.56M, F-GLOSS, B-GL	
1431MGGNNN	HID PROX & MIFARE, PROG HID 13.56M, F-GLOSS,	
1431NG1NNN	HID PROX & MIFARE 1K, NON-PROG, F-GLOSS, B-GL	
1431NG2NNN	HID PROX & MIFARE, NON-PROG, F-GLOSS, B-GLOSS	
1431NGGNNN	HID PROX & MIFARE 1K, NON-PROG, F-GLOSS, B-GL	
1431NGGSNN	HID PROX & MIFARE, NON-PROG, F-GLOSS, B-GLOSS	
1431NGSNNN	HID PROX & MIFARE, NON-PROG, F-GLOSS, B-HID L	
1431NGSNNS	HID PROX & MIFARE, NON-PROG, F-GLOSS, B-HID L	
1431RGGMNM	HID PROX & MIFARE, CUSTOM PROG, GLOSS, GLOSS,	
1431RGGMNN	HID PROX & MIFARE, CUSTOM PROG, GLOSS, GLOSS,	
1431SG1MNN	HID PROX & MIFARE, CUSTOM PROG, F-GLOSS, B-HI	
1431SG1MVN	HID PROX & MIFARE, CUSTOM PROG, F-GLOSS, B-HI	
1431SGGMNN	HID PROX & MIFARE, CUSTOM PROG, F-GLOSS, B-HI	
1431SGGNNM	HID PROX & MIFARE, CUSTOM PROG, F-GLOSS, B-HI	
1431SGGSNN	HID PROX & MIFARE, CUSTOM PROG, F-GLOSS, B-HI	
1434MSSAN	HID MIFARE KEYFOB 1K, PROG, F- STD HID AW, B-	
1434MSSBN	HID MIFARE KEYFOB 1K, PROG, F- STD HID AW, B-	
1434MSSMN	HID MIFARE KEYFOB 1K, PROG, F- STD HID AW, B-	
1434MSSNN	HID MIFARE KEYFOB 1K, PROG, F- STD HID AW, B-	
1434MSSRN	HID MIFARE KEYFOB 1K, PROG, F- STD HID AW, B-	
1434NSSAN	HID MIFARE KEYFOB 1K, NON-PROG, F- STD HID AW	
1434NSSBN	HID MIFARE KEYFOB 1K, NON-PROG, F- STD HID AW	
1434NSSNN	HID MIFARE KEYFOB 1K, NON-PROG, F- STD HID AW	
1434NSSSN	HID MIFARE KEYFOB 1K, NON-PROG, F- STD HID AW	
1434SSSMN	HID MIFARE KEYFOB 1K, CUSTOM PROG, F-STD HID	
1435MSSMN	HID MIFARE ADH TAG 1K, PROG, F- STD HID AW, B	
1435MSSNN	HID MIFARE ADH TAG 1K, PROG, F- STD HID AW, B	
1435NSSNN	HID MIFARE ADH TAG 1K, NON-PROG, F- STD HID A	
1436MG1MN	HID MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS W/	
1436MG1MV	HID MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS W/	
1436MGGMN	HID MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS, M	
1436MGGMV	HID MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS, M	
1436MGGNN	HID MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS, N	
1436NG1NN	HID MIFARE 1K COMP, NON-PROG, F-GLOSS, B-GLOS	
1436NG1NV	HID MIFARE 1K COMP, NON-PROG, F-GLOSS, B-GLOS	
1436NGGNN	HID MIFARE 1K COMP, NON-PROG, F-GLOSS, B-GLOS	
1436NGGNV	HID MIFARE 1K COMP, NON-PROG, F-GLOSS, B-GLOS	
1436NGGSV	HID MIFARE 1K COMP, NON-PROG, F-GLOSS, B-GLOS	
1436NGGUN	HID MIFARE 1K COMP, NON-PROG, F-GLOSS, B-GLOS	
1436NGGUV	HID MIFARE 1K COMP, NON-PROG, F-GLOSS, B-GLOS	

ATTACHMENT "B"- PART 1

1436SGGMN	HID MIFARE 1K COMP, CUSTOM PROG, F-GLOSS, B-G	
1436SGGMV	HID MIFARE 1K COMP, CUSTOM PROG, F-GLOSS, B-G	
1437BGGMNM	HID PROX & MIFARE 1K COMP, PROG HID 125K & 13	
1437BGGMNN	HID PROX & MIFARE 1K COMP, PROG HID 125K & 13	
1437LG1MNN	HID PROX & MIFARE 1K COMP, PROG, F-GLOSS, B-G	
1437LG1MVN	HID PROX & MIFARE 1K COMP, PROG, F-GLOSS, B-G	
1437LG1SNN	HID PROX & MIFARE 1K COMP, PROG, F-GLOSS, B-G	
1437LGGMNN	HID PROX & MIFARE 1K COMP, PROG, F-GLOSS, B-G	
1437LGGMVN	HID PROX & MIFARE 1K COMP, PROG, F-GLOSS, B-G	
1437LGGNNN	HID PROX & MIFARE 1K COMP, PROG, F-GLOSS, B-G	
1437NG1NNN	HID PROX & MIFARE 1K COMPOSITE, NON-PROG, F-G	
1437NGGNNN	HID PROX & MIFARE 1K COMPOSITE, NON-PROG, F-G	
1440HNGGMN	HID MIFARE 4K SE, NON PROG HID 13.56M, F-GLOS	
1440MG1MN	HID MIFARE 4K, PROG HID 13.56M, F-GLOSS, B-GL	
1440MG1MV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1440MG1SN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1440MG1SV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1440MGGMN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1440MGGMV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1440MGGSN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS	
1440MGSMN	MIFARE 4K, PROG HID 13.56M, F-GLOSS, B-STANDA	
1440NG1NN	HID MIFARE 4K, NON PRGM, F-GLOSS, MAGSTRIPE,	
1440NGGNN	HID MIFARE 4K, NON PRGM, F-GLOSS, B-GLOSS, NO	
1440NGGNV	HID MIFARE 4K, NON-PROG, F-GLOSS, B-GLOSS, SE	
1440NGGSN	HID MIFARE 4K, NON PRGM, F-GLOSS, B-GLOSS, SE	
1440NGGSV	HID MIFARE 4K, NON-PROG, F-GLOSS, B-GLOSS, SE	
1440NGGUV	HID MIFARE 4K, NON-PROG, F-GLOSS, B-GLOSS, CA	
1440SG1MN	HID MIFARE 4K, CUSTOM PROG, F-GLOSS, B-GLOSS	
1440SGGMN	HID MIFARE, CUSTOM PROG, F-GLOSS, B-GLOSS, MA	
1441BGGMNM	HID PROX & MIFARE 4K, PROG HID 125K & 13.56M,	
1441BGGMNN	HID PROX & MIFARE 4K, PROG HID 125K & 13.56M,	
1441BGGMVM	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1441BGGSVN	HID PROX & MIFARE 4K, PROG 125K & 13.56M, F-G	
1441BGSMNN	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-	
1441LG1MNN	HID PROX & MIFARE 4K, PROG 125K F-GLOSS, B-GL	
1441LGGANN	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS,	
1441LGGMNN	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS,	
1441LGGMNS	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS,	
1441LGGMVN	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS,	
1441LGGNNN	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS,	
1441LGGRNN	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS,	
1441NG1NNN	HID PROX & MIFARE 4K, NON-PRGM, F-GLOSS, B-GL	
1441NGGNNN	HID PROX & MIFARE, NON-PRGM, F-GLOSS, B-GLOSS	
1441NGGNVN	HID PROX & MIFARE 4K, NON-PRGM, F-GLOSS, B-GL	

ATTACHMENT "B"- PART 1

1441NGGSNN	HID PROX & MIFARE 4K, NON-PRGM, F-GLOSS, B-GL	
1441NGSNNN	HID PROX & MIFARE 4K, NON-PRGM, F-GLOSS, B-ST	
1444MSSMN	HID MIFARE KEYFOB 4K, PROG, F- STD HID AW, B-	
1444MSSSN	HID MIFARE KEYFOB 4K, PROG, F- STD HID AW, B-	
1444NSSNN	HID MIFARE KEYFOB 4K, NON-PROG, F- STD HID AW	
1444NSSSN	HID MIFARE KEYFOB 4K, NON-PROG, F- STD HID AW	
1444SSSMN	HID MIFARE KEYFOB 4K, CUST. PROG, F- STD HID	
1445NSSNN	HID MIFARE ADH TAG 4K, NON-PROG, F- STD HID A	
1445NSSSN	HID MIFARE ADH TAG 4K, NON-PROG, F- STD HID A	
1446MG1MV	HID MIFARE 4K COMP, PROG, F-GLOSS, B-GLOSS W/	
1446MGGMN	HID MIFARE 4K COMP, PROG, F-GLOSS, B-GLOSS, M	
1446NG1NN	HID MIFARE 4K COMP, NON-PROG, F-GLOSS, B-GLOS	
1446NGGNN	HID MIFARE 4K COMP, NON-PROG, F-GLOSS, B-GLOS	
1447LGGANN	HID PROX & MIFARE 4K COMPOSITE, PROG, F-GLOSS	
1447LGGBNN	HID PROX & MIFARE 4K COMPOSITE, PROG, F-GLOSS	
1447LGGMNN	HID PROX & MIFARE 4K COMP, PROG, F-GLOSS, B-G	
1447LGGMVN	HID PROX & MIFARE 4K COMP, PROG, F-GLOSS, B-G	
1447LGGSNN	HID PROX & MIFARE 4K COMPOSITE, PROG, F-GLOSS	
1447LGGSNS	HID PROX & MIFARE 4K COMP, PROG, F-GLOSS, B-G	
1447NGGNNN	HID PROX & MIFARE COMPOSITE, NON-PROG MIFARE/	
1450CNG1NN	HID DESFIRE EV1 8KB, NON-PROG, F-GLOSS, B-GLO	
1450CNGGNN	HID DESFIRE EV1 8KB, KB, NON-PROG, F-GLOSS, B	
1450CNGGSN	HID DESFIRE EV1 8KB, NON-PROG, F-GLOSS, B-GLO	
1450CSCCAN-210347	HID DESFIRE EV1 8KB, PROG, F-MIFARE CLASSIC/M	
1450CSGGMN	HID DESFIRE EV1 8KB, PROG, F-GLOSS, B-GLOSS,	
1450CSGGRB-120509	HID DESFIRE EV1 8KB, PROG, F-GLOSS, B-GLOSS,	
1450HCMGGMN	HID DESFIRE SE EV1 8KB, KB: PROG, F-GLOSS, B-	
1450NG1NN	DESFIRE, NON-PROG, F-GLOSS, B-GLOSS W/ MAG,	
1450NGGNN	HID DESFIRE 4K STANDARD, NON-PROG, F-GLOSS, B	
1450NGGNV	HID DESFIRE 4K STANDARD, NON-PROG, F-GLOSS, B	
1450NGGSN	HID DESFIRE 4K STANDARD, NON-PROG, F-GLOSS, B	
1450NGSNN	HID DESFIRE 4K STANDARD, NON-PROG., F-GLOSS,	
1450SG1MN	HID DESFIRE 4K STANDARD, SPECIAL PROGRAMMING,	
1450SG1NN	HID DESFIRE 4K STANDARD, SPECIAL PROGRAMMING,	
1450SGGMN	HID DESFIRE 4K STANDARD, SPECIAL PROGRAMMING,	
1450SGGMV	HID DESFIRE 4K STANDARD, SPECIAL PROGRAMMING,	
1450SGGRB-120509	HID DESFIRE 4K STANDARD, CUSTOM PROGRAMMING,	
1451CLG1MNN	HID DESFIRE EVI 8KB/PROX, CUSTOM PROG, F-GLOS	
1451CLGGMNN	HID DESFIRE EVI 8KB/PROX, PROG, F-GLOSS, B-GL	
1451CNG1NNN	HID DESFIRE EVI 8KB/PROX, KB, NON-PROG, F-GLO	
1451CNGGNNN	HID DESFIRE EVI 8KB/PROX, KB, NON-PROG, F-GLO	
1451CRGGMNN	HID DESFIRE EVI 8KB/PROX, CUSTOM PROG, F-GLOS	
1451LGGMNM	HID PROX & DESFIRE 4K STD, PROG, F-GLOSS, B-G	
1451LGGMNN	HID PROX & DESFIRE 4K STD, PROG, F-GLOSS, B-G	

ATTACHMENT "B"- PART 1

1451LGGMNS	HID PROX/DESFIRE, PROG, F-GLOSS, B-GLOSS, MAT	
1451LGGSNN	HID PROX & DESFIRE 4K STD, PROG, F-GLOSS, B-G	
1451NG1NNN	HID PROX & DESFIRE 4K STD, NON-PROG, F-GLOSS,	
1451RGGMNM	HID PROX/DESFIRE, CUSTOM PROG, F-GLOSS, B-GLO	
1451RGGMNN	HID PROX/DESFIRE, CUSTOM PROG, F-GLOSS, B-GLO	
1452SGGNNR28A1120	DESFIRE/WIEGAND, CUSTOM GM PROG., F-GLOSS B-	
1452SGGNNS28A1120	DESFIRE/WIEGAND, CUSTOM PROG., F-GLOSS B- GLO	
1454NSSNN	HID DESFIRE KEYFOB 4K, NON-PROG, F- STD HID A	
1454SSSMN	HID DESFIRE KEYFOB 4K, CUSTOM PROG, F- STD HI	
1455NSSNN	HID DESFIRE ADH TAG 4K, NON-PROG, F- STD HID	
1455SSSMN	HID DESFIRE ADH TAG 4K, PROG, F- STD HID AW,	
1456CNG1NN	COMPOSITE HID DESFIRE EV1 8KB, KB, NON-PROG,	
1456CNGGNN	COMPOSITE HID DESFIRE EV1 8KB, KB, NON-PROG,	
1456NG1NN	COMPOSITE HID DESFIRE 4K, NON-PROG, F-GLOSS,	
1456NGGNN	COMPOSITE HID DESFIRE 4K, NON-PROG, F-GLOSS,	
1456NGGNV	COMPOSITE DESFIRE CARD, NON-PROG., F-GLOSS,	
1456NGGSN	COMPOSITE HID DESFIRE 4K, NON-PROG, F-GLOSS,	
1457CLG1MNN	COMPOSITE HID DESFIRE EVI 8KB/PROX, PROG PROX	
1457CLGGANN	COMPOSITE HID DESFIRE EVI 8KB/PROX, PROG PROX	
1457CLGGMNN	COMPOSITE HID DESFIRE EVI 8KB/PROX, PROG PROX	
1457LG1MNN	HID PROX & DESFIRE 4K COMP, PROG, F-GLOSS, B-	
1457LGGMNN	HID PROX & DESFIRE 4K COMP, PROG, F-GLOSS, B-	
800-1063	DESKTOP CARD SIZE READER, ISO 14443-4, USB	
800-8240	DESKTOP ISO14443 READER,SERIAL/C&D/WIEGAND	
8030DSCM	SMART ID S10, READ ONLY, CUSTOM MIFARE	
8030DSCM-02FM-0114	SMART ID S10, READ ONLY, 02FM-0114 FORMAT, CU	
8030DSDF	SMART ID S10, READ ONLY, DESFIRE	
8030DSDM	SMART ID S10, READ ONLY, DUAL MIFARE	
8030DSHC	SMART ID S10, READ ONLY, HID MIFARE WITH NON-	
8030DSHM	RDR, S10 SMARTID, SILVER, TERMINAL,V01.03 LEA	
8030DSMD	RDR, SMART ID S10,READ ONLY MIFARE /DESFIRE N	
8030DSRW	SMART ID SW100, READER/WRITER,3964 PROTOCOL	
8030DSTC	SMART ID SW100, READER/WRITER,MIFARE & ISO144	
8100DSCM	SMART TRANS SP10, READ ONLY, HID + AWID PROX,	
8100DSDF	SMART TRANS SP10, READ ONLY, HID + AWID PROX,	
8100DSHC	SMART TRANS SP10, READ ONLY, HID + AWID PROX,	
8100DSHM	RDR,SP10 SMART TRANS,FSK (HID + AWID PROX),SI	
8140DSCM	SMART TRANS SP10, READ ONLY,INDALA PROXIMITY	
8140DSDF	SMART TRANS SP10, READ ONLY,INDALA PROXIMITY	
501-1204	EM4102 CARD WHITE SURFACE GLOSSY FINISH	
501-1210	HITAG 1 CARD WHITE SURFACE GLOSSY FINISH	
501-1212	HITAGE 2 CARD WHITE SURFACE GLOSSY FINISH	
501-1213	HITAG 1 CARD WHITE SURFACE GLOSSY FINISH WITH	
501-1226	EM4102/Mifare Combi Card With Magstripe	

ATTACHMENT "B"- PART 1

501-1303	EM4102 TAG BLACK EPOXY	
501-1480	DESFire card white surface glossy finish	
501-9930	HITAG 2 CARD WHITE SURFACE GLOSSY FINISH WITH	
501-9931	HITAG 2 TAG BLACK EPOXY	
8031DSAP	RDR, SMART ID SK10, READ ONLY MIFARE/DESFIRE	
8031DSCM	SMART ID SK10, READ ONLY KEYPAD, CUSTOM MIFAR	
8031DSCM-02FM-0114	SMART ID SK10, READ ONLY KEYPAD, 02FM-0114 FO	
8031DSCM-02PIN-0160	SMART ID SK10, READ ONLY KEYPAD, CUSTOM MIFAR	
8031DSCM-8090	SMART ID SK10, READ ONLY KEYPAD W/GANG COVER,	
8031DSDF	SMART ID SK10, READ ONLY KEYPAD, DESFIRE	
8031DSDM	SMART ID SK10, READ ONLY KEYPAD, DUAL MIFARE	
8031DSHC	SMART ID SK10, READ ONLY KEYPAD, HID MIFARE W	
8031DSHM	RDR, SK10 SMART ID, SILVER, TERMINAL,V01.03,	
8031DSMD	RDR, SMART ID SK10, READ ONLY MIFARE/DESFIRE	
8031DSPV	SMART ID SK10, READ ONLY KEYPAD, PIVII	
8031DSRW	SMART ID SWK100, READER/WRITER WITH KEYPAD, 3	
8031DSTC	SMART ID SWK100, READER/WRITER WITH KEYPAD, M	
8101DSCM	SMART TRANS SPK10, READ ONLY KEYPAD, HID + AW	
8101DSCM-02PIN-0160	SMART TRANS SPK10, READ ONLY KEYPAD, HID + AW	
8101DSDF	SMART TRANS SPK10, READ ONLY KEYPAD, HID + AW	
8101DSHC	SMART TRANS SPK10, READ ONLY KEYPAD, HID + AW	
8101DSHM	RDR,SPK10 SMART TRANS FSK(HID + AWID PROX),SI	
1100-0157	WHITE PHOTO IMAGE CARD 100% PVC, W/MAGSTRIPE,	
1100-0158	CARD, 60/40 BLENDED, MAGSTRIPE	
1100-0160	CARD, BLANK PVC CARD, FOR PHOTO ID USE (NO MA	
1100-0220	WHITE INSERT COVER (500 SERIES)	
1100-0221	WHITE INSERT BASE (500 SERIES)	
1100-1120	BLACK INSERT COVER (500 SERIES)	
1100-1121	BLACK INSERT BASE (500 SERIES)	
1100-1172	ADAPTER P/T READER, BLACK	
1100-1174	P/T HOUSING, BLACK, W/STEEL POST	
1100-1272	ADAPTER P/T READER, WHITE	
1100-1274	PT HOUSING, WHITE, W/STEEL POST	
1100-1374	PT HOUSING, BLACK, W/STEEL POST	
1100-1998	FAB DWG,COVER REMOVAL TOOL (500 SERIES)	
1100-3008	PROX KEY FOB	
1100-3265	HOUSING REMOVAL KEY, P/T READER 600 SERIES	
1100-3271	P/T MOUNTING PLATE	
1100-3341	MEMBRANE KEYPAD, INSR RDRS	
1100-3343	CHROME KEYPAD, MODEL 780	
1100-3598	ENCLOSURE, BLACK, CAST	
1100-3607	GASKET, PLASTIC, MODEL 780	
1100-3657	FACEPLATE P/T, PASS THRU	
1100-3783	BACKPLATE, MODEL 740/780	

ATTACHMENT "B"- PART 1

1100-3784	MOUNTING PLATE , MODEL 740-780	
1100-3785	MOLDED BACK GASKET, RUBBER, MODEL 740/780	
1100-3831	FACEPLATE, MODEL 780	
1100-3852	FACEPLATE, MYLAR, MODEL 740	
1100-4444	CARD, PROX NON PHOTO 1	
1100-4452	CARD PVC W/MAGSTRIPE, ISO THIN, NON-PROG, DIR	
1100-8100	UNIVERSAL STEEL MOUNTING PLATE	
1153-0019	MAGVIEW SPRAY (ENCODERS), BARCODE #7641328001	
1180-0040	TAMPERPROOF SCREWDRIVER (REMOVAL TOOL), MODEL	
2270-0018	HARDWARE PACK, MODEL 611/612/644/649	
2270-0580	HARDWARE PACK, 6 WIRE, MODEL 507/544/584	
2270-0611	HARDWARE PACK, 6 WIRE PASS THRU	
2270-0780	HARDWARE PACK, MODEL 740/780	
2290-0001	SOFTWARE, MODEL 450	
2310-0032	ENCODING CARD EMPI/ABA/ISO FORMATS	
2310-0035	LASER MARKING (PER CARD), NOT AVAILABLE WITH	
2310-0037	INKJET MARKING (PER CARD)	
3110-2305	RDR, UNIV PROX/MAG RDR, MODEL 230, BLK, LEAD	
3110-2305-C	RDR, UNIV PROX/MAG RDR, W/CERAMIC HEAD, MODEL	
3110-2401	PROX/MAG READER, MODEL 240, BLACK, WALL MOUNT	
3110-2405	READER, UNIV PROX/MAG READER, MODEL 240, BLAC	
3110-2405-C	READER, UNIV PROX/MAG READER, CERAMIC HEAD, M	
3110-2405-SD006	PROX/MAG MODEL 240 COMBO READER WITH KEYPAD &	
3110-5070	READER, INSERTION BOSCH D8227, BARCODE #76413	
3110-5440	MAGSTRIPE READER, MODEL 544, WHITE, READ ABA/	
3110-5441	MAGSTRIPE READER, MODEL 544, BLACK, READ ABA/	
3110-5840	MAGSTRIPE READER, MODEL 584, WHITE, W/KEYPAD,	
3110-5841	MAGSTRIPE READER W/KEYPAD, MODEL 584, BLACK,	
3110-5893	READER, INSERTION W/ KEYPAD, HONEYWELL BLACK,	
3110-6444	MAGSTRIPE READER, MODEL 644, WHITE, WEATHERPR	
3110-6444-C	MAGSTRIPE READER, MODEL 644, WHITE, WEATHERPR	
3110-6444-SD015	READER, PASS THRU, WHITE, W/2240-0826 FIRMWAR	
3110-6444-SD017	READER, PASS THRU, WHITE, W/2260-0874 PROGRAM	
3110-6444-SD019	READER PASS THROUGH, WHITE, W/2260-0863 PROM	
3110-6445	MAGSTRIPE READER, MODEL 644, BLACK, WEATHERPR	
3110-6445-C	MAGSTRIPE READER, MODEL 644, BLACK, CERAMIC H	
3110-6445-SD001	MAGSTRIPE READER, MODEL 644, BLACK, WEATHERPR	
3110-6445-SD010	MAGSTRIPE READER, MODEL 644, NEW 644 FIRMWARE	
3110-6445-SD015	READER, PASS THRU, BLACK, W/2240-0826 FIRMWAR	
3110-6445-SD017	READER, PASS THRU, BLACK, W/2260-0874 PROGRAM	
3110-6445-SD019	READER PASS THROUGH, BLACK, W/2260-0863 PROM	
3110-6449-SD014	MAGSTRIPE READER, MODEL 644, BLACK, CUSTOM FI	
3110-7401	MAGSTRIPE READER, MODEL 740, RUGGEDIZED, READ	
3110-7401-SD002	PHIL AIRPORT, FIRMWARE #2260-0860, TRACK #1	

ATTACHMENT "B"- PART 1

3110-7401-SD016	READER, PASS THRU, MODEL 740 BLACK, W/2260-08	
3110-7402-SD002	PHIL AIRPORT, FIRMWARE #2260-0860, TRACK #1,	
3110-7801	MAGSTRIPE READER, MODEL 780, RUGGEDIZED W/KEY	
3110-7801-C	MAGSTRIPE READER, MODEL 780, RUGGEDIZED W/KEY	
3110-7801-SD003	MODEL 780, RUGGEDIZED READER W/FLYING LEAD, R	
3110-7801-SD016	READER, PASS THRU, MODEL 740 BLACK, W/2260-08	
3114-0157	CARD WHITE PHOTO IMAGE, ENCODED, BARCODE #764	
3114-0508	JOB CODE PROM, MODEL 415, BARCODE #7641327050	
3114-0515	JC PROM (SINGLE IC), OLD HONEYWELL PANELS, BA	
3114-2294	WHITE PHOTO IMAGE, POLYESTER/PVC BLEND, W/ABA	
3114-2296	CORP 1000 PROGRAM, PVC CARD W/EMPI ENCODING/N	
3114-2298	WHITE PHOTO IMAGE W/ENCODING, 250 PER BOX	
3114-2298-SD009	WHITE PHOTO IMAGE W/ENCODING, EMPI & ABA FORM	
3114-2298-SD018	WHITE PHOTO IMAGE W/3 TRACK ENCODING, 250 PER	
3114-2299	DORADO ENCODED CARD, PVC/POLYESTER, W/EMPI E	
3114-3000	CARD, HANDLING FEE FOR CUSTOMER SUPPLIED CARD	
3114-3008	KEY FOB, PROX CARD CODED, BARCODE #7641325300	
3114-4444	CARD,STANDARD PROX, PROGRAMMED, BARCODE #7641	
3114-4451	CARD PVC, ISO THIN, DIRECT PRINTING. CUSTOM U	
3114-4452	CARD PVC W/MAGSTRIPE, ISO THIN, PROGRAMMING,	
3114-4453	ISO THIN, PVC PROXCARD W/MAGSTRIPE, PROGRAM,	
3114-4454	ISO THIN, PVC PROXCARD W/MAGSTRIPE, PROGRAM,	
3114-4463	ISO THIN, COMPOSITE PROXCARD W/MAGSTRIPE, PRO	
3116-0034	CARD, READER HEAD CLEANER, BARCODE #764132600	
3116-0309	REPLACEMENT HEAD FOR MODEL 544, 584, BARCODE	
3116-0310	HEAD ASSEMBLY KIT,3 WIRE INS	
3116-0312	REPLACEMENT HEAD FOR MODELS 611/644/740/780 R	
3116-0316	REPLACEMENT LONG LIFE CERAMIC HEAD FOR MODELS	
3116-0332	REPLACEMENT HEAD FOR MAGSTRIPE INSERT 5XX SER	
3116-0700	HEATER BAR KIT 600/700 SERIES	
3116-7000	SERVICE KIT FOR MODEL 740, 780 (INCLUDES HEAD	
R3110-6449	RMA: MAGSTRIPE READER, MODEL 644, BLACK, READ	
R3110-7802	REPAIR,MAGSTRIPE READER, MODEL 780, RUGGEDIZE	
86157	NAVIGO SALES LAUNCH KIT	
86486	NAVIGO SERVER STARTER KIT	
86487	NAVIGO WORKSTATION STARTER KIT	
86488	NAVIGO SERVER CREDENTIAL CREDITS	
86489	NAVIGO WORKSTATION CREDENTIAL CREDITS	
86490	NAVIGO TRIAL KIT	
86491	NAVIGO SERVER RE-ORDER PACK	
86492	NAVIGO WORKSTATION RE-ORDER PACK	
A00000002	HEAVY STANDING BASE (100G) FOR OMNIKEY 3111,	
A00000003	JUMBO STANDING BASE (431G) FOR OMNIKEY 3111,	
A00000017	OMNIKEY Reader Board Holder	

ATTACHMENT "B"- PART 1

R10210003-1	OMNIKEY 1021 NEUTRAL (FW1.00) ROHS CONF.	
R10210011-1	OMNIKEY 1021 (FW1.00) ROHS CONF.	
R20610000-1	OMNIKEY 2061 BLUETOOTH READER	
R30210003-1	OMNIKEY 3021 NEUTRAL (FW2.03) ROHS CONF.	
R30210009-1	OMNIKEY 3021 (FW2.03) TAA, RoHS Conf.	
R30210015-1	OMNIKEY 3021(FW2.03) ROHS CONF.	
R31110015	OMNIKEY 3111 (FW2.03) Standard SB TAA, RoHS C	
R31110015-1	OMNIKEY 3111 (FW2.03) Standard SB TAA, RoHS C	
R31210020-01	OMNIKEY 3121 (FW2.03) STANDARD SB ROHS CONF.	
R31210049-1	OMNIKEY 3121 (FW2.03) STANDARD SB TAA, ROHS C	
R31210095-1	OMNIKEY 3121 (FW2.03) HEAVY SB TAA, ROHS CONF	
R31210103	OMNIKEY 3121 (FW 2.03) JUMBO SB TAA ROHS CONF	
R31210125	OMNIKEY 3121 (FW 2.03) Jumbo SB RoHS Conf..	
R31210129	OK 3121 Reader Board (FW2.03) w/o Cable RoHS	
R31210137-1	OMNIKEY 3121 NEUTRAL (FW2.03) STANDARD SB ROH	
R36210010-1	OMNIKEY 3621 (FW6.00) Boxed CC-cert TAA, RoHS	
R38210012-1	OMNIKEY 3821 (FW6.00) Boxed CC-cert. TAA, RoH	
R39210001-1	OMNIKEY 3921 (FW2.03) INT. CABLE, ROHS CONF.	
R39210003-1	OMNIKEY 3921 (FW2.03) Retail, RoHS Conf.	
R39210009-1	OMNIKEY 3921 (FW2.03) Ext. Cable, RoHS Conf.	
R40400012	OMNIKEY 4040 (FW1.02) TAA, ROHS CONF.	
R40400022-1	OMNIKEY 4040 Neutral (FW1.02) TAA, RoHS Conf.	
R43210001-2	OMNIKEY 4321(FW2.03) [V2.00] No Lip TAA, Rohs	
R43210002-1	OMNIKEY 4321(FW2.03) [V2.00] TAA, RoHS Conf.	
R51210051-1	OMNIKEY 5121 [V2.0] HEAVY SB TAA, ROHS CONF.	
R51250021-1	OMNIKEY 5125 (FW5.10) Heavy SB, TAA, RoHS Con	
R53210013-1	OMNIKEY 5321(FW5.10) TAA, ROHS CONF.	
R53210029-1	OMNIKEY 5321 CR, GREY CABLE TAA, ROHS CONF.	
R53210037-1	OMNIKEY 5321 (FW5.10) RoHS Conf.	
R53210037-2	OMNIKEY 5321 [V2.0], ROHS CONF.	
R53210037-2-ELITE	RDR, OMNIKEY 5321 [V2.0], ELITE, ROHS CONF.	
R53210037-3	OMNIKEY 5321 [V2.0] TAA, ROHS CONF.	
R53210037-3-ELITE	RDR,OMNIKEY 5321 [V2.0] TAA, ELITE, ROHS CONF	
R53210038-1	OMNIKEY 5321 CL ROHS CONF.	
R53210038-2	OMNIKEY 5321 CL SAM [V2.0] ROHS CONF.	
R53210038-2-ELITE	RDR, OMNIKEY 5321 CL SAM [V2.0], ELITE, ROHS	
R53210038-3	OMNIKEY 5321 CL SAM [V2.0] TAA, ROHS CONF.	
R53210038-3-ELITE	RDR, OMNIKEY 5321 CL SAM [V2.0] TAA, ELITE, R	
R53250001-1	OMNIKEY 5325 (FW5.10) TAA, RoHS Conf.	
R61210020-2	OMNIKEY 6121 [V2.00] ROHS CONF.	
R61210020-TAA	OMNIKEY 6121 [V2.00] TAA, ROHS CONF	
R61210021-2	OMNIKEY 6121 Neutral (FW2.03) [V2.00] RoHS Co	
R62210000	OMNIKEY 6221 USB (FW2.03) BULK, ROHS CONF	
R63210001-1	OMNIKEY 6321 TAA, ROHS CONF.	

ATTACHMENT "B"- PART 1

R63210004-1	OMNIKEY 6321 ROHS CONF.	
R71210003-1	OMNIKEY 7121 (FW2.03) BULK TAA, ROHS CONF.	
R71210005	OMNIKEY 7121 (FW2.03) RETAIL TAA, ROHS CONF.	
1326HASMV	PROXCARD II, PROG 400K, ADHESIVE, B-HID LOGO,	
1326HGSMV	PROXCARD II, PROG 400K, F-GLOSS, B-HID LOGO,	
1326HGSRV	PROXCARD II, PROG 400K, F-GLOSS, B-HID LOGO,	
1326HMSMV	PROXCARD II, PROG 400K, F-MATTE, B-HID LOGO,	
1326HMSNV	PROXCARD II, PROG 400K, F-MATTE, B-HID LOGO,	
1326HMSRV	PROXCARD II, PROG 400K, F-MATTE, B-HID LOGO,	
1326HMSSV	PROXCARD II, PROG 400K, F-MATTE, B-HID LOGO,	
1326HSSMV	PROXCARD II, PROG 400K, F-HID LOGO, B-HID LOG	
1326HSSRV	PROXCARD II, PROG 400K, F-HID LOGO, B-HID LOG	
1326HSSSV	PROXCARD II, PROG 400K, F-HID LOGO, B-HID LOG	
1326LASMV	PROXCARD II, PROG, ADHESIVE, B-HID LOGO, MATC	
1326LASNV	PROXCARD II, PROG, ADHESIVE, B-HID LOGO, NO #	
1326LASRV	PROXCARD II, PROG, ADHESIVE, B-HID LOGO, RAND	
1326LASSV	PROXCARD II, PROG, ADHESIVE, B-HID LOGO, SEQ	
1326LCSMV-110366	PROXCARD II, CUSTOM, GATEWAY SERVICES, PTD	
1326LCSMV-P1036	PROXCARD II, CUSTOM, PINKERTON SYSTEMS INTERG	
1326LGSMV	PROXCARD II, PROG, F-GLOSS, B-HID LOGO, MATCH	
1326LGSMV-27452	PROXCARD II, PROG, F-GLOSS, B-HID LOGO, MATCH	
1326LGSNV	PROXCARD II, PROG, F-GLOSS, B-HID LOGO, NO #,	
1326LGSRV	PROXCARD II, PROG, F-GLOSS, B-HID LOGO, RANDO	
1326LGSSV	PROXCARD II, PROG, F-GLOSS, B-HID LOGO, SEQ #	
1326LMSMV	PROXCARD II, PROG, F-MATTE, B-HID LOGO, MATCH	
1326LMSMV-U1496	PROXCARD II, CUSTOM, WHT, STD, PACKAGED 100 P	
1326LMSNV	PROXCARD II, PROG, F-MATTE, B-HID LOGO, NO #,	
1326LMSRV	PROXCARD II, PROG, F-MATTE, B-HID LOGO, RANDO	
1326LMSSV	PROXCARD II, PROG, F-MATTE, B-HID LOGO, SEQ #	
1326LSSMV	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, MA	
1326LSSMV-160101	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, MA	
1326LSSMV-PACK50	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, MA	
1326LSSNV	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, NO	
1326LSSRV	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, RA	
1326LSSSV	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, SE	
1326LSSSV-160101	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, SE	
1326NASNV	PROXCARD II, NON-PROG, ADHESIVE, B-HID LOGO,	
1326NASSV	PROXCARD II, NON-PROG, ADHESIVE, B-HID LOGO,	
1326NGSNV	PROXCARD II, NON-PROG, F-GLOSS, B-HID LOGO, N	
1326NGSSV	PROXCARD II, NON-PROG, F-GLOSS, B-HID LOGO, S	
1326NMSMV	PROXCARD II, NON-PROG, F-MATTE, B-HID LOGO, M	
1326NMSNV	PROXCARD II, NON-PROG, F-MATTE, B-HID LOGO, N	
1326NMSSV	PROXCARD II, NON-PROG, F-MATTE, B-HID LOGO, S	
1326NSSMV	PROXCARD II, NON-PROG, F-HID LOGO, B-HID LOGO	

ATTACHMENT "B"- PART 1

1326NSSNV	PROXCARD II, NON-PROG, F-HID LOGO, B-HID LOGO	
1326NSSSV	PROXCARD II, NON-PROG, F-HID LOGO, B-HID LOGO	
1326NWSNV	PROXCARD II, NON-PROG, F-MATTE, B-HID LOGO, N	
1336LCCMB-O1003	DUOPROX II, CUSTOM, PINKERTON SYS, CISCO, LAM	
1336LG1MN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1336LG1MN-120327	DUOPROX II, CUSTOM, F- GLOSS, B- HID BUG W/ L	
1336LG3NN	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, NO #,	
1336LG7MN	DUOPROX II, PROG, F-GLOSS, MAG STRIPE & DEBIT	
1336LG7RN	DUOPROX II, PROG, F-GLOSS, MAG STRIPE & DEBIT	
1336LG7SN	DUOPROX II, PROG, F-GLOSS, MAG STRIPE & DEBIT	
1336LGCMN-120714	DUOPROX II, CUSTOM, F-GLOSS, B-GLOSS, MATCHIN	
1336LGCMN-120836	DUOPROX II, PROG, F-GLOSS, B-2750 MAG STRIPE	
1336LGCMN-41911	DUOPROX II, CUSTOM, BANNERBRIDGE W/ DUAL MAGS	
1336LGCMN-H1037	DUOPROX II, CUSTOM, HID CORP. DUAL MAG., LAM	
1336LGCMN-O1005	DUOPROX II, CUSTOM, PINKERTON, NINTENDO OF AM	
1336LGCMV-O1005	DUOPROX II, CUSTOM, PINKERTON, NINTENDO OF AM	
1336LGCSN-H1037	DUOPROX II, CUSTOM, HID CORP. DUAL MAG., LAM	
1336LGDMN	DUOPROX II, PROG, F-GLOSS, DEBITEK, MATCH #,	
1336LGGAN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED	
1336LGGAV	DUOPROX II, PROGRAM, F-GLOSS, B-GLOSS, ENGRAV	
1336LGGBN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED	
1336LGGBV	DUOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED	
1336LGGCH	DUOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM LA	
1336LGGCN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED	
1336LGGMH	DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1336LGGMN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1336LGGMN-110987	DUOPROX II, PROG, F-GLOSS, B- GLOSS, MATCH #,	
1336LGGMN-ME	DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1336LGGMN-O1002	DUOPROX II, CUSTOM, PINKERTON SYS., CSTM INKJ	
1336LGGMV	DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1336LGGNH	DUOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, HZN	
1336LGGNN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, NO	
1336LGGNV	DUOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, VER	
1336LGGRH	DUOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #,	
1336LGGRN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #,	
1336LGGRV	DUOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #,	
1336LGGSH	DUOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, HZ	
1336LGGSN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO	
1336LGGSN-PACK50	DUOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO	
1336LGGSV	DUOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, VE	
1336LGJMN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1336LGJSN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO	
1336LGPMN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1336LGSMH	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH	

ATTACHMENT "B"- PART 1

1336LGSMN	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH	
1336LGSMV	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH	
1336LGSNN	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, NO #,	
1336LGSRN	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, RANDOM	
1336LGSRV	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, RANDOM	
1336LGSSH	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, SEQ #,	
1336LGSSN	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, SEQ #,	
1336LGSSV	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, SEQ #,	
1336NG7NN	DUOPROX II, NON-PROG, F-GLOSS, MAG STRIPE & D	
1336NGCNN-H1037	DUOPROX II, CUSTOM, HID CORP. DUAL MAG.	
1336NGDNN	DUOPROX II, NON-PROG, F-GLOSS, DEBITEK, NO #,	
1336NGGNH	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1336NGGNN	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1336NGGNV	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1336NGGSH	DUOPROX II, NON PROG, F-GLOSS, B-GLOSS, SEQ #	
1336NGGSN	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ #	
1336NGGSV	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ #	
1336NGJNN	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1336NGJSN	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ #	
1336NGPNN	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1336NGSNB	DUOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO	
1336NGSNH	DUOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO	
1336NGSNN	DUOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO	
1336NGSNV	DUOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO	
1336NGSSN	DUOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, SE	
1336NGSSV	DUOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, SE	
1346LNSAN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ.	
1346LNSMN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ.	
1346LNSNN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, NO#,	
1346LNSRN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, RAND	
1346LNSSN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ.	
1346LSSAN	PROXKEY II, PROG, F-HID LOGO, B-HID LOGO, ENG	
1346LSSBN	PROXKEY II, PROG, F-HID LOGO, B-HID LOGO, ENG	
1346LSSCN	PROXKEY II, PROG 125K, F-HID LOGO, ENGRAVED R	
1346LSSMN	PROXKEY II, PROG, F-HID LOGO, B-HID LOGO, MAT	
1346LSSMN-1575AM	PROXKEY II, PROG, F-HID LOGO, B-HID LOGO, MAT	
1346LSSNN	PROXKEY II, PROG, F-HID LOGO, B-HID LOGO, NO	
1346LSSON	PROXKEY II, PROG, F-HID LOGO, B-HID LOGO, SEQ	
1346LSSRN	PROXKEY II, PROG, F-HID LOGO, B-HID LOGO, RAN	
1346LSSSN	PROXKEY II, PROG, F-HID LOGO, B-HID LOGO, SEQ	
1346NNSNN	PROXKEY III, NON-PROG, F-PROXKEY III, B-STAND	
1346NNSON	PROXKEY III, NON-PROG, F-PROXKEY III, B-STAND	
1346NSSAN	PROXKEY II, NON-PROG, F-HID LOGO, B-HID LOGO,	
1346NSSBN	PROXKEY II, NON-PROG, F-HID LOGO, B-HID LOGO,	

ATTACHMENT "B"- PART 1

1346NSSMN	PROXKEY II, NON-PROG, F-HID LOGO, B-HID LOGO,	
1346NSSNN	PROXKEY II, NON-PROG, F-HID LOGO, B-HID LOGO,	
1346NSSON	PROXKEY II, NON-PROG, F-HID LOGO, B-HID LOGO,	
1346NSSSN	PROXKEY II, NON-PROG, F-HID LOGO, B-HID LOGO,	
1351LBSMN	PROXPASS TAG, PROG, MATCH # LEAD FREE	
1351LBSNN	PROXPASS TAG, PROG, NO # LEAD FREE	
1351LBSRN	PROXPASS TAG, PROG, RANDOM # LEAD FREE	
1351LBSSN	PROXPASS TAG, PROG, SEQ # LEAD FREE	
1351NBSSN	PROXPASS TAG, NON-PROG, SEQ # LEAD FREE	
1386LCCMN-120168	ISOPROX II, CUSTOM, PROG, P&G NON-EMPLOYEE W/	
1386LCCMN-120169	ISOPROX II, CUSTOM, PROG, P&G EMPLOYEE W/ P&	
1386LCCMN-120256	ISOPROX II, CUSTOM, PROG., BLACK & VEATCH W/P	
1386LCCMN-P1034	ISOPROX II, CUSTOM, PINKERTON SYSTEMS INTEGRA	
1386LCGMN-110618	ISOPROX, CUSTOM, PROG, SECUREX USA ACCESS, MA	
1386LCGMN-110819	ISOPROX, CUSTOM, PROG, BNP PARIBAS, MATCHING#	
1386LCGMN-110822	ISOPROX II, CUSTOM, PROG, BNP PARIRAS, NO SLO	
1386LCGMN-120094	ISOPROX II, CUSTOM, MARATHON ASHLAND PETROLE	
1386LCGMN-120333	ISOPROX II, CUSTOM, PROG, BENEFITS OF HID STA	
1386LGCAN-120201	ISOPROX II, CUSTOM, PROG, F-GLOSS, B-IROBOT M	
1386LGCMN-120184	ISOPROX II, CUSTOM, PROG, ISOPROX II W/ HID L	
1386LGCMN-120201	ISOPROX II, CUSTOM, PROG, IROBOT MISSON, MATC	
1386LGCMN-120242	ISOPROX II, CUSTOM, PROG, KIRTLAND AFB RTN AD	
1386LGCMN-16017A	ISOPROX II, PROG 125K, F-GLOSS, CUSTOM, MATCH	
1386LGCMN-P1125	ISOPROX II, CUSTOM, TIFFANY AND COMPANY, MATC	
1386LGCMN-W1086	ISOPROX II, CUSTOM, USPS, PTD	
1386LGCMV-16017A	ISOPROX II, PROG 125K, G-GLOSS, CUSTOM, MATCH	
1386LGCNN-110520	ISOPROX II, CUSTOM, SOCIAL SECURITY MD, NO#,	
1386LGGAH	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, ENGRAV	
1386LGGAN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED	
1386LGGAV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED	
1386LGGBH	ISOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED	
1386LGGBN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED	
1386LGGBV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED	
1386LGGCN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM NO	
1386LGGMB	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1386LGGMB-H103F	ISOPROX II, CUSTOM, PLAIN WHITE CSTM THKNESS	
1386LGGMH	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1386LGGMH-111012	ISOPROX II, PROG 125K, F-GLOSS, CUSTOM INKJET	
1386LGGMH-16010	ISOPROX II, PROG 125K, F-GLOSS, SPECIAL INKJE	
1386LGGMN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1386LGGMN-110371	ISOPROX II, PROG 125K, F-GLOSS, B-GLOSS, MATC	
1386LGGMN-1141	ISOPROX II, CUSTOM, F-GLOSS, B-HID BUG W/SLOT	
1386LGGMN-120128	ISOPROX II, CUSTOM, PROG, GLOSS/GLOSS CUSTOM	
1386LGGMN-16010	ISOPROX II, PROG 125K, F-GLOSS, SPECIAL INKJE	

ATTACHMENT "B"- PART 1

1386LGGMN-1601X	ISOPROX II, CUSTOM, GLOSS, GLOSS, .038 THICK	
1386LGGMN-26-PACK2	ISOPROX II, PROG, FORMAT (H10301) F-GLOSS, B-	
1386LGGMN-502	ISOPROX II, PROG, F-GLOSS, B-GLOSS, CUSTOM MA	
1386LGGMN-503	ISOPROX II, CUSTOM, F-GLOSS, B-GLOSS, MATCH#,	
1386LGGMN-DD	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1386LGGMN-TRW	ISOPROX II, CUSTOM, F-REWRITE, B-HID BUG, MAT	
1386LGGMV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1386LGGNH	ISOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, HZN	
1386LGGNN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, NO	
1386LGGNN-1141	ISOPROX II, HID BUG W/SLOT INDICATORS CUSTOM	
1386LGGNN-120128	ISOPROX II, CUSTOM, PROG, GLOSS/GLOSS CUSTOM	
1386LGGNV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, VER	
1386LGGRH	ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #,	
1386LGGRN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #,	
1386LGGRV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #,	
1386LGGSH	ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, HZ	
1386LGGSN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO	
1386LGGSN-110371	ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO	
1386LGGSN-1141	ISOPROX II, CUSTOM, F-GLOSS, B-HID BUG W/SLOT	
1386LGGSN-PACK50	ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO	
1386LGGSV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, VE	
1386LGGSV-1141	ISOPROX II, CUSTOM, F-GLOSS, B-HID BUG W/SLOT	
1386LGPMN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #,	
1386LGPNN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, NO	
1386LGPRN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #,	
1386LGSAN	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, LASER	
1386LGSAV	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, ENGRAV	
1386LGSMH	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH	
1386LGSMN	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH	
1386LGSMV	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH	
1386LGSMV-PACK10	ISOPROX II, PROG, F-GLOSS, B-STANDARD, MATCHI	
1386LGSNN	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, NO #,	
1386LGSNV	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, NO #,	
1386LGSRN	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, RANDOM	
1386LGSRV	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, RANDOM	
1386LGSSH	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, SEQ #,	
1386LGSSN	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, SEQ #,	
1386LGSSV	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, SEQ #,	
1386NGGMN	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, MATCH	
1386NGGNH	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1386NGGNN	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1386NGGNN-HW	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1386NGGNV	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1386NGGSH	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ #	

ATTACHMENT "B"- PART 1

1386NGGSN	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ #	
1386NGGSV	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ #	
1386NGPNN	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #,	
1386NGSNB	ISOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO	
1386NGSNN	ISOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO	
1386NGSNV	ISOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO	
1386NGSSN	ISOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, SE	
1386NGSSV	ISOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, SE	
1391LBSMN	MICROPROX TAG, PROG 125K, BLK, ADH BCKG, MATC	
1391LBSNN	MICROPROX TAG, PROG 125K, BLK, ADH BCKG, MATC	
1391LBSRN	MICROPROX TAG, PROG 125K, BLK, ADH BCKG, RAND	
1391LBSSN	MICROPROX TAG, PROG 125K, BLK, ADH BCKG, SEQ	
1391LCSSN-160111	MICROPROX TAG, PROG 125K, CUSTOM INKJET, ADHE	
1391LGSMN	MICROPROX TAG, PROG, GRAY, MATCH #	
1391LGSMN-110324	MICROPROX TAG, PROG, GRAY NO ARTWORK, MATCH #	
1391LGSNN	MICROPROX TAG, PROG 125K, GRAY, ADHESIVE, NO	
1391LGSSN	MICROPROX TAG, PROG, GRAY, NON-MATCH #, NO SL	
1391LKSMN	MICROPROX TAG, PROG, BLACK, MATCH #	
1391LKSNN	MICROPROX TAG, PROG, BLACK, NO #	
1391LKSRN	MICROPROX TAG, PROG, BLACK, RANDOM #	
1391LKSSN	MICROPROX TAG, PROG, BLACK, SEQ #	
1391LSSMN	MICROPROX TAG, PROG, GRAY, MATCH #	
1391LSSNN	MICROPROX TAG, PROG, GRAY, NO #	
1391LSSRN	MICROPROX TAG, PROG, GRAY, RANDOM #	
1391LSSSN	MICROPROX TAG, PROG, GRAY, SEQ #	
1391LSSSN-110324	MICROPROX TAG, PROG, GRAY, SEQ. NON-MATCH #,	
1391LSSSN-PACK50	MICROPROX TAG, PROG, GRAY, SEQ. NON-MATCH #,	
1391NBSNN	MICROPROX TAG, NON-PRGMD, BLK, ADH BCKG, NO #	
1391NBSSN	MICROPROX TAG, NON-PROG, BLACK, SEQ #	
1391NGSNN	MICROPROX TAG, NON-PRGMD, GRY, ADH BCKG, NO #	
1391NGSSN	MICROPROX TAG, NON-PROG, GRAY, SEQ #	
1391NKSNN	MICROPROX TAG, NON-PROG, BLACK, NO #	
1391NKSON	MICROPROX TAG, NON-PROG, BLACK, SEQ. #, NO SL	
1391NKSSN	MICROPROX TAG, NON-PROG, BLACK	
1391NSSNN	MICROPROX TAG, NON-PROG, GRAY, NO #	
1391NSSON	MICROPROX TAG, NON-PROG, GRAY, SEQ. #	
1391NSSSN	MICROPROX TAG, NON-PROG, F-HID LOGO GRAY, ADH	
1536LGGAN	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS	
1536LGGMH	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS	
1536LGGMN	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS	
1536LGGMN-2750	DUOPROX II COMP, CUSTOM, 2750 MAGSTRIPE, MATC	
1536LGGMV	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS	
1536LGGNN	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS	
1536LGGNV	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS	

ATTACHMENT "B"- PART 1

1536LGGRV	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS	
1536LGGSN	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS	
1536NGGNN	COMPOSITE DUOPROX II, NON-PROG, F-GLOSS, B-GL	
1586LCGMN-120334	COMPOSITE ISOPROX II, CSTM, BENEFITS OF NEW H	
1586LGGAN	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS,	
1586LGGAV	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS,	
1586LGGMH	COMPOSITE ISOPROX II, PROG, GLOSS/GLOSS, MATC	
1586LGGMN	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS,	
1586LGGMN-120188	COMPOSITE ISOPROX II, CUSTOM, GLOSS/GLOSS CUS	
1586LGGMN-511	COMPOSITE ISOPROX II, PROG 125K, NO SALES ORD	
1586LGGMN-TOUGH	COMPOSITE ISOPROX II, CUSTOM THICKNESS, F-GLO	
1586LGGMV	COMPOSITE ISOPROX II, PROG, GLOSS/GLOSS, MATC	
1586LGGNN	COMPOSITE ISOPROX II, PROG, GLOSS/GLOSS, NO M	
1586LGGSN	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS,	
1586LGGSV	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS,	
1586LGSMH	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-STANDA	
1586NGGNN	COMPOSITE ISOPROX II, NON-PROG, GLOSS/GLOSS,	
1586NGGNV	COMPOSITE ISOPROX II, NON-PROG, GLOSS/GLOSS,	
5365E1L00	MINIPROX WIEGAND, DESIGNER BLACK, 9FT CABLE,	
5365E1L06	MINIPROX WIEGAND, DESIGNER BLACK, 9FT CABLE,	
5365E1P00	MINIPROX WIEGAND, DESIGNER BLACK, CABLE, LEAD	
5365E1P01	MINIPROX WIEGAND, DESIGNER BLACK, CABLE	
5365E1P04	MINIPROX WIEGAND, DESIGNER BLACK, CABLE	
5365E1P06	MINIPROX WIEGAND, DESIGNER BLACK, CABLE	
5365E1P07	MINIPROX WIEGAND, DESIGNER BLACK, CABLE	
5365E1T00	MINIPROX WIEGAND, DESIGNER BLACK, TERMINAL, L	
5365E1T06	MINIPROX WIEGAND, DESIGNER BLACK, TERMINAL	
5365E2L00	MINIPROX WIEGAND, DESIGNER GRAY, 9FT CABLE, L	
5365E2L04	MINIPROX WIEGAND, DESIGNER GRAY, 9FT CABLE, L	
5365E2P00	MINIPROX WIEGAND, DESIGNER GRAY, CABLE, LEAD	
5365E2P01	MINIPROX WIEGAND, DESIGNER GRAY, CABLE	
5365E2P04	MP WIEG, DSGNR GRY, CBL	
5365E2P05	MINIPROX WIEGAND, DESIGNER GRAY, CABLE	
5365E2P06	MINIPROX WIEGAND, DESIGNER GRAY, CABLE	
5365E2T00	MINIPROX WIEGAND, DESIGNER GRAY, TERMINAL, LE	
5365E2T04	MINIPROX WIEGAND, DESIGNER GRAY, TERMINAL	
5365E2T06	MINIPROX WIEGAND, DESIGNER GRAY, TERMINAL	
5365E4L00	MINIPROX WIEGAND, DESIGNER BLUE, 9FT CABLE, L	
5365E4P00	MINIPROX WIEGAND, DESIGNER BLUE, CABLE, LEAD	
5365E4T00	MINIPROX WIEGAND, DESIGNER BLUE, TERMINAL, LE	
5365E5L00	MINIPROX WIEGAND, DESIGNER WHITE, 9FT CABLE,	
5365E5P00	MINIPROX WIEGAND, DESIGNER WHITE, CABLE, LEAD	
5365E5P01	MINIPROX, WIEGAND OUTPUT, DESIGNER WHITE, CAB	
5365E5T00	MINIPROX WIEGAND, DESIGNER WHITE, TERMINAL, L	

ATTACHMENT "B"- PART 1

5365EBP00	MP WIEG, CLASSIC BEI, 18" PIGTAIL, ROHS PROX	
5365EBP02	MINIPROX WIEGAND, BEIGE, CABLE	
5365EBP04	MINIPROX WIEGAND, CLASSIC BEIGE, CABLE	
5365EBP05	MINIPROX WIEGAND,CLASSIC BEIGE,CABLE,LEAD FRE	
5365EBP06	MINIPROX WIEGAND, CLASSIC BEIGE, CABLE	
5365EBT00	MP WIEG, CLASSIC BEI, TERMINAL, ROHS PROX DFM	
5365EBT04	MINIPROX WIEGAND, BEIGE, TERMINAL	
5365EBT06	MINIPROX WIEGAND, CLASSIC BEIGE, TERMINAL	
5365EBT07	MINIPROX WIEGAND, BEIGE, TERMINAL	
5365EGL00	MP WIEG, CLASSIC GRY, 9FT CBL, LEAD FREE	
5365EGL04	MP WIEG, CLASSIC GRY, 9FT CBL, LEAD FREE	
5365EGL07	MP, WEIGAND, CLASSIC GRY, 9FT CBL, LEAD FREE	
5365EGP00	MP WIEG, CLASSIC GRY, CBL, LEAD FREE	
5365EGP01	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	
5365EGP02	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	
5365EGP03	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	
5365EGP04	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	
5365EGP05	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	
5365EGP06	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	
5365EGP07	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	
5365EGT00	MP WIEG, CLASSIC GRY, TERM, LEAD FREE	
5365EGT01	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	
5365EGT02	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	
5365EGT03	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	
5365EGT04	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	
5365EGT05	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	
5365EGT06	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	
5365EGT07	MP WIEG, CLASSIC GRY, TERM	
5365EKL00	MINIPROX WIEGAND, CLASSIC BLACK, 9FT CABLE, L	
5365EKL01	MINIPROX WIEGAND, CLASSIC BLACK, 9FT CABLE, L	
5365EKL06	MINIPROX WIEGAND, CLASSIC BLACK, 9FT CABLE, L	
5365EKP00	MP WIEG, CLASSIC BLK, 18" PIGTAIL, ROHS PROX	
5365EKP01	MINIPROX WIEGAND, BLACK, CABLE	
5365EKP02	MINIPROX WIEGAND, CLASSIC BLACK, CABLE	
5365EKP03	MP WIEG, CLASSIC BLK, CBL	
5365EKP04	MP WIEG, CLASSIC BLK, CBL	
5365EKP06	MP WIEG, CLASSIC BLK, CBL	
5365EKP07	MINIPROX WIEGAND, BLACK, CABLE	
5365EKT00	MP WIEG, CLASSIC BLK, TERMINAL, ROHS PROX DFM	
5365EKT01	MINIPROX WIEGAND, BLACK, TERMINAL	
5365EKT02	MINIPROX WIEGAND, BLACK, TERMINAL	
5365EKT03	MINIPROX WIEGAND, BLACK, TERMINAL	
5365EKT04	MINIPROX WIEGAND, CLASSIC BLACK, TERMINAL	
5365EKT05	MINI PROX WIEGAND, BLACK, TERMINAL	

ATTACHMENT "B"- PART 1

5365EKT06	MINIPROX WIEGAND, CLASSIC BLACK, TERMINAL	
5365EKT07	MINIPROX WIEGAND, BLACK, TERMINAL	
5365EWP00	MP WIEG, CLASSIC WHT, CBL LEAD FREE	
5365EWP01	MP WIEG, CLASSIC WHT, CBL LEAD FREE	
5365EWP02	MP WIEG, CLASSIC WHT, CBL LEAD FREE	
5365EWP04	MINIPROX WIEGAND, CLASSIC WHITE, CABLE	
5365EWP06	MINIPROX WIEGAND, CLASSIC WHITE, CABLE	
5365EWT00	MP WIEG, CLASSIC WHT, TERM LEAD FREE	
5365EWT01	MINIPROX WIEGAND, WHITE, TERMINAL	
5365EWT02	MINIPROX WIEGAND, WHITE, TERMINAL, STANDARD,	
5365EWT04	MINIPROX,WIEGAND,WHITE,TERMINAL,LED FREE	
5368E1L00	MINIPROX CLOCK & DATA, DESIGNER BLACK, 9FT CA	
5368E1P00	MINIPROX CLOCK & DATA, DESIGNER BLACK, CABLE	
5368E1T00	MINIPROX CLOCK & DATA, DESIGNER BLACK, TERMIN	
5368E2L00	MINIPROX CLOCK & DATA, DESIGNER GRAY, 9FT CAB	
5368E2P00	MINIPROX CLOCK & DATA, DESIGNER GRAY, CABLE	
5368E2P04	MINIPROX CLOCK & DATA, DESIGNER GRAY, CABLE	
5368E2T00	MINIPROX CLOCK & DATA, DESIGNER GRAY, TERMINA	
5368E2T04	MINIPROX CLOCK & DATA, DESIGNER GRAY, TERMINA	
5368E4L00	MINIPROX CLOCK & DATA, DESIGNER BLUE, 9FT CAB	
5368EBP00	MP C&D, CLASSIC BEI, CBL	
5368EBP07	MP C&D, CLASSIC BEI, CBL	
5368EBT00	MP C&D, CLASSIC BEI, TERM	
5368EBT06	MP C&D, CLASSIC BEI, TERM	
5368EGL00	MINIPROX CLOCK & DATA, CLASSIC GREY, 9FT CABL	
5368EGP00	MINIPROX CLOCK & DATA, CLASSIC GRAY, CABLE	
5368EGP01	MP C&D, CLASSIC GRY, CBL	
5368EGP03	MP C&D, CLASSIC GRY, CBL	
5368EGP04	MP C&D, CLASSIC GRY, CBL	
5368EGP06	MP C&D, CLASSIC GRY, CBL	
5368EGP07	MP C&D, CLASSIC GRY, CBL	
5368EGT00	MINIPROX CLOCK & DATA, CLASSIC GRAY, TERMINAL	
5368EGT01	MINIPROX CLOCK & DATA,CLASSIC GRAY,TERMINAL,L	
5368EGT02	MINIPROX CLOCK & DATA, CLASSIC GRAY, TERMINAL	
5368EGT03	MINIPROX CLOCK & DATA, CLASSIC GRAY, TERMINAL	
5368EGT04	MINIPROX CLOCK & DATA, GRAY, TERMINAL	
5368EGT06	MINIPROX CLOCK & DATA, CLASSIC GRAY, TERMINAL	
5368EKL00	MINIPROX CLOCK & DATA, BLACK, 9FT CABLE	
5368EKP00	MINIPROX CLOCK & DATA, CLASSIC BLK, CBL, LEAD	
5368EKP04	MINIPROX CLOCK & DATA, CLASSIC BLK, CBL, LEAD	
5368EKP06	MINIPROX CLOCK & DATA, CLASSIC BLK, CBL, LEAD	
5368EKT00	MP C&D, CLASSIC BLK, TERM	
5368EKT01	MINIPROX CLOCK & DATA, CLASSIC BLACK, TERMINA	
5368EKT04	MINIPROX CLOCK & DATA, BLACK, TERMINAL	

ATTACHMENT "B"- PART 1

5368EKT06	MINIPROX CLOCK & DATA, BLACK, TERMINAL	
5368EKT07	MINIPROX CLOCK & DATA, CLASSIC BLACK, TERMINA	
5368EWT00	MINIPROX CLOCK & DATA, CLASSIC WHITE, TERMINA	
5395C1100	THINLINE II WIEGAND, DESIGNER BLACK, CABLE, R	
5395C1101	RDR, THINLINE, WIEG, PGTL18, DSNR BLK CVR, BE	
5395C1104	THINLINE II WIEGAND, DESIGNER BLACK, CABLE, L	
5395C1105	THINLINE II WIEGAND, DESIGNER BLACK, CABLE, L	
5395C1106	THINLINE II WIEGAND, DESIGNER BLACK, CABLE, L	
5395C1L00	THINLINE II WIEGAND, DESIGNER BLACK, 9FT CABL	
5395C1L06	THINLINE II WIEGAND, DESIGNER BLACK, 9FT CABL	
5395C2100	THINLINE II WIEGAND, DESIGNER GRAY, CABLE, RO	
5395C2104	THINLINE II WIEGAND, DESIGNER GRAY, CABLE, LE	
5395C2106	THINLINE II WIEGAND, DESIGNER GRAY, CABLE, LE	
5395C2L00	THINLINE II WIEGAND, DESIGNER GRAY, 9FT CABLE	
5395C2L06	THINLINE II WIEGAND, DESIGNER GRAY, 9FT CABLE	
5395C4100	THINLINE II WIEGAND, DESIGNER BLUE, CABLE, RO	
5395C4106	THINLINE II WIEGAND, DESIGNER BLUE, CABLE, RO	
5395C5100	THINLINE II WIEGAND, DESIGNER WHITE, CABLE, R	
5395C5104	THINLINE II WIEGAND, DESIGNER WHITE, CABLE, L	
5395C5106	THINLINE II WIEGAND, DESIGNER WHITE, CABLE, L	
5395C5L00	THINLINE II WIEGAND, DESIGNER WHITE, 9FT CABL	
5395CB100	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, RO	
5395CB101	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LE	
5395CB102	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LE	
5395CB103	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LE	
5395CB104	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LE	
5395CB105	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LE	
5395CB106	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LE	
5395CB107	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LE	
5395CG100	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, ROH	
5395CG101	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEA	
5395CG102	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEA	
5395CG103	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEA	
5395CG104	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEA	
5395CG105	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEA	
5395CG106	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEA	
5395CG107	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEA	
5395CGL00	THINLINE II WIEGAND, CLASSIC GRAY, 9FT CABLE,	
5395CGL06	THINLINE II WIEGAND, GRAY, 9FT CABLE, LEAD FR	
5395CGL07	THINLINE II WIEGAND, CLASSIC GRAY, 9FT CABLE,	
5395CK100	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, RO	
5395CK101	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LE	
5395CK102	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LE	
5395CK103	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LE	

ATTACHMENT "B"- PART 1

5395CK104	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LE	
5395CK105	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LE	
5395CK106	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LE	
5395CK107	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LE	
5395CKL00	THINELINE II WIEGAND, CLASSIC BLACK, 9FT CABL	
5395CKL01	THINLINE II WIEGAND, CLASSIC BLACK, 9FT CABLE	
5395CKL06	THINLINE II WIEGAND, CLASSIC BLACK, 9FT CABLE	
5395CW100	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, RO	
5395CW101	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LE	
5395CW102	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LE	
5395CW104	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LE	
5395CW105	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LE	
5395CW106	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LE	
5395CW107	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LE	
5395CWL00	THINLINE II WIEGAND, WHITE, 9FT CABLE, LEAD F	
5395CWL01	THINLINE II WIEGAND, WHITE, 9FT CABLE, LEAD F	
5395CWL06	THINLINE II WIEGAND, WHITE, 9FT CABLE, LEAD F	
5398C1100	THINLINE II CLOCK & DATA, DESIGNER BLACK, CAB	
5398C5100	THINLINE II CLOCK & DATA, DESIGNER WHITE, CAB	
5398CB100	THINLINE II CLOCK & DATA, CLASSIC BEIGE, CABL	
5398CB104	THINLINE II CLOCK & DATA, CLASSIC BEIGE, CABL	
5398CG100	THINLINE II CLOCK & DATA, CLASSIC GRAY, CABLE	
5398CG104	THINLINE II CLOCK & DATA, CLASSIC GRAY, CABLE	
5398CG107	THINLINE II CLOCK & DATA, CLASSIC GRAY, CABLE	
5398CK100	THINLINE II CLOCK & DATA, CLASSIC BLACK, CABL	
5398CK101	THINLINE II CLOCK & DATA, CLASSIC BLACK, CABL	
5398CK102	THINLINE II CLOCK & DATA, CLASSIC BLACK, CABL	
5398CK103	THINLINE II CLOCK & DATA, CLASSIC BLACK, CABL	
5398CK104	THINLINE II CLOCK & DATA, CLASSIC BLACK, CABL	
5398CK106	THINLINE II CLOCK & DATA, CLASSIC BLACK, CABL	
5398CW100	THINLINE II CLOCK & DATA, CLASSIC WHITE, CABL	
5405AGL00	RDR, PROX 80, WIEG, GRY STD CONFIG, LEAD FREE	
5405AGL01	PROX80, CLASSIC GRAY, 9FT CABLE, LEAD FREE	
5405AGL02	PROX 80, GRAY, 9FT CABLE LEAD FREE	
5405AGL04	PROX80, GRAY, 9FT CABLE LEAD FREE	
5405AGL05	PROX80, CLASSIC GRAY, 9FT CABLE LEAD FREE	
5405AGL06	PROX 80, CLASSIC GRAY, 9FT CABLE LEAD FREE	
5405AGL07	PROX80, CLASSIC GRAY, 9FT CABLE LEAD FREE	
5405AWL00	RDR, PROX 80, WIEG, WHT, STD CONFIG, ROHS PRO	
5405AWL04	PROX80, WHITE, 9 FT CABLE LEAD FREE	
5405AWL06	PROX80, WHITE, 9FT CABLE LEAD FREE	
5408AGL00	PROX 80, GRAY, 9FT CABLE LEAD FREE	
5408AGL06	PROX 80 CLOCK & DATA, GRAY, 9FT CABLE	
5408AWL00	RDR, PROX 80, C&D, WHT, STD CONFIG	

ATTACHMENT "B"- PART 1

5408AWL06	RDR, PROX 80, C&D, WHT, STD CONFIG	
5352ABN00	PROXPRO SERIAL, BEIGE, NO KEYPAD, LEAD FREE	
5352AGN00	PROXPRO SERIAL, GRAY, NO KEYPAD LEAD FREE	
5352AGN09	PROXPRO SER, GRY, NO KEYPAD, LEAD FREE	
5352AGN11	PROXPRO SERIAL, CLASSIC GRAY, NO KEYPAD, LEAD	
5352AGN14	PROXPRO SER, GRY, NO KEYPAD, LEAD FREE	
5355ABN00	PROXPRO WIEGAND, BEIGE, NO KEYPAD, LEAD FREE	
5355ABN09	PROXPRO WIEGAND, BEIGE, NO KEYPAD, LEAD FREE	
5355ABN14	PROXPRO WIEGAND, BEIGE, NO KEYPAD, LEAD FREE	
5355AGN00	PROXPRO WIEGAND, GRAY, NO KEYPAD LEAD FREE	
5355AGN02	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	
5355AGN04	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	
5355AGN09	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	
5355AGN10	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	
5355AGN11	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	
5355AGN14	PROXPRO WIEG, GRY, NO KEYPAD, LEAD FREE	
5358ABN00	PROXPRO CLOCK & DATA, BEIGE, NO KEYPAD, SW1-P	
5358AGN00	PROXPRO CLOCK & DATA, GRAY, NO KEYPAD, SW1-P1	
5455BBL00	PROXPRO II WIEG, BEI, NO KEYPAD, 9FT CBL	
5455BBN00	PROXPRO II WIEGAND, BEIGE, NO KEYPAD, CABLE,	
5455BBN02	PROXPRO II WIEGAND, BEIGE, NO KEYPAD, CABLE	
5455BBN06	PROXPRO II WIEGAND, BEIGE, CABLE	
5455BGL00	PROXPRO II WIEGAND, GRAY, NO KEYPAD, 9FT CABL	
5455BGL02	PROXPRO II WIEGAND, GRAY, NO KEYPAD, 9FT CABL	
5455BGN00	PROXPRO II WIEG, GRY, NO KEYPAD, CBL, LEAD FR	
5455BGN01	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE, S	
5455BGN02	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE	
5455BGN03	PROXPRO II WIEGAND, CLASSIC GRAY, NO KEYPAD	
5455BGN04	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE	
5455BGN05	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE	
5455BGN06	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE	
5455BGN07	PROXPRO II WIEGAND,GRAY,NO KEYPAD,CABLE,LEAD	
5455BKL00	PROXPRO II WIEGAND, BLACK, NO KEYPAD, 9FT CAB	
5455BKL06	PROXPRO II WIEGAND, BLACK, NO KEYPAD, 9FT CAB	
5455BKL07	PROXPRO II WIEGAND, BLACK, NO KEYPAD, 9FT CAB	
5455BKN00	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE,	
5455BKN01	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	
5455BKN02	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	
5455BKN03	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	
5455BKN04	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	
5455BKN05	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	
5455BKN06	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	
5455BKN07	PROXPRO ii WIEGAND, BLACK, NO KEYPAD, CABLE	
5455BWL00	PROXPRO II WIEGAND, WHITE, NO KEYPAD, 9FT CAB	

ATTACHMENT "B"- PART 1

5455BWN00	PROXPRO II WIEGAND, WHITE, NO KEYPAD, CABLE,	
5455BWN02	PROXPRO II WIEGAND, WHITE, CABLE, STANDARD, 2	
5455BWN04	PROXPRO II WIEGAND, WHITE, NO KEYPAD, CABLE	
5455BWN06	PROXPRO II WIEGAND, WHITE, NO KEYPAD, CABLE	
5458ABN00	RDR, PROXPRO II, C & D, BEI	
5458AGN00	RDR, PROXPRO II, C & D, GRY	
5458BBL00	PROXPRO II CLOCK & DATA, BEIGE, NO KEYPAD, 9F	
5458BBN00	PROXPRO II CLOCK & DATA, BEIGE, NO KEYPAD, CA	
5458BBN04	PROXPRO II CLOCK & DATA, BEIGE, NO KEY PAD	
5458BGL00	PROXPRO II CLOCK & DATA, GRAY, NO KEYPAD, 9FT	
5458BGL01	PROXPRO II CLOCK & DATA, GRAY, NO KEYPAD, 9FT	
5458BGN00	PROXPRO II CLOCK & DATA, GRAY, NO KEYPAD, CAB	
5458BGN04	PROXPRO II CLOCK & DATA, GRAY, NO KEYPAD, CAB	
5458BGN06	PROXPRO II CLOCK & DATA, GRAY, NO KEYPAD, CAB	
5458BGN07	PROXPRO II CLOCK & DATA, GRAY, CABLE	
5458BKL00	PROXPRO II CLOCK & DATA, BLACK, NO KEYPAD, 9F	
5458BKN00	PROXPRO II CLOCK & DATA, BLACK, NO KEYPAD, CA	
5458BKN01	PROXPRO II CLOCK & DATA, BLACK, NO KEYPAD, CA	
5458BWL00	PROXPRO II CLOCK & DATA, WHITE, NO KEYPAD, 9F	
5458BWN00	PROXPRO II CLOCK & DATA, WHITE, NO KEYPAD, CA	
5352ABK00	PROXPRO SERIAL, BEIGE, KEYPAD, LEAD FREE	
5352ABS00	PROXPRO SERIAL, BEIGE, KEYPAD, LEAD FREE	
5352AGK00	PROXPRO SERIAL, GRAY, KEYPAD	
5352AGK09	PROXPRO SERIAL, GRAY, KEYPAD, LEAD FREE	
5352AGK11	PROXPRO SERIAL, GRAY, KEYPAD, LEAD FREE	
5352AGK14	PROXPRO SERIAL, GRAY, KEYPAD, LEAD FREE	
5352AGK19	PROXPRO SERIAL, GRAY, KEYPAD, LEAD FREE	
5352AGS00	PROXPRO SERIAL, GRAY, KEYPAD LEAD FREE	
5352AGS14	PROXPRO SER, GRY, KEYPAD, LEAD FREE	
5355ABK00	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	
5355ABK09	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	
5355ABK11	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	
5355ABK14	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	
5355ABK19	PROXPRO WIE, BEI, KEYPAD, LEAD FREE	
5355ABK20	PROXPRO WIE, BEI, KEYPAD, LEAD FREE	
5355ABS00	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	
5355ABS14	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	
5355AGD00	PROXPRO WIEGAND, GRAY, BUFFERED DIRECT CONNEC	
5355AGK00	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	
5355AGK09	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	
5355AGK10	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	
5355AGK11	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	
5355AGK14	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	
5355AGK19	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	

ATTACHMENT "B"- PART 1

5355AGK20	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	
5355AGK23	PROXPRO WIEGAND, GRAY, KEYPAD, 11 KEY BUFFER	
5355AGS00	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	
5355AGS06	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	
5355AGS09	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	
5355AGS14	PROXPRO WIEG, GRY, KEYPAD, LEAD FREE	
5355AGS19	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	
5355AGS20	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE, SIN	
5358AGK00	PROXPRO CLOCK & DATA, GRAY, KEYPAD, SW1-P1=OF	
5358AGK09	PROXPRO CLOCK & DATA, GRAY, KEYPAD, (SW -P1=O	
5358AGK11	PROXPRO CLOCK & DATA, GRAY, KEYPAD	
5358AGK14	PROXPRO CLOCK & DATA, CLASSIC GRAY, KEYPAD	
5358AGS00	PROXPRO C&D, GRY, KEYPAD, SW1-P1=OFF	
5358AGS09	PROXPRO CLOCK & DATA, GRAY, KEYPAD	
5358AGS14	PROXPRO C&D, GRY, KEYPAD	
5365-108-02	BOX, HAZ ALTRD W/MTG HOLES, RoHS	
5365EBH00	MINIPROX WEIGAND, BEIGE, HAZARDOUS BOX	
5365EGH00	MP WIEG, CLASSIC GRY, HAZ BOX, LEAD FREE	
5365EGH01	MINIPROX WIEGAND, CLASSIC GRAY, HAZARDOUS BOX	
5365EGH04	MINIPROX WIEGAND, GRAY, HAZARDOUS BOX	
5365EGH06	MP WIEG, CLASSIC GRY, HAZ BOX	
5365EKH00	MINIPROX WIEGAND, CLASSIC BLACK, HAZARDOUS BO	
5365EKH01	MINIPROX WIEGAND, CLASSIC BLACK, HAZARDOUS BO	
5365EKH04	MINIPROX WIEGAND, CLASSIC BLACK, HAZARDOUS BO	
5365EWH00	MP WIEG, CLASSIC WHT, WITH HAZARDOUS BACK BOX	
5368EGH00	MINIPROX CLOCK & DATA, CLASSIC GRAY, HAZARDOU	
5368EKH00	MINIPROX CLOCK & DATA, CLASSIC BLACK, HAZARDO	
5375AGN00	MAXIPROX WIEGAND, GRAY, TERMINAL, LEAD FREE	
5375AGN00-110315	MAXIPROX WIEGAND, GRAY, TERMINAL, LEAD FREE,	
5375AGN04	MAXIPROX WIEGAND, GRAY, TERMINAL, LEAD FREE	
5375AGN06	MAXIPROX WIEGAND, GRAY, TERMINAL, LEAD FREE	
AO-HAZARDOUS	HAZARDOUS BOX MINIPROX	
AO-PROXPRO-KEYPAI	PROXPRO KEYPAD	
6005B1B00	PROXPOINT WIEGAND, DESIGNER BLACK, CABLE LEAD	
6005B1B01	PROXPOINT WIEGAND, DESIGNER BLACK, CABLE	
6005B1B02	RDR, PP, WIEG, PGTL-18, BLK, DSGN CVR, BEEP O	
6005B1B04	PROXPT WIEG, DSGNR BLK, CBL	
6005B1B05	PROXPOINT WIEGAND, DESIGNER BLACK, CABLE	
6005B1B06	PROXPOINT WIEGAND, DESIGNER BLACK, CABLE	
6005B1B07	PROXPOINT WIEGAND, DESIGNER BLACK, CABLE	
6005B1L00	PROXPOINT WIEGAND, DESIGNER BLACK, 9FT CABLE,	
6005B1L01	PROXPOINT WIEGAND, DESIGNER BLACK, 9 FT CABLE	
6005B1L04	PROXPOINT WIEGAND, DESIGNER BLACK, 9 FT CABLE	
6005B1L06	PROXPOINT WEIGAND, DESIGNER BLACK, 9FT CABLE	

ATTACHMENT "B"- PART 1

6005B1L07	PROXPOINT WIEGAND, DESIGNER BLACK, 9 FT CABLE	
6005B2B00	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE, ROHS	
6005B2B01	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	
6005B2B03	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	
6005B2B04	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	
6005B2B05	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	
6005B2B06	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	
6005B2B07	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	
6005B2L00	PROXPOINT WIEGAND, DESIGNER GRAY, 9FT CABLE,	
6005B2L04	PROXPOINT WIEGAND, DESIGNER GRAY, 9FT CABLE	
6005B2L06	PROXPOINT WIEGAND, DESIGNER GRAY, 9FT CABLE	
6005B4B00	PROXPOINT WIEGAND, DESIGNER BLUE, CABLE, LEAD	
6005B4B02	PROXPOINT WIEGAND, DESIGNER BLUE, CABLE	
6005B4B06	PROXPOINT WIEGAND, DESIGNER BLUE, CABLE	
6005B4B07	PROXPOINT WIEGAND, DESIGNER BLUE, CABLE	
6005B4L00	PROXPOINT WIEGAND, DESIGNER BLUE, 9FT CABLE,	
6005B5B00	PROXPOINT WIEGAND, DESIGNER WHITE, CABLE, LEA	
6005B5B01	PROXPOINT WIEGAND, DESIGNER WHITE, CABLE	
6005B5B02	RDR, PP, WIEG, PGTL-18, WHT, DSGN CVR, BEEP O	
6005B5B04	PROXPT WIEG, DSGNR WHT, CBL	
6005B5B05	PROXPOINT WIEGAND, DESIGNER WHITE, CABLE	
6005B5B06	PROXPOINT WIEGAND, DESIGNER WHITE, CABLE	
6005B5B07	PROXPOINT WIEGAND, DESIGNER WHITE, CABLE	
6005B5L00	PROXPOINT WIEGAND, DESIGNER WHITE, 9FT CABLE,	
6005B5L03	PROXPOINT WIEGAND, DESIGNER WHITE, 9FT CABLE	
6005B5L06	PROXPOINT WIEGAND, DESIGNER WHITE, 9FT CABLE	
6005BBB00	PROXPT WIEG, CLASSIC BEI, CBL, ROHS PROX DFM	
6005BBB01	PROXPOINT WIEGAND, CLASSIC BEIGE, CABLE	
6005BBB02	PROXPOINT WIEGAND, CLASSIC BEIGE, CABLE	
6005BBB04	PROXPOINT WIEGAND, CLASSIC BEIGE, CABLE	
6005BBB06	PROXPOINT WIEGAND, CLASSIC BEIGE, CABLE	
6005BBB07	PROXPT WIEG, CLC BEI, CBL	
6005BBL00	PROXPOINT WIEGAND, CLASSIC BEIGE, 9FT CABLE,	
6005BBL06	PROXPOINT WIEGAND, BEIGE, 9FT CABLE	
6005BBL07	PROXPOINT WIEGAND, CLASSIC BEIGE, 9FT CABLE	
6005BGB00	PROXP WIEG, CLASSIC GRY, CBL, LEAD FREE	
6005BGB01	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	
6005BGB02	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	
6005BGB03	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	
6005BGB04	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	
6005BGB05	PROXPT WIEG, CLAC GRY, CBL	
6005BGB06	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	
6005BGB07	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	
6005BGB17	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	

ATTACHMENT "B"- PART 1

6005BGL00	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE, L	
6005BGL01	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE	
6005BGL02	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE	
6005BGL04	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE	
6005BGL06	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE	
6005BGL07	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE	
6005BKB00	PROXPT WIEG, CLASSIC BLK, CBL, ROHS PROX DFM	
6005BKB01	PROXPOINT WIEGAND, CLASSIC BLACK, CABLE	
6005BKB02	PROXPOINT WIEGAND, BLACK, CABLE	
6005BKB03	PROXPOINT WIEGAND, CLASSIC BLACK, CABLE	
6005BKB04	PROXPT WIEG, CLASSC BLK, CBL	
6005BKB05	PROXPT WIEG, CLC BLK, CBL	
6005BKB06	PROXPT WIEG, CLC BLK, CBL	
6005BKB07	PROXPT WIEG, CLAC BLK, CBL	
6005BKL00	PROXPOINT WIEGAND, CLASSIC BLACK, 9FT CABLE,	
6005BKL02	PROXPOINT WIEGAND, BLACK, 9FT CABLE	
6005BKL04	PROXPOINT WIEGAND, BLACK, 9FT CABLE	
6005BKL06	PROXPOINT WIEGAND, BLACK, 9FT CABLE	
6005BKL07	PROXPOINT WIEGAND, BLACK, 9FT CABLE	
6005BWB00	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE, ROHS	
6005BWB01	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE	
6005BWB04	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE	
6005BWB05	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE	
6005BWB06	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE	
6005BWB07	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE	
6005BWL00	PROXPOINT WIEGAND, CLASSIC WHITE, 9FT CABLE,	
6005BWL04	PROXPOINT WIEGAND, CLASSIC WHITE, LONG PIGTAI	
6005BWL06	PROXPOINT WIEGAND, CLASSIC WHITE, 9FT CABLE,	
6005BWL07	PROXPOINT WIEGAND, CLASSIC WHITE, 9 FT CABLE	
6008B1B00	PROXPOINT CLOCK & DATA, DESIGNER BLACK, CABLE	
6008B1B01	PROXPOINT CLOCK & DATA, DESIGNER BLACK, CABLE	
6008B1B04	PROXPOINT CLOCK & DATA, DESIGNER BLACK, CABLE	
6008B1B05	PROXPOINT CLOCK & DATA, DESIGNER BLACK, CABLE	
6008B1B07	PROXPOINT CLOCK & DATA, DESIGNER BLACK, CABLE	
6008B1L00	PROXPOINT CLOCK & DATA, DESIGNER BLACK, 9FT C	
6008B2B00	PROXPOINT CLOCK & DATA, DESIGNER GRAY, CABLE	
6008B2B01	PROXPOINT CLOCK & DATA, DESIGNER GRAY, CABLE	
6008B2B04	PROXPOINT CLOCK & DATA, DESIGNER GRAY, CABLE	
6008B2B05	PROXPOINT CLOCK & DATA, DESIGNER GRAY, CABLE	
6008B2B07	PROXPOINT CLOCK & DATA, DESIGNER GRAY, CABLE	
6008B4B00	PROXPOINT CLOCK & DATA, DESIGNER BLUE, CABLE	
6008B4L00	PROXPOINT CLOCK & DATA, DESIGNER BLUE, 9FT CA	
6008B5B00	PROXPOINT CLOCK & DATA, DESIGNER WHITE, CABLE	
6008BBB00	PROXPOINT CLOCK & DATA, CLASSIC BEIGE, CABLE	

ATTACHMENT "B"- PART 1

6008BBB02	PROXPOINT CLOCK & DATA, CLASSIC BEIGE, CABLE	
6008BBB04	PROXPOINT CLOCK & DATA, CLASSIC BEIGE, CABLE	
6008BBB06	PROXPT C & D, CLC BEI, CBL	
6008BBL06	PROXPOINT CLOCK & DATA, CLASSIC BEIGE, 9FT CA	
6008BGB00	PROXPOINT CLOCK & DATA, CLASSIC GRAY, CABLE	
6008BGB01	PROXPOINT CLOCK & DATA, CLASSIC GRAY, CABLE	
6008BGB03	PROXPOINT CLOCK & DATA, CLASSIC GRAY, CABLE	
6008BGB04	PROXPOINT CLOCK & DATA, CLASSIC GRAY, CABLE	
6008BGB05	PROXPT C & D, CLC GRY, CBL	
6008BGB06	PROXPT, C & D, CLC GRY, CBL	
6008BGB07	PROXPT, C & D, CLC GRY, CBL	
6008BGL00	PROXPOINT CLOCK & DATA, CLASSIC GRAY, 9FT CAB	
6008BGL01	PROXPOINT CLOCK & DATA, CLASSIC GRAY, 9FT CAB	
6008BGL07	PROXPOINT CLOCK & DATA, CLASSIC GRAY, 9FT CAB	
6008BKB00	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE	
6008BKB01	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE	
6008BKB02	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE	
6008BKB03	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE	
6008BKB04	RDR, PROXPOINT MCM, CLOCK & DATA, BLACK	
6008BKB06	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE	
6008BKB07	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE	
6008BKL00	PROXPOINT CLOCK & DATA, CLASSIC BLACK, 9FT CA	
6008BKL01	PROXPOINT CLOCK & DATA, BLACK, 9FT CABLE	
6008BKL06	PROXPOINT CLOCK & DATA, CLASSIC BLACK, 9FT CA	
6008BWB00	PROXPOINT CLOCK & DATA, CLASSIC WHITE, CABLE	
6008BWB03	PROXPOINT CLOCK & DATA, WHITE, CABLE	
4045AGC00	RDR, ENTRYPROX-GRY-W/ 20 PROXCD II	
4045CGCU0	ENTRYPROX, GRY, W/ 20 PROXCD II	
4045CGKU0	ENTRYPROX, GRAY, W/10 PROXKEYS	
4045CGNU0	RDR, ENTRYPROX SC, GRY, LEAD FREE	
2025101	KTX:HID :P001-00:KEY TAG PROX INNPZ	
2025102	KTX:HID :P001-00:KEY TAG PROX INNHZ	
2030046	CPX:HID :P001-00:HID FP-PZ	
2030050	CPX: HID: P001-00: PLN WHT FP-HZ	
2080002	CPB:HID :P001-00:PLAIN WHITE FP=PZ	
2080006	CPB:HID :P001-00:PLAIN WHITE FP=HZ	
2811003	CAT PROX MUL RDR GRY BI-C 6FT CBL	
3253292	PROXIMA MULLION ASSY BI-C 6FT GRAY	
5385AGB00	MULTIPROX, GRY LEAD FREE	
5385AGS00	MULTIPROX, GRY LEAD FREE	
6000BNN00	MULTIPROX CNTRLR LEAD FREE	
6020ANN00	MULTIPROX HSM LEAD FREE	
82000AKE	EDGE CNTLR, POE, BLK, TERM, E400	
82000BKE	EDGE HOST CNTLR, POE, BLK, TERM, E400	

ATTACHMENT "B"- PART 1

82120AKI000	EDGE CNTLR, R40, POE, BLK, TERM (TYPE I), ER4	
82120AKI001	EDGE CNTLR, R40, POE, BLK, TERM (TYPE 1), ER4	
82120BKI000	EDGE HOST CNTLR, R40, POE, BLK, TERM (TYPE I)	
82120BKI001	EDGE CNTRL, R40, POE, BLK, TERM (TYPE 1) ER40	
82121AKI000	EDGE CNTLR, RW400, POE, BLK, TERM (TYPE I), E	
82121BKI000	EDGE CNTLR, RW400, POE, BLK, TERM (TYPE I), E	
82125AKI000	EDGEPLUS HOST RP40 KIT - ERP40	
82125BKI000	EDGE CNTLR, RP40, POE, BLK, TERM (TYPE I), ER	
83120BKI001	EDGE CNTLR, SOLO, R40 POE, BLK, TERM (TYPE 1)	
2000PCGMV-EDGE	ICLASS 2K/2, PROG, F-HID EDGE SOLO LOGO, B-GL	
2050PKNMN-EDGE	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK, NONE,	
83000BKE	EDGE CNTLR, SOLO, POE, BLK, TERM, ES400	
83120AKI000	EDGE CNTLR, SOLO, R40, POE, BLK, TERM (TYPE I	
83120AKI001	EDGE CONTLR, SOLO, R40, POE, BLK, TERM (TYPE	
83120BKI000	EDGE CNTLR, R40, POE, BLK, TERM (TYPE I), ESR	
83125AKI000	EDGEPLUS SOLO RP40 KIT - ESRP40	
83125BKI000	EDGE CNTLR, RP40, POE, BLK, TERM (TYPE I), ES	
K83000BKE-PC	KIT, EDGE SOLO PLUS, RP15, CD	
K83000BKE-PK	KIT, EDGE SOLO PLUS, RP15, FOB	
K83000BKE-RC	KIT, EDGE SOLO PLUS, R15, CD	
K83000BKE-RK	KIT, EDGE SOLO PLUS, R15, FOB	
K83120AKI000-C	KIT, EDGE SOLO, ESR40, CD	
K83120BKI000-C	KIT, EDGE SOLO, ESR40, CD	
K83120BKI000-K	KIT, EDGE SOLO, ESR40, FOB	
K83125BKI000-C	KIT, EDGE SOLO, ESRP40, CD	
K83125BKI000-K	KIT, EDGE SOLO, ESRP40, FOB	
1000012	CRD:HID :A1 2601:ARROWS LEFT INNPR	
1000024	CRD:HID :A1 2601:ARROWS L HR	
1000076	CRD: HID :A1 2601 :SENSOR CARD HR	
1090002	CG3:HID :A1 2601:DOT R	
1090004	CG3:HID :A1 2601:DOT INNPZ	
1090005	CG3:HID :A1 2601:DOT INNHR	
1090006	CG3:HID :A1 2601:3 ARROWS LFT INNHR	
1090007	CG3:HID :A1 2601:DOT R	
1090012	CG3: HID: A1 2601: DOT INNPR	
1090035	CG3:HID :A1 2601:DOT INNHR	
1090061	CG3:HID :A1 2601:DOT MAG INNPR	
1090079	CG3:HID :A1 2601:DOT MAG INNPR	
1090085	CG3: HID: A1 2601: DOT INNHR	
1090086	CG3:HID :A1 2601:DOT INNPR	
1090092	CG3:HID :A1 2601:ARROWS L INNPR	
1090213	CG3:HID :A1 2601:DOT INNPR	
1094437	CG3 : HID : A1 2601 : ARROWS LEFT : INNPR	
1100199	CRD:HID :A1 2601:PLN WHITE SPR	

ATTACHMENT "B"- PART 1

1100230	CRD: INFOGRIP: A1 2601: METRO PSYCH	
1100249	CRD:CSI :A1 2601:ARW EQUITY OF LNNPR	
1100821	CRD: SENSOR: D 2601: PLN WHT INNHR	
1100898	CRD:SENSOR :D 2601:PLN WHT INNHR	
1100900	CRD: HID: A1 0800: SNSRCD R	
1101100	CRD:HID :A1 2601:SENSORCARD R	
1101121	CRD:HID :A1 2601:SNSRCD HR	
1101131	CRD: HID: A1 2601: SNSRCD PR	
1101135	CRD:HID :A1 2601:SENSORCARD PR	
1101400	CRD:SNSR :A1 2601:PLN WHT R	
1101421	CRD:SENSOR :A1 2601:PLN WHT HR	
1101429	CRD: SENSOR: A1 2601: PLN WHT INSPR	
1101430	CRD: HID: A1 2601: SILVER DOT: HR	
1101431	CRD:SENSOR :A1 2601:PLN WHT PR	
1101434	CRD: HID: A1 2601: SILVER DOT: PR	
1101436	CRD: HID: A1 2601: PLN WH: INNPR	
1101437	CRD: HID: A1 2601: PLN WHT INNPR	
1101448	CRD:SENSOR :A1 2601:PLN WHT SHR	
1101449	CRD: SENSOR: A1 2601: PLN WHT: INSHR	
1101479	CRD: HID: A1 2601: PLN WHT LNNPZ	
1101490	CRD: HID: A1 2601: PLAIN WHITE INNPS	
1103202	CRD: PASSCO : A 3301 : 3 ARROW LEFT: R	
1103347	CRD:PASCO :A 3301:PAS/KEY ARROW SPR	
1103386	CRD: PASCO: A 3301: 3 ARROWS LEFT: INSPR	
1109726	CRD: HID: A1 3014: LEFT ARROW INNPR	
1111421	CRD: HID: A 2601: SENSORCARD INNR	
1120002	CRD: SELECT: A 3009: ARROW LEFT PR	
1122300	CRD: SENSOR: A1 2601: SENSOR ARROWS R	
1122321	CRD:SNSR :A1 2601:SNSR ARROWS L HR	
1122326	CRD:SENSOR :A1 2601:SENSOR ARROWS L HR	
1122331	CRD:SNSR :A1 2601:SNSR ARROWS L PR	
1122333	CRD: HID: A1 2601: ARROWS L: PR	
1122335	CRD: SENSOR: A1 2601: SENSOR ARROWS L PR	
1122348	CRD: SENSOR: A1 2601: SENS ARWS LEFT SHR	
1122349	CRD:SNSR :A1 2601:SNSR ARROWS L SPR	
1122351	CRD: SENSOR: A1 2601: SENSOR ARROWS: SHR	
1122431	CRD: HID: A1 2601: ARROWS L I PR	
1122831	CRD:HID :A 2601:ARROWS RIGHT PR	
1129621	CRD:AUTO ENG:A1 2601:AUCKLAND AIRPORT INNHR	
1140300	CRD: CORBY: A 3007: CORBY R	
1149531	CRD:SENSOR :A 2601:ARROWS RIGHT PR	
1178331	CRD: SENSOR: A 2601: 3 ARROWS LFT PR	
1190005	CG3:HID :A1 2601:DOT INNPR	
1190010	CG3:HID :A1 2601:DOT INNHR	

ATTACHMENT "B"- PART 1

1190011	CG1: HID: A1 2601: DOT R	
1190017	CG3:HID :NO CODE:DOT R	
1190019	CG3: HID: A1 2601: DOT: INNPR	
1190022	CS3: HID: A1 2601: DOT INNHR	
1190057	CG3: HID: A1 2601: 3 ARROWS LEFT: INNPR	
1190074	CG3: HID: A1 2601: ARROWS LEFT INNPR	
1190081	CG3: HID: A1 2601: ARROWS LFT INNHZ	
1190103	CG3: HID: A1 2601: DOT R	
1190109	CG3: HID: A1 2601: DOT INNHR	
1190131	CG3: HID: A1 2601: DOT INNPR	
1190142	CG3:HID :D 2601:DOT INNPR	
1190147	CG3: HID: A1 2601: ARROWS LEFT INNHR	
1190181	CG3: HID: A1 2601: DOT INNPR	
1190187	CG3:HID :D 2601:DOT INNPR	
1190208	CG3: HID: A1 2601: DOT INNPR	
1190218	CG3: HID: A 2601: DOT INNHR	
1190219	CG3: HID: A 2601: DOT INNPR	
1190221	CG3: HID: A1 2601: DOT INNHR	
1190236	CG3:NCS :D 2902:DOT INNPR	
1190320	CG3:HID :D 2601:DOT	
1194756	CG3 : HID : A1 2601: METRO MACHINE CORP: INN	
1194786	CG3 : HID : A1 2601 : 3 ARROWS LEFT : INNHR	
1196060	CG3: INTERLOCK: A1 2601: SKYTANKING DEUTSCHLA	
1400030	CRD:SNSR :A1 2601:3 ARROWS L PR	
1450001	PTG: HID: 2601: HID LOGO INNPR	
1450002	PTG:HID : 2601:HID LOGO INNHR	
1490006	CG3: HID: A1 2601: DOT INNPR	
1490015	CG3:HID :NO CODE:DOT R	
1490200	CG3: PINKERTN: A1 2803: DOT INNHR	
1490225	CG3: PINKERTN: A1 2802: DOT INNHR	
1640030	CDT:HID :A1 2601:P00100:SWP A FP=PR	
1680005	CDT: HID: A1 2601: P00100:SLT/HIDFP=PR	
1680025	CDT: HID: A1 2601: P00100: PROX FP=SPR	
1680039	CDT: HID: A1 2601: PROXCARD PLUS LOGO R	
1680045	CDT: HID: A1 2601: P00100: HID/SLOT FP=HR	
1680123	CDT: HID: A1 2601: H10301: 3 ARROWS LEFT: FP	
1680129	CDT: HID: A1 2601: P001-00: 3 ARROWS LEFT: FP	
1680131	CDT: HID: A 2601: H10301: HID/SLOT: FP=HR	
1680138	CDT: SST: A 2601: P00100: ARROWS RIGHT FP=	
1690005	CG1:HID :A1 2601:P00100:PLN FP=PR	
1690008	CG3: HID: A1 2601: P00100:DOT FP=HR	
1690014	CG3: HID: A1 2601: P00100: SLT FP=PR	
1690018	CG2: HID: A1 2601: ARROW LEFT: FP=HR	
1690022	CG3: HID: A1 2601: P00100: HID/ST FP=PR	

ATTACHMENT "B"- PART 1

1690029	CG2: HID: A1 2601: P00100:SWP A FP=PR	
1690070	CG3: HID: A1 2601: P00100: HID/SLT FP=NR	
1690096	HID: A1 2601: P00100: SLT FP=PR	
1690112	CG3: HID: A1 2601: P00100: SLT MAGFP=PR	
1690171	CG3: HID: A1 2601: H10301: SILVER DOT: INNPR	
1690198	CG3 : HID : A1 2601 : SILVER DOT : CP=PR	
1690227	CG3: HID: A1 2601: H10301: GREATER CLEVELAND	
1690235	CG3: HID: A1 2601: SILVER DOT CP=PR	
1690268	CG3: HID: A1: 2601: SILVER DOT (CASI PROGRAMM	
1800011	CBD:SENSOR :N 2601:3 ARROWS LEFT R	
1800027	CBD:SENSOR :N 2601:PLAIN WHITE R	
2500100	KEY:SNSR :13 2601:BLK	
2500101	KEY:SNSR :13 2601:BLK NO PREF PR	
2500102	KEY:SENSOR :13 2601:BLK PR	
2500105	KEY:SNSR :13 2601:BLK HR	
2500300	KEY:SENSOR :13 0800:BLK R	
2801001	CAT SWIPE RDR BLK RED LED 6FT CBL UL	
2801002	CAT SWIPE RDR BLK BI-C 6FT CBL UL	
2801003	CAT SWIPE RDR BLK BI-C W/LOGO	
2801004	CAT SWIPE RDR BLK RED LED W/LOGO UL	
2801006	CAT SWIPE RDR BGE BI-C HID LBL	
2801007	CAT SWIPE RDR BLK TERM BI-C UL	
2801008	CAT SWIPE RDR BLK TERM RED LED UL	
2801009	CAT SWIPE RDR BLK TERM BI-C W/LOGO	
2801012	CAT SWIPE RDR BGE TERM BI-C HID LBL	
2802002	CAT INSERT RDR SLV RH BI-C W/MT PLT UL	
2802005	CAT INSERT RDR RH SI-C W/MT PLT UL	
2802007	CAT INSERT RDR LH BI-C WMT PLT UL	
2802009	CAT INSERT RDR LH SI-C W/MT PLT UL	
2802011	CAT INSERT RDR LH 2 WIRE UL	
2802016	CAT INSERT RDR RH BI-C TERM W/MT PLT UL	
2802018	CAT INSERT RDR RH 3 WIRE TERM UL	
2802019	CAT INSERT RDR LH BI-C TERM W/MT PLT UL	
2802023	CAT INSERT RDR LH SI-C TERM W/MT PLT UL	
2803001	CAT TURN RDR BLK BI-C 6FT CBL UL	
2803002	CAT TURN RDR BLK RED LED 6FT CBL UL	
2803004	CAT TURN RDR CRM RED LED 6FT CBL UL	
2804001	CAT KEY RDR BLK SI-C	
2805003	CAT EPIC RDR BLK 3 LED 6FT CBL 9CD	
3100120	SWIPE RDR ASSY SI-C 6FT CBL BLK UL	
3100130	SWIPE RDR ASSY BI-C 6FT CBL BLK UL	
3100280	SWIPE RDR ASSY SI-C TERM UL	
3100290	SWIPE RDR ASSY BI-C TERM UL SENSOR	
3100330	READER, SUB ASSY, SWIPE, BLACK, BI-COLOR LED,	

ATTACHMENT "B"- PART 1

3100420	SWIPE RDR SI-C TERM BGE -UL APD	
3100430	SWIPE RDR SI-C 6FT CBL BGE HID -UL APD	
3100490	SWIPE RDR BI-C TERM BGE SENSR-UL APD	
3100500	SWIPE RDR BI-C 6FT CBL BGE -UL APD	
3100980	SWIPE RDR SI-C 6FT CBL BLK PLAIN -UL APD	
3100990	SWIPE RDR BI-C 6FT CBL BLK PLAIN -UL APD	
3101000	SWIPE RDR SI-C TERM BLK -UL APD	
3103560	RDR ASSY 8 BIT KEYPAD SWIPE	
3103610	READER, 26 BIT KEYPAD/SWIPE	
3110310	READER ASSY MODULE, WITH 6" CABLE/CONNECTOR,	
3110311	READER ASSY MODULE, WITH 12" CABLE/CONNECTOR,	
3111370	RDR MODULE W/CBL & RDR BFR XETRON-UL APD	
3120300	INSERT RDR ASSY RH W/SEPARATE COVER	
3121070	INSERT RDR RH SI-C TERM W/O MTG -UL APD	
3121080	INSERT RDR RH SI-C TERM W/MTG PLT-UL APD	
3121100	INSR RDR RH BI-C 6FT W/O MT PLT-UL APD	
3121110	INSR RDR RH BI-C CBL W/MTG PLT -UL APD	
3121150	INSERT RDR LH SI-C 6FT W/O MT PLT-UL APD	
3121160	INSR RDR LH SI-C 6FT W/MTG PLT -UL APD	
3121190	INSR RDR LH BI-C TERM W/O MT PL-UL APD	
3121200	INSR RDR ASSY LH BI-C TERM W/PLT UL	
3121220	INSR RDR RH SI-C 6FT W/O MT PLT-UL APD	
3121230	INSR RDR RH SI-C 6FT W/MTG PLT -UL APD	
3121250	INSR RDR LH BI-C 6FT W/O MT PLT-UL APD	
3121260	INSR RDR LH BI-C W/MT PLT UL	
3121270	INSR RDR ASSY RH BI-C TERM STK UL	
3121280	INSR RDR ASSY RH BI-C TERM W/O PLT UL	
3121290	INSR RDR ASSY RH BI-C TERM W/PLT UL	
3121320	INSERT RDR LH SI-C TERM W/MTG PLT-UL APD	
3130180	KEY RDR 6FT CBL STK UNIT -UL APD	
3140190	TRNSTLE RDR ASSY BI-C 6FT CBL BLK UL	
3140200	TRNSTLE RDR ASSY SI-C 6FT CBL BLK UL	
3141640	TRNSTLE RDR ASSY SI-C 6FT CBL CRM UL	
3141650	TRNSTLE RDR ASSY BI-C 6FT CBL CRM UL	
3152540	EPIC RDR, EURO, 3 LED, BLACK, 6' CABLE, 9 CON	
3900011	READHEAD ASY:CDS GRADED KEY/INSERT RDR, ROHS	
3900200	READHEAD ASY:CDS LOW Oe	
SAMSUNG		
SNB-7000	Network HD Box Camera, 1 / 2.8" 3 Megapixel Progressive Scan CMOS, 16:9 HD Resolution, True Day Night, H.264, MJPEG Dual Codec, WDR(2MP), Smart Codec, SD Card Slot, 24 VAC/12 VDC/PoE	

ATTACHMENT "B"- PART 1

SNB-5000	Network HD Box Camera, 1/3" 1.3 Megapixel Progressive Scan CMOS, 16:9 HD Resolution, True Day Night, H.264, MPEG4, MJPEG Triple Codec, Video Analytics, SD Card Slot, 24 VAC/12 VDC/PoE	
SNB-3000	Network VGA Box Camera,1/3" Progressive Scan CCD, H.264 Wide Dynamic Range, True Day Night, XDR, DIS, Video Analytics,SD Card Slot, 24 VAC/12 VDC/PoE	
SNB-2000	Network VGA Box Camera,1/3" Progressive Scan CCD, H.264, XDR, DIS, 24 VAC/12 VDC/PoE	
SNB-1000	Network VGA Box Camera,1/4" Progressive Scan CMOS, H.264 MPEG4, MJPEG Multiple Codec, 12 VDC/PoE	
SNZ-5200	Network HD Zoom Camera, 1/3" 1.3 Megapixel Progressive Scan CMOS, 20X Optical Zoom, 16:9 HD Resolution, H.264, MPEG-4 & MJPEG Triple Codec, True Day Night, Video Analytics, SD Card Slot, 12 VDC/PoE	
SNO-5080R	Network HD IR Bullet Camera, 1/3" 1.3 Megapixel Progressive Scan CMOS, 16:9 HD Resolution, H.264, MPEG-4 & MJPEG Triple Codec, True Day Night, Video Analytics, 24 VAC/12 VDC/PoE, IP66	
SND-7080	Network HD Dome Camera, 1 / 2.8" 3 Megapixel Progressive Scan CMOS, 16:9 HD Resolution, True Day Night, H.264, MJPEG Dual Codec, WDR(2MP), Smart Codec, Remote Focus, SD Card Slot, 24 VAC/12 VDC/PoE	
SND-7080F	Network HD Dome Camera, 1 / 2.8" 3 Megapixel Progressive Scan CMOS, 16:9 HD Resolution, True Day Night, H.264, MJPEG Dual Codec, WDR(2MP), Smart Codec, Remote Focus, Flush Mount, SD Card Slot, 24 VAC/12 VDC/PoE	
SND-5080	Network HD Dome, 1/3" 1.3 Megapixel Progressive Scan CMOS, True Day Night, H.264, MPEG4, MJPEG Triple Codec, 16:9 HD Resolution, Surface Mount, Video Analytics, SD Card Slot, 24 VAC/12 VDC/PoE	
SND-5080F	Network HD Dome, 1/3" 1.3 Megapixel Progressive Scan CMOS, True Day Night, H.264, MPEG4, MJPEG Triple Codec, 16:9 HD Resolution, Flush Mount, SD Card Slot, 24 VAC/12 VDC/PoE	
SND-3080C	Network VGA Dome, 1/3" Progressive Scan CCD, WDR, Electronic Day Night, H.264, MPEG4, MJPEG, Surface Mount, Object Counting, SD Card Slot, 24 VAC/12 VDC/PoE	
SND-3080CF	Network VGA Dome, 1/3" Progressive Scan CCD, WDR, Electronic Day Night, H.264, MPEG4, MJPEG, Flush Mount, Object Counting, SD Card Slot, 24 VAC/12 VDC/PoE	
SND-3080	Network VGA Dome, 1/3" Progressive Scan CCD, H.264, Surface Mount, Video Analytics, SD Card Slot, 24 VAC/12 VDC/PoE	
SND-3080F	Network VGA Dome, 1/3" Progressive Scan CCD, H.264, Flush Mount, Video Analytics, SD Card Slot, 24 VAC/12 VDC/PoE	
SND-1010	Network VGA Dome, 1/4" Progressive Scan CMOS, H.264, 2.9mm Fixed Lens, Surface Mount, 12 VDC/PoE	

ATTACHMENT "B"- PART 1

SNV-7080	Network HD Vandal Resistant Dome, 1/3" 3 Megapixel Progressive Scan CMOS, 16:9 HD Resolution, H.264, MJPEG Dual Codec, True Day Night, Video Analytics, SD Card Slot, Surface/Flush Mount, Built-in Heater/Blower, 24 VAC/12 VDC/PoE, IP66	
SNV-5080	Network HD Vandal Resistant Dome, 1/3" 1.3 Megapixel Progressive Scan CMOS, 16:9 HD Resolution, H.264, MPEG-4 & MJPEG Triple Codec, True Day Night, SD Card Slot, Video Analytics, Surface/Flush Mount, Built-in Heater/Blower, 24 VAC/12 VDC/PoE, IP66	
SNV-5010	Network Vandal Resistant Flat Dome, 1/3" 1.3MP, 1/4" Progressive CMOS, H.264, Surface Mount, Video Analytics,12 VDC/PoE, IP66	
SNV-3120	Network VGA Vandal Resistant Dome, 1/4" Ex-view HAD Progressive Scan CCD, 600TV Lines, H.264, MPEG-4 & MJPEG Triple Codec, Wide Dynamic Range, True Day Night, 12X Optical & 16X Digital Zoom, SD Card Slot, Surface/Flush Mount, Built-in Heater/Blower, 24 VAC/12 VDC/PoE, IP66	
SNV-3080	Network VGA Vandal Resistant Dome, 1/3" Super-HAD Progressive Scan CCD, H.264, MPEG-4 & MJPEG Triple Codec, True Day Night, SD Card Slot, Video Analytics, Surface/Flush Mount, Built-in Heater/Blower, 24 VAC/12 VDC/PoE, IP66	
SNP-5200H	Network PTZ Dome, 1.3 Megapixel, H.264, MPEG-4 & MJPEG Triple Codec, 20X Optical Zoom, 360° Endless Pan, 190° Tilt, True Day Night, SD Card Slot, 24VAC, hPoE (IEEE802.3AT), IP66, Housing Included	
SNP-5200	Network PTZ Dome, 1.3 Megapixel, H.264, MPEG-4 & MJPEG Triple Codec, 20X Optical Zoom, 360° Endless Pan, 190° Tilt, True Day Night, SD Card Slot, 24VAC, hPoE (IEEE802.3AT)	
SNP-3430H	Network PTZ Dome, 1/4" Ex-View HAD Progressive Scan CCD, 600TV Lines, Auto tracking, H.264, MPEG-4 & MJPEG Triple Codec, Wide Dynamic Range, 43X, 360° Endless Pan, 190° Tilt, True Day Night, SD Card Slot, 24VAC, hPoE (IEEE802.3AT), IP66	
SNP-3371TH	Network PTZ Dome, 1/4" Ex-view HAD Double Scan CCD, 37X Optical Zoom, 600TV Lines, Auto tracking, H.264, MPEG-4 & MJPEG Triple Codec, Wide Dynamic Range, 360° Endless Pan, 190° Tilt, True Day Night, SD Card Slot, 24VAC, IP66, Housing Included	
SNP-3371	Network PTZ Dome, 1/4" Ex-view HAD Double Scan CCD, 37X Optical Zoom, 600TV Lines, Wide Dynamic Range, True Day Night, H.264, MPEG-4 & MJPEG Triple Codec, SD Card Slot, 360° Endless Pan, 190° Tilt, SD Card Slot, 24VAC	
SNP-3302H	Network PTZ Dome, 1/4" Ex-view HAD Double Scan CCD, 30X Optical Zoom, 600TV Lines, H.264, MPEG-4 & MJPEG Triple Codec, Wide Dynamic Range, 360° Endless Pan, 190° Tilt, True Day Night, SD Card Slot, 24VAC, IP66, Housing Included	

ATTACHMENT "B"- PART 1

SNP-3302	Network PTZ Dome, 1/4" Ex-view HAD Double Scan CCD, 30X optical Zoom, 600TV Lines, H.264, MPEG-4 & MJPEG Triple Codec, Wide Dynamic Range, 360° Endless Pan, 190° Tilt, True Day Night, SD Card Slot, 24VAC	
SNP-3370TH	Network PTZ Dome, 1/4" Vertical Double Density Interline CCD, 550TV Lines, Auto tracking, H.264, MPEG-4 & MJPEG Triple Codec, Wide Dynamic Range, 37X, 360° Endless Pan, 190° Tilt, True Day Night, SD Card Slot, 24VAC, IP66, Housing Included	
SNP-3301H	Network PTZ Dome, 1/4" Vertical Double Density Interline CCD, 550TV Lines, H.264, MPEG-4 & MJPEG Triple Codec, Wide Dynamic Range, 30X, 360° Endless Pan, 190° Tilt, True Day Night, SD Card Slot, 24VAC, IP66, Housing Included	
SNP-3370	Network PTZ Dome, 1/4" Vertical Double Density Interline CCD, 550TV Lines, Wide Dynamic Range, True Day Night, H.264, MPEG-4 & MJPEG Triple Codec, SD Card Slot, 37X, 360° Endless Pan, 190° Tilt, SD Card Slot, 24VAC	
SNP-3301	Network PTZ Dome, 1/4" Vertical Double Density Interline CCD, 550TV Lines, H.264, MPEG-4 & MJPEG Triple Codec, Wide Dynamic Range, 30X, 360° Endless Pan, 190° Tilt, True Day Night, SD Card Slot, 24VAC	
SNP-3120	Network PTZ Dome, 1/4" CCD, 580TV Lines, 12X H.264, 360° Endless Pan, 190° Tilt, True Day Night, SD Card Slot, 24 VAC, hPoE (IEEE802.3AT)	
SNP-3120V	Network Vandal Resistant PTZ Camera, 1/4" CCD, 12X Netowrk PTZ camera, H.264, 580 TV Lines, 360° Endless Pan, 190° Tilt, True Day Night,SD Card Slot, 24 VAC, hPoE (IEEE802.3AT), IP66	
SNP-3120VH	Network Vandal Resistant PTZ Dome, 1/4" CCD, 12X Netowrk PTZ camera, H.264, 580 TV Lines, 360° Endless Pan, 190° Tilt, True Day Night, 30fps@4CIF, 24 VAC, hPoE (IEEE802.3AT), IP66, Sunshield Included	
SRN-6450	NVR, 64CH, MPEG4, H.264, No HDDs	
SRN-6450-1TB	NVR, 64CH, MPEG4, H.264, 1 TB Storage	
SRN-6450-2TB	NVR, 64CH, MPEG4, H.264, 2 TB Storage	
SRN-6450-3TB	NVR, 64CH, MPEG4, H.264, 3 TB Storage	
SRN-6450-4TB	NVR, 64CH, MPEG4, H.264, 4 TB Storage	
SRN-6450-6TB	NVR, 64CH, MPEG4, H.264, 6 TB Storage	
SRN-6450-8TB	NVR, 64CH, MPEG4, H.264, 8 TB Storage	
SRN-3250	NVR, 32CH, MPEG4, H.264, No HDDs	
SRN-3250-1TB	NVR, 32CH, MPEG4, H.264, 1 TB Storage	
SRN-3250-2TB	NVR, 32CH, MPEG4, H.264, 2 TB Storage	
SRN-3250-3TB	NVR, 32CH, MPEG4, H.264, 3 TB Storage	
SRN-3250-4TB	NVR, 32CH, MPEG4, H.264, 4 TB Storage	
SRN-3250-6TB	NVR, 32CH, MPEG4, H.264, 6 TB Storage	
SRN-3250-8TB	NVR, 32CH, MPEG4, H.264, 8 TB Storage	

ATTACHMENT "B"- PART 1

SRN-1670D-1TB	NVR, 16CH, MPEG4, H.264, HDMI out, 1 TB Storage	
SRN-1670D-2TB	NVR, 16CH, MPEG4, H.264, HDMI out, 2 TB Storage	
SRN-1670D-3TB	NVR, 16CH, MPEG4, H.264, HDMI out, 3 TB Storage	
SRN-1670D-4TB	NVR, 16CH, MPEG4, H.264, HDMI out, 4 TB Storage	
SRN-1670D-6TB	NVR, 16CH, MPEG4, H.264, HDMI out, 6 TB Storage	
SRN-1670D-10TB	NVR, 16CH, MPEG4, H.264, HDMI out, 10 TB Storage	
SRN-470D-1TB	NVR, 4CH, MPEG4, H.264, HDMI out, 1 TB Storage	
SRN-470D-2TB	NVR, 4CH, MPEG4, H.264, HDMI out, 2 TB Storage	
SPE-400B	Encoder, 4CH Blade, H.264, 30fps@D1, SD Memory Card Slot, 4CH BNC Input, RS-485/422 Interface, ONVIF protocol support, (Optional board for SPE-1600R)	
SPE-1600R	Encoder rack, 16Ch encoder rack. (Up to 4 Optional board, SPE-400B)	
SPE-400	Encoder, 4CH H.264, 30fps@D1, SD Memory Card Slot, 4CH BNC Input, RS-485/422 Interface, ONVIF protocol support, 12VDC	
SPE-100	Encoder, 1CH H.264, 30fps@D1, SD Memory Card Slot, 1CH BNC Input/Output, RS-485/422 Interface, ONVIF protocol support, PoE	
SNS-SF064	Software NVR, 64CH NET-I Ware	
SNS-SF032	Software NVR, 32CH NET-I Ware	
SNS-SF016	Software NVR, 16CH NET-I Ware	
SNS-SF008	Software NVR, 8CH NET-I Ware	
SCB-4000	Analog Box Camera, 1/2" Ex-View HAD CCD, 600 TV Lines, True Day Night ,eXtended Dynamic Range (XDR), 24 VAC/12 VDC	
SCB-3021	Analog Box Camera,1/3" Double Scan CCD, 600TV Lines, WDR, IV, 4.7mm lens, 12VDC	
SCB-3020	Analog Box Camera,1/3" Double Scan CCD, 600TV Lines, WDR, IV, 3.7mm lens, 12VDC	
SCB-2020	Analog Box Camera,1/3" Super HAD CCD, 600TV Lines, 12VDC	
SCB-3001	Analog Box Camera, 1/3" Vertical Double Density CCD, 650TV Lines, True Day Night, Wide Dynamic Range, 24 VAC/12 VDC	
SCB-3000	Analog Box Camera, 1/3" Vertical Double Density CCD, 650TV Lines, True Day Night, Wide Dynamic Range, 24 VAC/12 VDC	
SCB-2001	Analog Box Camera, 1/3" Super HAD IT CCD, 600TV Lines, True Day Night Function, eXtended Dynamic Range (XDR), 24 VAC/12 VDC	
SCB-2000	Analog Box Camera, 1/3" Super HAD IT CCD, 600 TV Lines, Electronic Day Night, HLC, DIS, 24 VAC/12 VDC	
SCB-1000	Analog Box Camera, 1/3" Super HAD IT CCD, 540 TV Lines, Electronic Day Night, HLC, DIS, 24 VAC	
SUB-2000	Analog UTP Box Camera, 1/3" Super HAD CCD, 600 TV Lines, Electronic Day Night, Built-in UTP Transmitter and BNC out, 24 VAC/12 VDC/ 28 VAC	
SCC-B1311	Analog Box Camera, 1/3" Super HAD IT CCD, 540TV Lines, 24 VAC/12 VDC	

ATTACHMENT "B"- PART 1

SCZ-3430	Analog Zoom Box Camera, 1/4" Super HAD IT CCD, 600 TV Lines, True Day Night (ICR), 43X Optical Zoom, HLC, Wide Dynamic Range, 24VAC/12VDC	
SCZ-2430	Analog Zoom Box Camera, 1/4" Super HAD IT CCD, 600 TV Lines, True Day Night (ICR), 43X Optical Zoom, HLC, XDR, 24VAC/12VDC	
SCZ-3370	Analog Zoom Box Camera, 1/4" Super HAD IT CCD, 600 TV Lines, True Day Night (ICR), 37X Optical Zoom, SSNR III,HLC, Wide Dynamic Range, 24VAC/12VDC	
SCZ-2370	Analog Zoom Box Camera, 1/4" Super HAD IT CCD, 600 TV Lines, True Day Night (ICR), 37X Optical Zoom, SSNR III,HLC, 24VAC/12VDC	
SCZ-3250	Analog Zoom Box Camera, 1/4" Super HAD IT CCD, 600 TV Lines, True Day Night (ICR), 25X Optical Zoom, HLC, Wide Dynamic Range, 24VAC/12VDC	
SCZ-2250	Analog Zoom Box Camera, 1/4" Super HAD IT CCD, 600 TV Lines, True Day Night (ICR), 25X Optical Zoom, HLC, XDR, 24VAC/12VDC	
SCO-2370	Analog Zoom Bullet Camera, 1/3" Super HAD IT CCD, 600 TV Lines, True Day Night (ICR), 37X Optical Zoom, HLC, SSNR III (2D+3D), DIS, 24 VAC/12 VDC, IP66	
SCO-2080	Analog Bullet Camera, 1/3" Super HAD IT CCD, 600 TV Lines, True Day Night (ICR), HLC, SSNR III (2D+3D), DIS, 2.8~10mm Auto Iris, 24 VAC/12 VDC, IP66	
SCO-2120R	Analog IR Bullet Camera, 1/4" Super HAD CCD, 600TV Lines, True Day Night, 12X Optical Zoom, 24 VAC/12 VDC, IP66	
SCO-2080R	Analog IR Bullet Camera, 1/3" Super HAD IT CCD, 600 TV Lines, True Day Night (ICR), HLC, SSNR III (2D+3D), DIS, 2.8~10mm Auto Iris, 24 VAC/12 VDC, IP66	
SCD-3081	Analog Dome, 1/3" Vertical Double Density CCD, 650TV Lines, True Day Night, Wide Dynamic Range, 2.8~10mm Varifocal Lens, Surface Mount, 24VAC/12 VDC	
SCD-3080	Analog Dome, 1/3" Vertical Double Density CCD, 600TV Lines, True Day Night, Wide Dynamic Range, 2.8~10mm Varifocal Lens, Surface Mount, 24VAC/12 VDC	
SCD-3080B	Analog Dome, 1/3" Vertical Double Density CCD, 600TV Lines, True Day Night, Wide Dynamic Range, 2.8~10mm Varifocal Lens, Surface Mount, 24VAC/12 VDC, Black Exterior	
SCD-2080	Analog Dome, 1/3" Vertical Double Density CCD, 600TV Lines, True Day Night, 2.8~10mm Varifocal Lens, Surface Mount, 24VAC/12 VDC	
SCD-2080B	Analog Dome, 1/3" Vertical Double Density CCD, 600TV Lines, True Day Night, 2.8~10mm Varifocal Lens, Surface Mount, 24VAC/12 VDC, Black Exterior	
SCD-2080E	Analog Dome, 1/3" Vertical Double Density CCD, 600TV Lines, Electronic Day Night, 2.8~10mm Varifocal Lens, Surface Mount, 24VAC/12 VDC	

ATTACHMENT "B"- PART 1

SCD-2080EB	Analog Dome, 1/3" Vertical Double Density CCD, 600TV Lines, Electronic Day Night, 2.8~10mm Varifocal Lens, Surface Mount, 24VAC/12 VDC, Black Exterior	
SCD-2060E	Analog Dome, 1/3" Vertical Double Density CCD, 600TV Lines, Electroic Day Night, 2.5~6mm Varifocal Lens, Surface Mount, 24VAC/12 VDC	
SCD-2060EB	Analog Dome, 1/3" Vertical Double Density CCD, 600TV Lines, Electroic Day Night, 2.5~6mm Varifocal Lens, Surface Mount, 24VAC/12 VDC, Black Exterior	
SCD-2080R	Analog IR Dome, 1/4" Super HAD CCD, 600TV Lines, True Day Night, 2.8 - 10mm Vari-focal Lens, 12 VDC	
SCD-2021	Analog Dome, 1/3" Super HAD CCD, 600TV Lines, Electronic Day Night, 3.7mm & 8mm Lenses Included, Surface Mount, 24 VAC/12 VDC	
SCD-2021B	Analog Dome, 1/3" Super HAD CCD, 600TV Lines, Electronic Day Night, 3.7mm & 8mm Lenses Included, Surface Mount, 24 VAC/12 VDC, Black Exterior	
SCD-2020R	Analog IR Dome, 1/3" Super HAD CCD, 600TV Lines, True Day/Night, 3.6mm Lens, 12VDC	
SCD-2010	Analog Dome, 1/3" Super HAD CCD, 600TV Lines, Electronic Day Night, 3mm Fixed Lens, Surface Mount, 12 VDC	
SCD-2010B	Analog Dome, 1/3" Super HAD CCD, 600TV Lines, Electronic Day Night, 3mm Fixed Lens, Surface Mount, 12 VDC, Black Exterior	
SCD-2010F	Analog Flat Dome, 1/3" Super HAD CCD, 600TV Lines, Electronic Day Night, 3mm Fixed Lens, Surface Mount, 12 VDC	
SUD-3080	Analog UTP Dome, 1/3" Vertical Double Density CCD, 600 TV Lines, True Day Night, Wide Dynamic Range, 2.8~11mm Varifocal Lens, Built-in UTP Transmitter & BNC Out, Surface Mount, 24 VAC/12 VDC/ 28 VAC	
SUD-3080F	Analog UTP Dome, 1/3" Vertical Double Density CCD, 600 TV Lines, True Day Night, Wide Dynamic Range, 2.8~11mm Varifocal Lens, Built-in UTP Transmitter & BNC Out, Flust Mount, 24 VAC/12 VDC/ 28 VAC	
SUD-2080	Analog UTP Dome, 1/3" Super HAD CCD, 600 TV Lines, True Day Night, 2.8~10mm Varifocal Lens, Built-in UTP Transmitter & BNC Out, Surface Mount, 24 VAC/12 VDC/ 28 VAC	
SUD-2080F	Analog UTP Dome, 1/3" Super HAD CCD, 600 TV Lines, True Day Night, 2.8~10mm Varifocal Lens, Built-in UTP Transmitter & BNC Out, Flush Mount, 24 VAC/12 VDC/ 28 VAC	
SCV-3120	Analog Vandal Resistant Dome, 1/4" Super HAD CCD, 600TV Lines, True Day Night, Wide Dynamic Range, 12X Optical Zoom, Surface/Flush Mount, 24 VAC/12 VDC, IP66	
SCV-2120	Analog Vandal Resistant Dome, 1/4" Super HAD IT CCD, 600 TV Lines, True Day Night, 12X Optical Zoom, HLC,DIS, SSNR III (2D+3D), SSDR, Surface Mount, 24 VAC/12 VDC, IP66	

ATTACHMENT "B"- PART 1

SCV-3080	Analog Vandal Resistant Dome, 1/3" Super HAD CCD, 600TV Lines, True Day Night, Wide Dynamic Range, 2.8~11mm Varifocal Lens, Surface/Flush Mount, 24VAC/ 12VDC, IP66	
SCV-2080	Analog Vandal Resistant Dome, 1/3" Super HAD CCD, 600TV Lines, True Day Night, 2.8~10mm Varifocal Lens, Surface/Flush Mount, 24VAC/ 12VDC, IP66	
SCV-2060	Analog Vandal Resistant Dome, 1/3" Super HAD CCD, 600TV Lines, True Day Night, 2.6~6mm Varifocal Lens, Surface/Flush Mount, 24VAC/ 12VDC, IP66	
SCV-2010F	Analog Vandal Resistant Flat Dome, 1/3" Super HAD CCD, 600TV Lines, Electronic Day Night, 3mm Fixed Lens, Surface Mount, 12VDC, IP66	
SCV-2080R	Analog Vandal Resistant IR Dome, 1/3" Super HAD CCD, 600TV Lines, True Day Night, 2.8~10mm Varifocal Lens, 24VAC/ 12VDC, IP66	
SCV-2081R	Analog Vandal Resistant IR Dome, 1/3" Super HAD CCD, 600TV Lines, True Day Night, 2.8~10mm Varifocal Lens, 24VAC/ 12VDC, IP66, Compact	
SCP-3120	Analog PTZ Compact Dome, 1/4" Ex-View Double Scan CCD, 600TV Lines, True Day Night, Wide Dynamic Range, 12X Optical Zoom, 360° Endless Pan, -5~185° Tilt, 24VAC	
SCP-3120V	Analog PTZ Vandal Resistant Compact Dome, 1/4" Ex-View Double Scan CCD, 600TV Lines, True Day Night, Wide Dynamic Range, 12X Optical Zoom, 360° Endless Pan, -5~185° Tilt, 24VAC, IP66	
SCP-3120VH	Analog PTZ Vandal Resistant Compact Dome, 1/4" Ex-View Double Scan CCD, 600TV Lines, True Day Night, Wide Dynamic Range, 12X Optical Zoom, 360° Endless Pan, -5~185° Tilt, 24VAC, IP66, Sunshield Included	
SCP-2120	Analog PTZ Compact Dome, 1/4" Super HAD CCD, 600TV Lines, True Day Night, 12X Optical Zoom, 360° Endless Pan, -5~185° Tilt, 24VAC	
SCP-3430	PTZ Dome, 1/4" Ex-View HAD Progressive Scan CCD, 600TV Lines, True Day Night, Wide Dynamic Range, Extended Dynamic Range, 43X optical zoom 16X digital zoom, 360° Endless Pan, -6~186° Tilt, 24VAC	
SCP-2430	PTZ Dome, 1/4" Ex-View HAD Progressive Scan CCD, 600TV Lines, True Day Night, Extended Dynamic Range, 43X optical zoom 16X digital zoom, 360° Endless Pan, -6~186° Tilt, 24VAC	
SCP-3430H	Analog PTZ Dome, 1/4" Ex-View HAD Progressive Scan CCD, 600TV Lines, True Day Night, Wide Dynamic Range, Extended Dynamic Range, 43X Optical Zoom, 360° Endless Pan, -6~186° Tilt, 24VAC, IP66, Housing Included	
SCP-2430H	Analog PTZ Dome, 1/4" Ex-View HAD Progressive Scan CCD, 600TV Lines, True Day Night, Extended Dynamic Range, 43X Optical Zoom, 360° Endless Pan, -6~186° Tilt, 24VAC, IP66, Housing Included	

ATTACHMENT "B"- PART 1

SCP-3370TH	Analog PTZ Dome, 1/4" Ex-View HAD CCD, 600TV Lines, True Day Night, Wide Dynamic Range, 37X Optical Zoom, Auto Tracking, 360° Endless Pan, -5~185° Tilt, 24VAC, IP66, Ivory	
SCP-3370	Analog PTZ Dome, 1/4" Ex-View HAD CCD, 600TV Lines, True Day Night, Wide Dynamic Range, 37X Optical Zoom, 360° Endless Pan, -5~186° Tilt, 24VAC, Ivory	
SCP-2370TH	Analog PTZ Dome, 1/4" Super HAD CCD, 600TV Lines, True Day Night, 37X Optical Zoom, Autotracking, 360° Endless Pan, -5~185° Tilt, 24VAC, IP66, Ivory	
SCP-2370	Analog PTZ Dome, 1/4" Super HAD CCD, 600TV Lines, True Day Night, 37X Optical Zoom, 360° Endless Pan, -5~186° Tilt, 24VAC, Ivory	
SCP-2270H	Analog PTZ Dome, 1/4" Super HAD CCD, 600TV Lines, True Day Night, 27X Optical Zoom, 360° Endless Pan, -5~186° Tilt, 24VAC, Ivory	
SCP-2270	Analog PTZ Dome, 1/4" Super HAD CCD, 600TV Lines, True Day Night, 27X Optical Zoom, 360° Endless Pan, -5~186° Tilt, 24VAC, Ivory	
SPD-3750T	Analog PTZ Dome, 1/4" Vertical Double Density CCD, 550TV Lines, True Day Night, Wide Dynamic Range, 37X Optical Zoom, Auto Tracking, 360° Endless Pan, -6~186° Tilt, 24VAC	
SPD-3700T	Analog PTZ Dome, 1/4" Super HAD CCD, 550TV Lines, True Day Night, 37X Optical Zoom, Auto Tracking, 360° Endless Pan, -6~186° Tilt, 24VAC	
SPD-2700	Analog PTZ Dome, 1/4" Super HAD CCD, 550TV Lines, True Day Night, 27X Optical Zoom, 360° Endless Pan, -6~186° Tilt, 24VAC	
SPU-3750T	Analog PTZ Dome, 1/4" Vertical Double Density CCD, 550TV Lines, True Day Night, Wide Dynamic Range, 37X Optical Zoom, Auto Tracking, 360° Endless Pan, -5~185° Tilt, 24VAC, IP66, Housing Included	
SPU-3700	Analog PTZ Dome, 1/4" Vertical Double Density CCD, 550TV Lines, True Day Night, 37X Optical Zoom, 360° Endless Pan, -5~185° Tilt, 24VAC, IP66, Housing Included	
SCB-9051	Analog Thermal Imaging Camera, 320X240 Uncooled VOX Microbolometer, 50mm Lens, 24 VAC, IP66	
SCB-9050	Analog Thermal Imaging Camera, 320X240 Uncooled VOX Microbolometer, 14mm Lens, 24 VAC, IP66	
SCU-2370	Analog Positioning System, 1/4" Ex-View HAD CCD, 600TV Lines, True Day Night, 37X Optical Zoom, 360° Endless Pan, -85~40° Tilt, 24VAC, IP66	
SCU-9051	Analog Positioning Thermal Imaging System, 320X240 Uncooled VOX Microbolometer, 50mm Lens, 360° Endless Pan, -85~40° Tilt, 24VAC, IP66	
SCU-VAC	Analog Positioning System Housing, 360° Endless Pan, -85~40° Tilt, 24VAC, IP66	

ATTACHMENT "B"- PART 1

SCU-VAC1	Analog Positioning System Housing, 360° Endless Pan, -85~40° Tilt, 24VAC, IP66	
SLA-12240	Lens, 1/2" DC 20X Motorized Zoom, 12~240mm, Auto Iris, F1.2, CS-Mount	
SLA-880	Lens, 1/2" DC 10X Motorized Zoom, 8~80mm, Auto Iris, F1.2, CS-Mount	
SLA-3580DN	Lens, 1/3" DC, Varifocal 3.5~8mm, Auto Iris, F1.0, CS-Mount	
SLA-2810D	Lens, 1/3" DC, Varifocal 2.8~10mm, Auto Iris, F1.4 CS-Mount	
SLA-550DA	Lens, 1/3" DC, Varifocal 5~50mm, Auto Iris, F1.8, CS-Mount	
SLA-612DN	Lens, 1/2" DC, Varifocal 6~12mm, Auto Iris, F1.6, CS-Mount	
SLA-M2882	Lens, 1/3" DC, Megapixel Lens, Varifocal 2.8~8.2mm, Auto Iris, F1.4, CS-Mount	
SLA-M3180	Lens, 1/3" DC, 3 Megapixel Lens, Varifocal 3.1~8.0mm, Auto Iris, F1.2, CS-Mount	
SRD-1670DC-500	DVR, 16CH, 500GB, H.264, 480fps@4CIF, 480fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1670DC-1TB	DVR, 16CH, 1TB, H.264, 480fps@4CIF, 480fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1670DC-2TB	DVR, 16CH, 2TB, H.264, 480fps@4CIF, 480fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1670DC-3TB	DVR, 16CH, 3TB, H.264, 480fps@4CIF, 480fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1670DC-4TB	DVR, 16CH, 4TB, H.264, 480fps@4CIF, 480fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1670DC-6TB	DVR, 16CH, 6TB, H.264, 480fps@4CIF, 480fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1670DC-8TB	DVR, 16CH, 8TB, H.264, 480fps@4CIF, 480fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1670DC-10TB	DVR, 16CH, 10TB, H.264, 480fps@4CIF, 480fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1650DC-500	DVR, 16CH, 500GB, H.264, 120fps@4CIF, 240fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1650DC-1TB	DVR, 16CH, 1TB, H.264, 120fps@4CIF, 240fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1650DC-2TB	DVR, 16CH, 2TB, H.264, 120fps@4CIF, 240fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1650DC-3TB	DVR, 16CH, 3TB, H.264, 120fps@4CIF, 240fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1650DC-4TB	DVR, 16CH, 4TB, H.264, 120fps@4CIF, 240fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1650DC-6TB	DVR, 16CH, 6TB, H.264, 120fps@4CIF, 240fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1650DC-8TB	DVR, 16CH, 8TB, H.264, 120fps@4CIF, 240fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	

ATTACHMENT "B"- PART 1

SRD-1650DC-10TB	DVR, 16CH, 10TB, H.264, 120fps@4CIF, 240fps@2CIF, 480fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-1630D-500	DVR, 16CH, 500GB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Smart Viewer 3.0	
SRD-1630D-1TB	DVR, 16CH, 1TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Smart Viewer 3.0	
SRD-1630D-2TB	DVR, 16CH, 2TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Smart Viewer 3.0	
SRD-1630D-3TB	DVR, 16CH, 3TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Smart Viewer 3.0	
SRD-1630D-4TB	DVR, 16CH, 4TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Smart Viewer 3.0	
SRD-1630D-6TB	DVR, 16CH, 6TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Smart Viewer 3.0	
SRD-1630D-8TB	DVR, 16CH, 8TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Smart Viewer 3.0	
SRD-1630D-10TB	DVR, 16CH, 10TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Smart Viewer 3.0	
SRD-1610D-500	DVR, 16CH, 500GB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-1610D-1TB	DVR, 16CH, 1TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-1610D-2TB	DVR, 16CH, 2TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-1610D-3TB	DVR, 16CH, 3TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-1610D-4TB	DVR, 16CH, 4TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-1610D-6TB	DVR, 16CH, 6TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-1610D-8TB	DVR, 16CH, 8TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-1610D-10TB	DVR, 16CH, 10TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-870DC-500	DVR, 8CH, 500GB, H.264, 240fps@4CIF, 240fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-870DC-1TB	DVR, 8CH, 1TB, H.264, 240fps@4CIF, 240fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-870DC-2TB	DVR, 8CH, 2TB, H.264, 240fps@4CIF, 240fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-870DC-3TB	DVR, 8CH, 3TB, H.264, 240fps@4CIF, 240fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	

ATTACHMENT "B"- PART 1

SRD-870DC-4TB	DVR, 8CH, 4TB, H.264, 240fps@4CIF, 240fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-870DC-6TB	DVR, 8CH, 4TB, H.264, 240fps@4CIF, 240fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-870DC-8TB	DVR, 8CH, 6TB, H.264, 240fps@4CIF, 240fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-870DC-10TB	DVR, 8CH, 8TB, H.264, 240fps@4CIF, 240fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-850DC-500	DVR, 8CH, 500GB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-850DC-1TB	DVR, 8CH, 1TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-850DC-2TB	DVR, 8CH, 2TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-850DC-3TB	DVR, 8CH, 3TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-850DC-4TB	DVR, 8CH, 4TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-850DC-6TB	DVR, 8CH, 6TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-850DC-8TB	DVR, 8CH, 8TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-850DC-10TB	DVR, 8CH, 10TB, H.264, 60fps@4CIF, 120fps@2CIF, 240fps@CIF, DVD, Coaxitron, Smart Viewer 3.0	
SRD-830D-500	DVR, 8CH, 500GB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-830D-1TB	DVR, 8CH, 1TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-830D-2TB	DVR, 8CH, 2TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-830D-3TB	DVR, 8CH, 3TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-830D-4TB	DVR, 8CH, 4TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-830D-6TB	DVR, 8CH, 6TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-830D-8TB	DVR, 8CH, 8TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, DVD, Smart Viewer 3.0	
SRD-830D-10TB	DVR, 8CH, 10TB, H.264, 30fps@4CIF, 60fps@2CIF, 120fps@CIF, Smart Viewer 3.0	
SRD-470D-500	DVR, 4CH, 500GB, H.264, 120fps@4CIF, 120fps@ 2CIF, 120fps@ CIF, DVD, Smart Viewer 3.0	

ATTACHMENT "B"- PART 1

SRD-470D-1TB	DVR, 4CH, 1TB, H.264, 120fps@4CIF, 120fps@ 2CIF, 120fps@ CIF, DVD, Smart Viewer 3.0	
SRD-470D-2TB	DVR, 4CH, 2TB, H.264, 120fps@4CIF, 120fps@ 2CIF, 120fps@ CIF, DVD, Smart Viewer 3.0	
SRD-450-500	4CH, 500GB, H.264, 30fps@ D1, 120fps@ CIF, 4ch audio input,	
SRD-450-1TB	4CH, 1TB, H.264, 30fps@ D1, 120fps@ CIF, 4ch audio input,	
SRD-450-2TB	4CH, 2TB, H.264, 30fps@ D1, 120fps@ CIF, 4ch audio input,	
SVR-470-500	DVR, 4CH, 500GB, H.264, 120fps@4CIF, 120fps@ 2CIF, 120fps@ CIF, Integrated with 3.5" LCD Display	
SVR-470-1TB	DVR, 4CH, 1TB, H.264, 120fps@4CIF, 120fps@ 2CIF, 120fps@ CIF, DVD, Integrated with 3.5" LCD Display	
SVR-470-2TB	DVR, 4CH, 2TB, H.264, 120fps@4CIF, 120fps@ 2CIF, 120fps@ CIF, DVD, Integrated with 3.5" LCD Display	
SVR-3200-500	32CH, 500GB, MPEG4, 480fps@ D1, 960fps@2CIF, 960fps@CIF	
SVR-3200-1TB	32CH, 1TB, MPEG4, 480fps@ D1, 960fps@2CIF, 960fps@CIF	
SVR-3200-2TB	32CH, 2TB, MPEG4, 480fps@ D1, 960fps@2CIF, 960fps@CIF	
SVR-3200-3TB	32CH, 3TB, MPEG4, 480fps@ D1, 960fps@2CIF, 960fps@CIF	
SVR-3200-4TB	32CH, 4TB, MPEG4, 480fps@ D1, 960fps@2CIF, 960fps@CIF	
SVR-3200-6TB	32CH, 6TB, MPEG4, 480fps@ D1, 960fps@2CIF, 961fps@CIF	
SVR-3200-8TB	32CH, 8TB, MPEG4, 480fps@ D1, 960fps@2CIF, 962fps@CIF	
SVS-5R	DVR Storage, SATA External RAID Storage Expansion Bay, up to 4 Hard Drives, Hard Drive not included	
SATAHDD2000SG	Seagate 2TB HDD	
SATAHDD1000SG	Seagate 1TB HDD	
SATAHDD500SG	Seagate 500GB HDD	
SRX-AU121I	Optional D-Sub adapter with 12 RCA audio connector for SRD-16XX series	
SRX-AU041I	Optional D-Sub adapter with 4 RCA audio connector for SRD-8XX series	
SMT-4023	LCD Monitor, 40" HD Resolution, 120Hz Refresh Rate, 600TV Lines, 2HDMI, BNC, VGA, Widescreen, 1920X1080P(HDMI), 8ms Response Time, Built-in Speaker (2W), Monitor Stand (SBM-400ST) not included.	
SMT-3223	LCD Monitor, 32" HD Resolution, 120Hz Refresh Rate, 600TV Lines, 2HDMI, BNC, VGA, Widescreen, 1920X1080P(HDMI), 8ms Response Time, Built-in Speaker (2W), Monitor Stand (SBM-400ST) not included.	
SMT-2231	LCD Monitor, 22" HD Resolution, 120Hz Refresh Rate, 600TV Lines, HDMI, BNC, VGA, Widescreen, 1920X1080P(HDMI), 5ms Response Time, Built-in Speaker (2W)	
SMT-1923	LCD Monitor, 19", 600 Lines Ultra High Resolution, 120Hz Refresh Rate, 2 BNC in/out, VGA Audio Input, Tempered Glass, 1280X1024, 1000:1 Contrast Ratio, 5ms Response time, Built-in Speakers (2W), DNIe, External Power Supply	

ATTACHMENT "B"- PART 1

SMT-1922	LCD Monitor, 19", 600 Lines Ultra High Resolution, 120Hz Refresh Rate, 2 BNC in/out, VGA Audio Input, Tempered Glass, 1280X1024, 1000:1 Contrast Ratio, 5ms Response time, Built-in Speakers (2W), DNIe	
SMT-1723	LCD Monitor, 17", 600 Lines Ultra High Resolution, 120Hz Refresh Rate, 2 BNC in/out, VGA Audio Input, Tempered Glass, 1280X1024, 1000:1 Contrast Ratio, 5ms Response time, Built-in Speakers (2W), DNIe, External Power Supply	
SMT-1722	LCD Monitor, 17", 600 Lines Ultra High Resolution, 120Hz Refresh Rate, 2 BNC in/out, VGA Audio Input, Tempered Glass, 1280X1024, 1000:1 Contrast Ratio, 5ms Response time, Built-in Speakers (2W), DNIe	
SBM-400ST	Monitor Stand for 32-40" Samsung LCD Monitors	
VIDEO IQ		
VIQ-HD-CRD200-3-8	iCST™ Indoor/Outdoor full HD 1080p dome with no hard drive, 3-8mm lens	
VIQ-HD-CRD225-3-8	iCVR™ Indoor/Outdoor full HD 1080p dome with 250GB onboard storage, 3-8mm lens	
VIQ-HD-CRD250-3-8	iCVR™ Indoor/Outdoor full HD 1080p dome with 500GB onboard storage, 3-8mm lens	
VIQ-CID100-3-10	iCST™ Indoor D1 Dome camera with no hard drive, 3-10mm lens	
VIQ-CID116-3-10	iCVR™ Indoor D1 Dome camera with 160GB onboard storage, 3-10mm lens	
VIQ-CID150-3-10	iCVR™ Indoor D1 Dome camera with 500GB onboard storage, 3-10mm lens**	
VIQ-CRD200-3-10	iCST™ Outdoor Day/Night D1 Dome camera with no hard drive, 3-10mm lens	
VIQ-CRD216-3-10	iCVR™ Outdoor Day/Night D1 Dome camera with 160GB onboard storage, 3-10mm lens	
VIQ-CRD216-18-50	iCVR™ Outdoor Day/Night D1 Dome camera with 160GB onboard storage, 18-50mm lens	
VIQ-CRD250-3-10	iCVR™ Outdoor Day/Night D1 Dome camera with 500GB onboard storage, 3-10mm lens**	
VIQ-CRD250-18-50	iCVR™ Outdoor Day/Night D1 Dome camera with 500GB onboard storage, 18-50mm lens**	
VIQ-CT200	iCST™ Day/Night D1 Traditional Box camera with no hard drive	
VIQ-CT216	iCVR™ Day/Night D1 Traditional Box camera with 160GB onboard storage	
VIQ-CT250	iCVR™ Day/Night D1 Traditional Box camera with 500GB onboard storage**	
VIQ-E1000	iCST™ Single channel Encoder with no hard drive	
VIQ-E1016	iCVR™ Single channel Encoder with 160GB onboard storage	
VIQ-E1050	iCVR™ Single channel Encoder with 500GB onboard storage**	
VIQ-ERMK	Encoder 19" Rack Mount Kit mounts up to 4 iCVR Encoders on a 2U mounting plate	

ATTACHMENT "B"- PART 1

	VIQ-DSMK1	iCVR™ Dome Surface Mount Kit	
	VIQ-DFMK1	iCVR™ Dome Flush Mount Kit	
	VIQ-DPWMK1	iCVR™ Dome Pendant Wall Mount Kit	
	VIQ-DPCMK1	iCVR™ Dome Pendant Ceiling Mount Kit	
	VIQ-DPPM1	iCVR™ Dome Pendant Pole Mount Bracket (requires VIQ-DPWMK1 Pendant Wall Mount Kit)	
	VIQ-DPCM1	iCVR™ Dome Pendant Corner Mount Bracket (requires VIQ-DPWMK1 Pendant Wall Mount Kit)	
	VIQ-DPEP1	iCVR™ Dome Pendant Extension Pipe - 7" (17.8cm) long	
	VIQ-LM3-8	Indoor Varifocal Lens, manual iris, 3-8mm, F1.0	
	VIQ-LM3-12	Indoor Varifocal Lens, manual iris, 3-12mm, F1.4	
	VIQ-LM5-50	Indoor Varifocal Lens, manual iris, 5-50mm, F1.3	
	VIQ-LA3-8	Outdoor Varifocal Lens, DC auto iris with IR Compensation, 3-8mm, F1.0	
	VIQ-LA3-12	Outdoor Varifocal Lens, DC auto iris with IR Compensation, 3-12mm, F1.3	
	VIQ-LA5-50	Outdoor Varifocal Lens, DC auto iris with IR Compensation, 7.5-50mm, F1.3	
	VIQ-HO-SHF24	Outdoor Housing with Heater and Blower - 24VAC - rated -20°C to +60°C	
	VIQ-HO-SHF24LT	Low Temp Outdoor Housing with Triple Heater - 24VAC - rated to -40°C to +60°C**	
	VIQ-WMB1	Wall Mount Bracket (for use with SHF24 Outdoor Housing)	
	VIQ-HO-CMB	Ceiling Mount Bracket (for use with SHF24 Outdoor Housing)	
	VIQ-PM1	Pole Mount Adapter (requires VIQ-WMB1 Wall Mount Bracket)	
	VIQ-PM2	Dual Mount Pole Adapter (requires two VIQ-WMB1 Wall Mount Brackets)	
LOCKING			
PART NUMBER	MANUFACTURER	DESCRIPTION	
404	SDC	PUSH BUTTON MO SPDT RED	
3002	DYNALOCK	ELECTROMAG LCK,DOUBLE,PAIR,OUT	
5200	HES	ELECSTK BODY 12/24DC NFS	
5900	HES	ELEC STRIKE BODY 12/24DC	
971368	VONDUPRIN	LX ACTUATOR	
050070	VONDUPRIN	33/35/98/99 EL CONV KIT 3 FOOT	
050078	VONDUPRIN	EL CONVERSION KIT 4 FOOT	
050240	VONDUPRIN	6000 SER SOLENOID KIT	
050251	VONDUPRIN	RX S1 SWITCH KIT	
050259	VONDUPRIN	EL LX RX SWITCH KIT	
050534	VONDUPRIN	EL POTTED CIRCUIT BREAKER	
050535	VONDUPRIN	EL SOLENOID AND PLUNGER	
050672	VONDUPRIN	CONV KIT 996L-E996L R&V/C&V	
050939	VONDUPRIN	6211 STRIKE SPRING KIT 1	
050940	VONDUPRIN	6210 STRIKE SPRING KIT 2	

ATTACHMENT "B"- PART 1

076-0107-004	FOLGERADAM	700 SERIES NFS SOLENOID 24VDC	
09-454 03B 626	SCHLAGE	L SER 03 LEVER/B ROSE TRIM 626	
09-663 626	SCHLAGE	L SERIES ARMOR FRONT 626	
1004-14US32D2	MAG	WRAP CVR SIM/PR 2 1/8-4 1/4 32	
1006 613	HES	ELECSTK BODY 12/24DC NFS 613	
1006 630	HES	ELECSTK BODY 12/24DC NFS 630	
1006 BLK	HES	ELECSTK BODY 12/24DC NFS BLK	
1006 LBM 630	HES	ELE STK BODY LBM 12/24 NFS 630	
1006F 613	HES	ELECSTK BODY 12/24DC FS 613	
1006F 630	HES	ELECSTK BODY 12/24DC FS 630	
1006F BLK	HES	ELECSTK BODY 12/24DC FS BLK	
1006F-LBM 630	HES	ELECSTK BODY 12/24 FS M 630	
101-2+	LOCKNETICS	DELAYED EGRESS LOCKING SYS 628	
1076-N	SENTROL	REC STL DR CONT W/WIRE SPDT	
110NLMD US26D	VONDUPRIN	NIGHT LATCH CYL TRIM US26D	
112699	VONDUPRIN	PS873 SERIES PCB ASSEMBLY	
1408	FALCON	DISPOSABLE CONSTRUCTION CORE	
14-2-S-CW	DONJO	WRAP S 1-3/4 2-1/8 SIM/DL2700	
150	HES	LATCH GUARD 630	
1511SNAK	SDC	SINGLE DELAY EGRESSS 15SEC 628	
1512V	SDC	DOUBLE MAGNET LOCK 12/24VDC	
152	HES	UNIVERSAL MOUNTING TABS	
154	HES	METAL TEMPLATE KIT	
1562 ITCM	SDC	MICRO SHEAR LOCK	
1565ITC	SDC	EMLOCK HI/SHEAR AUTORELOCK SW	
1571 DPS	SDC	MAGLOCK SGL OUTSWING W/ DPS	
1571V	SDC	MAGLOCK SGL OUTSWING 1200LBS	
1572V	SDC	DOUBLE MAG LOCK 1200 LB ALUM	
1581	SDC	MAGLOCK SINGLE 650 LB 628	
1581V DPS	SDC	MAG LOCKSINGLE 650LB DPS 628	
160 12/24V	SDC	ELECTRIC BOLT FAIL SAFE 626	
1609	VONDUPRIN	RIM STRIKE PANIC OPTIONAL	
16RCR27 26D	ARROW	7-PIN IC RIM HOUSING US26D	
180 B V 12/24DC	SDC	SURFACE MOUNT LOCK BV FS	
180AIB V 12/24DC	SDC	SURFACE MOUNT LOCK BV	
180AIBV-6	SDC	SURFACE MOUNT BOLT LOCK 12/24V	
20-001C 114 626	SCHLAGE	CONVENTIONAL MORTISE CYL 626	
2005	HES	SMART PACK II PWR CONTROL	
2011 DSM	DYNALOCK	MAG LOCK DSM 12/24VAC/DC US28	
203-61-03 24VDC NFS SOLENO	ACSI	SOLENOID FOR YALE EXIT TRIM	
212IL	IEI	KEYPAD INDOOR ILLUMINATED	
22EO 3FT US28	VONDUPRIN	RIM EXIT ONLY 3 US28	
23-0356	ADAMSRITE	SHUTTLE	
230NL US28	VONDUPRIN	NIGHT LAT FOR 22 SER TRIM US28	

ATTACHMENT "B"- PART 1

2505A-L	SENTROL	SURFACE MOUNT INDS W GAP CL	
2522TJ2	DYNALOCK	MAG LOCK DBL TOP JAMB DSM US28	
280 TRD	LOCKNETICS	SHEAR LOCK TRD	
28-10G71-24V LL RH 26D	SARGENT	10-LINE CYL LEV LCK ELEC NFS	
3001-21-32D	ADAMSRITE	FIXED PULL PLATE	
3081E-3U-55-US26D	ADAMSRITE	MOD W/CYLH UNI 24 ELCT FSAF26D	
3082-3U-00-US10B	ADAMSRITE	TUB W/CYL HOLE UNI NON ELC 10B	
3082-3U-00-US26D	ADAMSRITE	TUB W/CYL HOLE UNI NON ELC 26D	
3082E-3U-35-US26D	ADAMSRITE	TUB W/CYLH UNI 12 ELCT FSAF26D	
310-1F 1/2 24D	FOLGERADAM	SB STRIKE BDY FS 24V 1/2	
310-1F 3/4 24VDC	FOLGERADAM	SB STRIKE BDY FS 24V 3/4	
310-1N 1/2 24D	FOLGERADAM	ELEC STK SB BODY NFS 24VDC	
310-2 3/4 24D 630 FS	FOLGERADAM	EL STRIKE FS 24VDC 3/4" 32D	
320+	LOCKNETICS	MAGLOCK STANDARD	
320+ 666SF	LOCKNETICS	MAGLOCK SPECIAL FINISH 666	
320+ DSM MBS 628	LOCKNETICS	MAGLOCK DSM MBS	
3203A 628	LOCKNETICS	ANGLE BRACKET 1 1/2 X 1 1/2	
3204F 628	LOCKNETICS	FILLER PLATE 1 1/4 X 1/2	
320M 628	LOCKNETICS	MINI LINE MAGNET LOCK	
322+ 628	LOCKNETICS	DOUBLE MINI MAGLOCK 628	
322+ DSM2 MBS2	LOCKNETICS	MAGLOCK,MINI,DOUBLE,DMS,MBS	
322+TJ DSM MBS	LOCKNETICS	LSE,MINI,DBL,TOP JMB,DSM2,MBS2	
3223A	LOCKNETICS	ANGLE BRACKET 1 1/2 X 1 1/2	
3224A	LOCKNETICS	ANGLE BRACKET 1 1/2 X 2	
3224F	LOCKNETICS	FILLER PLATE 1 1/4 X 1/2	
3234-12DC-26D	TRINE	ELSTK METAL FRAME 12VDC 26D	
33AEO-3-US26D	VONDUPRIN	RIM EXIT DEVICE 3 FOOT US26D	
3458LC-32D-R	TRINE	ELSTK RETROFIT RH 32D	
350+ 628	LOCKNETICS	MAGLOCK 12/24 V 1200LB 628	
350+DSM MBS 628	LOCKNETICS	MAGLOCK DSM MBS 1200LB 628	
3510MS	RCI	RUT ELEC CAB LOCK W/MON	
352+ 628	LOCKNETICS	DBL MAGLOCK 1200LB/SIDE 628	
352+ DSM2 MBS2	LOCKNETICS	MAGLOCK DOUBLE DSM2 MBS2 628	
390+ 628	LOCKNETICS	MAGLOCK 1650LB 12/24V 628	
390+DSM MBS 335	LOCKNETICS	MAGLOCK,SINGLE,DSM,MBS,BLACK	
390+DSM MBS 628	LOCKNETICS	MAGLOCK DSM MBS	
3901A 628	LOCKNETICS	ANGLE BRACKET 1 X1 628	
3903A 335	LOCKNETICS	ANGLE BRACKET 1 1/2 X1 1/2 335	
3903F 628	LOCKNETICS	FILLER PLATE 1 1/4 X 3/8 628	
3904F 628	LOCKNETICS	FILLER PLATE 1 1/4 X 1/2 628	
390DEL 628	LOCKNETICS	DELAYED EGRESS MAGLOCK	
390G+ 628	LOCKNETICS	GATE MAGLOCK W/BKTS 628	
390G+ DSM 628	LOCKNETICS	GATE MAGLOCK DSM W/BKTS 628	
390PIRLPBDSMMBS	LOCKNETICS	INFRARED,628,DSM,MBS,LSS PBTTN	

ATTACHMENT "B"- PART 1

392+ 628	LOCKNETICS	DBL MAGLOCK 12/24 1650LB 628	
3921A 628	LOCKNETICS	ANGLE PLATE 1 X 1	
400-L2-GG-24	SDC	SDC SWITCH	
400-RMB 12V	SDC	1-GANG MON STA BUZZER 12V	
4041-CUSH AL	LCN	CLOSER CUSHNSTOP ALUMINUM	
4041-REG W/PA AL	LCN	CLOSER REGULAR ARM W/PA AL	
404N	SDC	3/4 PUSH BUTTN RED MO DPDT NRW	
41-0901-03	ADAMSRITE	END CAP PLASTIC FOR 8700/8800	
41-0975-02	ADAMSRITE	RIVNUT/TOOLS KIT	
4200-35-101-628-24	ADAMSRITE	ELATCH ELECTRIFIED DEADLATCH	
4200-36-101-628-24	ADAMSRITE	ELATCH ELECTRIFIED DEADLATCH	
420-12010	SECURITRON	BPS SERIES FUSE HOLDER	
422U	SDC	2 SQ ILLUMINATED EXIT GRN BUT	
4500 630	HES	ELECSTK 12/24 FR NFS 630	
4500F 630	HES	ELECSTK 12/24 ANSI FS 630	
4591-02-00-628	ADAMSRITE	PADDLE PUSH TO LEFT 1-3/4 628	
460U	SDC	PUSH PLATE WP NO MOVING PARTS	
4642-REG 120V AL	LCN	AUTO-EQUALIZER PUSH 120V AL	
4900-35-101-313	ADAMSRITE	HEV DUTY DL 1 1/8 STK 4.63 313	
4-S-2-CW	DONJO	WRAP1-3/4DOOR2-1/8HOLE LEV S	
5000	HES	ELECSTK BODY 12/24DC NFS	
5000-LBM	HES	ELECSTK BODY 12/24DC LBM NFS	
501 630	HES	5000 SERIES FP ANSI 630	
501 BLK	HES	5000 SERIES FP ANSI BLK	
501A 630	HES	5000 SERIES FP RND CNR 630	
501A BLK	HES	5000 SERIES FP RND CNR BLK	
502 630	HES	5000 SERIES FP 7 15/16""RD CNR	
503 630	HES	5000 SERIES FP 6 7/8"" RND CNR	
504-S-CW	DONJO	WRAP 1-3/4 DOOR MORT EDGE S	
505 EIR-5	LOCKNETICS	POWER SUPPLY W/ EIR 1 AMP	
510 EIR	LOCKNETICS	PWR SUPPLY 12V/3A-24V/2A EIR	
5100 BLK 12/24V	VONDUPRIN	ELECTRIC STRIKE 12/24V SPBLK	
5104-1/2	HES	1/2" STACKABLE LIP EXTENSION	
511LSER1000ET	KABA_MAS	HISC PED EX DV EL LCKG TRM LHR	
515 24V EIR	LOCKNETICS	PWR SUPPLY 24VDC 5AMP EIR	
5200-LBSM	HES	ELECSTK BODY 12/24 LBSM NFS	
591 630	HES	5900 SERIES FP US32D	
6111 12V US32D	VONDUPRIN	ELECTRIC STRIKE 12VDC US32D	
6111 24V US32D	VONDUPRIN	ELECTRIC STRIKE 24VDC US32D	
6112 24V US32D	VONDUPRIN	ELECTRIC STRIKE 24VDC US32D	
6113 24V US10B	VONDUPRIN	ELECTRIC STRIKE 24VDC US10B	
6113 24V US32D	VONDUPRIN	ELECTRIC STRIKE 24VDC US32D	
6113-FS 24V US32D	VONDUPRIN	ELECTRIC STRIKE 24VDC US32D	
6121 24V US32D	VONDUPRIN	ELECTRIC STRIKE 24VDC US32D	

ATTACHMENT "B"- PART 1

6202	DYNALOCK	PUSHBUTTON 2"" RED METL TD SPD	
6210 12V US32D	VONDUPRIN	ELECTRIC STRIKE 12VDC US32D	
6210 24V US32D	VONDUPRIN	ELECTRIC STRIKE 24VDC US32D	
6210-FS-24V-US32D	VONDUPRIN	ELECTRIC STRIKE FS 24V US32D	
6211 12V US32D	VONDUPRIN	ELECTRIC STRIKE 12VDC US32D	
6211 24V US32D	VONDUPRIN	ELECTRIC STRIKE 24VDC US32D	
6211AL 24V US10B	VONDUPRIN	ELECTRIC STRIKE AL 24VDC US10B	
6211-FS-24V-US10B	VONDUPRIN	ELECTRIC STRIKE FS 24V US10B	
6211-FS-24V-US32D	VONDUPRIN	ELECTRIC STRIKE FS 24V US32D	
6211-FSDS--24V-US32D	VONDUPRIN	ELECTRIC STRIKE FSDS 24V US32D	
6211WF 24V US32D	VONDUPRIN	ELECTRIC STRIKE WF 24VDC US32D	
6212 24V US32D	VONDUPRIN	ELECTRIC STRIKE 24VDC US32D	
6215 24V US32D	VONDUPRIN	ELECTRIC STRIKE 24VDC US32D	
621AL	LOCKNETICS	PUSHBUTTON 1 1/4 ALUM BUTTON	
621GR EX DA	LOCKNETICS	PUSHBUTTON 1 1/4 GR EX DA	
621RD EX	LOCKNETICS	PUSHBUTTON 1 1/4 RD EX	
6221 12V US32D	VONDUPRIN	ELECTRIC STRIKE 12VDC US32D	
6221 24V US32D	VONDUPRIN	ELECTRIC STRIKE 24VDC US32D	
623GR EX DA	LOCKNETICS	PUSHBUTTON 1 5/8 GR EX DA	
625RD EX DA	LOCKNETICS	PUSHBUTTON 2 3/4 RD EX DA	
6270KA 401K022	MASTER	PADLCK 3/8 HIDN SH KA 401K002	
6290	DYNALOCK	PUSHBUTTON 1 5/8"" TD	
6291	DYNALOCK	PUSHBUTTON 1 5/8"" TD	
634RF	SDC	POWER SUPPLY 4 AMP	
65-0003	MEDECO	65 SERIES SLEEVE KIT	
653-04	LOCKNETICS	KEYSWITCH SPDT MAINTAIN SGL	
653-05	LOCKNETICS	KEYSWITCH SPDT M SGL	
653-14	LOCKNETICS	KEYSWITCH DPDT MAIN SGL	
653-14 L2	LOCKNETICS	KEYSWITCH DPDT MAIN SGL L2	
653-1414	LOCKNETICS	KEYSWITCH DPDT MAIN BI D	
65W2150 T-012-26-G8P	MEDECO	MAINTAINED KEYSWITCH	
672 36 628 RD RHR DP	LOCKNETICS	TOUCHBAR 36IN LHR RED DP 628	
70	LOCKNETICS	LSE,MAGLOCK,SNGL,RETROFIT	
7000-108-628	HES	7000 SERIES SPACER PLATE 628	
7000-12	HES	ELECSTK BODY ONLY NFS 12VDC	
7000-24	HES	ELECSTK BODY ONLY NFS 24VDC	
701 630	HES	7000 SERIES ANSI FP 4 7/8 630	
70-12-24 U NFS	SDC	SDC HEAVY DUTY STRIKE FOR	
7015SC8-26D-KA#	ILCO	5PIN RIM CYLINDER 6PIN DRILLED	
705-6	SDC	6 AMP SWITCH AA DPDT	
7100 310628	ADAMSRITE	EL STRIKE 12V FSE 628	
7100 510628	ADAMSRITE	EL STRIKE 24V FSE DC 628	
710-75 NFS 24D	FOLGERADAM	24VDC NFS SB STRIKE BDY	
7130 510628	ADAMSRITE	EL STRIKE 24V FSE DC ALUM 628	

ATTACHMENT "B"- PART 1

7140 310628	ADAMSRITE	EL STRIKE 12V FSE DC HM 628	
71-630	DONJO	PUSH PLATE 630	
7165SC2-26D-KA2	ILCO	5 PIN 1 INCH MORTISE CYLINDER	
7185SC1-26D-KA#	ILCO	1 1/8IN 5 PIN MORTISE CYLINDER	
7185SC1-26D-KA2	ILCO	1 1/8IN 5 PIN MORTISE CYLINDER	
72	LOCKNETICS	DOUBLE MAGLOCK	
72-630	DONJO	PUSH PLATE 6 X 16 32D	
740	LOCKNETICS	EMERG BRK GLASS RELEASE ASSY	
741 24	LOCKNETICS	EMERG BRK GLASS ASSY W/IND LT	
7501-24 630	HES	ELECSTK 24V NFS GRADE 1 630	
7501-24 LBM 630	HES	STRIKE FIRERATED 24VDC LBM	
7505-24 630	HES	ELECSTK 24V NFS GRADE 1 630	
788 18	LOCKNETICS	FLEXIBLE ARMORED DR CORD 18IN	
8099M 30136	ADAMSRITE	ACTIVE DUMMY BAR W/ SWITCH 628	
8099MM 3136	ADAMSRITE	ACTIVE DUMMY BAR W/2SWITCH 628	
8099MM 3236	ADAMSRITE	ACTIVE DUMMY BAR W/2SWITCH 313	
8200PA 28 4X16	IVES	PUSH PLATE 4 X 16 INCH PA28	
8270-24V 26D	SARGENT	ELEC LOCK BODY 24V FS	
8271-24V 26D	SARGENT	ELEC LOCK BODY 24V NFS	
8271-24V LNL 26D	SARGENT	MORT LOCK 24VDC NFS	
8310 28	RCI	INTELLIMAG SNGL OUTSWING 28	
8310 DSS 28	RCI	MLTMAG DSS SNGL OUTSWING 28	
8310 DSS 40	RCI	MLTMAG DSS SNGL OUTSWING 40	
8371 28	RCI	MINIMAG SINGLE OUTSWING DR 28	
8380 32D	RCI	GATEMAG SLIDE/SWING GATE 32D	
8501 689	NORTON	CLOSER REG PARL TOP JAMB 689	
8611LR-36	ADAMSRITE	CVR ALUM/GLASS LR 36 INCH 628	
861E-28-10	ILCO	5/32 INCH COLLAR ALUMINUM	
8701EL-3624	ADAMSRITE	EL RIM EXIT DEV 24V 36 IN 628	
871-2	VONDUPRIN	EL 2 ZONE OPT BOARD FOR PS873	
873-AO	VONDUPRIN	AO OPTION BOARD FOR PS873	
873-BB	VONDUPRIN	873-BB BATTERY KIT FOR PS873	
8801EL 3612	ADAMSRITE	EL RIM EXIT DEV 12V 36 IN 628	
8801EL 3624	ADAMSRITE	EL RIM EXIT DEV 24V 36 IN 628	
8802EL-3624	ADAMSRITE	EL RIM EXIT DEV 24V 36 IN 313	
8803EL 3624	ADAMSRITE	EL RIM EXIT DEV 24V 36 IN BLK	
8890FL LHR 24V	YALE	ELEC MORT BODY FS LHR 24VDC	
8890FL LHR 24V	YALE	ELEC MORT BODY FS LHR 24VDC	
8890FL RHR 24V	YALE	ELEC MORT BODY FS RHR 24VDC	
904-EY	RCI	EMERGENCY PULL STATION E Y	
908-MO 32D	RCI	EXIT MUSHROOM BUTTON MO 32D	
908-TD 32D	RCI	EXIT MUSHROOM BUTTON TD 32D	
91-0897-01	ADAMSRITE	SINGLE SWITCH KIT WITH MONITOR	
91-0993	ADAMSRITE	8800 RM EXT DEV SKE KT 4IN JB	

ATTACHMENT "B"- PART 1

916N-TD 28	RCI	TAMPER-RESIST HANDI N/TD 28	
918-TD 28	RCI	TAMPER-RESIST EXIT TD	
9500 630	HES	GENISIS ELECSTK FIRE RATED	
9500/9600-108	HES	9500/9600 SPACER PLATE	
9600 613	HES	GENISIS RIM EXIT STK 613	
9600 630	HES	GENISIS RIM EXIT STK 630	
9600-LBSM 630	HES	GENISIS RIM EXIT STK 630 LBSM	
970388	VONDUPRIN	FS SL EXP 6211WF/6212WF/6221/6	
970-MO-24V 28	RCI	ILLUMINATED EXIT BUTTON MO 24V	
970N-TD-24V 28	RCI	ILLUMINATED EXIT N TD 24V	
970-TD-24V 28	RCI	ILLUMINATED REQ TO EXIT BUTTON	
97B	RCI	BLUE CAP ONLY FOR 970SERIES	
990E-MO 28	RCI	OV TAMPER-RESIST EXIT MO 28	
990NL-R/V-US26D	VONDUPRIN	98/99 SER TRIM R V NL US26D	
9927EO 3FT 26D	VONDUPRIN	SVR EXIT ONLY 3 FOOT US26D	
996L-06-NL R/V US26D RHR	VONDUPRIN	TRIM LEVER NL RHR 06 US26D	
996L-06-R/V US26D LHR	VONDUPRIN	TRIM LEVER RV LHR 06 US26D	
99EO 3FT US28	VONDUPRIN	RIM EXIT ONLY 3 FOOT US28	
A-2 BLK	HES	1006 SERIES 9"" FACEPLATE BLK	
A800	AMERICAN	HASP ZIG ZAG 8-1/2X4-1/2	
ABW4B-R RED BUTTON FOR A	ASP	RED BUTTON FOR ASP-14	
AM BLK	HES	1006 SER 4 7/8"" ANSI FP BLK	
APS-32	SECURITRON	M32 SERIES STRIKE PLATE KIT	
ASB-32CL	SECURITRON	M32 SERIES SPACER BRACKET CLR	
ASP-14	ASP	PNEU TIME DELAY EX PSHBTTN GR	
ASP-14 RED BTTN	ASP	PNEU TIME DELAY EX PSHBTTN RD	
ASP-16	ASP	PNUE TIME DELAY PTE GUARDED	
ASP-17	ASP	KEY CONTROLLED DOOR RELEASE	
ASP-2-2T	ASP	PTE PSHBTN SGL GNG TD GRN	
ASP-DC18	ASP	DOOR CORD 18 INCHES	
ASP-ETH4W4545	ASP	ELECTRIC HINGE 4W 4.5X4.5 26D	
ASP-ETH6WH4545	ASP	ELEC HINGE 6+2W 4.5X4.5 26D	
ASP-ETH8W4545	ASP	ELECTRIC HINGE 8W 4.5X4.5 26D	
ASP-PS2-443	ASP	PTO PPLATE BLU DPDT SGL GANG	
ASP-PS5-111	ASP	PTE PPLATE AL/BLK PNEU SGL G	
AU5490LN 626 24V	YALE	FAIL SAFE ELEC MORTISE LOCK	
AU5491LN 626 24V	YALE	FAIL SECURE ELEC MORTISE LOCK	
BLP-107-630	DONJO	LEVER LATCH GRD 3-3/4 ESC 630	
BPS-12-1	SECURITRON	POWER SUPPLY 1 AMP 12VDC	
BPS-24-10	SECURITRON	POWER SUPPLY 10 AMP 24VDC	
BS-161-630	DONJO	BLANK ANSI STRIKE 630	
C606ACC	FALCON	6PIN TMP CRS FIT 6/7PN HSE BLK	
C953 B 626	FALCON	6 OR 7 PINS RIM CYLINDER B 626	
C987 B5 626	FALCON	6/7PIN MORTISE B5 1 3/8IN 626	

ATTACHMENT "B"- PART 1

CA L9080PEU 06A 626	COMMAND	L SER ELEC STRM NFS 06A 626	
CB848C 626	FALCON	6PIN REG CR NO LGO BSTCAP C626	
CCB-8-12	SECURITRON	BPS SERIES CONTROL BOARD 12V	
CCB-8-24	SECURITRON	BPS SERIES CONTROL BOARD 24V	
CD98EO 3FT US32D	VONDUPRIN	CYL DOGGING RIM EO 3 32D	
CEFBB179-54 4-1/2X4 26D	STANLEY	4.5 X 4 4-WIRE ELEC HING US26D	
CEFBB179-54 4-1/2X4-1/2 26	STANLEY	4.5 X 4.5 4-WIRE ELEC HNG US26	
CEFBB179-54 4-1/2X4-1/2 26D	STANLEY	4.5 X 4.5 4-WIR ELEC HNG US26D	
CEFBB179-54 4X4 26D	STANLEY	4 X 4 4-WIRE ELEC HINGE US26D	
CEFBB179-54 5X4 26D	STANLEY	5 X 4 4-WIRE ELEC HINGE US26D	
CEFBB179-54 5X4-1/2 26D	STANLEY	5 X 4.5 4-WIRE ELEC HING US26D	
CEFBB179-54 5X5 26D	STANLEY	5 X 5 4-WIRE ELEC HINGE US26D	
CEFBB179-58 4-1/2X4-1/2 26D	STANLEY	4.5 X 4.5 8-WIR ELEC HNG US26D	
CHANGE KEY IC	SCHLAGE	CHANGE KEY IC	
CLP-110-630	DONJO	COMMERCIAL LATCH GD 630	
CM150-08	PRECISION	PRECISION CONTROL MODULE	
CMR	LOCKNETICS	510/515 CONTROL MODULE RACK	
CX99EO 3FT US26D	VONDUPRIN	CHEXIT RIM EO 3 FOOT US26D	
D53PD PLY 626	SCHLAGE	D KNOBS ENTRANCE LOCK PLY 626	
DC-32BK	SECURITRON	M32 SERIES DRESS COVER BLACK	
DC-62CL	SECURITRON	M62 SERIES DRESS COVER CLR	
DCM	LOCKNETICS	DUAL CONTROL MODULE	
DK-26SS	SECURITRON	KEYPAD OUTDR NARR 59-USERS SS	
E7500 24V US32D FS	VONDUPRIN	E7500 24V US32D FS,EL MORT	
E7500 24VFSE US32D	VONDUPRIN	ELEC UNLOC MORT 24V FSE US32D	
E7500 24VUS10B FSE	VONDUPRIN	ELEC UNLOC MORT 24V FSE 10B	
E996L-06 R/V 26D FS/FSE RHR	VONDUPRIN	EL TRIM-06 RHR 24DC FS/FSE 26D	
EAX-500 GRAY	DETEX	SURF MT ALARM BAT PWRD GRY	
ECL 405 20	DETEX	KEY 20 FOR COVER LOCK	
EEB2	SECURITRON	PUSHBUTTON ""PUSH TO EXIT"" XM	
EEB3N	SECURITRON	PUSHBUTTON ""PUSH TO EXIT"" XM	
EL1690EO 36IN US28	DOROMATIC	CVR EL EO EXIT DEVICE 36 US28	
EL99EO-3FT-US26D	VONDUPRIN	ELEC LATCH RIM EO 3 US26D	
ELR150	PRECISION	PRECISION POWER SUPPLY	
EM19 LH 626	RIXSON	ELEC INTRMD PVT 4 WIRE LH 626	
EM19 RH 626	RIXSON	ELEC INTRMD PVT 4 WIRE RH 626	
EPT2 SP28	VONDUPRIN	TWO 18 GUAGE WIRES/012011-36	
ETH4W4040 625	COMMAND	PWR TRANS HNGE 4WIRE 4040 625	
ETH4W4545 626	COMMAND	PWR TRANS HNGE 4WIRE 4545 626	
EZ-DPS-10	SDC	DPS SWITCH 1510 & 1570 SER	
FB-03 28	RCI	FILLER BAR 1/2X3/4X10-1/2 US28	
FB-04 28	RCI	FILLER BAR 5/8X3/4X10-1/2 US28	
FBB179 4-1/2X4 26 1104	ACSI	HINGE 4WIRE 4.5X4.0 US26	
FBB179 4-1/2X4 26D 1104	ACSI	HINGE 4WIRE 4.5X4.0 US26D	

ATTACHMENT "B"- PART 1

FBB179 4-1/2X4-1/2 10B 1104	ACSI	HINGE 4WIRE 4.5x4.5 US10B	
FBB179 4-1/2X4-1/2 26 1104	ACSI	HINGE 4WIRE 4.5X4.5 US26	
FBB179 4-1/2X4-1/2 26D 1104	ACSI	HINGE 4WIRE 4.5X4.5 US26D	
FBB179 4X4 26D 1104	ACSI	HINGE 4WIRE 4.0X4.0 US26D	
FBB179 5X4-1/2 26D 1104	ACSI	HINGE 4WIRE 5.0X4.5 US26D	
FP12	SDC	FILL PLT 1/4 X 1 1/4 X 11 SGL	
GCK-101	LOCKNETICS	GATE CONTROL KIT	
GDB	SECURITRON	GLASS DOOR BRACKET	
GF3000TJ	LOCKNETICS	GRAVITY FORCE SHEAR TOP JAMB	
GL163A	SDC	GATE LOCK FS 12/24 VDC	
GL1-FS	SECURITRON	EL-MECH GATE LOCK FAIL SAFE	
GL260MRA BPSDPS	SDC	MAG LOCK UNLOCK NFS BPS/DPS	
GL260MRA RH DPS	SDC	GATE LOCK NFS 12/24VDC W/DPS	
HDB50 628	LOCKNETICS	HERCULITE DOOR BKT 350+ 628	
HDB90 628	LOCKNETICS	HERCULITE DOOR BKT 390+ 628	
ITCM	SDC	ARMATURE FOR 1561 ITCM LOCK	
J 630	HES	1006 SER 4 7/8"" ANSI FP 630	
K 630	HES	1006 SER 4 7/8"" ANSI FP 630	
KB609-1ABLK	FALCON	6 PIN CONTROL IC CORE CUT KEYA	
KB632-1ABLK	FALCON	6 PIN STANDARD IC CORE CUT KYA	
KD 605	HES	1006 SER 4 7/8"" ANSI FP 605	
KD 629	HES	1006 SER 4 7/8"" ANSI FP 629	
KD 630	HES	1006 SER 4 7/8"" ANSI FP 630	
K-DL38A	KEEDEX	18IN ARMRD DR LP 3/8IN CON AL	
K-DLA	KEEDEX	18IN ARMRD DR LP 1/4IN CON AL	
K-DLA24	KEEDEX	24IN ARMRD DR LP 1/4IN CON AL	
K-DLB	KEEDEX	18IN ARMRD DR LP 1/4IN CON DRK	
K-DS	KEEDEX	18IN ARMRD DR LP 1/4IN CON AL	
KM 612	HES	1006 SER 4 7/8"" ANSI FP 612	
KM 630	HES	1006 SER 4 7/8"" ANSI FP 630	
KY-125400-G899	MEDECO	G8 KEYWAY KEYBLANK	
L283-064	SCHLAGE	L SPINDLE/SPRING FOR L0172	
L283-142 604 RX 059	SCHLAGE	L9080EL BODY W/RX XL11-807	
L9080BD 06A 626	SCHLAGE	STOREROOM L/SFIC 06A 626	
L9080EL 24V LLL	SCHLAGE	ELEC LOCK BODY FS 24V	
L9080EU 24V LLL	SCHLAGE	STOREROOM FAIL SECURE	
L9080L 17B 626	SCHLAGE	STOREROOM L/ FFC 17B 626	
L9080P 03B 626	SCHLAGE	STOREROOM 03B 626	
L9080P 06A 613	SCHLAGE	STOREROOM 06A 613	
L9080P 06B 626	SCHLAGE	STOREROOM 06B 626	
L9080P 06N 626	SCHLAGE	L SERIES STOREROOM 06N 626	
L9080P 17A 626	SCHLAGE	STOREROOM 17A 626	
L9080P 17B 626	SCHLAGE	STOREROOM 17B 626	
L9080P OME A 626	SCHLAGE	STOREROOM OMEGA W/ A ROSE 626	

ATTACHMENT "B"- PART 1

L9080PEL 06A 626	SCHLAGE	L SERIES ELEC STRM FS 06A 626	
L9080PEU 06A 626	SCHLAGE	L SERIES ELEC STRM NFS 06A 626	
L9080PEU 06A RX 626	SCHLAGE	L SER ELEC STRRM NFS 06A RX626	
M1520C-AE-8237 24VAC SAR R	ACSI	SARGENT ELECTRIC MORTISE LOCK	
M32	SECURITRON	MODEL 32 MINIMAG 12/24VDC	
M32B	SECURITRON	MODEL 32 MINIMAG 12/24VDC MBS	
M32B	SECURITRON	MAGLOCK SENSTAT-FORM C 12/24V	
M32F	SECURITRON	MINIMAG FACE MOUNT 12/24VDC	
M34RB	SECURITRON	MAGLOCK RECESSED 12/24VDC MBS	
M62	SECURITRON	MAGLOCK 1200LB 12/24VDC	
M62F	SECURITRON	MAGLOCK 1200LB FACEDRLD 12/24	
M62FB	SECURITRON	MAGLOCK 1200LB FACEDRLD SENSTT	
M62G	SECURITRON	MAGLOCK 1200LB CONDUIT 12/24V	
M68DL	SECURITRON	MAGLOCK 1200 LB DPS LED 12/24V	
M82FGB	SECURITRON	MAGLOCK 1800LB SENSTAT 12/24V	
MCL-24	SECURITRON	CABINET LOCK MAGNETIC 24VDC	
MDL80EL 24V	COMMAND	ELEC SCHL MORT STORE FS 24V	
MDL80EU 24V	COMMAND	ELEC SCHL MORT STORE NFS 24V	
MDL80EU 24V RX	COMMAND	ELEC SCH MORT STORE NFS 24V RX	
MK	SECURITRON	KEYSWITCH MOM SGL GANG	
MKA	SECURITRON	KEYSWITCH ALT SGL GANG	
MKA2	SECURITRON	KEYSWITCH ALT SGL GANG DPDT	
MKC	SECURITRON	MK SERIES MORTISE CYL W/2 KEYS	
MKSA2	SECURITRON	MK SERIES ADD-ON SWITCH ALT	
ML2057 LWA 630 LC	CORBIN	MORT STRROOM LK NSM 630 LC	
ML20903 LL 626 24AD	CORBIN	ELEC MORT LOCK BODY FS 24A/DC	
ML20905 LL 626 24AD	CORBIN	ELEC MORTISE LOCK BODY NFS	
ML20905 LL 626 24AD M92	CORBIN	ELEC LCK BDY RX NFS RH 24V	
MM15	SECURITRON	MAGLOCK 4000LB 32D	
MM15DT	SECURITRON	MAGLOCK 4000LB T/DS SW 32D	
MM15G	SECURITRON	MAGLOCK 4000LB CONDUIT 32D	
MM15GDT	SECURITRON	MAGLOCK 4000LB CONDUIT/SW 32D	
MSB 550-2	SDC	PUSH EXIT BAR DPDT 36 DOOR 628	
MUNL-24	SECURITRON	MORTISE UNLATCH 24VDC	
N 630	HES	1006 SER 4 7/8"" ANSI FP 630	
ND 630	HES	1006 SER 4 7/8"" ANSI FP 630	
ND170 SPA 613	SCHLAGE	ND SERIES SINGLE DUMMY TRIM	
ND80BD RHO 626 R2N	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80BD SPA 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80BDEL RHO 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80BDEU RHO 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80BDEU SPA 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80JDEU ATH 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80JDEU RHO 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	

ATTACHMENT "B"- PART 1

ND80PD RHO 613 R2N	SCHLAGE	ND SERIES STOREROOM LOCK 613	
ND80PD RHO 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80PD SPA 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80PDEL RHO 625	SCHLAGE	ND SERIES STOREROOM LOCK 625	
ND80PDEL RHO 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80PDEL RHO 626 24V RX	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80PDEL SPA 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80PDEU RHO 613	SCHLAGE	ND SERIES STOREROOM LOCK 613	
ND80PDEU RHO 625	SCHLAGE	ND SERIES STOREROOM LOCK 625	
ND80PDEU RHO 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80PDEU RHO 626	SCHLAGE	D SER STOREROOM LOCK RHO 626	
ND80PDEU RHO 626 24V RX	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND80PDEU SPA 613	SCHLAGE	ND SERIES STOREROOM LOCK 613	
ND80PDEU SPA 625	SCHLAGE	ND SERIES STOREROOM LOCK 625	
ND80PDEU SPA 626	SCHLAGE	ND SERIES STOREROOM LOCK 626	
ND82PD RHO 626	SCHLAGE	ND SERIES INSTITUTE LOCK	
P320508	LOCKNETICS	ARMATURE W/ HARDWARE 320 PLUS	
P390498-2	LOCKNETICS	2 DOOR SEX NUT	
P395936-1	LOCKNETICS	BASIC BOARD FOR 390/350/320	
P395936-2	LOCKNETICS	MODULE DSM MBS 1 PC	
P774358	LOCKNETICS	101+ SER EMERGENCY EXIT SIGN	
P800003	LOCKNETICS	REPLA GLASS FOR 740SER 5 PIECE	
PB	SECURITRON	PUSHBUTTON MOM SGL GANG ""EXIT	
PB3ER	SECURITRON	PUSHBUTTON SURFACE MOUNT MOM	
PG21MBS	ALARMLOCK	ALARM W/STROBE BATTERY PWRD	
PIM-TD2	LOCKNETICS	RS PANEL INT MOD 2DR WIEGAND	
PS873-2	VONDUPRIN	POWER SUPPLY 2 ZONE CONTROL	
PS873-2 BB	VONDUPRIN	PWR SUPPLY (PS873+871-2)W/2BAT	
PS873-2 FA	VONDUPRIN	PWR SUPPLY (PS873+871-2)W/	
PS873BB	VONDUPRIN	POWER SUPPLIES WITH BATTERY	
PS-LR	ADAMSRITE	POWER SUPPLIES	
Q12SR 26D 24V NFS	ARROW	CYL LCK LV GR1 SR EL 24VNFS26D	
R 630	HES	1006 SER 4 7/8"" ANSI FP 630	
REPTR	LOCKNETICS	LSE WIRELESS REPEATER KIT	
RP-13515-630	DONJO	REMODELER PLATE 630	
RP-13515-630-2	DONJO	REMODELER PLATE 630	
RX330 3FT 26D	VONDUPRIN	DUMMY TB W/RX 3 US26D	
RX-8271-24V 26D	SARGENT	ELEC LCK RX NFS LH 24V	
RX-8271-24V 26D	SARGENT	ELE LOCK RX NFS RH 24V	
SAMB	SECURITRON	SHEAR LOCK 12/24VDC BOND STAT	
SDC 525	SDC	SWTCH KIT FOR MONARCH 18 & 19	
SDEL99EO-3FT-US26D-LHR	VONDUPRIN	SD EL RIM EXIT ONLY 3 LHR 26D	
SFP-1/2CL-8	SECURITRON	M32/M34/M62 STOP FILLER PLATE	
SFP-5/8BKMM15	SECURITRON	MM15 STOP FILR PLT 5/8 BLK	

ATTACHMENT "B"- PART 1

SFP-5/8CLMM15	SECURITRON	MM15 STOP FILR PLT 5/8 CLR	
SP-1	SECURITRON	TOUCH SENSE PLATE	
SP-711 28	RCI	SPACER 3/8X1X9-3/8 8371 28	
SWITCH.1006	DOROMATIC	RX SWITCH WIRE ASSEMBLY	
T 630	HES	1006 SER 4 7/8"" ANSI FP 630	
TCP-BK	SECURITRON	TSB SERIES COVER PLATE BLACK	
TJ10 28	RCI	TOP JAMB Z BRACKET KIT US28	
TJ20 628	LOCKNETICS	320+ SERIES TOP JAMB KIT 628	
TJ22 628	LOCKNETICS	DBL TOP JAMB,322+,628,W/DR PLT	
TJ50 628	LOCKNETICS	350+ SERIES TOP JAMB KIT 628	
TJ52 628	LOCKNETICS	352+ SERIES TOP JAMB KIT 628	
TJ71 28	RCI	TOP JAMB Z BRACKET KIT US28	
TJ90 628	LOCKNETICS	390+ SERIES TOP JAMB KIT 628	
TM-9	SECURITRON	TIME MATE TIMER MODULE	
TREX-LT	KANTECH	EXIT DETECTOR W/O PIEZO	
TREX-LT2	KANTECH	EXIT DETECTOR TAMPER/TIMER	
TS-4	SECURITRON	TSB SERIES REPLACEMENT SENSOR	
TSB-3CL	SECURITRON	TOUCH SENSE BAR 36"" ALUMINUM	
TSB-C	SECURITRON	DOOR CORD W/ GRAY CAPS 18""	
UB11V	SDC	UNIVERSAL HEADER BRACKET 628	
UHB-CL-8	SECURITRON	UNIVERSAL HEADER BKT 8"" ALUM	
UNL-24	SECURITRON	UNLATCH MOTORIZED ELEC STK 24V	
UR-2A	SDC	UNIVERSAL RELAY FOR 2DR	
V40 X EB X CD X 628 X 36	DETEX	ALARMED EXIT DEVICE BATTRY PWR	
WA5296PXH 17 KD 613 REN SL	LOCKNETICS	WLSS CYL PXH 17 KD 613 REN SLB	
XDT-12	SECURITRON	EXIT DELAY TIMER 12VDC	
XMS	SECURITRON	EXIT MOTION SENSOR WHITE	
Z-32BK	SECURITRON	M32 SERIES Z BRACKET BLACK	
Z-32CL	SECURITRON	M32 SERIES Z BRACKET ALUMINUM	
Z-62CL	SECURITRON	M62 SERIES Z BRACKET ALUMINUM	
Z-MM15CL	SECURITRON	Z BRACKET MM15 6 CLEAR	

ATTACHEMENT "B" – Part 2
Maintenance Proposal and Contractors Specifications

A. The SECURITY CONTRACTOR shall be a local installation and service organization with office(s) within 50 miles of Jefferson Parish. The SECURITY CONTRACTOR shall be currently recognized as a factory authorized representative by the primary manufacturers (Lenel, Pelco, Panasonic, Dedicated Micro's, AXIS) of the equipment used by Jefferson Parish. Letters of SECURITY CONTRACTORS authorization on manufacturers' letterhead TO BE PROVIDED AT TIME OF PROPOSAL SUBMISSION. Information to be included in authorization letter will be the date when SECURITY CONTRACTOR became authorized and approximately yearly sales volume of equipment purchased from manufacturer.

B. The SECURITY CONTRACTOR shall have been in business as electronic Access Control and Closed Circuit Television systems provider in Jefferson Parish for a minimum of 5 years. As proof, Jefferson Parish Occupational licenses or Jefferson Parish Sales Tax Exemption certificates must be submitted with vendor proposal.

C. The SECURITY CONTRACTOR shall carry a complete stock of parts to provide maintenance for these systems. This stock shall be kept at business site. At time of proposal a complete list of equipment in stock for maintenance shall be provided. Jefferson parish reserves the right to inventory local stock to verify.

D. At time of proposal submission, the SECURITY CONTRACTOR shall be licensed by the state or local jurisdiction to perform security work within the state. Contractor shall provide copy of this license at time of proposal submission. Contractors who have security licensed or permits pending shall not be considered acceptable for submitting proposals on this project.

E. The SECURITY CONTRACTOR shall assure that all personnel working on the project are registered with the state or local jurisdiction Systems Licensing Board as provided for by current state statutes. Contractor shall provide copies of these licenses with proposal submission.

F. At the time of proposal, the SECURITY CONTRACTOR shall provide satisfactory evidence of liability insurance and Workman's Compensation coverage for employed personnel as required by law.

G. Because Lenel is the backbone for Jefferson Parish the SECURITY CONTRACTOR shall have currently working in local office(s) a minimum of 5 Lenel Certified technicians to provide an on-site factory-trained service and installation. SECURITY CONTRACTOR shall provide proof by supplying copies of training certificates with dates of training and payroll verification for same technicians. Also SECURITY CONTRACTOR shall provide in writing on Lenel letterhead proof that SECURITY CONTRACTOR has been Lenel Authorized dealer for minimum last 10 years.

H. All of the SECURITY CONTRACTOR'S personnel and operating forces including subcontrators and delivery personnel, shall be made aware of, and shall comply at all times, with the regulations, project requirements, and directions of responsible OWNER personnel.

I. The SECURITY CONTRACTOR'S personnel shall be qualified to accomplish all work promptly and satisfactorily. The OWNER shall be advised in writing of all designated service and support personnel responsible for installation as well as pre and post warranty service.

J. The SECURITY CONTRACTOR shall install all system components and appurtenances in accordance with the manufacturer's specifications, referenced practices, guidelines, and applicable codes. Furnish all necessary interconnections, services, and adjustments required for a complete and operable system as specified.

K. All low voltage writing outside the control console, cabinets, boxes, and similar enclosures, shall be plenum rated where required by code.

L. All exposed wiring inside and outside the control console, cabinets, boxes, and similar enclosures, shall be dressed down neatly and secured with wiring cleats or wire ties.

M. All exposed metallic flexible conduit and armored cable shall be dressed down neatly and secured with low profile, metal fasteners.

N. All junction boxes and small device enclosures below ceiling level and easily accessible to employees or the public shall be covered with a suitable cover plate and secured with tamper proof screws.

O. System devices identified on building drawings are intended to generally indicate areas where such devices are to be located. SECURITY CONTRACTOR shall be responsible for determining final location of these devices in accordance with OWNER'S requirements.

P. Riser diagrams are schematic and do not show every conduit, wire box, fitting, or other accessories. Provide such materials as necessary for a complete and functioning installation. Install in accordance with referenced codes and these specifications. Use weatherproof equipment or covers where installed in areas exposed to weather.

Q. The SECURITY CONTRACTOR is required to place entire system into full and proper operation as designed and specified.
   1. Verify that all hardware components are properly installed, connected, communicating, and operating correctly.
   2. Verify that all system software is installed, configured, and complies with specified functional requirements.

R. The SECURITY CONTRACTOR shall perform final acceptance testing in the presence of OWNER'S representative, executing a point by point inspection against a documented test plan that demonstrates compliance with system requirements as designed and specified:
   1. Submit documented test plan to OWNER at least (14) days in advance of acceptance test, inspection, and check-off.
   2. Conduct final acceptance tests in presence of OWNER'S representative, verifying that each device point and sequence is operating correctly and properly reporting back to control panel and control center.
   3. Acceptance by Owner is contingent on successful completion of check-off; if check-off is not completed due to additional work required, re-schedule and perform complete check-off until complete in one pass, unless portions of system can be verified as not adversely affected by additional work.
   4. The system shall not be considered accepted until all acceptance test items have been successfully checked-off. Beneficial use of part or all of the system shall not be considered as acceptance.

S. The SECURITY CONTRACTOR shall provide system operations, administration, and maintenance training by factory trained personnel qualified to instruct:
   1. OWNER designated personnel to be trained.
   2. Provide 100 hours hands-on training per year at no extra cost with operational equipment.
   3. Training shall be oriented to the specific systems being installed under this contract as designed and specified.

ATTACHMENT "C"

Price Schedule

1. Provide unit pricing with installation for all equipment. Price shall be one lump sum.
   _____
   Note: (Provide unit pricing with installation for each piece of all equipment. This pricing will be used during the duration of the contract.)

2. Provide price per year maintenance of equipment.
   Year One _____
   Year Two_____
   Year Three_____

3. Provide price per hour for an embedded technician to perform additional programming, access control and video software data input, updates and software clean-up up to 325 hours per year for a total of 975 hours. _____

Financial Proposals are to be submitted in a separate sealed envelope and will not be included in the evaluation criteria.

ATTACHMENT "D"

Current Jefferson Parish Sites

- Alario Center
- East Bank Streets
- West Bank Streets
- Rheem Facility
- Government Building & Parking Garage
- 24th Judicial District Court
- Second Parish Court
- First Parish Court
- East Bank Transit
- West Bank Transit
- Lapalco Sewer Yard
- Hwy 18 & 90 Water Department
- Hwy 18 & 90 Sewer Department
- Hwy 18 & 90 Drainage Department
- Hwy 18 & 90 Central Garage
- East Bank Water
- West Bank Water
- East Bank Regional Library
- West Bank Regional Library
- Belle Terre Library
- Live Oak Library
- Wagner Library
- Westwego Library
- Metairie Road Library
- Kenner Library
- Joseph S. Yenni Building
- Lapalco Bridge
- Lasalle Park
- Lafreniere Park
- Kings Grant Park
- Playground 39th and Wilson
- Juvenile Justice Complex
- Rivarde Juvenile Court
- Rivarde Juvenile Detention Center
- Vehicle Maintenance
- Odom Building
- Traffic Engineering
- East Bank Animal Control
- West Bank Animal Control
- Ames Pumping Station
- Lake Cataoutche I & II Pumping Stations
- Westwego Pumping Station
- Westminister Pumping Station
- Estelle Pumping Station
- Emergency Operations & Communications Center
- Old EOC
- Old 911
- Jefferson Parish Correctional Center
- West Bank Water River Pump Station
- West Bank One Stop
- West Bank Utility Payment Centet

To conduct site surveys please contact Anthony Francis at 504-364-2675 or afrancis@jeffparish.net.

Request for Proposals #0345

PROVIDE SECURITY SYSTEM EQUIPMENT MAINTENANCE, REPAIRS, REPLACEMENT, INSTALLATION, ETC. OF AN EXISTING SECURITY ACCESS AND VIDEO MANAGEMENT SYSTEM FOR THE DEPARTMENT OF GENERALS SERVICES – SECURITY DIVISION

SIGNATURE PAGE

The Jefferson Parish Department of Purchasing is soliciting Request for Proposals (RFP'S) from qualified proposers who are interested in providing Security System Equipment Maintenance, Repairs, Replacement, Installation, etc. of an existing Security Access and Video Management system for the for the Jefferson Parish General Service Department – Security Division.
Request for Proposals will be received until 4:30 p.m. Local Time on: Friday, July 1, 2016

Acknowledge Receipt of Addenda: Number: _____
Number: _____
Number: _____
Number: _____
Number: _____
Number: _____

Name of Proposer: _____

Address: _____

_____

Phone Number: _____ Fax Number_____

Type Name of Person Authorized to Sign: _____

Title of Person Authorized to Sign: _____

Signature of Person Authorized to Sign: _____

Email Address of Person Authorized to Sign: _____

Date: _____

This RFP signature page must be signed by an authorized Representative of the Company/Firm for proposal to be valid. Signing indicates you have read and comply with the Instructions and Conditions.

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

_____

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT WAS:

RESOLVED THAT _____, BE AND IS HEREBY APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES, DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE EXECUTION OF ALL PROPOSALS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES, CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH PROPOSAL OR CONTRACT, THIS CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-FACT.

I HEREBY CERTIFY THE FOREGOING TO BE A TRUE AND CORRECT COPY OF AN EXCERPT OF THE MINUTES OF THE ABOVE DATED MEETING OF THE BOARD OF DIRECTORS OF SAID CORPORATION, AND THE SAME HAS NOT BEEN REVOKED OR RESCINDED.

_____
SECRETARY-TREASURER

_____
DATE

Request for Proposal
Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and Parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the Council acts on the matter.**
- **Failure to submit or properly execute the RFP Affidavit will result in the proposal being deemed non-responsive in accordance with Sec. 2-895(b) of the Jefferson Parish Code of Ordinances**

Instruction sheet may be omitted when submitting the affidavit

Request for Proposal

AFFIDAVIT

STATE OF _____

PARISH/COUNTY OF _____

BEFORE ME, the undersigned authority, personally came and appeared: _____ _____, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized _____ of _____ (Entity), the party who submitted a proposal in response to RFP Number _____, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B _____ there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Affiant further said:

Debt Disclosures

(Choose A <u>or</u> B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B _____ There are **<u>NO</u>** debts which would require disclosure under Choice A of this section.

Affiant further said:

Solicitation of Campaign Contribution Disclosures

(Choose A <u>or</u> B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all elected officials of the Parish of Jefferson, whether still holding office at the time of the affidavit or not, where the elected official, individually, either by **<u>telephone or by personal contact</u>**, solicited a campaign contribution or other monetary consideration from the Entity, including the Entity's officers, directors and owners, and employees owning twenty-five percent (25%) or more of the Entity, during the two-year period immediately preceding the date the affidavit is signed. Further, to the extent known to the Affiant, the date of any such solicitation is included on the attached list.

Choice B _____ there are **<u>NO</u>** solicitations for campaign contributions which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Affiant further said:

Subcontractor Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Affiant further said that attached is a listing of all subcontractors, excluding full time employees, who may assist in providing professional services for the aforementioned RFP.

Choice B _____ There are **NO** subcontractors which would require disclosure under Choice A of this section.

_____
Signature of Affiant

_____
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE _____ DAY OF _____, 20___.

_____
Notary Public

_____
Printed Name of Notary

_____
Notary/Bar Roll Number

My commission expires _____.

REQUEST FOR PROPOSAL
RFP 0345

Jefferson Parish Department of Purchasing is soliciting Request for Proposals (RFPs) from qualified firms to provide **Security System Equipment maintenance, repairs, replacement, installation, etc. of an existing Security Access and Video Management System** for the Jefferson Parish Department of General Services.

We invite all qualified proposers to submit proposals to provide the following: Installation of a new card access swipe to work with existing Card Access Control Hardware/Software; installation of a new security video cameras and associated equipment, repair, maintenance or replacement of all equipment of the existing systems; provide security systems consulting and security system design and engineering.

All proposals will be evaluated on criteria such as vendor's technical proposal, qualifications and experience, financial profile and proposal responsiveness and other criteria more specifically defined in the RFP document. The maximum total points for each proposal are set at 100 points

MANDATORY PRE–Proposal Conference: MONDAY, JUNE 17, 2016, at **2:00 p.m. in the Jefferson Parish Purchasing Department, 200 Derbigny Street, Suite 4400, Gretna, LA 70053**

REQUEST FOR PROPOSALS WILL BE RECEIVED IN THE:
JEFFERSON PARISH PURCHASIING DEPARTMENT
GENERAL GOVERNMENT BUILDING
200 DERBIGNY STREET, SUITE 4400
GRETNA, LA 70053

UNTIL **4:30 P.M.** LOCAL TIME ON **FRIDAY, July 1, 2016**

The Jefferson Parish Council reserves the right to accept or reject any and all proposals, in whole or part, pursuant to the law.

A copy of the RFP is available gratis from: http://purchasing.jeffparish.net or
Jefferson Parish Purchasing Department
General Government Building
200 Derbigny Street, Suite 4400
Gretna, LA 70053
(504)-364-2678

Brenda J. Campos
Director
Purchasing Department

Jenifer Lotz
Chief Buyer
Purchasing Department

ADV: The New Orleans Advocate: June 1, 8, and 15, 2016
ADV: The Baton Rouge Advocate: June 1, 8 and 15, 2016