



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

September 14, 2020

ADDENDUM # 1

Bid Number: 50-00131987

Receipt Date: September 24, 2020
Postponed to Date: N/A

Description of Bid: ONE (1) YEAR CONTRACT FOR TRAILERS FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT

REVISION: SIX (6) ITEMS HAVE BEEN ADDED TO THE BID FORM. THE BID HAS GONE FROM A 17 ITEM BID TO A 23 ITEM BID.

ALSO, REVISED SPECIFICATIONS ARE ATTACHED BECAUSE A "SPECIFIC REQUIREMENTS" SECTION WAS ADDED ON PAGE 1

FINALLY, THE UPDATED JEFFERSON PARISH ANNOUNCEMENT TO BIDDERS DATED SEPTEMBER 2020 HAS REPLACED THE JANUARY 2020 ANNOUNCEMENT TO BIDDERS.

***** PLEASE SEE THE REVISED BID FORM ATTACHED. ******

***** YOU MUST USE THE REVISED BID FORM FOR YOUR BID SUBMISSION *****

Sincerely,

Shanna Folse

Shanna Folse, Buyer II
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form by indicating the addendum number listed above. Failure to list each addenda number on the bid form will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

GENERAL GOVERNMENT BLDG. – 200 DERBIGNY ST., SUITE 4400, GRETN, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. – 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

September 2020

Changes to Jefferson Parish Bidding Information

The Jefferson Parish Purchasing Department would like to make vendors aware of the following changes:

Total Bid Price Must Include the Cost of Naming Jefferson Parish as Additional Insured:

Bidder acknowledges that Bidder recovered the cost of any required insurance in the contract price as required by La.R.S. 9:2780.1 and that Bidder recovered any such cost for the purposes of insuring an obligation to indemnify Jefferson Parish, defend Jefferson Parish, or hold Jefferson Parish harmless and that Bidder's indemnity liability is limited to the amount of the proceeds that are payable under the insurance policy or policies that Bidder has obtained.

Electronic Procurement: Beginning November 1, 2020, Jefferson Parish will no longer accept manual bid submissions; and will only accept bid submissions electronically via our e-Procurement system, Central Bidding. Central Bidding can be accessed by visiting either www.centralbidding.com or www.jeffparishbids.net. All bidders will be required to register with Central Bidding. Jefferson Parish vendors are able to register for free by accessing the following link: <https://www.centrauctionhouse.com/registration.php>.

Probable Construction Cost: Per Jefferson Parish Administrative Policy, the probable construction cost is not revealed in the Jefferson Parish Bidding Documents. Jefferson Parish Administrative Policy has changed and a range of the probable construction cost will be stated in the Jefferson Parish bidding document, entitled Important Notice to All Bidders – Bid Requirements. Per Louisiana Public Bid Law, the probable construction cost will be read at the bid opening.

Insurance Requirement: All bidders must provide proof of valid insurance in the required amounts as stated in the Standard Insurance Requirements for bidding purposes. Failure to provide the proof of valid insurance in all of the required coverage amounts will result in bid rejection.

GENERAL GOVERNMENT BLDG. – 200 DERBIGNY ST., SUITE 4400, GRETNA, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. – 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET

1 YEAR CONTRACT FOR TRAILERS FOR JEFFERSON PARISH
DEPARTMENT OF FLEET MANAGEMENT

Bid #50-00131987

GENERAL:

Vendors are required to indicate the following information where required in the appropriate line items of the bid form:

- Manufacturer,
- Manufacturer part # and
- Vendor part #.

SPECIFIC REQUIREMENTS:

- All Trailers are to have "SPRING SUSPENSION"
- Tarp is to be "TARP-ROLL & VINYL"
- Frame is to be "ALUMINUM"

LOUISIANA STATE DEALER'S LICENSE:

In accordance with LA RS 32:1254 et seq and LA RS 38:2212.8, a Louisiana State Dealer's License is required. All bidders must provide a copy of their Louisiana Dealer's License with their bid submission. [Failure to submit this copy will result in bid rejection.](#)

ORDER PLACEMENT AND DELIVERY OF TRAILERS:

Upon order placement approved by Fleet Management, the successful vendor shall deliver trailers within 160 days of order placement.

SERVICING OF TRAILERS:

Successful vendor must pick up and/or deliver trailers for factory maintenance and/or warranty services within one (1) hour of notification by the Jefferson Parish Fleet Management Department. The trailers will be picked up and delivered to 4901 Jefferson Hwy., Suite A, Jefferson, LA 70121.

BRAND NAMES:

Where brand names are specified, it is for the purpose of establishing minimum standard of quality. Bids may be submitted for products for equal quality, provided the brand names are specified in the respective line items as indicated.

PRICING:

All pricing shall be firm for one (1) year as stated in contract or until contract expiration whichever is later.

TRAILER WARRANTY INFORMATION:

All new trailers must be delivered complete with standard factory warranty of a minimum of one year. Warranty information must be provided with the bid. Failure to submit will result in bid rejection.

TRAILER MANUALS:

Upon delivery of trailers, the successful vendor must provide manuals as indicated by each appropriate line item. Electronic copies of these manuals may be supplied at the successful vendor's cost.

SAFETY SPECIFICATIONS FOR ALL TRAILERS:

Must meet or exceed all federal and state safety standards.

INSURANCE:

Vendors will be required to present General Liability/Garage Liability and Worker's Comp Insurance with the bid.

DATE: 9/14/2020

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00131987

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: SFOLSE@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 9/24/2020 AND PUBLICLY OPENED THEREAFTER.

For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

BID REVISED PER ADDENDUM #1

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15, DEALERS LICENSE

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session – Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO _____

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: _____

ADDRESS: _____

CITY, STATE: _____ ZIP: _____

TELEPHONE: () _____ FAX: () _____

EMAIL ADDRESS: _____

In the event that addenda are issued with this bid, bidders **MUST** acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ _____

AUTHORIZED

SIGNATURE: _____

Printed Name

TITLE: _____

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	<p>ONE (1) YEAR CONTRACT FOR TRAILERS FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT</p> <p>0001 - FOUR TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER. 10,7300 LBS.</p> <p>GVWR 16 FT.L X 74 IN WIDE LOAD DECK PLUS 32 IN. FULL WIDTH BEAVERTAIL WITH TWO 45 IN L X 21 1/2 IN. WITH ADJUSTABLE SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 21 IN. MAXIMUM DECK HEIGHT 2 IN. NOMINAL OAK DECK MATERIAL, THREE ROTATING D RINGS PER SIDE,DEXTER MULTI-POINT SPRING SUSPENSION WITH EQUALIZER, TANDUM 6,000 LB. AXLES WITH 12 IN X 2 IN ELECTRIC BRAKES. TAG-A-LONG LOWBOY TRAILER 4 TON INCLUDING BREAK-A-WAY SYSTEM, FOUR 7.00 X 15D TIRES MOUNTED ON 6 HOLE STEEL DISC WHEELS, 5,000 LB. CAPACITY. DROPLEG TOP CRANK, PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8" STOCK, 2 5/8" I.D.) WITH DUAL SAFETY CHAINS, FLUSH MOUNTED FMVSS #108 SEALED BEAM LIGHTS IN RUBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PARK:</p>		
2	1.00	EA	<p>0002 - TAG-A-LONG LOWBOY TRAILER 10 TON TEN-TON PAYLOAD CAPACITY</p> <p>TAG-A-LONG LOWBOAY TRAILER, 25,900 LB. GVWR, 19'L X 8'W LOAD DECK PLUS 5' FULL WIDTH BEAVERTAIL WITH TWO 55"L X 22 1/2" W ADJUSTABLE, SPRING ASSIST LOADING RAMP INCLUDING GROUND BRACES, 34" MAXIMUM DECK HEIGHT, 2" NOMINAL OAK DECK MATERIAL FULL WIDTH 8" STEEL CHANNEL HEADBOARD FIVE ROTATING D-RINGS PER SIDE, PIECED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH 97-- MULTI-POINT SPRING SUSPENSION TAG-A-LONG LOWBOY TRAILER 10 TON WITH RADIUS ROD AXLE TRACKING TANDEM 10,000 LB. AXLES WITH 12 1/4" X 4" ELECTRIC BRAKES, INCLUDING BREAK-A-WAY STEM, EIGHT 235/85R16 E TIRES MOUNTED ON 8hole STEEL DISC WHEELS, 12,000 LB. CAPACITY DROPLEG CRANK PARKING JACK,FOUR POSITION CAST STEEL PINTLE EYE (1 5/8" STOCK 3"I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA, FLUSH MOUNTED FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET TAG-A-LONG LOWBOY TRAILER 10 TON WITH SEVEN WAY ELECTRICAL PLUG.</p> <p>BID REVISED PER ADDENDUM #1</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
3	1.00	EA	<p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p> <p>0003 - TAG-A-LONG LOWBOY TRAILER 48,000 LB. TWENTY TON PAYLOAD CAPACITY</p> <p>TAG-A-LONG LOWBOY TRAILER, 48,000 LB. GVWR 19'L X 8'W LOAD DECK PLUS 5' FULL WIDTH BEAVERTAIL WITH TWO 55"L X 22 1/2"W ADJUSTABLE, SPRING-ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 34" MAXIMUM DECK HEIGHT, 2" NOMINAL OAK DECK MATERIAL. FULL WIDTH 8" STEEL CHANNEL HEADBOARD. FIVE ROTATING D RINGS PER SIDE. PIECED BEA CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI-POINT TAG-A-LONG LOWBOY TRAILER 50,000 LB. SPRING SUSPENSION WITH RADIUS ROD AXLES WITH 12 1/4" X 7 1/2" FULL AIR BRAKES WITH AUTOMATIC SLACK ADJUSTERS. EIGHT 215/75R 17.5 SIXTEEN PLY TIRES MOUNTED ON 8 BOLT. HUB PILOTED STEEL DISC WHEELS. SPRING BRAKES ON ALL WHEELS 12,000 LB. CAPACITY DROPLEG. TOP CRANK PARKINGJACK. FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 STOCK, 3" ID) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA FLUSH TA-A-LONG LOWBOY TRAILER 48,000 LB MOUNTES, FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
4	1.00	EA	<p>0004 - 3 TO 8 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING</p> <p>REMOVAL OF DAMAGED TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURATION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTMENT TO W EYE OR COUPLER. ELECTRICAL 6 WAY OR 7 WAY WIRE WITH PLUG SAFETY CHAINS, ECT. TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED ZINC PHOSPHATE PRIMED AND FINISHED. PAINTED 5 MILS THICKNESS IMROM TO MATCH ORIGINAL TRAILER COLOR</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
5	1.00	EA	<p>0005 - 9 TO 12 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING</p> <p>BID REVISED PER ADDENDUM #1</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
6	1.00	EA	<p>REMOVAL OF DAMAGED TONGUE AND REPLACEMENT WITH 12 IN. STEEL "H" BEAM. TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURATION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTABLE TOW EYE. ELECTRICAL 6 WAY OR 7 WAY WIRE WITH PLUG, AIR BRAKE CHAINS, ECT. TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED, ZINC PHOSPHATE PRIMED AND FINISHED. PAINTED 5 MILS. THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
7	1.00	EA	<p>0006 - EXTRA HEAVY DUTY MECHANICAL FOLDING GOOSENECK LOWBOY TRAILER, 60 TON</p> <p>CAPACITY CONCENTRATED IN ANY 10 FT. SECTION, OVERALL DIMENSIONS 8 FT, 6 IN. WIDE X 49 FT. 2 IN. LONG (11 FT 5 IN. GOOSENECK) 24 FT. MAIN LOADED DECK HEIGHT. 6 IN GROUND CLEARANCE, 84 IN. SWING CLEARANCE, THREE 25,000 LB. CAPACITY. REAR AXLES, AIR RIDE SUSPENSION, 16 1/2 IN X 7 IN. AIR BRAKES AUTOMATIC SLACK ADJUSTERS, NO PARKING BRAKES, ABS SYSTEM, TWELVE 10 STUD HU PILOTED 8.25 X 22.5 STEEL DISC WHEELS. TWELVE EXTRA HEAVY DUTY MECHANICAL 225/70OR22 5'16 PLY LOW PROFILE RADIAL TIRES. 2 IN. KINGPIN SETTING, FOUR BEAM DESIGN OF 13,000 PSI YIELD FLANGES AND 80,000 LB. PSI WEBS. 2 1/4 IN. APITONG HARDWOOD FLOORING WITH BRIDGE CLIPS AND CARRIAGE FLOORED. TWELVE SWINGING REMOVEABLE OUT-RIGGERS PER SIDE. ONE D-RING ON EACH SIDE OF GOOSE NECK. TOW D RINGS ON EACH SIDE OF READ DECK. FIVE D RINGS ON EACH SIDE OF LOAD DECK MECHANICAL RAISED AND LOWERED GOOSE NECK USING TRUCK WINCH. AIR LOCK LATCHES ON GOOSE NECK. PIPE AT FRONT OF GOOSE NECK WITH CABLE LUGS FOR PICKUP EASE. LOAD BEARING WHEEL COVERS OVER REAR TIRES AND REAR DECK CENTER. 12 VOLT/7 WAY PLUG. SEALED BEAM LIGHTS, MID-TURN SIGNAL, REAR FLAPS, SANDBLASTED, PRIMED, AND FINISHED PINT 5 MILS IMRON FLEET WHITE, CONSPICUITY TAPE ON SIDES, OPERATOR MANUAL. 25,000 LB. APPROXIMATE EMPTY WITH FOB FLEET MANAGEMENT, JEFFERSON PARISH. LA.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
<p>BID REVISED PER ADDENDUM #1</p>					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
8	1.00	EA	<p>GVWR-6 FT. X 10 FT.L. LOAD DECK 48 IN. L. FULL WIDTH TWO-PIECE FOLDING LOAD RAMP COVERED WITH EXPANDED METAL. 2 IN A-FRAME BALL COUPLER, 2,000 LB. TOP WIND BOLT ON JACK. TWO 1/4 IN. SAFETY CHAINS WITH SAFETY LATCH HOOKS. 3 IN. CHANNEL TONGUE, 2 IN X 216 IN. ANGLE FRAME AND CROSS MEMBERS. 2 IN PINE DECK. 15 IN HIGH RAILING PERIMETER FABRICATED OF 2 3/8 IN. DIAMETER PIPE TOP. RAIL MULTI-LEAK SPRING SUSPENSION. 3,500 LB CAPACITY. EX LUB AXLE, 15 X 5 WHITE ONE TON PAYLOAD CAPACITY. LIGHT SPOKE 5-BOT WHEELS. TWO ST205/7R 15 IN. LOAD RANGE B TIRES, DOT STOP, TURN AND CLEARANCE LIGHTS, 54-WAY FLAT ELECTRICAL PLUG. ALL WIRING IN LOOM CONDUIT. FINISH PAINTED ACRYLIC ENAMEL RED OR BLACK</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p> <p>0008 - SEVEN TON PAYLOAD CAPACITY TAG-A LONG LOWBOY TRAILER. 17,570 LBS.</p>		
9	1.00	EA	<p>GVWR-16 FT L X 78 IN W. LOAD DECK. PLUS 36 IN. FULL WIDTH BEAVERTAIL WITH TWO 54 IN L X 21 IN W ADJUSTABLE, SPRING ASSISTED LOADING RAMPS INCLUDING GROUND BRACES. 21 IN MAXIMUM DECK HEIGHT, 2 IN. NOMINAL OAK DECK MATERIAL, THREE ROTATING D-RINGS PER SIDE, TWO 7,200 LB. DEXTOR TORQUE-FLEX AXLES WITH 12 1/4 IN. X 2 1/2 IN. ELECTRICAL BRAKES INCLUDING BREAK-AWAY SYSTEM, ADJUSTABLE ALIGNMENT TIRES ON 8 HOLE STEEL DISC WHEELS, 12,000 LB. BOLT-ON DROP LEGS. MANUAL CRANK CRANK JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK 2 5/8 IN. I.D.)WITH DUAL 3/8 IN. SAFETY CHAINS FLUSHED MOUNTED MFVSS #108 SEALED BEAM LIGHTS WITH SEALED MODULAR WIRING HARNESS, SEVEN-WAY ELECTRICAL PLUG COLOR. HIGHWAY SAFETY YELLOW.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p> <p>0009 - TWELVE TON PAYLOAD CAPACITY TAG-A-LONG TRAILER. 29,000 LB.</p>		
<p>BID REVISED PER ADDENDUM #1</p>					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	1.00	EA	<p>CONSTRUCTION. 2 IN. NOMINAL OAK DECK MATERIAL, FULL WIDTH 8 IN. STEEL CHANNEL HEADBOARD, FIVE ROTATING D-RIGS PER SIDE, PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH 9700 MULTI-POINT SPRING SUSPENSION WITH PIERCED BEAM CONSTRUCTION. 2 IN NOMINAL OAK DECK MATERIAL. FULL WIDTH 8 IN. STEEL CHANNEL HEADBOARD, FIVE TOTATING D-RIGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH 9700 MULTI-POINT SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 12,000 LB. AXLES WITH 12 1/4 IN. X 5 IN. ELECTRICAL BREAK-AWAY SYSTEM, EIGHT 235/85R16E STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE STEEL DISC TIRES. 12,000 LB. CAPACITY DROP LEG TOP CRANK, PARKING JACK, FOUR POSITION CAST Q STEEL PINTLE EYE (1 5/8 IN. STOCK; 3 IN. I.D.) WITH DUAL SAFETY CHANIS, DRAWBAR STORAGE AREA, FIVE ROTATING RINGS EQUALLY SPACED DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS WITH GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKT WITH SEVEN WAY ELECTRICAL PLUG, HIGHWAY SAFETY YELLOW.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p> <p>0010 - FIFTEEN TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER. 35,900 LB.</p> <p>GVWR 19 IN. X 8 FT 6 IN. WITH LOAD DECK, PLUS 6 FT FULL WIDTH BEAVERTAIL WITH TOWO ADJUSTABLE SPRING-ASSIST LOADING RAMPS INCLUDING GRAND BRACES, 34 IN MAXIMUM UNLOADED DECK, HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2 IN NOMINAL OAK DECK MATERIAL. FULL WIDTH 8 IN STEEL CHANNEL MATERIAL, FIVE ROTATING D-RINGS PER SIDE, PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI-POINT SPRING 50,000 LB SUSPENSION WITH RADIUS ROD AXLE TRACKING TANDEM 22,500 LB. AXLE WITH ANTI-LOCK AIR BRAKE SYSTEM, 4S2M SENSOR ALL WHEELS TOW MODULAR VALVES, SPRING BRAKE ON EACH AXLE. EIGHT 215.7R17.5 H STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE PILOTED STEEL DISC WHEELS. 40,000 LB. LIFT CAPACITY. TOW SPEED CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN STOCK, 3 IN I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA, FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN</p> <p>BID REVISED PER ADDENDUM #1</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
11	1.00	EA	<p>RUBBER GROMMENTS. ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG. HIGHWAY SAFETY YELLOW COLOR.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p> <p>0011 - FIFTEEN TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 39,500 LBS.</p> <p>GVWR: 19' L X 8'6" W LOAD DECK PLUS 6 FT FULL WIDTH BEAVERTAIL WITH TWO 72 IN. L X 22 1/2 IN. W. ADJUSTABLE SPRING ASSIST LOADING RAMPS INLCUDING GROUND BRACES. 34 IN. MAXIMUM DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2 IN. NOMINAL OAK DECK MATERIAL. FULL WIDTH 8" STEEL CHANNEL HEADBOARD. FIVE ROTATING D RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI POINT 50,000 LB SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 15,000 LB AXLES WITH 12 1/4 X 5" ELECTRIC BRAKES INCLUDING BRAKE AWAY SYSTEM. EIGHT 215/7R17.5 H STEEL BELTED RADIAL TIRES OUNTED ON 8 HOLE PILOTED STEEL DISC WHEELS, 40,000 LB LIFT CAPACITY. TWO SPEED CRANK PARKING JACK. FOUR POSITION CAST STEEL PINTLE EYE 1 5/8 IN STOCK 3: I.D.) WITH DUAL SAFETY CHAINS. DRAW BAR STORAGE AREA. FIVE ROTATING D-RINGS EQUALLY SPACED TAG-A-LONG LOWBOY TRAILER 48,000 LB MOUNTED,FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS. ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG. HIGHWAY SAFETY YELLOW.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
12	1.00	EA	<p>0012 - HEAVY DUTY 60 TON CAPACITY MECHANICAL FOLDING NECK LOWBOY TRAILER.</p> <p>120,000 LB LOAD CAPACITY CONCENTRATED IN ANY 10 FT/IN LOAD ARE. MINIMUM 24 TG LOAD DECK LENGTH WITH MAXIMUM 49 FT OVERALL TRAILER LENCGTH. 8 FT.6 IN LOAD DECK HEIGHT AT RATED LOADED CAPACITY WITH NIMUMUM 6 IN GROUND CLEARANCE. MINUMUM 84 IN. SWING CLEARANCE. THREE AXLES EACH HAVING</p> <p>BID REVISED PER ADDENDUM #1</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
13	1.00	EA	<p>25,000 CAPACITY. EACH AXEL 5 IN. ROUND WITH MINIMUM 5/8 INCH WALL THICKNESS. TAPERED SPINDLES. 77 N. TRACK. FULL AIR RIDE SUSPENSION WITH 50 IN AXLE SPREAD. AIR RAISING AND LOWERING VALVE. 16 1/2 UB, X 7 IN. AIR BRAKES (NO PARKING BRAKES). AUTOMATIC SLACK ADJUSTERS. 28 SPLINE. ABS 4S-2M. LOAD BEARING TYPE WHEEL WELL COVERS OVER REAR TRI-AXLE INCLUDING CENTER AREA BETWEEN TIRES. 10 HOLE STUD (LONG). HUB PILOTED STEEL CAST DRUMS. STEMCO OIL SEALS. STEEL DISC WHEELS. 8.25 X 22.5. TWELVE EACH SIDE. 225/70R22.5 16 PR LOW PROFILE RADIAL TIRES. MINIMUM SIX EACH RINGS PER SIDE. MINIMUM TWELVE EACH OUTRIGGERS PER SIDE TO EXTEND LOADBED WIDTH. EACH OUTRIGGER TO BE SWING-OUT AND REMOVABLE WITH POSITVE LATCH IN STORED POSTION. GOOSENE CK TO BE FULL LOAD WIDTH. GOOSENECK TO B LOCKING FULL AIR POWER WITH CONTROL SWITCH. FRONT END PIPE, FRONT END WITH CABLE SLING AND APPROACH PLATFORM. SAE 2 IN. DROP IN KINGPINE PLATE HEIGHT TO BE 50 IN. ABOVE LEVEL GROUND. THICK APITONG HARDWOOD FLOORING. MINIMUM 10 IN CHANNEL CROSSMEMEBER ON 24 IN. CENTERS. FOUR BEAM DESIGN. 130,000 POS YIELD FLANGES AND 80,000 LB. PSI YIELD WEB MAIN BEAMS. TRUCK LIGHT SEALED BEAM WITH MI-TURN SIGNAL. 12 VOLT, 7 WAY ELECTRICAL PLUG AT FRONT OF TRAILER. 3M SIDE. OPERATOR AND MAINTENANCE MANUAL WITH ON-SITE DEMONSTRATION UPON DELIVERY. SANDBLAST, EPOXY PRIMER, FINISHED PAINTED FLEET WHITE POLYURETHANE PAINT TO A THICKNESS TO 5 MILS. AIR, ELECTRIC, AND HYDRAULIC LINES TO BE INSTALLED AFTER PAINTING.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p> <p>0013 - HEAVY DUTY HYDRA NECK 35 TON DETACHABLE GOOSENCK LOWBOY TRAILER.</p> <p>CAPACITY-70,000 LBS. TRAILER WEIGHT-18,000 LBS DECK. WIDTH-8 FT. 6 IN. DECK LENGTH-22 FT. OVERALL LENGHT-44 FT. 5 IN. HEIGHT 24 IN. (LOADED) 80,000 PSI MINIMUM YIELD STEEL MAIN FRAME. FOUR FABRICATED 16 IN. DEEP CAMBERED I-BEAMS, CROSSMEMBERS 10 IN. PIERCE I-BEAMS SPACED AT 24 IN. GOODNECK LENGHT102 IN. (SWING CLEARANCE). FIFTH WHEEL HEIGHT STANDARD 50 IN. DECKING 2 IN. NOMINAL HARDWOOD. WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSERS. MANUALLY RAISE AND LOWER VALVE.</p> <p>BID REVISED PER ADDENDUM #1</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>HYDRAULICS-WETLINE HOOK-UP FOR TRACTORS. PTO OPERATIONS CONTROL. CONTROL VALVE EYE LEVEL. 4 INCH RELIEF GOOSENECK. PAINT-WHITE WITH EAGER BEAVER DECALS. EIGHT TIRES 275-70R22.5 (H) STEEL BELTED RADIALS. HBS/WHEELS-4 DISC TYPE HUBS. EIGHT 8.25 X 22.5 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED, SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE AXLE. TWO 5 IN. DIAMETER, 25,000 LBS. EACH. TIE DOWNS 7 EACH PER SIDE ROTO RINGS. BRAKES ABS SYSTEM WITH SPRING BRAKES. FORLER POWER PACK. PARKING CAST STEEL OUTRIGGERS. 14 HP KOHLER POWER PACK.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
14	1.00	EA	<p>0014 - HEAVY DUTY HYDRA NECK 50 TON DETACHABLE GOOSENECK LOWBOY TRAILER.</p> <p>CAPACITY 100,000 LBS. TRAILER WEIGHT 20,5000 LBS. DECK WIDTH 8 FT. 6 IN. DECK LENGTH-24 FT. OVERALL LENGTH-48 FT. 6 IN. HEIGHT-24 IN. 80,000 PSI. MINIMUM YIELD STEEL MAINFRAME, FOUR FABRICATED 16 IN. DEEP CAMBERED I-BEAMS. CROSSMEMEBERS-10 IN. PIERCED I-BEAMS SPACED AT 24 IN. GOOSENECK LENGTH-102 IN (SEING CLEARANCE). FIFTH WHEEL HEIGHT-STANDARD 50 IN. DECKING. 5.00 NOMINAL HARDWOOD, WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSERS. MANUAL RAISE AND LOWER VALVE. HYDRAULIC WELINE HOOK-UP FOR TRACTOR PTO LEVEL. 4 INCH RELIEF GOOSENECK, AIR LIFT 3RD AXLE. PAINT-PARISH WHITE WITH EAGER BEAVER DECALS. TIRES-275-70RSS. 5 (H) STEEL BELTED RADIALS. HUBS/WHEELS-SIX DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED, SUSPENSION AIR RID (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE, AXLE THREE 5 IN. DIAMETER, 25,000 LBS. EACH. TIE DOWNS-7 EACH PER SIDE ROTO RINGS. BRAKES-ABS SYSTEM WITH SPRIN BRAKES FOR PARKING. CAST STEEL OUTRIGGERS. 14 HP KOHLER POWER PACK</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
15	1.00	EA	<p>0015 - HEAVY DUTY HYDRA NECK 55 TON DETACHABLE GOOSENECK LOWBOY TRAILER.</p> <p>BID REVISED PER ADDENDUM #1</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>CAPACITY-110,000LBS. TRAILER WEIGHT-22,650 LBS. DECK WIDTH 8 FT 6 IN. DECK LENGTH-25 FT OVERALL LENGTH-51 FT 2 IN. HEIGHT-24 IN. 80,000 PSI. MINIMUM YIELD STEEL MANIFRAME, FOUR FABRICATED 16 INCHY DEEP CAMBERED I-BEAMS. CROSSMEMBERS-10 IN. PIERCED-1-10 SPACED AT 24 IN. GOOSENECK LENGTH. 102. IN (SWING CLEARANCE). FIFTH WHEEL HEIGHT-STANDARD 50 IN. DECKING-2 IN. NOMINAL HARDWOOD. WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSSERS. MANUAL RAISE AND LOWER VALVE. HYDRAULICS-WETLINE HOOK-UP FOR TRACTOR. PTO OPERATIONS, CONTROLS-CONTROL VALVE AT EYE LEVEL. 4 IN. RELIEF GOOSENECK. AIR LIFT 3RD AXLE. PAINT-PARISH WHITE WITH EAGER BEAVER DECALS. TIRES-275/70R22.5 (H) STEEL BELTED RADIAL. HUBS/WHEELS SIX DISC TYPE HUMBS. TWELVE 8.25 X 22.5 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED.SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE. AXLE THREE 5 IN. DIAMETER, 25,000 LBS. EACH. TIE DOWNS-7 EACH PER SIDE ROTO RINGS. BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS. 4TH FLIP AXLE 14 HP KOHLER POWER PACK. LOAD BEARING WHEEL COVERS. ALUMINUM WHEELS.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
16	1.00	EA	<p>0016 - HEAVY DUTY HYDRA NECK 60 TON DETACHABLE GOOSENECK LOWBOY TRAILER.</p> <p>CAPACITY-120,000 LBS. DECK WIDTH-8 FT. 6 IN. DECK LENGHT-25 FT. OVERALL LENGTH-53 FT. HEIGHT-24 IN. 80,000 PSI. MINIMUM YIELD STEEL FRAM. FOUR CROSSMEMBERS-10 IN. PIERCED I-BEAMS SPACED AT 24 IN. GOOSENECK LENGTH-102 IN. NOMINAL HARDWOOD. WIRING HARNESS-7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSSERS. MANUAL RAISE AND LOWER VALVE HYDRAULICS. WETLINE HOOK-UP FOR TRACTOR. PTO OPERATIONS. CONTROL VALVE AT EYE LEVEL. 4 IN. RELIEF GOOSENECK. AIR LIFT THIRD AXLE. PAINT-PARISH WHITE WITH EAGER BEAVER DECALS. TIRES-275/70R22.5 (H) STEEL BELTED RADIAL. HUBS/WHEELS-SIX DISC TYPE HUBS. TWELVE 8.25 X 22.5 DISC TYPE WHEELS. STEMCO OIL SEALS,HUB PILOTED. SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE. AXLE-THREE 5 IN DIAMETER 25,000 LBS. EACH. TIE DOWNS-7 EACH PER SIDE ROTO RINGS.</p> <p>BID REVISED PER ADDENDUM #1</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
17	1.00	EA	<p>BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUT-RIGGERS. 4TH FLIP AXLE. 14 HP KOHLER POWER PACK. LOAD BEARING WHEEL COVERS. ALUMINUM WHEELS (OUTSIDE).</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p> <p>0017 - HEAVY DUTY DUMP TRAILER-FRAME TYPE TRI-AXLE 30 YD. TRAILER. LENGTH- 30 FT. CROSS SILL, 15 IN. SIDE THICKNESS 250 IN. SUSPENSION-INTRA-AXLE WHEEL TYPE STEEL BUDD. TIRE SIZE-11R25.5 AND REAR APRON. ONE ELECTRIC TARP RACK. NOTE-ALUMINUM TRAILER.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
18	1.00	EA	<p>0018 - MULTI-TANK FUEL TRAILER</p> <p>ULTI-TANK FEUL TRAILER WITH 7-110 GALLON DIESEL FUEL TANKS;INDEPENDENTLY MOUNTED ON A FRAME WITH SPRING LOADED BOLTS; BUILT WITH TUBED FRAMING AND 2" TOP AND BOTTOM HORIZONTAL SUPPORTS; WALKING AXLES; ALL TANKS BUILD WITH CORNER BRACING; 54" CABINET WITH TWO "GULL WING" DOORS; 5 X 2" TUBE FRAME; 2-6000 SPRING AXLES WITH ELECTRIC BRAKES ;ALUMINUM, 235-80-R16 WHEELS AND TIRES; DOT LIGHTING; 7-110 GALLON DIESEL FUEL TANKS; HONDA ELECTRIC START 50 GPM FUEL PUMP; FILL-RIGHT 901 MECHANICAL METER; REEL CRAFT 1" X 50' DIESEL REEK WITH HIGH FLOWW AUTO NOZZLE AND SWIVEL; 1-110 STAINLESS STEEL DEF TANK; 12V DEF PUMP WITH 3-WAY VALVE; REEL CRAFT 1/2" X 50' DEF REEL WITH NOZZLE; 4" X 6" LED WORK LIGHT; PRIMER POWDER COAT FINISH.</p> <p>** REQUIRES LOUISIANA DEALER'S LICENCE**</p> <p>MANUFACTURER- MANUFACTURER PART- VENDOR PART-</p>		
19	1.00	EA	<p>0019 - ECONOMY MOBILE FUEL TRAILER- 500 GALLON ECONOMY SIZE FUEL TRAILER</p> <p>TANKS INTERNALLY BAFFLED; TRAILER WILL COME EQUIPPED WITH ELECTRIC BRAKES, WHITE SPOKES WITH RADIALS,REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE</p> <p>BID REVISED PER ADDENDUM #1</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
20	1.00	EA	<p>HEIGHT HITCH AND ALL DOT LIGHTING, AND 12 VOLD FUEL PUMP</p> <p>**REQUIRES LOUISIANA DEALER'S LICENSE** MANUFACTURER: MANUFACTURER PARTS: VENDOR PART-</p> <p>0020 - ECONOMY MOBILE FUEL TRAILER- 900 GALLON ECONOMY SIZE FUEL TRAILER</p> <p>TANKS INTERNALLY BAFFLED. TRAILER COMES EQUIPPED WITH ELECTRIC BRAKES, WHITE SPOKES WITH RADIALS, REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING, AND 12-VOLT FUEL PUMP.</p> <p>**LOUISIANA DEALER'S LICENSE REQUIRED** MANUFACTURER: MANUFACTURER PART: VENDOR:</p>		
21	1.00	EA	<p>0021 - DELUXE MOBILE FUEL TRAILER- 500 GALLON CAPACITY</p> <p>TANKS INTERNALLY BAFFLED; DELUXE TRAILER COMES STANDARD WITH SPACE TO ACCOMODATE FOR DEF UPGRADE AT FUTURE DATE. TRAILER COMES EQUIPPED WITH 54" CABINET WITH TWO BOTTOM OPENING LOCKABLE DOORS, ELECTRIC BRAKES,WHITE MOD WITH RANDIALS, REMOVABVLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING.</p> <p>LOCKABLE CABINET TO HOUSE ON 25' X 1" DIESEL FUEL REEL WITH HUSKY AUTO NOZZLE AND HIGH FLOW FUEL SWIVEL. ONE 5.5 HP HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILTERS, CAPABLE OF PRODUCING 40 GPM, HIGH FLOW FR901 40 GPM MECHANICAL METER WITH RESETTABLE ACCUMULATOR FLOW RATE TOTALIZER TO 99.9 GPM. ONE 23" X 3 AND ONE 23" X 5" DEEP DRAWER.</p> <p>**REQUIRES LOUISIANA DEALER'S LICENSE** MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
22	1.00	EA	<p>0022 - DULUXE MOBILE FUEL TRAILER- 750 GALLON CAPACITY; TANKS INTERNALLY</p> <p>BAFFLED; DELUXE TRAILER COMES STANDARD WITH SPACE TO ACCOMMODATE FOR DEF UPGRADE AT FUTURE DATE. TRAILER COMES EQUIPPED WITH ON 54" CABINET WITH TWO</p> <p style="text-align: center;">BID REVISED PER ADDENDUM #1</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00131987

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
23	1.00	EA	<p>BOTTOM OPENING LOCKABLE DOORS, ELECTRIC BRAKES, WHITE MOD WITH RADIALS, REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH, AND ALL DOT LIGHTING. LOCKABLE CABINET TO HOUSE ON 25' X 1" DIESEL FUEL REEL WITH HUSKY AUTO NOZZLE AND HIGH FLOW FUEL SWIVEL. ONE 5.5 HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILERS, CAPABLE OF PRODUCING 40 GPM, HIGH FLOW FR901 40 GPM MECHANICAL METER WITH RESETTABLE ACCUMULATOR FLOW RATE TOTALIZER TO 99.9 GPM. ONE 23" X 3 AND ONE 23" X 5" DEEP DRAWER.</p> <p>** REQUIRES LOUISIANA DEALER'S LICENSE**</p> <p>MANUFACTURER- MANUFACTURER PART- VENDOR PART-</p> <p>0023 - DULUXE MOBILE FUEL TANKER- 990 GALLON CAPACITY TANKS INTERNALLY BAFFLED; DELUXE TRAILER COMES STANDARD WITH SPACE TO ACCOMMODAE FOR DEF UPGRADE AT FUTURE DATE; TRAILER COMES EQUIPPED WITH ON 54" CABINET WITH TWO BOTTOM OPENING LOCKABLE DOORS, ELECTRIC BRAKES, WHITE MOD WITH RADIALS, REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITHC AND ALL DOT LIGHTING. LOCKABLE CABINET TO HOUSE ON 25' X 1" DIESE FUEL REEL WITH HUSKY AUTO NOZZLE AND HIGH FLOW FUEL SWIVEL. ONE 5.5 HP HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILTERS, CAPABLE OF PRODUCING 40 GPM, HIGH FLOW FR901 40 GPM MECHANICAL METER WITH RESETTABLE ACCUMULATOR FLOW RATE TOTALIZER TO 99.9 GPM ONE 23" X 3 AND ONE 23" X 5 DEEP DRAWER.</p> <p>MANUFACTURER- MANUFACTURER PART- VENDOR PART-</p> <p>**A LOUISIANA DEALERS LICENSE REQUIRED FOR ALL ITEMS**</p> <p>***PLEASE SEE ATTACHED SPECIFICATIONS***</p> <p style="text-align: center;">BID REVISED PER ADDENDUM #1</p>		