



# STATE OF LOUISIANA

Office of State Procurement  
AUCTION REQUEST FOR INFORMATION

Vendor No.: \_\_\_\_\_  
Solicitation: 3000015959  
Opening Date: 10/23/2020

Vendor Name and Address: (to be completed by Vendor)

**Ship To Address:**

Mickie Gremillion  
DOC LA STATE PENITENTIARY-909 WAREHOUSE  
17544 TUNICA TRACE - HWY 66  
ANGOLA, LA 70712

**TO SUBMIT A REVERSE AUCTION (ONLINE) RESPONSE CLICK THE LINK BELOW.**

**ALL RESPONSES MUST BE SUBMITTED VIA THE REVERSE AUCTION ONLINE RESPONSE LINK.**

**RFx Number:** 3000015959  
**Version:** 1  
**Buyer:** LOGAN GANAWAY  
**Buyer Phone:** (225) 342-8052  
**E-Mail:** logan.ganaway@la.gov  
**Scheduled Begin Date:**  
**Scheduled End Date:**  
**T-Number:**

**ONLINE RESPONSE LINK**

[https://lagoverpvendor.doa.louisiana.gov/rfx?sapsrm\\_boid=567620E9FB021EDB83DFCC9BCF9544E8](https://lagoverpvendor.doa.louisiana.gov/rfx?sapsrm_boid=567620E9FB021EDB83DFCC9BCF9544E8)

QUESTIONS TO BE COMPLETED BY VENDOR	Required
1. _____ Have you reviewed all attachments to the bid invitation and answered all questions?	YES
2. _____ Have you attached / included all required files to the bid response?	YES
3. _____ Have you attached the signature page to the bid response?	YES
4. _____ Delivery will be made this number of days After Receipt of Order (ARO)	NO
5. _____ %discount for payment made within 30 days. Discounts for payment made in less than 30 days, of less than 1%, or applicable to an indefinite quantity contract will be accepted but will not be an award consideration.	NO

**Name of Solicitation:** Aluminum Gantry Crane & Accessories-DOC

**RFx text:**

All vendors must be registered in the LaGov system in order to: submit a Reverse Auction response, have their bids tabulated by our office, and to receive automatic email notifications of bid opportunities.

To register as a vendor, access the following link:

<https://lagoverpvendor.doa.louisiana.gov/iri/portal/anonymous?guest user=self reg>

VENDOR TELEPHONE NUMBER: FAX NUMBER:	TITLE	DATE
Signature of Authorized Bidder		Name of Bidder (Typed or printed)

Please include a W-9 form with you bid if you are newly registered. Do not register again if you are already registered in the system. You will need a LaGov Vendor ID and Password in order to submit a Reverse Auction response.

Bidders must submit bids via the Reverse Auction Bid Response Link on Page 1 of this bid invitation. Reverse Auction bidding instructions are attached to this bid invitation.

Please print all attachments to ensure all documents related to this solicitation are reviewed prior to bidding.

All documents associated with this solicitation should be included in the bidder's submission.

**Bid Documents Include:**

Attachment A- Special Terms & Conditions - Pages 1-4

Attachment B- Line Item Responses - Pages 1-2

Attachment C- Boiler Plate Instructions to Bidder - Pages 1-4

Attachment D- Reverse Auction Bidding Instructions - Pages 1-13

LINE	Description
1	<p><b>Product Category:24101600</b> Alum. Gantry</p> <p>2 ton adjustable height Aluminum Gantry Crane</p> <p>Model Number: LK Goodwin 2ALU1012 or Equal</p> <p>Specs: * 2 ton * Adjustable Height * Aluminum Gantry * Appx 6 inch adjusting increments * Appx. Overall Span: 10 FT. * 8" Wheel Diameter * Appx. Span Between wheel centers: 9' 3" * Bean Size Width: Appx. 4-5/8" * Height adjustment kits use spring-loaded steel locking pins * Steel locking pins shall automatically engage when height positioning holes are reached * Adjust heights for specific lifts; uneven floors; or to move thru doorways * Adjustable spans; allows crane to be shortened for moving thru narrow aisles. * Must have the ability to withhold the heavy duty caster wheels</p>
2	<p><b>Product Category:24101600</b> Push Trolley</p> <p>PT Push Trolley</p> <p>Model Number: Harrington PT020 or Equal</p> <p>Specs: * PT Push Trolley * Capacity from appx. 1 1/2 through 2 ton * Net Weight: Appx 29 LBS * Contoured Wheels that fit tapered and flat flange beams</p>

Invitation to bid: 3000015959  
Open Date: 10/23/2020  
T-Number:

Bidder:

Page 3 of 3

LINE	Description
	<ul style="list-style-type: none"><li>* sealed ball bearings</li><li>* easily adjustable to fit a wide variety of beams</li><li>* load equalizing suspension for distribution of the load</li><li>* wide standard flange ranges</li></ul>
3	<p><b>Product Category:24101600</b> Pneumatic Wheels</p> <p>Pneumatic Wheels for Aluminum Gantry</p> <p>Model Number: LK Goodwin 32-0002PNE or Equal</p> <p>Specs:</p> <ul style="list-style-type: none"><li>* Pneumatic Wheels</li><li>* Capacity: 2 Ton</li><li>* Dual Tires</li><li>* Tire Diameter : Appx 16"</li><li>* 4 position swivel locks</li><li>* Without brakes</li><li>* Used for soft roofs and uneven surfaces</li></ul>
4	<p><b>Product Category:24101600</b> Pneumatic Wheels</p> <p>Pneumatic Wheels for Aluminum Gantry</p> <p>Model Number: LK Goodwin 32-0002BPNE or Equal</p> <p>Specs:</p> <ul style="list-style-type: none"><li>* Pneumatic Wheels</li><li>* Capacity: 2 Ton</li><li>* Dual Tires</li><li>* Tire Diameter : Appx 16"</li><li>* 4 position swivel locks</li><li>* With brake</li><li>* Used for soft roofs and uneven surfaces</li></ul>