

**Attachment B- Price Sheet**

Line #	Model #	Description	UOM	QTY	Unit Price	Extended Price
1	VM5930DM-LWIN	<b>KENWOOD VIKING VM5930DM:</b> P25 Digital Dash Mount Mobile Radio, Compact Ergonomics. 700/800 MHz. To include: KCH-19VM Control Head, KMC-65M Standard Microphone, 10ft. DC cable, Mounting Bracket, Analog FM, P25 CAI AMBE+2, Analog Conventional, P25 Conventional, P25 Phase 1 Trunking, 1024 Channel, Conventional Voting Scan, and TrueVoice Noise Cancellation. Warranty: Three (3) Years. Transfer of Lifetime perpetual software licensing to a replacement or future purchased radio.	EA	1		
2	VM5930BS-LWIN	<b>KENWOOD VIKING VM5930BS:</b> P25 Digital Desk Top Radio, 700/800 MHz. To include: KCH-19VM Control Head, 10ft. DC cable, Mounting Case, Power Supply, Analog FM, P25 CAI AMBE+2, Analog Conventional, P25 Conventional, P25 Phase 1 Trunking, 1024 Channel, Conventional Voting Scan, and TrueVoice Noise Cancellation. Microphone not included. Warranty: Three (3) Years. Transfer of Lifetime perpetual software licensing to a replacement or future purchased radio.	EA	1		
3	VM5930RM-LWIN	<b>KENWOOD VIKING VM5930RM:</b> P25 Digital Remote Mount Mobile Radio, Compact Ergonomics. 700/800 MHz. To include: KCH-19VM Remote Control Head, KMC-65M Standard Microphone, 10ft. DC cable, 17ft. Remote Cable, Mounting Brackets, Analog FM, P25 CAI AMBE+2, Analog Conventional, P25 Conventional, P25 Phase 1 Trunking, 1024 Channel, Conventional Voting Scan, and TrueVoice Noise Cancellation. Speaker not included. Warranty: Three (3) Years. Transfer of Lifetime perpetual software licensing to a replacement or future purchased radio.	EA	1		
4	VM5930DRM-LWIN	<b>KENWOOD VIKING VM5930DRM:</b> P25 Digital Dual (2) Remote Mount Mobile Radio, Compact Ergonomics. 700/800 MHz. To include: (2) KCH-19VM Control Head, (2) KMC-65M Standard Microphone, 10ft. DC Cable, (2) 17ft. Remote cables, Mounting Bracket, Analog FM, P25 CAI AMBE+2, Analog Conventional, P25 Conventional, P25 Phase 1 Trunking, 1024 Channel, Conventional Voting Scan, and TrueVoice Noise Cancellation. Speaker not included. Warranty: Three (3) Years. Transfer of Lifetime perpetual software licensing to a replacement or future purchased radio.	EA	1		
5	VM6930RM-LWIN	<b>KENWOOD VIKING VM6930RM:</b> P25 Digital Remote Mount Mobile Radio, 700/800 MHz. To include: VCH Remote Control Head, Remote Kit, VCH Standard Microphone, 6ft. DC cable, 6ft. Remote Cable, Mounting Bracket, Analog FM, P25 CAI AMBE+2, Analog Conventional, P25 Conventional, P25 Phase 1 Trunking, 1024 Channel, Conventional Voting Scan, and TrueVoice Noise Cancellation. Speaker not included. Warranty: Three (3) Years. Transfer of Lifetime perpetual software licensing to a replacement or future purchased radio.	EA	1		
6	VM6930HHC-LWIN	<b>KENWOOD VIKING VM6930HHC:</b> P25 Digital Handheld Controller Remote Mobile Radio, Compact Ergonomics. 700/800 MHz. To include: VCH Remote Control Head, VCH Standard Microphone, 6ft. DC cable, Mounting Bracket, Remote Speaker, Analog FM, P25 CAI AMBE+2, Analog Conventional, P25 Conventional, P25 Phase 1 Trunking, 1024 Channel, Conventional Voting Scan, and TrueVoice Noise Cancellation. Warranty: Three (3) Years. Transfer of Lifetime perpetual software licensing to a replacement or future purchased radio.	EA	1		

7	VM6930DRM-LWIN	<b>KENWOOD VIKING VM6930DRM:</b> P25 Digital Dual (2) Remote Mount Mobile Radio, Compact Ergonomics. 700/800 MHz. To include: Two (2) KCH-19VM Control Head, Two (2) KMC-65M Standard Microphones, One (1) 6ft. remote cable, One (1) 17ft. remote cable Mounting Brackets, Analog FM, P25 CAI AMBE+2, Analog Conventional, P25 Conventional, P25 Phase 1 Trunking, 1024 Channel, Conventional Voting Scan, and TrueVoice Noise Cancellation. Speaker not included. Warranty: Three (3) Years. Transfer of Lifetime perpetual software licensing to a replacement or future purchased radio.	EA	1		
8	VM-7000DBLV-LWIN	<b>KENWOOD VIKING VM-7000DBLV:</b> P25 Digital Dual Band Mobile Radio, 700/800 MHz. + 50 WATT VHF. Simultaneous Receive, Dual RF Deck. To include: KCH-20RV Control Head, KMC-65M Standard Microphone, DC cable, Mounting Bracket, Model Options: Analog FM, P25 CAI AMBE+2, Analog Conventional, P25 Conventional, P25 Phase 1 Trunking, 1024 Channel, Conventional Voting Scan and TrueVoice Noise Cancellation. Speaker not included. Warranty: Three (3) Years. Transfer of Lifetime perpetual software licensing to a replacement or future purchased radio.	EA	1		
9	VM-7000DBHV-LWIN	<b>KENWOOD VIKING VM-7000BHV:</b> P25 Digital Dual Band Mobile Radio, 700/800 MHz. + 100 WATT VHF. Simultaneous Receive, Two (2) RF Decks. To include: KCH-20RV Control Head, KMC-65M Standard Microphone, DC cable, Mounting Bracket, Model Options: Analog FM, P25 CAI AMBE+2, Analog Conventional, P25 Conventional, P25 Phase 1 Trunking, 1024 Channel, Conventional Voting Scan, and TrueVoice Noise Cancellation. Speakers not included. Warranty: Three (3) Years. Transfer of Lifetime perpetual software licensing to a replacement or future purchased radio.	EA	1		
10	VM-7000TB-LWIN	<b>KENWOOD VIKING VM-7000TB:</b> P25 Digital Tri-Band Mobile Radio, 700/800 MHz. + 50W VHF + 35W UHF. Simultaneous Receive, Two (2) RF Decks. To include: KCH-20RV Control Head, KMC-65M Standard Microphone, DC cable, Mounting Bracket, Model Options: Analog FM, P25 CAI AMBE+2, Analog Conventional, P25 Conventional, P25 Phase 1 Trunking, 1024 Channel, Conventional Voting Scan, and TrueVoice Noise Cancellation, Speakers not included. Warranty: Three (3) Years. Transfer of Lifetime perpetual software licensing to a replacement or future purchased radio.	EA	1		
11	VM-7000TBHV-LWIN	<b>KENWOOD VIKING VM-7000TBHV:</b> P25 Digital Tri-Band Mobile Radio, 700/800 MHz. + 100W VHF + 35W UHF. Simultaneous Receive, Three (3) RF Decks. To include: KCH-20RV Control Head, KMC-65M Standard Microphone, DC cable, Mounting Bracket, Analog FM, P25 CAI AMBE+2, Analog Conventional, P25 Conventional, P25 Phase 1 Trunking, 1024 Channel, Conventional Voting Scan, and TrueVoice Noise Cancellation. Speakers not included. Warranty: Three (3) Years. Lifetime Transfer of Lifetime perpetual software licensing to a replacement or future purchased radio.	EA	1		

OPTIONAL FEATURES

12	Model #	Description	UOM	QTY	Unit Price	Extended Price
13	KMB-33M	Mounting Bracket Standard Deck (Spare), for use with: Model #: VM5930BS-LWIN	EA	1		
14	KMB-34	Mounting Case for Control Station with KPS-15, for use with: Model #: VM5930BS-LWIN	EA	1		
15	KPS-15	DC Switching Power Supply (117/230 VAC; 23A max. continuous, 25A peak) for Control Station, for use with: Model #: VM5930BS-LWIN	EA	1		
16	KCT-46	Ignition Sense Cable Standard Deck, for use with: Model #: All Models	EA	1		
17	KCH-19VM	KCH-19 Control Head, for use with: Model #: VM5930DM-LWIN; VM5930BS-LWIN; VM5930RM-LWIN; VM5930DRM-LWIN; VM6930RM-LWIN; VM6930HHC-LWIN; VM6930DRM-LWIN	EA	1		
18	KCT-23M	DC Cable-Dash Mount Configuration 10ft., for use with: Model #: VM5930DM-LWIN	EA	1		

19	KCT-23M3	DC Cable-Remote Mount Configuration, for use with: Model #: VM5930DM-LWIN; VM5930BS-LWIN; VM5930RM-LWIN; VM6930RM-LWIN; VM6930HHC-LWIN; VM6930DRM-LWIN; VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN	EA	1		
20	KRK-17BF	Remote Kit for KCH Control Head, for use with: Model #: VM5930DM-LWIN; VM5930BS-LWIN; VM5930RM-LWIN; VM5930DRM-LWIN; VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN *price when included with Radio purchase	EA	1		
21	KCT-71M2	17ft. remote cable for KCH Control Head, for use with: Model #: VM5930DM-LWIN; VM5930BS-LWIN; VM5930RM-LWIN; VM5930DRM-LWIN; VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN	EA	1		
22	KCT-71M3	25ft. remote cable for KCH Control Head, for use with: Model #: VM5930DM-LWIN; VM5930BS-LWIN; VM5930RM-LWIN; VM5930DRM-LWIN; VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN	EA	1		
23	KCT-71A50	VM5000/7000 Remote Cable up to 50ft for KCH Control Head, for use with: Model #: VM5930DM-LWIN; VM5930BS-LWIN; VM5930RM-LWIN; VM5930DRM-LWIN; VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN	EA	1		
24	KCT-71A100	VM5000/7000 Remote Cable up to 100ft. for KCH Control Head, for use with: Model #: VM5930DM-LWIN; VM5930BS-LWIN; VM5930RM-LWIN; VM5930DRM-LWIN; VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN	EA	1		
25	KMC-65M	Standard Mobile Mic for KCH Control Head, for use with: Model #: VM5930DM-LWIN; VM5930BS-LWIN; VM5930RM-LWIN; VM5930DRM-LWIN; VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN	EA	1		
26	KMC-66M	Twelve (12) Button Keypad Mic for KCH Control Head, for use with: Model #: VM5930DM-LWIN; VM5930BS-LWIN; VM5930RM-LWIN; VM5930DRM-LWIN; VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN	EA	1		
27	KMC-9C	Control Station Desktop Microphone (8-pin mod. plug), for use with: Model #: VM5930BS-LWIN	EA	1		
28	KMC-59C	Control Station Desktop Microphone (8-pin mod. plug) Improved noise response for Phase 2 TDMA systems, for use with: Model #: VM5930BS-LWIN	EA	1		
29	KAP-2	Horn Alert / PA Relay Option Kit, for use with: Model #: All Models	EA	1		
30	KES-5A	40W External Speaker. Requires KAP-2 kit to connect to radio. Requires KCT-72M cable to connect to KCH-20/21 Control Head, for use with: Model #: All Models	EA	1		
31	KCT-72M	External Accessory Connection Cable for KCH-20RV/KCH-21RV remote control heads, for use with: Model #: VM6930RM-LWIN; VM6930HHC-LWIN; VM6930DRM-LWIN; VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN	EA	1		
32	RPSP-15	5w External Speaker, compact, 3.5 mm audio plug, for use with: Model #: All Models	EA	1		
33	KES-8K	10W External Speaker, 3.5 mm audio plug, for use with: Model #: All Models	EA	1		
34	KCH-20RV	KCH-20 Enhanced control head, for use with: Model #'s: VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN	EA	1		
35	KCH-21RVM	KCH-21 Hand Held control head, for use with: Model #: VM6930RM-LWIN; VM6930HHC-LWIN; VM6930DRM-LWIN; VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN	EA	1		
36	KCT-77M2	Hand Held Control Head remote cable, for use with: Model #: VM6930RM-LWIN; VM6930HHC-LWIN; VM6930DRM-LWIN; VM-7000DBLV-LWIN; VM-7000DBHV-LWIN; VM-7000TB-LWIN; VM-7000TBHV-LWIN	EA	1		
37	KMB-36	Hi Power Deck Mounting Bracket, for use with: Model #: VM7000	EA	1		
38	836VMB10	Mounting Bracket, Dual Deck, for use with: Model, # VM7000	EA	1		
39	KCT-18	Hi Power Ignition Sense Cable, for use with: Model # VM7000	EA	1		

## Attachment B- Price Sheet

40	597535777501	6ft. remote cable, for use with: VCH Model # VM6000	EA	1		
41	597535777502	17ft. remote cable, for use with: VCH Model # VM6000	EA	1		
42	597535777503	50ft. remote cable, for use with: VCH Model # VM6000	EA	1		
43	250074031003	VCH Standard Mobile Mic, for use with: Model # VM6000	EA	1		
44	589001202303	VCH Desktop Mic, for use with: Model # VM6000	EA	1		
45	2500151006	5in. 15w Speaker, Crimp Leads , for use with: VCH Control Head Model # VM6000	EA	1		
46	8322000006	P25 Phase 2 TDMA (Requires option 8322000005), for use with: Model #s: All Models *price when included with Radio purchase	EA	1		
47	8322000104	Viking16 Protocol, for use with: Model #s: All Models	EA	1		
48	8323000002 VM5000	AES FIPS 140-2 (single-key) *price when included with VM5000 Radio purchase	EA	1		
49	8323000002 VM7000	AES FIPS 140-2 (single-key) *price when included with VM6000 or VM7000 Radio purchase	EA	1		
50	8323000004 VM5000	AES FIPS 140-2 (multi-key) *price when included with VM5000 Radio purchase	EA	1		
51	8323000004 VM7000	AES FIPS 140-2 (multi-key) *price when included with VM6000 or VM7000 Radio purchase	EA	1		
52	8323000003	DES-OFB (multi-key), for use with: Model #s: All Models *price when included with 8323000004 AES Multi-key	EA	1		
53	8323000005	ARC4 (ADP compatible), for use with: Model #s: All Models *price when included with Radio purchase	EA	1		
54	8326000002	MDC1200/GE-Star Signaling, for use with: Model #s: All Models *price when included with Radio purchase	EA	1		
55	8325000002	P25 Data Conventional Packet Data, for use with: Model #s: All Models *price when included with Radio purchase	EA	1		
56	8325000001	P25 Data Trunking (Conventional included), for use with: Model #s: All Models *price when included with Radio purchase	EA	1		
57	8326000027	P25 Paging Decode & Encode, for use with: Model #s: All Models *price when included with Radio purchase	EA	1		
58	8324000002	Over-The-Air-Rekeying (OTAR), for use with: Model #s: All Models *price when included with Radio purchase	EA	1		
59	8326000001	P25 Authentication, for use with: Model #s: All Models	EA	1		
60	8324000003	Over-the-Air Programming (OTAP), for use with: Model #s: All Models *price when included with Radio purchase	EA	1		
61	8325000003	GPS, for use with: Model #s: All Models *price when included with Radio purchase	EA	1		
62	KRA-40GM	GPS Antenna, for use with: Model #s: All Models	EA	1		
63	8326000024	EVRS Mobile, for use with: Model #s: All Models	EA	1		
64	8324000005	Keypad Programming for use with: Model #s: All Models	EA	1		
65	8326000025	Bluetooth, for use with: Model #s: All Models	EA	1		

**Attachment B- Price Sheet**

66	8326000033	Bluetooth Low Energy, for use with: Model #: All Models	EA	1		
67	8326000013	Third Party Interface, for use with: Model #: All Models	EA	1		
68	8326000028	Instant Recording Replay, for use with: Model #: All Models	EA	1		
69	8326000032	Text Message, for use with: Model #: All Models	EA	1		
70	8326000034	Custom Transmit Power Levels, for use with: Model #: All Models	EA	1		
71	8326000006	1024 Channels/Talkgroups (standard), for use with: Model #: All Models	EA	1		
72	8326000008	2048 Channels/Talkgroups, for use with: Model #: All Models	EA	1		
73	8326000009	4096 Channels/Talkgroups, for use with: Model #: All Models	EA	1		