

Operations and Maintenance Services for the Wastewater Treatment Facilities

Addendum No. 1

July 29, 2022

Email Correction

The email address provided in the RFP was incorrect. Replace with the following on pages 5, 18 and 19 of the document. 20008-A22-10_OPER-MAINT@brla.gov

Availability of RFP with Appendices

LaPAC does not allow zip files to be uploaded. The RFP in PDF without appendices is posted on LaPAC and all addenda will be posted there as well. The complete RFP package with appendices can be obtained by emailing 20008-A22-10_OPER-MAINT@brla.gov

Mandatory Pre-Proposal Conference Sign In Sheets

Copies of the sign in sheets from the mandatory pre-proposal conference this morning are attached to this addendum.

Questions and Answers

Q1. We are working on putting together the list of people we will have attending the site visit, but I wanted to ask if it needs to be the same 10 people for all three days? Any insight would be greatly appreciated.

A1. The intent is to limit the number of people onsite. It doesn't need to be the same 10 people for all three days. Different people may attend as long as names are provided in advance and the total per day doesn't exceed 10 people.

Q2. Due to the size and complexity of the facilities and scope, we request permission to have more than 10 participants (referenced in the RFP) attend the site visit.

A2. The intent is to limit the number of people onsite. The limit will remain 10 people per day but different people may attend each day as noted above. An additional site visit may also be requested by the prime proposer if necessary.

Q3. Would it be possible to have a visit the week after period 6?

A3. The intent of the possible additional access period is for follow up visits. No facility tours are being scheduled after period 6 at this time.

