



STATE OF LOUISIANA

Office of State Procurement
INVITATION TO BID

**RESPONSES WILL BE
PUBLICLY OPENED AT THE
PHYSICAL ADDRESS BELOW**

10/12/2022
10:00 AM CST

Vendor No.: _____
Solicitation: 3000019770
Opening Date: 10/12/2022

Vendor Name and Address: (to be completed by Vendor)

Ship To Address:

JOHNNY HEBERT 225-342-2559
DOC PRISON ENTERPRISES-HDQS WAREHOUSE
604 MAYFLOWER
BATON ROUGE, LA 70802

**TO SUBMIT AN ELECTRONIC ONLINE
RESPONSE CLICK THE LINK BELOW**

SUBMIT NON-ELECTRONIC RESPONSE TO:
Office of State Procurement
1201 N. Third Street, Suite 2-160
Baton Rouge, LA 70802

RFx Number: 3000019770

Version: 1

Buyer: ZACHARY CUNY

Buyer Phone: 225-342-5504

E-Mail: zachary.cuny@la.gov

Scheduled Begin Date:

Scheduled End Date:

T-Number:

ONLINE BID RESPONSE LINK

https://lagoverpvendor.doa.louisiana.gov/rfx?sapsrm_boid=269F7EAD44021EDD88FC17362D4B5BC7

QUESTIONS TO BE COMPLETED BY VENDOR	Required
1. _____ Have you reviewed all attachments to the bid invitation and answered all questions?	YES
2. _____ Have you entered pricing, or attached the pricing sheet (if applicable) to the bid response?	YES
3. _____ Have you attached / included all required files to the bid response?	YES
4. _____ Have you attached the signature page to the bid response?	YES
5. _____ Delivery will be made this number of days After Receipt of Order (ARO)	NO
6. _____ %discount for payment made within 30 days. Discounts for payment made in less than 30 days, of less than 1%, or applicable to an indefinite quantity contract will be accepted but will not be an award consideration.	NO

Name of Solicitation: Uniforms - DOC

RFx text:

Due to the COVID-19 emergency situation, the Office of State Procurement is temporarily suspending in-person attendance by vendors at public bid openings for bids published by our office.

Any vendor who would like to view the opening of this bid can access the following link, at the date

VENDOR TELEPHONE NUMBER: EMAIL ADDRESS:	TITLE	DATE
Signature of Authorized Bidder	Name of Bidder (Typed or printed)	

Invitation to bid: 3000019770 Open Date: 10/12/2022 T-Number:	Bidder:	Page 2 of 33
---	---------	--------------

and time of this bid opening:

<https://doa-ospla.zoom.us/j/2697438343>

This link will provide you with live audio and video access to this bid opening. The link will be live at 9:55 AM on the date of bid opening.

All vendors must be registered in the LaGov system in order to: submit an online bid, have their bids tabulated by our office, and to receive automatic email notifications of bid opportunities.

To register as a vendor, access the following link:

https://lagoverpvendor.doa.louisiana.gov/irj/portal/anonymous?guest_user=self_reg

Please include a W-9 form with your bid if you are newly registered. Do not register again if you are already registered in the system. You will need a LaGov Vendor ID and Password in order to submit an online bid.

Bidders are invited to submit bids via the Online Bid Response Link on Page 1 of this bid invitation.

Online bidding instructions are attached to this bid invitation. Please print all attachments to ensure all documents related to this solicitation are reviewed prior to bidding.

All documents associated with this solicitation should be included in the bidder's submission.

Bid Documents Include:

- Attachment A - Special Terms and Conditions - Pages 1 - 7
- Attachment B - Line Item Responses - Pages 1 - 4
- Attachment C - Online Bidding Instructions - Pages 1 - 11

Bid delivery instructions for the Office of State Procurement:
 Refer to Page 1 in Attachment A – Special Terms and Conditions

=====
 This solicitation is to establish a Blanket Order Contract to provide Uniforms for Canteen Resale as specified for the Louisiana Department of Corrections – Prison Enterprises for an initial period beginning date of award and ending December 31, 2022. At the option of the State of Louisiana and acceptance by the Contractor, this contract may be renewed for two (2) additional twelve (12) month periods at the same prices, terms and conditions. Total contract time not to exceed thirty-six (36) months.

=====
 Blanket Order Contract: Items are to be called for by the using agency as needed. No shipments are to be made until the Agency calls or otherwise submits an order for shipment of a specific quantity. Quantities are estimated, and they may be increased or decreased as needed throughout the contract period. Individual order quantities, when called for, are based on the using agency's demand at the time of order. Minimum orders may be one (1) unit, unless otherwise stated in this solicitation. A blanket order contract is not a guarantee of any quantity. Unit price should be inclusive of any freight charges. Contractor must be able to obtain and supply the item(s) at their bid price for the entire contract period and within the delivery timeframe provided for on their bid. Unused quantities must not be invoiced and will not be paid.

=====
 Resale: Items are for canteen resale. Where listed, only brand name(s) and model(s), or some other designation that identifies a specific product to be offered exclusive of others, specified will be accepted. Bids must be quoted in quantity and unit specified (R.S. 39:1651-1657) and (LAC Title 34 Part 5-109.A.2.B.i).

=====
 Method of Award: It is the intent of the State to award this contract on an all-or-none basis to the

overall lowest responsive, responsible bidder meeting the specifications. The State further reserves the right to reject individual line items from the award.

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
1	<p>Product Category:53102700 WEEB JACKET</p> <p>Brand: Elbeco Model: 13849DP Color: Forest Green Sizes: 36 through 54, even sizes only Delivery Terms: 100 days after receipt of order</p> <p>Style: Fully lined with bi-swing back, two functional front pockets, badge tab, and peak lapel.</p> <p>Body Detail: 15" front zipper closure from base of lapel to bottom opening. Two-piece back has a 2" belt stitched down completely at approximate waistline.</p> <p>Fabric: 55% Dacron / 45% worsted wool. Pre-shrunk finish. Shrinkage rate shall not exceed 2% after laundering. Fabric weight shall be 16 - 16.5 oz. per linear yard. Color: forest green.</p> <p>Collar: Shell fabric on the face side with felt fabric at facing and finishes 1 3/4" at center back.</p> <p>Side Panels: Each side panel shall have an adjustable strap measuring 4" long, 2" wide at widest point, and 1 3/8" wide at seam that is set 2" up from finished bottom hem.</p> <p>Sleeves: Two piece, circular-style coat-style sleeves with shoulder pads Pockets: Two rounded pockets measuring 4" x 4 3/4" with fake scalloped flaps. A gold button is to be sewn on the center of each flap. Interior pockets shall measure 6 1/4" deep. Interior double-besom pocket in the lining of the wearer's right shall measure 5 1/2" wide x 4 1/2" deep.</p> <p>Pocketing: Shall be black, 65% polyester / 35% cotton with a minimum thread count of 70 x 48 and weighing 4.3 oz. per square yard.</p> <p>Badge Tab: Double layer shell fabric shall measure 1" wide x 1 3/4" long and have two metal eyelets, centered 1 1/8" apart, located on left front with top eyelet centered 2 1/2" above flap.</p> <p>Waistband: A 2 1/2" self-fabric waistband shall have adjustable side tabs. There are to be two buttons at each</p>	50	EA		

Invitation to bid: 3000019770
 Open Date: 10/12/2022
 T-Number:

Bidder:

Page 4 of 33

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>tab for adjustment.</p> <p>Epaulets: Shoulder straps shall point at the end toward the neck of the shirt. The other end is to be sewn in the sleeve head seam. Pointed ends shall be fastened with one matching button. Straps shall measure 2 1/4" at sleeve and taper to 1 1/2". Shoulder straps are to be box-stitched to shoulders with a row of cross-stitching 2" from sleeve head seam. There is a 1" concealed opening under the shoulder straps, set halfway between the neck seam and shoulder seam, to thread communication wires. Under right epaulette, there shall be 2x metal eyes, 3/4" long with 1/4" eye opening, stitched to jacket at shoulder seam with one eye pointed toward back body and one eye pointing toward front body.</p> <p>Buttons: There shall be size 36 ligne silver "S" buttons on epaulets and size 24 ligne silver "S" buttons on front pockets. Melamine buttons on waistband must match fabric.</p> <p>Bottom Hem: The bottom of the jacket shall have a 2" turn-up with 1/2" seam joined with lining.</p> <p>Thread: All sewing is to be done with polyester core thread and vat-dyed.</p> <p>Finishing and Pressing: Jackets shall have all loose threads removed, properly pressed, and shipped.</p> <p>Labels: Jackets shall have a sewn-in label on the inside right pocket containing fabric content and care instructions. A permanent size label shall be sewn to this label. There shall be an outside sleeve label, which is marked with lot number, size, fiber content, and cut number.</p> <p>UPC Identification: A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system.</p> <p>Specify Brand Bidding: _____</p> <p>Specify Model Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Size Bidding: _____</p>				

Invitation to bid: 3000019770 Open Date: 10/12/2022 T-Number:	Bidder:	Page 5 of 33
---	---------	--------------

LINE	Description	Quantity	Unit	Unit Price	Extended Amount										
	Specify Minimum Order Amount Bidding: _____ Specify Delivery ARO Bidding: _____														
2	<p>Product Category:53102700 Male Short Sleeve Shirt</p> <p>Brand: Elbeco Model: 8849N Color: OD green Sizes: Neck Sizes 14 1/2 through 18 1/2 (including all half sizes in between), Plus Neck Sizes 19, 20, 22 Delivery Terms: 10-15 days after receipt of order</p> <p>Style: It is the intention of this department to secure a tailored shirt with form-fitting cut. Shirt shall have permanent sewn-in military creases.</p> <p>Tailoring: All sewing shall be with Dacron core thread to match shirt fabric. Collar shall be single-stitched 1/4" from edge. Pockets and flaps must be single-stitched on the edge and die-creased to give uniform shape and size.</p> <p>Fabric: 75% polyester / 25% worsted wool, 2-ply tropical weave with 8% stretch and soft hand. Weight is 5.5 oz. per square yard or 9.5 oz. per linear yard, Color: OD green.</p> <p>Collar: Convertible collar must be one piece, measuring 3 1/4" long at points and 1 5/8" wide at back and constructed of two plies of basic material and one ply of Dacron lining. Innerstand and inner yoke must be made of a matching satin of proper pre-shrunk finish for comfort. Permanent collar stays shall be of good quality vinyl that measure 2 3/4" long x 3/8" wide and are secured to the bottom ply of the collar.</p> <p>Sleeves: Shall be straight and whole, having 1" hems and finish from shoulder seams as follows:</p> <table data-bbox="168 1606 617 1764"> <thead> <tr> <th>Size</th> <th>Finished Length</th> </tr> </thead> <tbody> <tr> <td>14 1/2"</td> <td>9 1/2"</td> </tr> <tr> <td>15, 15 1/2, and 16</td> <td>10"</td> </tr> <tr> <td>16 1/2 18 1/2</td> <td>10 1/2"</td> </tr> <tr> <td>19 and 20</td> <td>11</td> </tr> </tbody> </table> <p>Sleeves must be secured to the body of the shirt by a merrow stitch with a safety stitch to properly strengthen the stitch. The same stitch must be used on the side closing seams.</p>	Size	Finished Length	14 1/2"	9 1/2"	15, 15 1/2, and 16	10"	16 1/2 18 1/2	10 1/2"	19 and 20	11	475	EA		
Size	Finished Length														
14 1/2"	9 1/2"														
15, 15 1/2, and 16	10"														
16 1/2 18 1/2	10 1/2"														
19 and 20	11														

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Flex Vent: Flex Vent shall be made from 92% polyester / 8% spandex mesh. Diamond-shaped mesh measuring 3 1/4" x 10 1/4" long to be set into the sleeve and body panels at the underarm to allow body heat ventilation, increased mobility, and comfort.</p> <p>Front: Front shall have a facing 3" wide extending from neckline to the bottom of shirt provided by a turn-under of material. Left front must have a lined false top center 1 1/2" wide, finished, running full length of the shirt with two rows of stitching 7/8" apart. Center front contains seven vertical buttonholes placed 3/4" from edge; first at neck, second 2 1/2" down, and the balance 3 1/2" apart. The 3rd, 4th, 5th, and 6th buttons are to be sewn on the top center and are not functional. Right front has a button piece, 7/8" wide, stitched the full length. The first and 6th buttons are securely attached to the button piece and correspond to the buttonholes in the center front.</p> <p>Zipper: A 14" nylon zipper shall be sewn to the front, positioned 1 1/2" below the first button to replace the 3rd, 4th, 5th and 6th buttons that are sewn on the top center. Neck, first and bottom buttons are functional.</p> <p>Dual Comm Access Openings: Access openings measuring 1 1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Openings are used to thread communication wires under the front of the shirt to keep them out of the way.</p> <p>Pockets: Two double-entry chest pockets with mitered corners finished 5 5/8" wide x 6" long. Side entry forms a utility pocket closed with Velcro. Left pocket shall have a pencil compartment about 1 1/4" wide. Both pockets to have 1 1/4" box-pleats stitched from top to bottom to prevent spreading.</p> <p>Flaps: Two scalloped flaps that finished 5 3/4" long, 2 3/4" wide at center, and 2 1/2" wide at sides and are secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. Left flap shall have a pencil opening about 1 1/4" wide. A non-functional matching button and buttonhole shall be sewn on each flap.</p> <p>Flap Closure: Side points of the flaps to be secured to the pockets by Velcro fasteners sewn onto the flaps and pockets.</p> <p>Badge Tab: Shall be reinforced on inside of the shirt by a strip of material, 1 1/2" wide, stitched and folded so that no</p>				

Invitation to bid: 3000019770
Open Date: 10/12/2022
T-Number:

Bidder:

Page 7 of 33

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>raw edges are visible. There are to be two small horizontal buttonholes 1 1/4" apart with the bottom buttonhole 1 1/2" above top of left flap.</p> <p>Buttons: All buttons shall be made from melamine material for durability and must match fabric.</p> <p>Shoulder Straps: Shoulder straps shall be pointed at the end toward the neck of the shirt. The other end is sewn in sleeve head seam. Pointed ends are fastened with one matching button. Straps measure 2" at sleeve and taper to 1 3/8", and are set about 1/2" from the collar. Shoulder straps are box-stitched to shoulders with row of cross-stitching 2" from sleeve head seam. There shall be a small buttonhole in the yoke for the insertion of a removable metal button.</p> <p>Back: Yoke, shall be composed of an outer piece of the same material as the basic shirt and an inner piece of matching satin, is top-stitched along the edge.</p> <p>Permanent Creases: Shirts must have permanent military creases. Creases are stitched in shirt only, not through pockets and flaps. One crease in each front extends from hem to joining seam. Three vertical creases must be in back; middle crease is on center back line and side creases are spaced equally from the center crease.</p> <p>Interlining: Collar shall be 250BC Dacron. Top center is lined with Pellon.</p> <p>Labels: Woven label with brand and content must be sewn in yoke with size label sewn next to it. Care label is sewn in bottom hem.</p> <p>Pressing and Packing: Shirts will be pressed by hand in first class manner and individually packed in polyethylene bags. Shirts are to be bulk-packed and shipped in strong boxes so as not to be damaged in shipment.</p> <p>UPC Identification: The UPC bar code tag must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.</p> <p>Delivery Terms: 10-15 days after receipt of order</p> <p>Specify Brand Bidding: _____</p>				

Invitation to bid: 3000019770 Open Date: 10/12/2022 T-Number:	Bidder:	Page 8 of 33
---	---------	--------------

LINE	Description	Quantity	Unit	Unit Price	Extended Amount						
	Specify Model Bidding: _____ Specify Color Bidding: _____ Specify Size Bidding: _____ Specify Minimum Order Amount Bidding: _____ Specify Delivery ARO Bidding: _____										
3	<p>Product Category:53102700 Female Short Sleeve Shirt</p> <p>Brand: Elbeco Model: 9849LCN Color: OD green Sizes: Sizes 30 through 50, even sizes only Delivery Terms: 10-15 days after receipt of order</p> <p>Style: It is the intention of this department to secure a tailored shirt with form-fitting cut. Shirts shall be cut in the Ladies Choice pattern with expanded chest, waist, and hip dimensions for more flattering fit. Shirt shall have permanent sewn-in military creases.</p> <p>Tailoring: All sewing shall be with Dacron core thread to match shirt fabric. Collar shall be single-stitched 1/4" from edge. Pockets and flaps must be single-stitched on the edge and die-creased to give uniform shape and size.</p> <p>Fabric: 75% polyester / 25% worsted wool, 2-ply tropical weave with 8% stretch and soft hand. Weight is 5.5 oz. per square yard or 9.5 oz. per linear yard, Color: OD green.</p> <p>Collar: Convertible collar must be one piece, measuring 3 1/4" long at points and 1 5/8" wide at back and constructed of two plies of basic material and one ply of Dacron lining. Innerstand and inner yoke must be made of a matching satin of proper pre-shrunk finish for comfort. Permanent collar stays shall be of good quality vinyl that measure 2 3/4" long x 3/8" wide and are secured to the bottom ply of the collar.</p> <p>Sleeves: Shall be straight and whole, having 1" hems and finish from shoulder seams as follows:</p> <table data-bbox="168 1827 617 1921"> <tr> <td>Size</td> <td>Finished Length</td> </tr> <tr> <td>14 1/2"</td> <td>9 1/2"</td> </tr> <tr> <td>15, 15 1/2, and 16</td> <td>10"</td> </tr> </table>	Size	Finished Length	14 1/2"	9 1/2"	15, 15 1/2, and 16	10"	50	EA		
Size	Finished Length										
14 1/2"	9 1/2"										
15, 15 1/2, and 16	10"										

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>16 1/2 18 1/2 10 1/2" 19 and 20 11</p> <p>Sleeves must be secured to the body of the shirt by a merrow stitch with a safety stitch to properly strengthen the stitch. The same stitch must be used on the side closing seams.</p> <p>Flex Vent: Flex Vent shall be made from 92% polyester / 8% spandex mesh. Diamond-shaped mesh measuring 3 1/4" x 10 1/4" long to be set into the sleeve and body panels at the underarm to allow body heat ventilation, increased mobility, and comfort.</p> <p>Front: Front shall have a facing 3" wide extending from neckline to the bottom of shirt provided by a turn-under of material. Left front must have a lined false top center 1 1/2" wide, finished, running full length of the shirt with two rows of stitching 7/8" apart. Center front contains seven vertical buttonholes placed 3/4" from edge; first at neck, second 2 1/2" down, and the balance 3 1/2" apart. The 3rd, 4th, 5th, and 6th buttons are to be sewn on the top center and are not functional. Right front has a button piece, 7/8" wide, stitched the full length. The first and 6th buttons are securely attached to the button piece and correspond to the buttonholes in the center front.</p> <p>Zipper: A 14" nylon zipper shall be sewn to the front, positioned 1 1/2" below the first button to replace the 3rd, 4th, 5th and 6th buttons that are sewn on the top center. Neck, first and bottom buttons are functional.</p> <p>Dual Comm Access Openings: Access openings measuring 1 1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Openings are used to thread communication wires under the front of the shirt to keep them out of the way.</p> <p>Pockets: Two double-entry chest pockets with mitered corners finished 5 5/8" wide x 6" long. Side entry forms a utility pocket closed with Velcro. Left pocket shall have a pencil compartment about 1 1/4" wide. Both pockets to have 1 1/4" box-pleats stitched from top to bottom to prevent spreading.</p> <p>Flaps: Two scalloped flaps that finished 5 3/4" long, 2 3/4" wide at center, and 2 1/2" wide at sides and are secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. Left flap shall have a pencil opening about 1 1/4" wide. A non-functional matching button and buttonhole shall be sewn on each flap.</p>				

Invitation to bid: 3000019770
Open Date: 10/12/2022
T-Number:

Bidder:

Page 10 of 33

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Flap Closure: Side points of the flaps to be secured to the pockets by Velcro fasteners sewn onto the flaps and pockets.</p> <p>Badge Tab: Shall be reinforced on inside of the shirt by a strip of material, 1 1/2" wide, stitched and folded so that no raw edges are visible. There are to be two small horizontal buttonholes 1 1/4" apart with the bottom buttonhole 1 1/2" above top of left flap.</p> <p>Buttons: All buttons shall be made from melamine material for durability and must match fabric.</p> <p>Shoulder Straps: Shoulder straps shall be pointed at the end toward the neck of the shirt. The other end is sewn in sleeve head seam. Pointed ends are fastened with one matching button. Straps measure 2" at sleeve and taper to 1 3/8", and are set about 1/2" from the collar. Shoulder straps are box-stitched to shoulders with row of cross-stitching 2" from sleeve head seam. There shall be a small buttonhole in the yoke for the insertion of a removable metal button.</p> <p>Back: Yoke , shall be composed of an outer piece of the same material as the basic shirt and an inner piece of matching satin, is top-stitched along the edge.</p> <p>Permanent Creases: Shirts must have permanent military creases. Creases are stitched in shirt only, not through pockets and flaps. One crease in each front extends from hem to joining seam. Three vertical creases must be in back; middle crease is on center back line and side creases are spaced equally from the center crease.</p> <p>Interlining: Collar shall be 250BC Dacron. Top center is lined with Pellon.</p> <p>Labels: Woven label with brand and content must be sewn in yoke with size label sewn next to it. Care label is sewn in bottom hem.</p> <p>Pressing and Packing: Shirts will be pressed by hand in first class manner and individually packed in polyethylene bags. Shirts are to be bulk-packed and shipped in strong boxes so as not to be damaged in shipment.</p> <p>UPC Identification: The UPC bar code tag must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in</p>				

Invitation to bid: 3000019770 Open Date: 10/12/2022 T-Number:	Bidder:	Page 11 of 33
---	---------	---------------

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	encoding UPC information. Specify Brand Bidding: _____ Specify Model Bidding: _____ Specify Color Bidding: _____ Specify Minimum Order Amount Bidding: _____ Specify Delivery ARO Bidding: _____				
4	<p>Product Category:53102700 Male Long Sleeve Shirt</p> <p>Brand: Elbeco Model: 849N Color: OD green Sizes: Neck Sizes 14 1/2 through 18 1/2 (including all half sizes in between), Plus Neck Sizes 19, 20, 22 Delivery Terms: 10-15 days after receipt of order</p> <p>Style: It is the intention of this department to secure a tailored shirt with form-fitting cut. Shirt shall have permanent sewn-in military creases.</p> <p>Tailoring: All sewing shall be with Dacron core thread to match shirt fabric. Collar and cuffs shall be single-stitched 1/4" from edge. Pockets and flaps must be single-stitched on the edge and die-creased to give uniform shape and size.</p> <p>Fabric: 75% polyester / 25% worsted wool, 2-ply tropical weave with 8% stretch and soft hand. Weight is 5.5 oz. per square yard or 9.5 oz. per linear yard, Color: OD green.</p> <p>Collar: Shape and style of both leaf and stand shall conform to the TT89 Collar. Points, medium spread, shall be approximately 3" long. Stand fastens with one button and one horizontal buttonhole. Leaf is made of three pieces; two pieces of self-cloth and one whole Dacron lining, which is fused to the top collar. Innerstand and inner yoke must be made of a matching satin of proper pre-shrunk finish for comfort. Permanent collar stays shall be of good quality vinyl that measure 2 1/2" long x 3/8" wide and are secured to the bottom ply of the collar.</p> <p>Sleeves: Shall be straight and whole. Two-button adjustable cuffs are 2 7/8" wide. There will be a single stitch 1/4" from top of cuff. Sleeve opening shall measure</p>	475	EA		

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>4 7/8" from top of cuff. Top facing for this opening shall be 7/8" wide and bottom facing finishes about 3/8" wide. Sleeves must be secured to the body of the shirt by a merrow stitch with a safety stitch to properly strengthen the stitch. The same stitch is used on the side closing seams.</p> <p>Flex Vent: Flex Vent shall be made from 92% polyester / 8% spandex mesh. Diamond-shaped mesh measuring 3 1/4" x 10 1/4" long to be set into the sleeve and body panels at the underarm to allow body heat ventilation, increased mobility, and comfort.</p> <p>Front: Front shall have a 1 1/2" top center extending from collar stand to bottom of shirt and shall be made of the same material as shirt fabric with two rows of stitching, 7/8" apart. Center front contains six vertical buttonholes placed 3/4" from edge, 3 1/2" apart. The 2nd, 3rd, 4th, and 5th buttons are to be sewn on the top center and are not functional. Right front has a button piece, 7/8" wide, stitched the full length. The first and 5th buttons are securely attached to the button piece and correspond to the buttonholes in the center front.</p> <p>Zipper: A 14" nylon zipper shall be sewn to the front, positioned 1 1/2" below the first button to replace the 3rd, 4th, and 5th buttons that are sewn on the top center. Neck, first and bottom buttons are functional.</p> <p>Dual Comm Access Openings: Access openings measuring 1 1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Openings are used to thread communication wires under the front of the shirt to keep them out of the way.</p> <p>Pockets: Two double-entry chest pockets with mitered corners finished 5 5/8" wide x 6" long. Side entry forms a utility pocket closed with Velcro. Left pocket shall have a pencil compartment about 1 1/4" wide. Both pockets to have 1 1/4" box-pleats stitched from top to bottom to prevent spreading.</p> <p>Flaps: Two scalloped flaps that finished 5 3/4" long, 2 3/4" wide at center, and 2 1/2" wide at sides and are secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. Left flap shall have a pencil opening about 1 1/4" wide. A non-functional matching button and buttonhole shall be sewn on each flap.</p> <p>Flap Closure: Side points of the flaps to be secured to the pockets by Velcro fasteners sewn onto the flaps and</p>				

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>pockets.</p> <p>Badge Tab: Shall be reinforced on inside of the shirt by a strip of material, 1 1/2" wide, stitched and folded so that no raw edges are visible. There are to be two small horizontal buttonholes 1 1/4" apart with the bottom buttonhole 1 1/2" above top of left flap.</p> <p>Buttons: All buttons, size 20 ligne, shall be made from black melamine material for durability.</p> <p>Shoulder Straps: Shoulder straps shall be pointed at the end toward the neck of the shirt. The other end is sewn in sleeve head seam. Pointed ends are fastened with one matching button. Straps measure 2" at sleeve and taper to 1 3/8", and are set about 1/2" from the collar. Shoulder straps are box-stitched to shoulders with row of cross-stitching 2" from sleeve head seam. There shall be a small buttonhole in the yoke for the insertion of a removable metal button.</p> <p>Back: Yoke, shall be composed of an outer piece of the same material as the basic shirt and an inner piece of matching satin, is top-stitched along the edge.</p> <p>Permanent Creases: Shirts must have permanent military creases. Creases are stitched in shirt only, not through pockets and flaps. One crease in each front extends from hem to joining seam. Three vertical creases must be in back; middle crease is on center back line and side creases are spaced equally from the center crease.</p> <p>Interlining: Collar shall be 250BC Dacron. Cuffs are M-37 H-Press. Brands are Staflex. Flaps are EZ Crease. Top center is lined with Pellon.</p> <p>Labels: Woven label with brand and content must be sewn in yoke with size label sewn next to it. Care label is sewn in bottom hem.</p> <p>Pressing and Packing: Shirts will be pressed by hand in first class manner and individually packed in polyethylene bags. Shirts are to be bulk-packed and shipped in strong boxes so as not to be damaged in shipment.</p> <p>UPC Identification: The UPC bar code tag must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.</p>				

Invitation to bid: 3000019770 Open Date: 10/12/2022 T-Number:	Bidder:	Page 14 of 33
---	---------	---------------

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Delivery Terms: 10-15 days after receipt of order</p> <p>Specify Brand Bidding: _____</p> <p>Specify Model Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Minimum Order Amount Bidding: _____</p> <p>Specify Delivery ARO Bidding: _____</p>				
5	<p>Product Category:53102700 Female 4-Pocket Pants</p> <p>Brand: Elbeco Model: E9490LC / E9494LCN Colors: black and midnight navy. Sizes: Sizes 2 through 28, even sizes only Delivery Terms: 10-15 days after receipt of order</p> <p>Style: Pants are made with the Ladies Choice pattern, featuring a contour waistband with elastic side panels, shortened rise, and reshaped hip and seat. Pants will have a plain front with quarter-top front pockets, two back pockets, a watch pocket, and 7/8" belt loops.</p> <p>Fabric: Burlington 2030, 74% polyester / 25% worsted wool, 1% Lycra serge weave with 17% engineered stretch for increased range of movement. Weight is to be 7.6 oz. per square yard or 13 oz. per linear yard. Colors: black and midnight navy.</p> <p>Pockets (Front): Front pocket openings will be a minimum 6" and 6" deep from the bottom of each opening. Pockets are to be stitched, turned, and re-stitched. Inside facing will be a separate piece of self-material finishing no less than 1 1/4" wide. Left pocket has a security pocket set in the pocket bag, closed with a 7" invisible zipper. Watch pocket, located approximately 2 1/2" to the front of the right sideseam at the waistband, has an approximate opening of 3" and 3" deep.</p> <p>Pockets (Back): Back pockets will have minimum openings of 5" on sizes 8 and below, 5 1/2" on sizes 10 and above and are 6" deep. They are made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. Left pocket has a tab to button.</p>	100	EA		

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Pocketing: To be black 65% polyester / 35% cotton with a minimum thread count of 70 x 48, weighing 4.3 oz. per square yard.</p> <p>Waistband: Curtain, attached with a rocap machine, is made of black, bias-cut, cotton-blended twill and 1/2" shirt retention strip. Inside the waistband are two pieces of breathable non-woven stretch canvas for support. Finished waistband is 2" wide and closed with a crush-proof hook and eye, the eye being bar-tacked for stability. There are 3 3/4" elastic sewn into each side of the waistband for superior fit. Finished waistband is set on and stitched below the lower edge through the outer fabric and the waistband curtain. No alternative waistband is acceptable.</p> <p>Belt Loops: There are a minimum of five belt loops on sizes 8 and under and seven on sizes 10 and over. Each loop is 7/8" wide of double-thickness with stitching on the face side 3/8" from each edge. Except for the back loop, which is tacked on, all loops are sewn into the bottom of the waistband and into the rocap. They accommodate a 1 5/8" belt.</p> <p>Inside Trim: Right fly is the same fabric and color as the waistband curtain. A non-woven interlining is fused to the fly for additional stability and strength. Right fly lining is sewn to the left fly below the zipper.</p> <p>Zipper: Trousers shall be closed with a gun metal memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bar-tack is sewn through from the outside of the garment to the inside at the bottom of the fly. It is sewn through the zipper tape, the right and left fly, and the right fly lining. Right and left fly are joined by an additional bar-tack located below the bottom zipper stop on the inside of the trouser.</p> <p>Creasing: Front and back creases in the trouser legs must incorporate a permanent modified silicone crease produced by the Creaset system.</p> <p>Seams: Entire trouser is seamed with polyester core or 100% polyester spun thread. Seat seam is stitched with a tandem needle seat seaming machine. Outside trouser leg seam is seam busted.</p> <p>Labels: There is a woven brand label sewn-in the left hip pocket bag. A woven size label is sewn next to the main label with a care and content label sewn below that label.</p>				

Invitation to bid: 3000019770
 Open Date: 10/12/2022
 T-Number:

Bidder:

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>An outside waistband label is marked with lot number, size, fiber content, cut number, and UPC Identification.</p> <p>Finishing and Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with sideseam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.</p> <p>UPC Identification: A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.</p> <p>Specify Brand Bidding: _____</p> <p>Specify Model Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Minimum Order Amount Bidding: _____</p> <p>Specify Delivery ARO Bidding: _____</p>				
6	<p>Product Category:53102700 Female 5-Pocket Pants</p> <p>Brand: Elbeco Model: E3434LC / E3430LC Colors: Midnight navy and black Size: Sizes 2 through 28, even sizes only Delivery Terms: 10-15 days after receipt of order</p> <p>Style: Pants are made with the Ladies Choice pattern, featuring a contour waistband with elastic side panels, shortened rise, and reshaped hip and seat. Pants will have a plain front, gusset, notched front pockets, two back pockets, and a cellphone pocket on the wearer's left side.</p> <p>Fabric: 100% Nanospun polyester with 16% fiber stretch, left hand twill. Weight is 6.3 oz. per square yard. Must be treated at the fiber level with Nano fluid repellency technology for permanent superior fluid resistance and UV 40+ protection while maintaining original fabric breathability. This fabric shall meet pilling test standards per ASTM 4970 of 5.0.</p> <p>Pockets (Front): Notched front pocket openings will be a</p>	100	EA		

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>minimum 6" and 6" deep from the bottom of each opening. Inside facing will be a separate piece of self-material finishing no less than 1" wide. Bottom of each opening is reinforced to hold a clip knife. Left pocket has a security pocket set in the pocket bag, closed with a 7" invisible zipper.</p> <p>Pockets (Back): Back pockets will have minimum openings of 5" on sizes 8 and below, 5 1/2" on sizes 10 and above and are 6" deep. They will be made with a 1/2" single besom piece set to the bottom of each pocket opening and have straight bar-tacks.</p> <p>Cellphone: A cellphone pocket on the wearer's left side will measure 4" wide x 6" deep is set 3 1/2" below the hip pocket, 2" from the finished side seam. Pocket is made with a 1/2" single besom piece set to the bottom of the opening and has straight bar-tacks.</p> <p>Pocketing: To be black 65% polyester / 35% cotton with a minimum thread count of 70 x 48, weighing 4.3 oz. per square yard.</p> <p>Waistband: Curtain will be made of black, bias-cut, cotton-blended twill and 1/2" shirt retention strip. Waistband will be constructed using the closed method and measurers 2" wide when finished. Finished waistband is fused and all stress points are bar-tacked. Waistband is set on and stitched below the lower edge through the outer fabric and the waistband curtain. Waistband is closed with a brass spring snap with a gun metal finish snap cap. Inside waistband has a button and buttonhole adjacent to the snap for reinforcement.</p> <p>Belt Loops: There are a minimum of five belt loops on sizes 8 and under and seven on sizes 10 and over. Each loop is 1" wide of double-thickness with stitching on the face side 1/4" from each edge. Except for the back loop, which is tacked on, all loops are sewn into the bottom of the waistband and into the rocap. They accommodate a 1 5/8" belt.</p> <p>Inside Trim: Right fly is the same fabric and color as the waistband curtain. A non-woven interlining is fused to the fly for additional stability and strength. Right fly lining is sewn to the left fly below the zipper. A fully gusseted crotch made from the trouser fabric provides comfort and mobility. Gusset is set in a diamond shape, measuring 11 3/4" long, point-to-point, by 2 3/4" wide at center. Gusset is set evenly, front to back, with a 5-thread safety stitch and then edge-stitched.</p>				

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Zipper: Trousers shall be closed with a gun metal memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bar-tack is sewn through from the outside of the garment to the inside at the bottom of the fly. It is sewn through the zipper tape, the right and left fly, and the right fly lining. Right and left fly are joined by an additional bar-tack located below the bottom zipper stop on the inside of the trouser.</p> <p>Creasing: Front and back creases in both trouser legs must be applied via a pneumatically controlled application of Creaset silicone sealant, specially formulated for technologically enhanced fabrics to give permanency to the creases for the life of the garment.</p> <p>Seams: Entire trouser is seamed with polyester core or 100% polyester spun thread. Seat seam is stitched with five-thread safety stitch.</p> <p>Labels: There will be a heat seal label on the left hip pocket bag containing the brand, care, content, and size. An outside waistband label is marked with lot number, size, fiber content, cut number, and UPC Identification.</p> <p>Finishing and Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with sideseam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.</p> <p>UPC Identification: A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.</p> <p>Specify Brand Bidding: _____</p> <p>Specify Model Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Minimum Order Amount Bidding: _____</p> <p>Specify Delivery ARO Bidding: _____</p>				
7	Product Category:53102700	50	EA		

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Female Poly/Wool Pants</p> <p>Brand: Elbeco Model: E8450LC Color: OD green Size: 2 through 24, even sizes only Delivery Terms: 10-15 days after receipt of order</p> <p>Style: Pants are made with the Ladies Choice pattern, featuring a contour waistband with elastic side panels, gusset, shortened rise, and reshaped hip and seat. Pants will have notched front pockets, two back pockets, a watch pocket, two billy pockets, two hidden cargo pockets, and 3/4" belt loops.</p> <p>Fabric: Burlington 9756, 75% polyester / 25% worsted wool, piece-dyed, right hand twill. Weight shall be 7 oz. per square yard. Color: OD green.</p> <p>Pockets (Front): Notched front pocket openings are a minimum 6 1/2" and 6 1/4" deep on sizes 28 and below, 7" on sizes 29, and 7 1/2" on sizes 30 and above from the bottom of each opening. Inside facing will be a separate piece of self-material finishing no less than 1" wide. Left pocket has a security pocket set in the pocket bag, closed with a 7" invisible zipper. Pockets will be double-needle top-stitched, clean finished, and have straight bar-tacks.</p> <p>Pockets (Back): Back pockets have minimum openings of 5" on sizes 8 and below, 5 1/2" on sizes 10 and above and are 6" deep. They are made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. Left pocket has a tab to button. Pockets have triangular bar-tacks.</p> <p>Watch: Watch pocket, located approximately 2 1/2" to the front of the right side seam at the waistband, has an approximate opening of 3" wide and is 3" deep.</p> <p>Billy: Two billy pockets, located 5 1/2" below the back pockets and 1 1/2" from the side seams, have minimum openings of 3 1/2" and depth of 11". Pocketing material will be the same as side and hip pockets. Pockets are constructed using the double-welt method.</p> <p>Side: Two hidden cargo pockets centered on the outside leg seams, set 10" below the waistband, are constructed using the double-welt method on a Reece PW machine. Internal pockets are constructed of pocketing fabric, measure 7" wide x 9" deep, and close with 7" zippers. Inside each internal pocket is a cell phone pocket measuring 3 3/4" x 5 1/2". Pockets have straight bar-tacks.</p>				

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Pocketing: To be black 65% polyester / 35% cotton with a minimum thread count of 70 x 48, weighing 4.3 oz. per square yard.</p> <p>Waistband: Curtain will be made of black, bias-cut, cotton-blended twill and 1/2" shirt retention strip. Waistband will be constructed using the closed method and measurers 2" wide when finished. Finished waistband is fused and all stress points are bar-tacked. Waistband is set on and stitched below the lower edge through the outer fabric and the waistband curtain. Waistband is closed with a brass spring snap with a gun metal finish snap cap. Inside waistband has a button and buttonhole adjacent to the snap for reinforcement.</p> <p>Belt Loops: There will be five belt loops on sizes 8 and under and seven on sizes 10 and over. Each loop shall be 7/8" wide of double-thickness with stitching on the face side 3/8" from each edge. Except for the back loop, which is tacked on, all loops are sewn into the bottom of the waistband and into the rocap.</p> <p>Inside Trim: Right fly lining is the same fabric and color as the waistband curtain. A non-woven interlining is sewn to the fly for additional stability and strength. Right fly lining is sewn to the left fly below the zipper.</p> <p>Zipper: Trousers shall be closed with a gun metal memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bar-tack is sewn through from the outside of the garment to the inside at the bottom of the fly. It is sewn through the zipper tape, the right and left fly, and the right fly lining. Right and left fly are joined by an additional bar-tack located below the bottom zipper stop on the inside of the trouser.</p> <p>Creasing: Front and back creases in the trouser legs must incorporate a permanent modified silicone crease produced by the Creaset system.</p> <p>Seams: Entire trouser is seamed with polyester core or 100% polyester spun thread.</p> <p>Labels: There will be a woven brand label sewn-in the left hip pocket bag. A woven size label is sewn next to the main label, with a care and content label sewn below that label. An outside waistband label is marked with lot number, size, fiber content, cut number, and UPC Identification.</p>				

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Finishing and Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.</p> <p>UPC Identification: A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.</p> <p>Specify Brand Bidding: _____</p> <p>Specify Model Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Minimum Order Amount Bidding: _____</p> <p>Specify Delivery ARO Bidding: _____</p>				
8	<p>Product Category:53102700 Female Poly/Wool Trousers</p> <p>Brand: Elbeco Model: E8150 Color: forest green Size: Sizes 2 through 26, even sizes only Delivery Terms: 10-15 days after receipt of order</p> <p>Style: Trousers shall be made on a uniform pattern, having a plain front with straight front pockets, two back pockets, two club pockets, and Keystone belt loops.</p> <p>Fabric: Burlington 646D, 55% Dacron / 45% worsted wool, elastique weave, preshrunk finish so that shrinkage rate will not exceed 2% after laundering. Weight is 16-16.5 oz. per linear yard. Color: forest green.</p> <p>Pockets (Front): Straight front pocket openings will be a minimum 6" and 6" deep from the bottom of each opening. They are stitched, turned, and re-stitched. Inside facing is a separate piece of self-material finishing no less than 1 1/4" wide.</p> <p>Pockets (Back): Back pockets shall have minimum openings of 5" on sizes 8 and below, 5 1/2" on sizes 10</p>	50	EA		

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>and above and are 6" deep. They will be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. Front pockets have straight bar-tacks, and back pockets and club pockets have triangular bar-tacks.</p> <p>Club: Two club pockets, located 6 1/4" below the hip pockets, are 1" from the side seams with minimum openings of 3 1/2" and 11" deep. Pocketing material shall be the same as side and hip pockets. Pockets are constructed using the double-welt method on a Reece PW machine and top-stitched.</p> <p>Pocketing: To be black 65% polyester / 35% cotton with a minimum thread count of 70 x 48, weighing 4.3 oz. per square yard.</p> <p>Waistband: Waistband will be 2" wide and closed with a crush-proof hook and eye, the eye being bar-tacked for stability. Waistband curtain, attached with a rocap machine, has Snugtex and is made of black 65% polyester / 35% cotton. Banrol waistband stiffener, 3/4" wide, is sewn into the waistband on the front of the trouser from side seam to side seam. Trousers are made with a continuous closed waistband. Waistband is set on and stitched below the lower edge through the outer fabric and the waistband curtain.</p> <p>Belt Loops: There will be five belt loops on sizes 8 and under and seven on sizes 10 and over. All loops, except for the center back loop, are Keystone style measuring 2 1/2 at top and 1 1/2 at the bottom. Back loop is straight and 3/4" wide. All loops are sewn into the bottom of the waistband and into the rocap.</p> <p>Inside Trim: Right fly lining is the same fabric and color as the waistband curtain. A non-woven interlining is sewn to the fly for additional stability and strength. Right fly lining is sewn to the left fly below the zipper.</p> <p>Zipper: Trousers shall be closed with a brass lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bar-tack is sewn through from the outside of the garment to the inside at the bottom of the fly. It is sewn through the zipper tape, the right and left fly, and the right fly lining. Right and left fly are joined by an additional bar-tack located below the bottom zipper stop on the inside of the trouser.</p> <p>Seams: Entire trouser is seamed with polyester core or 100% polyester spun thread. Seat seam is stitched with a</p>				

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>tandem needle seat seaming machine. Out seams are closed with 1/4" welt seams.</p> <p>Labels: There will be a woven brand label sewn-in the left hip pocket bag. A woven size label is sewn next to the main label, with a care and content label sewn below that label. An outside waistband label is marked with lot number, size, fiber content, cut number, and UPC Identification.</p> <p>Finishing and Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.</p> <p>UPC Identification: A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.</p> <p>Specify Brand Bidding: _____</p> <p>Specify Model Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Minimum Order Amount Bidding: _____</p> <p>Specify Delivery ARO Bidding: _____</p>				
9	<p>Product Category:53102700 Male Poly/Wool Pants</p> <p>Brand: Elbeco Model: E8449R Color: OD green Size: Sizes 28 through 52 (28 - 37 all whole sizes, 38 - 52 even sizes only) Delivery Terms: 10-15 days after receipt of order</p> <p>Style: Pants shall be made with the Essential Fit uniform pattern with a lightweight covert waistband, gusset, notched front pockets, two back pockets, a watch pocket, two billy pockets, two hidden cargo pockets, and 3/4 belt loops.</p>	300	EA		

Invitation to bid: 3000019770
 Open Date: 10/12/2022
 T-Number:

Bidder:

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Fabric: Burlington 9756, 75% polyester /25% worsted wool, piece-dyed, right hand twill. Weight is 8 oz. per square yard, 14.25 oz. per linear yard. Color: OD green.</p> <p>Pockets (Front): Notched front pocket openings must be a minimum 6 1/2" and 6 1/2" deep from the bottom of each opening. Inside facing is a separate piece of self-material finishing no less than 1" wide. Left pocket has a security pocket set in the pocket bag, closed with a 7" invisible zipper. Pockets are double-needle top-stitched, clean finished and have straight bar-tacks.</p> <p>Pockets (Back): Back pockets will have minimum openings of 6" and 6" deep. they are made using the double-besom welt method, with an exposed top and bottom cord. Left pocket has a tab and button closure. Pockets have triangular bar-tacks.</p> <p>Watch: Watch pocket, located approximately 2 1/2" to the front of the right side seam at the waistband, as an approximate opening of 3" and is 3" deep.</p> <p>Billy: Two billy pockets, located 6 1/4" below the back pockets and 1 1/2" from the side seams, have minimum openings of 3 1/2" and depth of 11". Pocketing material is the same as side and hip pockets. Pockets are constructed using the double-besom welt method.</p> <p>Side: Two hidden cargo pockets shall be centered on the outside leg seams, set 11" below waistband, are constructed using the double-besom welt method. Internal pockets are constructed of pocketing fabric, measure 7" wide x 9" deep, and close with 7" zippers. Inside each internal pocket is a cell phone pocket measuring 4" x 5 1/2". Pockets have straight bar-tacks.</p> <p>Pocketing: To be black 65% polyester / 35% cotton with a minimum thread count of 70 x 48, weighing 4.3 oz. per square yard.</p> <p>Waistband: Lightweight covert waistband contains an elastic extension, providing up to 3" of additional stretch. Front of the outer waistband tapers through the covert opening at the top of the front pocket opening. The 1 1/4" wide elastic extends from the end of the taper through the waistband behind the side seam. Finished waistband is fused and all stress points are bar-tacked. Inner waistband is self-fabric with a low profile 100% polyester fiber and natural rubber gripper strip attached to the center of the waistband, extending from the covert opening from side to side. Woven elastic banrol stiffener measuring 1"</p>				

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>is sewn around the entire waistband, except for extender tab, to provide additional support. Waistband is constructed using the closed method and measures 2" wide when finished. Waistband closure is accomplished with a double crush-proof hook and eye, bar-tacked for stability. Hooks and eyes are reinforced with stays made of a non-woven fabric that are anchored by the topstitching of the fly facing and curtain. Topstitching must be to the top of the waistband. No alternative waistband is acceptable.</p> <p>Belt Loops: There are five lined belt loops on sizes 30 and below and seven on sizes 31 and above. Each loop is 3/4" wide of double-thickness with stitching on a face side 3/8" from each edge. Except for the back loop, which is tacked on, all loops are sewn into the bottom of the waistband and into the rocap.</p> <p>Inner Fly / Crotch: Right fly lining shall be the same fabric and color as the pocketing fabric. A non-woven interlining is sewn to the fly for additional stability and strength. Right fly lining is sewn to the left fly below the zipper. A fully gusseted crotch made from the trouser fabric provides comfort and mobility. Gusset is set in a diamond shape, measuring 14 1/4" long, point-to-point, by 3" wide at center. Gusset is set evenly, front to back, with a 5-thread safety stitch and then edge-stitched.</p> <p>Zipper: Trousers are closed with a gun metal zipper and have a brass bottom stop at the base of the zipper chain. A straight bar-tack is sewn through the outside of the garment to the inside at the bottom of the fly. It is sewn through the zipper tape, the right and left fly, and the right fly lining. Right and left fly are joined by an additional bar-tack located below the bottom zipper stop on the inside of the trouser.</p> <p>Creasing: Front and back creases in both trouser legs must be applied via a pneumatically controlled application of Creaset silicone sealant, specially formulated for technologically enhanced fabrics to give permanency to the creases for the life of the garment.</p> <p>Seams: Entire trouser is seamed with polyester core or 100% polyester spun thread. Seat seam is stitched with a tandem needle seat seaming machine. Out seams are closed with 1/4" welt seams.</p> <p>Labels: There will be a woven brand label sewn-in the left hip pocket bag. A woven size label is sewn next to the main label, with a care and content label sewn below that</p>				

Invitation to bid: 3000019770
 Open Date: 10/12/2022
 T-Number:

Bidder:

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>label. An outside waistband label is marked with lot number, size, fiber content, cut number, and UPC Identification.</p> <p>Finishing and Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.</p> <p>UPC Identification: A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.</p> <p>Specify Brand Bidding: _____</p> <p>Specify Model Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Minimum Order Amount Bidding: _____</p> <p>Specify Delivery ARO Bidding: _____</p>				
10	<p>Product Category:53102700 Male Poly/Wool Trousers</p> <p>Brand: Elbeco Model: E8149R Color: Forest Green Size: 28 through 52 (28 - 37 all whole sizes, 38 - 52 even sizes only) Delivery Terms: 10-15 days after receipt of order</p> <p>Style: Trousers are made on a uniform pattern, having a plain front with straight front pockets, two back pockets, a watch pocket, two club pockets, and Keystone belt loops.</p> <p>Fabric: Burlington 646D, 55% Dacron / 45% worsted wool, elastique weave and preshrunk finish to that shrinkage rate will not exceed 2% after laundering. Weight is 16-16.5 oz. per linear yard, Color: forest green.</p> <p>Pockets (Front): Straight front pocket openings are a minimum 6" and 6" deep from the bottom of each opening. They are stitched, turned, and re-stitched. Inside facing is</p>	50	EA		

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>a separate piece of piece of self-material finishing no less than 1 1/4". Each pocket has a reinforced area starting at the bottom of the finished pocket, extending up 2 3/4" and covering the width of the pocket.</p> <p>Pockets (Back): Back pockets have minimum openings of 6" and 8 1/2" deep. Left pocket has button-through closure. They are made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord.</p> <p>Watch: Watch pocket is located approximately 1 1/2" to the front of right side seam at waistband. Pocket has a minimum opening of 3" and 3" deep. Front of pocket is made of pocketing fabric, back of pocket is made of basic fabric, and both pieces are securely stitched together.</p> <p>Club: Two club pockets, located 6 1/4" below the hip pockets, are 1" from the side seams with minimum openings of 3 1/2" and minimum depth of 11". Pocketing material is the same as side and hip pockets. Pockets are constructed using the double-welt method on a Reece PW machine and top-stitched. Front and watch pockets have straight bar-tacks, and back pockets and club pockets have triangular bar-tacks.</p> <p>Pocketing: To be black 65% polyester / 35% cotton with a minimum thread count of 70 x 48, weighing 4.3 oz. per square yard.</p> <p>Waistband: Waistband is 2" wide and closed with a crush-proof hook and eye, the eye being bar-tacked for stability. Waistband curtain, attached with a rocap machine, has Snugtex and is made of black 65% polyester / 35% cotton. Banrol waistband stiffener, 3/4" wide, is sewn into the waistband on the front of the trouser from side seam to side seam. Trousers are made with a continuous closed waistband. Waistband is set on and stitched below the lower edge through the outer fabric and the waistband curtain.</p> <p>Belt Loops: There are a minimum of five belt loops on sizes 28, 29, 30, and seven on sizes over 30". All loops, except the center back loop, are Keystone style measuring 2 1/2" at top and 1 1/2" at the bottom. Back loop is straight and 3/4" wide. All loops are sewn into the bottom of the waistband and into the rocap.</p> <p>Inner Fly / Crotch: Right fly and front crotch linings shall be the same fabric and color as the waistband curtain. A non-woven interlining is sewn to the fly for additional stability and strength. Right fly lining is sewn to the left fly</p>				

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>below the zipper and continues centered on the join seam across the inseam and ends 1" onto the back seam. A separate French fly made of the outer fabric is sewn to the inside right fly.</p> <p>Zipper: Trousers are closed with a brass memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bar-tack is sewn through from the outside of the garment to the inside at the bottom of the fly. It is sewn through the zipper tape, the right and left fly, and the right fly lining. Right and left fly are joined by an additional bar-tack located below the bottom zipper stop on the inside of the trouser.</p> <p>Seams: Entire trouser is seamed with polyester core or 100% polyester spun thread. Seat seam is stitched with a tandem needle seat seaming machine. Both out seams are closed with a 1/4" welt seam.</p> <p>Labels: There will be a woven brand label sewn-in the left hip pocket bag. A woven size label is sewn next to the main label, with a care and content label sewn below that label. An outside waistband label is marked with lot number, size, fiber content, cut number, and UPC Identification.</p> <p>Finishing and Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.</p> <p>UPC Identification: A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.</p> <p>Specify Brand Bidding: _____</p> <p>Specify Model Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Minimum Order Amount Bidding: _____</p> <p>Specify Delivery ARO Bidding: _____</p>				

INSTRUCTIONS TO BIDDERS

1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS.
2. ALL BID PRICES MUST BE TYPED, WRITTEN IN INK OR SUBMITTED ONLINE VIA THE VENDOR PORTAL, WHICHEVER IS APPLICABLE. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATION TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER.
3. THIS BID IS TO BE MANUALLY SIGNED IN INK OR SUBMITTED ONLINE VIA THE VENDOR PORTAL, WHICHEVER IS APPLICABLE.
4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. DESTINATION OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C.O.D" REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER.
5. AMOUNT OF BID BOND REQUIRED: ADDRESSED IN THE SPECIAL TERMS AND CONDITIONS SECTION IF APPLICABLE
6. AMOUNT OF PERFORMANCE BOND, IF REQUIRED: ADDRESSED IN THE SPECIAL TERMS AND CONDITIONS SECTION
7. DESIRED DELIVERY: ADDRESSED IN THE SPECIAL TERMS AND CONDITIONS SECTION
8. TO ASSURE CONSIDERATION OF YOUR BID, ALL BIDS AND ADDENDA SHOULD BE RETURNED IN AN ENVELOPE OR PACKAGE CLEARLY MARKED WITH THE BID OPENING DATE AND THE BID NUMBER, OR SUBMITTED ONLINE VIA THE VENDOR PORTAL, WHICHEVER IS APPLICABLE.
9. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE STATE OF LOUISIANA INCLUDING BUT NOT LIMITED TO L.R.S. 39:1551-1736; PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDARD TERMS AND CONDITIONS; SPECIAL TERMS AND CONDITIONS; AND SPECIFICATIONS LISTED IN THIS SOLICITATION.
10. IMPORTANT: BY SIGNING THE BID OR SUBMITTING THE BID ONLINE VIA THE VENDOR PORTAL (WHICHEVER IS APPLICABLE) THE BIDDER CERTIFIES COMPLIANCE WITH ALL INSTRUCTIONS TO BIDDERS, TERMS, CONDITIONS AND SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITHOUT COLLUSION OR FRAUD. THIS BID IS TO BE MANUALLY SIGNED IN INK OR SUBMITTED ONLINE VIA THE VENDOR PORTAL, WHICHEVER IS APPLICABLE BY A PERSON AUTHORIZED TO BIND THE VENDOR (SEE NO.30). ALL BID INFORMATION SHALL BE WITH INK OR TYPEWRITTEN OR SUBMITTED ONLINE VIA THE VENDOR PORTAL, WHICHEVER IS APPLICABLE.
11. ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.
12. CONFERENCE: ADDRESSED IN THE SPECIAL TERMS AND CONDITIONS SECTION IF APPLICABLE
13. BID FORMS.
ALL WRITTEN BIDS, UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED:
 - A. BID SUBMITTED ON PAPER CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND;
 - B. BID FILLED OUT IN PENCIL; AND
 - C. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS.

BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION OR SUBMITTED ONLINE VIA THE VENDOR PORTAL, WHICHEVER IS APPLICABLE, PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED. FAX ALTERATIONS, NOT INVOLVING PRICING, TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED BID FORM AND FAXED ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING. ALTERATIONS TO PRICE MUST BE RECEIVED IN A SEALED ENVELOPE WITH THE BID NUMBER, OPENING DATE AND TIME DISPLAYED ON THE OUTSIDE OF THE ENVELOPE AND TIME STAMPED BEFORE BID OPENING OR VIA THE ONLINE VENDOR PORTAL, WHICHEVER IS APPLICABLE. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT BID.

14. STANDARDS OF QUALITY

ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFORMANCE AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.

15. DESCRIPTIVE INFORMATION.

BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER SHOULD STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.

16. BID OPENING

BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED IN ACCORDANCE WITH LA R.S. 44.I. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS.

17. AWARDS.

THE STATE OF LOUISIANA RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS AND WAIVE ANY INFORMALITIES.

18. PRICES .

UNLESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SOLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.

19. DELIVERIES.

BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.

20. TAXES.

VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.

21. NEW PRODUCTS.

UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

22. CONTRACT RENEWALS.

UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.

23. CONTRACT CANCELLATION.

THE STATE OF LOUISIANA HAS THE RIGHT TO TERMINATE THE CONTRACT IMMEDIATELY FOR ANY OF THE FOLLOWING REASONS:

(A) MISREPRESENTATION BY THE CONTRACTOR; (B) CONTRACTOR'S FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE OF LOUISIANA; (C) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (D) ABUSIVE OR BELLIGERENT CONDUCT BY CONTRACTOR TOWARDS AN EMPLOYEE OR AGENT OF THE STATE; (E) CONTRACTOR'S INTENTIONAL VIOLATION OF THE PROCUREMENT CODE (LA. R.S. 39:1551 ET SEQ.) AND ITS CORRESPONDING REGULATIONS; OR, (F) ANY LISTED REASON FOR DEBARMENT UNDER LA. R.S. 39:1672.

THE STATE OF LOUISIANA MAY TERMINATE THE CONTRACT FOR CONVENIENCE AT ANY TIME (1) BY GIVING THIRTY (30) DAYS WRITTEN NOTICE TO THE CONTRACTOR OF SUCH TERMINATION: OR (2) BY NEGOTIATING WITH THE CONTRACTOR AN EFFECTIVE DATE. THE STATE SHALL PAY CONTRACTOR FOR, IF APPLICABLE: (A) DELIVERABLES IN PROGRESS; (B) THE PERCENTAGE THAT HAS BEEN COMPLETED SATISFACTORILY; AND, (C) FOR TRANSACTION-BASED SERVICES UP TO THE DATE OF TERMINATION, TO THE EXTENT WORK HAS BEEN PERFORMED SATISFACTORILY.

THE STATE OF LOUISIANA HAS THE RIGHT TO TERMINATE THE CONTRACT FOR CAUSE BY GIVING THIRTY (30) DAYS WRITTEN NOTICE TO THE CONTRACTOR OF SUCH TERMINATION FOR ANY OF THE FOLLOWING NON-EXCLUSIVE REASONS: (A) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (B) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; OR, (C) ANY OTHER BREACH OF CONTRACT.

24. DEFAULT OF CONTRACTOR

FAILURE TO DELIVER WITHIN THE TIME SPECIFIED OR TO PROVIDE THE SERVICES AS SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT. WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT.

THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.

25. ORDER OF PRIORITY

IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL TERMS AND CONDITIONS, THE SPECIAL TERMS AND CONDITIONS SHALL GOVERN.

26. APPLICABLE LAW.

ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.

27. COMPLIANCE WITH CIVIL RIGHTS LAWS.

BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL EMPLOYMENT OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VIETNAM ERA VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE DISCRIMINATION ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEX, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, DISABILITY, OR AGE IN ANY MATTER RELATING TO EMPLOYMENT. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

28. SPECIAL ACCOMMODATION.

ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN 7 DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.

29. INDEMNITY.

CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR

PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.

30. SIGNATURE AUTHORITY.

ATTENTION: R.S. 39:1594(C)(4) REQUIRES EVIDENCE OF AUTHORITY TO SIGN AND SUBMIT BIDS TO THE STATE OF LOUISIANA. YOU MUST INDICATE WHICH OF THE FOLLOWING APPLY TO THE SIGNER OF THIS BID.

FOR THE PURPOSES OF LAGOV SUPPLIER PORTAL BIDDING, THE SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER IS REPRESENTED BY THE LAGOV SUPPLIER PORTAL USER LOG-IN ID. THE NAME OF AUTHORIZED SIGNATORY OF BIDDER IS REPRESENTED BY THE CONTACT PERSON ASSOCIATED WITH THE LAGOV SUPPLIER PORTAL USER LOG-IN ID.

PLEASE CIRCLE ONE:

1. THE SIGNER OF THIS BID IS EITHER A CORPORATE OFFICER WHO IS LISTED ON THE MOST CURRENT ANNUAL REPORT ON FILE WITH THE SECRETARY OF STATE OR A MEMBER OF A PARTNERSHIP OR PARTNERSHIP IN COMMENDAM AS REFLECTED IN THE MOST CURRENT PARTNERSHIP RECORDS ON FILE WITH THE SECRETARY OF STATE. A COPY OF THE ANNUAL REPORT OR PARTNERSHIP RECORD MUST BE SUBMITTED TO THIS OFFICE BEFORE CONTRACT AWARD.

2. THE SIGNER OF THE BID IS A REPRESENTATIVE OF THE BIDDER AUTHORIZED TO SUBMIT THIS BID AS EVIDENCED BY DOCUMENTS SUCH AS, CORPORATE RESOLUTION, CERTIFICATION AS TO CORPORATE PRINCIPAL, ETC. IF THIS APPLIES A COPY OF THE RESOLUTION, CERTIFICATION, OR OTHER SUPPORTIVE DOCUMENTS SHOULD BE ATTACHED HERETO.

3. THE BIDDER HAS FILED WITH THE SECRETARY OF STATE AN AFFIDAVIT OR RESOLUTION OR OTHER ACKNOWLEDGED/ AUTHENTIC DOCUMENT INDICATING THAT THE SIGNER IS AUTHORIZED TO SUBMIT BIDS FOR PUBLIC CONTRACTS. A COPY OF THE APPLICABLE DOCUMENT MUST BE SUBMITTED TO THIS OFFICE BEFORE CONTRACT AWARD.

4. THE SIGNER OF THE BID HAS BEEN DESIGNATED BY THE BIDDER AS AUTHORIZED TO SUBMIT BIDS ON THE BIDDER'S VENDOR REGISTRATION ON FILE WITH THIS OFFICE.

31. IN ACCORDANCE WITH THE PROVISIONS OF R.S. 39: 2192, IN AWARDED CONTRACTS AFTER AUGUST 15, 2010, ANY PUBLIC ENTITY IS AUTHORIZED TO REJECT A PROPOSAL OR BID FROM, OR NOT AWARD THE CONTRACT TO, A BUSINESS IN WHICH ANY INDIVIDUAL WITH AN OWNERSHIP INTEREST OF FIVE PERCENT OR MORE, HAS BEEN CONVICTED OF, OR HAS ENTERED A PLEA OF GUILTY OR NOLO CONTENDERE TO ANY STATE FELONY OR EQUIVALENT FEDERAL FELONY CRIME COMMITTED IN THE SOLICITATION OR EXECUTION OF A CONTRACT OR BID AWARDED UNDER THE LAWS GOVERNING PUBLIC CONTRACTS UNDER THE PROVISIONS OF CHAPTER 10 OF TITLE 38 OF THE LOUISIANA REVISED STATUTES OF 1950, OR THE LOUISIANA PROCUREMENT CODE UNDER THE PROVISIONS OF CHAPTER 17 OF TITLE 39.

32. FEDERAL CLAUSES, IF APPLICABLE

ANTI-KICKBACK CLAUSE

THE CONTRACTOR HEREBY AGREES TO ADHERE TO THE MANDATE DICTATED BY THE COPELAND "ANTI-KICKBACK" ACT WHICH PROVIDES THAT EACH CONTRACTOR OR SUBGRANTEE SHALL BE PROHIBITED FROM INDUCING, BY ANY MEANS, ANY PERSON EMPLOYED IN THE COMPLETION OF WORK, TO GIVE UP ANY PART OF THE COMPENSATION TO WHICH HE IS OTHERWISE ENTITLED.

CLEAN AIR ACT

THE CONTRACTOR HEREBY AGREES TO ADHERE TO THE PROVISIONS WHICH REQUIRE COMPLIANCE WITH ALL APPLICABLE STANDARDS, ORDERS OR REQUIREMENTS ISSUED UNDER SECTION 306 OF THE CLEAN AIR ACT WHICH PROHIBITS THE USE UNDER NON-EXEMPT FEDERAL CONTRACTS, GRANTS OR LOANS OF FACILITIES INCLUDED ON THE EPA LIST OF VIOLATING

FACILITIES.

ENERGY POLICY AND CONSERVATION ACT

THE CONTRACTOR HEREBY RECOGNIZES THE MANDATORY STANDARDS AND POLICIES RELATING TO ENERGY EFFICIENCY WHICH ARE CONTAINED IN THE STATE ENERGY CONSERVATION PLAN ISSUED IN COMPLIANCE WITH THE ENERGY POLICY AND CONSERVATION ACT (P.L. 94-163).

CLEAN WATER ACT

THE CONTRACTOR HEREBY AGREES TO ADHERE TO THE PROVISIONS WHICH REQUIRE COMPLIANCE WITH ALL APPLICABLE STANDARDS, ORDERS OR REQUIREMENTS ISSUED UNDER SECTION 508 OF THE CLEAN WATER ACT WHICH PROHIBITS THE USE UNDER NON-EXEMPT FEDERAL CONTRACTS, GRANTS OR LOANS OF FACILITIES INCLUDED ON THE EPA LIST OF VIOLATING FACILITIES.

ANTI-LOBBYING AND DEBARMENT ACT

THE CONTRACTOR WILL BE EXPECTED TO COMPLY WITH FEDERAL STATUTES IN THE ANTI-LOBBYING ACT AND THE DEBARMENT ACT.

33. PROHIBITION OF DISCRIMINATORY BOYCOTTS OF ISRAEL

IN ACCORDANCE WITH LA R.S. 39:1602.1, THE FOLLOWING APPLIES TO ANY BID WITH A VALUE OF \$100,000 OR MORE AND TO VENDORS WITH FIVE OR MORE EMPLOYEES:

BY SUBMITTING A RESPONSE TO THIS SOLICITATION, THE BIDDER OR PROPOSER CERTIFIES AND AGREES THAT THE FOLLOWING INFORMATION IS CORRECT: IN PREPARING ITS RESPONSE, THE BIDDER OR PROPOSER HAS CONSIDERED ALL PROPOSALS SUBMITTED FROM QUALIFIED, POTENTIAL SUBCONTRACTORS AND SUPPLIERS, AND HAS NOT, IN THE SOLICITATION, SELECTION, OR COMMERCIAL TREATMENT OF ANY SUBCONTRACTOR OR SUPPLIER, REFUSED TO TRANSACT OR TERMINATED BUSINESS ACTIVITIES, OR TAKEN OTHER ACTIONS INTENDED TO LIMIT COMMERCIAL RELATIONS, WITH A PERSON OR ENTITY THAT IS ENGAGING IN COMMERCIAL TRANSACTIONS IN ISRAEL OR ISRAEL-CONTROLLED TERRITORIES, WITH THE SPECIFIC INTENT TO ACCOMPLISH A BOYCOTT OR DIVESTMENT OF ISRAEL. THE BIDDER HAS ALSO NOT RETALIATED AGAINST ANY PERSON OR OTHER ENTITY FOR REPORTING SUCH REFUSAL, TERMINATION, OR COMERCIAALLY LIMITING ACTIONS. THE STATE RESERVES THE RIGHT TO REJECT THE RESPONSE OF THE BIDDER OR PROPOSER IF THIS CERTIFICATION IS SUBSEQUENTLY DETERMINED TO BE FALSE, AND TO TERMINATE ANY CONTRACT AWARDED BASED ON SUCH A FALSE RESPONSE.

34. CERTIFICATION OF NO FEDERAL SUSPENSION OR DEBARMENT.

BY SIGNING AND SUBMITTING ANY BID FOR \$25,000 OR MORE, THE BIDDER CERTIFIES THAT THEIR COMPANY, ANY SUBCONTRACTORS, OR PRINCIPALS ARE NOT SUSPENDED OR DEBARRED BY THE GENERAL SERVICES ADMINISTRATION (GSA) IN ACCORDANCE WITH THE REQUIREMENTS IN "AUDIT REQUIREMENTS IN SUBPART F OF THE OFFICE OF MANAGEMENT AND BUDGET'S UNIFORM ADMINISTRATIVE REQUIREMENTS, COST PRINCIPLES, AND AUDIT REQUIREMENTS FOR FEDERAL AWARDS" (FORMERLY OMB CIRCULAR A-133).

A LIST OF PARTIES WHO HAVE BEEN SUSPENDED OR DEBARRED CAN BE VIEWED VIA THE INTERNET AT [HTTPS://WWW.SAM.GOV](https://www.sam.gov).

35. IN ACCORDANCE WITH LOUISIANA LAW, ALL CORPORATIONS (SEE LA R.S. 12:262.1) AND LIMITED LIABILITY COMPANIES (SEE LA R.S. 12:1308.2) MUST BE REGISTERED AND IN GOOD STANDING WITH THE LOUISIANA SECRETARY OF STATE IN ORDER TO HOLD A PURCHASE ORDER AND/OR CONTRACT OVER \$25,000.

36. ALL BID AMOUNTS SHALL BE SUBMITTED IN UNITED STATES DOLLARS.