

Approved Materials List



Product Category : Timber

MATERIAL : 1014M00105 Timber, Douglas Fir Treated

APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA **Phone :** 318-925-6903 **Ext. # :**
 10818 Providence Road **Fax :**
 Shreveport, LA 71129

Product **Approved On** **Remarks**
 DouglasFirTrtd Arnold Forest Products 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS **Phone :** 601-749-7140 **Ext. # :**
 1900 Rosa Street **Fax :**
 Picayune, MS 39466

Product **Approved On** **Remarks**
 DouglasFirTrtd Carptrs Pile amd Poling 5-25-2017 Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)

APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS **Phone :** 601-928-7026 **Ext. # :**
 P. O . Box 758 **Fax :**
 North Magnolia Drive
 Wiggins, MS 39577

Product **Approved On** **Remarks**
 DouglasFirTrtd Carptrs Pole and Piling 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012830 — DeSoto Treated Materials - Wiggins, MS **Phone :** 601-928-3921 **Ext. # :**
 Old Hwy 49 **Fax :**
 State Rouge 29 South
 Wiggins, MS 39577

Product **Approved On** **Remarks**
 DouglasFirTrtd Desoto Treated Matls 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS **Phone :** 601-833-2311 **Ext. # :**
 96 Sawmill Lane **Fax :**
 Brookhaven, MS 39601

Product **Approved On** **Remarks**
 DouglasFirTrtd GordonReddPreserving,Inc 5-25-2017 Approved Treatent: CCA (Chromated Copper Arsenate)

APS00014600 — Stella Jones - Lufkin, TX **Phone :** **Ext. # :**
 P. O. Box 1207 **Fax :**
 Lufkin, TX 75902-1702

Product **Approved On** **Remarks**
 DouglasFirTrtd Stella Jones-Lufkin 12-16-2020 Approved Treatment: Number 1 Pure Creosote

APS00014590 — Stella Jones - Noble, LA **Phone :** 318-471-5587 **Ext. # :**
 10020 Highway 483 **Fax :**
 Converse, LA 71419 **Contact :** Josh Lewis

Product **Approved On** **Remarks**
 DouglasFirTrtd Stella Jones Converse 12-16-2016 Approved Treatment: CCA (Chromated Copper Arsenate)

Product Category : Timber**MATERIAL : 1014M00105 Timber, Douglas Fir Treated****APS00014610 — Stella Jones - Pineville, LA**74 Wadley Street
Pineville, LA 71361-0231**Phone :****Fax :****Ext. # :****Product****Approved On** **Remarks**

DouglasFirTrtd Stella Jones-Pineville

12-16-2020

Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penra (Penta Chlorophenol), CCA (Chromated Copper Arsenate).

MATERIAL : 1014M00135 Timber, StrlGluedLaminate,GLULAM Treated**APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA**10818 Providence Road
Shreveport, LA 71129**Phone :** 318-925-6903**Fax :****Ext. # :****Product****Approved On** **Remarks**

GLULAM Trtd Arnold Forest Prod

5-25-2017

Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS1900 Rosa Street
Picayune, MS 39466**Phone :** 601-749-7140**Fax :****Ext. # :****Product****Approved On** **Remarks**

GLULAM Trtd Carptrs Pile amd Poling

5-25-2017

Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)

APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MSP. O . Box 758
North Magnolia Drive
Wiggins, MS 39577**Phone :** 601-928-7026**Fax :****Ext. # :****Product****Approved On** **Remarks**

GLULAM Trtd Carptrs Pole and Piling

5-25-2017

Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012830 — DeSoto Treated Materials - Wiggins, MSOld Hwy 49
State Rouge 29 South
Wiggins, MS 39577**Phone :** 601-928-3921**Fax :****Ext. # :****Product****Approved On** **Remarks**

GLULAM Trtd Desoto Treated Matls

5-25-2017

Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS96 Sawmill Lane
Brookhaven, MS 39601**Phone :** 601-833-2311**Fax :****Ext. # :****Product****Approved On** **Remarks**

GLULAM Trtd Gordon Redd Preserving,Inc

5-25-2017

Approved Treatment; CCA (Chromated Copper Arsenate)

APS00014600 — Stella Jones - Lufkin, TXP. O. Box 1207
Lufkin, TX 75902-1702**Phone :****Fax :****Ext. # :****Product****Approved On** **Remarks**

GLULAM Trtd Stella Jones - Lufkin

12-16-2020

Approved Treatment: Number 1 Pure Creosote

APS00014590 — Stella Jones - Noble, LA10020 Highway 483
Converse, LA 71419**Phone :** 318-471-5587**Fax :****Ext. # :****Contact :** Josh Lewis**Product****Approved On** **Remarks**

GLULAM Trtd Stella Jones Converse

12-16-2016

Approved Treatment: CCA (Chromated Copper Arsenate)

Product Category : Timber**MATERIAL : 1014M00135 Timber, StrlGluedLaminate, GLULAM Treated****APS00014610 — Stella Jones - Pineville, LA**74 Wadley Street
Pineville, LA 71361-0231**Phone :****Fax :****Ext. # :****Product****Approved On Remarks**

GLULAM Trtd Stella Jones-Pineville

12-16-2020 Approved Treatment: CCA (Chromated Copper Arsenate)

MATERIAL : 1014M00165 Timber, Southern Pine, Treated**APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA**10818 Providence Road
Shreveport, LA 71129**Phone :** 318-925-6903**Fax :****Ext. # :****Product****Approved On Remarks**

SouthernPineTrtd Arnold Forest Products

5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS1900 Rosa Street
Picayune, MS 39466**Phone :** 601-749-7140**Fax :****Ext. # :****Product****Approved On Remarks**

SouthernPineTrtd Carptrs Pile and Poling

5-25-2017 Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)

APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MSP. O . Box 758
North Magnolia Drive
Wiggins, MS 39577**Phone :** 601-928-7026**Fax :****Ext. # :****Product****Approved On Remarks**

SouthernPineTrtd Carptrs Pole and Piling

5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012830 — DeSoto Treated Materials - Wiggins, MSOld Hwy 49
State Rouge 29 South
Wiggins, MS 39577**Phone :** 601-928-3921**Fax :****Ext. # :****Product****Approved On Remarks**

SouthernPineTrtd Desoto Treated Matls

5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS96 Sawmill Lane
Brookhaven, MS 39601**Phone :** 601-833-2311**Fax :****Ext. # :****Product****Approved On Remarks**

SouthernPineTrtd Gordon Redd Preserving

5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00014600 — Stella Jones - Lufkin, TXP. O. Box 1207
Lufkin, TX 75902-1702**Phone :****Fax :****Ext. # :****Product****Approved On Remarks**

SSouthernPineTrtd Stella Jones-Lufkin

12-16-2020 Approved Treatment: Number 1 Pure Creosote

APS00014590 — Stella Jones - Noble, LA10020 Highway 483
Converse, LA 71419**Phone :** 318-471-5587**Fax :****Ext. # :****Contact :** Josh Lewis**Product****Approved On Remarks**

SouthernPineTrtd Stella Jones Converse

12-16-2016 Approved Treatment: CCA (Chromated Copper Arsenate)

Product Category : Timber

MATERIAL : 1014M00165 Timber, Southern Pine, Treated

APS00014610 — Stella Jones - Pineville, LA
74 Wadley Street
Pineville, LA 71361-0231

Phone :
Ext. # :
Fax :

<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>
SouthernPineTrtd Stella Jones-Pineville	12-16-2020	Approved Treatment: CCA (Chromated Copper Arsenate)

MATERIAL : 1014M00430 Timber Preserv, ChromatedCopperArsenate

APS00014460 — S. I. Storey Lumber Company, Inc - Armuchee,GAS. I
285 Sike Storey Road
Armuchee, GA 30105

Phone : 706-331-1605 **Ext. # :**
Fax :
Contact : Charles Coleman

Additional Info : Mailing Address: P. O. Box 99, Armuchee, GA 30105

<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>
Chromated Copper Arsenate - S.I.Storey	7-31-2020	