

Bid Number <u>50-00143083</u>

Two (2) Year Contract for Vehicle Bodies and Accessories for the Department of Fleet Management

BID DUE: September 21, 2023 AT 2:00 P.M.

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and <u>General Terms and Conditions</u>. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date <u>and time. Late bids will not be accepted</u>.

> Jefferson Parish Purchasing Department 200 Derbigny Street General Government Building, Suite 4400 Gretna, LA 70053 Buyer Name: Doris Abraham Buyer Email: <u>DABRAHAM@jeffparish.net</u> Buyer Phone: 504-364-2690

VEHICLE BODIES AND ACCESSORIES FOR THE DEPARTMENT OF FLEET MANAGEMENT

General:

All units delivered completely assembled to the Department of Fleet Management. 4901 Jefferson Hwy. Jefferson, LA 70121 upon completion of assembly. Complete invoice and certification of origin delivery is to be signed for by Fleet Management personnel for storage purposes only. Final acceptance and payment will be made subject to the above meeting specifications. Jefferson Parish has three (3) working days after delivery for inspection purposes to determine if the above meets Jefferson Parish specifications. If it does not, necessary corrections are to be made by the vendor at the vendor's expense and are not considered as warranty work. Vendors must furnish two (2) copies of operator's manuals and two (2) copies of GVW. Unit must comply with state and federal safety regulations. The above may retain manufacturer's name, but dealer's name shall not appear either by painted decal, or metal name plate. Dealers are requested to fill in the right side for the line items sheet with the information concerning with the purpose to furnish.

Please specify terms of warranty and repair services.

This facility shall be capable and willing to perform full warranty services and normal repair services and adequate spare parts support on the complete unit which is being bid upon

This stipulation is also required on all components and accessories which are added to, or installed on the base vehicle or equipment.

The Director of Fleet Management or his representative reserves the right to accept or reject bid proposals based upon their inspection of service facilities. Name, address, outlining the components of the vehicle/equipment that are to be serviced at each location.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

ORDER PLACEMENT AND DELIVERY:

Fleet Management shall issue purchase orders to the successful vendor for order placement of bodies and/or accessories. Successful vendor shall expect delivery of new vehicle(s) directly from manufacturer for bodies and/or accessories installation 120 days thereafter. The successful vendor shall have performed the work as indicated in the purchase order and deliver the vehicle(s) within 120 days of delivery to Fleet Management, located at 4901 Jefferson hwy. Suite A. Jefferson, LA 70121.

SERVICING OF VEHICLES:

Successful vendor must pick up and/or deliver vehicles for factory maintenance and/or warranty services within on (1) hour of notification by the Jefferson Parish Department of Fleet Management. Facilities shall be capable and willing to perform full warranty services and normal repair services and adequate spare parts support on the complete unit that is being bid upon. This stipulation is also required on all components and accessories that are added to, or installed on the base vehicle or equipment. The Director of Fleet Management or his car-carrier truck body assembly representative reserves the right to accept or reject bid proposals based upon their inspection of the service facilities prior to acceptance of any bids.

BRAND NAMES:

Where brand names are specified, it is the purpose of establishing minimum standards of quality. Bids may be submitted for products for equal quality, proved the brand names are specified in the respective line items as indicated. Complete equivalent product data will be required upon departmental requests. Failure to provide this documentation will result in bid rejections.

PRICING:

All pricing shall be firm for two (2) years as stated in the contract or until the contract expires, whichever is later.

VEHICLE WARRANTY INFORMATION: MUST BE WITH BID SUBMISSION:

Please specify terms of warranty and repair services. All new vehicle bodies and accessories must be delivered complete with standard factory warranty. Warranty information must be provided with the bid submission. Failure to submit will result in bid rejection.

SAFETY SPECIFICATIONS FOR ALL VEHICLE BODIES AND ACCESSORIES:

Must meet or exceed all federal and state safety standards.

INSURANCE:

Types and Coverage:

- A. Automobile Insurance in the amount of \$1,000,000.00 per occurrence;
- B. Worker's Compensation Insurance in the amount of \$500,000.00 per occurrence (unless it is over water, in which case, it is \$1,000,000.00); and
- C. Garage Keeper's Insurance in the amount of \$500,000.00 per occurrence
- D. Vendor must carry either \$1,000,000 in Commercial Liability **OR** \$1,000,000 in Garage Liability

Copies of Insurance Certifications must be submitted with the bid.

BID NO.: 50-00143083

INVITATION TO BID THIS IS NOT AN ORDER

Page:

1

JEFFERSON PARISH

PURCHASING DEPARTMENT P.O. BOX 9 GRETNA, LA. 70054-0009 504-364-2678

BUYER: DABRAHAM@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 9/21/2023 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from http://purchasing.jeffparish.net and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at HTTP://PURCHASING.JEFFPARISH.NET

BID NO.: 50-00143083

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website http://purchasing.jeffparish.net or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website http://purchasing.jeffparish.net or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

BID NO.: 50-00143083

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at http://purchasing.jeffparish.net.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at http://purchasing.jeffparish.net and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

- All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
- 2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
- 3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- 4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
- 5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
- 6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
- 7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
- 8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
- 9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
- 10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
- 11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
- 12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
- 13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
- 14. PUBLIC WORKS BIDS Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

5

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES NO

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF ______.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable)

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME:						
ADDRESS:						
CITY, STATE:		ZIP:				
TELEPHONE: ()		FAX:	()	
EMAIL ADDRESS:						_
In the event that addenda are issu acknowledge receipt of an adden any addendum on the bid form wi	ued with this bid, bidders MUST ackno ndum on the bid form by placing the a ill result in bid rejection.	owledge ddendu	e al um i	l ado num	denda on ber as in	the bid form.Bidder must dicated. Failure to acknowledge
Acknowledge Receipt of Addenda	a: NUMBER:		_			
	NUMBER:		_			
	NUMBER:					
	NUMBER:		-			
TOTAL PRICE OF ALL BID ITE	EMS: \$					
AUTHORIZED SIGNATURE:						
			-			Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			Two (2) Year Contract for Vehicle Bodies and Accessories for the Department of Fleet Management		
1	15.00	EA	0001 - TRAILER BRAKE CONTROL KITS STRAIGHT AIR WITH SEVEN WAY PLUG	\$	\$\$
			(INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
2	15.00	EA	0002 - BRAKE CONTROL KITS-ALL ELECTRIC BRAKES WITH SIX-WAY PLUG INSTALLED AND	\$	\$\$
			IN READY TO WORK CONDITION. (INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
3	5.00	EA	0003 - ELECTRIC TRAILER BRAKE CONTROL KIT-SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
4	15.00	EA	0004 - ELECTRIC BACK UP ALARM (INSTALLED)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
5	20.00	EA	0005 - MUD FLAPS (INSTALLED)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
6	7.00	EA	0006 - VAN BODY INTERIOR DOME LIGHTS (INSTALLED)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
7	2.00	EA	0007 - LOADING/FLOOR LIGHTS-ONE PAIR CHROME OR STAINLESS STEEL, MINIMUM 6"	\$	\$\$
			DIAMETER, ADJUSTABLE WITH PROTECTIVE MOUNTING BRACKET, WIRED TO TRUCK 12 VOLT SYSTEM WITH FUSE LINK, CONTROL SWITCH		

Page 7

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			IN CAB, INSTALLED AT LOCATION ON TRUCK AS SPECIFIED BY USING DEPARTMENT.		
			MANUFACTURER: MANUFACTURER NUMBER:		
8	8.00	EA	0008 - ONE (1) FEDERAL SIGNAL LATITUDE TRAFFIC ADVISOR MODEL-SL8S-A-48 SIGNAL	\$	\$\$
			MASTER DIRECTIONAL FLAT BAR WITH CABLE AND CONTROLLER ONLY. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
9	6.00	EA	0009 - ONE (1) FEDERAL SIGNAL SPIRE 200 TALL TRAFFIC LED BEACON MODEL	\$	\$\$
			200TC-A-AMBER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
10	6.00	EA	0010 - ONE (1) FEDERAL SIGN MICRO PLUS ULTRA DUAL MODEL MPS62OU-WA	\$	\$\$
			SIX HEAD EXTERIOR MOUNT/PERIMETER LIGHT WIHTE/AMBER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
11	6.00	EA	0011 - ONE (1) FEDERAL SIGNAL MICRO PLUS ULTRA DUAL MODEL MPS122OU-WA	\$	\$\$
			TWELVE HEAD EXTERIOR MOUNT/PERIMETER LIGHT WHITE/AMBER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
12	20.00	EA	0012 - FEDERAL SIGNAL ALLEGIANT MODEL #ALGT53Z-AMBR3F6C. 53" WIDE AND 61"WIDE	\$	\$\$
			MODELS AMBER LIGHT BAR WITH 18 AMBER/ WHITE LED HEADS; 4 AMBER LED HEAD; FRONT AND REAR FLOOD; SIGNALMASTER; FLAT MOUNT; CLEAR DOMES; LOW POWER; DIMMING FEATURE AND CAT 5 CABLE FOR PLUG'N'PLAY WIRE INSTALL TO A PREPROGRAMMED 6 BUTTON CONTROLLER MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLED IN READY TO WORK CONDITION ON		

BID NO.: 50-00143083

Page 9

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PARISH OWNED VEHICLE MANUFACTURER: MANUFACTURER NUMBER:		
13	3.00	EA	0013 - ONE (1) FEDERAL SIGNAL LATITUDE TRAFFIC ADVISOR WARNING LIGHT MODEL	\$	\$\$
			SL8F-AW. LATITUDE 32" DIRECTIONAL FLAT BAR WITH CABLE AND CONTROLLER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
14	3.00	EA	0014 - ONE (1) FEDERAL SIGNAL MICRO PULSE ULTRA THREE COLOR MODEL MPS63U-	\$	\$
			AGW SIX HEAD EXTERIOR MOUNT/PERIMETER LIGHT WHITE/AMBER/GREEN COLOR. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
15	2.00	EA	0015 - ONE (1) FEDERAL SIGNAL MICRO PULSE ULTRA THREE COLOR MODEL MPS123U-	\$	\$
			AGW TWELVE HEAD EXTERIOR MOUNT/PERIMETER LIGHT WHITE/AMBER/GREEN. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
16	2.00	EA	0016 - ONE (1) FEDERAL SIGNAL ALLEGIANT MINI LIGHT BAR MODEL #ALGT21D-AMBR3BF.	\$	\$
			21" WIDE AMBER LIGHT BAR WITH WHITE LED HEADS; AMBER LED HEADS; FRONT AND REAR FLOOD; FLAT MOUNT; CLEAR DOMES; LOW POWER DIMMING FEATURE AND CAT 5 CABLE FOR PLUG'N'PLAY WIRE INSTALL TO A PREPROGRAMMED 6 BUTTON CONTROLLER MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER NUMBER:		
17	1.00	EA	0017 - ONE (1) FEDERAL SIGNAL ELECTRIC SIREN MODEL PA300 WITH SPEAKER.	\$	\$\$
			MANUFACTURER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER NUMBER:		
18	1.00	EA	0018 - ONE (1) FEDERAL SIGNAL SWITCH BOX CONTROLS. SW200B, FOUR SWITCH	\$	\$\$
			CONTROL BOX. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
19	1.00	EA	0019 - ONE (1) FEDERAL SIGNAL SWITCH BOX CONTROLS; SW300B, SIX SWITCH CONTROL	\$	\$\$
			BOX (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
20	6.00	EA	0020 - 4 HEAD DOT REMOTE STROBE SYSTEM FOR HEADLIGHTS AND TAILLIGHTS, WEATHER	\$	\$\$
			PROOF HOUSING AND CONNECTORS, HI/LO INTENSITY AND DOUBLE/QUAD FLASH OPERATION, SHORT CIRCUIT PROTECTION, OUTPUT POWER REGULATION, FULLY INSTALLED ON PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
21	1.00	EA	0021 - SIX (6) INCH DIAMETER LED SAFETY STROBE LIGHT INSTALLED ON	\$	\$\$
			VEHICLE AT PARISH CHOICE OF LOCATION WITH CONTROL SWITCH IN TRUCK CAB AND ALL WIRING IN LOOM CONDUIT BOLTED TO TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
22	3.00	EA	0022 - ONE (1) FEDERAL SIGNAL 32" LONG MESSAGE BOARD MODEL NUMBER MB1-A WITH	\$	\$\$
			CONTROLLER. AMBER COLOR MOUNTING BRACKETS. HARDWARE KIT AND CARRIAGE BOLTS. THIS PUBLIC SAFETY MESSAGING SYSTEM INCORPORATES LED MESSAGE DISPLAY PC SOFTWARE ALLOW ADMIN TO CREATE CUSTOM MESSAGE SETS. SYSTEM COMES EQUIPPED WITH A DEFAULT MESSAGE SETTING IF NEEDED. LED DISPLAY CAN BE "DIMMED" TO ADJUST MESSAGE CONTRAST. WIRED WITH CAT FIVE CABLE ONLY FOR THIS SYSTEM.		

BID NO.: 50-00143083

Page 11

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER NUMBER:		
23	2.00	EA	0023 - ONE (1) FEDERAL SIGNAL ALLEGIANT MODEL # LGD45Z-AMBRH6C. 45" WIDE AMBER LIGHT BAR WITH ALL AMBER LED HEADS. FOUR AMBER LED HEADS: FRONT AND TWO REAR WORK FLOODS; SIGNALMASTER: OPTIONAL MOUNTS; CLEAR DOMES: LOW POWER DIMMING FEATURE AND CAT 5 CABLE FOR PLUG'N'PLAY WIRE INSTALL TO A PREPROGRAMMED 6 BUTTON CONTROLLER MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.	\$	\$
			MANUFACTURER: MANUFACTURER NUMBER:		
24	1.00	EA	0024 - ECCO DIRECTIONAL ARROW SIGNAL LIGHT. MODEL 3410A	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
25	10.00	EA	0025 - FIRE EXTINGUISHER 5 LB. ABC TYPE, MOUNTED IN CAB	\$	\$
			MANUFACTURER: MANUFACTURER NUMBER:		
26	10.00	EA	0026 - DOT EMERGENCY ROAD SAFETY KIT MOUNTED IN CAB.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
27	10.00	EA	0027 - SPARE TIRE CARRIER-FRAME MOUNTED UNDERBODY (INSTALLED & PAINTED)	\$	\$
			MANUFACTURER: MANUFACTURER NUMBER:		
28	5.00	EA	0028 - SPARE TIRE CARRIER-INTERIOR OF OF VEHICLE (INSTALLED AND PAINTED)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
29	5.00	EA	0029 - HVY DUTY STEEL FLATBED TRUCK BODY INSTALLED & PAINTED	\$	\$\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			HEAVY DUTY 10'5L X 8'0"W STEEL STAKE TRUCK BODY CONSTRUCTED OF 6" STRUCTURAL STEEL CHANNEL LONGSILLS, 4" STRUCTURAL STEEL CHANNEL CROSSILLS SPACED 12" APART. 5" STRUCTURAL STEEL CHANNEL SIDESILLS, 2" X 4" X 1/4" OUTSIDE STEEL STAKE POCKETS SPACED 24" APART DOWN BOTH SIDES AND REAR WITH 3/8" X 3" OUTSIDE CHAIN RAIL. ONE PIECE 3/16" SAFETY HVY DUTY STEEL FLATBED TRUCK BODY WELDED. HEAVY DUTY STEEL BULKHEAD CONSTRUCTED OF 2 1/2" X 2 1/2" X 1/4" STEEL SQUARE TUBE FOUR POST FRAME COVERED BY 3/16" TREADPLATE STEEL BELOW WINDOW AND #3 EXPANDED METAL ABOVE. HEAVY DUTY ICC BUMPER REINFORCED TO TRUCK. FMVSS ARMOUR TYPE LIGHTING WITH WIRING IN CONDUIT. REAR WHEEL MUD FLAPS SANDBLASTED, ZINC PHOSPHATE PRIMED AND FINISH PAINTED 5 MILS THICKNESS ENAMEL PAINTED TO HVY DUTY STEEL FLATBED TRUCK BODY U-BOLTS AND 20 YR. CELCURE RISERS.		
30	40.00	FT	0030 - ADDITIONAL LENGTH OF FLATBED PER FOOT.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
31	35.00	FT	0031 - HEAVY DUTY REMOVE STEEL STAKE & RACK SIDES, 42" HIGH DOWN BOTH SIDES & REAR OF FLATBED, 4 SLATS HIGH WITH AUTOMATIC LOCKDOWNS. INTERLOCKING CONNECTORS AND PRIMED AND FINISH PAINTED TO MATCH FLATBED. PRICE PER LINEAR FOOT OF FLATBED. MANUFACTURER- MANUFACTURER NUMBER-	\$	\$
32	15.00	EA	0032 - STEP-UP & GRAB HANDLES-TRUCK BODY INSTALLED & PAINTED MANUFACTURER- MANUFACTURER NUMBER-	\$	\$\$
33	15.00	EA	0033 - PICK UP TRUCK ONE TON CAB ACCESS STEPS. TUBE TYPE PAINTED BLACK FOR	\$	_\$

BID NO.: 50-00143083

Page 13

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			VARIOUS DOMESTIC TRUCKS.		
			MANUFACTURER- MANUFACTURER NUMBER-		
34	5.00	EA	0034 - PICK UP TRUCK ONE TON ACCESS STEPS. TUBE TYPE CHROME FOR VARIOUS	\$	\$\$
			DOMESTIC TRUCKS.		
			MANUFACTURER- MANUFACTURER NUMBER-		
35	5.00	EA	0035 - PICK UP AND ONE TON TRUCK HEAVY DUTY FRONT BUMPER PUSH BAR ASSEMBLY,	\$	\$\$
			CHROMED STEEL CONSTRUCTION, MOUNTED TO FRONT BUMPER OF TRUCK CAB.		
			MANUFACTURER- MANUFACTURER NUMBER-		
36	10.00	FT	0036 - HEAVY DUTY STEEL CONTRACT 16 IN. HIGH SIDES AND TAILGATE DOWN EACH SIDE	\$	_\$
			AND REAR OF FLATBED. 10 GALLON STEEL CENTERS HINGED REAR TAILGATE. 3 BEND TOP RAIL. FLANGED BOTTOOM RAIL.PRIMED AND PAINTED TO MATCH FLATBED. PRICE PER LINEAR FOOT.		
			MANUFACTURER- MANUFACTURER NUMBER-		
37	1.00	EA	0037 - HEAVY DUTY INTERIOR PARTITIONS- SOLID-INSTALLED AND PAINTED.	\$	\$\$
			MANUFACTURER- MANUFACTURER NUMBER-		
38	1.00	EA	0038 - VAN BODY INTERIOR PARTITIONS- SCREEN INSTALLED & PAINTED-SCREEN TYPE	\$	\$\$
			WITH DOOR.		
			MANUFACTURER- MANUFACTURER NUMBER-		
39	2.00	EA	0039 - INTERIOR SEATS-FOUR PASSENGER VAN BODY WITH SEAT BELTS. MUST	\$	\$\$
			INCLUDE VEHICLE DOT RECERTIFICATIONS (INCLUDING BOND)-COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER- MANUFACTURER NUMBER-		
40	1.00	EA	0040 - INTERIOR SEATS-THREE PASSENGER VAN BODY WITH SEAT BELTS.	\$	\$
			MUST INCLUDE VEHICLE DOT RECERTIFICATIONS (INCLUDING BOND) - COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE		
			MANUFACTURER- MANUFACTURER NUMBER-		
41	1.00	EA	0041 - INTERIOR SEATS-TWO PASSENGER VAN BODY WITH SEAT BELTS. MUST	\$	\$\$
			INCLUDE VEHICLE RECERTIFICATIONS (INCLUDING BOND) - COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE.		
			MANUFACTURER- MANUFACTURER NUMBER-		
42	20.00	PR	0042 - REAR TOWHOOKS-FRAME MOUNTED STANDARD DUTY FOR UP TO 14,500 GVWR	\$	\$
			TRUCKS.		
			MANUFACTURER- MANUFACTURER NUMBER		
43	20.00	PR	0043 - REAR TOWHOOKS- FRAME MOUNTED HEAVY DUTY FOR 14,500 GVWR TO 33,000	\$	\$\$
			GVWR		
			MANUFACTURER: MANUFACTURER NUMBER:		
44	10.00	PR	0044 - REAR TOW HOOKS-FRAME MOUNTED EXTRA HEAVY DUTY FOR OVER 33,000 GVWR.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
45	10.00	EA	0045 - TRAILER HITCH 1 7/8 INCH CLASS 1V HITCH PART. #1801005 WITH A 2 INCH	\$	\$
			BALL HITCH ASSEMBLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
46	10.00	EA	0046 - TRAILER HITCH 2 5/6" BALL HITCH ASSEMBLY	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
47	10.00	EA	0047 - TRAILER HITCH-COMBINATION BALL HITCH/PINTLE HITCH (16,000 LBS.)	\$	\$
			2 5/16" BALL.		
			MANUFACTURER: MANUFACTURER NUMBER:		
48	10.00	EA	0048 - TRAILER HITCH-STANDARD DUTY PINTEL HITCH (8 TON).	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
49 2.00	2.00	EA	0049 - ONE B & W COMBO BALL HITCH INSERT 2"INCH BALL & 2 5/6" BALL WITH	\$	\$\$
			FIVE INCH HEIGHT ADJUSTMENT WITH 5/16" DIAMETER LOCKING KEEPER PIN.		
			MANUFACTURER: MANUFACTURER NUMBER:		
50	2.00	EA	0050 - TRAILER HITCH-HEAVY DUTY PINTLE HITCH (49,000 LB. GVWR. CAPACITY)	\$	\$
			MANUFACTURER: MANUFACTURER NUMBER:		
51	1.00	EA	0051 - UNDERBODY TOOL BOX-24"L X 18"H X 18"D WITH STAINLESS STEEL HINGES AND	\$	\$
			LOCKS. (PAINTED AND INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
52	2.00	EA	0052 - UNDERBODY TOOL BOX- 16"L X 18"H X 18"D WITH STAINLESS STEEL HINGES AND	\$	\$\$
			LOCKS. (PAINTED AND INSTALLED).		
			MANUFACTURER: MANUFACTURER NUMBER:		
53	2.00	EA	0053 - UNDERBODY TOOL BOX-48"L X 18"H 18"D WITH STAINLESS STEEL HINGES AND	\$	_\$

BID NO.: 50-00143083

Page 16

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LOCKS (PAINTED AND INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
54	2.00	EA	0054 - UNDERBODY TOOL BOX-60"L X 18"H X 18"D WITH STAINLESS STEEL	\$	\$
			HINGES AND LOCKS.(PAINTED AND INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
55	2.00	EA	0055 - RAWSON-KOENIG MODEL ST-63 TOOLBOX (OR EQUAL) STEEL CROSSOVER	\$	\$
			TOOLBOX, MINIMUM 14 GA. STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR, HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
56	2.00	EA	0056 - RAWSON-KOENIG MODEL ST-46U TOOLBOX (OR EQUAL), STEEL CROSSOVER	\$	\$\$
			TOOLBOX. MINIMUM 14 GA. STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR, HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
57	2.00	EA	0057 - RAWSON-KOENIG MODEL C-56 TOOL BOX (OR EQUAL) STEEL CROSSOVER TOOL BOX,	\$	\$\$
			MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
58	2.00	EA	0058 - RAWSON-KOENIG MODEL M451NM TOOL BOX (OR EQUAL). STEEL CROSSOVER TOOL	\$	\$
			BOX, MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR, HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR A PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

SEALED BID

ITEM IUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
59	2.00	EA	0059 - RAWSON-KOENIG MODEL 43-S TOOL BOX (OR EQUAL) LOWER SIDE TOOL BOX,	\$	\$
			MINIMUM 14 GA STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE,DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
60	1.00	EA	0060 - RAWSON-KOENIG MODEL M60FW1NM (OR EQUAL) STEEL CROSSOVER TOOL BOX,	\$	\$\$
			MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
61	2.00	EA	0061 - RAWSON-KOENIG MODEL 50-S TOOL BOX (OR EQUAL). LOWER SIDE TOOLBOX,	\$	\$\$
			MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
62	2.00	2.00 EA 0062 - RAWSON-KOENIG MODEL 61-S TOOLBOX (OR EQUAL) LOWER SIDE TOOL BOX,	\$	\$\$	
			MINIMUM 14 GALLON STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
63	2.00	EA	0063 - RAWSON-KOENIG MODEL 67-S TOOLBOX (OR EQUAL) LOWER SIDE TOOL BOX	\$	\$\$
			MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR, HARDWARE AND DOOR SEALS. PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
64	2.00	EA	0064 - RAWSON-KOENIG MODEL 88-S TOOL BOX (OR EQUAL) UPPER SIDE TOOL	\$	\$\$
64	2.00	EA	0064 - RAWSON-KOENIG MODEL 88-S	\$	\$

Page 17

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BOX, MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK. MANUFACTURER: MANUFACTURER NUMBER:		
65	2.00	EA	0065 - RAWSON-KOENIG MODEL US90 TOOL BOX (OR EQUAL) UPPER SIDE TOOL BOX, MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK UP TRUCK.	\$	_\$
			MANUFACTURER: MANUFACTURER NUMBER: VENDOR NUMBER:		
66	2.00	EA	0066 - RAWSON-KOENIG MODEL M60FW1NMA (OR EQUAL) ALUMINUM CHEST TYPE TOOL BOX, MINIMUM .125 GA. ALUMINUM CON- STRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLA- TION FOR PICK UP TRUCK.	\$	\$
67	2.00	EA	MANUFACTURER: MANUFACTURER NUMBER: VENDOR PART: 0067 - RAWSON-KOENIG MODEL MTB602NM	\$	Ş
	2.00		(OR EQUAL) STEEL CROSSOVER TOOL BOX, MINIMUM 14 GA STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.	٢	Y
68	2.00	EA	0068 - RAWSON-KOENIG MODEL US96C (OR EQUAL) UPPER SIDE TOOL BOX, MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK. MANUFACTURER: MANUFACTURER NUMBER: VENDOR PART:	\$	\$
69	2.00	EA	0069 - RAWSON-KOENIG MODEL C-63A TOOLBOX (OR EQUAL) ALUMINUM CROSSOVER TOOL BOX, MINIMUM .125 GA. ALUMINUM	\$	\$\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK. MANUFACTURER:		
			MANUFACTURER NUMBER:		
70	2.00	EA	0070 - RAWSON-KOENIG MODEL C-63WA TOOL BOX (OR EQUAL) ALUMINUM CROSSOVER TOOL	\$	\$\$
			BOX MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER: VENDOR PART:		
71	2.00	EA	0071 - RAWSON-KOENIG MODEL C-56A TOOLBOX (OR EQUAL) ALUMINUM CROSSOVER TOOL BOX	\$	\$\$
			MINIMUM .125 GA ALUMINUM CON- STRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLA- TION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER: VENDOR PART:		
72	2.00	EA	0072 - RAWSON-KOENIG MODEL C-63 CROSS OVER TOOLBOX, MINIMUM 14 GAUGE STEEL	\$	\$\$
			CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED-FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
73	2.00	EA	0073 - RAWSON-KOENIG MODEL M451NMA TOOL BOX (OR EQUAL) ALUMINUM CHEST TYPE TOOL	\$	\$
			BOX MINIMUM .125 GA ALUMINUM CON- STRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
74	2.00	EA	0074 - RAWSON-KOENIG MODEL 43-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL BOX,	\$	\$\$
			MINIMUM .125 GA. ALUMINUM CON- STRUCTION WITH STAINLESS STEEL		

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			HARDWARE, DOOR SEALS & INSTALLA- TION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
75	2.00	EA	0075 - RAWSON-KOENIG MODEL 50-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL BOX,	\$	\$\$
			MINIMUM .125 GA. ALUMINUM CON- STRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLA- TION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
76	2.00	EA	0076 - RAWSON-KOENIG MODEL 67-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL BOX,	\$	\$\$
			MINIMUM .125 GA. ALUMINUM CON- STRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLA- TION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
77	2.00	EA	0077 - RAWSON-KOENIG MODEL NUMBER C- 63LPA ALUMINUM TOOLBOX(OR EQUAL)	\$	\$\$
			CROSSOVER TOOLBOX. LOW PROFILE LID, MINIMUM .125 GAUGE ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS AND INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
			1		
78	2.00	EA	0078 - RAWSON-KOENIG MODEL C-63W STEEL CROSSOVER TOOLBOX, MINIMUM 14	\$	\$\$
		GAUGE STAINLES STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK UP TRUCK	DOOR SEALS, PAINTED AND INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
79	2.00	EA	0079 - RAWSON-KOENIG MODEL 43-S LOWER SIDE TOOLBOX, MINIMUM 14 GAUGE STEEL	\$	\$\$
			CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND		

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			INSTALLED FOR PICK UP TRUCK. RKI WHITE PAINT IS ACCEPTABLE		
			MANUFACTURER: MANUFACTURER PART:		
80	2.00	EA	0080 - RAWSON-KOENIG MODEL ST63A CROSSOVER TOOL BOX, MINIMUM 100.00	\$	\$\$
			ALUMINUM TREADPLATE CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS AND INSTALLED FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
81	200.00	FT	0081 - FULL AUTOMATIC 12 VOLT ELECTRIC TARP RACK SYSTEM COMPLETE WITH CAB	\$	\$\$
			CONTROLLER AND ALL OTHER FEATURES AS DESCRIBED ABOVE EXCEPT HAND CRANK. PRICE PER FOOT LENGTH OF BODY.		
			MANUFACTURER: MANUFACTURER PART:		
82	2 5.00	EA	0082 - DUMPBODY AIR RELEASE TAILGATE SYSTEM COMPLETE WITH CAB CONTROLLER AND	\$	\$\$
			AIR RELEASE CYLINDER MOUNTED AT FRONT OF DUMP BODY WITH MANUAL OVERRIDE RELEASE CONTROL SYSTEM		
			MANUFACTURER: MANUFACTURER PART:		
83	10.00	EA	0083 - DUMP BODY CAB PROTECTORS (INSTALLED AND PAINTED)	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
84	3.00	EA	0084 - HEAVY DUTY FULL WIDTH REAR DOZER PUSH PLATE REINFORCEMENT FOR	\$	\$\$
			DUMP BODIES (INSTALLED & PAINTED) SIDE PLATES 3/4 INCHES THICK X 12 INCH X 24 INCH LONG. TOW (2) "V" BRACES-3/8 X 6 FLATBAR WIDTH.		
			MANUFACTURER: MANUFACTURER PART:		
85	5.00	EA	0085 - 10 FT. THRU 12 FT. BODY- UNDERBODY TYPE DUMP HOISTS FOR FLATBED	\$	\$\$

BID NO.: 50-00143083

Page 22

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BODIES (INSTALLED WITH PTO) MANUFACTURER: MANUFACTURER PART:		
86	3.00	EA	0086 - 14 FT THRU 16 FT UNDERBODY TYPE HOIST FOR FLATBED BODIES	\$	\$\$
			(INSTALLED WITH PTO) MANUFACTURER:		
87	2.00	EA	MANUFACTURER PART:	Ċ	4
07	2.00	EA	0087 - 16 FT. TO 20 FT. HOIST, MODEL UMB HOIST AND TWIN TELESCOPIC INSIDE THE FRAME CYLINDERS TYPE DUMP BODY HOIST	\$	\$\$
			INSTALLED AND PAINTED AND IN READY TO WORK CONDITION.		
			MANUFACTURER: MANUFACTURER PART:		
88	2.00	EA	0088 - REPLACEMENT DUMP BODY HOIST WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$
			HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY). PAINTED BLACK. MANUFACTURER:		
			MANUFACTURER PART:		
89	1.00	EA	0089 - AUXILIARY REFUELING SYSTEM COMPLETE WITH THE FOLLOWING:	\$	\$\$
			A. ONE PRIOR MODEL R30 RECTANGULAR STEEL FUEL TANK, 30 GALLON CAPACITY, MOUNTED UNDER VAN FLOOR ON LEFT SIDE OF VEHICLE AGAINST CHASSIS FRAME WITH FILL LINE TO SIDE OF VAN SKIRTING. B. ONE FILL RITE MODEL 1P894 FUEL TRANSFER PUMP 12 VOLT DC POWER FROM TRUCK BATTERY UP TO 13.6 PM. C. ONE SPEEDAIRE MODEL 52026 HOSE REEL SPRING AUTOMATIC REWIND WITH AUXILIARY REFUELING SYSTEM NOZZLE (NON DRIP AUTOMATIC SHUT-OFF) D. ONE RAWSON MODEL UBW36 UNDER BODY TOOL BOX FOR STORAGE OF HOSE REEL. E. ONE RED WARNING LIGHT FOR PUMP ON CAR OF VEHICLE		
			ON CAB OF VEHICLE. F. TO BE LOCATED IN A PLACE AGREED ON BY BOTH INSTALLER AND REPRESENTA- TIVE OF THE DEPARTMENT. TOTAL SYSTEM PRICE (INSTALLED)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
90	1.00	EA	0090 - MASTER LOCK SYSTEM-SERVICE TRUCK BODY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
91	5.00	EA	0091 - LADDER/PIPE RACKS-BOW TYPE ON SERVICE TRUCK BODY (INSTALLED &	\$	\$
			PAINTED)		
			MANUFACTURER: MANUFACTURER PART:		
92 1.00	1.00	EA	0092 - LADDER/PIPE RACKS-SIDE MOUNT ON SERVICE TRUCK BODY	\$	\$\$
			(INSTALLED & PAINTED)		
			MANUFACTURER: MANUFACTURER PART:		
93	93 16.00	FT	0093 - FULL HEIGHT PLYWOOD INTERIOR LINING IN VAN TRUCKS. PRICE PER LINEAR	\$	\$\$
			FOOT OF VAN BODY.		
			MANUFACTURER: MANUFACTURER PART:		
94	1.00	EA	0094 - LADDER/PIPE RACKS-FULL LENGTH TO CAB HEAVY DUTY PIPE RACK	\$	\$\$
			(5,000 LB. CAPACITY) ON SERVICE TRUCK BODY WITH FULL LENGTH SERVICE BODY REINFORCEMENT. (INSTALLED & PAINTED)		
			MANUFACTURER: MANUFACTURER PART:		
95	1.00	EA	0095 - REPLACEMENT TODCO ROLL-UP DOOR ASSEMBLY INSTALLED IN VAN BODY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
96	10.00	EA	0096 - HEAVY DUTY TRUCK 5TH WHEEL 24" AIR SLIDE WITH CAB CONTROLS	\$	\$\$

BID NO.: 50-00143083

Page 24

1.00 1.00 1.00	EA EA	 (INSTALLED & PAINTED) MANUFACTURER: MANUFACTURER PART: 0097 - HEAVY DUTY TRUCK 5TH WHEEL OSCILLATING FIFTH WHEEL (INSTALLED & PAINTED) MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 0098 - REPLACEMENT HEAVY DUTY 2" TRAILER KINGPINS-DROP IN TYPE (INSTALLED & PAINTED) MANUFACTURER: MANUFACTURER: MANUFACTURER: 0099 - HEAVY DUTY SERVICE TRUCK BODY 56" SINGLE FOR 56" C/A SINGLE WHEEL TRUCK. 96"L X 79"W X 36"H. SIX COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL- STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS. 	\$ \$ \$	\$ \$ \$
1.00	EA	0097 - HEAVY DUTY TRUCK 5TH WHEEL OSCILLATING FIFTH WHEEL (INSTALLED & PAINTED) MANUFACTURER: MANUFACTURER PART: 0098 - REPLACEMENT HEAVY DUTY 2" TRAILER KINGPINS-DROP IN TYPE (INSTALLED & PAINTED) MANUFACTURER: MANUFACTURER PART: 0099 - HEAVY DUTY SERVICE TRUCK BODY 56" SINGLE FOR 56" C/A SINGLE WHEEL TRUCK. 96"L X 79"W X 36"H. SIX COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL- STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS.	\$	\$\$
		 (INSTALLED & PAINTED) MANUFACTURER: MANUFACTURER PART: MO98 - REPLACEMENT HEAVY DUTY 2" TRAILER KINGPINS-DROP IN TYPE (INSTALLED & PAINTED) MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 0099 - HEAVY DUTY SERVICE TRUCK BODY 56" SINGLE FOR 56" C/A SINGLE WHEEL TRUCK. 96"L X 79"W X 36"H. SIX COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL- STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS. 		
		KINGPINS-DROP IN TYPE (INSTALLED & PAINTED) MANUFACTURER: MANUFACTURER PART: 0099 - HEAVY DUTY SERVICE TRUCK BODY 56" SINGLE FOR 56" C/A SINGLE WHEEL TRUCK. 96"L X 79"W X 36"H. SIX COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL- STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS.		
1.00	EA	MANUFACTURER: MANUFACTURER PART: 0099 - HEAVY DUTY SERVICE TRUCK BODY 56" SINGLE FOR 56" C/A SINGLE WHEEL TRUCK. 96"L X 79"W X 36"H. SIX COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL- STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS.	\$	\$
1.00	EA	SINGLE FOR 56" C/A SINGLE WHEEL TRUCK. 96"L X 79"W X 36"H. SIX COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL- STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS.	\$	\$\$
		14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL- STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS.		
		FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED & INSTALLED. MANUFACTURER: MANUFACTURER PART:		
3.00	EA	0100 - HEAVY DUTY SERVICE TRUCKBODY 56" DUAL FOR 56" C/A DUAL WHEEL TRUCK. 96"L X 94"W X 40"H. SIX COMPARTMENTS 20" DEEP COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL-STAINLESS STEEL HARDWARE. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS. FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED & INSTALLED. MANUFACTURER: MANUFACTURER PART:	\$	\$\$
2.00	EA	0101 - HYDRAULIC TRUCK TAILGATES-1500 LB. CAPACITY PICKUP TRUCK	\$	\$\$
	2.00	2.00 EA	20" DEEP COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL-STAINLESS STEEL HARDWARE. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS. FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED & INSTALLED.2.00EA0101 - HYDRAULIC TRUCK TAILGATES-1500	20" DEEP COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL-STAINLESS STEEL HARDWARE. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS. FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED & INSTALLED. MANUFACTURER: MANUFACTURER PART: 2.00 EA

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TAILGATE 56"W X 26"D LOAD PLATFORM PLUS 5" RAMP AND WIDTH RECESSED HITCH TYPE REAR BUMPER (PAINTED & INSTALLED) MANUFACTURER: MANUFACTURER PART:		
102	1.00	EA	0102 - HYDRAULIC TRUCK TAILGATES-2000 LBS. CAPACITY STOWAWAY TYPE	\$	\$\$
			TAILGATE 84"W X 36"D LOAD PLATFORM PLUS 5" RAMP AND OUTSIDE CHANNEL LIFT ARMS WITH DOCK BUMPERS (PAINTED & INSTALLED) MANUFACTURER: MANUFACTURER PART:		
103	1.00	EA	0103 - HYDRAULIC TRUCK TAILGATES 1250 LB CAPACITY RAIL-TYPE TAILGATE	\$	\$\$
	RAMP FOR S UP DOORS C (PAINTED &	85"W X X30"D LOAD PLATFORM PLUS 5" RAMP FOR STEP VAN BODIES WITH ROLL UP DOORS ONLY. (PAINTED & INSTALLED)			
104	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0104 - POWER ROTATION FOR TRUCK SERVICE	\$	\$\$
			2000 LB. SERVICE CRANE. 2000 LB. CAPACITY 4' TO 7' EXTENDABLE BOOM. MANUFACTURER: MANUFACTURER PART:		
105	3.00	EA	0105 - REPLACEMENT DUMP BODY-HEIL SL 2/3 YARD. MODEL SL 2/3 YD. 8'L X 7'W DUMP	\$	\$\$
			BODY. PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS AND CAB PROTECTORS.		
			MANUFACTURER: MANUFACTURER PART:		
106	2.00	EA	0106 - REPLACEMENT DUMP BODY-HEIL SL 6/8 YD. MODEL SL 6/8 YD. 10'L X8'W DUMP	\$	\$\$
			BODY, PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS AND CAB PROTECTORS. MANUFACTURER: MANUFACTURER PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

Page 26

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
107	1.00	EA	0107 - REPLACEMENT DUMP BODY-HEIL HH 6/8 YD. MODEL HH 6/8 YD. 10'L X 8'W DUMP	\$	\$
			BODY, PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND CAB PROTECTORS.		
			MANUFACTURER: MANUFACTURER PART:		
108 1.00	1.00	EA	0108 - REPLACE DUMP BODY-HEIL LH 10/12 YARD. MODEL LH 10/12 YD. 13'L X 8'W	\$	\$\$
			DUMP BODY, PAINTED, AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND CAB PROTECTORS.		
			MANUFACTURER: MANUFACTURER PART:		
109	1.00	EA	0109 - REPLACE DUMP BODY-HEIL MODEL SL 16 YD. MODEL SL 16 YD. 16'L X8'W	\$	\$\$
			TRASH DUMP BODY. PAINTED AND INSTALLED. SIX COMPARTMENTS, WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINTER. ALL STAINLESS STEAL HARDWARE. 12 GAUGE TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH RECESS. FMVSS #108 RECESSED LIGHTS. TAILGATE, UNDERCOATED, PAINTED AND INSTALLED. HEAVY DUTY SERVICE TRUCK BODY 56" DUAL.		
			MANUFACTURER: MANUFACTURER PART:		
110	1.00	EA	0110 - TRUCK SERVICE CRANE 2000 LB. 4' TO 7' CAPACITY. 4' TO 7' EXTENDABLE	\$	\$\$
			BOOM. ELECTRIC HOIST WITH CABLE LINE, BLOCK AND HOOK, JACKLEG STABALIZER. OVERLOAD WARNING DEVICE. (PAINTED AND INSTALLED)		
			MANUFACTURER: MANUFACTURER PART:		
111	1.00	EA	0111 - ONE (1) 5-6 YARD CAPACITY NINE (9') LONG DUMP BODY 9' X 7' BOX SIZE	\$	\$\$
			COMPLETE WITH CAB GUARD, PAINTED WHITE INSTALLED WITH FMVSS #108 LIGHTS AND FLAPS ON A PARISH OWNED SUITABLE VEHICLE IN READY TO WORK CONDITION.		
			MANUFACTURER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

Page 27

		MANUFACTURER PART:		
1.00	EA	0112 - REPLACE DUMP BODY HOIST HEIL 1500 HEIL MODEL 1520 DLE HOIST, INSTALLED	\$	\$\$
		WITH PTO AND CAB CONTROLS.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0113 - REPLACE DUMP BODY HOISTS HEIL 1821. HEIL MODEL 1821 HOISTS,	\$	\$\$
		INSTALLED WITH PTO AND CAB CONTROLS.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0114 - REPLACE DUMP BODY HOISTS HEIL 2824. HEIL MODEL 2824 HOIST, INSTALLED	\$	\$
		WITH PTO AND CAB CONTROLS.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0115 - REPLACEMENT DUMP BODY HOIST WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$\$
		HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY) PAINTED AND INSTALLED.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0116 - ONE (1) STELLAR SLIDER 65 HOOK- LIFT MACHINE HOIST, THIS BODY HANDLING	\$	\$
		SYSTEM IS MOUNTED ON SUITABLE PARISH OWNED TRUCK CHASSIS AND IS CAPABLE OF LOADING,UNLOADING AND DUMPING VARIOUS BODIES 22' LONG WITH THE USE OF A HEXAGONAL SLIDING JIB. COMES WITH A HOOK HEIGHT OF 61.76" THAT MATCHES THE A FRAME SLIDE THAT GOES UNDER VARIOUS BODIES AND WILL ACCOMMODATE CAPACITIES UP TO 65,000 LBS. THE MAXIMUM DUMP ANGLE IS 50 DEGREES ON A 41 INCH HIGH TRUCK FRAME FROM THE GROUND COMPLETE WITH FENDER, GANTRY TARP SYSTEM AND REARBUMPER IN READY TO WORK CONDITION. TRUCK CHASSIS MUST HAVE 64,000 LB. GVWR AND A 190" TO 204" CT DISTANCE AND DOUBLE FRAME RAILS CHASSIS FRAME.		
	1.00 1.00	1.00 EA 1.00 EA 1.00 EA	HEIL MODEL 1520 DLE HOIST, INSTALLED WITH PTO AND CAB CONTROLS. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0113 - REPLACE DUMP BODY HOISTS HEIL 1821. HEIL MODEL 1821 HOISTS, INSTALLED WITH PTO AND CAB CONTROLS. MANUFACTURER: MAN	HEIL MODEL 1520 DLE HOIST, INSTALLED WITH PTO AND CAB CONTROLS. MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: NITH PTO AND CAB CONTROLS. MANUFACTURER: NITH PTO AND CAB CONTROLS. MANUFACTURER: MANUFACTURER:

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

Page 28

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
			MANUFACTURER: MANUFACTURER PART:			
117	1.00	EA	0117 - RUGBY SUB-FRAME HEAVY DUTY HOIST LR2066 WITH TWIN CYLINDERS FOR DUMP	\$	\$	
			USE ON VARIOUS TRUCK BODIES. INSTALLED AND PAINTED BLACK			
			MANUFACTURER: MANUFACTURER PART:			
118	1.00	EA	0118 - ROLLBACK EQUIPMENT LOADER 20'L X 8'W WITH EXTRA HEAVY DUTY STEEL	\$	\$	
			FLATBED TRUCK BODY, BULKHEAD, 12,000 LB. HYDRAULIC WINCH, DUAL TILT CYLINDERS, FULL ROLL BACK CYLINDERS, PTO, SIDE CONTROLS, FMVSS #108 LIGHTS, FLAPS, PAINTED AND INSTALLED.			
			MANUFACTURER: MANUFACTURER PART:			
119	1.00	EA	0119 - HOOK-LIFT TRUCK HYDRAULIC SYSTEM UNIT TO LIFT FLATBED AND DUMP FLATBED	\$	\$\$	
			WITH HEAVY DUTY 16'L X 8'W STEEL FLATBED CAB CONTROLS. PTO, MVSS #108 LIGHTS, FLAPS, PAINTED AND INSTALLED.			
			MANUFACTURER: MANUFACTURER PART:			
120	1.00	1.00		0120 - BUYERS MODEL PH-15 HOOK ASSEMBLY 15 TON HOOK ASSEMBLY, 15 TON CAPACITY	\$	\$\$
			REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED.			
			MANUFACTURER: MANUFACTURER PART:			
121	2.00	EA	0121 - BUYERS MODEL PH-5 PINTELHOOK PINTLE HOOK ASSEMBLY 5 TON	\$	\$\$	
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED.			
			MANUFACTURER: MANUFACTURER PART:			
122	2.00	EA	0122 - BUYERS MODEL BP100A PINTLEHOOK OR EQUAL PINTLE HOOK ASSEMBLY 10 TON	\$	\$\$	
			CAPACITY - REPLACEMENT PINTLE			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			HITCHES AND DRAWBARS NOT INSTALLED MANUFACTURER: MANUFACTURER PART:		
123 1	1.00	EA	0123 - BUYERS MODEL BP125 HOOK ASSEMBLY 15 TON HOOK ASSEMBLY	\$	\$
			REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
124	1.00	EA	0124 - BUYERS MODEL BP760-PINTLE HOOK PINTLE HOOK ASSEMBLY 24.5 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
125	1.00	EA	0125 - BUYERS MODEL BP1238-DRAWBAR EYE DRAWBAR EYE 3" I.D. 11 TON -	\$	\$\$
			REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
126	1.00	EA	0126 - BUYERS MODEL DB1385-DRAWBAR EYE DRAWBAR EYE 3" I.D. 11 TON -	\$	\$
			REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
127	1.00	EA	0127 - BUYERS MODEL DB12492H-DRAWBAR EYE EQUAL DRAWBAR EYE 3" I.D. 22 TON -	\$	\$\$
			REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
128	1.00	EA	0128 - BUYERS MODEL DB124949 DRAWBAR EYE EQUAL DRAWBAR EYE 3" I.D. 22.5	\$	\$\$
			TON - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
129	1.00	EA	0129 - MODEL DB1250-15 DRAWBAR EYE E2.5" OR EQUAL DRAWBAR EYE 2.5" I.D.	\$	\$\$
			22 TON - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
130	1.00	EA	0130 - MODEL DB1250-3 DRAWBAR EYE 2" OR EQUAL DRAWBAR EYE 2" I.D. 7.5	\$	\$\$
			TON - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
131	1.00	EA	0131 - BUYERS MODEL PM 107-PINTLE MOUNT PLATE REPLACEMENT. PINTLE HITCHES AND	\$	\$\$
			DRAWBAR NOT INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
132	1.00	EA	0132 - BUYERS MODEL PM812 MOUNT PLATE OR EQUAL PINTLE MOUNT PLATE -	\$	\$\$
			REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
133	1.00	EA	0133 - BUYERS MODEL BH81780-COMBO HITCH OR EQUAL COMBINATION HITCH 8 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
134	1.00	EA	0134 - BUYERS MODEL BH82000 COMBO HITCH OR EQUAL COMBINATION HITCH 8 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
135	1.00	EA	0135 - BUYERS MODEL BH82516-COMBO HITCH OR EQUAL COMBINATION HITCH 8 TON	\$	\$\$

BID NO.: 50-00143083

Page 31

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
136	1.00	EA	CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED MANUFACTURER: MANUFACTURER PART: 0136 - SERVICE BODY HEAVY DUTY CANOPY TOP 60" INTERIOR HEIGHT, 96" OVERALL LENGTH, CANOPY TOP TO BE COMPLETED WITH STATIONARY ROOF. ONE GLASS IN FRONT PANEL. ONE GLASS IN EACH REAR SWING DOOR PANEL. TWO FULL LENGTH INTERIOR FLOURESCENT LIGHTS. STAINLESS STEEL DOOR HARDWARE. PAINTED INSIDE AND OUT- SIDE ONE COLOR TO MATCH CAB.	\$	\$\$
137	2.00	EA	MANUFACTURER: MANUFACTURER PART: 0137 - HEAVY DUTY SERVICE TRUCK BODY FOR 60" C/A DUAL REAR WHEEL TRUCK.	\$	<u>\$</u>
			108"L X 89"W X 41"H. ALL COMPARTMENTS 20" DEEP. MANUFACTURER: MANUFACTURER PART:		
138	2.00	EA	0138 - ELECTRIC WINCH-8,000 LB. CAPACITY COMPLETE WITH HEAVY DUTY FRONT BUMPER ASSEMBLY. 4 WAY ROLLER GUIDES, REMOTE CONTROL PENDANT, AND 150' OF CABLE WITH HOOK END (UNIT TO FIT PICK-UPS, CARRYALLS OR 1 TON CAB AND CHASSIS) MANUFACTURER: MANUFACTURER PART:	\$	\$
139	1.00	EA	0139 - HEAVY DUTY SERVICE TRUCK BODY FOR 84" C/A DUAL REAR WHEEL TRUCK 132"L X 89"W X 41"H. COMPARTMENTS 20" DEEP. MANUFACTURER: MANUFACTURER PART:	\$	\$
140	8.00	EA	0140 - LABELMASTER HEAVY DUTY ALUMINUM FRAME HAZARDOUS MATERIAL PLACECARDS MODEL NUMBER 126-CT/81-8F IN READY	\$	\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TO WORK CONDITION ON ALL FOUR SIDES OF THE TRUCK BODY, TO BE USED ON VARIOUS TRUCK BODIES INSTALLED AND PAINTED OR RAW ALUMINUM FINISH. MANUFACTURER: MANUFACTURER PART:		
141	40.00			Ċ.	Ċ.
	10.00	EA	0141 - REAR TOW HOOKS (FRAME MOUNTED) MANUFACTURER: MANUFACTURER PART:	\$	_\$
142	3.00	EA	0142 - CUTAWAY VAN BODY SPECIAL 1 1/2 TON HEAVY DUTY LOW MOUNT SIDE ACCESS	\$	\$\$
			 1 1/2 TON CUTAWAY VAN TRUCK CAB AND CHASSIS: BODY LENGTH _16 FTCOLOR WALK-THRU OPEN PARTITION BETWEEN CAB AND REAR VAN. CUTAWAY: FRONT PANELS CUTAWAY FOR FUL ACCESS TO TRUCK CAB INCLUDING WATER TIGHT SEAL TO CAB. LENGTH: 16'0" MINIMUM INSIDE LENGTH CUTAWAY VAN BODY-SPECIAL 11/2 TON WIDTH: 96" MINIMUM EXTERIOR WIDTH HEIGHT: 79" INTERIOR HEIGHT FROM FLOOR TO ROOF BOWS. FLOOR HEIGHT FROM GROUND. LONGSILLS: 3/8" X 3" STEEL FLAT BAR UBOLTED TO TRUCK FRAME. CROSSILLS: 3'S TEEL I-BEAMS SPACED 12" ON CENTERS. FLOORING: 1 1/8" THICK LAMINATED HARDWOOD WITH TWO FLOOR MAXIMUM PROTECTION CROSS MEMBER. WHEEL WELLS: STEEL WHEEL WELLS OVERREAR TIRES FOR LOW FLOOR TO GROUND HEIGHT. AERODYNAMICS: MINIMUM 12" FRONT ROOF RADIUS AND 9" FRONT CORNER RADIUS. TOP FRONT CORNERS: HEAVY DUTY CAST ALUMINUM CORNER CAPS WITH RECESSED LIGHTING FOR MAXIMUM PROTECTION CUTAWAY VAN BODY-SPECIAL 1 1/2 TON SIDE POSTS: STEEL Z POSTS ON 16" CENTERS TOP AND BOTTOM RAILS: HEAVY DUTY EXTRUDED ALUMINUM FRONT & SIDE EXTERIOR PANELS: HEAVY GAUGE.050 PRE-PAINTED WHITE ALUMINIM RONT & SIDE EXTERIOR PANELS: HEAVY DUTY EXTRUDED ALUMINUM RONT & SIDE EXTERIOR PANELS: HEAVY GAUGE.050 PRE-PAINTED WHITE ALUMINIM RIVETS: SPACED ON 2" CENTERS ON ALL 		

BID NO.: 50-00143083

NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PERIMETERS ROOF BOWS: ARCHED GALVANIZED STEEL HAT CHANNELS ON 24" CENTERS CUTAWAY VAN BODY-SPECIAL 1 1/2 TON TENSION INSTALLED WITH NO RIVETS OVER VAN INTERIOR AREA. INTERIOR LINING: FULL HEIGHT 1/2" PLYWOOD ON SIDE WALLS REAR HEADER: HEAVY DUTY STAINLESS OR GALVANIZED STEEL PAINTED WHITE REAR DOOR: HEAVY DUTY OVERHEAD ROLL-UP TYPE REAR DOOR ASSEMBLY REAR DOOR SEALS: FULL PERIMETER CUTAWAY VAN BODY-SPECIAL 1 1/2 TON WIDTH WATER SEEPAGE THROUGH REAR FLOOR ENTRY. REAR DOOR OPENING: 88" WIDE X 73" HIGH SIDE DOOR: SLIDING PASSENGER SIDE DOOR WITH BUILT IN KEY PUSH BUTTON LOCK SIDE DOOR CONSTRUCTION: MINIMUM 1/2" CORE PREPAINTED WHITE ALUMINIM PLYMETAL WITH SEALED DOOR PERIMETER AND BRUSH CUTAWAY VAN BODY-SPECIAL 1 1/2 TON CONSTRUCTION SIDE DOOR STEPS: BUS STYLE SIDE DOOR, INTERIOR TWO STEPS TO INTERIOR FLOOR. SIDE DOOR STEPS: BUS STYLE SIDE DOOR, INTERIOR TWO STEPS TO INTERIOR FLOOR. SIDE DOOR CONSTRUCTION: SKID RESISTANT SAFETY TREAD PLATE ALUMINUM 40" WIDE X 10" DEEP X 8" HIGH SIDE DOOR CONSTRUCTION: SKID RESISTANT SAFETY TREAD PLATE ALUMINUM REAR BUMPER: HEAVY DUTY STRUCTURAL CHANNEL REINFORCED FULL WIDTH SKID-RESISTANT 12" DEEP STEP BUMPER WITH CLOSED VERTICAL PLATE TO PREVENT UNDER SLIP AND RECESSED LIGHT AND LICENSE BRACKETS INTERIOR LIGHTS: TWO INTERIOR DOME LIGHTS WITH SWITCH AT SIDE DOOR ENTRANCE. EXTERIOR VAN LIGHTS RECESSED LIGHT AND LICENSE BRACKETS INTERIOR LIGHTS: TWO STRUE DOOR ENTRANCE. EXTERIOR VAN LIGHTS RECESSED FOR MAXIMUM PROTECTION. FUEL FILL NECK: RECESSED INTO VAN BOTTOM RAIL.		
	1.00	EA	MANUFACTURER PART: 0143 - DOT APPROVED HEAVY DUTY SOLID	\$	\$

BID NO.: 50-00143083

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FROM FRONT OF VAN		
			MANUFACTURER: MANUFACTURER PART:		
144	25.00	FT	0144 - SOLID WELDED SAFETY TREAD PLATE STEEL VAN BODY FLOORING	\$	\$\$
			PRICE PER LINEAR FOOT OF VAN BODY		
			MANUFACTURER: MANUFACTURER PART:		
145	1.00	EA	0145 - INSULATED VAN SIDES, ROOF & REAR BULKHEAD WITH MINIMUM 2" INSULATION	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
146	1.00	EA	0146 - POWERED VENITLATOR IN VAN ROOF	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
147	2.00	EA	0147 - STATIONARY WINDOW IN SIDE DOOR EACH.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
148	2.00	EA	0148 - SLIDING WINDOW IN SIDE DOOR EACH	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
149	1.00	EA	0149 - ADDITIONAL DRIVER'S SIDE DOOR IN VAN BODY AS SPECIFIED ABOVE	\$	_\$
			MANUFACTURER: MANUFACTURER PART:		
150	1.00	EA	0150 - VEHICLE AND VAN BODY 194" WHBS18' EXACTLY AS SPECIFIED ABOVE EXCEPT 194"	\$	\$\$
			WHEELBASE AND 18' VAN BODY (ALTERED VEHICLE CERTIFICATION TO DOT FOR APPLICABLE FMVSS COMPLIANCE AS OF DATE MUST BE INCLUDED IF VEHICLE WHEELBASE IS ALTERED)		

Page 34

DATE: 8/23/2023

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

SEALED BID

Page

35

~_/	 	

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
151	10.00	EA	0151 - TRAILER TOWING PACKAGE	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
152	5.00	EA	0152 - FULL LENGTH 24" W HEAVY DUTY STORAGE SHELVES ATTACHED TO	\$	\$\$
			VAN INTERIOR SIDE WALLS FABRICATED OF 1/4" X 3" X 3" STRUCTURAL STEEL ANGLE PERIMETER FRAME-WORK REINFORCED TO VAN FLOORING AND WITH REINFORCED 10 GAUGE EXPANDED FLOORING, PRICE PER SHELF.		
			MANUFACTURER: MANUFACTURER PART:		
153	1.00	EA	0153 - ADRIAN MODEL 2252 (OR EQUAL) ELECTRICAL CONTRACTOR COMBINATION	\$	\$
			INTERIOR STORAGE BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE.		
			MANUFACTURER: MANUFACTURER PART:		
154	1.00	EA	0154 - EXTRA HEAVY DUTY 70,000 LB. CAPACITY HYDRAULIC WINCH ASSEMBLY,	\$	\$
			COMPLETE WITH TWO-SPEED MOTOR, 100' OF 1" DIAMETER WIRE ROPE WITH 4' TAILCHAIN AND HOOK, CABLE ROLLER GUIDES, SECOND HYDRAULIC SYSTEM FOR HYDRAULICALLY REMOVAL GOOSENECK TRAILER CAB AIR CONTROLS, HEADACHE RACK, SERVICE PLATFORM, COMBINATION ALUMINUM STEP-UPS/TOOLBOXES ON EACH SIDE, HEAVY DUTY FULL ALUMINUM FENDERS, REAR FLAPS, 7" DIAMETER TAILROLLER 2260 EXTRA HEAVY DUTY 70,000 LB SKID PLATES, UNDER-RIDE GUARD, AIR- SLIDE FIFTH WHEEL, LOAD LIGHTS, 15" STROBE TYPE FLASHING LIGHT, AND BINDER RACKS INCLUDING COMPLETE INSTALLATION IN READY-TO-WORK CONDITION ON PARISH SUPPLIED HEAVY DUTY TRACTOR. MANUFACTURER:		
155	1.00			č	<u>ج</u>
100	1.00	EA	0155 - ARM-LIFT MODEL NUMBER TK-41 AERIAL DEVICE. HORIZONTAL REACH OF 29';	\$	\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			WORKING HEIGHT OF 41' BUCKET CAPACITY OF 350 LBS; STOWED TRAVEL HEIGHT OF NINE FEET, EIGHT INCHES (9'8); WEIGHT OF LIFT 3,300 LBS.;BASED ON 40 INCH FRAME H EIGHT-ALL DIMESION NORMAL WITH STANDARD PEDESTAL HEIGHT OF 39 INCHES TALL; HYDRAULIC SYSTEM OPERATING PRESSURE OF 2500 PSI; FLOW RATE 6 GPM; FILTRATION 10 MICRON; 100 MESH SUCTION; SYSTEM TYPE OPEN CENTER; POWER SOURCE PTO/PUMP; BOOM ACTION OUTER/INNER BOOM TRAVEL-14 DEGREES TO +74 DEGREES; LOWER +88 DEGREES; INNER BOOM EXTENSION 96"; ROTATION 360 DEGREES CONTINUOUS; RETRACTED 0 INCHES; MANUAL; PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONS DECALS.		
156	1.00	EA	0156 - RAILGATE DESIGN LIFTGATE MOUNTED TO REAR OF VAN, MINIMUM	\$	\$
			SPECIFICATIONS AS FOLLOWS: RAILGATE DESIGN WITH LEVEL RIDE FULL TRAVEL UP AND DOWN FOR MAXIMUM STABILITY AND SAFETY. MINIMUM 2,000 LBS. LOAD CAPACITY. PLATFORM SIZE 90" WIDE BY 42" DEEP PLUS 5" FULL WIDTH LOAD RAMP. TORSION BAR ASSIST PLATFORM CLOSING. SELF-CONTAINED WEATHERPROOF 12 RAILGATE DESIGN LIFTGATE MOUNTED SIDE MOUNTRECESSED TOGGLE SWITCH CONTROL. ICC APPROVED UNDERRIDE PROTECTION - INSTALLED MANUFACTURER: MANUFACTURER PART:		
157	1.00	EA	0157 - HEAVY SERVICE TRUCK BODY FOR 40" CA TRUCK CHASSIS, 80"L X80"W X 41"H, SIX COMPARTMENTS 12 GA. GALVANIZED STEEL COMPARTMENTS AND DOORS, WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS ALL STAINLESS STEEL DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR, HEAVY DUTY REAR BUMPER WITH HITCH RECESS, FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED TO MATCH TRUCK AND INSTALLED MANUFACTURER: MANUFACTURER PART:	\$	<u>\$</u>

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
158	1.00	EA	0158 - VERTICAL LIFT & TRAVERSING AERIAL PLATFORM, SCISSOR LINK LIGHTING DESIGN	\$	\$
			WITH MINIMUM FOUR LIFT CYLINDERS MINIMUM 60"L x 90"W ALUMINUM WORK PLATFORM TO TRANSVERSE 60" IN BOTH DIRECTIONS, 42" HIGH FOLDING HANDRAIL FOLDING ACCESS STEPS TO WORK PLATFORM, VERTICAL STABILIZERS, MINIMUM 29'6" WORKING HEIGH MINIMUM 1500 LBS. CAPACITY, FULLY HYDRAULIC OPERATION WITH UPPER AND LOWER ELECTRIC CONTROLS, EMERGENCY MANUAL LOWERING PUMP,SAFETY INTERLOCKING SYSTEM VERTICAL LIFT AND TRAVERSING AERIAL TO PREVENT LIFTING WITHOUT OUTRIGGERS EXTENDED AND TO PREVENT TRUCK MOVEMENT WITH PLATFORM RAISED, UNIT TO MEET ALL APPLICABLE ANSI AND OSHA REGULATIONS, INSTALLED ON PARISH OWNED VEHICLE.		
159	1.00	EA	MANUFACTURER PART: 0159 - COMPLETE CAB GUARD FOR TREE-	\$	\$
			TRIMMING OPERATIONS FABRICATED OF MINIMUM 2" STEEL TUBE FRAME REINFORCEMENT WITH MINIMUM #3 EXPANDED METAL COVER.		
			MANUFACTURER: MANUFACTURER PART:		
160	1.00	EA	0160 - RECEIVER TYPE ELECTRIC WINCH ASSEMBLY, MINIMUM 8,000 LB. CAPACITY,	\$	\$\$
			COMPLETE WITH 75' CABLE, ROLLER GUIDES, REMOTE HAND CONTROLLER, AND WIRING TO FRONT AND REAR OF VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
161	10.00	EA	0161 - SPRAY-ON TYPE 8' PICKUP BED LINER INCLUDING TAILGATE	\$	\$\$
			(RHINO OR EQUAL) MANUFACTURER:		
162	3.00	EA	MANUFACTURER PART: 0162 - OPTIONAL AIR CONDITIONING	\$	\$
			AND HEATING SYSTEM IN ANIMAL CONTROL TRUCK BODIES IN ADDITION TO THE STANDARD FORCE AIR VENTILATION SYSTEM	Υ <u></u>	т

BID NO.: 50-00143083

Page 38

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
163	8.00	EA	0163 - ONE (1) HEAVY DUTY VALVE EXCERSIER SERVICE TYPE UTILITY TRUCK	\$	\$\$
			SYSTEM. WACHS MODEL TM-7 OR EQUAL VALVE EXCERSIZER ASSEMBLY INCLUDING AN AUTOMATIC COMPUTER CONTROL, 2,500 LBS. TORQUE SYSTEM WITH ELECTRONIC TORQUE AND DIRCTION CONTROL, ELECTRONIC REVOLUTIONARY COUNTER, INTEGRAL 2,000 PSI AUXILLIARY HYDRAULIC CIRCUIT, PRESSURE GAUGE,TWO 8' LONG VALVE KEYS WITH 2" UNIVERSAL SOCKET, INCLUDES RUGGEDIZED CONTROLLER/DATA LOGGER ASSEMBLY INCLUDING RECON PDA STYLE PC, TACTICAL MOUNT, 12V VEHICLE CHARGE KIT, CONTROL CABLE AND PELICAN WATERPROOF CASE. BLUETOOTH ADAPTER FOR SUPPLY AND INSTALL A HEAVY DUTY PTO WITH HYDRAULICS DETWEEN PUMP,COOLER AND VALVE MACHINE. CHECK SYSTEM FOR PROPER OPERATION. MANUFACTURER: MANUFACTURER:		
164	1.00	EA	0164 - CUSTOM FABRICATED A- FRONT CRADLE TO STORE A LOADER GRAPPLE ATTACHMENT ON THE FRONT OF THE TRUCK FRAME FOR TRANSPORTING. CONSTRUCTED OF HEAVY DUTY CHANNEL AND HEAVY DUTY TUBING. THE SUPPORT ARMS THAT EXTEND OVER THE HOOD NEED TO BE REMOVABLE. PRIMED AND PAINTED ONE COLOR.	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
165	1.00	EA	0165 - VMAC PTO DRIVEN AIR COMPRESSOR THAT IS DIRECT TRANSMISSION MOUNTED AS	\$	\$\$
			A HEAVY STORAGE SOLUTION, MODEL NUMBER DTM70 IN READY TO WORK CONDITION TO BE USED ON VARIOUS TRUCK BODIES; INSTALLED IN RAW ALUMINUM FINISH.		
			MANUFACTURER: MANUFACTURER PART:		
166	1.00	EA	0166 - HEAVY DUTY ALUMINUM LOADING RAMP 800 LB. MINIMUM CAPACITY, COMPLETE WITH	\$	\$\$
			UNDERBODY SLIDE OUT TYPE STORAGE BRACKET WITH ROLLERS, INSTALLED UNDER		

BID NO.: 50-00143083

39

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS			
			VAN TRUCK BODY. MANUFACTURER: MANUFACTURER PART:					
167	2.00	EA	0167 - HEAVY DUTY GOOSENECK TRAILER 2-5/16" BALL HITCH ASSEMBLY, HIDE-A-WAY	\$	\$\$			
			TYPE, 30,000 LB. TRAILER GVWR CAPACITY, THRU-BOLTED TO TRUCK FRAME IN ACCORDANCE WITH APPLICABLE DOT REGULATIONS, INSTALLED IN EITHER FLATBED OR PICKUP BODY.					
			MANUFACTURER: MANUFACTURER PART:					
168	2.00	2.00 EA 0168 - ALUMINIMUM 6 COMPARTMENT PERSONNEL LOCKER, 88" W X 12" H X 12" D,	\$	\$\$				
			10 GAUGE CONSTRUCTION, SIX DOORS WITH CONTINUOUS HINGES AND TWIST TYPE HASP LOCKS, INSTALLED ON FRONT TOP OF INTERNAL BULKHEAD WALL IN CREW-VAN TRUCK BODY.					
			MANUFACTURER: MANUFACTURER PART:					
169	1.00	EA	0169 - ALUMINUM 6 COMPARTMENT TOOL LOCKER 88" W X 24" H X 36" D, 10 GAUGE	\$	\$\$			
			CONSTRUCTION, SIX DOORS WITH CONTINUOUS HINGES AND TWIST TYPE HASP LOCKS, INSTALLED ON FRONT TOP OF PEEKOVER IN CREW-VAN TRUCK BODY.					
			MANUFACTURER: MANUFACTURER PART:					
170	1.00	1.00	1.00	1.00	EA	0170 - ALUMINUM TROUGH TYPE TOOLBOX 10 GAUGE CONSTRUCTION, 88" W X 24" H X	\$	\$\$
			24" D, INSTALLED ON TOP REAR OF INTERNAL BULKHEAD IN CREW-VAN TRUCK BODY.					
			MANUFACTURER: MANUFACTURER PART:					
171	1.00	EA	0171 - ALUMINUM COFFIN TYPE TOOLBOX 10 GAUGE CONSTRUCTION, 88" W X 24" H X	\$	\$\$			
			24" D, SINGLE TOP LID WITH CONTINUOUS HINGES AND LOCK, INSTALLED ON BOTTOM REAR OF INTERNAL BULKHEAD IN CREW-VAN TRUCK BODY					

DATE: 8/23/2023

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
172	1.00	EA	0172 - ALUMINUM GAS CAN STORAGE 10 GAUGE CONSTRUCTION, 24" L X 36" H X	\$	\$\$
			24" D, SINGLE SIDE DOOR WITH CONTINUOUS HINGE AND LOCK, INSTALLED ON BOTTOM REAR CURBSIDE INTERIOR VAN WALL WITH FUME VENTS THROUGH SIDE WALL.		
			MANUFACTURER: MANUFACTURER PART:		
173	5.00	EA	0173 - SHOVEL,RAKE,BROOM STORAGE RACK 1/4" STEEL CONSTRUCTION, CAPABLE OF	\$	\$\$
			HOLDING NINE TOOLS, PAINTED BLACK AND INSTALLED IN UPPER LEFT SIDE INTERIOR WALL OF CREW-CAB TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
174	1.00	EA	0174 - WHEEL BASE REDUCTION-20,000- 30,000 GVWR TRUCK CHASSIS INCLUDING	\$	\$\$
			VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION.		
			MANUFACTURER: MANUFACTURER PART:		
175	1.00	EA	0175 - WHEELBASE EXT. UP TO OR OVER 33,000 LB. GVWR TRUCK CHASSIS, INCLUDING	\$	\$\$
			VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION.		
			MANUFACTURER: MANUFACTURER PART:		
176	1.00	EA	0176 - WHEEL BASE REDUCTION UP TO 48 I ON 20,000-33,000 LB. BVWR TRUCK CHASSIS	\$	\$\$
			INCLUDING VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTS REGULATIONS AS OF DATE OF ALTERATION.		
			MANUFACTURER: MANUFACTURER PART:		
177	1.00	EA	0177 - WHEEL BASE EXT. UP TO 48' OVER 33,000 LBS. GVWR TRUCK CHASSIS.	\$	\$\$

BID NO.: 50-00143083

QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
		INCLUDING VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION. MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0178 - TRACTOR WET-LINE KIT FOR DUMP TRAILER APPLICATION COMPLETE WITH PTO,	\$	\$\$
		CAB AIR CONTROLS, MINIMUM 28GPM HYDRAULIC PUMP @ 2500 PSI, MARRIED TO PTO, MINIMUM 55 GALLON HYDRAULIC RESERVOIR TANK WITH SHUT-OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULIC HOSES WITH NON-DRIP QUICK COUPLERS TO MATCH PARISH OWNED DUMP TRAILERS.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0179 - TRACTOR DUAL PURPOSE WET-LINE KIT FOR DUMP TRAILER AND ROLL-OFF	\$	\$\$
		TRAILER APPLICATION (INCLUDING HYDRAULIC LOWBOY TRAILERS) COMPLETE WITH PTO, CAB AIR CONTROLS, TANDEM MINIMUM 55 GALLON HYDRAULIC RESERVOIR TANK WITH SHUT-OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULIC HOSES WITH NON-DRIP QUICK COUPLERS TO MATCH PARISH OWNED DUMP TRAILERS, ROLL-OFF TRAILERS, AND HYDRAULIC LOWBOY TRAILERS. MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0180 - HEAVY DUTY SERVICE TRUCK BODY 108" C/A TRUCK CHASSIS 156" L X 94" W X 41"H.8 COMPARTMENTS, 12 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOORS, WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS, ALL STAINLESS STEEL DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR, HEAVY DUTY REAR BUMPER WITH HITCH RECESS, FMVSS #108 RECESSED LIGHTS TAILGATE, UNDERCOATED, PAINTED TO MATCH TRUCK CAB, AND INSTALLED. MANUFACTURER: MANUFACTURER PART:	\$	\$
1.00	EA	0181 - HEAVY DUTY SERVICE TRUCK BODY 120" C/A TRUCK CHASSIS, 168" L X 94" W X	\$	\$
	1.00	1.00 EA	INCLUDING VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0178 - TRACTOR WET-LINE KIT FOR DUMP TRALER APPLICATION COMPLETE WITH PTO, CAB AIR CONTROLS, MINIMUM 280PM HYDRAULIC PUMP @ 2500 PSI, MARRIED TO PTO, MINIMUM 55 GALLON HYDRAULIC RESERVOIR TANK WITH SHUT-OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULIC COURT HYDRAULIC COURT MANUFACTURER: MANUFACTURER: <td< td=""><td>1.00 EA INCLUDING VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FRWSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION. MANUFACTURER PART: 1.00 EA 0178 - TRACTOR WET-LINE KIT FOR DUMP TRAILER APPLICATION COMPLETE WITH PTO, CAB AIR CONTROLS, MINIMUM 28GPM HYDRAULC PUMP @ 2500 PSI, MARRIED TO PTO, MINIMUM 55 GALLON HYDRAULC RESERVOR DNS, MARRIED TO PTO, MINIMUM 55 GALLON HYDRAULC RESERVOR TANK WITH SHUT-OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULC HOSES WITH NON-DRIP QUICK COUPLERS TO MATCH PARISH OWNED DUMP TRAILERS. 1.00 EA 0179 - TRACTOR DUAL PURPOSE WET-LINE KIT FOR DUMP TRAILER AND ROLL-OFF TRAILER APPLICATION (INCLUDING HYDRAULIC GOWBOY TRAILERS) COMPLETE WITH PTO, GAB AIR CONTROLS, TANDEMM MINIMUM 55 GALLON HYDRAULIC RESERVOIR TANK WITH SUT-OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULIC HOSES WITH NON-DRIP QUICK COUPLETE WITH PTO, GAB AIR CONTROLS, TANDEMM MINIMUM 55 GALLON HYDRAULIC COMBOY TRAILERS. MANUFACTURER PART: 1.00 EA 0189 - HEAVY DUTY SERVICE TRUCK BODY 108' C/A TRUCK CHASSIS 150' L X 4W X 1.00 EA 0189 - HEAVY DUTY SERVICE TRUCK BODY TRAILERS. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0189 - HEAVY DUTY SERVICE TRUCK BODY 108' C/A TRUCK CHASSIS 150' L X 4W X 1.00 EA 0189 - HEAVY DUTY SERVICE TRUCK BODY TRAILERS. MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER PART: \$</td></td<>	1.00 EA INCLUDING VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FRWSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION. MANUFACTURER PART: 1.00 EA 0178 - TRACTOR WET-LINE KIT FOR DUMP TRAILER APPLICATION COMPLETE WITH PTO, CAB AIR CONTROLS, MINIMUM 28GPM HYDRAULC PUMP @ 2500 PSI, MARRIED TO PTO, MINIMUM 55 GALLON HYDRAULC RESERVOR DNS, MARRIED TO PTO, MINIMUM 55 GALLON HYDRAULC RESERVOR TANK WITH SHUT-OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULC HOSES WITH NON-DRIP QUICK COUPLERS TO MATCH PARISH OWNED DUMP TRAILERS. 1.00 EA 0179 - TRACTOR DUAL PURPOSE WET-LINE KIT FOR DUMP TRAILER AND ROLL-OFF TRAILER APPLICATION (INCLUDING HYDRAULIC GOWBOY TRAILERS) COMPLETE WITH PTO, GAB AIR CONTROLS, TANDEMM MINIMUM 55 GALLON HYDRAULIC RESERVOIR TANK WITH SUT-OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULIC HOSES WITH NON-DRIP QUICK COUPLETE WITH PTO, GAB AIR CONTROLS, TANDEMM MINIMUM 55 GALLON HYDRAULIC COMBOY TRAILERS. MANUFACTURER PART: 1.00 EA 0189 - HEAVY DUTY SERVICE TRUCK BODY 108' C/A TRUCK CHASSIS 150' L X 4W X 1.00 EA 0189 - HEAVY DUTY SERVICE TRUCK BODY TRAILERS. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0189 - HEAVY DUTY SERVICE TRUCK BODY 108' C/A TRUCK CHASSIS 150' L X 4W X 1.00 EA 0189 - HEAVY DUTY SERVICE TRUCK BODY TRAILERS. MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER PART: \$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			41" H. 8 COMPARTMENTS, 12 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR, HEAVY DUTY REAR BUMPER WITH HITCH RECESS, FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED TO MATCH TRUCK CAB AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
182	2.00	EA	0182 - ANIMAL CONTROL TYPE BODY (SWAB MODEL ARF-8 ANIMAL TRANPORT TRUCK BODY)	\$	\$\$
			SUPPLY AND INSTALL ON SUITABLE 3/4 TON 5 6" C/A PICK-UP TRUCK 8' LONG BED WITH ALL THE FOLLOWING SPECIFICATIONS: FIBERGLASS CONSTRUCTION, 98"L X 78"H OVERALL, 20"W X 30" H X 32" DEEP COMPARTMENTS. SET OF SIX SAFETY DOORS AND ANIMAL COMPARTMENTS. ONE PIECE STORAGE COMPARTMENT, 750CFM FRESH AIR BLOWER, FRESH AIR BLOWS INTO ALL COMPARTMENTS (DELETE FRESH AIR IF AIR CONDITIONING IS ADDED). EECO TYPE MODEL #510 (OR EQUAL) 97 DECIBLE BACK- UP ALARM, 8" DIAMETER REAR VIEW BLIND SPOT MIRROR. BODY SAFETY LIGHTS, FOUR WAY FLASHERS. ONE YEAR WARRANTY, ANIMAL CONTROL BODY INSTALLED. MANUFACTURER:		
			MANUFACTURER PART:		
183	25.00	FT	0183 - PRICE PER LINEAR FOOT REFRIGERATED VAN TRUCK BODY (INCLUDING UNIT) TO ADD FOR DECREASE BODY LENGTH. MANUFACTURER: MANUFACTURER PART:	\$	\$
184	1.00	EA	0184 - HEAVY DUTY CHIPPER TYPE TRUCK BODY ASSEMBLY, 16" L X 52" H X 96"W. MINIMUM 10 GAUGE REINFORCED STEEL CONSTRUCTION, COMPLETE WITH REMOVABLE VENTER TOP COVER ON FRONT 1/3 OF BODY. DOUBLE FULL OPENING REAR SWING GATES 36" H WITH CAMLOCKS AND SAFETY BAR LOCK. TWO UNDERBODY STORAGE BOXES MINIMUM 60" L X 18" H X 18" D, UNDERRIDE GUIDE GUARD, MUD FLAPS, FMVSS LIGHTS, PAINTED JEFFERSON PARISH WHITE (FOR USE WITH EITHER HEIL TWIN OR HEIL HEAVY DUTY CHIPPER TELESCOPIC	\$	\$

BID NO.: 50-00143083

Page 43

	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
		OR UNDERBODY TYPE HOISTS). MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0185 - HEAVY DUTY 10 TON TRUCK CRANE 22 FT-56 FT. THREE SECTION PROPORTIONAL	\$	\$
		BOOM. 3 SHEAVE BOOM HEAD (TO ALLOW 3 PARTING OF LINE), CONTINUOUS ROTATION, 360 DEGREE AREA OF OPERATION, FRONT CENTER STABALIZER (TO ALLOW 360 DEGREE AREA OF OPERATION). HORIZONTAL BOOM REST IN LIEU OF COLLAR REST, HYDRAULIC CAPACITY ALERT SYSTEM, A-FRAME 10 FT. SPAN REAR STABILIZERS, ELECTRONIC FOOT THROTTLE (AS REQUIRED FOR NON-MECHANICAL ENGINES) EXTRA-HEAVY DUTY 18 FT. SAFETY HEAVY DUTY 10 TON TRUCK CRANE, 22 FT. -56FT TREADPLATE STEEL FLATBED, BRADEN MODEL PD12C2, SPEED HOIST WITH "LAY-A- WAY" FEATURE, 200 FT. OF 9/16 INCH 6 X 37 IWRC WIRE ROPE, ANIT-TWO BLOCK WITH FUNCTION LOCKOUT, A-FRAME 16FT X 7 1/2 IN SPAN OUTRIGGERS AT PEDESTAL, OUTRIGGER AND STABILIZER AUDIO/VISUAL MOTION ALARM, 21 FT. TORSION BOX FOR 18 FT. FLATBED, ELECTRONIC BACK-UP ALARM, ICC SAFETY KIT TO MEET DOT HEAVY DUTY 10 TON TRUCK CRANE, 22 FT-56 FT WITH TWO GATE VALVES ON SUCTION LINES 60 GALLON HYDRAULIC OIL TANK WITH FILTER STRAINER AND LOCKABLE FILLER CAP WITHOUT LOCK, SIGHT LEVEL, AND TEMPERATURE GAUGE, DUAL OPERATOR CONTROL STATIONS AND AUDIBLE AWARENESS WARNING HORN, BOOM LENGTH AND ANGLE INDICATORS, ONE SET OPERATOR AND SERVICE MAINTENANCE MANUALS, PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS ONE YEAR FULL FACTORY WARRANTY.		
		MANUFACTURER PART:		
1.00	EA	0186 - HEAVY DUTY HYDRAULIC ARTICULATING BOOM TRASH LOADER, 70,000 FT. LBS.	\$	\$
		RATING, 0' HORIZONTAL REACH FROM CENTERLINE OF PEDESTAL, 6' VERTICAL REACH BELOW GRADE WITH GRAPPLE, 31'7" ABOVE GROUND BASED ON 40" TRUCK FRAME HEIGHT, 5,050 LBS. MAXIMUM LOADER WEIGHT WITHOUT GRAPPLE, MINIMUM 12' 2" OUTRIGGER SPAN AT FULL EXTENSION, 28" MOUNTING SPACE BEHIND CAB, 24/24 GPM TANDEM PUMP, 50 GALLONS RESERVOIR, MINIMUM LIFTING CAPACITIES FROM HEAVY DUTY HYDRAULIC ARTICULATING CENTERLINE OF PEDESTAL TO BE 13,000 LBS.		
			1.00 EA 0185 - HEAVY DUTY 10 TON TRUCK CRANE 22 FT-56 FT. THREE SECTION PROPORTIONAL BOOM. 3 SHEAVE BOOM HEAD (TO ALLOW 3 PARTING OF LINE). CONTINUOUS ROTATION, 360 DEGREE AREA OF OPERATION, FRONT CENTER STABALIZER (TO ALLOW 360 DEGREE AREA OF OPERATION). HORIZONTAL BOOM REST IN LIEU OF COLLAR REST, HYDRAULC CAPACITY ALERT SYSTEM, A-FRAME 10 FT. SPAN REAR STABILIZERS, ELECTRONIC FOOT THROTTLE (AS REOURED FOR NON-MECHANICAL ENGINES) EXTRA-HEAVY DUTY 19 FT. SAFETY HEAVY DUTY 10 TON TRUCK CRANE, 22 FT. -56FT TREADPLATE STEEL FLATBED, BRADEN MODEL PD12C2, SPEED HOIST WITH 'LAY-A- WAY' FEATURE, 200 FT. OF 9/16 INCH 6 X 37 UNRC WIRE ROPE, ANT-TWO BLOCK WITH FUNCTION LOCKOUT, A-FRAME 16FT X 7 172 IN SPAN OUTRIGERS AT PEDESTAL, OUTRIGGER AND STABILIZER AUDIOVISUAL MOTION ALARM, 21 FT. TORSION BOX FOR 18 FT. FLATBED, ELECTRONIC BACK-UP ALARM, ICC SAFETY KIT TO MEET DOT HEAVY DUTY 10 TON TRUCK CRANE, 22 FT-56 FT WITH TWO GATE VALVES ON SUCTION LINES 60 GALLON HYDRAULC OL TANK WITH FILTER STRAINER AND LOCKABLE FILLER CAP WITHOUT LOCK, SIGHT LEVEL, AND TEMPERATURE GAUGE, DUAL OPERATOR CONTROL STATIONS AND AUDIBLE AWARENESS WARNING HORN, BOOM LENGTH AND AND ENDICATORS, ONE SET OPERATOR AND SERVICE MAINTENANCE MANUFACTURER: MANUFACTURER IMANUALS, PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS ONE YEAR FULL FACTORY WARRANTY. 1.00 EA 0186 - HEAVY DUTY HYDDRAULLC ARTICULATING BOOM TRASH LOADER, 7,000 FT. LBS. 1.00 EA 0186 - HEAVY DUTY HYDRAULC ARTICULATING BOOM TRASH LOADER, 7,000 FT. LBS. 1.00 EA 0186 - HEAVY DUTY HYDRAULLC ARTICULATING BOOM TRASH LOADER, 70,000 FT. LBS.	1.00 EA 0185 - HEAVY DUTY 10 TON TRUCK CRANE 22 FT-56 FT. THREE SECTION PROPORTIONAL \$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			@5' 0", 7,170 LBS. @ 10' 0", 5,070 LBS. @ 5' 0", 3,500 LBS. @ 20' 0" TOP PEDESTAL TO BE MOUNTED ON LEFT SIDE OF PEDESTAL WITH OPERATOR ACCESS STEPS AND GUARD RAIL, HEAVY DUTY GEARBOX AND TURNABLE BEARING TO ASSUME SMOOTH AND PRECISE OPERATION FOR 360 DEGREE CONTINUOUS BOOM ROTATION, INTEGRAL MOUNTED HEAVY DUTY PTO/TANDEM HYDRAULIC PMP WITH MINIMUM 24/24 GPM @ 2500 PSI, HAYY DUTY HYDRAULIC ARTICULATING TANDEM CIRCUIT DESIGN TO ALLOW OPERATION OF TWO SELECTED FUNCTIONS SIMULTANEOUSLY WITHOUT LOSS OF POWER, TH HYDRAULIC SYSTEM IS TO BE OPEN CENTERED TYPE WITH SUCTION LINE STRAINER, AIR BREATHER, RETURN LINE FILTER, AND A STACK TYPE CONTROL VALVE, UNIT TO INCLUDE LOAD HOLDING VALVES AND/OR VELOCITY FUSES ON ALL BOOM, BOM EXTENSION, AND OUTRIGGERS CYLINDERS A SWING CONTROL VALVE IS TO BE HEAVY DUTY HYDRAULIC ARTICULATING FOVIDED TO CONTROL THE ROTATION OF THE CANE UNDER LOAD, "A" FRAME STYLE OUTRIGGERS WITH INDIVIDUAL CONTROLS. OUTRIGGERS WITH INDIVIDUAL CONTROLS. OUTRIGGERS WITH INDIVIDUAL CONTROLS. OUTRIGGERS TO HAVE INTERNALLY MOUNTED CYLINDERS FOR SIMULTANEOUS OUT AND DOWN OPERATION, HEAVY DUTY BULK WASTE TYPE GRAPPLE WITH CONTINUOUS HYDRAULIC RATION TO BE PROVIDED, COMPLETED DIAL APPLICABLE AND CURRENT ANSI, ASME, DOT, DOTD, FMVSS, AND OSHA HAAY DUTY HYDRAULIC ARTICULATING SAFETY STANDARDS FOR THIS TYPE OF GUIPMENT, COMPLETE INSTALLATION ON DARISH TRUCK.		
187	1.00	EA	0187 - AUTOMATED SANDBAG SYSTEM TO BE INSTALLED ON REAR OF EXISTING DUMP TRUCK BODY, 3,000 BAG PER HOUR CAPACITY, COMPLETE WITH AUXILIARY 8 GPM HYDRAULIC SYSTEM TO POWER SANDBAGGER SYSTEM, DUAL DISPENSING HOPPERS, TWO SPEED ELECTRIC/HYDRAULIC DRIVE MOTORS, DUAL MICRO-SWITCH LOAD CONTROL BARS, DUAL CONVEYOR BELTS PRODUCT MOVEMENT SYSTEM CAPABLE OF HANDLING SAND, MUD, OR ROCKS, SYSTEM CAPABLE OF INSTALLATION OR REMOVAL AUTOMATED SANDBAG SYSTEM FROM REAR OF DUMP BODY IN 30 MINUTES OR LESS. MANUFACTURER: MANUFACTURER PART:	\$	\$

DATE: 8/23/2023

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

Page 45

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
188	1.00	EA	0188 - ALUMINUM CAB GUARDS COMPLETE WITH JAIL-HOUSE WINDOWS, DUAL LOCKABLE BINDER RACKS, CHAIN TRAY, AND COMPLETE INSTALLATION ON TRUCK TRACTOR IN ACCORDANCE WITH APPLICABLE DOT REGULATIONS. MANUFACTURER: MANUFACTURER PART:	\$	\$
189	1.00	EA	0189 - 20 FT. INSULATED ALUMINUM REFRIGERATED VAN TRUCK BODY FOR TRANSPORTING FRESH AND FROZEN FOOD PRODUCTS, FORKLIFT/PALLET JACK RE-INFORCED FLOORING, MINIMUM INTERIOR HEIGHT OF 98", 102" OVERALL WIDTH, NON-SLIP EXTRUDED ALUMINUM FLOORING, 224" HIGH INTERIOR WALL SCUFF LINER, 1/8" KEMLITE INTERIOR WALLS, .050 GAUGE ALUMINUM EXTERIOR PANELS, MINIMUM 3" URETHANE FOAM-IN-PLACE INSULATION IN SIDE WALLS AND 4" URETHANE FOAM-IN-PLACE 20 FT. INSULATED ALUMINUM REFRIGERATION INSULATION IN CEILING AND FLOOR, 2" INSULATED OVERHEAD REAR DOOR, DIESEL POWERED REFRIGERATION UNIT WITH AUTOMATIC CAB CONTROLS AND 220 VOLT ELECTRIC STANDBY, CAPABLE OF MAINTAINING -10 DEGREES INTERIOR TEMPERATURE WITH 98 DEGREE EXTERIOR TEMPERATURES, FULL WIDTH REAR STEP BUMPER, INTERIOR DOME LIGHT, FMVSS BODY LIGHTS, FLAPS, AND COMPLETE INSTALLATION ON PARISH OWNED TRUCK, PRICE PER LINEAR 20 FT. INSULATED ALUMINUM REFRIGERATED FOOT OF REFRIGERATED VAN TRUCK BODY (INCLUDING UNIT)	\$	\$
190	1.00	EA	0190 - ONE VANAIR RC40 HYD. RECIPROCATING AIR COMPRESSOR-40 CFM@ 175 PSI. 100% DUTY CYCLE, MINIMUM 15 AIR RESERVOIR WITH 1/2 X 50 AIR REEL AND FILTER INSTALLED IN REAR CS COMPARTMENT, PLUMBED TO ACCESS OUTSIDE BOX ON REAR WALL FACES OF BODY. ALL INSTALLED IN READY TO WORK CONDITION. MANUFACTURER: MANUFACTURER PART:	\$	\$
191	1.00	EA	0191 - ONE VMAC DTM70 PTO DRIVEN AIR COMPRESSOR-70 CFM@ 175 PSI.	\$	\$

BID NO.: 50-00143083

	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			COMPONENTS INCLUDE MECHANICAL REGULATOR, AIR/OIL SEPARATOR TANK, COOLER, HEATER, REMOTE HEAVY DUTY AIR FILTER AND DIGITAL CONTROL BOX WITH ON/OFF BUTTON MOUNTED IN CAB OF TRUCK, ALL INSTALLED IN READY TO WORK CONDITION. MANUFACTURER: MANUFACTURER PART:		
192	1.00	EA	0192 - ONE CYCLONE CY5000 SELF- CONTAINED RIDING SURFACE CLEANER WITH	\$	\$\$
			FULL RECOVERY ENCLOSED CAB DESIGN WITH HEATER AND AIR CONDITION. 34' CLEANING PATH WITH VARIABLE PRESSURE FROM 1,200 TO 4,000 PSI AT 5 GPM DEEP CLEANING, HOT WATER PRESSURE CLEANING WITHOUT CHEMICALS. ENVIRONMENTALLY FRIENDLY, CLEAN WITH ONLY WATER, FULL RECOVERY CONTROLS: ALL CLEANING ACTIONS CONTROLLED FROM THE OPERATOR SEAT WITH ERGONOMIC OPERATOR INTERFACE. STEERING-FRONT WHEEL STEERING WITH HYDRAULIC POWER ASSIST WATER PUMP; TRIPLEX PLUNGER CAPABLE OF 4,350 PSI AT 5 GPM 360 GALLON SUPPLY AND RECOVERY TANK CURB CLEANER AND PRESSURE WAND WITH 25' OF HOSE WITH REEL CLEANING ATTACHMENTS; STANDARD MODEL INCLUDES HIGH PRESSURE CURB AND GUTTER CLEANING SYSTEM AND HIGH PRESSURE CLEANING WAND SYSTEM WITH 25' OF HOSE WITH REEL, BACK- UP CAMERA, REAR ACCESS LADDER, CONTRACTOR LIGHT KIT, DOT SAFETY PACKAGE START UP PARTS KIT, 18 GALLON FUEL TANK. ENGINE-2.8L CUMMINS TURBODIESEL 74 HP GRADEABLE: 20%, RUN TIME:UP TO ONE HOUR, WEIGHT-EMPTY 5,280 LBS. FULL- 8,282 LBS. PARTS KIT PACKAGE 8, ON-SITE TRAINING. PRODUCTIVITY: UP TO 20,000 FT. PER HOUR. DIMENSIONS: 154"L X 56" X 77.5. WARRANTY: PARTS AND LABOR ON YEAR, TAVEL 6 MONTHS. EXCLUDES MINOR AJUSTMENTS AND WEAR PARTS. MANUFACTURER: MANUFACTURER PART:		
193	1.00	EA	0193 - TAG OR PUSHER LIFTING AXLE ASSEMBLY, 25,000 LB. CAPACITY, FULL AIR POWER UP AND DOWN, 250,000 MILE WARRANTY (EXCEPT AIR BAGS) COMPLETE WITH CAB RAISE/LOWER CONTROL, EXTERIOR PRESSURE CONTROL, AND FOUR 11.00R22.5 STEEL RADIAL TIRES MOUNTED ON STEEL DISC HUB PILOTED WHEELS, INSTALLED ON	\$	\$

BID NO.: 50-00143083

Page 47

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PARISH OWNED TRUCK. MANUFACTURER: MANUFACTURER PART:		
194	3.00	EA	0194 - PICK UP TRUCK REAR PUMPER FOLDING CRANE ASSEMBLY, 1,000 CAPACITY,	\$	\$\$
			MANUAL ERECTION AND FOLDING, 12 VOLT ELECTRIC WINCH HOIST, INSTALLED ON REAR OF PARISH OWNED PICKUP OR ONE TON TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
195	1.00	EA	0195 - STATIONARY GASOLINE ENGINE DRIVER AIR COMPRESSOR; 12 1/2 HP ENGINE	\$	\$
			WITH 12 VOLT ELECTRIC STARTER, FUEL PUMP, 15 AMP GENERATOR, FULL PRESSURE LUBRICATION, 5 GALLON FUEL TANK, AUTOMOTIVE TYPE AIR FILTER, SELFCLEANING VALVE, DUCTILE IRON COUNTERBALANCE CRANKSHAFT, TWO STAGE CAST IRON AIR COMPRESSOR, 175 PSI MAXIMUM PRESSURE @ 25.1 CFM 30 GALLON ASME CODED AIR RESERVOIR TANK WITH SAFETY VALVE, TANK DRAIN, PRESSURE GAUGE, AND SHUT OFF STATIONARY GASOLINE ENGINE 3/8" X 100 FT. AIR HOSE, BALL STOP, AND QUICK COUPLER END; INSTALLED IN PARISH OWNED PICKUP TRUCK, SERVICE TRUCK, OR FLATBED TRUCK, WITH HINGED WEATHER GUARD TOP OVER COMPRESSOR ASSEMBLY.		
			MANUFACTURER: MANUFACTURER PART:		
196	1.00	EA	0196 - TRUCK CHASSIS FRAME "FISHPLATE" REINFORCEMENT TO INCREASE SECTION	\$	\$\$
			MODULES RATING BY 10.0 POINTS.		
			MANUFACTURER: MANUFACTURER PART:		
197	1.00	EA	0197 - CAR-CARRIER TRUCK BODY ASSEMBLY WITH 3,000 LB. INDEPENDENT WHEEL LIFT	\$	\$
			TOWBAR, STAINLESS STEEL WHEEL SIMULATORS 19' THRU 21' LENGTHS - 96" WIDTH, STEEL DECK 10,000 LB. CAPACITY REPLACABLE HIGH PERFORMANCE POLYMER WEAR PADS, INTEGRATED DECK HOLD DOWN AND TOOLBOX MOUNTS, ANTI-SAIL MUDFLAPS, ABRAISION RESISTANT HYDRAULIC HOSED, CLUTCH PUMP WITH WARNING LIGHT, HYDRAULIC RESERVOIR WITH FILTER, OIL LEVEL, AND TEMPERATURE		

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	QUANTITY	U/M	DESCRIPTION OF ARTICLES GAUGE, 8,000 LB THRU 12,000 LB CAPACITY CAR-CARRIER TRUCK BODY ASSEMBLY AND CABLE ROLLER GUIDES ON WINCH, DELUX BOT-ON STEEL HEADBOARD, REMOTE FREE POOL ON WINCH, REMOVABLE RAISED SIDE RAILS, REINFORCED AND TAPERED APPROACH IP TWO KEYSLOTS AT FRONT OF DECK, TWO MID-DECK, AND FOUR AT REAR DECK, FWYSS IGHT GROUP WITH WIRING HARNESS AND WEATHER LIGHT CONNECTIONS, TWO CHAIN AND BINDER TRAYS RECEPTABLE FOR AUXILIARY TOW LIGHTS HYDRAULIC COUT ON DECK TILT FUNCTION TO STATIONS, BUILT IN SAFETY CHAINS WITH STORAGE POCKETS, V-CHAIN WITH STORAGE POCKETS, V-CHAIN SWITH AND FLOODS, STORAGE BOXES, FEDERAL GYNTROL STATIONS, BUILT IN SAFETY CHAINS WITH STORAGE DOCKES, TEDE AND AND CLUSTER HOOKS, TWO 38"-48" INTO TO STANDARDS. ALL YNTS TO BE DELIVERED, COMPLETELY STORAGEMENT, 4901 JEFFERSON HIGHWAY, SUTG AL, STANDARDS. ALL YNTS TO BE SIGHEFOR BY LEET MAAGEMENT PERSONNEL FOR STORAGE PUROSES ONLY, FINAL ACCEPTANCE AND FS MAAGEMENT PERSONNEL FOR STORAGE PUROSES ONLY, FINAL ACCEPTANCE AND FS MAAGEMENT PERSONNEL FOR STORAGES PUROSES ONLY, FINAL ACCEPTANCE AND FS MAAGEMENT PERSONNEL FOR STORAGES PUROSES ONLY, FINAL ACCEPTANCE AND FS MANGEMENT PERSONNEL FOR STORAGES ON STORAGENERED AS WARRANT WORK, SY MANGEN AND HER BADYCH METTS JAME BY MANGEN AND HIGH ALL NNOVCES WILL SHOW SONSIDERED AS WARRANT WORK, SY MORNEN WILL BE TO THE ABOVE ASSARY CORRECTIONS ARE FUNCHS MANDAL AND TWO (2) COPIES OF STORAGES AND FURNISH TWO (2) COPIES OF STORAGES AND FURNISH AND TWO (2) COPIES OF STORAGES ANDR		TOTALS

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SHEET. BIDDERS ARE REQUESTED TO FILL IN THE TERMS OF SALE SHOWN ON THE FIRST SHEET OF BID SHEET, AND SIGN THE BID SHEET. PLEASE SPECIFY TERMS OF WARRANTY, WARRANTY AND REPAIR SERVICES. THE BIDDER WILL MAKE AVAILABLE TO JEFFERSON PARISH A FULL SERVICE WITHIN APPROXIMATELY THIRTY MILES FROM THE JEFFERSON PARISH FLEET MANAGEMENT, 4901 JEFFERSON HIGHWAY, SUITE A, CAR-CARRIER TRUCK BODY ASSEMBLY JEFFERSON, LA 70121. THIS FACILITY SHALL BE CAPABLE AND WILLING TO PERFORM FULL WARRANTY SERVICES AND NORMAL REPAIR SERVICES AND ADEQUATE SPARE PARTS SUPPORT ON THE COMPLETE UNIT WHICH IS BEING BID ON. THIS STIPULATION IS ALSO REQUIRED ON ALL COMPONENTS AND ACCESSORIES WHICH ARE ADED TO, OR INSTALLED ON THE BASE VEHICLE OR EQUIPMENT. THE DIRECTOR OF FLEET MANAGEMENT OR HIS CAR-CARRIER TRUCK BODY ASSEMBLY REPRESENTATIVE RESERVES THE RIGHT TO ACCEPT OR REJECT BID PROPOSALS BASED UPON THEIR INSPECTION OF THE SERVICE FACILITIES PRIOR TO ACCEPTANCE OF ANY. IS. IST ALL SERVICE FACILITIES, NAME AND ADDRESS, OUTLINING THE COMPONENTS OF THE VEHICL/EQUIPMENT THAT ARE TO BE SRVED AT EACH LOCATION. "OB DELIVERED DESTINATION" QUANTITIES LISTED ARE FOR BIDDING CAR-CARRIER TRUCK BODY ASSEMBLY MUNTITIES LISTED ARE FOR BIDDING CAR-CARRIER TRUCK BODY ASSEMBLY DUANTITIES LISTED ARE FOR BIDDING CAR-CARRIER TRUCK BODY ASSEMBLY MUNTITIES LISTED ARE FOR BIDDING CARCHRIER TRUCK BODY ASSEMBLY		
198	3.00	EA	0198 - ONE PAIR EXTRA HEAVY DUTY ALUMINUM TANDEM FENDER ASSEMBLY, MINIMUM 1/4 IN. TREAD PLATE ALUMINUM CONSTRUCTION WITH PERIMETER 1/4 IN X 21 IN X 2 IN ALUMINUM ANGLE REINFORCEMENT AND EXTRA HEAVY DUTY MOUNTING BRACKTS BOLTED THROUGH TO TRUCK FRAME. INSTALLED ON PARISH OWNED TRUCK. MANUFACTURER:	\$	\$
199	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0199 - HEAVY DUTY PICKUP TRUCK RACK DOUBLE 2 INCH: HIGH STRENGTH, ROUND TUBE	\$	\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FRAMING FULL LENGTH OF PICKUP BODY AND EXTENDING TO WINDSHIELD, 51" INSIDE WIDTH, FOUR 2" SQUARE CROSSBARS, REMOVABLE REAR CROSSBAR, WELDED TIE-DOWN CLEATS, PAYLOAD CAPACITY TO EXCEED TRUCK BED WALL CAPACITY, BLACK COLOR, TO FIT ALL FULL-SIZED DOMESTIC PICKUP TRUCKS. MANUFACTURER: MANUFACTURER:		
200	1.00	EA	0200 - HEAVY DUTY FRONT GRILL GUARD ASSEMBLY TO COVER FRONT OF TRUCK	\$	\$
			INCLUDING HEADLIGHTS WITH HINGED MECHANISM TO ACCOMODATE FORWARD TILTING HOODS. GRILL GUARD TO FIT ALL LIGHT MEDIUM, AND HEAVY DUTY DOMESTIC TRUCKS. MANUFACTURER:		
201	1.00	EA	MANUFACTURER PART: 0201 - AERIAL DEVICE 15,00 GVWR 84"	\$	\$
			AERIAL DEVICE FULLY INSTALLED IN READY -TO-WORK CONDITION ON PARISH OWNED 15,000 GVWR 84" C/A TRUCK CHASSIS AND INCLUDING A HEAVY DUTY AERIAL TYPE SERVICE TRUCK BODY, HEAVY DUTY TORSION BAR REAR STABILIZER, AUTOMATIC THROTTLE CONTROL, UPPER & LOWER CONTROLS, BOOM TRAVEL SUPPORT, BUCKET TRAVEL SUPPORT SAFETY BELT & LANYARD, 12 VOLT EMERGENCY POWER SYSTEM, BUCKET COVER & LINER, ACCESS STEPS TO BUCKET, BACKUP ALARM DEVICE 15,000 GVWR 84" ALARM, 15" STROBE FLASHING LIGHT AND PAINTED JEFFERSON PARISH FLEET COLOR. INSTALLED UNIT IS TO STRICTLY CO MPLY WITH ANSI A922-1990 AND ANY OTHER SAFETY STANDARDS IN EFFECT AT TIME OF DELIVERY. MANUFACTURER: MANUFACTURER PART:		
202	5.00	EA	0202 - DRIVER ACCESS GRAB HANDLES MINIMUM 16" LONG, CHROME OR STAINLESS CONSTRUCTION, INSTALLED AT LOCATION ON TRUCK AS SPECIFIED BY USING DEPARTMENT. MANUFACTURER:	\$	\$
203	4.00	EA	MANUFACTURER PART: 0203 - PICKUP TRUCK DUMP BODY ASSEMBLY 3 CU. YARD PICKUP TRUCK DUMP	\$	\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BODY ASSEMBLE, 6000 LB. LOAD CAPACITY, FRONT MOUNT TELESCOPIC HOIST MINIMUM 14 GAUGE GALVANNEAL STEEL BOX CONSTRUCTION STAKE POCKETS ON THREE SIDES, FULL WIDTH & DEPTH DOUBLEE ACTING TAILGATE TO SWING OUT OF DROP DOWN, CONTROL SWITCH IN CAB ENTIRE ASSEMBLY INCLUDING POWER PACK TO BE IN ONE INTEGRAL UNIT, PAINTED BLACK, TO FILL ALL FULL SIZE DOMESTIC PICKUP TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
204	5.00	EA	0204 - REPLACEMENT DUMP BODY-HEIL MODEL LD 10/12 YD 13' L X 8' W ALUMINUM DUMP	\$	\$\$
			BODY, SLUDGE TYPE TAILGATE ASSEMBLY, INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND ALUMINUM CAB PROTECTOR.		
			MANUFACTURER: MANUFACTURER PART:		
205	2.00	EA	0205 - REPLACEMENT DUMP BODY-HEIL MODEL HPT 17/19 YD. 16' L X 8' W DUMP	\$	\$\$
			BODY, SLANT FORWARD TAILGATE, PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS AND CAB PROTECTOR.		
			MANUFACTURER: MANUFACTURER PART:		
206	3.00	EA	0206 - REPLACEMENT DUMP BODY HOIST HEIL MODEL HPT63-140 HOIST. INSTALLED	\$	\$\$
			WITH MARRIED PTO AND CAB CONTROLS.		
207		-		ė	
207	3.00	EA	0207 - ADD ONE LEAF SPRING TO REAR SPRING PACK AS NEEDED ON PARISH OWNED	\$	\$
			TRUCK CHASSIS FOR NEW EQUIPMENT INSTALLED LEVEL OFF NEEDS. MANUFACTURER:		
			MANUFACTURER PART:		
208	3.00	EA	0208 - ADD TWO LEAF SPRINGS TO REAR SPRING PACK AS NEEDED ON PARISH	\$	\$\$
			OWNED TRUCK CHASSIS FOR NEW EQUIPMENT INSTALLED LEVEL OFF NEEDS.		

DATE: 8/23/2023

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

Page 52

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
209	1.00	EA	0209 - ONE AUTO CRANE BOOM SUPPORT FOR CRANE STORAGE, INSTALLED AND PAINTED	\$	\$
			IN READY TO WORK CONDITION ON PARISH OWNED FLATBED OR SERVICE BODY.		
			MANUFACTURER: MANUFACTURER PART:		
210	1.00	EA	0210 - ONE TIGER CRANE SPRING LOADED BOOM SUPPORT FOR CRANE SAFE STORAGE,	\$	\$\$
			INSTALLED AND PAINTED IN READY TO WORK CONDITION ON PARISH SUITABLE FLATBED OR SERVICE BODY.		
			MANUFACTURER: MANUFACTURER PART:		
211	1.00	EA	0211 - ONE CRANE REINFORCEMENT SUPPORT UNDER THE CRANE WITH STEEL HEAVY DUTY	\$	\$\$
			PLATE, STEEL TUBE AS NEEDED FOR STRENGTH AND SAFE CRANE USE. ALL INSTALLED AND PAINTED IN READY TO WORK CONDITION ON FLATBED OR SERVICE BODY.		
			MANUFACTURER: MANUFACTURER PART:		
212	1.00	EA	0212 - 2250 11FT. LONG DUAL WHEEL SERVICE CRANE BODY, 84" C/A EAGLE PRO I	\$	\$\$
			47K FT. LBS., WITH WORKBENCH, 22" DEEP X 5" TALL CABINETS, RAISED 60" TALL CS CABINET FOR C/A, PRESSURIZED CABINETS. STANDARD SHELF PACKAGE FOR COMPARTMENTS WITHOUT DRAWER UNITS. WILL MOUNT ON CHASSIS WITH 19/5" TIRES. INCLUDES 2250' BOLT ON HEADACHE RACK, GRAB HANDLES AND FOLDING STEPS TO DECK AREA. 33 GALLON HYD TANK INCLUDES 10 MICRON FILTER, DRAIN VALVE AND LEVEL GAUGE WITH THERMOMETER. ATTACHES TO WORKBENCH ON SS, REAR ACCESS BOX FOR AIR, HYDRAULIC INSTALLATION KIT FOR OUTRIGGERS. WORK BENCH BUMPER WITH INTERNAL BOX FOR STORAGE. INCLUDES FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED ON PARISH OWNED TURCK CHASSIS. BODY REQUIRES THE FOLLOWING: 19,500 GVWR TRUCK SIZE WITH AN 84" C/A DISTANCE, FACTORY PTO PROVISION, AND 7K FRONT AXLE.		

BID NO.: 50-00143083

Page 53

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
213	1.00	EA	0213 - HEAVY DUTY SERVICE TRUCK CRANE- 8,000 LBS. CAPACITY AT 5' RADIUS,	\$	\$\$
			FULL HYDRAULIC POWER, POWER BOOM ELEVATION, POWER HOIST, POWER ROTATION POWER EXTENSION TROM 10' TO 16' WITH MA NUAL EXTENSION TO 20', 55FT./MIN SINGLE LINE SPEED, 8 GPM AT 2,500 PSI TRUCK HYDRAULIC POWER SOURCE WITH 8 GALLON RESERVOIR, STRAINER, RETURN LINE FILTER, & SIGHT GAUGE, 24 FT. REMOTE CONTROL PENDANT, 95 FT. OF 3/8" 14,400 LBS. SINGLE LINE BREAK STRENGTH AIRCRAFT HYY DUTY SERVICE TRUCK CRANE-8,000 LB CABLE, 370 DEGREE ROTATION, AUTOMATIC OVERLOAD PROTECTION FOR HOIST UP, BOOM EXTEND, & BOOM DOWN FUNCTIONS, NON- DIPPING SWIVEL BLOCK WITH LATCH, -5 TO +75 DEGREE BOOM ELEVATION, UNIT TO MEET OSHA 1910.180 REQUIREMENTS AND ANSI B30. 5 SAFETY STANDARDS, ADDITIONAL CHARGE FOR EITHER CRANE REINFORCEMENT IN TRUCK BODY OR UPCHARGE TO CRANE-TYPE SERVICE TRUCK BODY, TWO ADDITIONAL LEAF SPRINGS IN RIGHT REAR SPRING PACK TO HYY DUTY SERVICE TRUCK CRANE-8,000 LB. LEVEL TRUCK AFTER CRANE INSTALLATION 145" MINIMUM SPREAD MANUAL OUT, MAN CRANK DOWN REAR OUTRIGGER ASSEMBLY, BOOM SUPPORT PEDESTAL FOR TRAVEL (UNIT FOR MINIMUM 20,500 LB GVWR TRUCK CHASSIS OR HEAVIER) MANUFACTURER: MANUFACTURER PART:		
214	1.00	EA	0214 - 5000 POUND FULL HYDRAULIC CRANE POWER EXTENSION TO 26'6. EASE OF USE-	\$	\$\$
			20 FT. USEFULL, FULL POWER ROTATION 370 DEGREE MOVEMENT TO MAXIMUM VERSITILITY IN LIFTING. CAPABLE OF LIFTING AT 100% IN ALL POSITIONS. INSTALLED ON TITAN CRANE BODIES WITHOUT OUTRIGGERS. MAXIMUM CAPACITY FOR LIFTING. RADIO REMOTE CONTROL PENDANT. CRANE WEIGHT 1390 LBS. SINGLE LINE SPEED 60 FT. PER MINUTE. 80' OF 5/16 AIRCRAFT CABLE. STOWED BOOM LENGTH 10'4. HYDRAULIC REQUIREMENTS: 8GPM @ 2750 PSI. ADJUSTABLE SPEED SETTINGS 25% TO 100%. CRANE REQUIRES THE FOLLOWING: 14,5000 GVWR MINIMUM TRUCK SIZE. CRANE WEIGHT 1,390 LBS., EXTENDED BOOM LENGTH 20'6", WIDTH-19.75", HEIGHT-2'11.75", BASE PLATE DIMENSIONS-		

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			16.75 X 16.75", BOOM DOWN 11-15 SECONDS (FULL STROKE OF CYLINDER)_, BOOM RETRACT 10-14 SECONDS. FULL TWO YEAR WARRANTY, PAINTED WHITE AND INSTALLED. MANUFACTURER: MANUFACTURER PART:		
215	1.00	EA	0215 - HEAVY DUTY SERVICE TRUCK CRANE 3200 LBS. CAPACITY AT 3'	\$	\$\$
			ELECTRIC/HYDRAULIC POWER. 360 DEGREE CONTINUOUS HYDRAULIC ROTATION. BOOM ELEVATION. 7' TO 11' HYDRAULIC BOOM EXTENSION WITH 11' TO 15' MANUAL BOOM EXTENSION. AUTOMATIC OVERLOAD PROTECTION 17' REMOTE CONTROL PENDANT. 60' OF 1/4 AIRCRAFT CABLE WITH SWIVEL BLOCK, HOOK, & SAFETY LATCH. CRANE REINFORCEMENT IN RIGHT REAR CORNER OF SERVICE HEAVY DUTY SERVICE TRUCK CRANE 3200 LBS. IN RIGHT REAR SPRING PACK, 145" MINIMUM SPREAD MANUAL OUT. MANUAL CRANE DOWN REAR OUTRIGGERS, AND BOOM SUPPORT PEDESTAL.		
			MANUFACTURER: MANUFACTURER PART:		
216	1.00	EA	0216 - 14,000 POUND CRANE HYDRAULIC POWER EXTENSION TO 29'. EASE OF USE-	\$	\$\$
			FULL. CONTINUOUS POWER ROTATION 400 DEGREE MOVEMENT FOR MAXIMUM VERSITILITY IN LIFTING. INSTALLED ON STI CRANE BODIES WITHOUT OUTRIGGERS. RADIO REMOTE PISTOL GRIP CONTROL, CRANE WEIGHT- 3,140 LBS., EXTENDED BOOM LENGTH-29' OVERALL STORED LENGHT-164", HEIGHT-46", 1/2 X 120' FEET WINCH CABLE, 11 DEGREES TO +75 DEGREES BOOM ANGLE. 10 GPM@ 3000 PSI-OPEN CENTER HYDRAULICS. FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED ON PARISH OWNED TRUCK CHASSIS; CRANE REQUIRES THE FOLLOWING: 33,000 GVWR MINIMUM TRUCK SIZE WITH A 120" C/A DISTANCE.		
			MANUFACTURER: MANUFACTURER PART:		
217	1.00	EA	0217 - HEAVY DUTY 25 TON CRANE, 27 FT. TO 90 FT FOUR SECTION PROPORTIONAL BOOM, THREE SHEAVE BOOM HEAT (TO ALLOW	\$	\$\$
			THREE PARTING OF LINE) CONTINUOUS ROTATION, 360 DEGREE AREA OF OPERATION,		

BID NO.: 50-00143083

QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
		FRONT CENTER STABALIZER (TO ALLOW 360 DEGREE AREA OF OPERATION), HORIZONTAL BOOM REST IN LIEU OF COLLAR REST, HYDRAULIC CAPACITY ALERT SYSTEM, A-FRAME 12 FT. SPAN FRONT STABILIZERS AND OUT AND DOWN 10 FT. SPAN REAR STABALIZERS, ELECTRONIC FOOT THROTTLE (AS REQUIRED)		
		MANUFACTURER: MANUFACTURER PART:		
3.00	EA	0218 - HEAVY DUTY SERVICE TRUCK CRANE 4,000 LB CAPCITY AT 4 FT. ELECTRIC	\$	\$\$
		OVER HYDRAULIC POWER. 360 DEGREE CONTINUOUS ROTATION. HYDRAULIC POWER BOOM EXTENSION, MANUAL BOOM EXTENSION TO 16 FT. AUTOMATIC OVERLOAD PROTECTION DEVICE, 80 FT OF 5/16 IN. 9800 LB. SINGLE LINE BRAKE STRENGTH AIR CRAFT CABLE WITH SWIVEL BLOCK. HOOK SAFETY LATCH, CRANE REINFORCEMENT IN REAR RIGHT CORNER OF SERVICED TRUCK AFTER INSTALLAION. 145. IN. SPEED MANUAL SLIDE OUT AND CRANK DOWN OUTRIGGER ASSEMBLY. BOOM SUPPORT PEDESTAL INSTALLED ON PARISH OWNED TRUCK.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0219 - CRANE OVERHAUL TO AUTO CRANE 3203 PRX-15 SERVICE TRUCK CRANES TO	\$	\$\$
		INCLUDE REPAIR OR REPLACEMENT OF WORN GEAR ON SWING MOTOR. ELECTRIC MOTOR ON HOIST WINCH. ANTI-TOW LOCK SYSTEM AND CONTROL PENDANT AND WIRING.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0220 - 0-8,600 POUND CRANE WITH FULL HYDRAULICS, POWER EXTENSION TO 30'.5".	\$	\$\$
		EASE OF USE-50 RFPM NO LOAD SINGLE LINE WINCH SPEED. AUTO II SPEED, WIRELESS JOYSTICK CONTROL WITH PROPORTIONAL TRIGGER AND LCD LOAD DISPLAY, INTEGRATED FILTRATION WITH VISUAL BYPASS ALERT, 400 DEGREES ROTATION, ANTI-TWO-BLOCK, OVERLOAD PROTESTION NOTIFICATION HORN AND 33 FT. TETHER CORD. 16" HEX BOOM ARM ADDITIONAL LEAF SPRING ADDED TO REAR DISTANCE DECALS ON SIDE OF BOOM ARM, ADDITIONAL LEAF SPRINGS ADDED TO REAR SPRING PACK FOR CRANE SIDE OF THE BODY.		
	3.00	3.00 EA	FRONT CENTER STABALIZER (TO ALLOW 360 DEGREE AREA OF OPERATION, HORIZONTAL BOOM REST IN LIEU OF COLLAR REST, HYDRAULIC CAPACITY ALERT SYSTEM, A-FRAME 12 FT. SPAN FRONT STABILIZERS AND OUT AND DOWN 10 FT. SPAN REAR STABALIZERS, ELECTRONIC FOOT THROTTLE (AS REQUIRED) MANUFACTURER: MANUFACTURER PART: 3.00 EA 0218 - HEAVY DUTY SERVICE TRUCK CRANE 4,000 LB CAPCITY AT 4 FT. ELECTRIC OVER HYDRAULIC POWER. 380 DEGREE CONTINUOUS ROTATION. HYDRAULIC POWER BOOM EXTENSION, MANUAL BOOM EXTENSION TO 16 FT. AUTOMATIC OVERLOAD PROTECTION DEVICE, 80 FT OF 5/16 IN. 9800 LB. SINGLE LINE BRAKE STRENGTH AIR CRAFT CABLE WITH SWIVEL BLOCK. HOOK SAFETY LATCH, CRANE REINFORCEMENT IN REAR RIGHT CORNER OF SERVICED TRUCK AFTER INSTALLAION. 145. IN. SPEED MANUAL SLIDE OUT AND CRANK DOWN OUTRIGGER ASSEMBLY. BOOM SUPPORT PEDESTAL INSTALLED ON PARISH OWNED TRUCK. 1.00 EA 0219 - CRANE OVERHAUL TO AUTO CRANE 3203 PRX-15 SERVICE TRUCK CRANES TO INCLUDE REPAIR OR REPLACEMENT OF WORN GEAR ON SWING MOTOR. ELECTIC MOTOR ON HOIST WINCH. ANTH-TOW LOCK SYSTEM AND CONTROL PENDANT AND WIRING. 1.00 EA 0220 - 0-8,600 POUND CRANE WITH FULL HYDRAULICS, POWER EXTENSION TO 30'.5". EASE OF USE-50 RFPM NO LOAD SINGLE LINE WINCH SPEED, AUTO II SPEED, WIRELESS JOYSTICK CONTROL PENDANT AND WIRING. MANUFACTURER: MANUFACTURER PART: 1.00 EA 1.00 EA 0220 - 0-8,600 POUND CRANE WITH FULL HYDRAULICS, POWER EXTENSION TO 30'.5". EASE OF USE-50 RFPM NO LOAD SINGLE LINE WINCH SPEED, AUTO II SPEED, WIRELESS JOYS	QUANTITY UM DESCRIPTION OF ARTICLES QUOTED QUANTITY UM DESCRIPTION OF ARTICLES QUOTED Promt CENTER STABALIZER (TO ALLOW 380 DEGREE AREA OF OPERATION), HORIZONTAL BOOM REST IN LIEU OF COLLAR REST, HOD RAULIC CAPACITY ALERT SYSTEM, A-FRAME 12 FT. SPAN FRONT STABILIZERS, AND OUT MANUFACTURER: MANUFACTURER PART: \$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			WARRANTY. PAINTED WHITE AND INSTALLED ON PARISH OWNED TRUCK CHASSIS. CRANE REQUIRES THE FOLLOWING: 19,500 GVWR MINIMUM TRUCK SIZE WITH AN 84' C/A DISTANCE.		
			MANUFACTURER: MANUFACTURER PART:		
221	1.00	EA	0221 - REMOVE AND REBUILD OR REPLACE DEFECTIVE MOTOR ON CRANE MODEL 3203	\$	\$\$
			SERVICE CRANES.		
			MANUFACTURER: MANUFACTURER PART:		
222	1.00	EA	0222 - BUMPER CRANE. 1350 LB. CAPACITY 12V-DC POWERED FROM VEHICLE BATTERY.	\$	\$\$
			10 FT. HAND HELD PENDANT CONTROL. 360 DEGREE CONTINUOUS MANUAL ROTATION. BUILT IN OUTRIGGER. 2 IN. RECEIVER HITCH POWER COATED BLACK. ALUMINIUM DIAMOND PLATE COVER. 45 IN. FIXED BOOM LENGTH, BOOM HEIGHT OF 77 IN. AND 85 IN. FLIP OVER CENTER STEP. BUMPER BUILT TO BODY WIDTH. INSTALLTION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
223	1.00	EA	0223 - HEAVY DUTY SERVICE TRUCK CRANE 4,000 LB. CAPACITY AT 4 FT. ELECTRONIC/	\$	\$\$
			HYDRAULIC POWER. 360 DEGREE CONTINUOUS HYDRAULIC ROTATON. BOOM ELEVATED 8FT TO 12 FT. HYDRAULIC BOOM EXTENSION TO 16 FT. AUTOMATIC OVERLOAD PROTECTION. 18 FT. REMOVE CONTROL PENDANT. 880 FT. X 5/16 FT. AIR CRAFT CABLE WITH SWIVEL BLOCK, HOOK, AND SAFETY LATCH. REMOVAL OF EXISTING USED CRANE. INSTALLED ON CRANE REINFORCED BODY COMPLETE WITH OUTRIGGERS. BOOM SUPPORT AND SPRING PACKAGE.		
			MANUFACTURER: MANUFACTURER PART:		
224	1.00	EA	0224 - HEAVY DUTY SERVICE TRUCK CRANE 3,200 LB. CAPACITY AT 3 FT ELECTRONIC/	\$	\$\$
			HYDRAULIC POWER. 360 DEGREE CONTINUOUS HYDRAULIC ROTATION. BOOM ELEVATION 7 FT. TO 11 FT. TO 15 FT. MANUAL BOOM		

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			EXTENSION. AUTOMATIC OVERLOAD PROTECTION 17 FT. REMOTE CONTROL PENDANT. 60 FT. X 1/4 AND SAFETY LATCH. REMOVAL OF EXISTING CRANE. INSTALLED ON CRANE REINFORCED BODY COMPLETE WITH OUT- RIGGERS BOOM SUPPORT AND SPRING PACKAGE		
			MANUFACTURER: MANUFACTURER PART:		
225	1.00	EA	0225 - HEAVY DUTY TRUCK CRANE, 7,000 LBS CAPACITY AT 5 FT. FULL HYDRAULIC POWER.	\$	\$\$
			370 DEGREE NON-CONTINUOUS HYDRAULIC ROTATION. POWER BOOM EXTENSION TO 20 FT 6 IN. 8 GPM AT 2.75 PSI. TRUCK HYDRAULIC POWER SOURCE WITH RESERVOIR TANK, STRAINER, RETURN LINE FILTER AND SIGHT PROTECTION. PRESSURE TRANSDUCER TYPE SENSING. 25 FT. REMOTE CONTROL PENDANT. 95 FT OF 3/8 INCH AIRCRAFT CABLE WITH SWIVEL BLOCK HOOK AND SAFETY LATCH. UNIT TO MEET OSHA 1920 180 AND ANSI B30, 5 STANDARDS. INSTALLED ON CUSTOMER'S CRANE READY SERVICE BODY FOR A MINIMUM 38,000 FT. CRANE PACKAGE. PRICE INCLUDES PTO TO LEVEL TRUCK AFER CRANE INSTALLATION. UNIT FOR A MINIMUM 14,5000 GVWR TRUCK CHASSIS OR HEAVIER.		
			MANUFACTURER: MANUFACTURER PART:		
226	1.00	EA	0226 - HEAVY DUTY SERVICE TRUCK CRANE 8,000 LB. CAPACITY AT 5 FT 3 IN. RADIUS. FULL HYDRAULIC POWER. 370 DEGREE NON- CONTINUOUS HYDRAULIC ROTATION. POWER BOOM ELEVATION.HYDRAULIC BOOM EXTENSION TO 20 FT. 6 IN. 6 GPM AT 2.750 PSI. TRUCK HYDRAULIC POWER SOURCE WITH A RESEVOIR TANK, STRAINER, RETURN LINE FILTER AND SIGHT GAUGE. AUTOMATIC OVERLOAD PROTECTION. PRESSSURE TRANSDUCER TYPE SENSING. 25. FT. REMOTE CONTROL PENDANT, 95 FT. OF 3/8 IN. AIRCRAFT CABLE WITH SWIVEL BLOCK HOOK AND SAFETY LATCH. UNIT TO MEET OSHA 1910 180 AND ANSI B30.5 STANDARDS. INSTALLED ON CUSTOMER'S CRANE READY SERVICE BODY FOR A MINIMUM 49,000 FT. LB. CRANE PACKAGE PRICE TO INCLUDE PTO AND HYDRAULIC PUMP, BOOM SUPPORT, AND SPRING REINFORCEMENT PACKAGE TO LEVEL TRUCK AFTER CRANE INSTALLATION. UNIT FOR MINIMUM 19,5000 GVWR TRUCK CHASSIS OR HEAVIER.	\$	\$

BID NO.: 50-00143083

Page 58

		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0227 - HEAVY DUTY SERVICE CRANE 12,000 LB. CAPACITY AT 6 FT RADIUS. FULL	\$	\$\$
		HYDRAULIC POWER. EQUIPPED WITH NEXSTAR 370 DEGREE NON-CONTINUOUS HYDRAULIC ROTATION. POWER BOOM ELEVATION TO 30 FT. 15 GPM AT 2800 PSI TRUCK HYDRAULIC POWER SOURCE WITH RESEVOIR TANK, STRAINER RETURN LINE FILTER AND SIGHT GAUGE. AUTOMATIC OVERLOAD PROTECTION. PRESSURE TRANSDUCER TYPE SENSING. RADIO REMOTE CONTROL. SINGLE LINE SPEED 60 FT. PER MIN 120 FT. OF 7/16 IN. 21,000 LBS. SINGLE LINE BREAK STRENGTH AIRCRAFT CABLE WITH BLOCK, HOOK, AND SAFETY LATCH. UNIT TO MEET OSCHA 1910, 180 AND ANSI B30.5 STANDARDS. INSTALLED ON CUSTOMER CRANE READY SERVICE BODY FOR A MINIMUM 70,000 FT. LB. CRANE PACKAGE. PRICE TO INCLUDE PTO AND HYDRAULIC PUMP. BOOM SUPPORT AND SPRING REINFORCEMENT PKG. LEVEL TRUCK AFTER CRANE INSTALLATION. UNIT FOR A MINIMUM 29,000 GVWR TRUCK CHASSIS OR HEAVIER.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0228 - HEAVY DUTY SERVICE CRANE BODY 38,000 FT. LBS. FOR AN 84 IN C/A DUAL	\$	\$\$
		WHEEL TRUCK 133 IN. L X 94 IN. W X 58 IN HIGH CARGO AREA 50 INCH. FLAT DOOR HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GAUGE TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. 36 GALLON HYDRAULIC OIL TANK AND BULK HEAD. INTERGRAL CRANE REINFORCEMENTS UP TO 38,000 FT. GLVS ON THE REAR CURBSIDE COMPARTMENT. 20 FT. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE, REAR TOW HITCH FOR HEAVY DUTY TRAILER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTISAIL MUDFLAPS. PAINTED AND INSTALLED		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0229 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT LBS. FOR AN 84 INCH C/A DUAL	\$	_\$
	1.00	1.00 EA	1.00 EA 0227 - HEAVY DUTY SERVICE CRANE 12,000 LB. CAPACITY AT 6 FT RADIUS. FULL 1.00 EA 0227 - HEAVY DUTY SERVICE CRANE 12,000 LB. CAPACITY AT 6 FT RADIUS. FULL HYDRAULIC POWER. EQUIPPED WITH NEXSTAR 370 DEGREE NON-CONTINUOUS HYDRAULIC ROTATION. POWER BOOM ELEVATION TO 30 FT. 15 GPM AT 2800 PSI TRUCK HYDRAULIC POWER SOURCE WITH RESEVOIR TANK.STRAINER RETURN LINE FILTER AND SIGHT GAUGE. AUTOMATIC OVERLOAD PROTECTION. PRESSURE TRANSDUCER TYPE SENSING. RADIO REMOTE CONTROL. SINGLE LINE SPEED 60 FT. PER MIN 120 FT. OF 716 IN. 21,000 LBS. SINGLE LINE BREAK STRENGTH AIRCRAFT CABLE WITH BLOCK,HOOK, AND SAFETY LATCH. UNIT TO MEET OSCHA 1910, 180 AND ANSI B30.5 STANDARDS. INSTALLED ON CUSTOMER CRANE READY SERVICE BODY FOR A MINIMUM 70,000 FT. LB. CRANE PACKAGE. PRICE TO INCLUE PTO AND HYDRAULIC PUMP. BOOM SUPPORT AND SPRING REINFORCEMENT PKG. LEVEL TRUCK ATER CRANE INSTALLATION. UNIT FOR A MINIMUM 29,000 GVWR TRUCK CHASSIS OR HEAVIER. 1.00 EA 0228 - HEAVY DUTY SERVICE CRANE BODY 38,000 FT. LBS. FOR AN 84 IN C/A DUAL WHEEL TRUCK 133 IN. L 34 IN. W X S8 IN HIGH CARGO AREA 50 INCH. FLAT DOOR HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GAUGE TREAD PLATE STEEL FLOOR. SIX FLOOR THE DOWNS. 36 GALCON HYDRAULIC OIL TANK AND BULK HEAD. INTERGRAL CRANE REINFORCEMENTS UP TO 38,000 FT. LBS. OR MAR REINFORCEMENTS UP TO 38,000 FT. LBX ON THE REAR CURRSIDE COMPARTMENT. 20 FT. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UPDOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE, REAR TOW HITCH FOR HEAVY DUTY TRALER. 16,000 LBS. FMYSS 108 RECESSED LIGHTS. ONE PAIR OF ANTISAIL MUDFLAPS. PAINTED AND INSTALLED MANUFACTURER: MANUFACTURER MANUFACTURER PART:	1.00 EA 0227 - HEAVY DUTY SERVICE CRANE 12,000 \$

BID NO.: 50-00143083

QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
		WHEEL TRUCK. 133 IN L X 94 IN W X 58 IN HIGH CARGO AREA. 50 IN. FLAT FLOOR. EIGHT COPARTMENTS. 14 GAUGE GALVANIZED STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCK-IN T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. 36 GALLON HYDRAULIC OIL TANK AND BULK HEAD. INTERGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LBS. ON THE REAR CURB COMPARTMENT. 20 IN. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE, REAR TOW HITCH FOR HEAVY DUTY TRAILER 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI-MUD FLAPS, PAINTED AND INSTALLED.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0230 - HEAVY DUTY SERVICE CRANE BODY 50,000 FT. LBS. FOR AN 84 IN C/A DUAL	\$	\$
		WHEEL TRUCK. 133 IN. L X 94 IN. W X 58 IN H. CARGO AREA 50 FT. FLAT FLOOR. EIGHT COMPARTMENTS, DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD- PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS.' 36 GA. HYDRAULIC OIL TANK AND BULK HEAD. 50,000 FT LBS. ON THE REAR CURBSIDE COMPARTMENT. 24 IN. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER-16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI- SAIL MUD FLAPS. PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0231 - HEAVY DUTY SERVICE CRANE BODY 85,000 FT. LBS. FOR A 120 IN C/A DUAL	\$	\$\$
		WHEEL TRUCK. 169 IN L X 58 IN H CARGO AREA. 50 IN. FLAT FLOOR. TEN COMPARTMENT 14 GA. GALVANIZED STEEL COMPARTMENTS DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER AND DIVIDERS. 12 GA TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. HYDRAULIC OIL TANK AND BULKHEAD. INTERGRAL CRANE REINFORCEMENTS UP TO 85,000 FT. LBS. ON		
	1.00	1.00 EA	 WHEEL TRUCK, 133 IN L X 94 IN W X 58 IN HIGH CARGO AREA. 50 IN. FLAT FLOOR. EIGHT COPARTMENTS. 14 GAUGE GALVANIZED STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCK-IN T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. 36 GALCON HYDRAULIC OIL TANK AND BULK HEAD. INTERGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LBS. ON THE REAR CURB COMPARTMENT. 20 IN. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE, REAR TOW HITCH FOR HEAVY DUTY TRAILER 16,000 LBS. FMVSS 106 RECESSED LIGHTS. ON FP ARIR OF ANT-MUD FLAPS, PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0230 - HEAVY DUTY SERVICE CRANE BODY 50,000 FT. LBS. FOR AN 84 IN C/A DUAL WHEEL TRUCK. 133 IN L X 58 IN H. CARGO AREA 50 FT. FLAT FLOOR. EIGHT COMPARTMENTS, DUBLE PANEL DOORS. HEAVY DUTY OTARY LOCKING THADDUES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVDERS. 12 GA. TREAD- PLATE STEEL FLOOR SIX FLOOR THE DOWNS. 36 GA. HYDRAULIC LI TANK AND BULK HEAD. 30,000 FT. LBS. ON THE REAR CURBSIDE COMPARTMENT. 24 IN. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER-16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI- SAIL MUD FLAPS. PAINTED AND INSTALLED. MANUFACTURER PART: 1.00 EA 0231 - HEAVY DUTY SERVICE CRANE BODY 85,000 FT. LBS. FOR A 120 IN C/A DUAL WHEEL TRUCK. 169 IN L X 58 IN H CARGO AREA. 50 IN. FLAT FLOOR. TEN COMPARTMENT 14 GA. GALVANIZED STEEL COMPA	1.00 EA 0201LD WHEEL TRUCK. 133 IN L X 94 IN W X 58 IN HICH CARGO AREA, 50 IN, FLAT FLOOR, EICHT COPARTMENTS, 14 GAUGE GALVANIZED STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING THANDLES. WEATHER INGET DOOR SEALS. FULL INTERIOR SPLATE STEEL FLOOR, SX, FLOOR THE PAOR SPLATE STEEL FLOOR, SX, FLOOR THE PAOR SCHALDWY TRULKER 1600 LBS. FMVSS 100 RECESSED LIGHTS, ONE PAIR OF ANTI-MUD FLAPS, PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER: MANUFACTURER PART; 1.00 EA 0230 - HEAVY DUTY SERVICE CRANE BODY 50,000 FT. LBS. ON HAIN NW X 58 IN H. CARGO AREA 50 FT. FLAT FLOOR. EIGHT COMPARTMENTS, NOUBLE PANEL DOORS. HELVING AND DIVIDERS, 12 GA TREAD- PLATE STEEL FLOOR, SIX FLOOR THE DOWNS.' 35 GA. HYDRAULIC OL TAK AND BULK HEAD. S0,000 FT LBS. ON THE REAR CURBIDE COMPARTMENT, 24 IN, HAIN K AND BULK HEAD. S0,000 FT LBS. ON THE REAR CURBIDE COMPARTMENT, 24 IN, HAIN K AND BULK HEAD. S0,000 FT LBS. ON THE REAR CURBIDE COMPARTMENT, 24 IN, HEARY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UPDOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LORMS SHELVING AND DIVIDERS. IZ GA TREAD PLATE STELE FLOOR, SIX FLOOR THE DOWNS.' 35 GA. HYDRAULIC OLITS, ONE PAIR OF ANT- SAL MUD FLAPS, PAINTED AND INSTALLED. MANUFACTURER PART: 1.00 EA 1.00 EA 0231 - HEAVY DUTY SERVICE CRANE BODY S5,000 FT. LBS. FOR A 120 IN CA DUAL \$

BID NO.: 50-00143083

1.00	EA	REAR CURBSIDE COMPARTMENT. 30 IN. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE. HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED. THIS BODY DESIGNED FOR THE 12 CRANE 120" C/A 14' LONG BODY MIN. 33,000 GVWR TRUCK CHASSIS NEEDED MANUFACTURER: MANUFACTURER PART: 0232 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT. LBS. FOR 84" C/A DUAL WHEEL TRUCK 133" L X 94" W X 58" H. CARGO AREA 50" FLAT FLOOR. EIGHT COMPARTMENT DOUBLE PANEL DOORS. HEAVY	\$	\$
1.00	EA	MANUFACTURER PART: 0232 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT. LBS. FOR 84" C/A DUAL WHEEL TRUCK 133" L X 94" W X 58" H. CARGO AREA 50" FLAT FLOOR. EIGHT COMPARTMENT DOUBLE PANEL DOORS. HEAVY	\$	\$
1.00	EA	16,000 FT. LBS. FOR 84" C/A DUAL WHEEL TRUCK 133" L X 94" W X 58" H. CARGO AREA 50" FLAT FLOOR. EIGHT COMPARTMENT DOUBLE PANEL DOORS. HEAVY	\$	\$
		CARGO AREA 50" FLAT FLOOR. EIGHT COMPARTMENT DOUBLE PANEL DOORS. HEAVY		
		DUTY ROTARY LOCKING T-HANDELES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR TIE DOWNS. INTEGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LBS. ON THE REAR TOW HITCH FOR HEAVY DUTY TRAILER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR ON ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED.		
		MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
1.00	EA	0233 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT LBS. FOR A 60" C/A DUAL WHEEL TRUCK. 108" L X 94 W X 58 H. CARGO AREA 50: FLAT FLOOR, EIGHT COMPARTMENTS. 14 GA. GALVANIZED STEEL	\$	\$
		COMPARTMENTS. DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. INTEGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LB ON THE REAR CURBSIDE COMPARTMENT. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRIALER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0234 - HEAVY DUTY SERVICE CRANE BODY 38,000 FT. LBS. FOR A 84" C/A DUAL WHEEL	\$	\$\$
			MANUFACTURER PART: VENDOR PART:1.00EA0233 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT LBS. FOR A 60" C/A DUALWHEEL TRUCK. 108" L X 94 W X 58 H. CARGO AREA 50: FLAT FLOOR, EIGHT COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENTS. DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. INTEGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LB ON THE REAR CURBSIDE COMPARTMENT. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRIALER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED.1.00EA0234 - HEAVY DUTY SERVICE CRANE BODY	1.00 EA 0233 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT LBS. FOR A 60" C/A DUAL \$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			CARGO AREA. 50" FLAT FLOOR. EIGHT COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. CRANE PAD ON REAR TOP COMPARTMENTS. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER 16,000 LBS. FMVSS 107 RECESSED LIGHTS. ONE PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER PART:		
235	1.00	EA	0235 - HEAVY DUTY TRI BALL MOUNT INSERT PAINTED BLACK. SOLID SHANK TUBE TOWING	\$	\$\$
			BALLS ARE 1 7/8" AND 2 5/16".		
			MANUFACTURER: MANUFACTURER PART:		
236	1.00	EA	0236 - 5000 LB CRANE ELECTRIC OVER HYDRAULIC POWER EXTENSION TO 20'6". EASE	\$	\$\$
			OF USE-FULL. CONTINUOUS POWER ROTATION 370 DEGREE MOVEMENT FOR MAXIMUM VERSITILITY IN LIFTING. CAPABLE OF LIFTING AT 100% IN ALL POSITIONS. INSTALLED ON TITAN CRANE BODIES WITH OUTRIGGERS. MAXIMIZED CAPACITY FOR LIFTING. RADIO REMOTE CONTROL PENDANT. CRANE WEIGH 1390 LBS. SINGLE LINE SPEED 60 FT. PER MINUTE. 80' OF 5/16' AIR- CRAFT CABLES. STOWED BOOM LENGTH 10'4. HYDRAULIC REQUIREMENTS-8 GPM@2750 PSI. ADJUSTABLE SPEED SETTING 25% TO 100% CRANE REQUIREMENTS; 14,500 GVWR MINIMUM TRUCK SIZE. CRANE WEIGHT 1,390 LBS. EXTENSION BOOM LENGHT 20'6", WIDTH- 1'9.75, HEIGHT-2'11.75", BASE PLATE- 16.75" X 16.75", BOOM DOWN 11-15 SECONDS (FULL STROKE OF CYLINDER) BOOM RETRACT 10-14 SECONDS. FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED.		
237	1.00	EA	MANUFACTURER PART: VENDOR PART: 0237 - ELECTRIC WINCH-12,000 LB COMPLETE WITH HEAVY DUTY FRONT	\$	_\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BUMPER ASSEMBLY, 4 WAY ROLLER GUIDES, REMOTE CONTROL PENDANT AND 150' OF CABLE WITH HOOK END (UNIT TO FIT ALL DOMESTIC PICKUPS, CARRYALLS, OR 1 TON TRUCKS)		
			MANUFACTURER: MANUFACTURER PART:		
238	1.00	EA	0238 - ELECTRIC WINCH-15,000 LB COMPLETE WITH HEAVY DUTY FRONT	\$	\$\$
			BUMPER ASSEMBLY, 4 WAY ROLLER GUIDES, REMOTE CONTROL PENDANT, AND 150' OF CABLE WITH HOOK END (UNIT TO FIT ALL DOMESTIC PICKUPS, CARRYALLS, OR 1 TON TRUCKS)		
			MANUFACTURER: MANUFACTURER PART:		
239	1.00	EA	0239 - AUTOMATED SANDBAG SYSTEM MOUNTING BRACKETS AND HYDRAULIC POWER	\$	\$
			SYSTEM WITH CONTROLS INSTALLED ON EXISTING PARISH OWNED DUMP TRUCK (FOR EQUIPPING ADDITIONAL DUMP TRUCKS FOR AUTOMATED SANDBAG SYSTEM CAPABILITY)		
			MANUFACTURER: MANUFACTURER PART:		
240	1.00	EA	0240 - INSIDE/OUTSIDE RAILROLL OFF HOIST SYSTEM FOR CONTAINERS UP TO 22'L	\$	\$\$
			60,000 LBS. CAPACITY 4" X 8" X 1/2" STRUCTURAL TUBE FRAME WITH SUBFRAME, 47 GALLON OIL RESERVOIR, OUTSIDE CONTROLS, DUAL SINGLE STAGE DOUBLE ACTING 6" BORE X 80" STROKE, LIFT CYLINDERS WITH 5" DIAMETER RODS, CYLINDER COVERS, TEN 4" O.D. X 4" L OUTSIDE ROLLERS WITH BRONZE BUSHING ON COLD ROLLED ALLOY SHAFT WITH TWO POINT SUPPORT, REAR BUMPER WITH LIGHTS AND MUD FLAPS, BODY PROP, BODY UP INSIDE-OUTSIDE RAILROLLOFF HOIST SYSTEM WARNING LIGHT, REVERSE ALARM, CONTAINER HOLD DOWN AND AUTOMATIC ROLLER LOCK FOR OUTSIDE RAIL CONTAINERS, AIR CONTROLS, AIR SHIFT PTO, FULL FENDERS, TOOL BOX, 52 DEGREE DUMP ANGLE, 79,600 LBS. CAPACITY 7/8" X 75' X6 X 25 IWRC EIPS CABLE WITH 2" CAST HOOK END, 27' CABLE HOOK TRAVEL, 10" DIAMETER CABLE SHEAVES WITH BRONZE BUSHINGS, OIL FILTER, 47 GPM HYDRAULIC PUMP @ 1800 PSI, TWO SPOOL CONTROL VALVE, 27 SECOND HOIST AND INSIDE-OUTSIDE RAILROLLOFF HOIST WINCH UP CYCLE, 15 SECOND DOWN CYCLE		

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			UNIT FOR A 174" C/A RANDEM TRUCK CHASSIS MANUFACTURER: MANUFACTURER PART:		
241	1.00	EA	0241 - FUEL TRANSFER SYSTEM COMPLETE WITH MINIMUM 100 GALLON CAPACITY	\$	\$\$
			ALUMINUM FUEL TANK, 13 GPM 12 VOLT ELECTRIC FUEL PUMP, 12 FT OF 3/4" DIAMETER FUEL HOSE, AND ALUMINIM DISPENSING NOZZLE WITH STORAGE BRACKET, INSTALLED ON PARISH OWNED PICKUP, FLATBED OR SERVICE TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
242	1.00	EA	0242 - CLUTCH PUMP WITH HYDRAULIC WET KIT COMPLETE WITH ENGINE MOUNTING	\$	\$
			BRACKETS,2,500 PSI HYDRAULIC PUMP WITH 7 TO 13 GPM CAPACITY, CAB CONTROLLER, CAB INDICATOR LIGHT,INSTALLED ON PARISH OWNED TRUCK WITH HYDRAULIC LINES TO POWER SYSTEM NEEDED.		
			MANUFACTURER: MANUFACTURER PART:		
243	1.00	EA	0243 - GOOSENECK HITCH OPTION ON NEW TRAILERS IN LIEU OF TWO EYE OR BALL	\$	\$
			HITCH. PRICE TO BE ADDED TO TRAILERS SELECTED ON THIS ITEM.		
			MANUFACTURER: MANUFACTURER PART:		
244	1.00	EA	0244 - REAR REFUSE LOADER, 25 CU.UD CAPACITY, 254 IN COVERALL LENGTH, 93 IN.	\$	\$
			OVERALL HEIGHT ABOVE CHASSIS FRAME. APPROXIMATE 10,700 UNIT WEIGHT, WITH COMPLETE INSTALLATION ON PARISH OWNED 43,000 GVWR TRUCK CHASSIS WITH A 138" C.T. CYCLE TIME. 6 SECOND RELOAD TIME. MINIMUM 2.6 CUBIC YARD HOPPER 2500 PSI GEAR-TYPE 24 GPM PUMP, 24 GALLON HYDRAULIC RESERVOIR WTIH 10 MICRON RETURN FILTER AND 140 MICRON SUCTION FILTER. SPOOL TYPE CONTROL VALVES. MINIMUM 80 IN. HOPPER LOADER WEIGHT.		
			MANUFACTURER: MANUFACTURER PART:		
245	16.00	FT	0245 - DRY FREIGHT VAN TRUCK BODY FROM 10 FT. TO 28 FT. LENGTH, 8 FT.	\$	\$\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			WIDTH 8 FT. INTERIOR HEIGHT,4" I-BEAM LONGSILLS, 3" I-BEAM CROSSILLS ON 12" CENTERS, 1 1/2" OAK FLOORING, .050 GA. PRE-PAINTED ALUMINUM SIDE PANELS OVER SIDE POSTS ON 16" CENTERS,ONE PIECE .040 GAUGE.ALUMINUM ROOF OVER HATSILLS ON 24" DEEP REAR THRESHOLD PLATE, OVERHEAD ROLLUP REAR DOOR, INTERIOR DOME LIGHT, EXTERIOR FMVSS BODY LIGHTS, FULL WIDTH CHANNEL DOUBLE STEP REAR BUMPER, MANUFACTURER: MANUFACTURER PART:		
246	1.00	EA	0246 - STREET FLUSHER UNIT,4000 GALLON CAPACITY, EPOXY COATED 7 GA. & 10 GA.	\$	\$\$
			STEEL TANK CONSTRUCTION WITH FULL SKIRT- ING, 750 GPM CENTRIFUGAL WATER PUMP WITH 4 IN. DISCHARGE PORTING CAPABLE OF MAINTAINING 60 LBS PRESSURE PUMPING 600 PM@ 2,000 RPM'S WITH FOUR NOZZLES OPERATING, VARIABLE DISPLACEMENT HYDROSTATIC WATER PUMP DRIVE SYSTEM DRIVEN BY 80 HP DIESEL ENGINE WITH FIXED DISPLACEMENT PISTON MOTOR,20 GALLON PRESSURIZED HYDRAULIC RESERVOIR,		
			MANUFACTURER: MANUFACTURER PART:		
247	15.00	FT	0247 - TRAILER FLOOR REPLACEMENT FOR LOWBOY MACHINERY TRAILERS WITH 6 FT.	\$	\$\$
			WIDE LOAD DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS NEW GRADE FLOOR TO BE 1/8" THICK 7" WIDE 31 GRADE APITONG TROPICAL HARDWOOD ATTACHED TO CROSSMEMBERS WITH TWO 1/4" FLOOR SCREWS PER BOARD PER CROSSMEMBERS. PRICE PER LINEAR FOOT OF TRAILER LOAD DECK.		
			MANUFACTURER: MANUFACTURER PART:		
248	8.00	FT	0248 - TRAILER FLOOR REPLACEMENT FOR LOWBOY MACHINERY AND FLATBED	\$	\$\$
			TRAILERS WITH 8 FT. WIDE LOAD DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS. NEW FLOOR TO BE 1 3/8" THICK BY 7" WIDE #1 GRADE APITONG TROPICAL HARDWOOD ATTACHED TO TRAILER CROSSMEMBERS WITH TWO 1/4" FLOOR SCREWS PER BOARD PER CROSSMEMBER.		

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PRICE PER LINEAR FOOT OF TRAILER DECK.		
			MANUFACTURER: MANUFACTURER PART:		
249	15.00	FT	0249 - TRAILER FLOOR REPALCEMENT FOR LOWBOY TRAILERS WITH 8 FT. WIDE LOAD	\$	\$\$
			DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS. NEW FLOOR TO BE 2" THICK BY 12" WIDE #1 GRADE CLEAR WHITE OAK HARDWOOD ATTACHED TO TRAILER CROSSMEMBERS WITH TWO 5/16" FLOOR SCREWS PER BOARD PER CROSSMEMBER. PRICE PER LINEAR FOOT OF TRAILER LOAD DECK PLUS LENGTH OF FOLDING LOWBOY NECK.		
			MANUFACTURER: MANUFACTURER PART:		
250	1.00	EA	0250 - HYDRAULIC DRIVEN AIR COMPRESSOR 18 CFM, 100-155 PSI RANGE, 7 GPM @ 1,800	\$	\$\$
			PSI HYDRAULIC MOTOR, OIL RESERVOIR TANK, HYDRAULIC OIL COOLER, SPRING REWIND HOSE REEL IN REAR COMPARTMENT WITH 100 FT.AIR HOSE,BALL STOP, AND QUICK CONNECTOR END (REQUIRES SEPARATE PURCHASE OF TRUCK ENGINE DRIVEN HYDRAULIC CLUTCH PUMP ASSEMBLY.)		
			MANUFACTURER: MANUFACTURER PART:		
251	1.00	EA	0251 - HEAVY DUTY TRUCK ENGINE PTO DRIVE HIGH PERFORMANCE AIR COMPRESSOR ASSEMBLY	\$	\$\$
			DUAL PRESSURE 100LB/150LB, W/TU, REMOTE MOUNT HYDRAULIC OIL COOLERS, HOSE PLUMBING KIT, MUNCIE CONTINUOUS DUTY CYC LE HEAVY DUTY PTO ASSEMBLY, SPICER (OR EQUAL)2" BALANCE AUTOMOTIVE TYPE DRIVESHAFT ASSEMBLY, CAB AIR CONTROLLER ASSEMBLY, REPROGRAM TRUCK COMPUTER TO ENABLE TRUCK ENGINE RPM'S TO COINCIDE WITH COMPRESSOR PERFORMANCE REQUIREMENTS TEST UNIT FOR PROPER OPERATION		
			MANUFACTURER: MANUFACTURER PART:		
252	1.00	EA	0252 - HI-RAIL SYSTEM FOR 33,000 GVWR INCLUDING POWER PACK SYSTEM FOR HI-RAIL	\$	\$\$

BID NO.: 50-00143083

	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SYSTEM, FRONT BRAKES, RAIL SWEEPS FRONT AND REAR, REMOTE REAR PIN-OFF (CABLE). SLOTTED REAR LINKS, FOUR (4) EA, CORNER STROBE LIGHTS, BLOCK-UP FRONT AXLE FOR MAXIMUM CLEARANCE, REAR BRAKES IN ADDITION TO FRONT BRAKES, SIGNAL INSULATION, REMOTE FRONT PIN-OFF(CABLE), COMPLETE INSTALLATION LABOR.		
			MANUFACTURER: MANUFACTURER PART:		
253	1.00	EA	0253 - HEAVY DUTY CREW MAINTENANCE 156" LONG X 92" H X 96" W OVERALL DIMENSIONS,	\$	\$\$
			MINIMUM 12 GALLON GALVANIZED STEEL PANEL CONSTRUCTION, FOUR 48" H X 22"D VERTICAL SIDE COMPARTMENTS PLUS ONE 24" H X 22" DEEP HORIZONTAL SIDE COMPARTMENT DOWN EACH SIDE, SHELVING PACKAGE IN EACH COMPARTMENT, FULLY ENCLOSED CANOPY TOP 146 WIDE WITH THREE FULL LENGTH 22" WIDE SHELVES DOWN EACH SIDE AND FULL HEIGHT DOUBLE REAR DOORS EACH SIDE AND FULL HEIGHT DOUBLE REAR DOORS EACH SIDE AND FULL HEIGHT DOUBLE REAR DOOR EACH SIDE. TWO INTERIOR DOME LIGHTS, SPRING OR GAS SHOCK RETAINERS ON ALL DOORS, STAINLESS STEEL DOOR LOCKS WEATHER TIGHT DOOR SEALS, 12 GAUGE REAR PLATE, STEEL FLOOR IN RECESSED DIRECTIONAL SIGNAL LIGHTS AND BACK UP LIGHTS, LICENSE PLATE LIGHT AND BRACKET. ALL ELECTRICAL WIRING IN LOOM CONDUIT, UNDERCOATED, HEAVY DUTY FULL WIDTH REAR REINFORCED TO TRUCK FRAME,COMBO-3 WAY BALL HITCH AND PINTLE HITCH ASSEMBLY WITH ELECTRIC BRAKE CONTROL PACKAGE, REAR WHEEL SPLASH GUARD FENDERS, REAR WHEEL MUD FLAPS, CONE HOLDER ON REAR BUMPER, FULL INSTALLATION ON PARISH SUPPLIED 26,000 GVWR LOW-PROFILE TRUCK CHASSIS WITH 84" CLEAR C/A DISTANCE, PRIMED AND FINISH PAINTED INSIDE AND OUTSIDE 5 MILS IMRON. FLEET WHITE.		
254	1.00	EA	0254 - TRANSFER OF PARISH OWNED USED SERVICE TRUCK CRANE THAT IS IN PROPER WORKING CONDITION FROM A USED TRUCK CHASSIS TO A NEW TRUCK CHASSIS. TRANSFER TO INCLUDE ALL SERVICES REQUIRED TO MAKE TRANSFER OF PARISH OWNED USED UNIT FULLY	\$	\$

BID NO.: 50-00143083

QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
		ADDITIONS TO LEVEL TRUCK. SERVICE BODY OR FLATBED REINFORCEMENTS ON A NEW TRUCK CRANE. ALL ELECTRICAL AND HYDRAULIC CONNECTIONS TO NEW TRUCK CHASSIS AND TOUCH UP PAINT TO ALL WORK AREAS. MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0255 - POWER INVERTER SYSTEM. 30 AMP CAPACITY, 110 VOLT AC OUTPUT INCLUDING	\$	\$\$
		200 AMP TRUCK ALTERNATOR. TWO ADDITIONAL AUXILLARY DEEP CYCLE RESERVE BATTERIES. STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING AND SPRING REWIND 20 AMP ELECTRIC REEL WITH 50 FEET OF 12 GAUGE 110 VOLT ELECTRIC CORD AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET. FULLY INSTALLED ON PARISH OWNED TRUCK.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0256 - WILTON (OR EQUAL) HEAVY DUTY MULTI-PURPOSE 6" MECHANICAL VISE	\$	\$\$
		ASSEMBLY, FULLY INSTALLED ON PARISH OWNED TRUCK AT LOCATION TO BE SPECIFIED BY USING AGENT.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0257 - HYDRAULIC TOOL CIRCUIT COMPLETE WITH TWIN HYDRAULIC LINE HOSE REEL	\$	\$
		WITH 50' HOSE EACH LINE, AIR MOTOR REWIND, FLOW CONTROL VALVES, FULLY INSTALLED AND CONNECTED TO HYDRAULIC AND AIR POWER SOURCE ON PARISH OWNED VEHICLE (HYDRAULIC POWER SOURCE TO BE SELECTED FROM APPROPRIATE COMMODITY CODE)		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0258 - SPRING REWIND AIR HOSE REEL COMPLETE WITH 4-WAY ROLLER GUIDE, 50'	\$	\$\$
		OF 3/8 DIAMETER AIR HOSE AND QUICK CONNECTOR END. RUBBER HOSE STOP AND FULLY INSTALLED AND CONNECTED TO AIR POWER SOURCE ON PARISH OWNED TRUCK.		
	1.00	1.00 EA 1.00 EA 1.00 EA	ADDITIONS TO LEVEL TRUCK. SERVICE BODY OR FLATBED REINFORCEMENTS ON A NEW TRUCK CRANE. ALL ELECTRICAL AND HYDRAULIC CONNECTIONS TO NEW TRUCK CHASSIS AND TOUCH UP PAINT TO ALL WORK AREAS. MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0255 - POWER INVERTER SYSTEM. 30 AMP CAPACITY, 110 YOLT AC OUTPUT INCLUDING 200 AMP TRUCK ALTERNATOR. TWO ADDITIONAL AUXILLARY DEEP CYCLE RESERVE BATTERES. STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING AND SPRINC REWIND 20 AMP ELECTIC CREL WITH 50 FEET OF 12 GAUGE 110 YOLT ELECTRIC CORD AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET. FULLY INSTALLED ON PARISH OWNED TRUCK. 1.00 EA 0256 - WILTON (OR EQUAL) HEAVY DUTY MULTI-PURPOSE 6" MECHANICAL VISE ASSEMBLY, FULLY INSTALLED ON PARISH OWNED TRUCK AT LOCATION TO BE SPECIFIED BY USING AGENT. 1.00 EA 0257 - HYDRAULIC TOOL CIRCUIT COMPLETE WITH TWIN HYDRAULIC LINE HOSE REEL WITH 50' HOSE EACH LINE, AIR MOTOR REWIND, FLOW CONTROL VALVES, FULLY INSTALLED AND CONNECTED TO HYDRAULIC AND AIR POWER SOURCE ON PARISH OWNED VEHICLE (HYDRAULIC POWER SOURCE TO BE SELECTED FROM APPROPRIATE COMMODITY CODE) 1.00 EA 0258 - SPRING REWIND AIR HOSE REEL COMPLETE WITH 4-WAY ROLLER GUIDE, 50' OF 3/8 DIAMETER AIR HOSE AND QUICK CONNECTED TO NUBBER HOSE STOP AND FULLY INSTALLED AND CONNECTED TO AIR	QUANTITY UM DESCRIPTION OF ARTICLES QUOTED ADDITIONS TO LEVEL TRUCK. SERVICE BODY OR FLATBED REINFORCEMENTS ON A NEW TRUCK CRANE. ALL ELECTRICAL AND HYDRAULIC CONNECTIONS TO NEW TRUCK CHASSIS AND TOUCH UP PAINT TO ALL WORK AREAS. MANUFACTURER: MANUFACTURER PART: \$

BID NO.: 50-00143083

Page 68

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
259	2.00	EA	0259 - DRAWER CABINET UNIT FOR 20" DEEP TRUCK BODY FRONT COMPARTMENT, 18"DEEP	\$	\$\$
			SERVICE TRUCK BODY FRONT COMPARTMENT, 18" W X 5" HIGH AND TWO DEEP DRAWERS ARE 16" DEEP AND 30" WIDE. FIVE 3" HIGH, TWO 5" HIGH AND TWO 7" HIGH, 250 LB CAPACITY DRAWER, FULLY INSTALLED IN PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
260	1.00	EA	0260 - HEAVY DUTY, MATERIAL HANDLING, FIGURE, KNUCKLE BOOM CRANE ASSEMBLY	\$	\$\$
			WITH 16'5" MAXIMUM SPREAD HYDRAULIC OUT AND DOWN RIGGERS, WO TELESCOPIC SECTIONS 75,000 FT-LB RATING, 26'3" MAXIMUM HORIZONTAL REACH, 33'10" MAXIMUM VERTICAL REACH, 7,165 LBS MAXIMUM CAPACITY, 2,755 CAPACITY AT MAXIMUM REACH, 4500 LB. SINGLE LINE CAPACITY PLANETARY WINCH WITH 140' OF 7/16" DIAMETER WIRE ROPE WITH SAFETY HOOK END AND SHEAVE ASSEMBLY FOR BOOM TIP HYRAULIC OVERLEAD SYSTEM, FULLY INSTALLED ON PARISH OWNED VEHICLE		
			MANUFACTURER: MANUFACTURER PART:		
261	1.00	EA	0261 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT FINISH PAINT 5	\$	\$\$
			MILS THICKNESS AND REINSTALL THE BELOW DUMP BODIES: 3 YARD DUMP BODY		
			MANUFACTURER: MANUFACTURER PART:		
262	1.00	EA	0262 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT, FINISH PAINT 5	\$	\$\$
			MILS THICKNESS AND REINSTALL THE BELOW DUMP BODY: 12 YARD DUMP BODY.		
			MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
263	1.00	EA	0263 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT, FINISH PAINT 5	\$	\$

BID NO.: 50-00143083

NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MILS THICKNESS AND REINSTALL THE BELOW DUMP BODY: 16 YARD DUMP BODY. MANUFACTURER: MANUFACTURER PART:		
264	1.00	EA	0264 - 40 CU. YD. CAPACITY ROLLOFF AND/OR HOOKLIFT TRASH CONTAINER. 22 IN	\$	\$\$
			LONG. MINIMUM 3 INCH STEEL CHANNEL FLOOR SUPPORTERS ON 12 IN. CENTERS, MINIMUM 8 GALLON STEEL SIDE CONSTRUCTION. SIDE POST SUPPORTS ON MINIMUM 32 IN. CENTERS. FULL OPENING REAR SWING DOOR WITH HOLD-BACK SAFETY LOCKING MECHANISM. PRIMED AND FINISHED. PAINTED 5 MILS. ENAMEL FLEET WHITE. UNIT TO BE COMPATIBLE WITH EXISTING JEFFERSON PARISH FLEET TRUCK. MANUFACTURER:		
265	1.00	EA	MANUFACTURER PART: 0265 - 16 CUBIC YD. CAPACITY ROLLOFF	\$	\$
			AND/OR HOOKLIFT TRASH CONTAINERS, 16 FT. LONG. MINIMUM 3 IN. STEEL CHANNEL FLOOR SUPPORTS ON 12 IN. CENTERS, MINIMUM 8 GAUGE STEEL SIDE CONSTRUCTION. SIDE POST SUPPORTS ON MINIMUM 32 IN. CENTERS. FULL OPENING REAR SWING DOOR WITH HOLD BACK SAFETY LOCKING MECHANISM. PRIMED AND PAINTED WHITE. UNIT TO BE COMPATIBLE WITH EXISTING JEFFFERSON PARISH FLEET TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
266	1.00	EA	0266 - REAR CRASH ENERGY ABSORBTION DEVICE FOR DUMP TRUCKS, FLATBED TRUCKS, ETC. CRASH EXTENUATOR TO MEET ALL CURRENT FEDERAL NCHRP 350. TEST LEVEL 3' TO INCLUDE COMPLETE INSTALLATION AND MODIFICATIONS REQUIRED TO REAR OF REAR CRASH ENERGY ABSORBTION VEHICLE TO ACCEPT CRASH. EXTENUATOR AND MAKE UNIT READY FOR WORK. MANUFACTURER: MANUFACTURER:	\$	\$
267	1.00	EA	0267 - MEDIUM DUTY WRECKER TRUCK BODY ASSEMBLY WITH UNDERLIFT ASSEMBLY RATED	\$	\$\$
			AT 12,000 LBS. RETRACTED. 16 TON		

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			RETRACTED BOOM RATING. TWO 15,000 LBS. WORM GEAR VARIABLE SPEED HYDRAULIC WINCHES WITH 1/2 IN X 150 FT. CABLE POWER FOLD STINGER. 360 DEGREE BOOM END SWIVEL POWER BOOM ELEVATION. 96 IN. WIDE BODY WITH TWO STORAGE COMPARTEMTENT PER SIDE. TUNNEL FRONT COMPARTMENT. DUAL CONTROLS. BACK UP ALARM. DUAL HYDRAULIC PUMPS. SAFETY CHAINS. FIBER GLASS FENDERS. 4 IN. RUBBER LOWER WORK LIGHTS. 6 IN. UPPER CHROME WORK LIGHTS, FRONT PUSH BUMPER. FULLY INSTALLED ON PARISH SUPPLIES. 26,000 GVWR TRUCK CHASSIS WITH 120 IN. CLEAR C/A IN READY TO WORK CONDITION. MANUFACTURER: MANUFACTURER:		
268	1.00	EA	0268 - HEAVY DUTY WRECKER TRUCK BODY	\$	\$\$
			ASSEMBLY WITH UNDERLIFT ASSEMBLY RATED AT 35,000 LBS. RETRACTED. 40 TON RETRACTED BOOM RATING. TOW 35,000 LBS. PLANETRY VARIABLE SPEED. HYDRAULIC WINCHES WITH 3/4 IN X 200 FT. CABLE. POWER FOLD STINGER, 360 DEGREE BOOM ROTATION. FRONT AND REAR OUTRIGGERS. POWER BOOM ELEVATION. 96. IN. WIDE BODY WITH FULL LENGTH STORAGE COMPARTMENTS PER SIDE. DUAL CONTROLS AND BACK UP ALARM. DUAL HYDRAULIC PUMPS. SAFETY CHAINS. FIBERGLASS FENDERS.60IN WHELEN STROBE LIGHT BAR. 4 IN. RUBBER LOWER WORK LIGHTS. FRONT PUSH BUMPER. FULLY INSTALLED ON PARISH SUPPLIED 54,000 LB. GVWR TRUCK CHASSIS WITH 156 IN. CLEAR C/A DISTANCE IN READY TO WORK CONDITION. MANUFACTURER: MANUFACTURER:		
269	1.00	EA	0269 - SERVICE TRUCK BODY TELESCOPIC TOP ASSEMBLES WITH LOCKABLE TAILGATE ENCLOSURES. INSTALLED AND PAINTED TO MATCH TRUCK FOR 96 IN. LONG BODY. MANUFACTURER:	\$	\$
270	1.00	EA	MANUFACTURER PART: 0270 - SERVICE TRUCK BODY TELESCOPIC TOP ASSEMBLES WITH LOCKABLE TAILGATE	\$	_\$
			ENCLOSURES. INSTALLED AND PAINTED TO MATCH TRUCK BODY. FOR 108 IN. LONG BODY.		

BID NO.: 50-00143083

Page 71

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
271	1.00	EA	0271 - TRUCK BODY TELESCOPIC TOP ASSEMBLES WITH LOCKABLE TAILGATE	\$	\$\$
			ENCLOSURES. INSTALLED AND PAINTED TO MATCH TRUCK BODY. FOR 132 IN. LONG BODY.		
			MANUFACTURER: MANUFACTURER PART:		
272	1.00	1.00 EA 0272 - REPLACEMENT PICK UP TRUCK BODIES TO FIT FORD, CHEVROLET, AND/OR DODGE	\$	\$\$	
			PICK UP TRUCKS INCLUDING COMPLETE TAILGATE ASSEMBLIES, INSTALLED AND PAINTED TO MATCH EXISTING VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
273	1.00	EA	0273 - HEAVY RAIL SYSTEM FOR PICK UP TRUCKS INCLUDING HYDRAULIC SYSTEM.	\$	\$\$
			STEERING WHEEL LOCK, DERAILS, MOUNTING BRACKET GROUP, SIGNAL INSTALLATION, LOCKING VALVES FOR VALVES IN HIGHWAY POSITION. RAILSWEEPS FRONT AND REAR. IN-CAB CONTROLS. WHEEL MODIFICATION GROUP INCLUDING APPROVED TIRES FOR RAIL APPLICATION. FOUR EACH CORNER STROBE LIGHTS AND COMPLETED INSTALLATION. LABOR ON PARISH OWNED TRUCK IN READY TO WORK CONDITIONS.		
			MANUFACTURER: MANUFACTURER PART:		
274	1.00	EA	0274 - OPTIONAL RAISED BOTTLE GAS STORAGE COMPARTMENT ON SERVICE TRUCK	\$	\$\$
			BODY INCLUDING GAS VENTS AND THREE BOTTLE GAS RESTRAINING BRACKETS.		
			MANUFACTURER: MANUFACTURER PART:		
275	1.00	EA	0275 - RKI MODEL SPK55240 (0R EQUAL) SPACE RACK ASSEMBLY FOR ONE TON TRUCK	\$	\$\$
			CHASSIS. TWO DOORS PER SIDE. UPPER THRU COMPARTMENT, 82 IN. W X 55 IN H X 20 FT LONG. INSTALLED AND PRINTED TO MATCH TRUCK CAB.		

BID NO.: 50-00143083

Page 72

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
276	1.00	EA	0276 - SPRING REWIND AIR HOSE REEL ASSESMBLY COMPLETE WITH 100 FT OF 3/8 IN	\$	\$\$
			DIAMETER AIR HOSE AND QUICK COUPLER END. INSTALLED AS DIRECTED IN PARISH OWNED SERVICE TRUCK, FLATBED, DUMP TRUCK, ETC.		
			MANUFACTURER: MANUFACTURER PART:		
277	1.00	EA	0277 - MANUAL REWIND DUAL WELDING LEAD ASSEMBLY COMPLETE WITH 100 FT OF	\$	\$\$
			WELDING LEADS. QUICK CONNECT ENDS. INSTALLED AS DIRECTED IN PARISH OWNED SERVICE TRUCK, FLATBED, DUMP TRUCK, ETC.		
			MANUFACTURER: MANUFACTURER PART:		
278	1.00	EA	0278 - OPTIONAL PEAKOVER ATTIC EXTENSION FOR VAN TRUCK BODIES AS	\$	\$\$
			DESCRIBED: 48' L X 24' H X 96' W. INSTALLED ON VAN TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
279	1.00	EA	0279 - REPLACEMENT REAR BUMPERS WITH REVERSE ALARM SENSORS AND CAB WARNING	\$	\$\$
			BELL FOR FORD, CHEVROLET, OR DODGE PICK UP TRUCKS INCLUDING COMPLETE INSTALLATION ON TRUCK NOT PREVIOUSLY EQUIPPED WITH THIS SYSTEM.		
			MANUFACTURER: MANUFACTURER PART:		
280	1.00	EA	0280 - POWER INVERTER SYSTEM 2000 WATT 110 VOLT AC OUTPUT, INCLUDING AUXILLARY	\$	\$\$
			DEEP CYCLE BATTERY IF NEEDED. WEATHER PROOF STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING TO ALTERNATOR. SPRING REWIND 15 AMP ELECTRIC CORD REEL WITH 50 FT. OF 12 GAUGE 110 AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET. FULLY INSTALLED IN READY TO		

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			WORK CONDITION ON PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
281	1.00	EA	0281 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LB GVWR LOWBOY TRAILER- SUSPENSION CROSS BAR SUPPORTS		
			MANUFACTURER: MANUFACTURER PART:		
282	1.00	EA	0282 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED	\$	\$\$
			20,000 T0 24,000 LB. GVWR LOWBOY TRAILER AXEL ASSEMBLIES INCLUDING HUBS AND U-BOLTS.		
			MANUFACTURER: MANUFACTURER PART:		
283	1.00	EA	0283 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$
			TO 24,000 LB GVWR LOWBOY TRAILER. SUSPENSION TORQUE ALIGNMENT RODS.		
			MANUFACTURER: MANUFACTURER PART:		
284	1.00	EA	0284 - REPAIR AND REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$
			TO 24,000 LB GVWR LOWBOY TRAILERS- LANDING GEAR INCLUDING SUPPORT BRACKETS.		
			MANUFACTURER: MANUFACTURER PART:		
285	1.00	EA	0285 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$
			TO 24,000 LB. GVWR LOWBOY TRAILER- A-FRAME TONGUE ASSEMBLIES.		
			MANUFACTURER: MANUFACTURER PART:		
286	1.00	EA	0286 - REPAIR OR REPLACEMENT ON THE FOLLOWING ITMES ON PARISH OWNED 20,000	\$	\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TO 24, 000 LB. GVWR LOWBOY TRAILER- TRAILER REAR LOADING RAMP ASSEMBLIES. MANUFACTURER: MANUFACTURER PART:		
287	1.00	EA	0287 - REPAIR OR REPLACEMENT OF THE	\$	\$
			FOLLOWING ITMES ON PARISH OWNED 20,000 TO 24,000 LBS.GVWR LOWBOY TRAILER:		
			REAR DOVETAIL ASSEMBLIES.		
			MANUFACTURER: MANUFACTURER PART:		
288	1.00	EA	0288 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LBS. GVWR LOWBOY TRAILERS- SUSPENSION CROSS BAR SUPPORTS.		
			MANUFACTURER: MANUFACTURER PART:		
289	1.00	EA	0289 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LB. GVWR LOWBOY TRAILERS- AXEL ASSEMBLIES INCLUDING HUGS AND U- BOLTS.		
			MANUFACTURER: MANUFACTURER PART:		
290	1.00	EA	0290 - SLIDE OUT DRAWER UNIT FOR FULL SIZE PICK UP TRUCK BED. MINIMUM	\$	\$\$
			OVERHAUL DIMENSIONS; 48'L X 12 2/3' X 40' W. FOUR COMPARTMENTS EACH MEASURING 45'L X 8 1/2' H X 9 3/4'W. INSTALLED IN PARISH OWNED FULL SIZE PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
291	1.00	EA	0291 - INTERIOR REAR FENDER WALL TOOL BOX ASSEMBLY PAIR. ALUMINUM TREAD PLATE	\$	\$\$
			CONSTRUCTION. BLACK ANODIZED FINISH. 55" L X 23" H X 8" W. OVERALL DIMENSIONS-THREE SLIDE OUT REAR DRAWERS INSTALLED IN PARISH OWNED FULL SIZE PICK UP TRUCK EQUIPPED WITH FIBERGLASS LID COVER OVER BED AREA.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

Page 75

QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0292 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS 19,501 LBS TO	\$	\$\$
		MANUFACTURER:		
1.00	EA	0293 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS 33,001 LBS.	\$	\$\$
		GVWR AND OVER.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0294 - PTO REBUILD OR REPLACEMENT ON EQUIPPED WITH ALLISON 2000 SERIES	\$	\$\$
		AUTOMATIC TRANSMISSION.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0295 - PTO REBUILD OR REPLACEMENT ON TRUCKS 52,000 LB GVWR AND OVER.	\$	\$\$
		TRUCKS EQUIPPED WITH ALLISON 4000 SERIES AUTOMATIC TRANSMISSION		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0296 - BULK FUEL DELIVERY TRUCK TANK ASSEMBLY SPECIFICATIONS AS FOLLOWS:	\$	\$\$
		TANK 4,500 GALLON (MINIMUM) COMPARTMENTS TWO SIZES-1,500 TO 3,000 LB TANK ELLIPTICAL DESIGN FABRICATED FROM POLISHED ALUMINUM BULKHEADS-DOUBLE BULKHEAD CONSTRUCTION HEADS ARE DISHED AND FLANGED FOR MAXIMUM STRENGTH AND TO MEET DOT MC405 REGULATIONS. UNDER FRAME EXTRUDED J-TYPE SILLS WELDED TO TANK BOTTOM. CROSS MEMBERS ARE INSTALLED TO EACH SURGE HEAD AND BULK HEAD. FLASHING-FULL LENGTH DOUBLE LEGGED. LEAK PROOF OVERTURN FAILS TO MEET DOT 406 MAY BE USED AS VAPOR RECOVERY HEADER. FLASHING DRAINS-TWO EXTERNAL 1 1/2 IN. TUBING. FILL OPENING-16 IN. MANHOLES WITH 10 IN FILL DOT MC406 APPROVED VENTING		
	1.00 1.00 1.00	1.00 EA 1.00 EA 1.00 EA 1.00 EA 1.00 EA	1.00 EA 0292 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS 19,501 LBS TO 33,000 LBS. GVWR TRUCKS. 1.00 EA 0293 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS 33,001 LBS. 1.00 EA 0293 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS 33,001 LBS. GVWR AND OVER. MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0295 - PTO REBUILD OR REPLACEMENT ON TRUCKS 52,000 LB GWWR AND OVER. 1.00 EA 0295 - PTO REBUILD OR REPLACEMENT ON TRUCKS 52,000 LB GWWR AND OVER. 1.00 EA 0295 - PTO REBUILD OR REPLACEMENT ON TRUCKS 52,000 LB GWWR AND OVER. 1.00 EA 0295 - PTO REBUILD OR REPLACEMENT ON TRUCKS 52,000 LB GWWR AND OVER. 1.00 EA 0295 - DIA REBUILD OR REPLACEMENT ON TRUCKS 52,000 DB GWWR AND OVER. 1.00 EA 0296 - BULK FUEL DELIVERY TRUCK TANK ASSEMBLY SPECIFICATIONS AS FOLLOWS: 1.00 EA 0296 - BULK FUEL DELIVERY TRUCK TANK ASSEMBLY SPECIFICATIONS AS FOLLOWS: 1.00 EA 0296 - BULK FUEL DELIVERY TRUCK TANK ASSEMBLY SPECIFICATIONS AS FOLLOWS: 1.00 EA 0296 - BULK FUEL DELIVERY TRUCK TANK ASSEMBLY SPECIFICATIONS AS FOLLOWS: 1.00 E	QUANTITY UM DESCRIPTION OF ARTICLES QUOTED 1.00 EA MANUFACTURER: MANUFACTURER PART: \$

BID NO.: 50-00143083

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LABOR, FUEL, PUMPING TESTS. BOTTOM LOADING AND VAPOR RECORDER-AIR OPERATED VENTS-SCULLY-GO-ANYWHERE-OVERFILL SENSOR GROUND BOLT OPENABLE APOL ADAPTORS WITH DUST CAPS-BRAKE INTERLOCKS-OPTICS AND THERMISTER SOCKETS INSTALLATION, DEMONSTRATION AND TRAINING. COMPLETE INSTALLATION ON PARISH SUPPLIED SUITABLE TRUCK CHASSIS IN READY TO WORK CONDITION DELIVERED TO FLEET MANAGEMENT WITH OPERATOR DEMONSTRATION AND TRAINING.		
			MANUFACTURER: MANUFACTURER PART:		
297	1.00	EA	0297 - MECHANIC'S LUBRICATION SKID ASSEMBLY. OVERHAUL DIMENSIONS ARE TO BE 36' L X 60'H X 42' W AND MUST FIT INTO STANDARD 8 FT. PICK UP BED. SKID ASSEMBLY MUST HAVE CAPABILITY TO BE LOADED WITH OFF-LOADED VIA EITHER UNDERSIDE FORKLIFT EYES FOR CRANE LIFTING. ASSEMBLY TO INCLUDE 4 SEPARATE TANKS OF 30 GALLON CAPACITY EACH FOR NEW OIL PRODUCTS. ONE TANK TO BE 60 GALLONS. TANKS ARE EQUIPPED WITH SIGHT GLASS FILL GAUGES. EACH NEW PRODUCT TANK IS TO BE EQUIPPED WITH GRACO SERIES 716 (OR EQUAL) 5 TO 1 PNEUMATIC OIL PUMPS AND REGULATRORS.WASTE OIL PRODUCTS TANKS ARE TO BE EQUIPPED WITH GRACO SERIES 716 (OR EQUAL) DIAPHRAM OIL PUMP AND REGULATOR WITH FOUR WAY RESERVING VALVE TO PUMP INTO AND OUT OF TANK. EACH NEW PRODUCT TANK IS TO BE EQUIPPED WITH A HEAVY DUTY SPRING REWIND HOSE REEL LOADED WITH 30 FT. OF HOSE AND DEFUSING END WITH COUPLER DETACHMENT. LUBE SKID ASSEMBLY IS TO POWERED BY AN INDEPENDENT AIR SOURCE DELIVERING BETWEEN 12 TO 15 D FM AT 12 LB. PSI. INDEPENDENT AIR SOURCE IN NOT TO BE INCLUDED WITH THE LUBRICATION SKID ASSEMBLY AND MUST BE AVAILABLE ON CARRYING TRUCK TO POWER THE UNIT. FIVE YEAR WARRANTY ON ALL LUBRICATION EQUIPMENT.	\$	\$
298	1.00	EA	0298 - BOTTLE GAS CYLINDER STORAGE COMPARTMENT WILL BE INSTALLED TO LEFT	\$	\$\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FRONT CORNER OF PARISH OWNED FLATBED TRUCK BODY. THREE BOTTLE CAPACITY- DIMINSIONS 36" L X 28" H X 16" D. MINIMUM 125 INCH TREADPLATE STEEL COMPARTMENT CONSTRUCTED WITH 2 1/2 INCH DIAMETER HOLE TO RECEIVE BOTTLE GAS CYLINDERS TO BE SECURED VIA HINGED MECHANICAL DOUBLE LOCKING DEVICES TO SECURE IN PLACE. STRAPS NOT ACCEPTABLE. UNIT TO BE PRIMED AND FINISHED. PAINTED FLATBED TO MATCH.		
			MANUFACTURER: MANUFACTURER PART:		
299	1.00	EA	0299 - REPLACEMENT DUMP BODY ELECTRIC/ HYDRAULIC PUMP. REPLACEMENT HEIL MODEL	\$	\$\$
			219-1553 ELECTRIC OVER-HYDRAULIC DUMP BODY PUMP ASSEMBLY. 12 VOLT DC. 2.6 GPM AT 2500 PSI CAPACITY (INCLUDES REMOVAL OF OLD PUMP).		
			MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
300	1.00	EA	0300 - REPLACEMENT VAN BODY REAR BUMPER REPLACEMENT MORGAN MODEL BSP 36022 ONE	\$	\$\$
			WAY STYLE REAR BUMPER ASSEMBLY WITH 18 INCH UPRIGHTS AND 10 IN DEEP FULL STEP (INCLUDES REMOVAL OF OLD BUMPER).		
			MANUFACTURER: MANUFACTURER PART:		
301	1.00	EA	0301 - REPLACEMENT VAN BODY SIDE DOOR FRAME. REPLACEMENT MORGAN VAN BODY	\$	\$
			MODEL SPECENGO4 MAXIMIZE SLIDING CURBSIDE DOOR, BOTTOM FRAME ASSSEMBLY (INCLUDING REMOVAL OF OLD ASSEMBLY).		
			MANUFACTURER: MANUFACTURER PART:		
302	1.00	EA	0302 - REPLACEMENT VAN BODY REAR FRAME BOTTOM HEADER. REPLACEMENT MORGAN VAN	\$	\$
			MODEL APP0110 REAR FRAME POST SUB- COMPONENT GALVANIZED STEEL FOR OVERHEAD DOOR END PLATE. INSTALLED AND PAINTED TO MATCH ORIGINAL.		
			MANUFACTURER: MANUFACTURER PART:		
303	1.00	EA	0303 - REPLACEMENT OF GLAD HANDS WITH DUST CAP ENDS FOR TRACTOR PACKAGE	\$	\$\$

BID NO.: 50-00143083

		DESCRIPTION OF ARTICLES	QUOTED	TOTALS
		INCLUDING ELBOWS AND CONNECTORS TO TRUCK AIR SYSTEM AND INSTALLATION. MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
3.00	EA	0304 - PICK UP TRUCK 8 FT. BED TRANSFERABLE TOOL STORAGE SYSTEM	\$	_\$
		INCLUDING FULL LENGTH TPX ALUMINUM SIDE BOXES. 1000 LB. CAPACITY SLIDE OUT DRAWER BED. 2000 LB. FLOOR CAPACITY ABOVE DRAWER. FORKLIFT TUNNELS FOR EASE OF REMOVAL AND TRANSFER TO OTHER TRUCK. DOUBLE LOCKING COMPARTMENTS.HEADACHE RACK AND 2000 LB. LIFTING JACKS FOR EASE OF REMOVAL AND STORAGE WHEN SYSTEM IS NOT BEING TRANSFERRED. INSTALLATION IN PARISH OWNED 3/4 TON PICK UP TRUCK WITH 8 FT. OF BED.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0305 - REMOVAL AND INSTALLATION OF NEW TRUCK WINCH CABLE. 7/8 IN. DIAMETER X	\$	\$\$
		150 FT. HIGH TENSILE CABLE WITH 4 FT. TAILCHAIN AND HOOKEND. MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0306 - HEAVY DUTY SERVICE TRUCK BODY RACK, DOUBLE 2-HIGH LENGTH. ROUND TUBE	\$	\$\$
		FRAMING, FULL LENGHT OF PICK UP, BODY AND EXTENDING TO WINDSHIELD. 51 INCH INSIDE WIDTH. FOUR 2 IN. SQUARE CROSSBAR WELDED TIE DOWN CLEATS. PAYLOAD CAPACITY BLACK COLOR. TO FIT ALL FULL SIZED DOMESTIC SERVICE BODY TRUCKS. MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0307 - REMOVE AND REBUILD OR REPLACE DEFECTIVE HYDRAULIC MOTOR ASSEMBLY ON	\$	\$
		AUTO CRANE MODEL 4004H OR 6404H SERVICE.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0308 - REMOVE AND REPLACE DAMAGED PENDANT CONTROL ASSEMBLY ON AUTO CRANE	\$	\$
	1.00	1.00 EA 1.00 EA 1.00 EA	TRUCK AIR SYSTEM AND INSTALLATION. MANUFACTURER: MANUFACTURER: <td>1.00 EA 0304 - PICK UP TRUCK 8 FT. BED \$</td>	1.00 EA 0304 - PICK UP TRUCK 8 FT. BED \$

BID NO.: 50-00143083

Page 80

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MODEL 3203 TRUCK SERVICE CRANE.		
			MANUFACTURER PART:		
309	1.00	EA	0309 - REMOVE, REBUILD OR REPLACE DEFECTIVE WINCHBRAKE ASSEMBLY ON AUTO	\$	\$\$
			CRANE MODEL 4004 OR 6404 SERVICE CRANE. MANUFACTURER:		
			MANUFACTURER PART:		
310	1.00	EA	0310 - DUMP TRUCK BODY FLOOR REPLACEMENT OVERLAY 1/4 IN. HIGH TENSILE STEEL	\$	\$\$
			SOLID WELDED AND FLASHED. 12 IN. UP SIDES. PRICE PER LINEAR FOOT OF DUMP BODY.		
			MANUFACTURER: MANUFACTURER PART:		
311	10.00	EA	0311 - BACK UP CAMERA WITH REAR VIEW SYSTEM COMPLETE WITH 7 INCH WIDE PANEL	\$	\$\$
			CLAM SHELL TYPE MONITOR WITH HEAVY DUTY COLOR LCD PANEL. WHITE LED BACK LIGHT. 16 TO 9 ASPECT RATIO. 300 TO 1 CONTRAST RATIO; 500 NITE BRIGHTNESS. VIEW ANGLE (V/H) 100/120. ANTIGLARE AND ANTISCRATCH PROTECTIVE LENS. INTERGRATED AUDIO SPEAKER. AUTO DAY/NIGHT BRIGHTNESS MODE OPTIONS TO FIT TRUCKS AND/OR DRIVER PREFERENCE. CAMERA ENCLOSED IN RUGGED WATERPROOF DIE CAST ALUMINUM HOUSING. MICROPHONE, STAINLESS STEEL HARDWARE, U/V WEATHER RESISTANT CABLE WITH WATER TIGHT FITTINGS. INSTALLED ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
312	5.00	EA	0312 - REVERSE PROXIMITY ALARM SYSTEM TO ALERT THE DRIVER TO THE PRESENCE AND	\$	\$\$
			DISTANCE OF OBSTACLES WHILE REVERSING. 15 FOOT RANGE. MINIMUM OF FOUR SENSORS. AUDIBLE BEEP ALARM TO SOUND IN CAB WITH INCREASING FREQUENCY AS DISTANCE DECREASES,CONTINUOUS ALARM TO SOUND AT ONE FOOT AWAY. LCD SCREEN IN CAB DISPLAYS DISTANCE FROM OBSTACLES IN FEET. THREE VOLUME LEVELS FOR SPEAKER. WATERPROOF. INSTALLED ON PARISH OWNED VEHICLE.		

BID NO.: 50-00143083

Page 81

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
313	1.00	EA	0313 - HEAVY DUTY FLIP TOP SERVICE TRUCK BODY FOR A 56 INCH C/A SINGLE WHEEL	\$	\$\$
			TRUCK. 96 IN L X 80 IN W X 41.5 IN H. SIX COMPARTMENTS. 14 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GALLON TREADPLATE STEEL FLOORS. HEAVY DUTY REAR BUMPERS. FMVSS 108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
314	1.00	EA	0314 - HEAVY DUTY FLIP TOP SERVICE TRUCK FOR A 60 INCH C/A DUAL WHEEL TRUCK.	\$	\$\$
			108 IN L X 94 IN W X 41.5 IN H. SIX COMPARTMENTS PLUS TWO FLIP TOP COMPARTMENTS. 14 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATED STEEL FLOOR. HEAVY DUTY REAR BUMPER, FMVSS 108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
315	1.00	EA	0315 - HEAVY DUTY FLIP TOP SERVICE TRUCK BODY FOR AN 84 IN C/A DUAL WHEEL TRUCK. 132 IN L X94 IN W X 41.5 IN H. EIGHT COMPARTMENTS PLUS TOW FLIP TOP COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATED STEEL FLOOR. HEAVY	\$	\$
			DUTY REAR BUMPER. FMVSS 108 RECESSED LIGHTS. TAILGATE, UNDERCOAT, PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER PART:		
316	1.00	EA	0316 - 16 FT. INSULATED ALUMINUM REFRIGERATED VAN TRUCK BODY FOR	\$	\$\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TRANSPORTING FOOD PRODUCTS. MINIMUM INTERIOR HEIGHT 85 IN. INTERIOR WIDTH 89 IN. NON-SLIP EXTRUDED ALUMINUM FLOOR 12 IN. HIGH SCUFF LINER ON THE SIDES AND FRONT WALL. KEMLITE LINING ON THE CEILING, SIDES, AND FRONT WALL. PRE- PAINTED WHITE ALUMINUM EXTERIOR PANELS. 3 IN POLYURETHANE IN THE FRONT WALL AND FLOOR. DIESEL POWERED REFRIDGERATION UNIT WITH AUTOMTATIC CAB CONTROLS AND 220 VOLT ELECTRIC STAND-BY. CAPABLE OF MAINTAINING 0-35 DEGREES. FULL WIDTH, DOUBLE REAR STAMP BUMPER, INTERIOR DOME LIGHTS, FLAPS AND COMPLETE INSTALLATION WITH 5/8 IN U-BOLTS AND WOODEN CUSHION STRIPS. CHASSIS FRAME EXTENDED TO THE REAR OF THE BODY AND THE FRAME. BUMPER PAINTED BLACK.		
317	1.00	EA	0317 - CONFINED SPACE RESCUE/RECOVERY SYSTEM WO-CSR TO WORK WITH A WESTERN MULE BUMPER CRANE. REQUIRED WHEN USING	\$	\$
			THE CRANE AS A MAN-LIFT. INCLUDES WO-14 ROTATION LOCK. WO-14 FALL ARRESTOR BOOM ATTACHMENT ANCHOR PIN. WO-23 65 FT X 3/16 IN GALVANIZED LIFTING CABLE. R50G QUICK ATTACHED HAND CRANK OPERATOR RECOVERY WINCH/FALL ARRESTOR WITH 50 FT. LIFELINE.		
			MANUFACTURER: MANUFACTURER PART:		
318	1.00	EA	0318 - HEAVY DUTY WINDOW GRILL. PAINTED WHITE. SOLID PLATE AND TUBE. LOUVERED	\$	\$\$
			COVERINGS WITH CUT OUT FOR REAR VEHICLE LIGHT. INSTALLATION ON A PARISH OWNED PICK UP TRUCK IN READY TO WORK CONDITION.		
			MANUFACTURER: MANUFACTURER PART:		
319	1.00	EA	0319 - SIDE REFUSE LOADER. 28 CU. YD CAPACITY. 900 LB. PER CUBIC YARD	\$	\$\$
			COMPACTION. 8 SECOND LIFT CYCLE TIME. LIFT REACH 9 FT. 1250 LBS. @ HOPPER. 2500 PSI TANDEM VANE-TYPE 28 GPM PUMP. WORKING RPM 800. 50 GA. HYDRAULIC RESERVOIR CHASSIS FRAME MOUNTED WITH		

Page

BID NO.: 50-00143083

SEALED BID

83

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			3 MICRON RETURN FILTERS AND 140 MICRON SUCTION FILTERS. PACKING CONTROL VALVES LOCKING AND BODY RAISE. ALL AIR OPERATED TOGGLE SWITCH. ADDITIONAL REQUIREMENTS FOR TRUCK CHASSIS-425 FT. LBS. RECOMMENDED. ENGINE TORQUE AT PUMP SHAFT AT IDLE. 130 AMP MINIMUM ALTERNATOR. NEUTRAL SIGNAL BRAKE SINGAL AND R-STATOR SIGNAL. DEDICATED FOR BODY BUILDER USE IN CAB. HOPPER LOADING HEIGTH 190 IN. OVERALL UNIT LENGTH 284 IN. OVERALL UNIT WIDTH-96 IN. OVERALL UNIT HEIGHT ABOVE CHASSIS FRAME 103 IN. APPROXIMATELY 9900 LBS. UNIT WEIGHT. AUTOMATED PYTHON LIFT. DURA MOUNT DESIGN JOYSTICK CAB CONTROLS 60/90 GALLON BELT GRABBERS. OPERATED IN REAR AT IDLE. CONSTANT DUTY PTO.PETERSON MULIT FUNCTION EMERGENCY LIGHTS ON TALGATE. LED LIGHTS FOR ENTIRE UNIT. REMOTE LIFT CONTROLS MOUNTED UNDER PASSENGER SEAT. MUD FLAPS AHEAD OF REAR TIRES. MANUAL HOPPER COVER 20 LB FIRE EXTINGUISHER. REAR "CAUTION" DECAL MOUNTED ON TAILGATE TRIPLE CAMERA SYSTEM CM 1 IN. HOPPER. CAMERA 2 ON TAILGATE CAM 3 ON ARM. BODY SERVICE HOIST LIFT ALLOWS BODY TO BE RAISED OFF OF FRAME RAIS TO ACCESS CHASSIS FOR SERVICE WITH COMPLETE INSTALLATION ON PARISH OWNED 58,000 LB. GVWR TRUCK CHASSIS. FRONT AXEL 18,000 IN C/T DISTANCE AND C.E. WHEELBASE OF 212 IN.		
320	1.00	EA	0320 - ADRIAN (OR EQUAL) MODEL 43818TM130 HVAC PACKAGE FOR TRANSIT. INTERIOR STORAGE BINS, CABINETS,	\$	\$\$
			DRAWERS AND SHELVING. MANUFACTURER: MANUFACTURER PART:		
321	1.00	EA	0321 - ADRIAN MODEL 2256 (OR EQUAL)	\$	\$\$
			GENERAL CONTRACTOR COMBINATION INTERIOR STORAGE BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE		
			MANUFACTURER: MANUFACTURER PART:		
322	1.00	EA	0322 - ADRIAN MODEL 2251 (OR EQUAL)	\$	\$\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PLUMBING & HEATING COMBINATION STORAGE INTERIOR BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE. MANUFACTURER: MANUFACTURER PART:		
323	1.00	EA	0323 - ADRIAN MODEL 4317TM130 (OR EQUAL)	\$	\$\$
			GENERAL SERVICE PACKAGE FOR TRANSIT. INTERIOR STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		
			MANUFACTURER: MANUFACTURER PART:		
324	1.00	EA	0324 - ADRIAN MODEL 4319TM130 (OR EQUAL)	\$	\$\$
			ELECTICAL PACKAGE FOR TRANSIT, INTERIOR STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		
			MANUFACTURER: MANUFACTURER PART:		
325	1.00	EA	0325 - ADRIAN (OR EQUAL) GENERAL SERVICE PACKAGE FOR A TRANSIT CONNECT.	\$	\$\$
			INTERIOR STORAGE BINS, CABINETS, DRAWERS AND SHELVING		
			MANUFACTURER: MANUFACTURER PART:		
326	1.00	EA	0326 - ADRIAN (OR EQUAL) DOUBLE DROP DOWN LADDER RACK.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
327	1.00	EA	0327 - ADRIAN (OR EQUAL) DOUBLE GRIP LOCK LADDER RACK. PAINTED WHITE	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
328	1.00	EA	0328 - ADRAIN (OR EQUAL) PLUMBING PACKAGE FOR A TRANSIT CONNECT, INTERIOR	\$	\$
			STORAGE BINS, CABINETS, DRAWERS AND		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SHELVING. MANUFACTURER: MANUFACTURER PART:		
329	1.00	EA	0329 - ADRIAN (OR EQUAL) ELECTRICAL PACKAGE FOR A TRANSIT CONNECT. INTERIOR	\$	\$\$
			STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		
			MANUFACTURER: MANUFACTURER PART:		
330	1.00	EA	0330 - ADRIAN (OR EQUAL)DOUBEL GRIP LOCK LADDER BACK, PAINTED WHITE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
331	1.00	EA	0331 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS-8,500 LB TO	\$	\$\$
			19,500 LB. GVWR TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
332	1.00	EA	0332 - WRECKER TRUCK BODY ASSEBMLY WITH INTERGRATED BOOM AND UNDERLIFT.	\$	\$\$
			ASSEMBLY AND HYDRAULIC SPADES ON THE REAR. 12 TON RETRACTED BOOM RATING, 3 TON EXTENDED BOOM RATING, TOW 6 TON WORM GEAR VARIABLE SPEED HYDRAULIC WINCHES WITH 7/17 IN. X 100 FT. CABLE POWER FOLD FOR STINGER, 360 DEGREE BOOM END SWIVEL, POWER BOOM ELEVATION,90 IN. WIDE BODY WITH TOW STORAGE COMPARTMENT,DUAL CONTROLS. BACK UP FENDERS. 60 IN. WHELEN STROBE LIGHT BAR. 4 IN. RUBBER LOWER WORK LIGHTS, 6 IN. UPPER CHROME WORK LIGHTS, 4 SWITCH IN-DASH PANE, HEAVY DUTY DELUXE FRONT PUSH BUMPER. INSTALLED ON 15,000 TO 19,000 GVWR TRUCK WITH 84 IN. C/A DISTANCE SUPPLIED BY THE PARISH.		
			MANUFACTURER: MANUFACTURER PART:		
333	1.00	EA	0333 - HYDRAULIC OIL (H32) SOLD BY THE GALLON FOR USE ON REPAIRS OF	\$	\$\$
			TRUCK WET KIT SYSTEMS.		

BID NO.: 50-00143083

Page 86

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
334	1.00	EA	0334 - VERSA-LIFT MODEL NUMBER VST40-I ARIAL DEVICE. HORIZONTAL REACH	\$	\$\$
			OF 30"4. WORKING HEIGHT OF 45'4 BUCKET CAPACITY OF 400 LBS. STOWED TRAVEL HEIGHT OF TEN FEET SIX INCHES. WEIGHT OF LIFT-3,300 LBS. BASED ON 40 INCH FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 46.25. HYDRAULIC SYSTEM OPERATING PRESSURE OF 3000 PSI, FLOW RATE 6 GPM, FILTRATION 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/PUMP BOOM ACTION OUTER,INNER BOOM +87 DEGREES. CONTINUOUS. INSULATION GAP-UPPER BOOM FULLY RETRACTED 46", LOWER BOOM 12 INCHES. ONE SET OF OPERATOR AND SERVICE MAINTENANCE MANUALS PAINTED JEFFERSON PARISH WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL FACTORY WARRANTY.		
			MANUFACTURER: MANUFACTURER PART:		
335	1.00	EA	0335 - VERSA LIFT MODEL SST-37 EIH AERIAL DEVICE. HORIZONTAL REACH OF 27"9, WORKING HEIGHT OF 42', BUCKET CAPACITY OF 300 LBS. STOWED TRAVEL HEIGHT OF TEN FEET, FOUR INCHES. WEIGHT OF LIFT-3,100 LBS. BASED ON 40 INCH FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 46'25' TALL. HYDRAULIC SYSTEM OPERATING PRESSURE OF 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/PUMP BOOM ACTION OUTER/INNER BOOM TRAVEL- 14 DEGREES TO +74 DEGREES, LOWER BOOM TRAVEL-7 DEGREES TO VERTICAL,INNER BOOM EXTENSION OF 116', ROTATION 370 DEGREES NON CONTINUOUS. INSULATION GAP-UPPER BOOM 12 INCES, ONE SET OF OPERATOR AND SERVICE MAINTENANCE MANUALS PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL FACTORY WARRANTY. MANUFACTURER: MANUFACTURER PART:	\$	\$
336	1.00	EA	0336 - VERSA-LIFT MODEL SST-40 IEH ARIAL DEVICE, HORIZONTAL REACH OF 29'9, WORKING HEIGHT OF 45', BUCKET CAPACITY OF 450 LBS., STOWED TRAVEL HEIGHT OF	\$	\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	QUOTED	TOTALS
			10 FEET FOUR INCHES. WEIGHT OF LIFT 3,100 LBS BASED ON 40" FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 46.25 INCHES, HYDRAULIC SYSTEM OPERATING PRESSURE OF 2250 PSI, FLOW RATE 3 GPM, FILTRATION 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/ PUMP. BOOM ACTION OUTER/INNER BOOM TRAVEL-14 DEGREES TO +74 DEGREES,LOWER BOOM TRAVEL IS -5 DEGREES TO VERTICAL, INNER BOOM EXTENSION 116 INCHES,ROTATION 370 DEGREES NON CONTINUOUS, INSULATION GAP-UPPER BOOM FULLY RETRACTED 42 INCHES AND LOWER BOOM 12 INCHES. ONE SET OF OPERATOR AND SERVICE MANUALS, PAINTED JEFFERSON PARISH WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL WARRANTY.		
			MANUFACTURER: MANUFACTURER PART:		
337	1.00	EA	0337 - VERSA-LIFT MODEL VO-255-REAR ARTICULATED OVER CENTER AERIAL DEVICE	\$	\$\$
			HORIZONTAL REACH OF 46"2,WORKING HEIGHT OF 59'10, BUCKET CAPACITY OF 450 LBS. STOWED TRAVEL HEIGHT OF ELEVEN FEET THREE INCHES. WEIGHT OF LIFT 5,500 LBS. BASED IB 40" FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 46.25" TALL, HYDRAULIC SYSTEM OPERATING PRESSURE OF 2900 PSI. FLOW RATE 7 GPM, FILTRATION 10 MICRON, 100 MESH. SUCTION SYSTEM TYPE OPEN CENTER. POWER SOURCE PTO/PUMP, INSUALATION UPPER 214", INSULATION UPPER 18", UPPER BOOM ARTICULATION 270 DEGREES, LOWER BOOM ARTICULATION 125 DEGREES. ONE SET OF OPERTATOR AND SERVICE MANINTENANCE MANUALS. PAINTED JEFFERSON PARISH WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL FACTORY WARRANTY. MANUFACTURER: MANUFACTURER PART:		
338	1.00	EA	0338 - VERSA-LIFT MODEL NUMBER VST47-I AERIAL DEVICE. HORIZONTAL REACH OF	\$	\$\$
			30'9, WORKING HEIGHT OF 51'4, BUCKET CAPACITY OF 600 LBS. STOWED TRAVEL HEIGHT OF TEN FEET SIX INCHES. WEIGHT OF LIFT 3,580 LBS. BASED ON 40" FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 52.25", RATE 6 GPM, FILTRATION 10 MICRON, 100		

BID NO.: 50-00143083

Page 88

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MESH SUCTION, SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/PUMP, BOOM ACTION OUTER/INNER BOOM TRAVEL IS -25 DEGREES, OPERATIONAL DECAL. ONE YEAR FULL WARRANTY. MANUFACTURER: MANUFACTURER PART:		
339	1.00	EA	0339 - VERSA-LIFT MODEL NUMBER VST52-I AERIAL DEVICE. HORIZONTAL REACH OF 30'4	\$	\$\$
			WORKING HEIGHT OF 55'6, BUCKET CAPACITY OF 600 LBS. STOWED TRAVEL HEIGHT OF 10 FEET, 6 INCHES. WEIGHT OF LIFT 3,760 LBS BASED ON 40" FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 52.25", ONE HYDRAULIC SYSTEM OPERATING PRESSURE OF 3000 PSI, FLOW RATE 6 GPM, FILTRATION 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER,POWER SOURCE PTO/PUMP, BOOM ACTION TO OUTER/INNER BOOM TRAVEL OF -25 DEGREES TO +85 DEGREES, LOWER BOOM TRAVEL O DEGREES TO +84 DEGREES, INNER BOOM EXTENSION 53", ROTATION 360 CONTINUOUS, INSULATION GAP-UPPER BOOM FULLY RETRACTED 52',LOWER BOOM 121", ONE SET OPERATOR AND SERVICE MAINTENANCE MANUALS, PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS ONE YEAR FULL FACTORY WARRANTY. MANUFACTURER: MANUFACTURER PART:		
340	1.00	EA	0340 - VERSA-LIFT OPTION FOR JIB & WINCH FOR VARIOUS VERSA-LIFT AERIAL DEVICES. MANUFACTURER:	\$	\$\$
			MANUFACTURER PART:		
341	1.00	EA	0341 - ONE SET OF VERSA-LIFT OPTIONS FOR FULL HYDRAULIC OUTRIGGER FOR VARIOUS VERSA-LIFT AERIAL DEVICES. MANUFACTURER: MANUFACTURER PART:	\$	\$
342	1.00	EA	0342 - ONE VERSA-LIFT OPTION FOR FULL LENGTH SUB-FRAME FOR VARIOUS VERSA-LIFT AERIAL DEVICES. WEIGHT- 1000 LBS. MANUFACTURER: MANUFACTURER PART:	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

Page 89

QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1.00	EA	0343 - ONE VERSA-LIFT OPTION FOR FULL HYDRAULIC BUCKET ROTATION FOR VARIOUS	\$	\$\$
		VERSA-LIFT AERIAL DEVICES.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0344 - BUYERS REMOTE CONTROLLED SPOT LIGHT (LED) MOUNTED ON CUSTOM STEEL	\$	\$\$
		OR ALUMINUM BRACKET IN CONJUCTION WITH AN EXISTING HEADACHE RACK OR LADDER RACK		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0345 - SKAVIN-JER MODEL NUMBER SPLS PARKING LOT SWEEPER MACHINE TO MOUNT ON	\$	\$\$
		A ONE TON TRUCK WITH A 60" C/A AND SINGLE REAR WHEELS. INCLUDES HOPPER LIFTING MACHINE/MAINFRAME, SWEEPING HEAD SWEEPER AUX ENGINE, BLOWER,INSIDE CABIN SWEEPER CONTROLS AND THE FOLLOWING ADDITIONAL EQUIPMENT: AMBER LED BEACON LIGHT, FRESH AIR BLOWER BACK PACK AND BLOWER STORAGE, REAR BUMPER, LOCKING TOOL BOX, ONE SET OF OPERATOR AND SERVICE MANUALS. PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE FULL YEAR FACTORY WARRANTY.		
1.00	EA	MANUFACTURER: MANUFACTURER PART: 0346 - WRECKER TRUCK BODY SMALL.	\$	\$
		STANDARD FEATURES: WIRED 10 FUNCTION IN- CAB REMOTE CONTROL WITH CARBON STEEL SIDES. ONE PAIR OF SAFETY STRAPS. 26' STEEL PYLON. SAFETY CHAINS IN REAR POCKET.POWER ELEVATION. 360 SHEAVE HEAD. CABLE TIE BACKS. PLANETARY WINCH. CABLE TENSIONER. MANAUL WINCH FREE SPOOL. HYDRAULIC FOLD, 2-STAGE DESIGN. LOW PROFILE HYDRAULIC CROSS BAR. ADJUSTABLE MODULARE BODY WITH RUBBER MOUNTING INSULATORS. TOOL COMPARTMENT LIGHTING. DRIVER & PASSENGER SIDE STORAGE		
	1.00	1.00 EA 1.00 EA 1.00 EA 1.00 EA	1.00 EA 0343 - ONE VERSA-LIFT OPTION FOR FULL HYDRAULIC BUCKET ROTATION FOR VARIOUS VERSA-LIFT AERIAL DEVICES. MANUFACTURER : MANUFACTURER PART: 1.00 EA 0344 - BUYERS REMOTE CONTROLLED SPOT LIGHT (LED) MOUNTED ON CUSTOM STEEL OR ALUMINUM BRACKET IN CONJUCTION WITH AN EXISTING HEADACHE RACK OR LADDER RACK MANUFACTURER : MANUFACTURER : MANUFACTURER MODEL NUMBER SPLS PARKING LOT SWEEPER MACHINE TO MOUNT ON A ONE TON TRUCK WITH A 60° C/A AND SINGLE REAR WHEELS. INCLUDES HOPPER LIFTING MACHINE/MAINFRAME, SWEEPING HEAD SWEEPER CONTROLS AND THE FOLLOWING ADDITIONAL EQUIPMENT: AMBER LED BEACON LIGHT, FRESH AR BUOWER BACK PACK AND BLOWER STORAGE, REAR BUMPER, LOCKING TOOL BOX, ONE SET OF OPERATOR AND SERVICE MANUALS. PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE FULL YEAR FACTORY WARRANTY. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0346 - WRECKER TRUCK BODY SMALL. MODEL 810 VULCAN. STANDARD FEATURES: WIRED 10 FUNCTION IN- CAB REMOTE CONTROL WITH CARBON STEEL SIDES. ONE PAIR OF SAFETY STRAPS. 26° STEEL PYLON. SAFETY CHAINS IN REAR POCKET.POWER ELEVATION. 305 SHEAVE HEAD. CABLE TIE BACKS. PLANETARY WINCH. CABLE TENSIONER. MANUL WINCH FREE SPOOL. HYDRAULIC CROSS BAR. ADJUSTABLE MODULARE BODY WITH RUBBER MOUNTING NOULLARE BODY WITH RUBBER MOUNTING INSULATORS. TOAL COMARTIMENT LIGHTING. DRIVER & PASSENGER SIDE STORAGE COMPARTIMENTS. REMOVABLE ACCESS COVER FOR HYDRAULIC FILTER SERVICE. LEGEND 10 LED LIGHT BAR (61°). BACK UP ALARM, MUD FLAPS. FOR USE ON A 60° CA A MOUDEL LIGHT BAR (61°). BACK UP ALARM, MUD	1.00 EA 0343 - ONE VERSA-LIFT OPTION FOR FULL HYDRAULIC BUCKET ROTATION FOR VARIOUS \$

BID NO.: 50-00143083

Page 90

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LBS. MANUFACTURER: MANUFACTURER PART:		
347	1.00	EA	0347 - WRECKER TRUCK BODY, SMALL MODEL 311 EXPRESS WITH CARBON STEEL	\$	\$\$
			SIDES. 88" X 24" CARBON STEEL SADDLE BOX 24" STEEL PYLON. LED WORK LIGHTS. WIRELESS TOW LIGHTS 21", 10 HEAD LED BAR 60" FOR USE ON 60" C/A TRUCK CHASSIS WITH A SUGGESTED GVWR OF 19,500 LBS.		
			MANUFACTURER: MANUFACTURER PART:		
348	1.00	EA	0348 - WRECKER TRUCK BODY SMALL, MODEL 311 EXPRESS WITH 24" TUNNEL BOX	\$	\$\$
			WITH CARBON STEEL SIDES. 88" X 24" CARBON STEEL SADDLE BOX. 24" STEEL PYLON LED WORK LIGHTS. WIRELESS TOW LIGHTS 21" 10 HEAD LED BAR 60" FOR USE ON AN 84" C/A TRUCK CHASSIS WITH A SUGGESTED GVWR OF 19,500 LBS.		
			MANUFACTURER: MANUFACTURER PART:		
349	1.00	EA	0349 - REPLACEMENT DUMP BODY HOIST- WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$
			HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY. PAINTED BLACK AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
350	1.00	EA	0350 - REPLACEMENT DUMP BODY HOIST- WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$
			HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY). PAINTED BLACK AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
351	1.00	EA	0351 - 5000 POUND CRANE ELECTRIC OVER HYDRAULIC, POWER EXTENSION TO 20'4	\$	\$
			(6.2M). EASE OF USE-FULL CONTINUOUS POWER ROTATION 370 DEGREES MOVEMENT FOR MAXIMUM VERSITILITY IN LIFTING.		

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			CAPABLE OF LIFTING AT 100% IN ALL POSITIONS. INSTALLED ON TITAN CRANE BODIES WITHOUT OUTRIGGERS. MAXIMIZED CAPACITY FOR LIFTING. 14 DEGREES TO +75 DEGREES BOOM ELEVATION. SMALL SHEAVE HARD WIRE REMOTE CONTROL PENDANT. CRANE WEIGHT: 1,455 LBS. SINGLE LINE SPEED 36 FT. PER MINUTE. 80' OF 5/16' AIRCRAFT CABLE. STOWED BOOM LENGTH 13'1". FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED. CRANE REQUIRES THE FOLLOWING: 14,500 GVWR MINIMUM TRUCK SIZE. CRANE WEIGHT: 1,455 LBS. (627 KG), EXTENDED BOOM LENGHT 20'4 (6.2M), WIDTH 1'96" (55M), HEIGHT-2'11.75 (.90M), BASE PLATE DIMENSIONS 16.75" X 16.75" (0.43M X.43M). BOOM DOWN-33-41 SECONDS (FULL STROKE OF CYLINDER). BOOM RETRACT 33-41 SECONDS. MOTOR 2.5HP. 24V DC ELECTRIC HOIST MOTOR, BATTERY INFO: 575 AMP COLD CRANKING RATING NEEDED. 130 MINUTE RESERVE CAPACITY, MAINTENANCE TYPE BATTERY REQUIRED FOR 12/24 VOLT DC OPERATION. 75 AMP MINIMUM TRUCK ALTERNATOR REQUIRED. TWO BATTERIES REQUIRED ON TRUCK TO OPERATE CRANE.		
352			MANUFACTURER: MANUFACTURER PART:		
332	1.00	EA	0352 - HEIL MODEL SL 16 YD. 16"L HEAVY DUTY TRASH DUMP BODY ASSEMBLY WITH 1/4" FLOOR, SINGLE REAR SWING GATE (GATE TO SWING AND LATCH ON THE DRIVER'S SIDE WALL). INSTALLED. MANUFACTURER: MANUFACTURERS PART:	۶	\$
353	1.00	EA	0353 - FEDERAL SIGNAL RED AND WHITE LIGHT BAR LOW PROFILE DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART:	\$	\$\$
354	1.00	EA	0354 - FEDERAL SIGNAL PATH FINDER HAND HELD REMOTE WITH CURLY CORD CONTROLLER INSTALLED IN CAB OF VEHICLE FOR CONTROL OF MPS LIGHTS, LIGHT BARS & SIREN AND/ OR SPEAKER USE. MANUFACTURER: MANUFACTURER PART:	\$	\$
355	1.00	EA	0355 - FEDERAL SIGNAL RED AND WHITE MPS TYPE FLASHING LIGHT LOW PROFILE	\$	\$\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART:		
356	1.00	EA	0356 - FEDERAL SIGNAL BLUE AND WHITE MPS TYPE FLASHING LIGHT LOW PROFILE	\$	\$\$
			DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER:		
357	1.00	EA	MANUFACTURER PART: 0357 - FEDERAL SIGNAL RED, WHITE AND BLUE MPS TYPE FLASHING LIGHT LOW	\$	\$\$
			PROFILE DESIGN. INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART:		
358	1.00	EA	0358 - FEDERAL SIGNAL BLUE AND WHITE LIGHT BAR LOW PROFILE DESIGN,INSTALLED IN READY TO WORK CONDITION ON PARISH	\$	\$\$
			OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART:		
359	1.00	EA	0359 - TIGER CRANE MODEL 2081E ELECTRIC CRANE INSTALLED. MANUFACTURER:	\$	\$
360	1.00	EA	MANUFACTURER PART: 0360 - TIGER CRANE MODEL 3216E ELECTRIC INSTALLED.	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
361	1.00	EA	0361 - TIGER CRANE MODEL 4016E ELECTRIC INSTALLED. MANUFACTURER:	\$	\$\$
362	1.00	EA	MANUFACTURER PART: MANUFACTURER PART: 0362 - TIGER CRANE MODEL 2060 ELECTRIC CRANE. INSTALLED.	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
363	1.00	EA	0363 - TIGER CRANE MODEL 2085 ELECTRIC CRANE, INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
364	1.00	EA	0364 - TIGER CRANE MODEL 2082TB TALL BASES ELECTRIC CRANE INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
365	1.00	EA	0365 - TIGER CRANE MODEL 3216EP PROPORTIONAL CONTROL ELECTRIC CRANE.	\$	\$\$
			MANUFACTUER: MANUFACTURER PART:		
366	1.00	EA	0366 - TIGER CRANE MODEL 4016EP PROPORTIONAL CONTROL ELECTRIC CRANE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
367	1.00	EA	0367 - TIGER CRANE MODEL 5032E ELECTRIC CRANE INSTALLED.	\$	\$\$
368	1.00	EA	0368 - TIGER CRANE MODEL 5032EP PROPARTIONAL CONTROL ELECTRIC CRANE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
369	1.00	EA	0369 - TIGER CRANE MODEL 6542E ELECTRIC CRANE INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
370	1.00	EA	0370 - TIGER CRANE MODEL 6542EP PROPORTIONAL CRANE INSTALLED.	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

Page 94

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
371	1.00	EA	0371 - TIGER CRANE MODEL 5032 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
372	1.00	EA	0372 - TIGER CRANE MODEL 6542 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
373	1.00	EA	0373 - TIGER CRANE MODEL 8652 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE. INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
374	1.00	EA	0374 - TIGER CRANE MODEL 1061 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE. INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
375	1.00	EA	0375 - TIGER CRANE MODEL 1069 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE. INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
376	1.00	EA	0376 - TIGER CRANE MODEL 1593 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE. INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
377	1.00	EA	0377 - VANAIR MODEL AIR N ARC 150 20 HP INSTALLED.	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER:		
			MANUFACTURER PART:		
378	1.00	EA	0378 - VANAIR MODEL AIR N ARC 300 DIESEL INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
379	1.00	EA	0379 - VANAIR MODEL AIR N ARC 300 GAS INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
380	1.00	EA	0380 - VANAIR MODEL D80 GAS DRIVEN INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
381	1.00	EA	0381 - VANAIR MODEL D80 DIESEL DRIVEN INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
382	1.00	EA	0382 - VANAIR MODEL JUMPPACK 12-10000- 002T, 12 VOLT 10K AMPS SUPPLY	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
383	1.00	EA	0383 - VANAIR MODEL JUMPPACK 12-24 (12 AND 24 VOLT) SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
384	1.00	EA	0384 - STELLAR HOOK LIFT MODEL NXT 18 INSTALLED	\$	\$
			MANUFACTURER: MANUFACTURE PART:		
385	1.00	EA	0385 - STELLAR HOOK LIFT MODEL NXT52 INSTALLED	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURE PART:		
386	1.00	EA	0386 - STELLAR HOOK LIFT MODEL 8410FLEX 36 INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
387	1.00	EA	0387 - STELLAR HOOK LIFT MODEL SLIDER 26, INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
388	1.00	EA	0388 - STELLAR HOOK LIFT MODEL SLIDER 20-S, INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
389	1.00	EA	0389 - STELLAR HOOK LIFT MODEL SLIDER 20 INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
390	1.00	EA	0390 - STELLAR HOOK LIFT MODEL SLIDER 34 INSTALLED	\$	\$
			MANUFACTURER: MANUFACTURE PART:		
391	1.00	EA	0391 - STELLAR HOOK LIFT MODEL SLIDER 40 INSTALLED	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
392	1.00	EA	0392 - STELLAR HOOK LIFT MODEL SLIDER 50 INSTALLLED	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
393	1.00	EA	0393 - STELLAR HOOK LIFT 20' LONG FLATBED BED WITH DOVE TAIL AND 15K	\$	\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ELECTRIC WINCH LOCATED AT FRONT OF FLATBED FLOOR MOUNT ON OR NEAR HEAD BOARD AREA WITH CLOSED CUSTOM FABRICATED BATTERY BOX NEAR IT, INSTALLED MANUFACTURER: MANUFACTURER PART:		
394	1.00	EA	0394 - STELLAR HOOK LIFT 16' LONG FLATBED. BED WITH DOVE TAIL AND 15K	\$	\$\$
			ELECTRIC WINCH LOCATED AT FRONT OF FLATBED FLOOR MOUNT ON OR NEAR HEAD BOARD AREA WITH CLOSED CUSTOM FABRICATED BATTERY BOX NEAR IT, INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
395	1.00	EA	0395 - STELLAR HOOK LIFT 12' LONG FLATBED BED WITH DOVE TAIL AND 15K	\$	\$\$
			ELECTRIC WINCH LOCATED AT FRONT OF FLATBED FLOOR MOUNT ON OR NEAR HEAD BOARD AREA WITH CLOSED CUSTOM FABRICATED BATTERY BOX NEAR IT, INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
396	1.00	EA	0396 - STELLAR FULL HYDRAULIC 8K CRANE AND 11' MECHANICS ALUMINUM BODY WITH	\$	\$\$
			PTO DRIVE AIR COMPRESSOR, LIGHTS IN BODY AND RADIO REMOTE CONTROL PROPORTIONAL TYPE WITH DIG DISPLAY FOR CRANE USE, BODY MODEL NUMBER TMAX111, ALL FACTORY INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
397	1.00	EA	0397 - MILLER ENPAK A30GBW INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
398	1.00	EA	0398 - MILLER ENPAK A30GBW DIESEL UNIT INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
399	1.00	EA	0399 - MILLER ENPAK A60 GBHW, FULLY INTEGRATED TRUCK POWER UNIT INSTALLED.	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

Page 98

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
400	1.00	EA	0400 - MILLER ENPAK A60GBH FULLY INTEGRATED TRUCK POWER UNIT INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
401	1.00	EA	0401 - MILER ENPAK A60GB FULLY INTEGRATED TRUCK POWER UNIT INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
402	1.00	EA	0402 - MILLER ENPAK A60GBW FULLY INTEGRATED TRUCK POWER UNIT INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
403	1.00	EA	0403 - WHELEN TRUCK LIGHT BAR PACKAGE WITH FLASHING SIDE MARKER LIGHTS	\$	\$\$
			INSTALLED FOR LIGHT TRUCKS		
			MANUFACTURER: MANUFACTURER PART:		
404	1.00	EA	0404 - WHELEN TRUCK LIGHT BAR PACKAGE WITH FLASHING SIDE MARKER LIGHTS	\$	\$\$
			INSTALLED FOR LARGE HEAVY DUTY TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
405	1.00	EA	0405 - WHELEN TRUCK LIGHT BAR PACKAGE WITH FLASHING SIDE MARKER LIGHTS	\$	_\$
			INSTALLED FOR POLICE AND OR FIRE LIGHT DUTY PICK-UP TRUCKS AND SUV VEHICLES.		
			MANUFACTURER: MANUFACTURER PART:		
406	1.00	EA	0406 - SET OF NERF BARS FOR WHEEL TO WHEEL SIZE ON LIGHT DUTY PICK-UP	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TRUCKS 2 DOOR INSTALLED. MANUFACTURER: MANUFACTURER PART:		
407	1.00	EA	0407 - ONE SET OF NERF BARS FOR WHEEL TO WHEEL SIZE ON LIGHT DUTY PICK-UP	\$	\$\$
			TRUCKS-4 DOOR, INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
408	1.00	EA	0408 - ONE EACH WACH'S HEAVY DUTY (UP TO 2,500 FT. LB.) TM-7 PLUS FOR	\$	\$\$
			INSTALLATION ON A PICK-UP TRUK 8' LONG BED 3/4 TON VEHICLE, INCLUDING THE FOLLOWING WACH ITEMS: TC-100 (NORTH AMERICA) RUGGEDIZED CONTROLLER/ DATALOGGER, 8'STEEL VALVE KEY. 4 07-508-20, UNIVERSAL 2" H.D. U- SOCKET RATED TO 2,500'/LBS. FOR 2" STANDARD AWWA ACTUATOR NUTS. ALSO, CUSTOM STEEL FRAME TABLE TO MOUNT THE MACHINE IN THE FRONT OF THE PICK-UP BED AREA-INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
409	1.00	EA	0409 - VAULT STORAGE UP REAR COMPARTMENT WITH BASKET INSTALLED IN VEHICLE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
410	1.00	EA	0410 - FEDERAL SIGNAL NAVIGATOR LIGHT BAR, INSTALLED IN READY TO WORK	\$	\$\$
			CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
411	1.00	EA	0411 - FEDERAL SIGNAL INTEGRITY LIGHT BAR, INSTALLED IN READY TO WORK	\$	\$\$
			CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
412	1.00	EA	0412 - FEDERAL SIGNAL MICROPULSE SIGNALMASTER LIGHT BAR LOW PROFILE	\$	\$\$

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
413	1.00	EA	0413 - FEDERAL SIGNAL XSTREAM INTERIOR MOUNT WARNING LIGHT PROFESSIONAL	\$	\$\$
			PROFILE DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
414	1.00	EA	0414 - FEDERAL SIGNAL Q SIREN QB212NNSD CONTROLLER INSTALLED IN	\$	_\$
			VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
415	1.00	EA	0415 - FEDERAL SIGNAL Q SIREN EQ2B-200 CONTROLLER INSTALLED ON VEHICLE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
416	1.00	EA	0416 - FEDERAL SIGNAL PF400Q WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER	\$	\$\$
			INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
417	1.00	EA	0417 - FEDERAL SIGNAL PF400Q 400 WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER	\$	_\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
418	1.00	EA	0418 - FEDERAL SIGNAL RUMBLER SPEAKER ADD ON INSTALLED IN VEHICLE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
419	1.00	EA	0419 - FEDERAL SIGNAL RUMBLER SPEAKER ADD ON SUPPLY ONLY	\$	\$\$

BID NO.: 50-00143083

Page 101

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
420	1.00	EA	0420 - FEDERAL SIGNAL FIRERAY LED 6 X 4 EXTERIOR PERIMETER LIGHT, INSTALLED	\$	\$\$
			IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
421	1.00	EA	0421 - FEDERAL SIGNAL FIRERAY LED 7 X 3 EXTERIOR PERIMETER LIGHT, INSTALLED	\$	\$
			IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
422	1.00	EA	0422 - FEDERAL SIGNAL FIRERAY LED 9 X 7 EXTERIOR PERIMETER LIGHT,	\$	\$\$
			INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
423	1.00	EA	0423 - FEDERAL SIGNAL TRAFFIC CLEARING LIGHT 6 X 4. INSTALLED IN READY TO WORK	\$	\$\$
			CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
424	1.00	EA	0424 - FEDERAL SIGNAL TRAFFIC CLEARING LIGHT 9 X 7, INSTALLED IN READY TO	\$	\$\$
			WORK CONDITION ON PARISH OWNED VEHCLE.		
			MANUFACTURER: MANUFACTURER PART:		
425	1.00	EA	0425 - FEDERAL SIGNAL VISOR INTERIOR LIGHTS (ONE PAIR), INSTALLED IN READY	\$	\$\$
			TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
426	1.00	EA	0426 - FEDERAL SIGNAL VISOR INTERIOR LIGHTS (1 PAIR), SUPPLY ONLY	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
427	1.00	EA	0427 - K-9 PLATFORM SYSTEM INSTALLED IN VEHICLE.	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
428	1.00	EA	0428 - INMATE TRANSPORT SLIDE IN SYSTEM INSTALLED IN VEHICLE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
429	1.00	EA	0429 - INMATE TRANSPORT SLIDE IN SCREEN SYSTEM INSTALLED IN VEHICLE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
430	1.00	EA	0430 - INMATE TRANSPORT SLIDE IN SYSTEM THAT IS ADD ACCESSABLE. INSTALLED IN	\$	\$\$
			VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
431	1.00	EA	0431 - FEDERAL SIGNAL ALGT21D-AMBR3BF ALLEGIANT 21" FEDERAL AMBER MINI LIGHT	\$	\$\$
			BAR SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
432	1.00	EA	0432 - FEDERAL SIGNAL FEDERAL LEGEND SERIAL 45" AMBER LIGHT BAR, SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
433	1.00	EA	0433 - FEDERAL SIGNAL FEDERAL ACARI MOUNTING BRACKET SUPPLY ONLY.	\$	\$

Page 102

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
434	1.00	EA	0434 - FEDERAL SIGNAL FEDERAL MOUNTING BAR-SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
435	1.00	EA	0435 - FEDERAL SIGNAL FEDERAL CUSTOM MOUNTING BRACKET FEET (ONE PAIR),	\$	\$\$
			SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
436	1.00	EA	0436 - FEDERAL SIGNAL FEDERAL 1" LED FLASHING LIGHTS WITH GROMMET. SUPPLY	\$	\$\$
			ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
437	1.00	EA	0437 - FEDERAL VALOR LIGHT BAR, INSTALLED IN READY TO WORK CONDITION	\$	\$\$
			ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
438	1.00	HR	0438 - PRENTICE LOADER "CHERRY PICKER" NIDKE 2124, WITH A-FRAME BASES AND	\$	\$\$
			TRASH GRAPPLE ROTATOR INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER NUMBER:		
439	1.00	EA	0439 - 48" TRASH GRAPPLE BUCKET WITH ROTATOR SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
440	1.00	EA	0440 - 48" TRASH GRAPPLE BUCKET WITH ROTATOR SUPPLY & INSTALLED ON	\$	\$\$

Page 103

BID NO.: 50-00143083

Page 104

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SERCO OR PRENTICE LOADER IN READY TO WORK CONDITION		
			MANUFACTURER: MANUFACTURER PART:		
441	1.00	EA	0441 - LOG GRAPPLE WITH ROTATOR-SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
442	1.00	EA	0442 - LOG GRAPPLE WITH ROTATOR SUPPLY & INSTALLED ON SERCO OR PRENTICE	\$	\$\$
			LOADER IN READY TO WORK CONDITION.		
			MANUFACTURER: MANUFACTURER PART		
443	1.00	EA	0443 - FEDERAL SIGNAL ILS VISOR INTERIOR LIGHTS (PAIR), INSTALLED IN	\$	\$\$
			READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
444	1.00	EA	0444 - FEDERAL SIGNAL ILS VISOR INTERIOR LIGHTS (PAIR), SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
445	1.00	EA	0445 - EX50 FUEL PUMP CUSTOM KIT FOR PARISH USE ONLY, SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
446	50.00	мі	0446 - DELIVERY FEE PER MILE FOR A NEW TRUCK DELIVERY TO ANY MANUFACTURER FOR	\$	\$\$
			FACTORY INSTALLATION. NEW TRUCK WILL BE LOADED ON A TRAILER FOR THE MOVE.		
447	1,000.00	HR	0447 - SHOP RATE FOR GENERAL REPAIRS SERVICE REPAIRS INCLUDE WELDING SERVICES MECHANICAL SERVICES, HYDRAULIC SERVICES, AND ELECTRICAL SERVICES ON TRUCK BODIES.	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143083

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PRICE PER HOUR.		
	I		I		l

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF __________, INCORPORATED, DULY NOTICED AND HELD ON _______, A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT WAS:

RESOLVED THAT _______, BE AND IS HEREBY APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES, DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES, CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-FACT.

> I HEREBY CERTIFY THE FOREGOING TO BE A TRUE AND CORRECT COPY OF AN EXCERPT OF THE MINUTES OF THE ABOVE DATED MEETING OF THE BOARD OF DIRECTORS OF SAID CORPORATION, AND THE SAME HAS NOT BEEN REVOKED OR RESCINDED.

SECRETARY-TREASURER

DATE

Non-Public Works Bid Affidavit Instructions

- Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.
- Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.
- Affidavit must be notarized or the affidavit will not be accepted.
- Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.
- Affiant MUST select either A or B when required or the affidavit will not be accepted.
- Affiants who select choice A must include an attachment or the affidavit will not be accepted.
- If both choice A and B are selected, the affidavit will not be accepted.
- Affidavit marked N/A will not be accepted.
- It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF _____

PARISH/COUNTY OF _____

BEFORE ME, the undersigned authority, personally came and appeared:

_____, (Affiant) who after being by me duly sworn, deposed and said that

he/she is the fully authorized ______ of _____ (Entity),

the party who submitted a bid in response to Bid Number _____, to the Parish of

Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required

attachment):

Choice A	 Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.
Choice B	there are <u>NO</u> campaign contributions made which would require disclosure under Choice A of this section.

<u>Debt Disclosures</u> (Choose A <u>or</u> B, if option A is indicated please include the required

attachment):

Choice A	Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.
Choice B	There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Signature of Affiant

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE _____ DAY OF _____, 20___.

Notary Public

Printed Name of Notary

Notary/Bar Roll Number

My commission expires ______.

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-bycase basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish**, **its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence. Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required if selected below. Such insurance is due upon contract execution.

OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.