

#### **Bid Number 50-00143288**

# One (1) Year Contract to Provide Low Boy Trailers for Fleet Management

Bid Due: September 28, 2023 AT 2:00 PM

#### ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Purchasing Specialist II, Mark Buttery

Email: MButtery@jeffparish.net

Phone: 504-364-2810

## One (1) Year Contract for Trailers for Jefferson Parish Department of Fleet Management

**General:** Vendors are required to indicate the following information where required in the appropriate line items of the bid form: Manufacturer, manufacturer part # and vendor part #.

**Louisiana State Dealer's License:** In accordance with LA RS 32:1254 et seq and LA RS 38:2212.8, a Louisiana State Dealer's License is required. All bidders must provide a copy of their Louisiana Dealer's License with their bid submission. Failure to submit this copy will result in bid rejection.

#### **Order Placement and Delivery of Trailers:**

Upon order placement approved by Fleet Management, the successful vendor shall deliver trailers within 160 days of order placement.

#### **Servicing of Trailers:**

Successful vendor must pick up and/or deliver trailers for factory maintenance and/or warranty services within one (1) hour of notification by the Jefferson Parish Fleet Management Department. The trailers will be picked up and delivered to 4901 Jefferson Hwy., Suite A, Jefferson, LA 70121.

#### **Brand Names:**

Where brand names are specified, it is for the purpose of establishing minimum standard of quality. Bids may be submitted for products for equal quality, provided the brand names are specified in the respective line items as indicated.

#### **Pricing:**

All pricing shall be firm for one (1) year as stated in contract or until contract expiration whichever is later.

Bid No. 50-00143228

#### **Trailer Warranty Information:**

All new trailers must be delivered complete with standard factory warranty of a minimum of one year. Warranty information must be provided with the bid. Failure to submit will result in bid rejection.

#### **Trailer Manuals:**

Upon delivery of trailers, the successful vendor must provide manuals as indicated by each appropriate line item. Electronic copies of these manuals may be supplied at the successful vendor's cost.

#### **Safety Specifications for All Trailers:**

Must meet or exceed all federal and state safety standards.

#### **INSURANCE REQUIREMENTS:**

#### Types and Coverage:

- A. Vendor must carry either \$1,000,000 in Commercial General Liability and/or \$1,000,000 in Garage Liability per occurrence
- B. Automobile Liability Insurance in the amount of \$1,000,000.00 per occurrence;
- C. Worker's Compensation Insurance in the amount of \$500,000.00 per occurrence (unless it is over water, in which case, it is \$1,000,000.00);
- D. Garage Keeper's Insurance in the amount of \$500,000.00 per occurrence

DATE: 9/13/2023 BID NO.: 50-00143228

**JEFFERSON PARISH** 

PURCHASING DEPARTMENT P.O. BOX 9 GRETNA, LA. 70054-0009

504-364-2678

PURCHASING SPECIALIST: MBUTTERY@JEFFPARISH.NET

Page:

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 9/28/2023

AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH
GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit
via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site.

Additional instructions are included in the text box highlighting electronic procurement.

#### LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

## INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 136353 and/or Resolution No. 141125 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from http://purchasing.jeffparish.net and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the Purchasing Specialist's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

BID NO.: 50-00143228 Page: 2

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge any Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website http://purchasing.jeffparish.net or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website http://purchasing.jeffparish.net or you may provide your own document.

#### INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

- B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.
- C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

BID NO.: 50-00143228 INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

stimulate participation in procurement and assistance programs.

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

## IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at http://purchasing.jeffparish.net.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 136353 or 141125 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at http://purchasing.jeffparish.net and clicking on Online Forms.

#### ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10,12,13,15

- All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of
  attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the
  MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective
  bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the
  project.
- 2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
- 3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

Page: 3

BID NO.: 50-00143228 Page: 4

#### INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.

- 5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
- 6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
- 7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
- NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the
  contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the
  contract.
- NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the
  contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the
  contract.
- 10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
- 11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
- 12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
- 13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
- 14. PUBLIC WORKS BIDS Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

BID NO.: 50-00143228 Page: 5

#### INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

- 16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications per the appendix instructions will result in bid rejection.
- 17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

BID NO.: 50-00143228

Are you requesting an escalation provision?

BID FORM
Non Public Works

Page: 6

#### All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

	YES	NO			
	MAXIMUM ESCALATION	N PERCENTAGE REQUE	STED	%	
	INITIAL BID PRICES WIL	L REMAIN FIRM THROU	JGH THE DAT	E OF	
escalation percentage q will be used to calculate	uoted by the bidder to the p	eriod to which it is applic assumed,for comparison	ed in the bid.	rson Parish will apply the maximum The initial price and the escalation nly, that an equal amount of material	ı
DELIVERY:	FOB JEFFERSON	PARISH			
INDICATE DELIV	ERY DATE ON EQUIPME	ENT AND SUPPLIES			
LOUISIANA	CONTRACTOR'S L	ICENSE NO.: (if	applicabl	e)	
THIS SECTION I	MUST BE COMPLE	TED BY BIDDER	:		
FIRM NAME:					
ADDRESS:					
CITY, STATE:			ZIP:		
TELEPHONE: (	)		FAX: (	)	
EMAIL ADDRESS:					
acknowledge receip	denda are issued with this bi ot of an addendum on the bi ne bid form will result in bid	d form by placing the ad	wledge all add dendum num	lenda on the bid form.Bidder must ber as indicated. Failure to acknowl	edge
Acknowledge Recei	pt of Addenda: NUMBER: _				
	NUMBER:				
	NUMBER:				
	NUMBER: _				
TOTAL PRICE OF	ALL BID ITEMS: \$				
AUTHORIZED					
SIGNATURE:					
TITLE:			_	Printed Name	

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

Page 7

#### **INVITATION TO BID FROM JEFFERSON PARISH - continued**

BID NO.: 50-00143228

SEALED BID

QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
		One (1) Year Contract to Provide Low Boy Trailers for Fleet Management		
2.00	EA	0001 - TAG-A-LONG LOWBOY TRAILER 48,000 LB. TWENTY TON PAYLOAD CAPACITY.	\$	\$\$
		VWR-19'L X 8'W LOAD DECK PLUS 5' FULL WIDTH BEAVERTAIL, TOW-55" L X 22 1/2" W ADJUSTABLE SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES. 34" MAZIMUM DECK HEIGHT. 2" NOMINAL OAK DECK MATERIAL. FULL WIDTH 8" STEEL CHANNEL HEADBOARD. 5 ROTATING D-RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH-9700 MULTI-POINT TAG-A-LONG LOWBOY TRAILER. SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 22,5000 LB. AXLES WITH 12 1/4" X 7 1/2" FULL AIR BRAKES WITH AUTOMATIC SLACK ADJUSTERS. EIGHT 215/75R17.5 16 PLY TIRES MOUNTED ON 8 BOLT HUB PILOTED STEEL DISC WHEELS SPRING BRAKES ON ALL WHEELS. 12,000 LB. CAPABILITY DROPLEG TOP CRANK PARKING JACK. FOUR POSITION CAST STEEL PINTLE EYE (1 5/8" STOCK, 3" I.D.) WITH DUAL SAFETY CHANIS. DRAWBAR STORAGE AREA. FLUSH TAG-A-LONG LOWBOY TRAILER 48,000 LBS. MOUNTED. FMSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMETS. ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.		
2.00	EA	0002 - 3 TO 8 LOWBOY MACHINERY TRAILER	\$	\$\$
		OF DAMAGED TONGUE CONFIGURATION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTMENT TOW EYE OR COUPLER. ELECTRIC 6 WAY OR 7 WAY WIRE WITH TOW EYE PLUG SAFETY CHAINS, ETC. TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED. ZINC PHOSPHATE PRIMED AND FINISHED. PAINTED 5 MILS THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR. MANUFACTURER: MANUFACTURER: VENDOR NUMBER:		
	2.00	2.00 EA	One (1) Year Contract to Provide Low Boy Trailers for Fleet Management  2.00 EA 0001 - TAG-A-LONG LOWBOY TRAILER 48,000 LB. TWENTY TON PAYLOAD CAPACITY.  WWR-19'L X E'W LOAD DECK PLUS 5' FULL WIDTH BEAVERTAIL, TOW-55' L X 22 1/2' W ADJUSTABLE SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES.  34' MAZIMUM DECK HEIGHT.  2" NOMINAL OAK DECK MATERIAL. FULL WIDTH 8" STEEL CHANNEL HEADBOARD.  5 ROTATING D-RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT.  HUTCH-9700 MULTI-POINT TAG-A-LONG LOWBOY TRAILER.  SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING.  TANDEM 22,5000 LB. AXLES WITH 12 1/4" X 7 1/2" FULL AIR BRAKES WITH AUTOMATIC SLACK ADJUSTERS.  EIGHT 215/75R17.5 16 PLY TIRES MOUNTED ON 8 BOLT HUB PILOTED STEEL DISC WHEELS SPRING BRAKES ON ALL WHEELS.  12,000 LB. CAPABILITY DROPLEG TOP CRANK PARKING JACK.  FOUR POSITION CAST STEEL PINTLE EYE (1 5/8" STOCK, 3" 1.D.) WITH DUAL SAFETY CHANIS.  DRAWBAR STORAGE AREA.  FLUSH TAG-A-LONG LOWBOY TRAILER 48,000 LBS. MOUNTED.  EMSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMETS.  ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.  MANUFACTURER:  MANUFACTURER PART:  VENDOR PART:  2.00 EA 0002 - 3 TO 8 LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTMENT TO WEYF OR COUPLER. ELECTRIC 6 WAY OR 7 WAY WIRE WITH TOW EYE PLUG SAFETY CHAINS. TECT. TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED. ZINC PHOSPHATE PRINCED AND FINISHED. PAINTED SMILS THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR.  MANUFACTURER:  MANUFACTURER PART:  WANDFACTURER PART:  WENDOR THE PRINCED BANDED. JAINTED SMILS THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR.  MANUFACTURER:  MANUFACTURER PART:  WANDFACTURER PART:  WANDFACTURER PART:	One (1) Year Contract to Provide Low Boy Trailers for Fleet Management  2.00 EA 0001 - TAG-A-LONG LOWBOY TRAILER 48,000 LB. TWENTY TON PAYLOAD CAPACITY.  VWR-19L X 8'W LOAD DECK PLUS S' FULL WIDTH BEAVERTALLTOW-SS' LX 22 1/2" W ADJUSTABLE SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES. 34" MAZIMUM DECK HEIGHT. 2" NOMINAL OAK DECK MATERIAL FULL WIDTH S' STEEL CHANNEL HEADBOARD. 5 ROTATING D-RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH-9700 MULTI-POINT TAG-A-LONG LOWBOY TRAILER. SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 22,5000 LB. AXLES WITH 12 1/4" X 7 1/2" FULL AIR BRAKES WITH AUTOMATIC SLACK ADJUSTERS. EIGHT 215/75817.5 16 PLY TIRES MOUNTED ON 8 BOLT HUB PILOTED STEEL DISC WHEELS SPRING BRAKES ON ALL WHEELS. 12,000 LB. CAPABILITY DROPLEG TOP CRANK PARKING JACK. FOUR POSITION CAST STEEL PINTLE EYE (1 5/8" STOCK, 3" LD) WITH DUAL SAFETY CHANIS. DRAWBAR STORAGE AREA. FLUSH TAG-A-LONG LOWBOY TRAILER 48,000 LBS. MOUNTED. FINSS 8108 SEALED BEAM LIGHTS IN RUBBER GROMMETS. ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.  MANUFACTURER? ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.  MANUFACTURER PART: VENDOR PART:  2.00 EA  0002 - 3 TO 8 LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTMENT TOW EYE OR COUPLER. ELECTRIC 6 WAY OR TWAY WINE WITH THOW EYE PLUG SAFETY CHAINS, ETC. TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED. ZINC PHOSPHATE PRIMED AND FINISHED. PAINTED 5 MILS THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR. MANUFACTURER PRATT: ENDER THE PRIMED AND FINISHED. PAINTED 5 MILS THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR. MANUFACTURER PART: MANUFACTURER PART:  MANUFACTURER PART:  MANUFACTURER PART:  MANUFACTURER PART:  MANUFACTURER PART:  MANUFACTURER PART:  MANUFACTURER PART:  MANUFACTURER PART:

BID NO.: 50-00143228 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
3	2.00	EA	0003 - 9 TO 12 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING  REMOVAL OF DAMAGED TONGUE AND REPLACEMENT WITH 12" STEEL "H" BEAM TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURATION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTABLE TOW EYE, ELECTRICAL 6 WAY OR 7 WAY WIRE WITH PLUG, AIR BRAKE LINE CONNECTIONS IF PRESENT, SAFETY CHAINS, ETC. TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED. ZINC PHOSPHATE PRIMED.  MANUFACTURER: MANUFACTURER PART:	\$	\$
4			VENDOR PART:		,
	1.00	EA	0004 - EXTRA HEAVY DUTY MECHANICAL FOLDING GOOSENECK LOWBOW TRAILER. 60 TON  CAPACITY CONSENTRATED IN ANY 10 FT. SECTION.  OVERALL DIMENSIONS: 8'6"W X 49'FT X 2" L (11 FT. 5 IN. GOOSENECK) 24 FT MAIN LOADED DECK HEIGHT. 6 INCH GROUND CLEARANCE 84 IN. SWING CAPACITY REAR AXLES AIR RIDE SUSPENSION 16 1/2 IN X 7 IN AIR BRAKES AUTOMATIC SLACK ADJUSTERS. NO PARKING BRAKES. ABS SYSTEM TWELVE 10 STUD HUB PILOTED 8.25 X 22.5 STEEL DISC WHEELS TWELVE EXTRA HEAVY DUTY MECHANICAL 225/70R22 5'16 PLY LOW PROFILE RADIAL TIRES. 2 IN. KINGPIN SETTING FOUR BEAM DESIGN OF 13,000 PSI WEBS. 2 1/4 IN. APITONG HARDWOOD FLOORING WITH BRIDGE CLIP SAND CARRIAGE FLOORED. TWELVE SWINGING REMOVABLE OUT RIGGERS PER SIDE. ONE D-RING ON EACH SIDE OF GOOSENECK TWO D-RINGS ON EACH SIDE OF READ DECK MECHANICAL RAISED AND LOWERED GOOSENECK USING TRUCK WINCH. AIR LOCK LATCHES ON GOOSENECK PIPE AT FRONT OF GOOSENECK WITH CABLE LUGS FOR PICK-UP EASE. LOAD BEARING WHEEL COVERS OVER REAR TIRES AND REAR DECK CENTER. 12 VOLT 7 WAY PLUG. SEALED BEAM LIGHTS, MID TURN SIGNAL, REAR FLAPS, SANDBLASTED. PRIMED AND FINISHED PAINT 5 MILS IMRON FLEET WHITE.	\$	⟨₹

BID NO.: 50-00143228

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			CONSPICUITY TAPE ON BOTH SIDES. OPERATOR MANUAL 25,000 LB. APPROXIMATE EMPTY WITH FOB FLEET MANAGEMENT. JEFFERSON PARISH.LA. MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
5	2.00	EA	0005 - FIFTEEN TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER.	\$	\$\$
			35,000 LBS. GVWR-19 IN X 8 FT. 6 IN. LOAD DECK PLUS 6 FT FULL WIDTH BEAVERTAIL WITH TWO ADJUSTABLE SPRING- ASSIST LOADING RAMPS INCLUDING GRAND BRACES. 34 IN. MAXIMUM UNLOADED DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2 IN NOMINAL OAK DECK MATERIAL FULL WIDTH 8 IN. STEEL CHANNEL MATERIAL. FIVE ROTATIN D-RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH-H-9700 MULIT-POINT SPRING 50,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING TANDEM 22,5000 LB. AXLE WITH ANTI-LOCK BRAKE SYSTEM. 452M SENSOR ALL WHEELS. 40,000 LB. LIFT CAPACITY. TWO SPEED CRANK PARKING JACK. FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK, 3 IN. I.D.) WITH DRAW BAR STORAGE AREA. FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS. ALL WIRING IN MODULATED NEOPRENE JACKET WITH SEVEN WAY SAFETY YELLOW COLOR.		
6	2.00	EA	MANUFACTURER PART: VENDOR PART:  0006 - HEAVY DUTY HYDRA NECK 35 TON	\$	\$
			DETACHABLE GOOSENECK LOWBOY TRAILER.  CAPACITY: 70,000 LBS. TRAILER WEIGHT: 18,000 LBS. DECK WIDTH: 8'6" DECK LENGTH: 44'5" HEIGHT- 24" (LOADED) 80,000 PSI MINIMUM YIELD STEEL MAIN FRAME. FOUR FABRICATED 16" DEEP CAMBERED I-BEAMS. CROSSMEMBERS 10" PIERCED I-BEAM SPACED AT 24"		

BID NO.: 50-00143228

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			GOOSENCK LENGHT: 102" (SWING CLEARANCE) FIFTH WHEEL HEIGHT STANDARD 50" DECKING-2" NOMINAL HARDWOOD. WIRING HARNESS 7 WAY ATA PLUG FRONT RAMP-FRONT FLIP WITH GROUSERS. MANUALLY RAISE AND LOWER VALVE. HYDRAULICS-WETLINE HOOK-UP FOR TRACTORS. PTO LEVEL OPERATIONS CONTROLS.		
			CONTROL VALVE AT EYE LEVEL.  4" RELIEF GOOSENECK. PAINT-WHITE WITH EAGER BEAVER DECALS. EIGHT TIRES 275/70R22.5 (H) STEEL BELTED RADIALS. HBS. WHEELS-4 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED		
			SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE AXLE TWO 5" DIAMETER 25,000 LBS. EACH TIE DOWNS-7 EACH PER SIDE ROTO RINGS BRAKES-ABS SYSTEM WITH SPRING BRAKES FORLER POWER POWER PACK. PARKING CAST STEEL OUTRIGGERS. 14 HP KOHLER POWER PACK.		
			MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
7	2.00	EA	0007 - HEAVY DUTY HYDRA NECK 50 TON DETCHABLE GOOSENECK LOWBOY TRAILER.	\$	\$\$
			CAPACITY: 100,000 LBS. TRAILER WEIGHT: 20,500 LBS. DECK WIDTH: 8'6" DECK LENGTH: 24' OVERALL LENGTH-48'6" HEIGHT: 24" 80,000 PSI MINIMUM YIELD STEEL MAINFRAME FOUR FABRICATED 16" DEEP CAMBERED I-BEAM CROSSMEMBERS-10" PIERCED I-BEAMS SPACED AT 24". GOOSENECK LENGHT: 102: (SEE CLEARANCE) FIFTH WHEEL HEIGHT-STANDARD 50" DECKING.		
			5.00 NOMINAL HARDWOOD WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSERS. MANUAL RAISE AND LOWER VALVE. HYDRAULIC WELINE HOOK-UP FOR TRACTOR PTO LEVEL 4" RELIEF GOOSENECK AIR L FT 3RD AXLE PAINT-PARISH WHITE WITH EAGER BEAVER		
			DECALS. TIRES: 275.70RSS.5 (H) STEEL BELTED RADIALS HUBS.WHEELS-SIX DISC TYPE STEMCO OIL SEALS. HUB PILOTED SUSPENSION		

BID NO.: 50-00143228 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			AIR RIDE (COMBINED CAPACITY 75,000 LBS.)  DUMP VALVE. AXLE THREE 5" DIAMETER. 25,000 LBS. EACH. TIE DOWNS: 7 EACH PER SIDE ROTO RINGS BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS. 14 HP KOHLER POWER PACK.  MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
8	2.00	EA	0008 - HEAVY DUTY HYDRA NECK 55 TON DETACHABLE GOOSENECK LOWBOY TRAILER.  CAPACITY: 110,000 LBS. TRAILER WEIGHT: 22,650 LB.S DECK WIDTH: 8 FT. 6 IN. DECK LENGTH: 25 FT OVERALL LENGTH: 51 FT. 2 IN. HEIGHT: 24 IN PSI: 80,000 MINIMUM YIELD STEEL MAINFRAME. FOUR FABRICATED 16" DEEP CAMBERED I-BEAMS CORSSMEMEBERS-10" PIERCED 1-10 SPACED AT 24". GOOSENECK LENGTH: 102" (SWING CLEARANCE) FIFTH WHEEL HEIGHT-STANDARD 50" DECKING: 2" NOMINAL WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSSERS MULTI RAISE AND LOWER VALVE. HYDRAULICS-WETLINE HOOK-UP FOR TRACTOR PTO OPERATIONS CONTROLS: CONTROL VALVE AT EYE LEVEL 4" RELIEF GOOSENECK. AIR LIFT 3RD AXLE PAINT: PARISH WHITE WITH EAGER BEAVER DECALS. TIRES-275/60R22.5 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED. SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE. AXLE THREE 5" DIAMETER. 25,000 LBS EACH TIE DOWN-7 EACH PER SIDE ROTO RINGS. BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS. 4TH FLIP AXLE 14 HP KOHLER POWER PACK. LOAD BEARING WHEEL COVERS. ALUMINUM WHEELS.	\$	\$
9	2.00	EA	VENDOR PART:  0009 - HEAVY DUTY HYDRA NECK 60 TON DETACHABLE GOOSENECK LOWBOY TRAILER.	\$	\$\$

BID NO.: 50-00143228 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			CAPACITY: 120,000 LBS. DECK WIDTH: 8'6" DECK LENGTH: 25 FT OVERALL LENGTH-53 FT. HEIGHT: 24 INCHES PSI-80,000 MINIMUM STEEL FRAME.FOUR CROSS MEMBERS-10" PIERCED I-BEAMS SPACED AT 24" GOOSENECK LENGTH: 102' NOMINAL HARDWOOD WIRING HARNESS-7 WAY PLUG FRONT RAMP-FRONT FLIP WITH GROUSERS. QMA DUAL RAISE AND LOWER VALVE HYDRAULIC WETLINE HOOK-UP FOR TRACTOR PTO OPERATIONS. CONTROL VALVE AT EYE LEVEL. 4 IN RELIFE GOOSENECK. AIR LIFT THIRD AXLE. PAINT: PARISH WHITE WITH EAGER BEAVER DECAL. TIRES: 275/22.5 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED SUSPENSION AIR RIDE(COMBIND CAPACITY 75,000 LBS.) DUMP VALVE. AXLE-THREE 5" DIAMETER, 25,000 LBS. EACH TIE DOWN: 7 EACH PER SIDE ROTO RINGS. BRAKES: ABS SYSTEM WITH SPRING BRAKES FOR PARKING CAST STEEL OUTRIGGERS. 4TH FLIP DOWN AXLE. 14 HP KOHLER POWER PACK. LOAD BEARING WHEEL COVERS. ALUMINUM WHEELS(OUTSIDE)  MANUFACTURER: MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
10	1.00	EA	0010 - EXTRA HEAVY DUTY MECHANICAL FOLDING NECK LOW TRAILER. 120,000 LB.  LOAD CAPACITY CONCENTRATED IN ANY 10 FT/ IN. LOAD AREA. MINIMUM 24 TON LOAD DECK LENGTH. 8'6" LOAD DECK HEIGHT AT RATED LOADED CAPACITY WITH MINIMUM 6" GROUND CLEARANCE. THREE AXLES EACH HAVING 25,000 CAPACITY. EACH AXLES 5" ROUND WITH MINIMUM 5/8" WALL THICKNESS. TAPERED SPINDLES. 77" AIR BRAKES (NO PARKING BRAKES). AUTOMATIC SLACK ADJUSTERS. 28 SPLINE. ABS 4S-2M LOAD BEARING TYPE WELL COVERS OVER REAR TRI-AXLE INCLUDING CENTER AREA BETWEEN TIRES. 10 HOLE STUD (LONG). HUB PILOTED STEEL CAST DRUMS. STEMCO OIL SEALS. STEEL DISC WHEELS. 8.25 X 22.5. TWELVE EACH SIDE. 225/70R22.5 16 PR LOW PROFILE RADIAL TIRES. MINIMUM SIX EACH OUTRIGGERS PER SIDE MINIMUM 12 EACH OUTRIGGERS PER SIDE TO EXTEND LOAD BED WIDTH. EACH OUTRIGGER TO BE SWING-OUT AND REMOVABLE WITH POSITIVE LATCH IN	\$	\$

BID NO.: 50-00143228

**SEALED BID** 

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STORED POSITION. GOOSENECK TO BE FULL LOAD WIDTH. GOOSENECK TO BE LOCKING FULL AIR POWERED WITH CONTROL SWITCH. FRONT END PIPE. FRONT END WITH CABLE SLING AND APPROACH PLATFORM. SAE 2" DROP IN KING PIN PLATE. HEIGTH TO BE 50" ABOVE LEVEL GROUND. THICK APITONG HARDWOOD FLOORING. MINIMUM 10" CHANNEL CROSS MEMBER ON 24" CENTERS. FOUR BEAM DESIGN. 130,000 POS YIELD FLANGES AND 80,000 LB. PSI YIELD. WEB MAIN BEAMS TRUCK LIGHT SEALED BEAM WITH MI-TURN SIGNAL. 12 VOLT ELECTRICAL PLUG AT THE FRONT OF TRAILER. 3M SIDE. OPERATOR AND MAINTENANCE ON-SITE DEMONSTRATION UPON DELIVERY. SANDBLASTED WITH EPOXY PRIMER. FINISH PAINTED FLEET WHITE WITH POLYURETHANE PAINT TO A THICKNESS TO 5 MILS. AIR, ELECTRIC, AND HYDRAULIC TO BE INSTALLED AFTER PAINTING.  MANUFACTURER: MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
11	2.00	EA	0011 - FIFTEEN TON PAYLOAD CAPACITY TAGTWENTY TON PAYLOAD CAPACITY  TAG-A-LONG LOWBOY TRAILER, 39,000 LBS. GVWR-19'L X 8'6" W LOAD DECK PLUS 6 FT FULL WIDTH BEAVERTAIL WITH TOW 72"L X 22 21/2"W ADJUSTABLE SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES. 34: MAXIMUM DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2" NOMINAL OAK DECK MATERIAL. FULL WIDTH 8" STEEL CHANNEL HEADBOARD. FIVE ROTATING D-RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI POINT 50,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 15,000 LB. AXLES WITH 12 1/4 X 5" ELECTRIC BRAKES INCLUDING BRAKE AWAY SYSTEM. EIGHT 215/7R17.5 H STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE PILOTED STEEL DISC WHEELS. 40,000 LB. LIFT CAPACITY. TWO SPEED CRANK PARKING JACK. FOUR POSITION CAST STEEL PINTLE EYE (1 5/8" STOCK 3 I.D.) WITH DUAL SAFETY CHAINS. DRAW BAR STORAGE AREA. FIVE ROTATING D-RINGS EQUALLY SPACED. TAG-A-LONG LOWBOY TRAILER 48,000 LB. MOUNTED. FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS. ALL WIRING IN MOLDED NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG DOWN EACH SIDE OF TRAILER. FLUSH MOUNTED HIGHWAY SAFETY YELLOW.  MANUFACTURER: MANUFACTURE PART: VENDOR PART:	\$	\$

**SEALED BID** 

#### **INVITATION TO BID FROM JEFFERSON PARISH - continued**

BID NO.: 50-00143228

**UNIT PRICE** ITEM **QUANTITY** U/M **DESCRIPTION OF ARTICLES TOTALS** QUOTED **NUMBER** 12 \$ 0012 - MULTI-TANK FUEL TRAILER \$ 2.00 EΑ **DIESEL FUEL TANKS:INDEPENDENTLY MOUNTED** ON A FRAME WITH SPRING LOADED BOLTS: **BUILT WITH TUBED FRAMING AND 2" TOP AND BOTTOM HORIZONTAL SUPPORTS: WALKING AXLES** ALL TANKS BUILT WITH CORNER BRACING **54" CABINET WITH TWO GULL WING DOORS 5X2 TUBE FRAME** TWO 6000 SPRING AXLES WITH ELECTRICAL **BRAKES ALUMINUM 235-80-R16 WHEELS AND TIRES DOT LIGHTING** 7-110 GALLON DIESEL FUEL TANKS HONDA ELECTRIC START **50 GPM FUEL PUMP FILL-RIGHT 901 MECHANICAL METER REEL CRAFT 1"X50' DIESEL REEL WITH** HIGH FLOW AUTO NOZZLE AND SWIVEL 1-110 STAINLESS STEEL DEF TANK 12 VOLT DEF PUMP WITH 3 WAY VALVE REEL CRAFT 1/2" X 50' DEF REEL WITH NOZZLE 4" X 6":LED WORK LIGHT PREMIER POWDER COAT FINISH. MANUFACTURER: **MANUFACTURER PART: VENDOR PART:** 13 2.00 EΑ 0013 - ECONOMY MOBILE FUEL TRAILER \$ **500 GALLON ECONOMY SIZE FUEL TRAILER** TANKS INTERNALLY BAFFLED. TRAILER COMES **EQUIPPED WITH ELECTRIC BRAKES, WHITE** SPOKES WITH RADIALS. REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING AND 12 VOLT FUEL PUMP. MANUFACTURER: **MANUFACTURER PART: VENDOR PART:** 14 0014 - ECONOMY MOBILE FUEL TRAILER \$ \$ 2.00 EΑ 900 GALLON ECONOMY SIZE FUEL TRAILER TANKS INTERNALLY BAFFLED. TRAILER COMES **EQUIPPED WITH ELECTRIC BRAKES, WHITE** SPOKES WITH RADIALS. REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING AND 12 VOLT **FUEL PUMP.** MANUFACTURER: **MANUFACTURER PART: VENDOR PART:** 

BID NO.: 50-00143228

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
15	2.00	EA	0015 - DELUXE MOBILE FUEL TRAILER 500 GALLON CAPACITY	\$	\$\$
			TANKS INTERNALLY BAFFLED. DELUXE TRAILER COMES STANDARD WITH SPACE TO ACCOMODATE FOR DEF UPGRADE AT FUTURE DATE. TRAILER COMES EQUIPPED WITH 54" CABINET WITH BOTTOM OPENINING LOCKABLE DOORS, BRAKES, WHITE MOD WITH RADIALS, REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH ALL DOT LIGHTING LOCKABLE CABINET TO HOUSE ON 25' X 1" DIESEL FUEL REEL WITH HUSCKY AUTO NOZZLE AND HIGH FLOW FUEL SWIVEL. ONE 5.5 HP HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILTERS CAPABLE OF PRODUCING 40 GPM MECHANICAL METER WITH RESETTABLE ACCUMULATOR FLOW RATE TOTALIZER TO 999.9 GPM. ONE 23" X 3' AND ONE 23" X 5" DEEP DRAWER.		
			MANUFACTURER PART: VENDOR PART:		
16	2.00	EA	0016 - DELUXE MOBILE FUEL TANKER 750 GALLON CAPACITY: TANKS INTERNALLY  BAFFLED. DELUXE TRAILER COMES STANDARD WITH SPACE TO ACCOMODATE FOR DEF UPGRADE AT FUTURE DATE. TRAILER COMES EQUIPPED WTIH A 54" CABINET WITH TWO BOTTOM OPENING LOCKABLE DOORS. ELECTRIC BRAKES WHITE MOD WITH RADIALS. REMOVABLE DROP LEG JACK. SAFETY CHAINS AND ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING. LOCAKBLE CABINET TO HOUSE ONE 25'X1" DIESEL FUEL REEL WITH HUSKEY, ONE 5.5 HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILTERS CAPABLE OF PRODUCING 40 GPM. HIGH FLOW FR901 40 GPM MECHANICAL METER WITH RESETTABLE ACCUMULATOR FLOW RATE TOTALIZER TO 999.9 GPM ON 23" X 3' AND ONE 23" X 5" DEEP DRAWER.  MANUFACTURER: MANUFACTURER: MANUFACTURER PART: VENDOR PART:	\$	\$
17	2.00	EA	0017 - DELUXE MOBILE FUEL TANKER 990 GALLON CAPACITY. TANKS INTERNALLY  BAFFLED. DELUXE TRAILER COMES STANDARD WITH SPACE TO ACCOMMODATE FOR DEG UPGRADE AT FUTURE DATE. TRAILER COMES EQUIPPED WITH ONE 54" CABINET WITH TWO	\$	\$

#### **INVITATION TO BID FROM JEFFERSON PARISH - continued**

Page

16

BID NO.: 50-00143228 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BOTTOM OPENING LOCKABLE DOORS. ELECTRIC BRAKES. WHITE MOD WITH RADIALS, REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING. LOCABLE CABINET TO HOUSE 25'X1" DIESEL FUEL REEL WITH HUSKY AUTO NOZZLE AND HIGH FLOW FUEL SWIVEL. ONE 5.5 HP HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILTERS CAPABLE OF PRODUCING 40 GPM. HIGH FLOW FR901 40 GPM MECHANICAL METER WITH RESETTABLE ACCCUMULATOR FLOW RATE TOTALIZER TO 99.0 GPM. ONE 23" X 3' AND ONE 23' X 5" DEEP DRAWER.  MANUFACTURER: MANUFACTURER: MANUFACTURE PART: VENDOR PART:		
18	2.00	EA	0018 - POWER JACK-12 VOLT HEAVY DUTY INSTALLED ON FRONT OF TRAILER	\$	\$
			MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
19	2.00	EA	0019 - A-FRAME ALUMINUM TOOL BOX INSTALLED ON FRONT OF TRAILER.	\$	\$
			MANUFACTURER: MANUFACTURE PART: VENDOR PART:		
20	2.00	EA	0020 - FEDERAL SIGNAL LIGHT BAR INSTALLED ON ROOF OF THE FUEL TRAILER	\$	\$
			FRONT COMPARTMENT.  MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
21	2.00	EA	0021 - INSTALL ONE SPARE TIRE CARRIER BRACKET ON THE FRONT OF THE TRAILER	\$	\$
			MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
22	2.00	EA	0022 - MULTI-TANK TRAILER DIESEL TANKS (8)-880 GALLONS. DELUXE MODEL. AMERICAN EAGLE SET UP.	\$	\$

BID NO.: 50-00143228

#### **INVITATION TO BID FROM JEFFERSON PARISH - continued**

SEALED BID

Page

17

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
23	1.00	EA	0023 - SINGLE AXLE UTILITY TRAILER- 3,500 LBS. GVWR	\$	\$\$
			12 FT X 77" DSP DERBRY SR PIPE 48" TAILGATE WITH SPRING ASSIST TIRE SIZE-ST205-15-LRC RADIAL SPARE TIRE RACK ELECTRIC BRAKES 2" COUPLER 200 LB. JACK SET BACK FENDERS HP FLAT STRAIGHT DOTD APPROVED LIGHTS		
			MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
24	1.00	EA	0024 - TANDEM AXLE UTILITY TRAILER 7000 LB GVWR	\$	\$\$
			14 FT LENGTH X 83" WIDE 2 AXLES-3,500 LBS ELECTRIC BRAKES 36" GATE FENDERS HD FLAT STRAIGHT TIRE SIZE-ST205-15-LRC RADIAL SPARE TIRE RACK JACK 2000 LB SET BACK DOTD APPROVED LIGHTS		
			MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
25	1.00	EA	0025 - TANDEM AXLE XL PIPE UTILITY TRAILER  18 FT LENGTH X 83" WIDE 2 AXLES-3,500 LBS ELECTRIC BRAKES 2" COUPLER TIRE SIZE-ST205-15	\$	\$\$
			JACK 2000 LB SET BACK COLOR-OPTIMAL FLOOR-TREATED 2 FT DOVE/36" GATE SPARE MOUNT PAYLOAD 4,775 FENDERS HD FLAT STRAIGHT DOTD APPROVED LIGHTS MANUFACTURER:		
			MANUFACTURE PART: VENDOR PART:		
26	1.00	EA	0026 - TANDEM AXLE UTILITY TRAILER 16 FT LENGTH X 83" WIDE	\$	\$

DATE: 9/07/2023

#### **INVITATION TO BID FROM JEFFERSON PARISH - continued**

18

Page

BID NO.: 50-00143228 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			2 AXLE 4,490 LBS. ELECTRIC BRAKES 2" COUPLER JACK 2,000 LB SET BACK SPARE TIRE RACK FENDERS HD FLAT STRAIGHT TAILGATE WITH SPRING ASSIST-48" X 83" COLOR-OPTIMAL DOTD APPROVED LIGHTS  MANUFACTURER: MANUFACTURER PART: VENDOR PART:		

#### **CORPORATE RESOLUTION**

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF INCORPORATED. AT THE MEETING OF DIRECTORS OF INCORPORATED, DULY NOTICED AND HELD ON A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT WAS: , BE AND IS HEREBY RESOLVED THAT APPOINTED. CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES, DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES, CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-FACT. I HEREBY CERTIFY THE FOREGOING TO BE A TRUE AND CORRECT COPY OF AN EXCERPT OF THE MINUTES OF THE ABOVE DATED MEETING OF THE BOARD OF DIRECTORS OF SAID CORPORATION, AND THE SAME HAS NOT BEEN REVOKED OR RESCINDED. SECRETARY-TREASURER **DATE** 

### Non-Public Works Bid Affidavit Instructions

- Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.
- Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.
- Affidavit must be notarized or the affidavit will not be accepted.
- Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.
- Affiant MUST select either A or B when required or the affidavit will not be accepted.
- Affiants who select choice A must include an attachment or the affidavit will not be accepted.
- If both choice A and B are selected, the affidavit will not be accepted.
- Affidavit marked N/A will not be accepted.
- It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

Instruction sheet may be omitted when submitting the affidavit

#### Non-Public Works Bid

#### **AFFIDAVIT**

STATE OF		
PARISH/COUNTY OF _		
BEFORE ME, the u	ndersigned authority, personally came and appear	ed:
, (A	ffiant) who after being by me duly sworn, deposed	d and said that
he/she is the fully authorize	d of	(Entity),
the party who submitted a b	oid in response to Bid Number, to th	e Parish of
Jefferson.		
Affiant further said:		
Campaign Contribution Dis	<u>sclosures</u>	
(Choose A or B, if opti	on A is indicated please include the requ	iired
attachment):		
Choice A	Attached hereto is a list of all campaign contributed the date and amount of each contribution, made former elected officials of the Parish of Jefferson Affiant, and/or officers, directors and owners, in employees, owning 25% or more of the Entity of period immediately preceding the date of this accurrent term of the elected official, whichever is Entity, Affiant, and/or Entity Owners have not a contributions to or in support of current or form Jefferson Parish Council or the Jefferson Parish or in the name of another person or legal entity, indirectly.	to current or on by Entity, ncluding during the two-year ffidavit or the s greater. Further, made any ner members of the a President through
Choice B	there are <u>NO</u> campaign contributions made whi disclosure under Choice A of this section.	ch would require

Page 1 of 3 Updated: 02.27.2014

#### **Debt Disclosures**

# (Choose A <u>or</u> B, if option A is indicated please include the required attachment):

Choice A	Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.
Choice B	There are <b>NO</b> debts which would require disclosure under Choice A of this section

#### Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

Page 2 of 3 Updated: 02.27.2014

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

	Signature of Affiant
	Printed Name of Affiant
SWORN AND SUBSCRIBED TO BEFORE	E ME
ON THE, DAY OF,	20
Notary Public	-
Printed Name of Notary	-
Notory/Dor Doll Number	-
Notary/Bar Roll Number	
My commission expires	

Page 3 of 3 Updated: 02.27.2014

#### STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish**, **its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

#### JEFFERSON PARISH REQUIRED STANDARD INSURANCE

#### **☑** WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

#### ☑ COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

#### **☑** COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence. Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

<u>**DEDUCTIBLES**</u> - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

#### **UMBRELLA LIABILITY COVERAGE**

An umbrella policy or excess may be used to meet minimum requirements.

#### **FOR CONSTRUCTION AND RENOVATION PROJECTS:**

The following are required if selected below. Such insurance is due upon contract execution.

# ☐ OWNER'S PROTECTIVE LIABILITY To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability. ☐ BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.