



# STATE OF LOUISIANA

Office of State Procurement  
INVITATION TO BID

**RESPONSES MUST BE RECEIVED BY**  
11/29/2023  
02:00 PM CST

Vendor No.: \_\_\_\_\_  
Solicitation: 3000022149  
Opening Date: 11/29/2023

Vendor Name and Address: (to be completed by Vendor)

**Ship To Address:**  
Mickie Gremillion  
DOC LA STATE PENITENTIARY-909 WAREHOUSE  
17544 TUNICA TRACE - HWY 66  
ANGOLA, LA 70712

**TO SUBMIT AN ELECTRONIC ONLINE RESPONSE CLICK THE LINK BELOW**

**SUBMIT FAX RESPONSE TO:**  
Fax Number: 225-342-9756

**SUBMIT NON-ELECTRONIC RESPONSE TO:**  
Office of State Procurement  
1201 N. Third Street, Suite 2-160  
Baton Rouge, LA 70802

**RFx Number:** 3000022149  
**Version:** 1  
**Buyer:** CHASE WILLIAMS  
**Buyer Phone:** 225-342-4821  
**E-Mail:** chase.williams@la.gov  
**Scheduled Begin Date:**  
**Scheduled End Date:**  
**T-Number:**

**ONLINE BID RESPONSE LINK**

[https://lagoverpvendor.doa.louisiana.gov/rfx?sapsrm\\_boid=269F7EAD44031EDEA1B2F8E68FA5CC47](https://lagoverpvendor.doa.louisiana.gov/rfx?sapsrm_boid=269F7EAD44031EDEA1B2F8E68FA5CC47)

QUESTIONS TO BE COMPLETED BY VENDOR	Required
1. _____ Have you reviewed all attachments to the bid invitation and answered all questions?	YES
2. _____ Have you entered pricing, or attached the pricing sheet (if applicable) to the bid response?	YES
3. _____ Have you attached / included all required files to the bid response?	YES
4. _____ Have you attached the signature page to the bid response?	YES
5. _____ Delivery will be made this number of days After Receipt of Order (ARO)	NO
6. _____ %discount for payment made within 30 days. Discounts for payment made in less than 30 days, of less than 1%, or applicable to an indefinite quantity contract will be accepted but will not be an award consideration.	NO

**Name of Solicitation:** \*Fax Bid\* Plumbing Supplies for DOC

**RFx text:**

\*\*\*\*\*FAX BID\*\*\*\*\*

All vendors must be registered in the LaGov system in order to: submit an online bid, have their bids tabulated by our office, and to receive automatic email notifications of bid opportunities.

VENDOR TELEPHONE NUMBER: EMAIL ADDRESS:	TITLE	DATE
Signature of Authorized Bidder	Name of Bidder (Typed or printed)	

Fax bid: 3000022149  
Date: 11/29/2023  
T-Number:

Bidder:

Page 2 of 40

To register as a vendor, access the following link:

[https://lagoverpvendor.doa.louisiana.gov/irj/portal/anonymous?guest\\_user=self\\_reg](https://lagoverpvendor.doa.louisiana.gov/irj/portal/anonymous?guest_user=self_reg)

Please include a W-9 form with your bid if you are newly registered. Do not register again if you are already registered in the system. You will need a LaGov Vendor ID and Password in order to submit an online bid.

Bidders are invited to submit bids via the Online Bid Response Link on Page 1 of this bid invitation. Online bidding instructions are attached to this bid invitation.

Please print all attachments to ensure all documents related to this solicitation are reviewed prior to bidding.

All documents associated with this solicitation should be included in the bidder's submission.

Bid Documents Include:

Attachment A – Special Terms and Conditions – Pages 1-7

Attachment B – Online Bidding Instructions – Pages 1-10

Bid delivery instructions for the Office of State Procurement:

Refer to Page 1 in Attachment A – Special Terms and Conditions

=====  
Method of Award:

It is the intent of the State to award this contract on an individual basis to the lowest responsive, responsible bidder(s) meeting the specifications. The State further reserves the right to reject individual line items from the award.

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
1	<b>Product Category:40141700</b> Plumbing:  Wax Bowl Ring:  Brand/Model: Oatey item # 31190 or Coburns item # OAT31190 or Equal Material: 100% Petroleum Wax Gasket Compatibility: Suitable for any floor type closet bowl Applicability: For toilets with 3" or 4" waste lines Function: Provides a permanent leak-proof seal  Specify Brand/Model Bidding: _____  Specify Material Bidding: _____  Specify if the model bidding is suitable for any floor type closet bowl: Yes: _____ No: _____  Specify Applicability Bidding (Waste Line Size): _____  Specify if the model bidding provides a permanent	30	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 3 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	leak-proof seal: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____				
2	<b>Product Category:40141700</b> Plumbing:  Closet Bolts:  Brand/Model: EZ-Flo Part # 40027 or Coburns item # EZ40027 or Equal Bolt Size: 1/4" x 2-1/4" Bolt Material: Brass Plated Open End Nuts Material: Nickel Nickel Plated Washer Material: Nickel Includes brass plated bolts, nylon washers, end nuts, nickel plated washers  Specify Brand/Model Bidding: _____  Specify Bolt Size Bidding: _____  Specify Bolt Material Bidding: _____  Specify Open End Nuts Material Bidding: _____  Specify Nickel Plated Washer Material Bidding: _____  Specify if model bidding includes brass plated bolts, nylon washers, end nuts, nickel plated washers: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____	30	EA		
3	<b>Product Category:40141700</b> Plumbing:  Toilet Fill Valve:  Brand/Model: Fluidmaster Item # PRO45 or Coburns item # 20200093 or Equal Material: Plastic Universal design made to fit more tanks Includes seven refill diverter inserts & roller clamp  Specify Brand/Model Bidding: _____  Specify Material Bidding: _____	30	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 4 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify if model bidding includes a universal design made to fit more tanks: Yes: _____ No: _____  Specify if model bidding Includes seven refill diverter inserts & roller clamp: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____				
4	<b>Product Category:40141700</b> Plumbing:  Extension Tube Slip Joint:  Brand/Model: Dearborn Brass item # P9793E or Coburns item # 17074600 or Equal Fitting Size: 1-1/2" Length: 16" Color: White Material: PVC For tubular drain applications Slip joint inlet on both ends  Specify Brand/Model Bidding: _____  Specify Fitting Size Bidding: _____  Specify Length Bidding: _____  Specify Color Bidding: _____  Specify Material Bidding: _____  Specify if model bidding is for tubular drain applications: Yes: _____ No: _____  Specify if model bidding has a slip joint inlet on both ends: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____	30	EA		
5	<b>Product Category:40141700</b> Plumbing:  Double Flange Sink Tailpiece:  Brand/Model: Dearborn Brass item # P9803E or Coburns item # 17078908 or Equal Fitting Size: 1-1/2" Length: 16" Color: White	30	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Material: PVC Connection Type: Flanged Strainer Tailpiece Slip joint inlet on both ends For tubular drain applications  Specify Brand/Model Bidding: _____  Specify Fitting Size Bidding: _____  Specify Length Bidding: _____  Specify Color Bidding: _____  Specify Material Bidding: _____  Specify Connection Type Bidding: _____  Specify if model bidding is for tubular drain applications: Yes: _____ No: _____  Specify if model bidding has a slip joint inlet on both ends: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____				
6	<b>Product Category:40141700</b> Plumbing:  Extension Tube Slip Joint:  Brand/Model: Dearborn Brass item # P9791E or Coburns item # 17070485 or Equal Fitting Sizes: 1-1/4" Length: 16" Double Connect Color: White Material: PVC Slip joint inlets on both ends TPE washer prevent drying and cracking Secure seal with hand tightening Tubular drain applications Includes 2 slip joint washers, 2 washers, and 2 reducing washers  Specify Brand/Model Bidding: _____  Specify Fitting Size Bidding: _____  Specify Length Bidding: _____  Specify if model bidding is Double Connect: Yes: _____	30	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 6 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	No: _____  Specify Color Bidding: _____  Specify Material Bidding: _____  Specify if model bidding has slip joint inlets on both ends: Yes: _____ No: _____  Specify if model bidding has a TPE washer to prevent drying and cracking: Yes: _____ No: _____  Specify if model bidding has a secure seal with hand-tightening: Yes: _____ No: _____  Specify if model bidding has tubular drain applications: Yes: _____ No: _____ Specify if model bidding includes 2 slip joint washers, 2 washers, and 2 reducing washers: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____				
7	<b>Product Category:40141700</b> Plumbing:  P-Trap with Adapter  Brand/Model: EZ Flo item # 35376 or Equal Trap Size: 1-1/2" Material: PVC End Connections: Threaded Color: White Includes slip joint nut x 1-1/4" reducing & 1-1/2" washers  Specify Brand/Model Bidding: _____  Specify Trap Size Bidding: _____  Specify Material Bidding: _____  Specify End Connections Bidding: _____  Specify Color Bidding: _____  Specify if model bidding includes slip joint nut x 1-1/4" reducing & 1-1/2" washers: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____	30	EA		
8	<b>Product Category:40141700</b>	30	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 7 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Plumbing:  Boiler Drain Valve:  Brand/Model: Niboc item # QT74X or Coburns item # 22091540 or Equal Nominal Size: 1/2" Material: Brass End Style: Cup/MNPT x Hose Hose Boiler Drain Quarter Turn Zinc Handle  Specify Brand/Model Bidding: _____  Specify Nominal Size Bidding: _____  Specify Material Bidding: _____  Specify End Style Bidding: _____  Specify if model bidding is Hose Boiler Drain: Yes: _____ No: _____  Specify if model bidding has Quarter Turn Zinc Handle: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____				
9	<b>Product Category:40141700</b> Plumbing:  Boiler Drain Valve:  Brand/Model: Niboc item # QT74X or Equal Nominal Size: 3/4" Material: Brass End Style: Cup/MNPT x Hose Hose Boiler Drain Quarter Turn Zinc Handle  Specify Brand/Model Bidding: _____  Specify Nominal Size Bidding: _____  Specify Material Bidding: _____  Specify End Style Bidding: _____  Specify if model bidding is Hose Boiler Drain: Yes: _____ No: _____	30	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 8 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify if model bidding has Quarter Turn Zinc Handle: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____				
10	<b>Product Category:40141700</b> Plumbing:  Boiler Drain:  Brand/Model: Nibco item # 73CL or Coburns item # 22050884 or Equal Nominal Size: 1/2" End Style: Female Threaded x Hose Material: Bronze Actuator Type: Handwheel Screw in Bonnet  Specify Brand/Model Bidding: _____  Specify Nominal Size Bidding: _____  Specify End Style Bidding: _____  Specify Material Bidding: _____  Specify Actuator Type Bidding: _____  Specify if model bidding has a Screw in Bonnet: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____	30	EA		
11	<b>Product Category:40141700</b> Plumbing:  Brand/Model: Nibco item # 73CL or Coburns item # 22050900 or Equal Nominal Size: 3/4" End Style: Female Threaded x Hose Material: Bronze Actuator Type: Handwheel Screw in Bonnet Multi Turn  Specify Brand/Model Bidding: _____  Specify Nominal Size Bidding: _____  Specify End Style Bidding: _____	30	EA		



Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Material Bidding: _____ Specify Actuator Type Bidding: _____ Specify if model bidding has a Screw in Bonnet: Yes: _____ No: _____ Specify if model bidding has Multi-Turn: Yes: _____ No: _____ Specify Delivery Days ARO Bidding: _____				
12	<b>Product Category:40141700</b> Plumbing: Caulk: Brand/Model: Oatey 30241 Tub-N-Tile or Equal Application: Flexible, acrylic general purpose sealant Color: White Container Size:10 fl oz Specify Brand/Model Bidding: _____ Specify if model bidding has flexible, acrylic general purpose sealant: Yes: _____ No: _____ Specify Color Bidding: _____ Specify Container Size Bidding: _____ Specify Delivery Days ARO Bidding: _____	48	EA		
13	<b>Product Category:40141700</b> Plumbing: Toilet Supply Line: Brand/Model: BrassCraft model # B1-12DLM F or Coburns item # BRAB112DLMF OR Equal Inlet Diameter: 3/8" Outlet Diameter: 7/8" Product Length: 12" Inlet x Outlet Fitting End Type: Compression x Ballcock with Metal Nut Fitting Material: Brass Color/Finish: Silver, Braided Polymer Lead Free Certified For use in potable water distribution systems in accessible locations only	40	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 10 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Maximum Pressure (PSI): 125 PSI max  Specify Brand/Model Bidding: _____  Specify Inlet Diameter Bidding: _____  Specify Outlet Diameter Bidding: _____  Specify Inlet x Outlet Fitting End Type Bidding: _____  Specify Fitting Material Bidding: _____  Specify Color/Finish Bidding: _____  Specify if model bidding is Lead-Free Certified: Yes: _____ No: _____  Specify if model bidding is For use in potable water distribution systems in accessible locations only: Yes: _____ No: _____  Specify Maximum PSI Pressure: _____ Specify Delivery Days ARO Bidding: _____				
14	<b>Product Category:40141700</b> Plumbing:  Dishwasher Water Line:  Brand/Model: BrassCraft item # B1-72DW F or Coburns item # 19012090 OR Equal Inlet Diameter: 3/8" Outlet Diameter: 3/8" Product Length: 72" Inlet x Outlet Fitting End Type: Compression x Compression Fitting Material: Brass Color/Finish: Silver, Braided Polymer Lead Free Certified For use in potable water distribution systems in accessible locations only Maximum Pressure (PSI): 125 PSI max  Specify Brand/Model Bidding: _____  Specify Inlet Diameter Bidding: _____  Specify Outlet Diameter Bidding: _____  Specify Inlet x Outlet Fitting End Type Bidding:	40	EA		

Fax bid: 300022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 11 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Specify Fitting Material Bidding: _____</p> <p>Specify Color/Finish Bidding: _____</p> <p>Specify if model bidding is Lead-Free Certified: Yes: _____ No: _____</p> <p>Specify if model bidding is For use in potable water distribution systems in accessible locations only: Yes: _____ No: _____</p> <p>Specify Maximum PSI Pressure: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>				
15	<p><b>Product Category:40141700</b></p> <p>Plumbing:</p> <p>Faucet Supply Line:</p> <p>Brand/Model: Brasscraft item# PLS1-20 A F or Coburns item #BRAPLS120AF or Equal</p> <p>Inlet Diameter: 3/8"</p> <p>Outlet Diameter: 1/2"</p> <p>Product Length: 20"</p> <p>Connection Type: Compression x FIP</p> <p>Fitting Material: Brass</p> <p>Color/Finish: Silver, Braided Polymer</p> <p>Lead Free Certified</p> <p>Maximum Pressure (PSI): 125 PSI</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Inlet Diameter Bidding: _____</p> <p>Specify Outlet Diameter Bidding: _____</p> <p>Specify Connection Type Bidding: _____</p> <p>Specify Fitting Material Bidding: _____</p> <p>Specify Color/Finish Bidding: _____</p> <p>Specify if model bidding is Lead-Free Certified: Yes: _____ No: _____</p> <p>Specify Maximum PSI Pressure: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>	40	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 12 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
16	<p><b>Product Category:40141700</b>            Plumbing:            Faucet Supply Line:            Brand/Model: Brasscraft item # PLS1-12KC or Coburns            item # BRAPLS112KCF or Equal            Inlet Diameter: 3/8"            Outlet Diameter: 3/8"            Product Length: 12"            Connection Type: Compression x Compression            Color/Finish: Silver, Braided Polymer            Lead Free Certified            Maximum Pressure (PSI): 125 PSI</p> <p>Specify Brand/Model Bidding: _____            Specify Inlet Diameter Bidding: _____            Specify Outlet Diameter Bidding: _____            Specify Connection Type Bidding: _____            Specify Color/Finish Bidding: _____            Specify if model bidding is Lead-Free Certified: Yes:            _____ No: _____            Specify Maximum PSI Pressure: _____            Specify Delivery Days ARO Bidding: _____</p>	40	EA		
17	<p><b>Product Category:40141700</b>            Plumbing:            Angle Stop Valve:            Brand/Model: Brasscraft item # KTR17X-C or Coburns            item # BRAKTR17XC OR Equal            Closing: Quarter Turn (1/4 Turn)            Inlet: 1/2" Female Threaded            Outlet: 3/8" OD Compression            Valve Body: Compliant Brass (Chrome Plated)            For use in potable water distribution systems in accessible            locations only</p> <p>Specify Brand/Model Bidding: _____            Specify Closing Bidding: _____            Specify Inlet Diameter Bidding: _____</p>	30	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 13 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Outlet Diameter Bidding: _____  Specify Valve Body Bidding: _____  Specify if model bidding is For use in potable water distribution systems in accessible locations only: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____				
18	<b>Product Category:40141700</b> Plumbing:  Angle Stop Valve:  Brand/Model: Brasscraft item # G2R17X or Coburns item # BRAG2R17XC or Equal Closing: Quarter Turn (1/4 Turn) Inlet Diameter: 1/2" Outlet Diameter: 3/8" Connection: FIP x Comp Color/Finish: Chrome For use in potable water distribution systems in accessible locations only  Specify Brand/Model Bidding: _____  Specify Closing Bidding: _____  Specify Inlet Diameter Bidding: _____  Specify Outlet Diameter Bidding: _____  Specify Connection Bidding: _____  Specify Color/Finish Bidding: _____  Specify if model bidding is For use in potable water distribution systems in accessible locations only: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____	30	EA		
19	<b>Product Category:40141700</b> Plumbing:  Wax Bowl Ring with Sleeve:  Brand/Model: Oatey item # 31194 or Coburns item # OAT31194 or Equal	30	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 14 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Material: 100% Petroleum Wax Gasket            Compatibility: Suitable for any floor type closet bowl            Applicability: For toilets with 3" or 4" waste lines            Sleeve is plastic polyethylene flanged sleeve that extends discharge opening and provides a positive seal            Function: Provides a permanent leak-proof seal</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Material Bidding: _____</p> <p>Specify if the model bidding is suitable for any floor type closet bowl: Yes: _____ No: _____</p> <p>Specify Applicability Bidding (Waste Line Size): _____</p> <p>Specify if the model bidding has Sleeve is plastic polyethylene flanged sleeve that extends discharge opening and provides a positive seal: Yes: _____ No: _____</p> <p>Specify if the model bidding provides a permanent leak-proof seal: Yes: _____ No: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>				
20	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>Female Trap Adapter with Polyethylene Nut:</p> <p>Brand/Model: Charlotte Pipe Item # 03224 or Coburns item #46403952 or Equal            Size: 1-1/2" x 1-1/2"            Color: White            Material: PVC-DWV            Schedule: Schedule 40            Connections: Hub X Slip Joint</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Material Bidding: _____</p> <p>Specify Schedule Bidding: _____</p> <p>Specify Connections Bidding: _____</p>	40	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 15 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Delivery Days ARO Bidding: _____				
21	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>Sanitary Tee:</p> <p>Brand/Model: Charlotte Pipe item # 03465 or Coburns item #46409504 or Equal            Size: 3" x 3"            Color: White            Material: PVC            Schedule: Schedule 40            Connections: Hub X Hub X Hub</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Material Bidding: _____</p> <p>Specify Schedule Bidding: _____</p> <p>Specify Connections Bidding: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>	20	EA		
22	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>Sanitary Tee:</p> <p>Brand/Model: Charlotte Pipe Item# 03466 or Coburns item #46409801 or Equal            Size: 4" x 4"            Color: White            Material: PVC            Schedule: Schedule 40            Connections: Hub X Hub X Hub</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Material Bidding: _____</p>	20	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 16 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Schedule Bidding: _____ Specify Connections Bidding: _____ Specify Delivery Days ARO Bidding: _____				
23	<b>Product Category:40141700</b> Plumbing:  Sanitary Tee:  Brand/Model: Lowes item # 23395 or Equal Size: 2" x 2" Color: White Material: PVC Schedule: Schedule 40 Connections: Hub X Hub X Hub  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify Color Bidding: _____  Specify Material Bidding: _____  Specify Schedule Bidding: _____  Specify Connections Bidding: _____  Specify Delivery Days ARO Bidding: _____	20	EA		
24	<b>Product Category:40141700</b> Plumbing:  Flexible Clamp Coupling:  Brand/Model: Fernco item # 1056-22 or Coburns item # 43108026 or Equal Size: 2" x 2" Material: PVC, Stainless Steel Color: Black  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify Material Bidding: _____  Specify Color Bidding: _____	40	EA		



Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 17 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Delivery Days ARO Bidding: _____				
25	<b>Product Category:40141700</b> Plumbing:  Flexible Clamp Coupling:  Brand/Model: Fernco item # 1056-44 or Coburns item # 43108042 or Equal Size: 4" x 4" Material: PVC, Stainless Steel Color: Black  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify Material Bidding: _____  Specify Color Bidding: _____  Specify Delivery Days ARO Bidding: _____	40	EA		
26	<b>Product Category:40141700</b> Plumbing:  Flexible Clamp Coupling:  Brand/Model: Fernco item # 1056-33 or Coburns item # 43108059 or Equal Size: 3" x 3" Material: PVC, Stainless Steel Color: Black  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify Material Bidding: _____  Specify Color Bidding: _____  Specify Delivery Days ARO Bidding: _____	40	EA		
27	<b>Product Category:40141700</b> Plumbing:  Flexible Clamp Cap:  Brand/Model: Fernco item # QC-102 or Coburns item #	20	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 18 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	43108513 or Equal Size: 2" Reusable For pipe ends, testing, and clean outs Band Material: Stainless Steel  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify if model bidding is reusable: Yes: ____ No: ____  Specify if model bidding is for pipe ends, testing, and cleanouts: Yes: ____ No: ____  Specify Band Material Bidding: _____  Specify Delivery Days ARO Bidding: _____				
28	<b>Product Category:40141700</b> Plumbing:  Flexible Clamp Cap:  Brand/Model: Fernco item # QC-101 or Coburns item # 43108505 or Equal Size: 1-1/2" Reusable For pipe ends, testing, and clean outs Band Material: Stainless Steel  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify if model bidding is reusable: Yes: ____ No: ____  Specify if model bidding is for pipe ends, testing, and cleanouts: Yes: ____ No: ____  Specify Band Material Bidding: _____  Specify Delivery Days ARO Bidding: _____	20	EA		
29	<b>Product Category:40141700</b> Plumbing:  Flexible Clamp Cap:	20	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 19 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Brand/Model: Fernco item # QC-103 or Coburns item # 43108521 or Equal            Size: 3"            Reusable            For pipe ends, testing, and clean outs            Band Material: Stainless Steel</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p> <p>Specify if model bidding is reusable: Yes: ____ No: ____</p> <p>Specify if model bidding is for pipe ends, testing, and cleanouts: Yes: ____ No: ____</p> <p>Specify Band Material Bidding: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>				
30	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>Flexible Clamp Cap:</p> <p>Brand/Model: Fernco item # QC-104 or Coburns item # 43108539 or Equal            Size: 4"            Reusable            For pipe ends, testing, and clean outs            Band Material: Stainless Steel</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p> <p>Specify if model bidding is reusable: Yes: ____ No: ____</p> <p>Specify if model bidding is for pipe ends, testing, and cleanouts: Yes: ____ No: ____</p> <p>Specify Band Material Bidding: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>	20	EA		
31	<p><b>Product Category:40141700</b>            Plumbing:</p>	40	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 20 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Dresser Coupling:</p> <p>Brand/Model: Braxton Harris item # PCC34 or Coburns item # BRAHPCC34 or Equal            Size: 3/4"            Materials: PVC            Connectivity: Compression            IPS Connection            Maximum Pressure (PSI): 125 PSI</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p> <p>Specify Materials Bidding: _____</p> <p>Specify Connectivity Bidding: _____</p> <p>Specify if model bidding has IPS Connection: Yes: _____            No: _____</p> <p>Specify Maximum PSI Pressure: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>				
32	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>Dresser Coupling:</p> <p>Brand/Model: Matco Norca item # 400T03 or Equal            Size: 1/2"            Materials: PVC            Connectivity: Compression            IPS Connection            Maximum Pressure (PSI): 150 PSI</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p> <p>Specify Materials Bidding: _____</p> <p>Specify Connectivity Bidding: _____</p> <p>Specify if model bidding has IPS Connection: Yes: _____            No: _____</p> <p>Specify Maximum PSI Pressure: _____</p>	40	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 21 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Delivery Days ARO Bidding: _____				
33	<p><b>Product Category:40141700</b>            Plumbing:            Repair Clamp:            Brand/Model: Jones Stephens item # R60-050 or Equal            Pipe Size: 1/2"            Pipe Length: 6" Wide            Material: Stainless Steel Clamp            2 Bolt Installation</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Pipe Size Bidding: _____</p> <p>Specify Pipe Length Bidding: _____</p> <p>Specify Materials Bidding: _____</p> <p>Specify if model bidding has 2 Bolt Installation:            Yes: _____ No: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>	20	EA		
34	<p><b>Product Category:40141700</b>            Plumbing:            Patch Clamp:            Brand/Model: Matco-Norca Clampette 330-046-CTS 3/4"            CTS x 6" Wide Copper Tube Size Patch Clamp or Equal            Pipe Size: 3/4"            Pipe Length: 6" Wide            Includes band, lugs, bolts, nuts, washers, gaskets            Pressure Rating: 150 PSI</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Pipe Size Bidding: _____</p> <p>Specify Pipe Length Bidding: _____</p> <p>Specify if model bidding Includes bands, lugs, bolts, nuts,            washers, and gaskets:            Yes: _____ No: _____</p> <p>Specify Pressure Rating Bidding: _____</p>	30	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 22 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Delivery Days ARO Bidding: _____				
35	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>Ball Valve:</p> <p>Brand/Model: Sharkbite item # 22185-0000 LF or Equal            Size: 3/4"            Material: Brass            Compatibility: Copper, CPVC, PEX Pipe            Maximum Pressure: 200 PSI            Handle Type: Lever            Full Port: No            Connection Method: Push to connect            Lead Content: Lead-Free</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p> <p>Specify Material Bidding: _____</p> <p>Specify Compatibility Bidding: _____</p> <p>Specify Maximum PSI Pressure Bidding: _____</p> <p>Specify Handle Type Bidding: _____</p> <p>Specify Full Port Bidding: _____</p> <p>Specify Connection Method Bidding: _____</p> <p>Specify Lead Content Bidding: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>	20	EA		
36	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>Straight Connector:</p> <p>Brand/Model: Sharkbite item # U134LF or Coburns item # CASU134LF or Equal            Size: 3/4" x 3/4"            Lead Free: Yes            Connection Method: Push to connect x Male Threaded            Materials: Brass</p>	20	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 23 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	For copper or PEX pipe Specify Brand/Model Bidding: _____ Specify Size Bidding: _____ Specify if model bidding is Lead-Free: Yes: _____ No: _____ Specify Connection Method Bidding: _____ Specify Material Bidding: _____ Specify if model bidding is for copper or PEX pipe: Yes: _____ No: _____ Specify Delivery Days ARO Bidding: _____				
37	<b>Product Category:40141700</b> Plumbing: End Caps: Brand/Model: Sharkbite item # U518LF or or Coburns item # CASU518LF or Equal Size: 3/4" Lead Free: Yes Connection Method: Push to connect Material: Brass For copper or PEX pipe Specify Brand/Model Bidding: _____ Specify Size Bidding: _____ Specify if model bidding is Lead-Free: Yes: _____ No: _____ Specify Connection Method Bidding: _____ Specify Material Bidding: _____ Specify if model bidding is for copper or PEX pipe: Yes: _____ No: _____ Specify Delivery Days ARO Bidding: _____	20	EA		
38	<b>Product Category:40141700</b> Plumbing: Elbow:	20	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 24 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>Brand/Model: Sharkbite item # U248LF or Coburns item # CASU248LF or Equal            Size: 1/2" x 1/2"            Lead Free: Yes            Degree: 90 Elbow            Connections: Push-To-Connect X Push-To-Connect            Material: Brass            For copper or PEX pipe</p> <p>Specify Brand/Model Bidding: _____            Specify Size Bidding: _____            Specify if model bidding is Lead-Free: Yes: _____ No: _____            Specify Degree Bidding: _____            Specify Connections Bidding: _____            Specify Material Bidding: _____            Specify if model bidding is for copper or PEX pipe: Yes: _____ No: _____            Specify Delivery Days ARO Bidding: _____</p>				
39	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>End Stops:</p> <p>Brand/Model: Sharkbite item # U514LF or Coburns item # CASU514LF or Equal            Size: 1/2"            Lead Free: Yes            Connection Method: Push to connect            Material: Brass            For copper or PEX pipe</p> <p>Specify Brand/Model Bidding: _____            Specify Size Bidding: _____            Specify if model bidding is Lead-Free: Yes: _____ No: _____            Specify Connection Method Bidding: _____            Specify Material Bidding: _____</p>	20	EA		



Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 25 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify if model bidding is for copper or PEX pipe: Yes: _____ No: _____ Specify Delivery Days ARO Bidding: _____				
40	<b>Product Category:40141700</b> Plumbing:  Straight Connector:  Brand/Model: Sharkbite item # U088LF or Coburns item # CASU088LF or Equal Size: 3/4" x 3/4" Lead Free: Yes Connection Method: Push to connect x Female Threaded Material: Brass For copper or PEX pipe  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify if model bidding is Lead-Free: Yes: _____ No: _____  Specify Connection Method Bidding: _____  Specify Material Bidding: _____  Specify if model bidding is for copper or PEX pipe: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____	20	EA		
41	<b>Product Category:40141700</b> Plumbing:  Couplings:  Brand/Model: Sharkbite item # U008LF or Coburns item # CASU008LF or Equal Size: 1/2" x 1/2" Lead Free: Yes Connection Method: Push to Connect Material: Brass For copper or PEX pipe  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____	20	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 26 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify if model bidding is Lead-Free: Yes: _____ No: _____  Specify Degree Bidding: _____  Specify Connections Bidding: _____  Specify Material Bidding: _____  Specify if model bidding is for copper or PEX pipe: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____				
42	<b>Product Category:40141700</b> Plumbing:  Ball Valve:  Brand/Model: Sharkbite item # 22223-0000LF or Coburns item # CAS222230000LF or Equal Size: 1" x 1" Lead Free: Yes Material: Brass Connection Method: Push to Connect Handle Style: Lever Max Pressure (PSI): 200 PSI For copper or PEX pipe  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify if model bidding is Lead-Free: Yes: _____ No: _____  Specify Material Bidding: _____  Specify Connection Method Bidding: _____  Specify Handle Style Bidding: _____  Specify Max Pressure (PSI) Bidding: _____  Specify if model bidding is for copper or PEX pipe: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____	20	EA		
43	<b>Product Category:40141700</b>	10	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 27 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Plumbing:  Slip Coupling:  Brand/Model: Sharkbite item # U3008LF or Coburns item # CASU3008LF or Equal Size: 1/2" x 1/2" Lead Free: Yes Material: Brass Connection Method: Push to Connect x Slip Max Pressure (PSI): 200 PSI For copper or PEX pipe  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify if model bidding is Lead-Free: Yes: ____ No: ____  Specify Material Bidding: _____  Specify Connection Method Bidding: _____  Specify Max Pressure (PSI) Bidding: _____  Specify if model bidding is for copper or PEX pipe: Yes: ____ No: ____  Specify Delivery Days ARO Bidding: _____				
44	<b>Product Category:40141700</b> Plumbing:  Reducing Coupling:  Brand/Model: Sharkbite item # U058LF or Coburns item # CASU058LF or Equal Size: 3/4" x 1/2" Lead Free: Yes Material: Brass Connection Method: Push to Connect x Slip Max Pressure (PSI): 200 PSI For copper or PEX pipe  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify if model bidding is Lead-Free: Yes: ____ No: ____	20	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 28 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Material Bidding: _____ Specify Connection Method Bidding: _____ Specify Max Pressure (PSI) Bidding: _____ Specify if model bidding is for copper or PEX pipe: Yes: _____ No: _____ Specify Delivery Days ARO Bidding: _____				
45	<b>Product Category:40141700</b> Plumbing:  Straight Connector:  Brand/Model: Sharkbite item # U120LF or Coburns item # CASU120LF or equal Size: 1/2" x 1/2" Lead Free: Yes Material: Brass Connection Method: Push to Connect x Male Threaded Max Pressure (PSI): 200 PSI For copper or PEX pipe  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify if model bidding is Lead-Free: Yes: _____ No: _____  Specify Material Bidding: _____  Specify Connection Method Bidding: _____  Specify Max Pressure (PSI) Bidding: _____  Specify if model bidding is for copper or PEX pipe: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____	30	EA		
46	<b>Product Category:40141700</b> Plumbing:  Elbow:  Brand/Model: Sharkbite item # U256LF or Coburns item # CASU256LF or Equal	40	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Size: 3/4" x 3/4" Lead Free: Yes Degree: 90 Elbow Connections: Push to Connect x Slip Material: Brass For copper or PEX pipe  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify if model bidding is Lead-Free: Yes: ____ No: ____  Specify Degree Bidding: _____  Specify Connections Bidding: _____  Specify Material Bidding: _____  Specify if model bidding is for copper or PEX pipe: Yes: ____ No: ____  Specify Delivery Days ARO Bidding: _____				
47	<b>Product Category:40141700</b> Plumbing:  Coupling:  Brand/Model: Sharkbite item # U016LF or Coburns item # CASU016LF or Equal Size: 3/4" x 3/4" Lead Free: Yes Connection Method: Push to Connect x Chrome Plated Material: Brass For copper or PEX pipe  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify if model bidding is Lead-Free: Yes: ____ No: ____  Specify Connection Method Bidding: _____  Specify Material Bidding: _____  Specify if model bidding is for copper or PEX pipe: Yes: ____ No: ____	40	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 30 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Delivery Days ARO Bidding: _____				
48	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>PVC Transition Coupling:</p> <p>Brand/Model: Sharkbite item # UIP4016LF or Coburns item # CASUIP4016LF or Equal            Size: 3/4" x 3/4"            Lead Free: Yes            End Style: CTS x PVC            Material: Brass            Max Pressure (PSI): 200 PSI            For copper or PEX pipe</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p> <p>Specify if model bidding is Lead-Free:            Yes: _____ No: _____</p> <p>Specify End Style Bidding: _____</p> <p>Specify Material Bidding: _____</p> <p>Specify if model bidding is for copper or PEX pipe:            Yes: _____ No: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>	30	EA		
49	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>PVC Transition Coupling:</p> <p>Brand/Model: Sharkbite item # UIP4020LF or Coburns item # CASUIP4020 or Equal            Size: 1" x 1"            Type: Pex Fitting &amp; Crimp Ring            Connection Type: CTS x PVC            Material: Brass            Max Pressure (PSI): 200 PSI            For copper or PEX pipe</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p>	30	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 31 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Type Bidding: _____ Specify Connection Type Bidding: _____ Specify Material Bidding: _____ Specify Max Pressure (PSI) Bidding: _____ Specify if model bidding is for copper or PEX pipe: Yes: ____ No: ____ Specify Delivery Days ARO Bidding: _____				
50	<b>Product Category:40141700</b> Plumbing: PVC Transition Coupling: Brand/Model: Sharkbite item # UIP4008 or Coburns item # CASUIP4008 or Equal Size: 1/2" x 1/2" Type: Pex Fitting & Crimp Ring Connection Type: CTS x PVC Material: Brass Max Pressure (PSI): 200 PSI For copper or PEX pipe Specify Brand/Model Bidding: _____ Specify Size Bidding: _____ Specify Type Bidding: _____ Specify End Style Bidding: _____ Specify Material Bidding: _____ Specify Max Pressure (PSI) Bidding: _____ Specify if model bidding is for copper or PEX pipe: Yes: ____ No: ____ Specify Delivery Days ARO Bidding: _____	30	EA		
51	<b>Product Category:40141700</b> Plumbing: Elbow: Brand/Model: Sharkbite item # U274LF or Equal	20	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Size: 3/4" x 1/2" Lead Free: Yes Degree: 90 Elbow Material: Brass For copper or PEX pipe  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify if model bidding is Lead-Free: Yes: ____ No: ____  Specify Degree Bidding: _____  Specify Material Bidding: _____  Specify if model bidding is for copper or PEX pipe: Yes: ____ No: ____  Specify Delivery Days ARO Bidding: _____				
52	<b>Product Category:40141700</b> Plumbing:  Elbow:  Brand/Model: Sharkbite item # U280LF or Coburns item # CASU280LF or Equal Size: 1/2" x 1/2" Lead Free: Yes Degree: 90 Elbow Connections: Push to Connect x Male Threaded Material: Brass For copper or PEX pipe  Specify Brand/Model Bidding: _____  Specify Size Bidding: _____  Specify if model bidding is Lead-Free: Yes: ____ No: ____  Specify Degree Bidding: _____  Specify Connections Bidding: _____  Specify Material Bidding: _____  Specify if model bidding is for copper or PEX pipe: Yes: ____ No: ____	20	EA		



Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 33 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Delivery Days ARO Bidding: _____				
53	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>PVC Transition Slip Tee:</p> <p>Brand/Model: Sharkbite item # UIP371LF or Coburns item # CASUp371 or Equal            Size: 3/4" x 3/4"            Connection Type: CTX x CTS            Material: Brass            Connection Method: Push to Connect            For copper or PEX pipe</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p> <p>Specify Connection Type Bidding: _____</p> <p>Specify Material Bidding: _____</p> <p>Specify Connection Method Bidding: _____</p> <p>Specify if model bidding is for copper or PEX pipe:            Yes: _____ No: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>	20	EA		
54	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>Clear Cutting Oil:</p> <p>Brand/Model: Oatey item # 40120 (Hercules® Clear Cutting Oil) or Coburns item # OAT40120 or Equal            Container Size: 1 Gallon            Cutting oil provides lubrication for clean, sharp threads            Use with hand tools and low-RPM pipe threading machines            Free of nitrosamine-forming compounds and chlorine additives            Designed for use on small sizes of steel or brass pipe</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Container Size Bidding: _____</p> <p>Specify if model bidding provides cutting oil lubrication for</p>	10	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 34 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	<p>clean, sharp threads:            Yes: _____ No: _____</p> <p>Specify if model bidding is safe with hand tools and low-RPM pipe threading machines:            Yes: _____ No: _____</p> <p>Specify if model bidding is free of nitrosamine-forming compounds and chlorine additives:            Yes: _____ No: _____</p> <p>Specify if model bidding is designed for use on small sizes of steel or brass pipe:            Yes: _____ No: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>				
55	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>PTFE Thread Seal Tape:</p> <p>Brand/Model: Blue Monster item # 70886 or Coburns item # 51400919 or Equal            Size: 3/4"            Color: Blue            Roll Length: Minimum 1400" - Maximum 1500"</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Size Bidding: _____</p> <p>Specify Color Bidding: _____</p> <p>Specify Roll Length Bidding: _____</p> <p>Specify Delivery Days ARO Bidding: _____</p>	60	EA		
56	<p><b>Product Category:40141700</b>            Plumbing:</p> <p>Jacket Stripper Tool:</p> <p>Brand/Model: Gastite item # STRP3-11-24 or Equal            Capacity: 3/4"            Material: Polypropylene (Body), Stainless Steel (Blade)            Application Cutting and Removal of CSST Jacket</p> <p>Specify Brand/Model Bidding: _____</p> <p>Specify Capacity Bidding: _____</p>	20	EA		

Fax bid: 3000022149  
 Date: 11/29/2023  
 T-Number:

Bidder:

Page 35 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Material Bidding: _____  Specify if model bidding is Application Cutting and Removal of CSST Jacket: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____				
57	<b>Product Category:40141700</b> Plumbing:  Septic Flow Drain Cleaner:  Brand/Model: Hercules item # 139302 or Coburns item # OAT139302 or Equal Container Size: 1/2 Gallon Color: Green Eliminates back ups, odors, and corrosion Works in septic tanks  Specify Brand/Model Bidding: _____  Specify Container Size Bidding: _____  Specify Color Bidding: _____  Specify if model bidding eliminates backups, odors, and corrosion: Yes: _____ No: _____  Specify if model bidding works in septic tanks: Yes: _____ No: _____  Specify Delivery Days ARO Bidding: _____	20	EA		
58	<b>Product Category:40141700</b> Plumbing:  Male Trap adapter with Poly Nut:  Brand/Model: Charlotte Pipe item # 03212 or Coburns item # 46403838 or Equal Size: 1-1/2" x 1-1/2" Color: White Material: PVC Schedule: Schedule 40 Connections: Spigot x Slip Joint  Specify Brand/Model Bidding: _____	40	EA		

Fax bid: 300022149  
Date: 11/29/2023  
T-Number:

Bidder:

Page 36 of 40

LINE	Description	Quantity	Unit	Unit Price	Extended Amount
	Specify Size Bidding: _____ Specify Color Bidding: _____ Specify Material Bidding: _____ Specify Schedule Bidding: _____ Specify Connections Bidding: _____ Specify Delivery Days ARO Bidding: _____				

## INSTRUCTIONS TO BIDDERS

1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS.
2. ALL BID PRICES MUST BE TYPED, WRITTEN IN INK OR SUBMITTED ONLINE VIA THE VENDOR PORTAL, WHICHEVER IS APPLICABLE. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATION TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER.
3. THIS BID IS TO BE MANUALLY SIGNED IN INK OR SUBMITTED ONLINE VIA THE VENDOR PORTAL, WHICHEVER IS APPLICABLE.
4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. DESTINATION OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C.O.D" REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER.
5. AMOUNT OF BID BOND REQUIRED: ADDRESSED IN THE SPECIAL TERMS AND CONDITIONS SECTION IF APPLICABLE.
6. AMOUNT OF PERFORMANCE BOND, IF REQUIRED: ADDRESSED IN THE SPECIAL TERMS AND CONDITIONS SECTION.
7. DESIRED DELIVERY: ADDRESSED IN THE SPECIAL TERMS AND CONDITIONS SECTION.
8. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE STATE OF LOUISIANA INCLUDING BUT NOT LIMITED TO L.R.S. 39:1551-1736; PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDARD TERMS AND CONDITIONS; SPECIAL TERMS AND CONDITIONS; AND SPECIFICATIONS LISTED IN THIS SOLICITATION.
9. IMPORTANT: BY SIGNING THE BID OR SUBMITTING THE BID ONLINE VIA THE VENDOR PORTAL (WHICHEVER IS APPLICABLE) THE BIDDER CERTIFIES COMPLIANCE WITH ALL INSTRUCTIONS TO BIDDERS, TERMS, CONDITIONS AND SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITHOUT COLLUSION OR FRAUD. THIS BID IS TO BE MANUALLY SIGNED IN INK OR SUBMITTED ONLINE VIA THE VENDOR PORTAL, WHICHEVER IS APPLICABLE, BY A PERSON AUTHORIZED TO BIND THE VENDOR. ALL BID INFORMATION SHALL BE IN INK, TYPEWRITTEN, OR SUBMITTED ONLINE VIA THE VENDOR PORTAL, WHICHEVER IS APPLICABLE.
10. ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.
11. CONFERENCE: ADDRESSED IN THE SPECIAL TERMS AND CONDITIONS SECTION IF APPLICABLE.

### 12. BID FORMS

ALL WRITTEN BIDS, UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED AND PROPERLY SIGNED. BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED:

- A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND;
- B. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS

BIDS MUST BE FAXED TO THE NUMBER INDICATED, RECEIVED AT THE ADDRESS SPECIFIED, OR SUBMITTED VIA THE ONLINE VENDOR PORTAL, AS SPECIFIED IN THE SOLICITATION, WHICHEVER IS APPLICABLE, PRIOR TO TIME AND DATE INDICATED IN ORDER TO BE CONSIDERED. FAX ALTERATIONS, NOT INVOLVING PRICING, TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED THE BID FORM AND FAXED ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE THE BID OPENING. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT BID.

### 13. STANDARDS OF QUALITY

ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, AND ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFORMANCE AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.

#### 14. DESCRIPTIVE INFORMATION

BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER SHOULD STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.

#### 15. RECEIPT OF FAX BIDS

NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED IN ACCORDANCE WITH LA R.S. 44.1. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS.

#### 16. PRICES

UNLESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SOLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.

#### 17. DELIVERIES

BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.

#### 18. TAXES

VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.

#### 19. NEW PRODUCTS

UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

#### 20. CONTRACT RENEWALS

UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.

#### 21. CONTRACT CANCELLATION

THE STATE OF LOUISIANA HAS THE RIGHT TO TERMINATE THE CONTRACT IMMEDIATELY FOR ANY OF THE FOLLOWING REASONS:

(A) MISREPRESENTATION BY THE CONTRACTOR; (B) CONTRACTOR'S FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE OF LOUISIANA; (C) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (D) ABUSIVE OR BELLIGERENT CONDUCT BY CONTRACTOR TOWARDS AN EMPLOYEE OR AGENT OF THE STATE; (E) CONTRACTOR'S INTENTIONAL VIOLATION OF THE PROCUREMENT CODE (LA R.S. 39:1551 ET SEQ.) AND ITS CORRESPONDING REGULATIONS; OR, (F) ANY LISTED REASON FOR DEBARMENT UNDER LA R.S. 39:1672.

THE STATE OF LOUISIANA MAY TERMINATE THE CONTRACT FOR CONVENIENCE AT ANY TIME (1) BY GIVING THIRTY (30) DAYS WRITTEN NOTICE TO THE CONTRACTOR OF SUCH TERMINATION: OR (2) BY NEGOTIATING WITH THE CONTRACTOR AN EFFECTIVE DATE. THE STATE SHALL PAY CONTRACTOR FOR, IF APPLICABLE: (A) DELIVERABLES IN PROGRESS; (B) THE PERCENTAGE THAT HAS BEEN COMPLETED SATISFACTORILY; AND, (C) FOR TRANSACTION-BASED SERVICES UP TO THE DATE OF TERMINATION, TO THE EXTENT WORK HAS BEEN PERFORMED SATISFACTORILY.

THE STATE OF LOUISIANA HAS THE RIGHT TO TERMINATE THE CONTRACT FOR CAUSE BY GIVING THIRTY (30) DAYS WRITTEN NOTICE TO THE CONTRACTOR OF SUCH TERMINATION FOR ANY OF THE FOLLOWING NON-EXCLUSIVE REASONS: (A) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (B) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; OR, (C) ANY OTHER BREACH OF CONTRACT.

**22. DEFAULT OF CONTRACTOR**

FAILURE TO DELIVER WITHIN THE TIME SPECIFIED OR TO PROVIDE THE SERVICES AS SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT. WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT, THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.

**23. ORDER OF PRIORITY**

IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL TERMS AND CONDITIONS, THE SPECIAL TERMS AND CONDITIONS SHALL GOVERN.

**24. APPLICABLE LAW**

ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.

**25. COMPLIANCE WITH CIVIL RIGHTS LAWS**

BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL EMPLOYMENT OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VIETNAM ERA VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE DISCRIMINATION ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEX, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, DISABILITY, OR AGE IN ANY MATTER RELATING TO EMPLOYMENT. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

**26. ADA ACCESSIBILITY REQUIREMENTS**

IF APPLICABLE, THE CONTRACTOR WARRANTS IT WILL COMPLY WITH FEDERAL AND STATE DISABILITIES LAWS AND REGULATIONS AND ALSO WARRANTS THAT THE PRODUCTS AND SERVICES PROVIDED CONFORM TO THE APPLICABLE ACCESSIBILITY REQUIREMENTS OF WCAG 2.1 LEVEL AA OR THE MOST CURRENT VERSION (THE "ACCESSIBILITY STANDARDS"), SECTION 508 OF THE REHABILITATION ACT OF 1973, AND THE AMERICANS WITH DISABILITIES ACT. THE CONTRACTOR AGREES TO PROMPTLY RESPOND TO AND RESOLVE ANY COMPLAINT REGARDING ACCESSIBILITY OF ITS PRODUCTS AND SERVICES. IF AT ANY TIME, PRODUCTS AND SERVICES PROVIDED UNDER THIS CONTRACT DO NOT FULLY CONFORM TO THE ACCESSIBILITY STANDARDS, CONTRACTOR SHALL IMMEDIATELY ADVISE THE STATE OF LOUISIANA OFFICE OF STATE PROCUREMENT (THE "STATE") IN WRITING OF THE NONCONFORMANCE AND SHALL PROVIDE THE STATE A PLAN TO ACHIEVE CONFORMANCE TO THE ACCESSIBILITY STANDARDS, INCLUDING BUT NOT LIMITED TO, AN INTENDED TIMELINE FOR CONFORMANCE. CONTRACTOR FURTHER AGREES TO INDEMNIFY AND HOLD HARMLESS THE STATE FROM ANY CLAIMS OR DAMAGES ARISING OUT OF ITS FAILURE TO COMPLY WITH THE REQUIREMENTS OF THIS PARAGRAPH. FAILURE TO COMPLY WITH THESE REQUIREMENTS SHALL CONSTITUTE A MATERIAL BREACH OF THIS CONTRACT AND MAY BE GROUNDS FOR TERMINATION OF THIS CONTRACT BY THE STATE.

**27. INDEMNITY**

CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.

28. IN ACCORDANCE WITH THE PROVISIONS OF R.S. 39: 2192, IN AWARDING CONTRACTS AFTER AUGUST 15, 2010, ANY PUBLIC ENTITY IS AUTHORIZED TO REJECT A PROPOSAL OR BID FROM, OR NOT AWARD THE CONTRACT TO, A BUSINESS IN WHICH ANY INDIVIDUAL WITH AN OWNERSHIP INTEREST OF FIVE PERCENT OR MORE, HAS BEEN CONVICTED OF, OR HAS ENTERED A PLEA OF GUILTY OR NOLO CONTENDERE TO ANY STATE FELONY OR EQUIVALENT FEDERAL FELONY CRIME COMMITTED IN THE SOLICITATION OR EXECUTION OF A CONTRACT OR BID AWARDED UNDER THE LAWS GOVERNING PUBLIC CONTRACTS UNDER THE PROVISIONS OF CHAPTER 10 OF TITLE 38 OF THE LOUISIANA REVISED STATUTES OF 1950, OR THE LOUISIANA PROCUREMENT CODE UNDER THE PROVISIONS OF CHAPTER 17 OF TITLE 39.

**29. FEDERAL CLAUSES, IF APPLICABLE**

**ANTI-KICKBACK CLAUSE**

THE CONTRACTOR HEREBY AGREES TO ADHERE TO THE MANDATE DICTATED BY THE COPELAND "ANTI-KICKBACK" ACT WHICH PROVIDES THAT EACH CONTRACTOR OR SUBGRANTEE SHALL BE PROHIBITED FROM INDUCING, BY ANY MEANS, ANY PERSON EMPLOYED IN THE COMPLETION OF WORK, TO GIVE UP ANY PART OF THE COMPENSATION TO WHICH HE IS OTHERWISE ENTITLED.

**CLEAN AIR ACT**

THE CONTRACTOR HEREBY AGREES TO ADHERE TO THE PROVISIONS WHICH REQUIRE COMPLIANCE WITH ALL APPLICABLE STANDARDS, ORDERS OR REQUIREMENTS ISSUED UNDER SECTION 306 OF THE CLEAN AIR ACT WHICH PROHIBITS THE USE UNDER NON-EXEMPT CONTRACTS, GRANTS OR LOANS OF FACILITIES INCLUDED ON THE EPA LIST OF VIOLATING FACILITIES.

**ENERGY POLICY AND CONSERVATION ACT**

THE CONTRACTOR HEREBY RECOGNIZES THE MANDATORY STANDARDS AND POLICIES RELATING TO ENERGY EFFICIENCY WHICH ARE CONTAINED IN THE STATE ENERGY CONSERVATION PLAN ISSUED IN COMPLIANCE WITH THE ENERGY POLICY AND CONSERVATION ACT (P.L. 94-163).

**CLEAN WATER ACT**

THE CONTRACTOR HEREBY AGREES TO ADHERE TO THE PROVISIONS WHICH REQUIRE COMPLIANCE WITH ALL APPLICABLE STANDARDS, ORDERS OR REQUIREMENTS ISSUED UNDER SECTION 508 OF THE CLEAN WATER ACT WHICH PROHIBITS THE USE UNDER NON-EXEMPT FEDERAL CONTRACTS, GRANTS OR LOANS OF FACILITIES INCLUDED ON THE EPA LIST OF VIOLATING FACILITIES.

**ANTI-LOBBYING AND DEBARMENT ACT**

THE CONTRACTOR WILL BE EXPECTED TO COMPLY WITH FEDERAL STATUTES IN THE ANTI-LOBBYING ACT AND THE DEBARMENT ACT.

**30. SECRETARY OF STATE REGISTRATION**

IN ACCORDANCE WITH LOUISIANA LAW, ALL CORPORATIONS (SEE, LA R.S. 12:262.1) AND LIMITED LIABILITY COMPANIES (SEE, LA R.S. 12:1308.2) MUST BE IN GOOD STANDING WITH THE LOUISIANA SECRETARY OF STATE IN ORDER TO HOLD A PURCHASE ORDER AND/OR CONTRACT OVER \$25,000.

31. ALL BID AMOUNTS SHALL BE SUBMITTED IN UNITED STATES DOLLARS.

**32. INDEPENDENT PRICE DETERMINATION**

BY SIGNING AND SUBMITTING A BID, THE BIDDER CERTIFIES THAT THE PRICE SUBMITTED WAS INDEPENDENTLY ARRIVED AT WITHOUT COLLUSION.

**33. E-VERIFY**

THE CONTRACTOR SHALL COMPLY WITH THE PROVISIONS OF LA R.S. 23:995 AND FEDERAL LAW PERTAINING TO E-VERIFY IN THE PERFORMANCE OF SERVICES UNDER THE CONTRACT.