

# Sewerage & Water Board of NEW ORLEANS

625 ST. JOSEPH STREET
NEW ORLEANS, LA 70165 • 504-529-2837 OR 52-WATER
www.swbno.org

## Addendum No. 2

Date: 3/20/2024

Your reference is directed to Contract Number: <u>2024-SWB-12 (30261)</u> for <u>Carrollton Basin Sewer Rehabilitation No. 20</u> which is scheduled to open at <u>11:30 a.m.</u> CDT on <u>April 22, 2024, for SWBNO Engineering Department.</u>

This addendum provides for the following:

- 1. Revisions to Specifications below.
  - a. Section 00 41 13 Uniform Public Bid Form, **REPLACE** with updated version included herein.
  - b. Section 00 22 00 Unit Prices, **REPLACE** with updated version included herein.
- 2. Revisions to Plans Below.
  - a. Sheet 3 Estimated Bid Quantities, **REPLACE** with updated version included herein.
  - b. ADD Sheet 28 and 29, drawings for 2600 S. Carrollton included herein.
- 3. The revised deadline for inquiries.
  - a. April 15, 2024, by 5:00 p.m. (CDT).

The above revisions shall be incorporated in and take precedence over any conflicting part of the original proposal documents. This addendum is hereby officially made a part of the referenced proposal.

Receipt of this addendum shall be acknowledged by inserting its number and date in the space provided on the Louisiana Uniform Public Works Bid Form.

This addendum consists of one (1) page with twenty-six (26) pages of attachments.

\*\*\* END OF ADDENDUM \*\*\*

### 30261 - CARROLLTON BASIN SEWER REHABILITATION NO. 20 Addendum Number 2

Date: 3/19/2024

Your reference is directed to Contract Number: 30261 for Carrollton Basin Sewer Rehabilitation No. 20 which is due 11:00 a.m. CST on April 22, 2024. All inquiries shall be directed to Kimberly Barnes, Procurement Analyst, at <a href="mailto:kbarnes@swbno.org">kbarnes@swbno.org</a>. The deadline for inquiries is on April 15, 2024, at 5:00 p.m. Central Time.

The addendum provides for the following:

- 1. Revisions to Specifications below.
  - a. Section 00 41 13 Uniform Public Bid Form, **REPLACE** with updated version included herein.
  - b. Section 00 22 00 Unit Prices, **REPLACE** with updated version included herein.
- 2. Revisions to Plans Below.
  - a. Sheet 3 Estimated Bid Quantities, REPLACE with updated version included herein.
  - b. ADD Sheet 28 and 29, drawings for 2600 S Carrollton included herein.

This addendum consists of one (1) page, with twenty-six (26) pages of attachments.

This addendum shall be part of the Contact Documents as provided in the instructions to Bidders. Items herein are issued to add to, modify, and clarify the Contract Documents. These items shall have full force and effect as the Contract Documents, and the cost involved shall be included in the bid prices. Acknowledge receipt of the addendum by inserting its number on the Bid Form of the Bid Documents. Failure to do so will subject the bidder to rejection.

\*\*\* END OF ADDENDUM \*\*\*

#### LOUISIANA UNIFORM PUBLIC WORK BID FORM

TO: Sewerage and Water Board of New Orleans Purchasing Department, Room 133 625 St. Joseph St

New Orleans, LA 70165

**BID FOR:** Contract 30261 Carrollton Sewer Rehabilitation No. 20

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: Stantec Consulting Services Inc. and dated: February 19, 2024

Bidders must acknowledge all addenda. The Bidder acknowledge all addenda that the Bidder acknowledge all acknowledge all addenda that the Bidder acknowledge all acknowledge a	<i>C C</i> ,
	ng Documents (including any and all unit prices designated "Base Bid"
	Dollars (\$)
<b>ALTERNATES:</b> For any and all work required by the designated as alternates in the unit price description.	e Bidding Documents for Alternates including any and all unit pric
NOTE TO BIDDERS: (Insert Applicable Notes if Al	Iternates are required)
NAME OF BIDDER:	
	_
LOUISIANA CONTRACTOR'S LICENSE NUMBER:	:
NAME OF AUTHORIZED SIGNATORY OF BIDDER	
TITLE OF AUTHORIZED SIGNATORY OF BIDDER	R:
SIGNATURE OF AUTHORIZED SIGNATORY OF B	BIDDER **:
DATE:	

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA RS 38:2218.A is attached to and made a part of this bid

<sup>\*</sup> The <u>Unit Price Form</u> shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

<sup>\*\*</sup> If someone other than a corporate officer signs for the Bidder/Contractor, a copy of a corporate resolution or other signature authorization shall be required for submission of bid. Failure to include a copy of the appropriate signature authorization, if required, may result in the rejection of the bid unless bidder has complied with La. R.S. 38:2212(A)(1)(c) or RS 38:2212(O).

# LOUISIANA UNIFORM PUBLIC WORK BID FORM <u>UNIT PRICE FORM</u>

TO: Sewerage and Water Board of New Orleans	BID FOR: Contract 30261
Purchasing Department, Rm 133	Carrollton Sewer
625 St. Joseph St	Rehabilitation No. 20
New Orleans, LA 70165	<del></del> -

**UNIT PRICES:** This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	■ Base Bid or □	Alt.# Removal and	Disposal of Existing Portl	and Cement Concrete Pavement	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1	545	SY			
DESCRIPTION:	図 Base Bid or □ or etc.)	Alt.# Removal and	Disposal of Existing Sidev	walk, Driveway, Foot Lap (Concrete, Brick, Asphalt,	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
2	1,132	SY			
DESCRIPTION:	■ Base Bid or □	Alt.# Removal and	Disposal of Existing Curb	(Concrete, Asphalt, Brick, etc.)	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
3	75	LF			
DESCRIPTION:	⊠ Base Bid or □	Alt.# Removal and	Disposal of Existing Curb	and Gutter Bottom	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
4	3,825	LF			
	<u> </u>				
DESCRIPTION:	■ Base Bid or □	Alt.# Removal and	Disposal of Existing Aspha	altic Concrete Pavement	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
5	4,632	SY			
DESCRIPTION:	☑ Base Bid or □	Alt.# Roadway Ex	cavation		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
6	1,226	CY			
DESCRIPTION:	■ Base Bid or □	Alt # Unsuitable S	ubgrade Excavation and Sa	and Filling	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
7	335	CY	OTATTIACE	OTTITIOE ETTETOTOT (Quantity times out Trice)	
,		0.1			
DESCRIPTION:	☑ Base Bid or □	Alt.# Geotextile Fa	abric for Stabilization	1	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
8	10,946	SY			
DESCRIPTION:	⊠ Base Bid or □	Alt.# Geogrid			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
9	4,903	SY		in the second se	
	/			1	

DESCRIPTION:	☑ Base Bid or □	Alt.# Base Course			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
10	1,197	CY			
DESCRIPTION:	Base Bid or □	Alt.# Superpave Asp	haltic Concrete Binder Cou	arse For Composite Roadways	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
11	87	TON			
DESCRIPTION:	■ Base Bid or □	Alt.# Superpave Asp	haltic Concrete Wearing Co	ourse (2.5" Thick)	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
12	14,138	SY			
DESCRIPTION:	Base Bid or □	Alt.# Superpave Asp	haltic Concrete Binder Cou	arse (4.5" Thick)	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
13	4,474	SY			
DESCRIPTION:	☑ D D:1 □	A14# Cold Dlamin	a Ambaltia Davament (2"	Aviana de Thiele)	
	■ Base Bid or		g Asphaltic Pavement (2" A		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
14	13,956	SY			
DESCRIPTION:	■ Base Bid or	Alt.#_ Reinforced Con	crete Pavement (8" Thick)		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
15	300	SY			
DESCRIPTION:	■ Base Bid or □	Alt.# Concrete Sidew	ralk (4" Thick)		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
16	883	SY			
DESCRIPTION:	■ Base Bid or □	Alt.# _ Concrete Drivew	vay (6" Thick)		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
17	17 249 SY				
DESCRIPTION:	Base Bid or □	Alt.# 6" Concrete Bar	rier Curb With Dowels		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
18	3,876	LF	ordin Timez	ordinates similar (guanta) unto our inter-	
	2,070				
DESCRIPTION:	☑ Base Bid or □	_	table Curb and Gutter Botto	9 1	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
19	24	LF			
DESCRIPTION:	☑ Base Bid or □		rier Curb & Gutter Bottom Or		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
20	10	LF			
DESCRIPTION:	⊠ Base Bid or □	Alt.# Sodding			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
21	541	SY	OTHI TIMEL	Contribution (Quantity times on a rice)	
21	J T1	] 51	<u> </u>	<u>l</u>	
DESCRIPTION:	☑ Base Bid or □	Alt.# Saw Cut Conc	rete Curb. Pavement Sidewall	k, Driveway, etc. According to Plans ("Depth)	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
22	409	LF	oral ridel		
1	107		İ		

DESCRIPTION:	■ Base Bid or □	Alt.# Saw Cut, Who	eel Cut or Spade Cut Existing	Asphalt, According to Plans
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
23	9,117	LF		
DESCRIPTION:	⊠ Base Bid or □     Saw Cutting	Alt.# Remove of Ha	andicap Ramps, Curb and Gut	ter, and Concrete Sidewalks at Intersections, including
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
24	447	SY		
DESCRIPTION:	■ Base Bid or □	Alt.# Handicap Rar	nps, Curb and Gutter, and Cor	ncrete Sidewalks at Intersections
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
25	447	SY		
DESCRIPTION:	Base Bid or □	Alt.# Sidewalk Trai	nsition Adjacent to Handicap	Ramps
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
26	429	SY		
DESCRIPTION:	■ Base Bid or □	Alt.# Manhole Cov	er	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
27	20	EA		
DESCRIPTION:	■ Base Bid or □	Alt.# Manhole Fran	ne	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
28	20	EA		, ,
	1	1		
DESCRIPTION:	☐ Base Bid or □	Alt.# Install Sew	er Main (6" at 0' – 6.0')	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
29	275	LF		
DESCRIPTION:	☐ Base Bid or	Alt.# Install Sew	er Main (8" at 0' – 6.0')	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
30	2,073	LF		
DESCRIPTION:	■ Base Bid or □	Alt.# Install Sewe	r Main (8" at 6.1' – 8.0')	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
31	450	LF		
			<u> </u>	
DESCRIPTION:	⊠ Base Bid or □	Alt.# Install Sewer	Main (8" at 8.1' –10.0')	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
32	1,026	LF		
				•
	,			
DESCRIPTION:	☑ Base Bid or □		Main (36" At 14.1' – 16.0')	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
33	51	LF		
DESCRIPTION:	■ Base Bid or □	Alt.# Install Sewer	Mains by Pipe Bursting (27" l	HDPE, DR11)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
34	466	LF		

DESCRIPTION:	⊠ Base Bid Or		st. Sewer H.C. From New I	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
35	100	EA		
DESCRIPTION		- A1. // D 1 E 3	Y C H C D 1D	1.60.1
DESCRIPTION:	■ Base Bid or □		ist. Sewer H.C. Beyond Ba	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
36	1,135	LF		
DESCRIPTION:	■ Base Bid or □	☐ Alt.# Install 6" Sev	var Clannout	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
37	2	EA	ONTTRICE	ONTITICE EXTENSION (Quantity times on trice)
31	2	Lit		1
DESCRIPTION:	■ Base Bid or □	Alt.# Install Sewer	Manhole	
REF. NO.	QUANTITY:	UNIT OF MEASURE:		UNIT PRICE EXTENSION (Quantity times Unit Price)
38	140	VF		(Z
	<u> </u>			ı
DESCRIPTION:	☑ Base Bid or □	Alt.# Pipe Liner (8	")	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
39	255	LF		
	1			
DESCRIPTION:	■ Base Bid or □	Alt.# Pipe Liner (1	0")	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
40	736	LF		
DESCRIPTION:	■ Base Bid or □		1	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
41	331	LF		
DESCRIPTION	□ D D:1 =	¬ A1, //	IDD 1523	
DESCRIPTION: REF. NO.	⊠ Base Bid or □	Alt.# Pipe Liner (C		LIMIT DDICE EVTENCION (O. C. C. H.; D.)
	QUANTITY:		UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
42	347	LF		
DESCRIPTION:	■ Base Bid or □	Alt.# Pipe Liner (C	IDD 18"\	
REF. NO.	QUANTITY:	UNIT OF MEASURE:		UNIT PRICE EXTENSION (Quantity times Unit Price)
43	351	LF	OWITIMOL	Civil TRICE EXTENSION (Quantity times on a Trice)
13	331	Li		
DESCRIPTION:	☑ Base Bid or □	Alt.# Pipe Liner (C	CIPP. 21")	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
44	360	LF		(2)
		1	1	•
DESCRIPTION:	■ Base Bid or □	Alt.# Pipe Liner (C.	IPP, 27")	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
45	1,955	LF		
DESCRIPTION:	☑ Base Bid or □	Alt.# Pipe Liner (C	IPP, 36")	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
46	550	LF		
DESCRIPTION:	☑ Base Bid or □	Alt.# Cut Liner to	Restore Existing Sewer Ho	use Connection (6", CIPP)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
			i e	

65

EA

	■ Base Bid or	Alt.# Sewer Point B	Repair Up To 12 Feet (8	' At 8.1' - 10.0')
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price
48	7	EA		
		1		
DESCRIPTION:	■ Base Bid or	☐ Alt.# Sewer Point F	Repair Up To 12 Feet (1	0" At 10.1' - 12.0')
REF. NO.	QUANTITY:	UNIT OF MEASURE:		UNIT PRICE EXTENSION (Quantity times Unit Price
49	10	EA		12
		<u> </u>		L L
DESCRIPTION:	■ Base Bid or	☐ Alt.# Sewer Point F	Repair Up To 12 Feet (1	2" At 10.1' - 12.0')
REF. NO.	QUANTITY:	UNIT OF MEASURE:		UNIT PRICE EXTENSION (Quantity times Unit Price
50	7	EA		(2
	,	12.1		
DESCRIPTION:	■ Base Bid or	□ Alt # Sewer Point F	Repair Up To 12 Feet (1	8" At 14 1' - 16 0')
REF. NO.	QUANTITY:	UNIT OF MEASURE:		UNIT PRICE EXTENSION (Quantity times Unit Price
51	8	EA	OWITHCE	OTTITITED EXTENSION (Quantity times on trice
	0	LA		
DESCRIPTION:	■ Base Bid or	Δlt # Sewer Point E	Repair Up To 12 Feet (2	1" At 14 1' - 16 0')
REF. NO.	QUANTITY:	UNIT OF MEASURE:	<u> </u>	UNIT PRICE EXTENSION (Quantity times Unit Price
52	8 8	EA	UNIT FRICE	ONIT FRICE EXTENSION (Quantity times Onli Price
32	8	EA		
DESCRIPTION:	▼ D D:1	□ A14 # C D-:4 T	):- II T- 12 F4 (2	7!! 44 10 1! 12 0!)
	■ Base Bid or		Repair Up To 12 Feet (2	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price
53	7	EA		
DEGCRIPTION	- D. D. I	= A1, // C D : . F		78.4.10.11.14.00
DESCRIPTION:	⊠ Base Bid or		Repair Up To 12 Feet (2	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price
54	7	LF		
DEG CD IDEI CO.				
DESCRIPTION:	⊠ Base Bid or		Repair Up To 12 Feet (3	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price
55	10	EA		
DESCRIPTION:	⊠ Base Bid or		Repair Beyond 12 Feet (	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price
56	5	LF		
DESCRIPTION:	■ Base Bid or		Repair Beyond 12 Feet (	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price
57	5	LF		
DESCRIPTION:	➤ Base Bid or	Alt.# Sewer Point F	Repair Beyond 12 Feet (	18" At 14.1' - 16.0')
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price
58	25	LF		
	•	•		•
DESCRIPTION:	■ Base Bid or	Alt.# Sewer Point F	Repair Beyond 12 Feet (	21" At 14.1' - 16.0')
DEE NO	QUANTITY:	UNIT OF MEASURE:		UNIT PRICE EXTENSION (Quantity times Unit Price
REF. NO.	Q 0.1			GIATITUDE ETTE STOTA (Quantum) times Chill The

	1			
DESCRIPTION:	■ Base Bid or		Repair Beyond 12 Feet (27" At	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
60	31	LF		
DESCRIPTION:	⊠ Base Bid or □		Repair Beyond 12 Feet (27" At	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
61	13	LF		
DESCRIPTION:	⊠ Base Bid or □		Repair Beyond 12 Feet (36" At	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
62	39	LF		
	1			
DESCRIPTION:	☑ Base Bid or □		Line Cleaning (8"-14")	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
63	2,829	LF		
	T			
DESCRIPTION:	☑ Base Bid or □		Line Cleaning (15" – 21")	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
64	698	LF		
DESCRIPTION:	☑ Base Bid or □		Line Cleaning (24" – 27")	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
65	1,955	LF		
DESCRIPTION:	☑ Base Bid or □	Alt.# Sewer Main I	Line Cleaning (33" – 36")	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
66	550	LF		
DESCRIPTION:	⊠ Base Bid or □		Line CCTV Inspection	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
67	4,563	LF		
DESCRIPTION:	☑ Base Bid or □	Alt.# Sewer Service	e Lateral Lining (6" CIPP)	_
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
68	65	EA		
	1			
DESCRIPTION:	☑ Base Bid or □		er Service Lateral CCTV Inspe	ection
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
69	65	EA		
	1			
DESCRIPTION:	☑ Base Bid or □			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
70	5	EA		
DESCRIPTION:	☑ Base Bid or □			_
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
71	15	EA		
	1			
DESCRIPTION:	⊠ Base Bid or □	Alt.# Doghouse Ma	anhole	

REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times 0)  72	Init Price)
DESCRIPTION:   Base Bid or □ Alt.# Plug and Abandon 8" Sewer Main  REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times to	mii i ricc)
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times to	
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times to	
73 300 LF	Init Price)
·	
DESCRIPTION:   ☐ Base Bid or ☐ Alt.# Abandon Sewer Manhole	
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times to	Unit Price)
74 1 EA	
, , , , , , , , , , , , , , , , , , , ,	
DESCRIPTION: ⊠ Base Bid or □ Alt.# Sanitary Sewer Flow Diversion, Beyond 48 Hours	
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times to	Init Duise)
	mu Frice)
75 3,040 HR	
DESCRIPTION:   ☐ Base Bid or ☐ Alt.# Sanitary Sewer Flow Diversion, Setup & 48- Hour Operation	
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times to	Init Price)
76   14   EA	
DESCRIPTION:   ☐ Base Bid or ☐ Alt.# Repair Water Main with Full Circle Clamp (Pipe Size 4" – 8")	
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times	(Unit Price)
77 5 EA	onu i rice)
// J EA	
DESCRIPTION:   ☐ Base Bid or ☐ Alt.# Repair Water Main with Full Circle Clamp (Pipe Size 12" –16")	
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times	Unit Price)
78 5 EA	
DESCRIPTION:   ☐ Base Bid or ☐ Alt.# Repair Water Main with Bell Joint Clamp (Pipe Size 4" – 12")	
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times	Unit Price)
79 5 EA	
12	
DESCRIPTION:   S   Base Bid or □ Alt.# Renair Water Main with Bell Joint Clamp (Pine Size 16" – 24")	I In it Dai
DESCRIPTION:   Base Bid or  Alt.# Repair Water Main with Bell Joint Clamp (Pipe Size 16" – 24")  REF NO OLIANTITY: LINIT OF MEASURE: LINIT PRICE LINIT PRICE EXTENSION (Quantity, time)	
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times	(Unit Price)
	(Unit Price)
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times 80 5 EA	
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times 80 5 EA  UNIT PRICE EXTENSION (Quantity times 100 per price 100 per pri	
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times 80 5 EA DESCRIPTION:   Base Bid or □ Alt.# Replace 5/8" To 1" Lead Water House Connection With 1" Water House Connection To Meter)	etion (From
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times 80 5 EA	etion (From
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times 80 5 EA DESCRIPTION:   Base Bid or □ Alt.# Replace 5/8" To 1" Lead Water House Connection With 1" Water House Connection To Meter)	etion (From
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times 80 5 EA	etion (From
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times 80 5 EA	etion (From
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times 80 5 EA    DESCRIPTION:     Base Bid or □ Alt.# Replace 5/8" To 1" Lead Water House Connection With 1" Water House Connection Wit	ction (From
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times 80 5 EA	ction (From
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times 80 5 EA    DESCRIPTION:     Base Bid or □ Alt.# Replace 5/8" To 1" Lead Water House Connection With 1" Water House Connection Wit	ction (From
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times to see the content of the	ction (From
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times to see the second section With 1" Water House Connection Wain To Meter)  REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times to see the second section (From Main to Meter)  REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times to see the second section (From Main to Meter)  Base Bid or □ Alt.# Replace Existing 2" Lead Water House Connection (From Main to Meter)	vition (From  Vinit Price)
REF. NO. QUANTITY: UNIT OF MEASURE: UNIT PRICE UNIT PRICE EXTENSION (Quantity times to see the content of the	vition (From  Vinit Price)

Wording for "DESCRIPTION" is provided by the Owner. All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner

#### 1-2 ADDITIONAL REQUIREMENTS

All blank spaces in this Proposal section shall be filled. A bid price shall be indicated for each bid item. Bids received without all such items completed will be considered non-responsive. The bid shall contain an acknowledgement of receipt of all Addenda in space provided. The Louisiana Uniform Public Work Bid Form & Unit Price Form (if applicable) and the amount of Deposit or Bid Bond five percent (5%) of the total amount of the proposal is REQUIRED to be submitted in a sealed envelope on bid opening date. The two (2) lowest numerical bidders have three (3) days after the bid opening (exclusive of Saturdays, Sundays and Holidays) to submit any additional information such as (Voluntary Extension Sheet, Affidavit, Economically Disadvantage Business Summary Sheet if applicable) as well as requirements of Sections 1-3 through 1-6 below. Failure to do so will render the bid non-responsive.

1-3 <u>B</u>	SIDDER DECLARATION
than the cany connection without connection. New Orle excluded the profits	
	do hereby also declare that have LOUISIANA CONTRACTOR'S LICENSE in the field of with NUMBER
furnished and appar for by the	
submitted	n accordance with Louisiana Revised Statute 38:2227 the following affidavit shown on the next page must be d with the bid, or no later than 3 days after the bid opening (excluding Saturdays, Sundays, and Holidays). odo so will render the bid non-responsive. <b>Please note, THE AFFIDAVIT MUST BE NOTARIZED.</b>
1-5 <u>G</u>	<u>GUARANTEES</u>
<u>300</u> c	guarantee that the whole of the work under this contract will be substantially completed within calendar days after the date of the "Commencement of Contract Times."
hereby ag such dela	f delay in the completion of the contract beyond the contract time of completion as determined by the Board gree to pay, as liquidated damages, the sum of <b>Two Thousand Dollars (\$2,000.00)</b> for each calendar day of y, which liquidated damages shall become due by the mere elapsing of the delay without the necessity of in default.
1-6 <u>E</u>	EMERGENCY PROCEDURES
Contracto	or must furnish telephone numbers for routine or emergency telephone calls.
<u>NAME</u>	<u>TITLE</u>
	ONE NO.: L CALLS
HIVIHR(+)	HINLY

1-7	ACKNOWLEDGEMENT OF CONSENT DECREE
I,	, hereby certify that I have read and understand the Consent
Decre	e with attachments or the pertinent parts thereof and am familiar with the terms and conditions therein and will pay
any fi	nes or penalties that will be assessed against the Sewerage and Water Board or City of New Orleans (or reimburse
them t	herefor) which are imposed by the terms of said Decree with attachments resulting from the action or actions of
	in its performance of or its failure to perform its duties under this Contract.

#### STATE OF LOUISIANA PARISH OF ORLEANS

## **AFFIDAVIT**

personally follows:			ned and qualified and sworn in and for the State and Parish aforesaid, who after being duly sworn, did depose and say as			
1)	He/she is the	(title) of	(company);			
2)						
3)		felony under state or fe	pal(s), member(s), and /or Officer(s) have, within the preceding 5 years, not deral statutes, for embezzlement, theft of public funds, bribery, falsification			
4)	The following is a list of individual partners, incorporators, directors, managers, officers, organizers, or members who have a minimu ten percent interest ownership interest in the bidding entity:					
		(name)	(name)			
		(name)	(name)			
		(name)	(name)			
5)	No other persons hold an ownership	p interest in the bidding	entity via a counter letter.			
6)	minimum ten percent interest owne any of the crimes, or equivalent fed	ership in the bidding enti- leral crimes, listed in Lo dering, theft, identity the	s, directors, managers, officers, organizers, or members, who has a ty, been convicted of, or has entered a plea of guilty or nolo contendere to uisiana Revised Statute 38:2227, specifically: public bribery, corrupt offt, theft of a business record, false accounting, issuing worthless checks, s, malfeasance in office.			
7)	He/she is not delinquent on any taxes owed the City of New Orleans or fees/charges to the Sewerage and Water Board. (City Code Section 2-8)					
The	following sections apply only to Pul	olic Works Contracts:				
8)	system" of the Illegal Immigration	Reform and Immigrant	presented herein is registered and participates in the "Status verification Responsibility Act of 1996, 8 U.S.C. 1324(a), known as the "E-Verify" na are legal citizens of the United States or are legal aliens.			
9)	The entity represented herein shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the state of Louisiana.					
10)	0) The entity represented herein shall require all subcontractors to submit to the contractor a sworn affidavit verifying compliance with the Status verification system.					
WITNES	SES:					
			ADDIANG			
		-	AFFIANT			
SWORN	TO AND SUBSCRIBED BEFORE	ME ON THIS				
	DAY OF	, 20				
	NOTARY PUBLIC	_	Notary Id. No. or Bar Roll No.			
PLEASE	PRINT NAME OF NOTAR	_				

#### SECTION 01 22 00 - UNIT PRICES

#### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

#### 1.2 SUMMARY

- A. Section includes administrative and procedural requirements for unit prices.
- B. Related Requirements:
  - 1. Section 012600 "Contract Modification Procedures" for procedures for submitting and handling Change Orders.

#### 1.3 DEFINITIONS

A. Unit price is a price per unit of measurement for plant, labor, construction aids, utilities, pumping, mobilization, sewer flow control, materials, equipment, supplies or services, or a portion of the Work, added to or deducted from the Contract Sum by appropriate modification, if the scope of Work or estimated quantities of Work required by the Contract Documents are increased or decreased.

#### 1.4 PROCEDURES

- A. Unit prices include all necessary material, plus cost for delivery, installation, insurance, overhead, profit, and all other incidentals.
- B. Measurement and Payment: See individual Specification Sections for work that requires establishment of unit prices. Methods of measurement and payment for unit prices are specified in those Sections.
- C. Owner reserves the right to reject Contractor's measurement of work-in-place that involves use of established unit prices and to have this work measured, at Owner's expense, by an independent surveyor.
- D. List of Unit Prices: A schedule of unit prices is included in Part 3 Execution. Specification Sections referenced in the schedule contain requirements for materials described under each unit price.
- E. For measuring progress toward Consent Decree Milestones, the percent complete will be calculated by dividing the value of work that has been completed and approved by the Engineer by the total bid amount for the milestone items, for **pay items 27 through 67 and 70.**

#### PART 2 - PRODUCTS (NOT USED)

#### PART 3 - EXECUTION

#### 3.1 SCHEDULE OF UNIT PRICES

- A. Unit Price No. 1: Removal and Disposal of Existing Portland Cement Concrete Pavement
  - 1. Description: This work consists of removal and satisfactory disposal of existing PCCP Roadway.
  - 2. Unit of Measurement: Square Yard
- B. Unit Price No. 2: Removal and Disposal of Existing Sidewalk, Driveway, Foot Lap (Concrete, Brick, Asphalt, Etc.)
  - 1. Description: This work consists of removal and satisfactory disposal of existing sidewalk, driveway, foot lap (concrete, brick asphalt, or other materials, or combinations of materials).
  - 2. Unit of Measurement: Square Yard
- C. Unit Price No. 3: Removal and Disposal of Existing Curb (Concrete, Asphalt, Brick, or Etc.)
  - 1. Description: This work consists of removal and satisfactory disposal of existing curb (concrete, asphalt, brick, or other materials, or combinations of materials).
  - 2. Unit of Measurement: Linear Foot
- D. Unit Price No. 4: Removal and Disposal of Existing Curb and Gutter Bottom
  - 1. Description: This work consists of removal and satisfactory disposal of existing curb and gutter bottom (concrete, asphalt, brick, or other materials, or combinations of materials).
  - 2. Unit of Measurement: Linear Foot
- E. Unit Price No. 5: Removal and Disposal of Existing Asphaltic Concrete Pavement.
  - 1. Description: This work consists of removal and satisfactory disposal of existing asphaltic concrete pavement.
  - 2. Unit of Measurement: Square Yard
- F. Unit Price No. 12: Roadway Excavation
  - 1. Description: This work consists of excavation of roadway base and earthen material beneath roadway pavement to be replaced as required to establish pre-existing or field modified grades, excluding any excavation inclusive to excavated sewer or water repairs in accordance with Division 31 and Division 32 of the specifications.
  - 2. Unit of Measurement: Cubic Yard

#### G. Unit Price No. 7: Unsuitable Subgrade Excavation and Sand Filling

- 1. Description: This work consists of removal of existing subgrade and filling the roadway back with sand.
- 2. Unit of Measurement: Cubic Yard

#### H. Unit Price No. 8: Geotextile Fabric for Stabilization

- 1. Description: This work consists of furnishing and installing all geotextile fabrics for embankment separation, subgrade reinforcement of roadways, subsurface drainage, or riprap lining in a manner and at locations as detailed and specified according to Section 310519 "Geosynthetics for Earthwork", as shown in the drawings or as otherwise directed by the Construction Manager.
- 2. Unit of Measurement: Square Yard

#### I. Unit Price No. 9: Geogrid

- 1. Description: This work consists of furnishing and installing all geogrid for embankment separation, subgrade reinforcement of roadways, subsurface drainage, or riprap lining in a manner specified according to Section 310519 "Geosynthetics for Earthwork", in locations shown in the drawings or as otherwise directed by the Construction Manager.
- 2. Unit of Measurement: Square Yard

#### J. Unit Price No. 10: Base Course

- Description: This work includes procuring and properly installing aggregate base course
  on acceptable subbase, as indicated on the drawings and specified herein according to
  Section 321123 "Aggregate Base Course". The work also includes all efforts necessary to
  schedule and allow for testing of material, as well as satisfactory removal and cleanup of
  unused material from the work site.
- 2. Unit of Measurement: Cubic Yard

#### K. Unit Price No. 11: Superpave Asphaltic Concrete for Leveling

- 1. Description: Superpave asphaltic concrete leveling course consists of the supplying, placing and compaction of plant mix asphalt concrete over ruts, distortion, depressions, and other irregularities to rework and restore proper grade and cross section to the existing pavement according to Section 321216 "Asphalt Paving."
- L. Unit Price No. 12: Superpave Asphaltic Concrete Wearing Course (2.5" Thick)
  - 1. Description: This work consists of placing an asphaltic concrete wearing surface course (2.5" Thick), to the specified thickness, on binder course in conformity with the typical sections shown in the New Orleans DPW Standard Details and according to Section 321216 "Asphalt Paving."
  - 2. Unit of Measurement: Square Yard

- M. Unit Price No. 13: Superpave Asphaltic Concrete Binder Course (4.5" Thick)
  - 1. Description: This work consists of placing concrete binder course (4.5" Thick), to the specified thickness, on precast concrete in conformity with the typical sections shown in the New Orleans DPW Standard Details and according to Section 321216 "Asphalt Paving."
  - 2. Unit of Measurement: Square Yard
- N. Unit Price No. 14: Cold Planning Asphaltic Pavement (2" Average Thick)
  - 1. Description: This work consists of placing cold asphalt (2" Average Thick), to the specified thickness, on milled asphalt in conformity with the typical sections shown in the New Orleans DPW Standard Details and according to Section 321216 "Asphalt Paving."
  - 2. Unit of Measurement: Square Yard
- O. Unit Price No. 15: Reinforced Concrete Pavement (8" Thick)
  - 1. Description: This work consists of constructing roadway pavement in conformance with the specifications and in conformity with the locations, lines, grades, slopes, thickness, sections, and strength shown in the New Orleans DPW Standard Details and according to Section 321313 "Concrete Paving."
  - 2. Unit of Measurement: Square Yard
- P. Unit Price No. 16: Concrete Sidewalk (4" Thick)
  - 1. Description: This work consists of constructing concrete sidewalks in conformance with the specifications and in conformity with the locations, lines, grades, slopes, thickness, sections, and strength shown in the New Orleans DPW Standard Details and according to Section 321623 "Sidewalks and Driveways."
  - 2. Unit of Measurement: Square Yard
- Q. Unit Price No. 17: Concrete Driveway (6" Thick)
  - 1. Description: This work consists of constructing concrete driveways in conformance with the specifications and in conformity with the locations, lines, grades, slopes, thickness, sections, and strength shown on the plans and according to Section 321623 "Sidewalks and Driveways."
  - 2. Unit of Measurement: Square Yard
- R. Unit Price No. 18: 6" Concrete Barrier Curb with Dowels
  - Description: This work consists of furnishing and construction of 6" concrete barrier curb
    with dowels in accordance with the specifications and in conformity with the location,
    lines, grades, slopes, thickness, and typical section shown in the New Orleans DPW
    Standard Details and according to Section 321613 "Curbs and Gutters."
  - 2. Unit of Measurement: Linear Foot

- S. Unit Price No. 19: Concrete Mountable Curb and Gutter Bottom or Rolling Strip
  - 1. Description: This work consists of furnishing and construction of concrete mountable curb and gutter bottom or rolling strip in accordance with the specifications and in conformity with the location, lines, grades, slopes, thickness, and typical section shown in the New Orleans DPW Standard Details and according to Section 321613 "Curbs and Gutters."
  - 2. Unit of Measurement: Linear Foot
- T. Unit Price No. 20: 6" Concrete Barrier Curb & Gutter Bottom or Rolling Strip
  - 1. Description: This work consists of furnishing and construction of 6" concrete barrier curb and gutter bottom or rolling strip in accordance with the specifications and in conformity with the location, lines, grades, slopes, thickness, and typical section shown in the New Orleans DPW Standard Details and according to Section 321613 "Curbs and Gutters."
  - 2. Unit of Measurement: Linear Foot
- U. Unit Price No. 21: Sodding
  - 1. Description: This work consists of furnishing, hauling, planting, rolling, watering, and maintaining placed and in-place live grass sod at locations shown on the plans or as directed according to Section 329223 "Sodding."
  - 2. Unit of Measurement: Square Yard
- V. Unit Price No. 22: Saw Cut Concrete Curb, Pavement, Sidewalk, Driveway, Etc. According to Plans ("Depth)
  - 1. Description: Existing asphaltic concrete, PCC, or composite pavement, including roadway, sidewalk, driveway, curb, gutter and similar materials to be removed, shall be saw cut, to the full depth of the pavement, in straight lines to the nearest construction joint unless otherwise directed by the Construction Manager.
  - 2. Unit of Measurement: Linear Foot
- W. Unit Price No. 23: Saw Cut, Wheel Cut, or Spade Cut Existing Asphalt According to Plans
  - 1. Description: Existing asphaltic concrete pavement, including roadway, sidewalk, driveway, curb, gutter and similar materials to be removed, shall be saw cut, to the full depth of the pavement, in straight lines to the nearest construction joint unless otherwise directed by the Construction Manager.
  - 2. Unit of Measurement: Linear Foot
- X. Unit Price No. 24: Removal of Handicap ramps, Curb and Gutter, and Concrete Sidewalks at Intersections Including Saw Cutting.
  - 1. Description: This work consists of removal and satisfactory disposal of existing handicap ramps, curb and gutter, and concrete sidewalks at intersections including saw cutting.
  - 2. Unit of Measurement: Square Yard

- Y. Unit Price No. 25: Handicap Ramps, Curbs and Gutter, and Concrete Sidewalks at Intersections
  - 1. Description: This work consists of all excavation, surface preparation, joint materials, welded wire fabrics, ADA compliant detectable warnings, and incidentals associated with the installation of ADA accessible handicap ramps.
  - 2. Unit of Measurement: Square Yard
- Z. Unit Price No. 26: Sidewalk Transition Adjacent to Handicapped Ramps
  - 1. Description: This work consists of all excavation, surface preparation, joint materials, welded wire fabrics, and incidentals associated with the installation of ADA accessible handicap ramps and their adjacent sidewalk transitions.
  - 2. Unit of Measurement: Square Yard

#### AA. Unit Price No. 27: Manhole Cover

- 1. Description: This work consists of the replacing an existing manhole cover with a new manhole cover, Section 330130.83 "Rehabilitation of Manholes."
- 2. Unit of Measurement: Each

#### BB. Unit Price No. 28: Manhole Frame

- 1. Description: This work consists of the replacing an existing manhole frame with a new manhole frame, Section 330130.83 "Rehabilitation of Manholes."
- 2. Unit of Measurement: Each

#### CC. Unit Price Nos. 29 - 32: Install Sewer Main

- 1. Description: This work consists of the installation of sewer pipelines and sewer service laterals by means of excavation including full line replacement, partial line replacement (point repair) and line relocations according to Sections 330130.73 "Rehabilitation of Sewers" and 333111 "Public Sewerage Gravity Piping."
- 2. Unit of Measure: Linear Foot
- 3. This unit price is broken down into specific pay items based on nominal pipe diameter and average depth of sewer pipe invert as per the Bid Form.
- 4. Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter as per the Bid Form.
- 5. Unit Prices by Pipe Invert Depth: Measurement and payment for these unit price items will be made by the average depth of sewer pipe invert as per the Bid Form.
  - a. Unit Price No. 29: Six-Inch (6") Diameter at 0-ft to 6.0-ft Depth
  - b. Unit Price No. 30: Eight-Inch (8") Diameter at 0-ft to 6.0-ft Depth
  - c. Unit Price No. 31: Eight-Inch (8") Diameter at 6.1-ft to 8.0-ft Depth
  - d. Unit Price No. 32: Eight-Inch (8") Diameter at 8.1-ft to 10.0-ft Depth
  - e. Unit Price No. 33: Thirty-Six-Inch (36") Diameter at 14.1-ft to 16.0-ft Depth

#### DD. Unit Price No. 34: Pipe Bursting, 27" HDPE

- 1. Description: The work consists of replacing an existing sewer line with a new high-density polyethylene (HDPE) sewer line by means of pipe bursting and includes the excavation and restoration of sewer service laterals according to Sections 330130.79 "Pipe Bursting."
- 2. Unit of Measure: Linear Foot
- 3. This unit price is broken down into specific pay items based on nominal pipe diameter as per the Bid Form.
- 4. Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter as per the Bid Form.
  - a. Unit Price No. 34: Twenty-Seven-Inch (27") Main Diameter.

## EE. Unit Price No. 35: Replace Existing, Sewer House Connection (H.C.) From New Main to Back of Curb

- 1. Description: This work consists of the replacement of sewer house connected pipelines and sewer service laterals by means of excavation including full line replacement, partial line replacement (point repair) and line relocations from the sewer main to the back of curb according to Section 330130.73 "Rehabilitation of Sewers."
- 2. Unit of Measure: Each

#### FF. Unit Price No. 36: Replace Existing Sewer H.C. Beyond Back of Curb

- 1. Description: This work consists of the replacement of sewer house connected pipelines and sewer service laterals by means of excavation including full line replacement, partial line replacement (point repair) and line relocations from the back of curb to the property line according to Section 330130.73 "Rehabilitation of Sewers."
- 2. Unit of Measure: Linear Foot

#### GG. Unit Price No. 37: Install 6" Sewer Cleanout

- 1. Description: The work consists of installing a new sewer cleanout in accordance with section 330509 "Piping Specialties For Sewer Utilities"
- 2. Unit of Measure: Each

#### HH. Unit Price No. 38: Install Sewer Manhole

- 1. Description: The work consists of installing a new sewer manhole in accordance with section 330130.83 "Rehabilitation of Manholes."
- 2. Unit of Measure: Vertical Feet

#### II. Unit Price Nos. 39 – 46: Pipe Liner, CIPP

- 1. Description: This work consists of providing cured-in-place pipe (CIPP) liners for rehabilitation of sewer pipelines according to section 030130.76 "Cured-In-Place Pipe Lining."
- 2. Unit of Measure: Linear Foot
- 3. This unit price is broken down into specific pay items based on nominal pipe diameter as per the sub-sections specified below.

- 4. Schedule of Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter for the following Unit Price numbers:
  - a. Unit Price No. 39: Eight-Inch (8") Diameter Pipes
  - b. Unit Price No. 40: Ten-Inch (10") Diameter Pipes
  - c. Unit Price No. 41: Twelve-Inch (12") Diameter Pipes
  - d. Unit Price No. 42: Fifteen -Inch (15") Diameter Pipes
  - e. Unit Price No. 43: Eighteen-Inch (18") Diameter Pipes
  - f. Unit Price No. 44: Twenty-One-Inch (21") Diameter Pipes
  - g. Unit Price No. 45: Twenty-Seven-Inch (27") Diameter Pipes
  - h. Unit Price No. 46: Thirty-Six-Inch (36") Diameter Pipes

#### JJ. Unit Price No. 47: Cut Liner to Restore Existing Sewer House Connection (6", CIPP)

- 1. Description: This work consists of cutting pipe liner to restore existing house connection according to section 030130.76 "Cured-In-Place Pipe Lining."
- 2. Unit of Measure: Each

#### KK. Unit Price Nos. 48-55: Sewer Point Repair, Up to 12 Feet

- 1. Description: This work consists of the rehabilitation of sewer pipelines and sewer service laterals by means of excavation including full line replacement, partial line replacement (point repair) and line relocations according to Section 330130.73 "Rehabilitation of Sewers."
- 2. Unit of Measure: Each
- 3. This unit price is broken down into specific pay items based on nominal pipe diameter and average depth of inverts as per the specific unit price items as stated on the Bid Form.
- 4. Unit Prices by Diameter: Measurement and payment for these unit price items will be made by the nominal diameter as per the Bid Form.
- 5. Unit Prices by Invert Depth: Measurement and payment for these unit price items will be made by the average depth of invert per the Bid Form.
  - a. Unit Price No. 48: Eight-Inch (8") Diameter at 8.1-ft to 10.0-ft Depth
  - b. Unit Price No. 49: Ten-Inch (10") Diameter at 10.1-ft to 12.0-ft Depth
  - c. Unit Price No. 50: Twelve-Inch (12") Diameter at 10.1-ft to 12.0-ft Depth
  - d. Unit Price No. 51: Eighteen-Inch (18") Diameter at 14.1-ft to 16.0-fi Depth
  - e. Unit Price No. 52: Twenty-One-Inch (21") Diameter at 14.1-ft to 16.0-ft Depth
  - f. Unit Price No. 53: Twenty-Seven-Inch (27") Diameter at 10.1-ft to 12.0-ft Depth
  - g. Unit Price No. 54: Twenty-Seven-Inch (27") Diameter at 12.1-ft to 14.0-ft Depth
  - h. Unit Price No. 55: Thirty-Six-Inch (36") Diameter at 14.1-ft to 16.0-ft Depth

#### LL. Unit Price Nos. 56-62: Sewer Point Repair, Beyond 12 Feet

- 1. Description: This work consists of the rehabilitation of sewer pipelines and sewer service laterals by means of excavation including full line replacement, partial line replacement (point repair) and line relocations beyond 12 feet according to Section 330130.73 "Rehabilitation of Sewers."
- 2. Unit of Measure: Linear Foot
- 3. This unit price is broken down into specific pay items based on nominal pipe diameter and average depth of inverts as per the Bid Form.
- 4. Unit Prices by Diameter: Measurement and payment for these unit price items will be made by the nominal diameter as per the Bid Form.

- 5. Unit Prices by Average Invert Depth: Measurement and payment for these unit Price items will be made by the average depth of inverts per the Bid Form.
  - a. Unit Price No. 56: Ten-Inch (10") Diameter at 10.1-ft to 12.0-ft Depth
  - b. Unit Price No. 57: Twelve-Inch (12") Diameter at 10.1-ft to 12.0-ft Depth
  - c. Unit Price No. 58: Eighteen-Inch (18") Diameter at 14.1-ft to 16.0-fi Depth
  - d. Unit Price No. 59: Twenty-One-Inch (21") Diameter at 14.1-ft to 16.0-ft Depth
  - e. Unit Price No. 60: Twenty-Seven -Inch (27") Diameter at 10.1-ft to 12.0-ft Depth
  - f. Unit Price No. 61: Twenty-Seven-Inch (27") Diameter at 12.1-ft to 14.0-ft Depth
  - g. Unit Price No. 62: Thirty-Six-Inch (36") Diameter at 14.1-ft to 16.0-ft Depth

#### MM. Unit Price No. 63-66: Sewer Main Cleaning

- 1. Description: This work consists of cleaning sewer pipelines, sewer service laterals and manholes to remove all debris, solids, grit, sand, gravel, shells, grease, etc. as per the requirements set forth in these specifications and related requirements according to Section 330130 "Operation and Maintenance of Sewer Utilities."
- 2. Unit of Measurement: Linear Foot
- 3. This unit price is broken down into specific pay items based on nominal pipe diameter as per the sub-sections specified below.
- 4. Schedule of Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter for the following Unit Price numbers:
  - a. Unit Price No. 63: Eight-Inch (8")- Fourteen-Inch (14") Diameter Pipes
  - b. Unit Price No. 64: Fifteen-Inch (15")- Twenty-One-Inch (21") Diameter Pipes
  - c. Unit Price No. 65: Twenty-Four-Inch (24")- Twenty-Seven-Inch (27") Diameter Pipes
  - d. Unit Price No. 66: Thirty-Three-Inch (33")- Thirty-Six-Inch (36") Diameter Pipes

#### NN. Unit Price No. 67: Sewer Main Line CCTV Inspection

- 1. Description: This work consists of performing CCTV inspection of designated sanitary sewer service laterals in accordance with Section 330130.16 "CCTV Inspections of Sewers".
- 2. Unit of Measurement: Linear Foot

#### OO. Unit Price Nos. 68: Sewer Service Lateral Lining (6" CIPP)

- 1. Description: This work consists of providing cured-in-place pipe (CIPP) liners for rehabilitation of sewer pipelines according to section 030130.76 "Cured-In-Place Pipe Lining."
- 2. Unit of Measure: Each

#### PP. Unit Price No. 69: Sanitary Sewer Service Lateral CCTV Inspection

- 1. Description: This work consists of performing CCTV inspection of designated sanitary sewer service laterals in accordance with Section 330130.16 "CCTV Inspections of Sewers".
- 2. Unit of Measurement: Each

#### QQ. Unit Price No. 70: Tree Removal

1. Description: This work consists of removing trees as required for construction.

2. Unit of Measure: Each

#### RR. Unit Price No. 71: Tree Replacement

- 1. Description: This work consists of replacing removed trees as required by Parks & Parkways specifications.
- 2. Unit of Measure: Each

#### SS. Unit Price No. 72: Install Doghouse Manhole

- 1. Description: The work consists of installing a new doghouse sewer manhole and connect to existing sewer main in accordance with section 330130.83 "Rehabilitation of Manholes."
- 2. Unit of Measure: Vertical Feet

#### TT. Unit Price No. 73: Abandon 8" Sewer Main

- 1. Description: The work consists of abandoning an 8" sewer main in accordance with section 330500 "Common Work Results For Utilities"
- 2. Unit of Measure: Linear Foot

#### UU. Unit Price No. 74: Abandon Sewer Manhole

- 1. Description: The work consists of abandoning a sewer manhole.
- 2. Unit of Measure: Each

#### VV. Unit Price No. 75: Sanitary Sewer Flow Diversion, Beyond 48 Hours

- 1. Description: The work consists bypassing existing sewer discharge during construction after the first 48 hours.
- 2. Unit of Measure: Hour

#### WW. Unit Price No. 76: Sanitary Sewer Flow Diversion, Setup & 48- Hour Operation

- 1. Description: The work consists of setting-up and operating sewer bypass for the first 48 hours.
- 2. Unit of Measure: Each


#### XX. Unit Price Nos. 77-78: Repair Water Main with Full Circle Clamp

- 1. Description: This work consists of the rehabilitation of water mains by means of excavation and installation of full circle clamps including partial line replacement (point repair) and line relocations according to Section 330110.73 Excavated Rehabilitation of Water Utility Piping.
- 2. Unit of Measure: Each
- 3. This unit price is broken down into specific pay items based on nominal pipe diameter as per the Bid Form.
- 4. Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter as per the Bid Form.
  - a. Unit Price No. 77: Pipe Diameter 4" 8".
  - b. Unit Price No. 78: Pipe Diameter 12"-16"

#### YY. Unit Price Nos. 79-80: Repair Water Main with Bell Joint Clamp

- 1. Description: This work consists of the rehabilitation of water mains by means of excavation and installation of bell joint clamps including partial line replacement (point repair) and line relocations according to Section 330110.73 Excavated Rehabilitation of Water Utility Piping.
- 2. Unit of Measure: Each
- 3. This unit price is broken down into specific pay items based on nominal pipe diameter as per the Bid Form.
- 4. Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter as per the Bid Form.
  - a. Unit Price No. 79: Pipe Diameter 4" 12".
  - b. Unit Price No. 80: Pipe Diameter 16"-24"
- ZZ. Unit Price Nos. 81-83: Replace Lead Service Line Water House Connection (From Meter to Main)
  - 1. Description: This work consists of the removal of exposed Lead Service Line Water House Connections with new Polyethylene Water House Connections, from the Water Main to the Water Meter, is accordance with Section 330110.73 Excavated Rehabilitation of Water Utility Piping.
  - 2. Unit of Measure: Each
  - 3. This unit price is broken down into specific pay items based on nominal service line diameter as per the Bid Form.
  - 4. Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter as per the Bid Form.
    - a. Unit Price No. 81: 5/8" to 1" Lead Service Line.
    - b. Unit Price No. 82: 1-1/2" Lead Service Line
    - c. Unit Price No. 83: 2" Lead Service Line

END OF SECTION 012200



Std. Spec.	DESCRIPTION OF ITEM					
1	REMOVAL AND DISPOSAL OF EXISTING PORTLAND CEMENT CONCRETE PAVEMENT					
2	REMOVAL AND DISPOSAL OF EXISTING SIDEWALK, DRIVEWAY, FOOT LAP (CONCRETE, BRICK, ASPHALT, ETC.)					
3	REMOVAL AND DISPOSAL OF EXISTING CURB (CONCRETE, ASPHALT, BRICK, ETC.)	LF	75			
4	REMOVAL AND DISPOSAL OF EXISTING CURB AND GUTTER BOTTOM	LF	3,825			
5	REMOVAL AND DISPOSAL OF EXISTING ASPHALTIC CONCRETE PAVEMENT	SY	4,632			
6	ROADWAY EXCAVATION	CY	1,226			
7	UNSUITABLE SUBGRADE EXCAVATION AND SAND FILLING	CY	335			
8	GEOTEXTILE FABRIC FOR STABILIZATION SY					
9	GEOGRID SY					
10	BASE COURSE	CY	1,197			
11	SUPERPAVE ASPHALTIC CONCRETE BINDER COURSE FOR COMPOSITE ROADWAYS  TO					
12	SUPERPAVE ASPHALTIC CONCRETE WEARING COURSE (2.5" THICK)  SY					
13	SUPERPAVE ASPHALTIC CONCRETE BINDER COURSE (4.5" THICK)  SY  SY					
14	COLD PLANING ASPHALTIC PAVEMENT (2" AVERAGE THICK)  SY					
15	COLD PLANING ASPHALTIC PAVEMENT (2" AVERAGE THICK)  REINFORCED CONCRETE PAVEMENT (8" THICK)  SY					
16	CONCRETE SIDEWALK (4" THICK)	SY	883			
17	CONCRETE SIDEWALK (4 THICK)  CONCRETE DRIVEWAY (6" THICK)  SY					
18	6" CONCRETE BARRIER CURB WITH DOWELS					
19	CONCRETE MOUNTABLE CURB AND GUTTER BOTTOM OR ROLLING STRIP					
20	6" CONCRETE BARRIER CURB & GUTTERBOTTOM OR ROLLING STRIP		10			
21	6" CONCRETE BARRIER CURB & GUTTERBOTTOM OR ROLLING STRIP  SODDING  SODDING		541			
22	SAW CUT CONCRETE CURB, PAVEMENT, SIDEWALK, DRIVEWAY, ETC. ACCORDING TO PLANS ("DEPTH)		409			
23	SAW CUT, WHEEL CUT OR SPADE CUT EXISTING ASHPALT, ACCORDING TO PLANS		9,117			
24	REMOVAL OF HANDICAP RAMPS, CURB AND GUTTER, AND CONCRETE SIDEWALKS AT INTERSECTIONS INCLUDING SAW CUTTING	SY	447			
25	HANDICAP RAMPS, CURB AND GUTTER, AND CONCRETE SIDEWALKS AT INTERSECTIONS	SY	447			
26	SIDEWALK TRANSITION ADJACENT TO HANDICAPPED RAMPS	SY	429			
27	MANHOLE COVER	EA	20			
28	MANHOLE FRAME	EA	20			
29	INSTALL SEWER MAIN (6" AT 0' - 6.0')	LF	275			
30	INSTALL SEWER MAIN (8" AT 0' - 6.0')	LF	2,073			
31	INSTALL SEWER MAIN (8" AT 6.1' - 8.0')	LF	450			
32	INSTALL SEWER MAIN (8" AT 8.1' - 10.0')	LF	1,026			
33	INSTALL SEWER MAIN (36" AT 14.1' - 16.0')	LF	51			
34	INSTALL SEWER MAIN (36 AT 14.1 - 16.0 )  INSTALL SEWER MAINS BY PIPE BURSTING (27" HDPE, DR11)		466			
35	REPLACE EXIST. SEWER H.C. FROM NEW MAIN TO BACK OF CURB	EA	100			
36	REPLACE EXIST. SEWER H.C. BEYOND BACK OF CURB	LF	1,135			
37	INSTALL 6" SEWER CLEANOUT		2			
38	INSTALL SEWER MANHOLE		140			
39	PIPE LINER (CIPP, 8")					
40	PIPE LINER (CIPP, 10")	LF	736			
41	PIPE LINER (CIPP, 12")	LF	331			
42	PIPE LINER (CIPP, 15")	LF	347			

			Total Qty.			
Std. Spec.	DESCRIPTION OF ITEM	Unit LF	351			
43	43 PIPE LINER (CIPP, 18")					
44	PIPE LINER (CIPP, 21")					
45	PIPE LINER (CIPP, 27")	LF	1,955			
46	PIPE LINER (CIPP, 36")	LF	550			
47	CUT LINER TO RESTORE EXISTING SEWER HOUSE CONNECTION (6", CIPP)	EA	65			
48	SEWER POINT REPAIR UP TO 12 FEET (8" AT 8.1' - 10.0')					
49	SEWER POINT REPAIR UP TO 12 FEET (10" AT 10.1' - 12.0')					
50	SEWER POINT REPAIR UP TO 12 FEET (12" AT 10.1' - 12.0')					
51	SEWER POINT REPAIR UP TO 12 FEET (18" AT 14.1' - 16.0')  EA					
52						
53	SEWER POINT REPAIR UP TO 12 FEET (27" AT 10.1' - 12.0')  EA					
54	SEWER POINT REPAIR UP TO 12 FEET (27" AT 12.1' - 14.0')  EA					
55						
56						
57						
58	SEWER POINT REPAIR BEYOND 12 FEET (18" AT 14.1' - 16.0')					
59	SEWER POINT REPAIR BEYOND 12 FEET (21" AT 14.1' - 16.0')					
60	SEWER POINT REPAIR BEYOND 12 FEET (27" AT 10.1' - 12.0')					
61	SEWER POINT REPAIR BEYOND 12 FEET (27" AT 12.1' - 14.0')					
62	SEWER POINT REPAIR BEYOND 12 FEET (36" AT 14.1' - 16.0')		39			
63	SEWER MAIN LINE CLEANING (8"-14")	LF	2,829			
64	SEWER MAIN LINE CLEANING (15"-21")	LF	698			
65	SEWER MAIN LINE CLEANING (24"-27")					
66	SEWER MAIN LINE CLEANING (33"-36")					
67	SEWER MAIN LINE CCTV INSPECTION	LF	4,563			
68	SEWER SERVICE LATERAL LINING (6" CIPP)	EA	65			
69	Sanity Sewer Service Lateral CCTV Inspection	EA	65			
70	TREE REMOVAL	EA	5			
71	TREE REPLACEMENT	EA	15			
72	DOGHOUSE MANHOLE	EA	7			
73	PLUG AND ABANDON 8" SEWER MAIN	LF	300			
74	ABANDON SEWER MANHOLE	EA	1			
75	SANITARY SEWER FLOW DIVERSION, BEYOND 48 HOURS	HR	3,040			
76	SANITARY SEWER FLOW DIVERSION, SETUP & 48-HOUR OPERATION	EA	14			
77	REPAIR WATER MAIN WITH FULL CIRCLE CLAMP (PIPE SIZE 4" - 8")	EA	5			
78	REPAIR WATER MAIN WITH FULL CIRCLE CLAMP (PIPE SIZE 12" - 16")	EA	5			
79	REPAIR WATER MAIN WITH BELL JOINT CLAMP (PIPE SIZE 4" - 12")	EA	5			
80	REPAIR WATER MAIN WITH BELL JOINT CLAMP (PIPE SIZE 16" - 24")					
81	REPLACE 5/8" TO 1" LEAD WATER HOUSE CONNECTION WITH 1" WATER HOUSE CONNECTION (FROM					
82	MAIN TO METER)  PEDLACE 1.1/2" LEAD WATER HOUSE CONNECTION (EPONA MAIN TO METER)	EA	г			
82 83	REPLACE 1-1/2" LEAD WATER HOUSE CONNECTION (FROM MAIN TO METER)  REPLACE EXISTING 2" LEAD WATER HOUSE CONNECTION (FROM MAIN TO METER)	EA	5			





INTEGRATED LOGISTICAL SUPPORT, INC. 4298 ELYSIAN FIELDS AVE, STE. B NEW ORLEANS, LA 70122


1	3/13/2024	QUANTITY CHANGES	DLK		
REV.	DATE	ATE DESCRIPTION			
SEMEDACE AND WATER BOARD					


## SEWERAGE AND WATER BOARD OF NEW ORLEANS

CARROLLTON BASIN SEWER REHABILITATION NO. 20 CONTRACT NO. 30261


ESTIMATED BID QUANTITIES

TRC.  GENERAL SUPERINTENDENT  AP.  SCALE: AS NOTED  DWG. No. 8991-S	<b>DATE:</b> 2-23-2024	SET NO.	<b>SHEET NO. 3</b> OF 27		
TRC.  GENERAL SUPERINTENDENT  AP.	SCALE: AS NOTED	DWG. NO.	0331-3		
TRC.	AP.	DWC No	9004 6		
	CK.	GENERAL SUPERINTENDENT			
DR.	TRC.				
	DR.				





ADDRESS	H.C. NO.	MULTIPLE ADDRESSES	CONNECTION ON	T OR Y FROM O.M.H.	H.C. AT P.L. from O.M.H.	H.C. at P.L. from P.L. of	FROM P.L. OF
2600 S CARROLLTON AV	77375	2602	APPLE	Y 290.20	305	228	CARROLLTON
2601 S CARROLLTON AV	152000		FONTAINBLEAU	Y 358.00	0	0	SHORT
2604 S CARROLLTON AV	77385	2606	CARROLLTON	Y 81.30	84	58	APPLE
2612 S CARROLLTON AV	65434	2614	CARROLLTON	y 129.50	130	130	BELFAST
2615 S CARROLLTON AV	74743		CARROLLTON	Y 197.00	198	198	FONTAINBLEAU
2618 S CARROLLTON AV	64199		CARROLLTON	Y 152.30	162	135.5	BELFAST
2619 S CARROLLTON AV	64151		CARROLLTON	Y 177.70	179.5	154.5	BELFAST
2624 S CARROLLTON AV	64070		CARROLLTON	y 256.50	265	238.5	APPLE
2627 S CARROLLTON AV	165780		CARROLLTON	U 116.00		91	BELFAST
2631 S CARROLLTON AV	165779		CARROLLTON	U 101.70		76.7	BELFAST
2639 S CARROLLTON AV	60969		BELFAST	Y 205.70	204	179	CARROLLTON





# <u>LEGEND</u>

REMOVAL AND REPLACEMENT OF CONCRETE PAVEMENT, SIDEWALK, OR ADA RAMP SWBNO (TRIANG)

REMOVAL AND REPLACEMENT OF ASPHALT ROADWAY SWBNO (ANSI 131)

REMOVAL AND REPLACEMENT OF ASPHALT/CONCRETE COMPOSITE ROADWAY SWBNO (ANSI 131/TRIANG)

COLD MILL/COLD PLANING AND PLACEMENT OF ASPHALT SURFACE COURSE SWBNO (ANSI 133)

REMOVAL AND REPLACEMENT OF BRICK PAVEMENT, SIDEWALK, OR ADA RAMP SWBNO (BRICK)

REMOVAL AND REPLACEMENT OF SOD SURFACE COURSE SWBNO (GRASS)

REMOVAL AND REPLACEMENT OF GRAVEL SURFACE COURSE SWBNO (GRAVEL)

REMOVAL AND REPLACEMENT OF CURB (ALL TYPES)

NOTE: CONTRACTOR TO FIELD VERIFY THE LOCATION AND DIRECTION OF ALL SERVICE CONNECTIONS.

3/19/24 Addendum 2 R.H.

REV. DATE DESCRIPTION BY

SEWERAGE AND WATER BOARD OF NEW ORLEANS

# 2600 S CARROLLTON

SEWER REHABILITATION PLANS

GENERAL SUPERINTENDENT

DWG. NO. 8991 - S

DWG. NO. **8991** – S

SCALE: NTS SHEET NO. 29

D E F