

Bid Number 50-00145087

Two (2) Year Contract to Supply Sewer Cleaner Hoses and Related Items for the Jefferson Parish Department of Public Works – All Divisions of Sewerage and Water

BID DUE: August 15, 2024 AT 2:00 P.M.

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

Jefferson Parish Purchasing Department 200 Derbigny Street General Government Building, Suite 4400 Gretna, LA 70053

Buyer Name: Doris Abraham

Buyer Email: DABRAHAM@jeffparish.net

Buyer Phone: 504-364-2690

Sewer Cleaner Hoses

Contract

Items included in this contract:

- 1. Dayco Cleaner Hoses and Accessories
- 2. Slipper Hose Guide
- 3. Double Bolt Power Clamp (Used With Kanaflex® Hoses)
- 4. Quick Clamp (Used With Kanaflex® Hoses)
- 5. Kanaflex® Sewer Cleaner Hoses
- 6. Portable Hydraulic Swag Mender Tool
- 7. Manual Double Bolt Crimper
- 8. Sanitary Nozzle (30 Degree)
- 9. Penetrator and Sludge Grenade Nozzle (10° And 30° Combo)
- 10. Chisel Point Nozzle
- 11. HRH Cleaning Rotojet Nozzle
- 12. HRV Forward Cleaning Rotator Nozzle
- 13. Bulldozer Nozzle
- 14. Aluminum Sand/Storm Nozzle
- 15. Carbide Replacement Jets
- 16. Scraper
- 17. Ultimate Penetrator Nozzle
- 18. Finned Pipe Skid Extension
- 19. Nozzle Extension
- 20. Probe Rod
- 21. Industrial Style Wash Down Gun
- 22. Quick Disconnect Kit
- 23. Reel Swivel/Rotary Style
- 24. Swivel Replaceable Packing
- 25. Ball Valve (1 Inch)
- 26. Needle Valve (1/2 Inch)
- 27. Pipe Flange Weldment
- 28. Dayco Hose Fittings
- 29. Manhole Cover Hook
- 30. Top Manhole Roller Assembly

Contract terms:

Two (2) year contract for a supply of Sewer Cleaner Hoses and related items for the Jefferson Parish Department of Public Works-Sewerage and Water (all divisions)

Warranty:

Products shall be warranted that they are manufactured in accordance with the applicable material specifications and are free from defects in workmanship and materials for one year after delivery. Any defective items sold under this contract shall be replaced at no cost to the purchaser.

General specifications:

This specification is prepared for the purpose of furnishing new 500' reels of ¾" and 1" I.D. premium cleaner hoses and associated fittings and couplings for the existing sewer and drainage cleaning units.

The quantities shown on the proposal guide are approximate quantities to be acquired by Jefferson Parish over a two (2) year period. Actual usage will be on an "as needed" basis.

All pertinent technical specifications and literature shall be included with the bid.

Successful bidder will be allowed 7 days, from the date of contract execution, to stock and maintain sufficient quantities on hand to meet the needs of Jefferson Parish. The vendor will ship requested quantities (as indicated on purchase order) within seven (7) calendar days.

Bid delivery shall include all freight and delivery costs to Jefferson Parish warehouse locations on the East and West Banks of Jefferson Parish.

All manufacturing vendors must submit to the standards established by the National Solid Waste Management Association (NSWMA) and reference adherence to these standards by submission of letter attached to the bid forms.

Where brand names, make, manufacturer or stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bidders may submit for products of equal quality, style, type and character, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Technical specifications:

I. (Dayco) Sewer Cleaner Hoses and Accessories:

Cleaner hoses shall be a black or blue abrasion resistant polyurethane cover with red polyester tube inside. Hoses shall be reinforced with one braid of aramid fiber. The maximum operating pressure shall be 4,000 PSI for a ½ inch hose and 3,000 PSI for ¾ inch and 1 inch hoses. Cleaner hoses shall have a minimum test/bend radius of 4 inches for a ½ inch hose and 3 inches for ½ and 1 inch hoses. Cleaner hoses shall also have a temperature range of -40°F to 125°F for all size hoses. Cleaner hoses shall be manufactured by Dayco or an approved equal.

Slipper Hose Guide:

Hose guide shall have a 3 inch x 36 inch flexible hose with cuffs on each end for quick installation.

❖ Portable Hydraulic Swag Mender Tool (Crimper):

Crimper is to be used to repair ¾ and 1 inch hose ends and menders to Dayco sewer cleaner hoses. Crimper tool shall have two (2) dies, one (1) pusher, and two (2) male end fittings included for both ¾ inch and 1 inch Dayco sewer hoses.

Manual Double Bolt Crimper:

Crimper is to be used to repair ½ inch hose ends and menders to Dayco sewer cleaner hoses. Crimper tool shall have two (2) dies, one (1) pusher, and two (2) ½ inch male ends included for complete assembly to repair ½ inch Dayco sewer hoses.

II. (Kanaflex®) Sewer Cleaner Hoses And Accessories:

Cleaner hoses shall be a black abrasion resistant SBR rubber blend with static carbon black, rigid PVC helix, smooth bore and corrugated O.D. variety. Cleaner hoses shall have a minimum test/bend radius of 3 inches for a 3 inch hose and 15 inches for an 8 inch hoses. Cleaner hoses shall have a temperature range of -40°F to 140°F

❖ Double Bolt Power Clamp:

Power clamp shall be a heavy duty construction and is to be used with Kanaflex® hoses. Power clamps shall be manufactured by Vac-con or an approved equal.

❖ Quick Clamp:

Quick clamp shall be a heavy duty construction and are needed when flanges are used. Quick clamps shall be manufactured by Vac-con or an approved equal.

III. Portable Hydraulic Swag Mender Tool:

This tool shall be for use in the field or shop. Crimper No. 22-682 shall repair ¾ inch and 1 inch hose ends and mender to Dayco sewer cleaning hose. The tool shall have (2) dies, (1) pusher, and (2) male end fittings included for both ¾ inch and 1 inch Dayco sewer hose.

IV. Manual Double Bolt Crimper:

This tool can be used in the field or shop. Crimper No. S16 shall repair ½ inch hose ends and mender to Dayco sewer cleaner hose. Tool shall have (2) dies, (1) pusher and (2) ½ inch male ends included for both ¾ inch and 1 inch Dayco sewer hose.

V. Sanitary Nozzles (30°):

Sanitary nozzles shall be special wear resistant steel with a maximum working pressure of 4000 PSI. All trucks have different variations on the pump therefore, when ordering must have GPM and psi of pump and length of hose on reel. Nozzles shall have six (6) carbide inserts with or without a forward jet nozzle. Nozzles shall come in ¾, ½, and 1 inch sizes. Nozzles shall be manufactured by Vac-con or an approved equal.

Nozzle Size	Nozzle No.	Diameter (OD)	Length (Inches)	Weight (LBS)	Cleaning Pipe Range (Inches)
1/2	30.050	1.14	1.81	0.25	2.5-8
3/4	30.075	1.50	2.36	0.62	3.2-10
1	30.100	1.89	3.35	1.50	6-14

VI. Penetrator and Sludge Grenade (10 And 30 Degree Combo):

Nozzles shall be a special wear resistant steel (special hardened/treated) nozzle that uses a positive water flow design for minimum wear and tear. The maximum working pressure shall be 4000 PSI. All trucks have different variations on the pump therefore when ordering you must provide the GPM, psi, and length of the pump on the reel. The ½ inch nozzles shall have six (6) ceramic inserts with or without forward jet. The ¾ inch nozzles shall have eight (8) ceramic inserts with or without forward jet. The 1 inch nozzles shall have ten (10) ceramic inserts with or without forward jet. Nozzles shall be manufactured by Vac-con or an approved equal.

Nozzle Size	Nozzle No.	Diameter (OD)	Length (Inches)	Weight (LBS)
1/2	40.050	1.89	3.14	1.76
3/4	40.075	2.28	4.09	3.19
1	40.100	3.11	5.35	8.16

VII. Chisel Point Nozzle (For Opening Material):

Chisel point nozzle shall be a special wear resistant steel (surface hardened/treated) nozzle with positive water flow designed for minimum wear and tear. The maximum working pressure shall be 4000 psi. All trucks have different variations on the pump therefore when ordering you must provide the GPM, PSI, and length of the pump on the reel. The ½ and ¾ inch nozzles shall have four (4) front ceramic inserts and four (4) rear ceramic inserts. The 1 inch nozzles shall have four (4) front ceramic inserts and six (6) ceramic inserts. Nozzles shall be manufactured by Vac-con or an approved equal.

Nozzle Size	Nozzle No.	Diameter (OD)	Length (Inches)	Weight (LBS)
1/2	60.050	1.14	2.60	0.34
3/4	60.075	1.50	3.15	0.70
1	60.100	1.90	3.54	1.10

VIII. HRH Cleaning Rotojet Nozzle:

These nozzles are to be used for the removal of grease and sludge. Nozzles shall be of a special wear resistant steel (surface hardened/treated). Nozzles shall have a 45 degree rearward angle used for high cleaning efficiency and lower water consumption. The maximum working pressure at tool shall be 4000 psi. All trucks have different variations on the pump therefore when ordering you must provide the GPM, PSI, and length of the pump on the reel. All size nozzles shall have three (3) rear ceramic inserts and four (4) roto ceramic inserts. Nozzles shall be manufactured by Vac-con or an approved equal.

Nozzle Size	Nozzle No.	Diameter (OD)	Length (Inches)	Weight (LBS)
3/4	02.050B	2.0	4.0	2.50
1	02.060	2.4	4.1	3.10

IX. HRV Forward Cleaning Rotator Nozzles:

Nozzles are to be used for forward flushing of grease and sludge. Nozzles shall have a forward rotating impact angle of approximately 45° that pushes all debris forward and be made of a special wear resistant steel (surface hardened/treated). The maximum working pressure at the tool shall be 4000 PSI. All trucks have different variations on the pump therefore when ordering you must provide the GPM, PSI, and length of the pump on the reel. All size nozzles shall have three (3) rear ceramic inserts and four (4) roto ceramic inserts. Nozzles shall be manufactured by Vac-con or an approved equal.

Nozzle Size	Nozzle No.	Diameter (OD)	Length (Inches)	Weight (LBS)
1/2	03.050A	2.00	4.00	2.50
3/4	03.050B	2.00	4.00	2.50
1	03.060	2.4	4.1	3.10

X. Bulldozer Nozzle:

Bulldozer nozzle shall be used with a swivel joint. The working pressure at 80 GPM shall be 2000 PSI. All glide blades shall be hardened steel and interchangeable. These blades have good gliding ability forward and backwards due to the edge coverage provided. All size nozzles shall have eight (8) rear ceramic inserts and swivel joint. Nozzles shall be manufactured by Vac-con or an approved equal.

Nozzle Size	Nozzle No.	Length (Inches)	Width (Inches)	Height (Inches)	Weight (LBS)
3/4	50.075	13.2	4.70	4.30	22
1	50.100	17.3	6.30	5.90	53

XI. <u>Aluminum Sand/Storm Nozzle And Replacement Jets:</u>

Nozzle shall be used to for cleaning heavy grease-filled line. All trucks have different variations on the pump therefore when ordering you must provide the GPM, PSI, and length of the pump on the reel. The ¾ inch nozzles shall have six (6) rear replaceable jets at 17/24° and one (1) forward replaceable jet. The 1 inch nozzles shall have sixteen (16) rear replaceable jets at 17/24° and one (1) forward replaceable jet. Aluminum sand/storm nozzles are not subject to a (5) year warranty. Nozzles shall be manufactured by Vac-con or an approved equal.

XII. <u>Scraper (½" to 1"):</u>

Scrapers shall have skids with three (3) rear ceramic inserts and three (3) roto ceramic inserts.

Scraper Size	Scraper No.	Cleaning Range (Inches)	Diameter (Inches)	Length (Inches)	Weight (LBS)
1/2	10.060A	3-6	2.40	4.90	3.00
3/4	10.060B	3-6	2.40	4.90	3.00
1 (No Skids)	10.080	6-10	9.30	6.90	16.0
1 (Skids)	10.200	8-14	14.0	17.70	48.0

XIII. Ultimate Penetrator Nozzle and Replacement Jets:

Ultimate penetrator nozzle shall have five (5) rear carbide replaceable jets at a 10° angle. All trucks may have different variations on the pump therefore when ordering the GPM and psi of the pump must be provided. Nozzles are subjected to five (5) year warranty.

XIV. Finned Pipe Skid Extension:

Pipe skid extension shall use a ½ to 1 inch schedule 80 pipe, the length shall be 4 and 6 inches, and fin size shall be 3 inches.

Extension Skid Size (Inches)	Extension No.	Length (Inches)	Fin Size (Inches)
1/2	3007-9000	4.00	3.00
3/4	3021-9100	6.00	3.00
1	3021-9200	6.00	3.00

XV. Nozzle Extension:

Nozzle extension shall be of a solid tube with a size of 1-7/8 inch O.D. and shall be 12 inches long. One (1) inch NPT is required when exceeding 15 inch long extension.

XVI. Probe Rod:

The probe rod shall be a heavy duty soil probe which resists bending and shall be designed for easy penetration and withdrawal. The probe rod shall be made of stainless steel.

XVII. Industrial Style Wash Down Gun:

The wash down gun shall be rated to 26 GPM at 3500 PSI. The wash down gun shall be a $\frac{1}{2}$ diameter gun with 20 inch lance barrel and with a side handle and nozzle.

XVIII. Quick Disconnect Kit with Handgun:

The quick disconnect kit shall have a coupler and plug with metal tie. The quick disconnect kit shall be manufactured by Vac-con or an approved equal.

XIX. Reel Swivel/Rotary Joint Style:

The swivel size shall be 1-½ inches and rated at 6000 PSI. Swivel shall have replaceable packing. The reel swivel shall be manufactured by Vac-con or an approved equal.

XX. Ball Valve:

Ball valve shall be manufactured of carbon steel. The threads shall be female NPT, the ball material shall be made of 316 stainless steel, and the ball valve shall be rated at 3000 psi. Ball valves shall be manufactured by Vac-con or an approved equal.

XXI. Needle Valve:

Needle valve shall be a 1/8 inch NPT with a screw style handle. Needle valves shall be manufactured by Vac-con or an approved equal.

XXII. Pipe Flange Weldment:

The pipe flange weldment shall be 8 inch in diameter and be 36, 60, or 72 inches long. The heavy gauge aluminum pipe should include steel flanges. Pipe flange weldment shall be manufactured by Vac-con or an approved equal.

XXIII. Dayco Hose Fittings:

All hose fittings and couplings must be produced by the same manufacturer and must be color coded to assure compatibility and interchangeability as outlined in the NSWMA standards. Cleaner hose fittings shall be manufactured by Dayco or an approved equal.

XXIV. Manhole Cover Hook:

The manhole cover hook shall be made of a heat treated steel. The cover hook shall be 24 inches long with a 90° angle to hook. Manhole cover hook shall be manufactured by Vac-con or an approved equal.

XXV. Top Manhole Roller Assembly:

The manhole roller assembly shall be used over manholes for remote easement set-up. The standard duty angle iron construction shall include a 6 inch aluminum roller.

BID NO.: 50-00145087

JEFFERSON PARISH

PURCHASING DEPARTMENT P.O. BOX 9 GRETNA, LA. 70054-0009 504-364-2678

PURCHASING SPECIALIST: DABRAHAM@jeffparish.net

Page:

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 8/15/2024
AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH
GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit
via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site.
Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 136353 and/or Resolution No. 141125 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from http://purchasing.jeffparish.net and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the Purchasing Specialist's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

BID NO.: 50-00145087 Page: 2

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge any Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website http://purchasing.jeffparish.net or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website http://purchasing.jeffparish.net or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

- B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.
- C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

BID NO.: 50-00145087 INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to

The purpose and intention of this invitation to hid is to afford all suppliers an equal appe

stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at http://purchasing.jeffparish.net.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 136353 or 141125 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at http://purchasing.jeffparish.net and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

- 1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
- 2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
- 3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

Page: 3

BID NO.: 50-00145087

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.

- 5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
- 6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
- 7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
- NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
- NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
- 10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
- 11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
- 12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
- 13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
- 14. PUBLIC WORKS BIDS Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

BID NO.: 50-00145087 Page: 5

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

- 16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications per the appendix instructions will result in bid rejection.
- 17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

BID NO.: 50-00145087

Are you requesting an escalation provision?

BID FORM
Non Public Works

Page: 6

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

	YES	NO				
	MAXIMUM ESCALAT	TION PERCENTAGE REQ	UESTED	%		
	INITIAL BID PRICES	WILL REMAIN FIRM THR	OUGH THE D	ATE OF		
escalation percentage will be used to calculate	omparison of bids when an quoted by the bidder to th te the total bid price. It wil each month throughout the	e period to which it is ap I be assumed,for compar	plied in the bi	d. The initial pr	ice and the escalation	
DELIVERY:	FOB JEFFERSO	N PARISH				
INDICATE DEL	IVERY DATE ON EQUIP	MENT AND SUPPLIES	3			
LOUISIANA	CONTRACTOR'S	LICENSE NO.: (if applica	ble)		
THIS SECTION	MUST BE COMPL	ETED BY BIDDE	R:			
FIRM NAME:						
ADDRESS:						
CITY, STATE:			ZIP:			
TELEPHONE: (_)		FAX: ()		
EMAIL ADDRESS):					
acknowledge rece	ddenda are issued with thi sipt of an addendum on the the bid form will result in	e bid form by placing the	nowledge all a addendum nu	addenda on the umber as indica	bid form.Bidder must ted. Failure to acknowled	ge
Acknowledge Rec	eipt of Addenda: NUMBEF	R:				
	NUMBER	R:				
	NUMBER	R:				
	NUMBER	R:				
TOTAL PRICE O	F ALL BID ITEMS: \$					
AUTHORIZED						
SIGNATURE:					Defects d. N.	
TITLE:					Printed Name	

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

BID NO.: 50-00145087

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

7

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			Two (2) Year Contract to Supply Sewer Cleaner Hoses and Related Items for the Jefferson Parish Public Works - All Divisions of Sewerage and Water		
1	4.00	ROLL	0001 - 1/2 Inch Sewer Cleaner Hose (500) Ft. Roll	\$	\$\$
2	5.00	ROLL	0002 - 3/4 Inch Sewer Cleaner Hose (500) Ft. Roll	\$	\$\$
3	12.00	ROLL	0003 - 1 Inch Sewer Cleaner Hose (500) Ft Roll	\$	\$\$
4	40.00	EA	0004 - Slipper Hose Guide with Eye and 24 Ft Rope (3 Inch X 36 Inch)	\$	\$\$
5	48.00	EA	0005 - 8 Inch Double Bolt-Power Clamp	\$	\$\$
6	1.00	EA	0006 - 3 Inch Double Bolt-Power Clamp	\$	\$\$
7	32.00	EA	0007 - 8 inch Quick Clamp	\$	\$\$
8	1.00	ROLL	0008 - 8 inch x 6 foot 10 inch (Kanaflex) Hose	\$	\$\$
9	1.00	ROLL	0009 - 3 Inch x 30 Foot (Kanaflex) Hose	\$	\$\$
10	1.00	EA	0010 - Portable Hydraulic Swag Mender	\$	\$\$
11	1.00	EA	0011 - Manual Double Bolt Crimper	\$	\$\$
12	1.00	EA	0012 - Sanitary Nozzle 30 Degree (1/2 Inch Nozzle)	\$	\$\$
13	1.00	EA	0013 - Sanitary Nozzle 30 Degree (3/4 Inch Nozzle)	\$	\$\$

BID NO.: 50-00145087

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
14	1.00	EA	0014 - Sanitary Nozzle 30 Degree (1 Inch Nozzle)	\$	\$\$
15	1.00	EA	0015 - Penetrator and Sludge Grenade Nozzle (10 Degree And 30 Degree Combo)	\$	\$\$
			(1/2 Inch)		
16	1.00	EA	0016 - Penetrator and Sludge Grenade Nozzle (10 Degree And 30 Degree Combo)	\$	\$\$
			(3/4 Inch)		
17	1.00	EA	0017 - Penetrator and Sludge Grenade Nozzle (10 Degree And 30 Degree Combo)	\$	\$\$
			(1 Inch)		
18	1.00	EA	0018 - Chisel Point Nozzle (1/2 Inch)	\$	\$\$
19	5.00	EA	0019 - Chisel Point Nozzle (3/4 Inch)	\$	\$\$
20	1.00	EA	0020 - Chisel Point Nozzle (1 Inch)	\$	\$\$
21	1.00	EA	0021 - HRH Cleaning Roto-Jet Nozzle (1/2 Inch)	\$	\$\$
22	1.00	EA	0022 - HRH Cleaning Roto-Jet Nozzle (3/4 Inch)	\$	\$\$
23	1.00	EA	0023 - HRH Cleaning Roto-Jet Nozzle (1 Inch)	\$	\$\$
24	15.00	EA	0024 - HRV Forward Cleaning Rotator Nozzle (1/2 Inch)	\$	\$\$
25	1.00	EA	0025 - HRV Forward Cleaning Rotator Nozzle (3/4 Inch)	\$	\$\$
26	1.00	EA	0026 - HRV Forward Cleaning Rotator Nozzle (1 Inch)	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

SEALED BID BID NO.: 50-00145087

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
27	1.00	EA	0027 - Bulldozer Nozzle (3/4 Inch)	\$	\$\$
28	1.00	EA	0028 - Bulldozer Nozzle (1 Inch)	\$	\$\$
29	5.00	EA	0029 - Aluminum Sand/Storm Nozzle (3/4 Inch)	\$	\$\$
30	15.00	EA	0030 - Aluminum Sand/Storm Nozzle (1 Inch)	\$	\$\$
31	1.00	EA	0031 - Carbide Replaceable Front Jet	\$	\$\$
32	1.00	EA	0032 - Carbide Replaceable Rear Jet	\$	\$\$
33	1.00	EA	0033 - Scraper (1/2 Inch)	\$	\$\$
34	1.00	EA	0034 - Scraper (3/4 Inch)	\$	\$\$
35	1.00	EA	0035 - Scraper (1 Inch) Skids	\$	\$\$
36	1.00	EA	0036 - Scraper (1 Inch) No Skids	\$	\$\$
37	20.00	EA	0037 - Ultimate Penetrator Nozzle (3/4 Inch)	\$	\$
38	1.00	EA	0038 - Front Replacement Carbide Jet For 3/4 Inch Ultimate Penetrator Nozzle	\$	\$\$
39	1.00	EA	0039 - Rear Replacement Carbide Jet For 3/4 Inch Ultimate Penetrator Nozzle	\$	\$
40	1.00	EA	0040 - Ultimate Penetrator Nozzle (1 Inch)	\$	\$\$

BID NO.: 50-00145087

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

10

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
41	1.00	EA	0041 - Front Replacement Carbide Jet For 1 Inch Ultimate Penetrator Nozzle	\$	\$
42	1.00	EA	0042 - Rear Replacement Carbide Jet For 1 Inch Ultimate Penetrator Nozzle	\$	_\$
43	1.00	EA	0043 - Finned Pipe Skid Extension (1/2 Inch)	\$	\$
44	1.00	EA	0044 - Finned Pipe Skid Extension (3/4 Inch)	\$	\$
45	1.00	EA	0045 - Finned Pipe Skid Extension (1 Inch)	\$	\$
46	1.00	EA	0046 - Nozzle extension	\$	\$
47	1.00	EA	0047 - Probe Rod (48 Inch)	\$	\$
48	80.00	EA	0048 - Probe Rod (60 Inch)	\$	\$
49	1.00	EA	0049 - Industrial Style Wash Down Gun	\$	\$
50	1.00	EA	0050 - Quick Disconnect Kit	\$	\$
51	1.00	EA	0051 - Reel Swivel/Rotary Style	\$	\$
52	1.00	EA	0052 - Swivel Replaceable Packing	\$	\$
53	1.00	EA	0053 - Ball Valve (1 Inch)	\$	\$
54	1.00	EA	0054 - Needle Valve (1/8 Inch)	\$	\$

BID NO.: 50-00145087

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page 11

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
55	1.00	EA	0055 - Pipe Flange Weldment (8 Inch x 60 Inch Long)	\$	\$\$
56	1.00	EA	0056 - Pipe Flange Weldment (8 Inch x 72 Inch Long)	\$	\$\$
57	1.00	EA	0057 - Dayco Hose Fitting (1/2 Inch I.D. 4000 PSI-Male Fitting)	\$	\$\$
58	10.00	EA	0058 - Dayco Hose Fitting (1/2 Inch I.D. 4000 PSI-Female Fitting)	\$	\$\$
59	55.00	EA	0059 - Dayco Hose Fitting (3/4 Inch I.D. 3000 PSI-Male Fitting)	\$	\$\$
60	1.00	EA	0060 - Dayco Hose Fitting (3/4 Inch I.D. 3000 PSI-Female Fitting)	\$	\$\$
61	30.00	EA	0061 - Dayco Hose Fitting (3/4 Inch I.D. 3000 PSI-Mender Fitting)	\$	\$\$
62	90.00	EA	0062 - Dayco Hose Fitting (1 Inch I.D. 3000 PSI-Male Fitting)	\$	\$\$
63	30.00	EA	0063 - Dayco Hose Fitting (1 Inch I.D. 3000 PSI-Female Fitting)	\$	\$\$
64	35.00	EA	0064 - Dayco Hose Fitting (1 Inch I.D. 3000 PSI-Mender Fitting)	\$	\$
65	110.00	EA	0065 - Manhole Cover Hook	\$	\$\$
66	1.00	EA	0066 - Top Manhole Roller	\$	\$\$

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF INCORPORATED. AT THE MEETING OF DIRECTORS OF INCORPORATED, DULY NOTICED AND HELD ON A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT WAS: , BE AND IS HEREBY RESOLVED THAT APPOINTED. CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES, DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES, CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-FACT. I HEREBY CERTIFY THE FOREGOING TO BE A TRUE AND CORRECT COPY OF AN EXCERPT OF THE MINUTES OF THE ABOVE DATED MEETING OF THE BOARD OF DIRECTORS OF SAID CORPORATION, AND THE SAME HAS NOT BEEN REVOKED OR RESCINDED. SECRETARY-TREASURER **DATE**

Non-Public Works Bid Affidavit Instructions

- Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.
- Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.
- Affidavit must be notarized or the affidavit will not be accepted.
- Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.
- Affiant MUST select either A or B when required or the affidavit will not be accepted.
- Affiants who select choice A must include an attachment or the affidavit will not be accepted.
- If both choice A and B are selected, the affidavit will not be accepted.
- Affidavit marked N/A will not be accepted.
- It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF		
PARISH/COUNTY OF _		
BEFORE ME, the u	ndersigned authority, personally came and	l appeared:
, (A	ffiant) who after being by me duly sworn,	deposed and said that
he/she is the fully authorize	d of	(Entity),
the party who submitted a b	id in response to Bid Number	, to the Parish of
Jefferson.		
Affiant further said:		
Campaign Contribution Dis	<u>closures</u>	
(Choose A or B, if opti	on A is indicated please include th	ne required
attachment):		
Choice A	Attached hereto is a list of all campaign the date and amount of each contributio former elected officials of the Parish of Affiant, and/or officers, directors and over employees, owning 25% or more of the period immediately preceding the date of current term of the elected official, which entity, Affiant, and/or Entity Owners has contributions to or in support of current Jefferson Parish Council or the Jefferson or in the name of another person or legal indirectly.	In, made to current or Jefferson by Entity, where, including Entity during the two-year of this affidavit or the chever is greater. Further, ave not made any or former members of the n Parish President through
Choice B	there are <u>NO</u> campaign contributions m disclosure under Choice A of this section	-

Page 1 of 3 Updated: 02.27.2014

Debt Disclosures

(Choose A <u>or</u> B, if option A is indicated please include the required attachment):

Choice A	Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.
Choice B	There are NO debts which would require disclosure under Choice A of this section

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

Page 2 of 3 Updated: 02.27.2014

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

	Signature of Affiant
	Printed Name of Affiant
SWORN AND SUBSCRIBED TO BEFORE	E ME
ON THE, DAY OF,	20
Notary Public	-
Printed Name of Notary	-
Notory/Dor Doll Number	-
Notary/Bar Roll Number	
My commission expires	

Page 3 of 3 Updated: 02.27.2014

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☑ COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☑ COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence. Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

<u>**DEDUCTIBLES**</u> - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

OWNER'S PROTECTIVE LIABILITY

The following are required if selected below. Such insurance is due upon contract execution.

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

☐ BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.