

Vendor will accept on a monthly basis a file from LDR in a mutually agreed upon format containing taxpayer address records. Vendor will process this file to perform a match against a National Change of Address (NCOA) database. Vendor will return to LDR a results file in a mutually agreed upon format containing taxpayer address changes encountered during the match process.

Vendor will provide these services for an estimated 9,469,250 taxpayer address records each month. The State will be responsible for the control, management and supervision of the services and any results achieved. The number of taxpayer address records provided by the State are an estimate of the address matches required and do not imply or commit a fixed price contract.

FIELD DESCRIPTION		<b>LENGTH</b>	<b>POSITIONS</b>
Original input record		226	001 - 226
Vendor Job Number		03	227 - 229
Vendor Sequence Number		09	230 - 238
eLOT®Number		04	239 - 242
eLOT®Code		01	243 - 243
City (Confirmed / Corrected)		15	244 - 258
State (Confirmed / Corrected)		02	259 - 260
ZIP Code <sup>™</sup> (Confirmed / Corre	ected)	05	261 - 265
ZIP + 4 <sup>®</sup> Code		04	261 263 266 - 269
Delivery Point Barcode		03	270 - 272
Car-rt Code		03	273 - 276
			275-276
Zip Correction Action Code		01	277 - 277
CodeKey	: A - The ZIP Code <sup>TM</sup> was altered		
	<b>B</b> - No match was available and original		nvalid
	<b>C</b> - The original ZIP $Code^{TM}$ was con		
	<b>O</b> - The original ZIP Code <sup>TM</sup> was kep	t because no address	match was found
Vendor COA Index		01	278 - 278
Venuor COM muex			210 210
	Address Provided, Action code Equal t	o I, or M, or O	
CodeKey: 1 - Moved, New	Address Provided, Action code Equal t h NCOA <sup>Link®</sup> Database, Action code Eq		210 210
CodeKey:1 - Moved, New2 - Did Not Mate3 - Probably Not	h NCOA <sup>Link®</sup> Database, Action code Eq Moved, Action code Equal to B and Re	ual to C turn Code Equal to 4	, 6, 7, 8, 9, 10, 12, 13, 17, 18, or 2
CodeKey:1 - Moved, New2 - Did Not Mate3 - Probably Not4 - Probably Mot	h NCOA <sup>Link®</sup> Database, Action code Eq Moved, Action code Equal to B and Re /ed, Action code Equal to B and Return	ual to C turn Code Equal to 4 Code Equal to 11, 15	, 6, 7, 8, 9, 10, 12, 13, 17, 18, or 2 5, or 16
CodeKey:1 - Moved, New2 - Did Not Mate3 - Probably Not4 - Probably Mov5 - Moved, No F	h NCOA <sup>Link®</sup> Database, Action code Eq Moved, Action code Equal to B and Re /ed, Action code Equal to B and Return prwarding Address Provided, Action co	ual to C eturn Code Equal to 4 Code Equal to 11, 15 de Equal to F, or G, o	, 6, 7, 8, 9, 10, 12, 13, 17, 18, or 2 5, or 16 or K, or P
CodeKey:1 - Moved, New2 - Did Not Mate3 - Probably Not4 - Probably Mov5 - Moved, No F	h NCOA <sup>Link®</sup> Database, Action code Eq Moved, Action code Equal to B and Re /ed, Action code Equal to B and Return	ual to C eturn Code Equal to 4 Code Equal to 11, 15 de Equal to F, or G, o	, 6, 7, 8, 9, 10, 12, 13, 17, 18, or 2 5, or 16 or K, or P
CodeKey:1 - Moved, New2 - Did Not Mate3 - Probably Not4 - Probably Mov5 - Moved, No FThe use of these	h NCOA <sup>Link®</sup> Database, Action code Eq Moved, Action code Equal to B and Re /ed, Action code Equal to B and Return prwarding Address Provided, Action co	ual to C cturn Code Equal to 4 Code Equal to 11, 15 de Equal to F, or G, c detail in Vendor's No	, 6, 7, 8, 9, 10, 12, 13, 17, 18, or 2 5, or 16 or K, or P COA <sup>Link®</sup> user manual.
CodeKey:1 - Moved, New2 - Did Not Mate3 - Probably Not4 - Probably Mov5 - Moved, No F	h NCOA <sup>Link®</sup> Database, Action code Eq Moved, Action code Equal to B and Re ved, Action code Equal to B and Return orwarding Address Provided, Action co Vendor generated fields is described in	ual to C eturn Code Equal to 4 Code Equal to 11, 15 de Equal to F, or G, o	, 6, 7, 8, 9, 10, 12, 13, 17, 18, or 2 5, or 16 or K, or P COA <sup>Link®</sup> user manual. <b>279 - 279</b>
CodeKey: 1 - Moved, New   2 - Did Not Mate   3 - Probably Not   4 - Probably Mov   5 - Moved, No F   The use of these	h NCOA <sup>Link®</sup> Database, Action code Eq Moved, Action code Equal to B and Re ved, Action code Equal to B and Return orwarding Address Provided, Action co Vendor generated fields is described in	ual to C turn Code Equal to 4. Code Equal to 11, 15 de Equal to F, or G, o detail in Vendor's No 01 S - Street Address	, 6, 7, 8, 9, 10, 12, 13, 17, 18, or 2 5, or 16 or K, or P COA <sup>Link®</sup> user manual. <b>279 - 279</b>

H - High Rise

## Sample Record Layout - Fixed Fielded File



### Attachment B – Specifications RFx: 3000023334

Action Code		01	280 - 280
CodeKey:	B - Possible Mover, See NCOALink® Return Codes	K - No Forwardin	g Address
	C - No Match	O - Business Mo	ve
	I - Individual New Address	G - P.O. Box Clo	osed
	F - Foreign Move	P - Moved, Prim	ary Address Unconfirmed
	M - Family Move		
ADDRESS FIELDS Street Address		50	281 - 330
Secondary Address		08	331 - 338
Secondary Address De	signator (see last pg)	04	339 - 342
Urbanization		28	343 - 370
Reserved		02	371 - 372
Private Mailbox		12	373 - 384



## Attachment B – Specifications RFx: 3000023334

Record Layout - Fixed Fielded File (cont'd)

ADDRESS STANDARDIZATION: FIELD DESCRIPTION			LENGTH	<b>POSITIONS</b>
THED DESCRIPTION				10511045
FOOTNOTE FIELDS				
City/State Corrected ('B' = Yes / blank otherwise)			01	385 - 385
Secondary Number Missing ('H' = Yes / blank otherwise)			01	386 - 386
Delivery Address Component, add/dele ('L' = Yes / blank otherwise)	ete/change		01	387 - 387
Street Name Spelling Changed ('M' = Yes / blank otherwise)			01	388 - 388
<b>Delivery Address Standardized</b> ('N' = Yes / blank otherwise)			01	389 - 389
Invalid Secondary Number ('S' = Yes / blank otherwise)			01	390 - 390
LACS Indicator ('L' = Yes / blank otherwise)			01	391 - 391
Reserved			01	392 - 392
NEW NCOALink® ADDRESS				
Street Address			50	393 - 442
Secondary Address Number			08	443 - 450
Secondary Address Designator (see last p	og)		04	451 - 454
New Urbanization			28	455 - 482
Reserved			14	483 - 496
eLOT®Number			04	497 - 500
eLOT®Code			01	501 - 501
Reserved			03	502 - 504
New city name**			13	505 - 517
Reserved			02	518 - 519
New state (Abbreviated)			02	520 - 521
New ZIP Code <sup>™</sup>			05	522 - 526
New ZIP + 4 <sup>®</sup>			04	527 - 530
New Delivery Point Barcode			03	531 - 533
New Corrected Carrier Route Code			04	534 - 537
Effective date of move (YYYYMM)			06	538 - 543
Type of Move	1		01	544 - 544
	CodeKey:	I - Individual Mate	h Logic Used	
		F - Family Match I	Logic Used	
		<b>B</b> - Business Match	h Logic Used	
NCOA <sup>Link®</sup> Return Code (see next pg)			02	545 - 546
Name Used For Match (Business or individual, only present onmate	h)		40	547 - 586



Reserved

587 - 596

10

\*\* The Postal Service only provides a 13 character city field which may represent a standardized abbreviated version.



### **NCOALINK RETURN CODE DESCRIPTI ONS**

#### FORWARDABLE MOVERS

A - COA MATCH

91 - COA MATCH - SECONDARY NUMBER DROPPED FROM COA

92 - COA MATCH - SECONDARY NUMBER DROPPED FROM INPUT

### NON-FORWARDABLE MOVERS

1 - COA MATCH - FOREIGN MOVE

2 - COA MATCH - MOVE LEFT NO ADDRESS

3 - COA MATCH - PO BOX CLOSED NO FORWARDING ADDRESS

05 - COA MATCH - A NEW ADDRESS CAN NOT BE PROVIDED

14 - COA MATCH - NEW ADDRESS WOULD NOT CONVERT

19 - FOUND COA - NEW ADDRESS NOT ZIP+4 OR DPV CONFIRM

POSSIBLE MOVERS

04 - CANNOT MATCH COA - STREET ADDRESS WITH SECONDARY

6 - CANNOT MATCH COA - MIDDLE NAME CONFLICT

7 - CANNOT MATCH COA - GENDER CONFLICT

8 - CANNOT MATCH COA - CONFLICTING INSTRUCTIONS

9 - CANNOT MATCH COA - HIGHRISE DEFAULT

10 - CANNOT MATCH COA - RURAL DEFAULT

11 - CANNOT MATCH COA - INSUFFICIENT COA NAME

12 - CANNOT MATCH COA - MIDDLE NAME TEST FAILED

13 - CANNOT MATCH COA - GENDER TEST FAILED

15 - CANNOT MATCH COA - INDIVIDUAL NAME INSUFFICIENT

16 - CANNOT MATCH COA - SECONDARY NUMBER DISCREPANCY

17 - CANNOT MATCH COA - OTHER INSUFFICIENT NAME

18 - CANNOT MATCH COA - GENERAL DELIVERY

20 - CANNOT MATCH COA - CONFLICTING DIRECTIONS

MISCELLANEOUS

00 - NO COA MATCH

66 - DAILY DELETE



LACS <sup>Link®</sup> :		
FIELD DESCRIPTION	<u>LENGTH</u>	<b>POSITIONS</b>
LACS <sup>Link®</sup> Action Code (C-No Match, W-New LACS Address Provided)	01	597 - 597
NEW LACS <sup>Link®</sup> ADDRESS		
Street Address	50	598 - 647
Secondary Address Number	08	648 - 655
Secondary Address Designator (see last pg)	04	656 - 659
Urbanization	28	660 - 687
Reserved	14	688 - 701
eLOT®Number	04	702 - 705
eLOT®Code	01	706 - 706
Reserved	03	707 - 709
New city name <sup>*</sup>	13	710 - 722
Reserved	02	723 - 724
New state (Abbreviated)	02	725 - 726
New ZIP <sup>®</sup> code	05	727 - 731
New ZIP + 4 <sup>®</sup>	04	732 - 735
New Delivery Point Barcode	03	736 - 738
LACS <sup>Link®</sup> Corrected Carrier Route Code	04	739 - 742
Reserved	06	743 - 748
LACS <sup>Link®</sup> Return Code	02	749 - 750
CodeKey: A - LACS <sup>Link®</sup> Record Match		
00 - No Match		
09 - No Match. Highrise Default		
14 - Found LACS <sup>Link®</sup> : New Addres		
92 - LACS <sup>Link®</sup> Record Found: Seco	ondary Number Dropped f	rom Input Address
Reserved	21	751 - 771
* The Postal Service only provides a 13 character city field which may rep		

П



## Attachment B – Specifications RFx: 3000017432 NCOA - LDR Record Layout - Fixed Fielded File (cont'd)

DPV®/DSF <sup>2®</sup> /eLOT <sup>®</sup> FIELD DESCRIPTION	<u>CODE</u>	<b>LENGTH</b>	<b>POSITIONS</b>
DPV:			
Matched to ZIP + 4 <sup>®</sup> Record	'AA'	2	772 - 773
Non-match to ZIP $+ 4^{\circ}$	'A1'	2	774 - 775
Alias Street Name Matched to Base Street Name	'A2'	2	776 - 777
Matched to Alternate Record	'A3'	2	778 - 779
Matched to Small Town Default	'A4'	2	780 - 781
Matched to Unique Zip Default	'A5'	2	782 - 783
Matched to an HDA Record	'A6'	2	784 - 785
Address Rejected due to EWS	'A7'	2	786 - 787
Reserved		2	788 - 789
No DPV® Match on Any Components	'B1'	2	790 - 791
Reserved	21	2	792 - 793
Corrected City Name and/or State Info	'D'	- 1	794 - 794
Input City Name was Non-mailing, and was corrected	'D1'	2	795 - 796
Corrected Primary Address	'E'	- 1	797 - 797
Corrected Primary Address Component	- 'E1'	2	798 - 799
Corrected Primary Street Name	'E2'	2	800 - 801
Primary Address Standardized	'E3'	2	802 - 803
Corrected Secondary Address Data	'F'	- 1	804 - 804
Out of Range Alias Match	'G4'	2	805 - 806
ZIP Code™ Changed	'H'	-	807 - 807
ZIP Code™ Added	'H1'	2	808 - 809
Failed to Match Last Line of Address	'J'	1	810 - 810
Multiple-match in Primary Address Field	'K'	1	811 - 811
Multiple-match due to Missing or Incorrect Directionals	'K1'	2	812 - 813
Multiple-match due to Missing or Incorrect Suffix	'K2'	2	814 - 815
Multiple-match in Secondary Address Field	'L'	1	816 - 816
Missing Street Number	'M1'	2	817 - 818
Address Not Found	'M2'	2	819 - 820
No Such Primary Number	'M3'	2	821 - 822
Firm Name Not Matched	'M4'	2	823 - 824
Reserved		2	825 - 826
Secondary Number Not Found	'N2'	2	827 - 828
Missing RR/HC Box Number	'P1'	2	829 - 830
<b>RR/HC</b> Box Number Not Found	'P2'	2	831 - 832
Missing PO Box Number	'Q1'	2	833 - 834
PO Box Number Not Found	'Q2'	2	835 - 836
DPV-CMRA Match	'RR'	2	837 - 838
DPV-CMRA, No Secondary Match	'R1'	2	839 - 840
ZIPMOVE Match	'Z0'	2	841 - 842
ZIPMOVE Non-match due to Component Change	'Z1'	2	843 - 844



Carlos Andrews	Attachment B – Specifications RFx: 3000017432	NCOA	- LDR	
	E Non-match due to Invalid New ZIP + 4® ch Code (Y = DPV®Match)	'Z2' 'Y'	2 1	845 - 846 847 - 847
	R/ HC/ PO BOX Number	'P3'	2	848 - 849

# Record Layout - Fixed Fielded File (cont'd)

FIELD DESCRIPTION	ON			CODE	LENGTH		POSITIONS	
<b>DPV:</b> (continued)								
Z4 Match Flag					1		850 - 850	
C		Match Flag:	1 - Match Assisted by	Input ZIP + 4 <sup>®</sup>				
DPV®Match Foot	note				2		851 - 852	
		<b>BB</b> - Match to DP	V® on all components					
			V® File. Secondary Addr	present but not use	ed			
		N1 - Match to DP	V <sup>®</sup> File. Address is miss	ing Secondary Add	r Component			
		F1 - Match to DF	PV® File. Military Addres	S				
			PV® File. General Deliver					
		U1 - Match to DP	V <sup>®</sup> File. Unique ZIP Coo	le <sup>TM</sup>				
Suite <sup>Link®</sup>					2		853 - 854	
		Footnote:	A - Match to	Suite				
			00 or Blank - No Match	h to Suite <sup>Link®</sup>				
NCOA <sup>Link®</sup> Confirmation Flag ('T' = NCOA <sup>Link®</sup> Record tha	nt did not D	PV®Confirm)					1	855 - 855
Suite Number Appended from	ZIP + 4® Ma	atch		'Y'		1	856 - 856	
DSF:								
DSF <sup>2®</sup> Residential Flag				'Y'		1	857 - 857	
DSF <sup>2®</sup> Business Flag				'Y'			858 - 858	
0				'Y'				
DSF <sup>2®</sup> Drop Flag				Y Y			859 - 859	
DSF <sup>2®</sup> Drop Count							860 - 865	
DSF <sup>2®</sup> Throwback Flag				'Y'			866 - 866	
DSF <sup>2®</sup> Seasonal Flag				'Y'		1	867 - 867	
DSF <sup>2®</sup> Vacant Flag				'Y'		1	868 - 868	
			1 869 - 869					
Γ	SF <sup>2®</sup> Delive	ryType Code						
Code	Key: 1 - Curb	<b>2</b> - NDCBU 3	3 - Central 4 - Doorslot					
DSF <sup>2®</sup> LACS Flag		_	'Y'	1	870 - 870			
DSF <sup>2®</sup> No-Stats-Available Flag			'Y'	1	871 - 871			
Vendor Deliverability Index Second	core			2	872 - 873			
Index Score: 1 · Footnote 'BB'	', 'CC', 'N1', 'F1'		ched (as well as 'AA').					
			ched (as well as 'AA'), bu		<b>1</b>			
			ched (as well as 'AA'), bu		•			
			ched (as well as 'AA', 'RF	(, KT). Address is	CMRA.			
	,	ZIP + 4® Not Assig						
	, and possiony f	oothotes not repres	sented within criteria for	<del>, cores <del>4</del> 01 J .</del>				_



### Attachment B – Specifications REx: 3000017432

 Sector Market	RFx: 3000017432	NCOA - LDR	
4	- Footnote 'A1', as well as one of footnotes 'K1', 'K2'.		
5	- Footnote 'A1', as well as one of footnotes 'J', 'K', 'M1', 'M2', 'Q1', 'Q2', 'Z1', 'Z2'		



## Attachment B – Specifications RFx: 3000017432 NCOA - LDR **Record Layout** - Fixed Fielded File (cont'd)

ELD DESCRIPTION		CODE	<b>LENGTH</b>	<b>POSITIONS</b>
<u><b>PV:</b></u> (continued)				
DSF <sup>2®</sup> Delivery Type Summary Co	de		2	874 - 875
Summary Code:	1	- Residential Delivery Curb		
	AV	- Residential Delivery Curb - Vacant		
	В	- Residential Delivery NDCBU		
	BV	- Residential Delivery NDCBU - Vacant		
	С	- Residential Delivery Central		
	CV	- Residential Delivery Central - Vacant		
	D	- Residential Delivery Doorslot		
	DV	- Residential Delivery Doorslot - Vacant		
	I	- Business Delivery Curb		
	IV	- Business Delivery Curb - Vacant		
	J	- Business Delivery NDCBU		
	JV	- Business Delivery NDCBU - Vacant		
	K	- Business Delivery Central		
	KV	- Business Delivery Central - Vacant		
	L	- Business Delivery Doorslot		
	LV	- Business Delivery Doorslot - Vacant		
	М	- Business Delivery Unknown Delivery Type		
	MV	- Business Delivery Unknown Delivery Type - Vac	cant	
	Q	- Educational Delivery Curb		
	QV	- Educational Delivery Curb - Vacant		
	R	- Educational Delivery NDCBU		
	RV	- Educational Delivery NDCBU - Vacant		
	S	- Educational Delivery Central		
	SV	- Educational Delivery Central - Vacant		
	Т	- Educational Delivery Doorslot		
	TV	- Educational Delivery Doorslot - Vacant		
	U	- Educational Delivery Unknown Delivery Type		
	UV	- Educational Delivery Unknown Delivery Type -	Vacant	
DSF <sup>2®</sup> Educational Flag		'Y'	1	876 - 876
Reserved			7	877 - 883
DSF <sup>2®</sup> Pseudo Delivery Sequence N	umbe	er	4	884 - 887
Reserved (Was Address Unit Type			1	888 - 888

ID	chment B – Specifications 3000017432	NCO	A - LDR	
ELD DESCRIPTION		<u>CODE</u>	<u>LENGTH</u>	POSITIONS
<u>P+4 Related:</u> Record Type Code			1	889 - 889
CodeKey: 8 - Street	F - Firm H - Highrise P - PO Box G - G	General Delivery R	Rural Route or Highv	way Contract
County Code			3	890 - 892
<b>Congressional District N</b>	lumber		2	893 - 894

# Sample Record Layout - Fixed Fielded File (cont'd)

FINAL ADDRESS: FIELD DESCRIPTION	LENGTH	<b>POSITIONS</b>
Full Address	50	895 - 944
House Number	10	945 - 954
PreDirection	2	955 - 956
Street Name	28	957 - 984
Street Suffix	4	985 - 988
PostDirection	2	989 - 990
Secondary Address Designator (see last pg)	4	991 - 994
Secondary Address Value	8	995 - 1002
PO Box Description	6	1003 - 1008
PO Number	10	1009 - 1018
RR/HC Number	10	1019 - 1028
RR/HC Box	10	1029 - 1038
City	13	1039 - 1051
State	2	1052 - 1053
Zip Code™	5	1054 - 1058
Zip + 4 <sup>®</sup> Code	4	1059 - 1062
Delivery Point Barcode	3	1063 - 1065
Carrier Route	4	1066 - 1069
eLOT®Number	4	1070 - 1073
eLOT®Code	1	1074 - 1074
Urbanization	28	1075 - 1102
Private Mailbox Number	12	1103 - 1114
Reserved	1	1115 - 1115
Reserved	9	1116 - 1124
Secondary Address Indicator*	1	1125 - 1125

\* If set to 'X', to avoid truncation of the Secondary Address, the Secondary Address has not been appended to the Full Address field. In this case, the Secondary Address can be obtained from the Secondary Address Designator, and Secondary Address Value fields. This flag will also be set to 'X' if



both a Secondary Address and Private Mailbox Number could not be appended to the Full Address field. In cases where only the PMB could not be applied to the Full Address, this flag will be set to 'P'.

### SECONDARY ADDRESS DESIGNATOR DESCRIPTIONS

<u>Abbreviation</u>	Descriptor	Abbreviation	<b>Descriptor</b>
APT	Apartment	PIER	Pier
BSMT	Basement	REAR	Rear
BLDG	Building	RM	Room
DEPT	Department	SIDE	Side
FL	Floor	SLIP	Slip
FRNT	Front	STOP	Stop
HNGR	Hanger	STE	Suite
LBBY	Lobby	TRLR	Trailer
LOT	Lot	UNIT	Unit
LOWR	Lower	#	Unknown
OFC	Office	UPPR	Upper
РН	Penthouse		