

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
1	ASTRO Digital APX 900 7/800 Mhz Model 2 Portable, Includes: P25 Trunking; Charger Desktop Single Unit IMPRES (PMPN4174A); Battery, IMPRES Li-Ion 3000MAH (PMNN4493A); IP68 Specification; 2 Belt Clip (PMLN4651); 7/800 Mhz Antenna (NAF5080); Limited Keypad; GPS Activation (QA00782); Radio Packet Data (Q947); Critical Wireless Bluetooth (QA00583); Enhanced Noise Suppression (QA09006); Software (SW) Key Supplemental Data (QA01749); Three Year Essential Service. Must Choose Microphone, Not Included	H92UCF9PW6 N	1	Each	
2	ASTRO Digital APX 900 7/800 MHZ Model 3 Portable, Includes: P25 Trunking; Charger Desktop Single Unit IMPRES (PMPN4174A); Battery, IMPRESS Li-Ion 3000MAH (PMNN4493A); IP68 Specification; 2 Belt Clip (PMLN4651); 7/800 Mhz Antenna (NAF5080); Full Keypad; GPS Activation (QA00782); Radio Packet Data (Q947); Critical Wireless Bluetooth (QA00583); Enhanced Noise Suppression (QA09006); Software (SW) Key Supplemental Data (QA01749); Three Year Essential Service	H92UCH9PW7 N	1	Each	
3	HW Key Supplemental Data for APX900 Model 2 or Model 3	QA01648AA	1	Each	
4	Programming Over P25 (OTAP) for APX900 Model 2 or Model 3	G996	1	Each	
5	TDMA Operation for APX900 Model 2 or Model 3	QA00580	1	Each	
6	Digital Tone Signaling for APX900 Model 2 or Model 3	QA09000	1	Each	
7	Multikey for APX900 Model 2 or Model 3	H869	1	Each	
8	Enhanced Data for APX900 Model 2 or Model 3	QA03399	1	Each	
9	Group Services for APX900 Model 2 or Model 3	QA09008	1	Each	
10	P25 Link Layer Authentication for APX900 Model 2 or Model 3	QA01767	1	Each	
11	Mission Critical Geofencing for APX900 Model 2 or Model 3	QA09012	1	Each	
12	AES 256 Encryption for APX900 Model 2 or Model 3	QA06653	1	Each	
13	Site Selectable Alert for P25 Trunking for APX900 Model 2 or Model 3	QA00982	1	Each	
14	No ADP For P25 Cap for APX900 Model 2 or Model 3	QA05751	1	Each	
15	Delete Standard Antenna (NAF5080) for APX900 Model 2 or Model 3	H112LW	1	Each	
16	Antenna, Stubby, 700/800 Mhz 9cm for APX900 Model 2 or Model 3	PMAF4022A	1	Each	
17	Antenna 1/2 Wave 7 Whip 700/800 Mhz for APX900 Model 2 or Model 3	NAF5080	1	Each	
18	IMPRES Lilon TIA 2900mAh for APX900 Model 2 or Model 3	QA06766	1	Each	
19	IMPRES Lilon 3000 mAh Battery, IP68 for APX900 Model 2 or Model 3	PMNN4493A	1	Each	
20	IMPRES Lilon 2900 mAh Battery, IP68 for APX900 Model 2 or Model 3	PMNN4489A	1	Each	
21	Vehicular Charger for APX900 Model 2 or Model 3	NNTN7616D	1	Each	
22	Fleet Management Charger Interface Unit for APX900 Model 2 or Model 3	NNTN7677A	1	Each	
23	Charger Interface Unit Gen1 IMPRES Suc for APX900 Model 2 or Model 3	NNTN8045A	1	Each	
24	Assembly, Charger, Travel for APX900 Model 2 or Model 3	NNTN8525A	1	Each	
25	Charger Desktop MultiUnit IMPRES 2 1 Display Ext Ps 100240VAC US/NA for APX900 Model 2 or Model 3	PMPN4284A	1	Each	
26	Charger Desktop Single Unit IMPRES, US/NA for APX900 Model 2 or Model 3	PMPN4174A	1	Each	
27	IMPRES Battery Data Reader for APX900 Model 2 or Model 3	NNTN7392	1	Each	
28	IMPRES RSM, Noise Canc. Emergency Button 3.5mm Jack Ip54 for APX900 Model 2 or Model 3	PMMN4062A	1	Each	
29	APX IMPRES RSM W/VOL, IP57 for APX900 Model 2 or Model 3	PMMN4065A	1	Each	
30	IMPRES RSM, 3.5MM Audio Jack for APX900 Model 2 or Model 3	PMMN4069A	1	Each	
31	IMPRES RSM No Display with Jack, NO Channel for APX900 Model 2 or Model 3	HMN4101B	1	Each	
32	IMPRES RSM Display with Jack, NO Channel for APX900 Model 2 or Model 3	HMN4103B	1	Each	
33	IMPRES RSM Display with Jack, with Channel for APX900 Model 2 or Model 3	HMN4104B	1	Each	
34	Belt Clip 2 for APX900 Model 2 or Model 3	PMLN4651A	1	Each	
35	2.5 Inch Swivel Belt Loop for APX900 Model 2 or Model 3	PMLN5610A	1	Each	
36	3.0 Inch Swivel Belt Loop for APX900 Model 2 or Model 3	PMLN5611A	1	Each	
37	Hard Leather Carry Case with 3 Inch Fixed Belt Loop Full Keypad for APX900 Model 2 or Model 3	PMLN5838A	1	Each	
38	Hard Leather Carry Case with 3 Inch swivel Belt Loop Full Keypad for APX900 Model 2 or Model 3	PMLN5840A	1	Each	
39	Nylon Carry Case with 3 Inch Fixed Belt Loop Full Keypad for APX900 Model 2 or Model 3	PMLN5844A	1	Each	
40	2.5 Inch Belt Clip for APX900 Model 2 or Model 3	PMLN7008A	1	Each	
41	Hard Leather Carry Case With 2.5 Inch swivel Belt Loop FKP for APX900 Model 2 or Model 3	PMLN5842A	1	Each	
42	One Wire Earbud, 29cm Cord, Black for APX900 Model 2 or Model 3	NNTN8294A	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
43	One Wire Earbud,116cm Cord,Black for APX900 Model 2 or Model 3	NNTN8295A	1	Each	
44	Accessory,Kit,Ear Piece,2w Short Cord,BI for APX900 Model 2 or Model 3	NNTN8296A	1	Each	
45	One Wire Surveillance Kit For Ocw/Mcw for APX900 Model 2 or Model 3	PMLN7052A	1	Each	
46	FlexibleFit swivel Earpiece W/ Boom Mic, Multipack for APX900 Model 2 or Model 3	PMLN7203A	1	Each	
47	Bluetooth Accessory Kit W/Na Power Supply for APX900 Model 2 or Model 3	RLN6500A	1	Each	
48	Wireless Accessory Kit, Standard Pair for APX900 Model 2 or Model 3	NNTN8127B	1	Each	
49	Xbt Headset Hb, Heavy Duty Headset, Bt for APX900 Model 2 or Model 3	RLN6491A	1	Each	
50	Completely Discreet Wireless Surveillance Kit for APX900 Model 2 or Model 3	NNTN8434A	1	Each	
51	Wireless Accessory Kit, Standard Pair, 12 Inch Cable for APX900 Model 2 or Model 3	NNTN8125C	1	Each	
52	Radio Programming, Single LWIN System, Existing Template for APX900 Model 2 or Model 3	LSV00Q00202A	1	Each	
53	APX 4000 7/800 MHZ Model 2 Portable, Includes: Two Knob Configuration (QA04865); P25 Trunking; Upgraded Battery, IMPRES Li-Ion 2800MAH (PMNN4448); 700 /800 MHZ Antenna; Individual Charger; 2 Belt Clip (PMLN4651); Integrated GPS Hardware; Integrated Bluetooth Hardware; IP67 Environmental Specifications; Limited Keypad; Three Year Essential Service. Remote Speaker Microphone Not Included	H51UCF9PW6 N	1	Each	
54	APX 4000 7/800 MHZ Model 3 Portable, Includes: Two Knob Configuration (QA04865); P25 Trunking; Upgraded Battery, IMPRES Li-Ion 2800MAH (PMNN4448); 700 /800 MHZ Antenna; Individual Charger; 2 Belt Clip (PMLN4651); Integrated GPS Hardware; Integrated Bluetooth Hardware; IP67 Environmental Specifications; Full Keypad; Three Year Essential Service. Remote Speaker Microphone Not Included	H51UCH9PW7 N	1	Each	
55	Programming Over P25 (OTAP) for APX4000 Model 2 or Model 3	G996	1	Each	
56	TDMA Operation for APX4000 Model 2 or Model 3	QA00580	1	Each	
57	Mandown Operation for APX4000 Model 2 or Model 3	QA01843	1	Each	
58	DVRS PSU Activation for APX4000 Model 2 or Model 3	QA00631	1	Each	
59	APX Personnel Accountability for APX4000 Model 2 or Model 3	Q445	1	Each	
60	Enhanced Data for APX4000 Model 2 or Model 3	QA03399	1	Each	
61	Extreme Noise Reduction for APX4000 Model 2 or Model 3	QA01833	1	Each	
62	Mission Critical Geofencing for APX4000 Model 2 or Model 3	QA09012	1	Each	
63	Digital Tone Signaling for APX4000 Model 2 or Model 3	QA09000	1	Each	
64	Group Services for APX4000 Model 2 or Model 3	QA09008	1	Each	
65	No ADP For P25 Cap for APX4000 Model 2 or Model 3	QA05751	1	Each	
66	Multikey for APX4000 Model 2 or Model 3	H869	1	Each	
67	AES Encryption for APX4000 Model 2 or Model 3	Q629	1	Each	
68	Tactical Rekey With Multikey for APX4000 Model 2 or Model 3	H04	1	Each	
69	HW Key Supplemental Data for APX4000 Model 2 or Model 3	QA01648AA	1	Each	
70	Multicast Voting Scan for APX4000 Model 2 or Model 3	Q387	1	Each	
71	Trunked Radio Trace/ Remote Monitor for APX4000 Model 2 or Model 3	H43	1	Each	
72	One Touch/Status Msg for APX4000 Model 2 or Model 3	H46	1	Each	
73	P25 Link Layer Authentication for APX4000 Model 2 or Model 3	QA01767	1	Each	
74	Enhancement Level 1 for APX4000 Model 2 or Model 3	QA01770	1	Each	
75	Site Selectable Alert For P25 Trunking for APX4000 Model 2 or Model 3	QA00982	1	Each	
76	Front Panel Programming & Cloning for APX4000 Model 2 or Model 3	Q53	1	Each	
77	Tactical Radio StwStun/Kill for APX4000 Model 2 or Model 3	H02	1	Each	
78	Delete Standard Antenna for APX4000 Model 2 or Model 3	H112	1	Each	
79	700/800 GPS Antenna for APX4000 Model 2 or Model 3	NAF5085A	1	Each	
80	IMPRES Li-Ion 2800mah (Pmnn4448) for APX4000 Model 2 or Model 3	QA02750	1	Each	
81	IMPRES Li-Ion 2500mah Rugged UI (Nntn8560) for APX4000 Model 2 or Model 3	QA04934	1	Each	
82	IMPRES Li-Ion 2500mah UL/Delta T BattBattery (Nntn8560a) for APX4000 Model 2 or Model 3	QA00582	1	Each	
83	IMPRES FM Li Ion 2300m2350t for APX4000 Model 2 or Model 3	NNTN8129AR	1	Each	
84	IMPRES Li Ion 2300m 2350t for APX4000 Model 2 or Model 3	PMNN4424AR	1	Each	
85	IMPRES Li Ion TIA 4950 IP67 2500t for APX4000 Model 2 or Model 3	NNTN8560A	1	Each	
86	Battery Pack, Mah, Imp Std IP67 Li ion2700m2800t for APX4000 Model 2 or Model 3	PMNN4448AR	1	Each	
87	Submersible (Delta T) for APX4000 Model 2 or Model 3	H499	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
88	Accessory IMPRES Charger Display Sales Module (Cdm) for APX4000 Model 2 or Model 3	RLN5382C	1	Each	
89	Wall Mount Kit For IMPRES Multi-Unit Charger for APX4000 Model 2 or Model 3	NLN7967	1	Each	
90	Assembly, Charger, Travel for APX4000 Model 2 or Model 3	NNTN8525A	1	Each	
91	Insert, Universal Multi-Unit Charger for APX4000 Model 2 or Model 3	NNTN8170A	1	Each	
92	Charger Desktop Single Unit IMPRES, US/NA for APX4000 Model 2 or Model 3	PMPN4174A	1	Each	
93	Insert, Universal Single-Unit Charger for APX4000 Model 2 or Model 3	NNTN8169A	1	Each	
94	Multi-Unit Charger, 6 Unit for APX4000 Model 2 or Model 3	PMPN4284A	1	Each	
95	APX IMPRES RSM W/Vol, Ip57 for APX4000 Model 2 or Model 3	PMMN4065A	1	Each	
96	IMPRES RSM DeltaT for APX4000 Model 2 or Model 3	PMMN4083A	1	Each	
97	Audio Accessory Remote Speaker Microphone,IMPRES Windporting RSM, Ip55 for APX4000 Model 2 or Model 3	PMMN4099A	1	Each	
98	IMPRES RSM, Noise Canc. Emergency Button 3.5mm Jack IP54 for APX4000 Model 2 or Model 3	PMMN4062A	1	Each	
99	Accessory Kit, APX Wireless RSM W/ Duc Us/Na/Jp/Tw (APX Wireless RSM Kit: Includes Battery, Clip, DualUnit Charger (Duc), And Power Supply) for APX4000 Model 2 or Model 3	RLN6554A	1	Each	
100	Plus RSM NC IP54 Thrd 3.5mm Jack Rx for APX4000 Model 2 or Model 3	PMMN4084A	1	Each	
101	IMPRES RSM, 3.5mm Audio Jack for APX4000 Model 2 or Model 3	PMMN4069A	1	Each	
102	IMPRES RSM No Display with Jack, No Channel for APX4000 Model 2 or Model 3	HMN4101B	1	Each	
103	IMPRES XP RSM For APX with Dual Mic Noise Suppression, 3.5mm Thrd Jack for APX4000 Model 2 or Model 3	NMN6274A	1	Each	
104	IMPRES XP RSM For APX with Dual Mic Noise Suppression, 3.5mm Thrd Jack for APX4000 Model 2 or Model 3	NMN6271A	1	Each	
105	IMPRES RSM Display with Jack, No Channel for APX4000 Model 2 or Model 3	HMN4103B	1	Each	
106	IMPRES RSM Display with Jack, with Channel for APX4000 Model 2 or Model 3	HMN4104B	1	Each	
107	Delete Standard Belt Clip for APX4000 Model 2 or Model 3	H301	1	Each	
108	Belt Clip 2 for APX4000 Model 2 or Model 3	PMLN4651A	1	Each	
109	2.5 Inch Belt Clip for APX4000 Model 2 or Model 3	PMLN7008A	1	Each	
110	APX 4000 2.5 Replacement swivel Belt Loop (Replacement 2.5 Inch Leather swivel Belt Loop) for APX4000 Model 2 or Model 3	PMLN5407	1	Each	
111	APX2000/4000 Two Knob,swivel,Leather Carry Case (2 Belt Loop) for APX4000 Model 2 or Model 3	PMLN7182A	1	Each	
112	APX2000/4000 One Knob, swivel, Leather Carry Case for APX4000 Model 2 or Model 3	PMLN6085A	1	Each	
113	Wireless Accessory Kit NFP 12 Cable (Mission Critical Wireless Earpiece With 12 Inch Cable And PushToTalk Pod) for APX4000 Model 2 or Model 3	NTN2570C	1	Each	
114	Mission Critical Wireless RSM W/ Battery And Clip for APX4000 Model 2 or Model 3	RLN6544A	1	Each	
115	Radio Programming, Single LWIN System. Existing Template for APX4000 Model 2 or Model 3	LSV00Q00202A	1	Each	
116	ASTRO Digital APX 6000Li Model 2.5, Includes: Limited Key Pad; 9600 Trunking Digital Trunking; Battery, Li-Ion IMPRES 2 IP68 3400 MAH; Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA; GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy - Single Key, Radio Packet Data (Q947); Software Key (QA01749); Carry Holder; 7/800 MHZ Whip Antenna (PMAF40407); Three Year Essential Service. Remote Speaker Microphone Not Included	H98UCF9PW6BN	1	Each	
117	ASTRO Digital APX 6000Li Model 3.5, Includes: Full Key Pad; 9600 Trunking Digital Trunking; Battery, Li-Ion IMPRES 2 IP68 3400 MAH; Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA; GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy - Single Key, Radio Packet Data (Q947); Software Key (QA01749); Carry Holder; 7/800 MHZ Whip Antenna (PMAF40407); Three Year Essential Service. Remote Speaker Microphone Not Included	H98UCH9PW7BN	1	Each	
118	P25 Link Layer Authentication for APX6000Li Model 2.5 or Model 3.5	QA01767	1	Each	
119	TDMA Operation for APX6000Li Model 2.5 or Model 3.5	QA00580	1	Each	
120	Programming Over P25 (Otap) for APX6000Li Model 2.5 or Model 3.5	G996	1	Each	
121	Multicast Voting Scan for APX6000Li Model 2.5 or Model 3.5	Q387	1	Each	
122	Enhanced Data for APX6000Li Model 2.5 or Model 3.5	QA03399	1	Each	
123	DVRS PSU Activation for APX6000Li Model 2.5 or Model 3.5	QA00631	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
124	Radio Trace/ Remote Monitor for APX6000Li Model 2.5 or Model 3.5	H43	1	Each	
125	One Touch/Status Msg for APX6000Li Model 2.5 or Model 3.5	H46	1	Each	
126	Site Selectable Alert For P25 Trunking for APX6000Li Model 2.5 or Model 3.5	QA00982	1	Each	
127	Mission Critical Geofencing for APX6000Li Model 2.5 or Model 3.5	QA09012	1	Each	
128	Digital Tone Signaling for APX6000Li Model 2.5 or Model 3.5	QA09000	1	Each	
129	Extreme 1 Sided Noise Reduction for APX6000Li Model 2.5 or Model 3.5	QA01833	1	Each	
130	Group Services for APX6000Li Model 2.5 or Model 3.5	QA09008	1	Each	
131	Mandown Operation for APX6000Li Model 2.5 or Model 3.5	QA01843	1	Each	
132	APX Personnel Accountability for APX6000Li Model 2.5 or Model 3.5	Q445	1	Each	
133	Tactical Radio StwStun/Kill for APX6000Li Model 2.5 or Model 3.5	H02	1	Each	
134	Enhanced Zone Bank for APX6000Li Model 2.5 or Model 3.5	QA01768	1	Each	
135	HW Key Supplemental Data for APX6000Li Model 2.5 or Model 3.5	QA01648AA	1	Each	
136	No ADP For P25 Cap for APX6000Li Model 2.5 or Model 3.5	QA05751	1	Each	
137	DVPXI Encryption for APX6000Li Model 2.5 or Model 3.5	H797	1	Each	
138	DES, DESXI, DESOFB Encryption for APX6000Li Model 2.5 or Model 3.5	Q625	1	Each	
139	AES Encryption for APX6000Li Model 2.5 or Model 3.5	Q629	1	Each	
140	AES/DESXI/DESOFB Encryption for APX6000Li Model 2.5 or Model 3.5	Q15	1	Each	
141	Multikey for APX6000Li Model 2.5 or Model 3.5	H869	1	Each	
142	Tactical Rekey With Multikey for APX6000Li Model 2.5 or Model 3.5	H04	1	Each	
143	Front Panel Programming & Cloning for APX6000Li Model 2.5 or Model 3.5	Q53	1	Each	
144	Three Year Essential Accidental Damage for APX6000Li Model 2.5 or Model 3.5	HA00022AB	1	Each	
145	Five Year Essential Service for APX6000Li Model 2.5 or Model 3.5	Q887	1	Each	
146	Five Year Essential Accidental Damage for APX6000Li Model 2.5 or Model 3.5	HA00025AG	1	Each	
147	Delete Standard Antenna for APX6000Li Model 2.5 or Model 3.5	H112	1	Each	
148	GPS Stubby Antenna (NAG4000) for APX6000Li Model 2.5 or Model 3.5	QA00785	1	Each	
149	1/4 Wave 7/800 GPS Stubby (NAR6595A) for APX6000Li Model 2.5 or Model 3.5	H122	1	Each	
150	Battery IMPRES 2 Li Ion TIA 4950 IP68 3100t Std for APX6000Li Model 2.5 or Model 3.5	QA07577	1	Each	
151	Li Ion IMPRES 2 4500 Mah UI/CSA (Nntn8921a) for APX6000Li Model 2.5 or Model 3.5	QA05575	1	Each	
152	Li Ion IMPRES 2 IP68 3400 Mah for APX6000Li Model 2.5 or Model 3.5	QA05570	1	Each	
153	Li Ion IMPRES 2 IP68 4850 Mah for APX6000Li Model 2.5 or Model 3.5	QA05571	1	Each	
154	Li Ion IMPRES 2 IP68 5100mah for APX6000Li Model 2.5 or Model 3.5	QA05573	1	Each	
155	BATT IMPRES 2 Li Ion R IP68 4850t for APX6000Li Model 2.5 or Model 3.5	PMNN4487	1	Each	
156	BATT IMPRES 2 Li Ion R IP68 3400t for APX6000Li Model 2.5 or Model 3.5	PMNN4486	1	Each	
157	BATT IMPRES 2 Li Ion R IP68 5100t for APX6000Li Model 2.5 or Model 3.5	PMNN4494	1	Each	
158	BATT Imp Fm Ruggedized Li Ion 4100m 4300t Blk for APX6000Li Model 2.5 or Model 3.5	NNTN7033A	1	Each	
159	Battery Pack, Lithium Ion, APX TIA 4950 Std Battery for APX6000Li Model 2.5 or Model 3.5	NNTN8930	1	Each	
160	BATT IMPRES 2 Li Ion TIA 4950 R Ip68 4500t for APX6000Li Model 2.5 or Model 3.5	NNTN8921	1	Each	
161	Hard Leather Case With 3 Inch Fixed Belt Loop for APX6000Li Model 2.5 or Model 3.5	PMLN7903A	1	Each	
162	Carry Case, APX6000 2.75 Inch lbl TIA Battery for APX6000Li Model 2.5 or Model 3.5	PMLN7904A	1	Each	
163	APX 3 Inch Replacement Swivel Belt Loop for APX6000Li Model 2.5 or Model 3.5	PMLN5409	1	Each	
164	Replacement 2.5 Inch Swivel Belt Loop for APX6000Li Model 2.5 or Model 3.5	PMLN5407	1	Each	
165	Basic Carry Holder (Pmln7901) for APX6000Li Model 2.5 or Model 3.5	QA00779	1	Each	
166	Accessory Kit, Molded Nylon Carry Case W/Swivel for APX6000Li Model 2.5 or Model 3.5	PMLN6802A	1	Each	
167	Carry Case 3 Inch Fixed Belt Loop 4200mah for APX6000Li Model 2.5 or Model 3.5	PMLN5660B	1	Each	
168	Carry Case 2.75 Inch Swivel Belt Loop 4200mah for APX6000Li Model 2.5 or Model 3.5	PMLN5659B	1	Each	
169	Wireless Accessory Kit NFP 12 Cable for APX6000Li Model 2.5 or Model 3.5	NTN2570C	1	Each	
170	Accessory Kit, APX Wireless RSM W/ DUC US/NA/JP/TW for APX6000Li Model 2.5 or Model 3.5	RLN6554A	1	Each	
171	IMPRES RSM, Noise Canc. Emergency Button 3.5mm Jack Ip54 for APX6000Li Model 2.5 or Model 3.5	PMMN4062A	1	Each	
172	APX IMPRES RSM W/Vol, IP57 for APX6000Li Model 2.5 or Model 3.5	PMMN4065A	1	Each	
173	Audio Accessory Remote Speaker Microphone, IMPRES XE RSM XT Cable Black for APX6000Li Model 2.5 or Model 3.5	NNTN8575ABLK	1	Each	
174	IMPRES XP RSM For APX with Dual Mic Noise Suppression, 3.5mm Thrd Jack for APX6000Li Model 2.5 or Model 3.5	NMN6274A	1	Each	
175	Mission Critical Wireless RSM W/ Battery And Clip for APX6000Li Model 2.5 or Model 3.5	RLN6544A	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
176	IMPRES RSM, 3.5mm Audio Jack for APX6000Li Model 2.5 or Model 3.5	PMMN4069A	1	Each	
177	Audio Accessory. Remote Speaker Microphone,IMPRES XE RSM Xt Cable Green for APX6000Li Model 2.5 or Model 3.5	NNTN8575A	1	Each	
178	IMPRES RSM Delta T for APX6000Li Model 2.5 or Model 3.5	PMMN4083A	1	Each	
179	IMPRES RSM No Display with Jack, No Channel for APX6000Li Model 2.5 or Model 3.5	HMN4101B	1	Each	
180	Plus RSM NC IP54 Thrd 3.5mm Jack Rx for APX6000Li Model 2.5 or Model 3.5	PMMN4084A	1	Each	
181	IMPRES RSM Display with Jack, with Channel for APX6000Li Model 2.5 or Model 3.5	HMN4104B	1	Each	
182	IMPRES RSM Display with Jack, No Channel for APX6000Li Model 2.5 or Model 3.5	HMN4103B	1	Each	
183	Audio AccessoryRemote Speaker Microphone,IMPRES Windporting RSM, Ip55 for APX6000Li Model 2.5 or Model 3.5	PMMN4099A	1	Each	
184	IMPRES XP RSM For APX with Dual Mic Noise Suppression for APX6000Li Model 2.5 or Model 3.5	NMN6271A	1	Each	
185	PSM IP55 With 3.5mm Jack Rx 18 Inch for APX6000Li Model 2.5 or Model 3.5	PMMN4059B	1	Each	
186	PSM IP55 With 3.5mm Jack Rx 24 Inch for APX6000Li Model 2.5 or Model 3.5	PMMN4060B	1	Each	
187	PSM IP55 With 3.5mm Jack Rx 30 Inch for APX6000Li Model 2.5 or Model 3.5	PMMN4061B	1	Each	
188	Radio Programming, Single LWIN System. Existing Template	LSV00Q00202A	1	Each	
189	ASTRO Digital APX 6000 Model 2.5, Includes: Limited Key Pad; Smartzone Operation; Astro Digital CAI Operation; P25 9600 Band Trunking ; Battery, Li-Ion IMPRES 2 IP68 3400 MAH; Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA; GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy - Single Key, Radio Packet Data (Q947); Software Key (QA01749); Carry Holder; 7/800 MHZ Whip Antenna (PMAF40407); Three Year Essential Service. Remote Speaker Microphone Not Included	H98UCF9PW6BN	1	Each	
190	ASTRO Digital APX 6000 Model 3.5, Includes: Full Key Pad; Smartzone Operation; Astro Digital CAI Operation; P25 9600 Band Trunking ; Battery, Li-Ion IMPRES 2 IP68 3400 MAH; Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA; GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy - Single Key, Radio Packet Data (Q947); Software Key (QA01749); Carry Holder; 7/800 MHZ Whip Antenna (PMAF40407); Three Year Essential Service. Remote Speaker Microphone Not Included	H98UCH9PW7BN	1	Each	
191	P25 Link Layer Authentication for APX6000 Model 2.5 or Model 3.5	QA01767	1	Each	
192	TDMA Operation for APX6000 Model 2.5 or Model 3.5	QA00580	1	Each	
193	Programming Over P25 (OTAP) for APX6000 Model 2.5 or Model 3.5	G996	1	Each	
194	Multicast Voting Scan for APX6000 Model 2.5 or Model 3.5	Q387	1	Each	
195	Enhanced Data for APX6000 Model 2.5 or Model 3.5	QA03399	1	Each	
196	DVRS PSU Activation for APX6000 Model 2.5 or Model 3.5	QA00631	1	Each	
197	Radio Trace/ Remote Monitor for APX6000 Model 2.5 or Model 3.5	H43	1	Each	
198	One Touch/Status Msg for APX6000 Model 2.5 or Model 3.5	H46	1	Each	
199	Site Selectable Alert For P25 Trunking for APX6000 Model 2.5 or Model 3.5	QA00982	1	Each	
200	Mission Critical Geofencing for APX6000 Model 2.5 or Model 3.5	QA09012	1	Each	
201	Digital Tone Signaling for APX6000 Model 2.5 or Model 3.5	QA09000	1	Each	
202	Extreme 1 Sided Noise Reduction for APX6000 Model 2.5 or Model 3.5	QA01833	1	Each	
203	Group Services for APX6000 Model 2.5 or Model 3.5	QA09008	1	Each	
204	Mandown Operation for APX6000 Model 2.5 or Model 3.5	QA01843	1	Each	
205	APX Personnel Accountability for APX6000 Model 2.5 or Model 3.5	Q445	1	Each	
206	Tactical Radio StwStun/Kill for APX6000 Model 2.5 or Model 3.5	H02	1	Each	
207	Enhanced Zone Bank for APX6000 Model 2.5 or Model 3.5	QA01768	1	Each	
208	HW Key Supplemental Data for APX6000 Model 2.5 or Model 3.5	QA01648AA	1	Each	
209	No ADP For P25 Cap for APX6000 Model 2.5 or Model 3.5	QA05751	1	Each	
210	DVPXI Encryption for APX6000 Model 2.5 or Model 3.5	H797	1	Each	
211	DES, DESXI, DESOFB Encryption for APX6000 Model 2.5 or Model 3.5	Q625	1	Each	
212	AES Encryption for APX6000 Model 2.5 or Model 3.5	Q629	1	Each	
213	AES/DESXI/DESOFB Encryption for APX6000 Model 2.5 or Model 3.5	Q15	1	Each	
214	Multikey for APX6000 Model 2.5 or Model 3.5	H869	1	Each	
215	Tactical Rekey With Multikey for APX6000 Model 2.5 or Model 3.5	H04	1	Each	
216	Submersible (Delta T) for APX6000 Model 2.5 or Model 3.5	H499	1	Each	
217	WiFi Capability for APX6000 Model 2.5 or Model 3.5	QA09001	1	Each	
218	Out Of The Box WiFi Provisioning for APX6000 Model 2.5 or Model 3.5	QA09007	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
219	Adaptive Noise Suppression (3 Watt Rated Audio ) for APX6000 Model 2.5 or Model 3.5	QA09006	1	Each	
220	Front Panel Programming & Cloning for APX6000 Model 2.5 or Model 3.5	Q53	1	Each	
221	Data Modem Tethering (Requires WiFi (Qa09001) for APX6000 Model 2.5 or Model 3.5	GA09011	1	Each	
222	Three Year Essential Accidental Damage for APX6000 Model 2.5 or Model 3.5	HA00022AC	1	Each	
223	Five Year Essential Service for APX6000 Model 2.5 or Model 3.5	Q887	1	Each	
224	Five Year Essential Accidental Damage for APX6000 Model 2.5 or Model 3.5	HA00025AH	1	Each	
225	IMPRES RSM, Noise Canc. Emergency Button 3.5mm Jack Ip54 for APX6000 Model 2.5 or Model 3.5	PMMN4062A	1	Each	
226	Accessory Kit, APX Wireless RSM W/ DUC US/NA/JP/TW for APX6000 Model 2.5 or Model 3.5	RLN6554A	1	Each	
227	APX IMPRES RSM with Volume IP57 for APX6000 Model 2.5 or Model 3.5	PMMN4065A	1	Each	
228	Audio Accessory Remote Speaker Microphone,IMPRES XE RSM XT Cable Black for APX6000 Model 2.5 or Model 3.5	NNTN8575ABLK	1	Each	
229	IMPRES XP RSM For APX with Dual Mic Noise Suppression, 3.5mm Thrd Jack for APX6000 Model 2.5 or Model 3.5	NMN6274A	1	Each	
230	Mission Critical Wireless RSM W/ Battery And Clip for APX6000 Model 2.5 or Model 3.5	RLN6544A	1	Each	
231	IMPRES RSM, 3.5mm Audio Jack for APX6000 Model 2.5 or Model 3.5	PMMN4069A	1	Each	
232	Audio Accessory Remote Speaker Microphone,IMPRES XE RSM XT Cable Green for APX6000 Model 2.5 or Model 3.5	NNTN8575A	1	Each	
233	IMPRES RSM Delta T for APX6000 Model 2.5 or Model 3.5	PMMN4083A	1	Each	
234	IMPRES RSM No Display with Jack, No Channel for APX6000 Model 2.5 or Model 3.5	HMN4101B	1	Each	
235	Plus RSM NC IP54 Thrd 3.5mm Jack Rx for APX6000 Model 2.5 or Model 3.5	PMMN4084A	1	Each	
236	IMPRES RSM Display with Jack, with Channel for APX6000 Model 2.5 or Model 3.5	HMN4104B	1	Each	
237	IMPRES RSM Display with Jack, No channel for APX6000 Model 2.5 or Model 3.5	HMN4103B	1	Each	
238	Audio Accessory Remote Speaker Microphone,IMPRES Windporting RSM, IP55 for APX6000 Model 2.5 or Model 3.5	PMMN4099A	1	Each	
239	IMPRES XP RSM For APX with Dual Mic Noise Suppression for APX6000 Model 2.5 or Model 3.5	NMN6271A	1	Each	
240	PSM IP55 With 3.5mm Jack Rx 18 Inch for APX6000 Model 2.5 or Model 3.5	PMMN4059B	1	Each	
241	PSM IP55 With 3.5mm Jack Rx 24 Inch for APX6000 Model 2.5 or Model 3.5	PMMN4060B	1	Each	
242	PSM IP55 With 3.5mm Jack Rx 30 Inch for APX6000 Model 2.5 or Model 3.5	PMMN4061B	1	Each	
243	Delete Standard Antenna for APX6000 Model 2.5 or Model 3.5	H112	1	Each	
244	GPS Stubby Antenna (NAG4000) for APX6000 Model 2.5 or Model 3.5	QA00785	1	Each	
245	1/4 Wave 7/800 GPS Stubby (Nar6595a) for APX6000 Model 2.5 or Model 3.5	H122	1	Each	
246	BATT IMPRES 2 Li Ion TIA4950 IP68 3100t Std for APX6000 Model 2.5 or Model 3.5	QA07577	1	Each	
247	Li Ion IMPRES 2 4500 Mah Ul/CSA (Nntn8921a) for APX6000 Model 2.5 or Model 3.5	QA07576	1	Each	
248	Li Ion IMPRES 2 IP68 3400 Mah for APX6000 Model 2.5 or Model 3.5	QA05570	1	Each	
249	Li Ion IMPRES 2 IP68 4850 Mah for APX6000 Model 2.5 or Model 3.5	QA05571	1	Each	
250	Li Ion IMPRES 2 IP68 5100mah for APX6000 Model 2.5 or Model 3.5	QA05573	1	Each	
251	TIA4950 IMPRES 2 Li Ion 4600mah for APX6000 Model 2.5 or Model 3.5	QA07576	1	Each	
252	TIA4950 IMPRES 2 Li Ion 4600mah for APX6000 Model 2.5 or Model 3.5	QA07739	1	Each	
253	BATT IMPRES 2 Li Ion Tia4950 R Ip68 3100t for APX6000 Model 2.5 or Model 3.5	QA07578	1	Each	
254	BATT IMPRES 2 Li Ion R IP68 4850t for APX6000 Model 2.5 or Model 3.5	PMNN4487	1	Each	
255	BATT IMPRES 2 Li Ion R IP68 3400t for APX6000 Model 2.5 or Model 3.5	PMNN4486	1	Each	
256	BATT IMPRES 2 Li Ion R IP68 5100t for APX6000 Model 2.5 or Model 3.5	PMNN4494	1	Each	
257	Travel Charger with Voltage Regulated Vehicular Charger Adapter, Custom ChargerBase, Mounting	RLN6434	1	Each	
258	IMPRES FM Ruggedized Li Ion 4100m 4300t Blk for APX6000 Model 2.5 or Model 3.5	NNTN7033A	1	Each	
259	Battery Pack,Lithium Ion,APX TIA 4950 Std Battery for APX6000 Model 2.5 or Model 3.5	NNTN8930	1	Each	
260	IMPRES 2 Li Ion TIA4950 R IP68 4500t for APX6000 Model 2.5 or Model 3.5	NNTN8921	1	Each	
261	IMPRES FM R Li Ion 2300m 2350t Blk for APX6000 Model 2.5 or Model 3.5	NNTN8092	1	Each	
262	IMPRES 2 Li Ion R IP68 2550t for APX6000 Model 2.5 or Model 3.5	PMNN4485	1	Each	
263	IMPRES FM R NIMH 2000m 2200t Blk for APX6000 Model 2.5 or Model 3.5	NNTN7035	1	Each	
264	Hard Leather Case With 3 Inch Fixed Belt Loop for APX6000 Model 2.5 or Model 3.5	PMLN7903A	1	Each	
265	Carry Accessory Case, APX6000 CC 2.75 lbl TIA Battery for APX6000 Model 2.5 or Model 3.5	PMLN7904A	1	Each	
266	APX 3 Replacement Swivel Belt Loop for APX6000 Model 2.5 or Model 3.5	PMLN5409	1	Each	
267	Replacement 2.5 Swivel Belt Loop for APX6000 Model 2.5 or Model 3.5	PMLN5407	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
268	Basic Carry Holder (Pmln7901) for APX6000 Model 2.5 or Model 3.5	QA00779	1	Each	
269	Belt Clip 3.0 (Hln6875) for APX6000 Model 2.5 or Model 3.5	QA01222	1	Each	
270	Accessory Kit, Molded Nylon Carry Case with swivel for APX6000 Model 2.5 or Model 3.5	PMLN6802A	1	Each	
271	Carry Case 3 Inch Fixed Belt Loop 4200mah for APX6000 Model 2.5 or Model 3.5	PMLN5660B	1	Each	
272	Carry Case 2.75 Inch Swivel Belt Loop 4200mah for APX6000 Model 2.5 or Model 3.5	PMLN5659B	1	Each	
273	Wireless Accessory Kit NFP 12 Cable for APX6000 Model 2.5 or Model 3.5	NTN2570C	1	Each	
274	Radio Programming, Single LWIN System. Existing Template	LSV00Q00202A	1	Each	
275	ASTRO Digital APX 6000XE Model 1.5, Includes: Rugged Radio; Top Display, No Key Pad; Smartzone Operation; Astro Digital CAI Operation; P25 9600 Band Trunking ;Enhanced Zone Bank (QA02006); Battery, IMPRES 2 Li-Ion, 3100MAH, TIA 4950 Battery, IP68 Rated (PMNN4547); MIL-STD Delta-T, IP68 (2 M, 4 HR); Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA; GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy - Single Key, Radio Packet Data (Q947); Software Key (QA01749); Carry Holder; 7/800 Mhz Whip Antenna (PMAF40407); Three Year Essential Service. Remote Speaker Microphone Not Included	H98UCD9PW5BN	1	Each	
276	ASTRO Digital APX 6000XE Model 2.5, Includes: Rugged Radio; Limited Key Pad; Top Display And Front Display; Smartzone Operation; Astro Digital CAI Operation; P25 9600 Band Trunking ; Enhanced Zone Bank (QA02006); Battery, IMPRES 2 Li-Ion, 3100MAH, TIA 4950 Battery, IP68 Rated (PMNN4547); MIL-STD Delta-T, IP68 (2 M, 4 Hr); Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA; GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (Le) (QA00583); ADP Privacy - Single Key, Radio Packet Data (Q947); Software Key (QA01749); Carry Holder; 7/800 MHZ Whip Antenna (PMAF40407); Three Year Essential Service. Remote Speaker Microphone Not Included	H98UCF9PW6BN	1	Each	
277	ASTRO Digital APX 6000XE Model 3.5, Includes: Rugged Radio; Full Key Pad; Top Display And Front Display; Smartzone Operation; Astro Digital CAI Operation; P25 9600 Band Trunking ; Enhanced Zone Bank (QA02006); Battery, IMPRES 2 Li-Ion, 3100MAH, TIA 4950 Battery, IP68 Rated (PMNN4547); MIL-STD Delta-T, IP68 (2 M, 4 Hr); Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA; GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy - Single Key, Radio Packet Data (Q947); Software Key (QA01749); Carry Holder; 7/800 MHZ Whip Antenna (PMAF40407); Three Year Essential Service. Remote Speaker Microphone Not Included	H98UCH9PW7BN	1	Each	
278	P25 Link Layer Authentication for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA01767	1	Each	
279	TDMA Operation for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA00580	1	Each	
280	Programming Over P25 (OTAP) for APX6000XE Model 1.5, Model 2.5 or Model 3.5	G996	1	Each	
281	Multicast Voting Scan for APX6000XE Model 1.5, Model 2.5 or Model 3.5	Q387	1	Each	
282	Enhanced Data for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA03399	1	Each	
283	DVRS PSU Activation for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA00631	1	Each	
284	Radio Trace/ Remote Monitor for APX6000XE Model 1.5, Model 2.5 or Model 3.5	H43	1	Each	
285	One Touch/Status Msg for APX6000XE Model 1.5, Model 2.5 or Model 3.5	H46	1	Each	
286	Site Selectable Alert For P25 Trunking for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA00982	1	Each	
287	Mission Critical Geofencing for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA09012	1	Each	
288	Digital Tone Signaling for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA09000	1	Each	
289	Group Services for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA09008	1	Each	
290	Mandown Operation for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA01843	1	Each	
291	APX Personnel Accountability for APX6000XE Model 1.5, Model 2.5 or Model 3.5	Q445	1	Each	
292	Tactical Radio StwStun/Kill for APX6000XE Model 1.5, Model 2.5 or Model 3.5	H02	1	Each	
293	Enhanced Zone Bank for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA01768	1	Each	
294	HW Key Supplemental Data for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA01648AA	1	Each	
295	No ADP For P25 Cap for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA05751	1	Each	
296	DVPXI Encryption for APX6000XE Model 1.5, Model 2.5 or Model 3.5	H797	1	Each	
297	DES,DESXI,DESOFB Encryption for APX6000XE Model 1.5, Model 2.5 or Model 3.5	Q625	1	Each	
298	AES Encryption for APX6000XE Model 1.5, Model 2.5 or Model 3.5	Q629	1	Each	
299	AES/DESXI/DESOFB Encryption for APX6000XE Model 1.5, Model 2.5 or Model 3.5	Q15	1	Each	
300	Multikey for APX6000XE Model 1.5, Model 2.5 or Model 3.5	H869	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
301	Tactical Rekey With Multikey for APX6000XE Model 1.5, Model 2.5 or Model 3.5	H04	1	Each	
302	WiFi Capability for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA09001	1	Each	
303	Out Of The Box WiFi Provisioning for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA09007	1	Each	
304	Adaptive Noise Suppression (3 Watt Rated Audio ) for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA09006	1	Each	
305	Front Panel Programming & Cloning for APX6000XE Model 1.5, Model 2.5 or Model 3.5	Q53	1	Each	
306	Data Modem Tethering (requires WiFi (Qa09001) ) for APX6000XE Model 1.5, Model 2.5 or Model 3.5	GA09011	1	Each	
307	Three Year Essential Accidental Damage for APX6000XE Model 1.5, Model 2.5 or Model 3.5	HA00022AC	1	Each	
308	Five Year Essential Service for APX6000XE Model 1.5, Model 2.5 or Model 3.5	Q887	1	Each	
309	Five Year Essential Accidental Damage for APX6000XE Model 1.5, Model 2.5 or Model 3.5	HA00025AH	1	Each	
310	IMPRES RSM, Noise Canc. Emergency Button 3.5mm Jack IP54 for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMMN4062A	1	Each	
311	Accessory Kit, APX Wireless RSM W/ DUC US/NA/JP/TW for APX6000XE Model 1.5, Model 2.5 or Model 3.5	RLN6554A	1	Each	
312	APX IMPRES RSM W/Vol, IP57 for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMMN4065A	1	Each	
313	Audio Accessory Remote Speaker Microphone,IMPRES XE RSM XT Cable Black for APX6000XE Model 1.5, Model 2.5 or Model 3.5	NNTN8575ABLK	1	Each	
314	Audio Accessory Remote Speaker Microphone,IMPRES XE RSM XT Cable Green for APX6000XE Model 1.5, Model 2.5 or Model 3.5	NNTN8575A	1	Each	
315	IMPRES XP RSM For APX with Dual Mic Noise Suppression, 3.5mm Thrd Jack for APX6000XE Model 1.5, Model 2.5 or Model 3.5	NMN6274A	1	Each	
316	Mission Critical Wireless RSM W/ Battery And Clip for APX6000XE Model 1.5, Model 2.5 or Model 3.5	RLN6544A	1	Each	
317	IMPRES RSM, 3.5mm Audio Jack for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMMN4069A	1	Each	
318	IMPRES RSM Delta T for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMMN4083A	1	Each	
319	IMPRES RSM No Display with Jack, No Channel for APX6000XE Model 1.5, Model 2.5 or Model 3.5	HMN4101B	1	Each	
320	Plus RSM NC IP54 Thrd 3.5mm Jack Rx for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMMN4084A	1	Each	
321	IMPRES RSM Display with Jack, with Channel for APX6000XE Model 1.5, Model 2.5 or Model 3.5	HMN4104B	1	Each	
322	IMPRES RSM Display with Jack, No Channel for APX6000XE Model 1.5, Model 2.5 or Model 3.5	HMN4103B	1	Each	
323	Audio Accessory Remote Speaker Microphone,IMPRES Windporting RSM, IP55 for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMMN4099A	1	Each	
324	IMPRES XP RSM For APX with Dual Mic Noise Suppression for APX6000XE Model 1.5, Model 2.5 or Model 3.5	NMN6271A	1	Each	
325	PSM IP55 With 3.5MM Jack RX 18 Inch for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMMN4059B	1	Each	
326	PSM IP55 With 3.5MM Jack RX 24 Inch for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMMN4060B	1	Each	
327	PSM IP55 With 3.5MM Jack RX 30 Inch for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMMN4061B	1	Each	
328	Delete Standard Antenna for APX6000XE Model 1.5, Model 2.5 or Model 3.5	H112	1	Each	
329	GPS Stubby Antenna (NAG4000) for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA00785	1	Each	
330	1/4 Wave 7/800 GPS Stubby (NAR6595A) for APX6000XE Model 1.5, Model 2.5 or Model 3.5	H122	1	Each	
331	Li Ion IMPRES 2 IP68 3400 MAH for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA05570	1	Each	
332	Li Ion IMPRES 2 IP68 4850 MAH for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA05571	1	Each	
333	Li Ion IMPRES 2 IP68 5100MAH for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA05573	1	Each	
334	Li Ion IMPRES 2 4500 MAH UL/CSA (NNTN8921A) for APX6000XE Model 1.5, Model 2.5 or Model 3.5	QA05575	1	Each	
335	BATT IMPRES 2 Li Ion R IP68 4850t for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMNN4487	1	Each	
336	BATT IMPRES 2 Li Ion R IP68 3400t for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMNN4486	1	Each	
337	BATT IMPRES 2 Li Ion R IP68 5100t for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMNN4494	1	Each	
338	IMPRES FM Ruggedized Li Ion 4100m 4300t Blk for APX6000XE Model 1.5, Model 2.5 or Model 3.5	NNTN7033A	1	Each	
339	Battery Pack,Lithium Ion, APX TIA4950 Std Battery for APX6000XE Model 1.5, Model 2.5 or Model 3.5	NNTN8930	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
340	BATT IMPRES 2 Li Ion Tia4950 R IP68 4500t for APX6000XE Model 1.5, Model 2.5 or Model 3.5	NNTN8921	1	Each	
341	IMPRES FM R Li Ion 2300m 2350t Blk for APX6000XE Model 1.5, Model 2.5 or Model 3.5	NNTN8092	1	Each	
342	BATT IMPRES 2 Li Ion R IP68 2550t for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMNN4485	1	Each	
343	IMPRES FM R NIMH 2000m 2200t Blk for APX6000XE Model 1.5, Model 2.5 or Model 3.5	NNTN7035	1	Each	
344	Accessory Kit, Molded Nylon Carry Case with Swivel for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMLN6802A	1	Each	
345	Carry Case 2.75 Inch Swivel Belt Loop 2900,2300 & 2150MAH for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMLN5875	1	Each	
346	Carry Case with 3 Inch Fixed Belt Loop 4200MAH for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMLN5879A	1	Each	
347	Carry Case 2.75 Inch Swivel Belt Loop 4200MAH for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMLN5877A	1	Each	
348	Carry Case with 3 Inch Fixed Black 2900, 2300 & 2150MAH for APX6000XE Model 1.5, Model 2.5 or Model 3.5	PMLN5876A	1	Each	
349	Wireless Accessory Kit NFP 12 Cable for APX6000XE Model 1.5, Model 2.5 or Model 3.5	NTN2570C	1	Each	
350	Radio Programming, Single LWIN System, Existing Template for APX6000XE Model 1.5, Model 2.5 or Model 3.5	LSV00Q00202A	1	Each	
351	APX 8000 All Band Portable Model 2.5, Includes: All-Band Capability (UHF, VHF, 7/800); Smartzone Operation; Astro Digital CAI Operation; P25 9600 Band Trunking; Limited Key Pad; Top And Front Display; Batt IMPRES 2 Li-Ion Div2 3400 (PMNN4486); Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA; Adaptive Audio Engine; GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy - Single Key; Radio Packet Data (Q947); Software Key (QA01749); 3 Watt Rated Audio; Carry Holder; IP68 (2 M, 2 Hr); All-Band Antenna (KT000026A01); Three Year Essential Service. Remote Speaker Microphone Not Included	H91TGD9PW6 N	1	Each	
352	APX 8000 All Band Portable Model 3.5, Includes: All-Band Capability (UHF, VHF, 7/800); Smartzone Operation; Astro Digital CAI Operation; P25 9600 Band Trunking; Full Key Pad; Top And Front Display; Batt IMPRES 2 Li-Ion Div2 3400 (PMNN4486); Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA; Adaptive Audio Engine; GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy - Single Key; Radio Packet Data (Q947); Software Key (QA01749); 3 Watt Rated Audio; Carry Holder; IP68 (2 M, 2 Hr); All-Band Antenna (KT000026A01); Three Year Essential Service. Remote Speaker Microphone Not Included	H91TGD9PW7 N	1	Each	
353	P25 Link Layer Authentication for APX8000 Model 2.5 or Model 3.5	QA01767	1	Each	
354	TDMA Operation for APX8000 Model 2.5 or Model 3.5	QA00580	1	Each	
355	Programming Over P25 (OTAP) for APX8000 Model 2.5 or Model 3.5	G996	1	Each	
356	Multicast Voting Scan for APX8000 Model 2.5 or Model 3.5	Q387	1	Each	
357	DVRS PSU Activation for APX8000 Model 2.5 or Model 3.5	QA00631	1	Each	
358	Site Selectable Alert For P25 Trunking for APX8000 Model 2.5 or Model 3.5	QA00982	1	Each	
359	Mission Critical Geofencing for APX8000 Model 2.5 or Model 3.5	QA09012	1	Each	
360	Digital Tone Signaling for APX8000 Model 2.5 or Model 3.5	QA09000	1	Each	
361	Group Services for APX8000 Model 2.5 or Model 3.5	QA09008	1	Each	
362	Mandown Operation for APX8000 Model 2.5 or Model 3.5	QA01843	1	Each	
363	APX Personnel Accountability for APX8000 Model 2.5 or Model 3.5	Q445	1	Each	
364	Enhanced Data for APX8000 Model 2.5 or Model 3.5	QA03399	1	Each	
365	Tactical Radio Stw-Stun/Kill for APX8000 Model 2.5 or Model 3.5	H02	1	Each	
366	WiFi Capability for APX8000 Model 2.5 or Model 3.5	QA09001	1	Each	
367	Out Of The Box WiFi Provisioning for APX8000 Model 2.5 or Model 3.5	QA09007	1	Each	
368	Data Modem Tethering for APX8000 Model 2.5 or Model 3.5	GA09011	1	Each	
369	HW Key Supplemental Data for APX8000 Model 2.5 or Model 3.5	QA01648AA	1	Each	
370	No ADP For P25 Cap for APX8000 Model 2.5 or Model 3.5	QA05751	1	Each	
371	DVP-XI Encryption for APX8000 Model 2.5 or Model 3.5	H797	1	Each	
372	DES,DES-XI,DES-OFB Encryption for APX8000 Model 2.5 or Model 3.5	Q625	1	Each	
373	AES Encryption for APX8000 Model 2.5 or Model 3.5	Q629	1	Each	
374	AES/DES-XI/DES-OFB Encryption for APX8000 Model 2.5 or Model 3.5	Q15AJ	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
375	Multikey for APX8000 Model 2.5 or Model 3.5	H869	1	Each	
376	Astro 25 OTAR W/ Multikey for APX8000 Model 2.5 or Model 3.5	Q498	1	Each	
377	Front Panel Programming & Cloning for APX8000 Model 2.5 or Model 3.5	Q53	1	Each	
378	Housing Yellow for APX8000 Model 2.5 or Model 3.5	H64	1	Each	
379	Housing Green for APX8000 Model 2.5 or Model 3.5	QA01427	1	Each	
380	Submersible (Delta T) for APX8000 Model 2.5 or Model 3.5	H499	1	Each	
381	Delete 7/800 Mhz Band for APX8000 Model 2.5 or Model 3.5	QA05507AA	1	Each	
382	Delete VHF Band for APX8000 Model 2.5 or Model 3.5	QA05508AA	1	Each	
383	Delete UHF Band for APX8000 Model 2.5 or Model 3.5	QA05509AA	1	Each	
384	Li-Ion IMPRES 2 IP68 4850 Mah for APX8000 Model 2.5 or Model 3.5	QA05571	1	Each	
385	Li-Ion IMPRES 2 IP68 5100 Mah for APX8000 Model 2.5 or Model 3.5	QA05573	1	Each	
386	Batt IMPRES 2 Li Ion Div2 3400 for APX8000 Model 2.5 or Model 3.5	QA05594	1	Each	
387	Batt IMPRES 2 Li Ion Div2 4850 for APX8000 Model 2.5 or Model 3.5	QA05595	1	Each	
388	Rugged Div2 Batt IMPRES 2 Li Ion 3400 for APX8000 Model 2.5 or Model 3.5	QA07571	1	Each	
389	Rugged Div2 Batt IMPRES 2 Li Ion 4850 for APX8000 Model 2.5 or Model 3.5	QA07573	1	Each	
390	Battery IMPRES 2 Li Ion R IP68 5100t for APX8000 Model 2.5 or Model 3.5	PMNN4494	1	Each	
391	Battery IMPRES 2 Li Ion R IP68 3400t for APX8000 Model 2.5 or Model 3.5	PMNN4486	1	Each	
392	Battery IMPRES 2 Li Ion R IP68 4850t for APX8000 Model 2.5 or Model 3.5	PMNN4487	1	Each	
393	Battery IMPRES 2 Li Ion R IP68 2550t for APX8000 Model 2.5 or Model 3.5	PMNN4485	1	Each	
394	Three Year Essential Accidental Damage for APX8000 Model 2.5 or Model 3.5	HA00022AC	1	Each	
395	Five Year Essential Service for APX8000 Model 2.5 or Model 3.5	Q887	1	Each	
396	Five Year Essential Accidental Damage for APX8000 Model 2.5 or Model 3.5	HA00025AH	1	Each	
397	IMPRES RSM, Noise Canc. Emergency Button 3.5mm Jack IP54 for APX8000 Model 2.5 or Model 3.5	PMMN4062A	1	Each	
398	Accessory Kit, APX Wireless RSM W/ DUC US/NA/JP/TW for APX8000 Model 2.5 or Model 3.5	RLN6554A	1	Each	
399	APX IMPRES RSM W/Vol, IP57 for APX8000 Model 2.5 or Model 3.5	PMMN4065A	1	Each	
400	Audio Accessory-Remote Speaker Microphone,IMPRES XE RSM Xt Cable Black for APX8000 Model 2.5 or Model 3.5	NNTN8575ABLK	1	Each	
401	IMPRES XP RSM For APX with Dual Mic Noise Suppression, 3.5mm Thrd Jack for APX8000 Model 2.5 or Model 3.5	NMN6274A	1	Each	
402	Mission Critical Wireless RSM with Battery And Clip for APX8000 Model 2.5 or Model 3.5	RLN6544A	1	Each	
403	IMPRES RSM, 3.5mm Audio Jack for APX8000 Model 2.5 or Model 3.5	PMMN4069A	1	Each	
404	Audio Accessory-Remote Speaker Microphone,IMPRES XE RSM Xt Cable Green for APX8000 Model 2.5 or Model 3.5	NNTN8575A	1	Each	
405	IMPRES RSM Delta-T for APX8000 Model 2.5 or Model 3.5	PMMN4083A	1	Each	
406	IMPRES RSM No Display with Jack, No Channel for APX8000 Model 2.5 or Model 3.5	HMN4101B	1	Each	
407	Plus RSM Nc IP54 Thrd 3.5mm Jack Rx for APX8000 Model 2.5 or Model 3.5	PMMN4084A	1	Each	
408	IMPRES RSM Display with Jack, with Channel for APX8000 Model 2.5 or Model 3.5	HMN4104B	1	Each	
409	IMPRES RSM Display with Jack, No Channel for APX8000 Model 2.5 or Model 3.5	HMN4103B	1	Each	
410	Audio Accessory-Remote Speaker Microphone,IMPRES Windporting RSM, IP55 for APX8000 Model 2.5 or Model 3.5	PMMN4099A	1	Each	
411	IMPRES XP RSM For APX with Dual Mic Noise Suppression for APX8000 Model 2.5 or Model 3.5	NMN6271A	1	Each	
412	Audio Adapter,APX XE500 Remote Speaker Mic, High Impact Green for APX8000 Model 2.5 or Model 3.5	PMMN4106B	1	Each	
413	APX XE500 Remote Speaker Mic, Black, With Channel Knob for APX8000 Model 2.5 or Model 3.5	PMMN4106BLK	1	Each	
414	XE500 Remote Speaker Microphone without Channel Control for APX8000 Model 2.5 or Model 3.5	PMMN4107A	1	Each	
415	APX XE500 Remote Speaker Mic, Black, No Channel Knob for APX8000 Model 2.5 or Model 3.5	PMMN4107ABLK	1	Each	
416	PSM IP55 With 3.5mm Jack Rx 18in for APX8000 Model 2.5 or Model 3.5	PMMN4059B	1	Each	
417	PSM IP55 With 3.5mm Jack Rx 24in for APX8000 Model 2.5 or Model 3.5	PMMN4060B	1	Each	
418	PSM IP55 With 3.5mm Jack Rx 30in for APX8000 Model 2.5 or Model 3.5	PMMN4061B	1	Each	
419	Delete Standard Antenna for APX8000 Model 2.5 or Model 3.5	H112LT	1	Each	
420	Hard Leather Case With 3 Inch Fixed Belt Loop for APX8000 Model 2.5 or Model 3.5	PMLN7903A	1	Each	
421	Carry Case 2.75 Inch Swivel Belt Loop TIA Battery for APX8000 Model 2.5 or Model 3.5	PMLN7904A	1	Each	
422	3 Replacement Swivel Belt Loop for APX8000 Model 2.5 or Model 3.5	PMLN5409	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
423	Replacement 2.5 Swivel Belt Loop for APX8000 Model 2.5 or Model 3.5	PMLN5407	1	Each	
424	Basic Carry Holder (Pmln7901) for APX8000 Model 2.5 or Model 3.5	QA00779	1	Each	
425	Carry Accessory Strap,XL, With Button Back Holder for APX8000 Model 2.5 or Model 3.5	AY000229A01	1	Each	
426	Carry Case 3 Inch Fixed Belt Loop 4200mah for APX8000 Model 2.5 or Model 3.5	PMLN5660B	1	Each	
427	Carry Case 2.75 Inch Swivel Belt Loop 4200mah for APX8000 Model 2.5 or Model 3.5	PMLN5659B	1	Each	
428	Breakaway Chest Pack for APX8000 Model 2.5 or Model 3.5	RLN4570A	1	Each	
429	Carry Accessory-Strap,With Button Back Holder for APX8000 Model 2.5 or Model 3.5	AY000223A01	1	Each	
430	Accessory Kit,Molded Nylon Carry Case with swivel for APX8000 Model 2.5 or Model 3.5	PMLN6802A	1	Each	
431	Chestpack, Universal for APX8000 Model 2.5 or Model 3.5	HLN6602	1	Each	
432	Accessory Kit, Fireman's Radio Strap for APX8000 Model 2.5 or Model 3.5	RLN6486A	1	Each	
433	Belt Waist Blk for APX8000 Model 2.5 or Model 3.5	4200865599	1	Each	
434	3 Inch Plastic Belt Clip Attachment for APX8000 Model 2.5 or Model 3.5	HLN6875A	1	Each	
435	Carry Accessory-Belt Clip,Kit, Belt Clip Stud (Pack of 5) for APX8000 Model 2.5 or Model 3.5	NNTN8749A	1	Each	
436	2.75 Inch Replacement Swivel Belt Loop for APX8000 Model 2.5 or Model 3.5	PMLN5408	1	Each	
437	Carry Case Shoulder Strap for APX8000 Model 2.5 or Model 3.5	NTN5243A	1	Each	
438	2.5 Inch Plastic Belt Clip Attachment for APX8000 Model 2.5 or Model 3.5	NTN8266B	1	Each	
439	Accessory Kit, Anti-Sway Strap for APX8000 Model 2.5 or Model 3.5	RLN6488A	1	Each	
440	Accessory Kit, Fireman's Radio Strap, XI for APX8000 Model 2.5 or Model 3.5	RLN6487A	1	Each	
441	Wireless Accessory Kit NFP 12 Cable for APX8000 Model 2.5 or Model 3.5	NTN2570C	1	Each	
442	Radio Programming, Single Lwin System. Existing Template for APX8000 Model 2.5 or Model 3.5	LSV00Q00202A	1	Each	
443	ASTRO Digital APX 8000XE M2.5 (Rugged), All-Band Capability (UHF, VHF, 7/800), Includes: Limited Key Pad; P25 9600 Band Trunking; Smartzone Operation; Astro Digital CAI Operation; Batt IMPRES 2 Li-Ion Div2 4850; Front And Top Display; Charger, Single-Unit, IMPRES 2, 3A, 100-240VAC, US/NA Plug; All-Band Antenna (KT000026A01); Radio Packet Data (Q947); Adaptive Audio Engine; GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (Le) (QA00583); ADP Privacy; Radio Packet Data (Q947);Software Key (QA01749); Extreme 1-Sided Noise Reduction (QA01833); Dual Microphone; 3 Watt Rated Audio; Carry Holder (Models 2.5 & 3.5); MIL-STD Delta-T, IP68 (2 M, 4 Hr); Three Year Essential Service. Remote Speaker Microphone Not Included	H91TGD9PW6 N	1	Each	
444	ASTRO Digital APX 8000XE M3.5 (Rugged), All-Band Capability (UHF, VHF, 7/800), Includes: Full Keypad; P25 9600 Band Trunking; Smartzone Operation; Astro Digital CAI Operation; Batt IMPRES 2 Li-Ion Div2 4850; Front And Top Display; Charger, Single-Unit, IMPRES 2, 3a, 100-240VAC, US/NA Plug; All-Band Antenna (KT000026A01); Radio Packet Data (Q947); Adaptive Audio Engine; GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy; Radio Packet Data (Q947);Software Key (QA01749); Extreme 1-Sided Noise Reduction (QA01833); Dual Microphone; 3 Watt Rated Audio; Carry Holder (Models 2.5 & 3.5); MIL-STD Delta-T, IP68 (2 M, 4 Hr); Three Year Essential Service. Remote Speaker Microphone Not Included	H91TGD9PW7 N	1	Each	
445	P25 Link Layer Authentication for APX8000XE Model 2.5 or Model 3.5	QA01767	1	Each	
446	TDMA Operation for APX8000XE Model 2.5 or Model 3.5	QA00580	1	Each	
447	Programming Over P25 (OTAP) for APX8000XE Model 2.5 or Model 3.5	G996	1	Each	
448	Multicast Voting Scan for APX8000XE Model 2.5 or Model 3.5	Q387	1	Each	
449	DVRS PSU Activation for APX8000XE Model 2.5 or Model 3.5	QA00631	1	Each	
450	Site Selectable Alert For P25 Trunking for APX8000XE Model 2.5 or Model 3.5	QA00982	1	Each	
451	Mission Critical Geofencing for APX8000XE Model 2.5 or Model 3.5	QA09012	1	Each	
452	Digital Tone Signaling for APX8000XE Model 2.5 or Model 3.5	QA09000	1	Each	
453	Group Services for APX8000XE Model 2.5 or Model 3.5	QA09008	1	Each	
454	Mandown Operation for APX8000XE Model 2.5 or Model 3.5	QA01843	1	Each	
455	APX Personnel Accountability for APX8000XE Model 2.5 or Model 3.5	Q445	1	Each	
456	Enhanced Data for APX8000XE Model 2.5 or Model 3.5	QA03399	1	Each	
457	Tactical Radio Stw-Stun/Kill for APX8000XE Model 2.5 or Model 3.5	H02	1	Each	
458	WiFi Capability for APX8000XE Model 2.5 or Model 3.5	QA09001	1	Each	
459	Out Of The Box WiFi Provisioning for APX8000XE Model 2.5 or Model 3.5	QA09007	1	Each	
460	Data Modem Tethering for APX8000XE Model 2.5 or Model 3.5	GA09011	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
461	HW Key Supplemental Data for APX8000XE Model 2.5 or Model 3.5	QA01648AA	1	Each	
462	No ADP For P25 Cap for APX8000XE Model 2.5 or Model 3.5	QA05751	1	Each	
463	DVP-XI Encryption for APX8000XE Model 2.5 or Model 3.5	H797	1	Each	
464	DES,DES-XI,DES-OFB Encryption for APX8000XE Model 2.5 or Model 3.5	Q625	1	Each	
465	AES Encryption for APX8000XE Model 2.5 or Model 3.5	Q629	1	Each	
466	AES/DES-XI/DES-OFB Encryption for APX8000XE Model 2.5 or Model 3.5	Q15AJ	1	Each	
467	Multikey for APX8000XE Model 2.5 or Model 3.5	H869	1	Each	
468	Astro 25 OTAR W/ Multikey for APX8000XE Model 2.5 or Model 3.5	Q498	1	Each	
469	Front Panel Programming & Cloning for APX8000XE Model 2.5 or Model 3.5	Q53	1	Each	
470	Housing Yellow for APX8000XE Model 2.5 or Model 3.5	H64	1	Each	
471	Housing Green for APX8000XE Model 2.5 or Model 3.5	QA01427	1	Each	
472	Delete 7/800 Mhz Band for APX8000XE Model 2.5 or Model 3.5	QA05507AA	1	Each	
473	Delete VHF Band for APX8000XE Model 2.5 or Model 3.5	QA05508AA	1	Each	
474	Delete UHF Band for APX8000XE Model 2.5 or Model 3.5	QA05509AA	1	Each	
475	Battery IMPRES 2 Li Ion Div2 4850 for APX8000XE Model 2.5 or Model 3.5	QA05595	1	Each	
476	Three Year Essential Accidental Damage for APX8000XE Model 2.5 or Model 3.5	HA00022AC	1	Each	
477	Five Year Essential Service for APX8000XE Model 2.5 or Model 3.5	Q887	1	Each	
478	Five Year Essential Accidental Damage for APX8000XE Model 2.5 or Model 3.5	HA00025AH	1	Each	
479	IMPRES Rsm, Noise Canc. Emergency Button 3.5mm Jack IP54 for APX8000XE Model 2.5 or Model 3.5	PMMN4062A	1	Each	
480	Accessory Kit, APX Wireless RSM W/ DUC US/NA/JP/TW for APX8000XE Model 2.5 or Model 3.5	RLN6554A	1	Each	
481	APX IMPRES RSM W/Vol, Ip57 for APX8000XE Model 2.5 or Model 3.5	PMMN4065A	1	Each	
482	Audio Accessory-Remote Speaker Microphone,IMPRES XE RSM XT Cable Black for APX8000XE Model 2.5 or Model 3.5	NNTN8575ABLK	1	Each	
483	IMPRES XP RSM For APX with Dual Mic Noise Suppression, 3.5mm Thrd Jack for APX8000XE Model 2.5 or Model 3.5	NMN6274A	1	Each	
484	Mission Critical Wireless RSM with Battery And Clip for APX8000XE Model 2.5 or Model 3.5	RLN6544A	1	Each	
485	IMPRES RSM, 3.5mm Audio Jack for APX8000XE Model 2.5 or Model 3.5	PMMN4069A	1	Each	
486	Audio Accessory-Remote Speaker Microphone,IMPRES XE RSM XT Cable Green for APX8000XE Model 2.5 or Model 3.5	NNTN8575A	1	Each	
487	IMPRES RSM Delta-T for APX8000XE Model 2.5 or Model 3.5	PMMN4083A	1	Each	
488	IMPRES RSM No Display with Jack, No Channel for APX8000XE Model 2.5 or Model 3.5	HMN4101B	1	Each	
489	Plus RSM NC Ip54 Thrd 3.5mm Jack Rx for APX8000XE Model 2.5 or Model 3.5	PMMN4084A	1	Each	
490	IMPRES RSM Display with Jack, with Channel for APX8000XE Model 2.5 or Model 3.5	HMN4104B	1	Each	
491	IMPRES RSM Display with Jack, No Channel for APX8000XE Model 2.5 or Model 3.5	HMN4103B	1	Each	
492	Audio Accessory-Remote Speaker Microphone,IMPRES Windporting RSM, IP55 for APX8000XE Model 2.5 or Model 3.5	PMMN4099A	1	Each	
493	IMPRES XP RSM For APS with Dual Mic Noise Suppression for APX8000XE Model 2.5 or Model 3.5	NMN6271A	1	Each	
494	Audio Adapter, APX XE500 Remote Speaker Mic, High Impact Green for APX8000XE Model 2.5 or Model 3.5	PMMN4106B	1	Each	
495	APX XE500 Remote Speaker Mic, Black, With Channel Knob for APX8000XE Model 2.5 or Model 3.5	PMMN4106BBLK	1	Each	
496	XE500 Remote Speaker Microphone without Channel Control for APX8000XE Model 2.5 or Model 3.5	PMMN4107A	1	Each	
497	APX XE500 Remote Speaker Mic, Black, No Channel Knob for APX8000XE Model 2.5 or Model 3.5	PMMN4107ABLK	1	Each	
498	PSM IP55 With 3.5mm Jack Rx 18in for APX8000XE Model 2.5 or Model 3.5	PMMN4059B	1	Each	
499	PSM IP55 With 3.5mm Jack Rx 24in for APX8000XE Model 2.5 or Model 3.5	PMMN4060B	1	Each	
500	PSM IP55 With 3.5mm Jack Rx 30in for APX8000XE Model 2.5 or Model 3.5	PMMN4061B	1	Each	
501	Delete Standard Antenna for APX8000XE Model 2.5 or Model 3.5	H112LT	1	Each	
502	Wireless Accessory Kit NFP 12 Cable for APX8000XE Model 2.5 or Model 3.5	NTN2570C	1	Each	
503	Accessory Kit, Fireman's Radio Strap for APX8000XE Model 2.5 or Model 3.5	RLN6486A	1	Each	
504	Belt Waist Black for APX8000XE Model 2.5 or Model 3.5	4200865599	1	Each	
505	3 Inch Plastic Belt Clip Attachment for APX8000XE Model 2.5 or Model 3.5	HLN6875A	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
506	Carry Accessory-Belt Clip,Kit, Belt Clip Stud (Pack Of 5) for APX8000XE Model 2.5 or Model 3.5	NNTN8749A	1	Each	
507	APX 3 Inch Replacement Swivel Belt Loop for APX8000XE Model 2.5 or Model 3.5	PMLN5409	1	Each	
508	APX 2.5 Inch Replacement Swivel Belt Loop for APX8000XE Model 2.5 or Model 3.5	PMLN5407	1	Each	
509	APX 2.75 Inch Replacement Swivel Belt Loop for APX8000XE Model 2.5 or Model 3.5	PMLN5408	1	Each	
510	Carry Case Shoulder Strap for APX8000XE Model 2.5 or Model 3.5	NTN5243A	1	Each	
511	2.5 Inch Plastic Belt Clip Attachment for APX8000XE Model 2.5 or Model 3.5	NTN8266B	1	Each	
512	Accessory Kit, Anti-Sway Strap for APX8000XE Model 2.5 or Model 3.5	RLN6488A	1	Each	
513	Accessory Kit, Fireman's Radio Strap, XI for APX8000XE Model 2.5 or Model 3.5	RLN6487A	1	Each	
514	Carry Accessory-Strap,XI, With Button Back Holder for APX8000XE Model 2.5 or Model 3.5	AY000229A01	1	Each	
515	Carry Case 3 Inch Fixed Belt Loop 4200mah for APX8000XE Model 2.5 or Model 3.5	PMLN5660B	1	Each	
516	Breakaway Chest Pack for APX8000XE Model 2.5 or Model 3.5	RLN4570A	1	Each	
517	Carry Case 2.75 Inch Swivel Belt Loop 4200mah for APX8000XE Model 2.5 or Model 3.5	PMLN5659B	1	Each	
518	Carry Accessory Strap,With Button Back Holder for APX8000XE Model 2.5 or Model 3.5	AY000223A01	1	Each	
519	Accessory Kit, Molded Nylon Carry Case W/swivel for APX8000XE Model 2.5 or Model 3.5	PMLN6802A	1	Each	
520	Chestpack, Universal for APX8000XE Model 2.5 or Model 3.5	HLN6602	1	Each	
521	APX6000XE Universal Carry Holder for APX8000XE Model 2.5 or Model 3.5	PMLN7902A	1	Each	
522	Carry Case,APX6000XE 3 Inch Fixed Belt Loop TIA Battery for APX8000XE Model 2.5 or Model 3.5	PMLN7905A	1	Each	
523	Carry Case, 2.75 Inch Swivel Belt Loop TIA Battery for APX8000XE Model 2.5 or Model 3.5	PMLN7906A	1	Each	
524	Radio Programming, Single LWIN System. Existing Template for APX8000XE Model 2.5 or Model 3.5	LSV00Q00202A	1	Each	
525	ALT: IMPRESS LI-ION TIA 2900MAH	QA06766	1	Each	
526	CHR IMP DISP DUC EXT US/NA/CA/LA - CHARGER for APX6000 Li Model 2.5 or Model 3.5	NNTN7593A	1	Each	
527	CHARGER, MULTI-UNIT, IMPRES 2, 6-DISP, NA/LA-PLUG, ACC USB Charger for APX6000 Li Model 2.5 or Model 3.5	NNTN8844A	1	Each	
528	ACCESSORY IMPRES CHARGER DISPLAY SLAES MODULE (CDM) for APX6000 Li Model 2.5 or Model 3.5	RLN5382C	1	Each	
529	WALL MOUNT KIT FOR IMPRES MULTI-UNIT CHARGER for APX6000 Li Model 2.5 or Model 3.5	NLN7967	1	Each	
530	CHARGER, SINGLE-UNIT, IMPRES 2, 3A, 115VAC, US/NA for APX6000 Li Model 2.5 or Model 3.5	NNTN8860A	1	Each	
531	APX CHARGER INSERT ADAPTER FOR XTS SINGLE-UNIT CHARGER for APX6000 Li Model 2.5 or Model 3.5	NNTN7687A	1	Each	
532	APX CHARGER INSERT ADAPTER FOR XTS MULTI-UNIT CHARGER for APX6000 Li Model 2.5 or Model 3.5	NNTN7686A	1	Each	
533	CHR IMPR VEH ADAPT INT - CHARGER for APX6000 Li Model 2.5 or Model 3.5	NNTN8527A	1	Each	
534	CHR IMP DISP DUC EXT US/NA/CA/LA CHARGER for APX6000 Model 2.5 or Model 3.5	NNTN7593A	1	Each	
535	CHARGER, MULTI-UNIT, IMPRES 2, 6-DISP, NA/LA-PLUG, ACC USB Charger APX6000 Model 2.5 or Model 3.5	NNTN8844A	1	Each	
536	ACCESSORY IMPRES CHARGER DISPLAY SALES MODULE (CDM) APX6000 Model 2.5 or Model 3.5	RLN5382C	1	Each	
537	WALL MOUNT KIT FOR IMPRES MULTI-UNIT CHARGER APX6000 Model 2.5 or Model 3.5	NLN7967	1	Each	
538	CHARGER, SINGLE-UNIT, IMPRES 2, 3A, 115VAC, US/NA APX6000 Model 2.5 or Model 3.5	NNTN8860A	1	Each	
539	APX CHARGER INSERT ADAPTER FOR XTS SINGLE-UNIT CHARGER APX6000 Model 2.5 or Model 3.5	NNTN7687A	1	Each	
540	APX CHARGER INSERT ADAPTER FOR XTS MULTI-UNIT CHARGER APX6000 Model 2.5 or Model 3.5	NNTN7686A	1	Each	
541	CHR IMPR VEH ADAPT INT CHARGER APX6000 Model 2.5 or Model 3.5	NNTN8527A	1	Each	
542	BATT IMPRES 2 LIION TIA4950 R IP68 3100T for APX6000XE Model 1.5, Model 2.5, or Model 3.5	PMNN4547A	1	Each	
543	CHR IMP DISP DUC EXT US/NA/CA/LA CHARGER for APX6000XE Model 1.5, Model 2.5, or Model 3.5	NNTN7593A	1	Each	
544	CHARGER, MULTI-UNIT, IMPRES 2, 6-DISP, NA/LA-PLUG, ACC USB Charger for APX6000XE Model 1.5, Model 2.5, or Model 3.5	NNTN8844A	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
545	ACCESSORY IMPRES CHARGER DISPLAY SALES MODULE (CDM) for APX6000XE Model 1.5, Model 2.5, or Model 3.5	RLN5382C	1	Each	
546	WALL MOUNT KIT FOR IMPRES MULTI-UNIT CHARGER for APX6000XE Model 1.5, Model 2.5, or Model 3.5	NLN7967	1	Each	
547	CHARGER, SINGLE-UNIT, IMPRES 2, 3A, 115VAC, US/NA for APX6000XE Model 1.5, Model 2.5, or Model 3.5	NNTN8860A	1	Each	
548	APX CHARGER INSERT ADAPTER FOR XTS SINGLE-UNIT CHARGER for APX6000XE Model 1.5, Model 2.5, or Model 3.5	NNTN7687A	1	Each	
549	APX CHARGER INSERT ADAPTER FOR XTS MULTI-UNIT CHARGER for APX6000XE Model 1.5, Model 2.5, or Model 3.5	NNTN7686A	1	Each	
550	CHR IMPR VEH ADAPT INT CHARGER for APX6000XE Model 1.5, Model 2.5, or Model 3.5	NNTN8527A	1	Each	
551	CHARGER, MULTI-UNIT, IMPRES 2, 6-DISP, NA/LA-PLUG, ACC USB Charger for APX8000 Model 2.5 or Model 3.5	NNTN8844A	1	Each	
552	CHR IMP DISP DUC EXT US/NA/CA/LA CHARGER for APX8000 Model 2.5 or Model 3.5	NNTN7593A	1	Each	
553	CHARGER, SINGLE-UNIT, IMPRES 2, 3A, 115VAC, US/NA for APX8000 Model 2.5 or Model 3.5	NNTN8860A	1	Each	
554	CHARGER,CHR IMP VEH EXT NA/EU KIT for APX8000 Model 2.5 or Model 3.5	NNTN7624C	1	Each	
555	CHARGER, SINGLE-UNIT, IMPRES 2, 3A, 100-240VAC, US/NA PLUG for APX8000 Model 2.5 or Model 3.5	NNTN8863A	1	Each	
556	CHARGER, MULTI-UNIT, IMPRES 2, 6-DISP, NA/LA-PLUG, ACC USB Charger for APX8000XE Model 2.5 or Model 3.5	NNTN8844A	1	Each	
557	CHR IMP DISP DUC EXT US/NA/CA/LA CHARGER for APX8000XE Model 2.5 or Model 3.5	NNTN7593A	1	Each	
558	CHARGER, SINGLE-UNIT, IMPRES 2, 3A, 115VAC, US/NA for APX8000XE Model 2.5 or Model 3.5	NNTN8860A	1	Each	
559	CHARGER,CHR IMP VEH EXT NA/EU KIT for APX8000XE Model 2.5 or Model 3.5	NNTN7624C	1	Each	
560	CHARGER, SINGLE-UNIT, IMPRES 2, 3A, 100-240VAC, US/NA PLUG for APX8000XE Model 2.5 or Model 3.5	NNTN8863A	1	Each	
561	Radio Management Offline	T7931A	1	Each	
562	Radio Management Licenes Offline	UA00048AA	1	Each	
563	APX CPS Download Current Version	HKVN4289A	1	Each	
564	ASTRO Digital APX N30 7/800 MODEL 2 PORTABLE 2.4" Front Display, 7/800MHz, Includes: Limited Key Pad; 3600 or 9600 Baud single system; Battery, Li-Ion IMPRES 2 IP68 3200 MAH; Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA (PMPN4820A); GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy - Single Key, Radio Packet Data (Q947); Software Key (QA01749); Carry Holder; 7/800 MHZ Whip Antenna (LSV01S03084A); CPS Programming only Three Year DMS Essential Service. Remote Speaker Microphone Not Included	H15UCF9PW6A N	1	Each	
565	ASTRO Digital APX N50 7/800 MODEL 2 PORTABLE 2.4" Front Display, 7/800MHz, Includes: Limited Key Pad; 3600 or 9600 Baud single system; Battery, Li-Ion IMPRES 2 IP68 3200 MAH; Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA(PMPN4820A); GPS Software & Hardware (QA00782); Mission Critical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy - Single Key, Radio Packet Data (Q947); Software Key (QA01749); Carry Holder; 7/800 MHZ Whip Antenna (LSV01S03084A); CPS Programming only Three Year DMS Essential Service. Remote Speaker Microphone Not Included	H25UCF9PW6A N	1	Each	
566	P25 9600 BAUD TRUNKING W/ INTEROPERABILITY	QA02812	1	Each	
567	ADAPTIVE NOISE SUPPRESSION N30/N50	QA09006AA	1	Each	
568	ADAPTIVE SPEAKER VOLUME N30/N50	QA08676AA	1	Each	
569	BASIC VOICE CONTROL N30/N50	QA08715AA	1	Each	
570	DIGITAL TONE SIGNALING N30/N50	QA09000	1	Each	
571	DVRS PSU ACTIVATION N30/N50	QA00631	1	Each	
572	ENHANCED DATA N30/N50	QA03399	1	Each	
573	EXTREME NOISE REDUCTION N30/N50	QA01833	1	Each	
574	GROUP SERVICES N30/N50	QA09008	1	Each	
575	MANDOWN OPERATION N30/N50	QA01843	1	Each	
576	MISSION CRITICAL GEOFENCING N30/N50	QA09012	1	Each	
577	MULTICAST VOTING SCAN N30/N50	Q387	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
578	TRUNKED RADIO TRACE/ REMOTE MO N30/N50	H43BJ	1	Each	
579	P25 LINK LAYER AUTHENTICATION N30/N50	QA01767	1	Each	
580	APX Personnel Accountability N30/N50	Q445	1	Each	
581	PROGRAMMING OVER P25 (OTAP) N30/N50	G996	1	Each	
582	SITE SELECTABLE ALERT FOR P25 TRUNKING N30/N50	QA00982	1	Each	
583	TDMA OPERATION N30/N50	QA00580	1	Each	
584	THIRD PARTY DATA MODEM TETHERING N30/N50	GA09011AH	1	Each	
585	One Touch/Status Msg N30/N50	H46	1	Each	
586	WIFI CAPABILITY N30/N50	QA09001AM	1	Each	
587	OUT OF THE BOX WIFI PROVISIONING N30/N50	QA09007AD	1	Each	
588	SMARTCONNECT N30/N50 N30/N50	QA07682AC	1	Each	
589	AES 256 SW ENCRYPTION N30/N50	QA06653	1	Each	
590	MULTIKEY N30/N50	H869DB	1	Each	
591	APX N50 2.5 Inch BELT CLIP N30/N50	QA08778AA	1	Each	
592	DMS Essential with Accidental Damage N30/N50 3YR	LSV01S03085A	1	Each	
593	RADIO MANAGEMENT ON PREM	LSV03S02047A	1	Each	
594	APX SmartConnect N30/N50 1 YEAR	SSV01S01663A	1	Each	
595	APX SmartConnect N30/N50 2 YEAR	SSV01S01663A	1	Each	
596	APX SmartConnect N30/N50 3 YEAR	SSV01S01663A	1	Each	
597	APX SmartConnect N30/N50 4 YEAR	SSV01S01663A	1	Each	
598	APX SmartConnect N30/N50 5 YEAR	SSV01S01663A	1	Each	
599	GCAI-MINI PTT NEXUS ADAPTER	PMLN8297A	1	Each	
600	GCAI MINI TO GCAI CABLE ADAPTER	PMLN8334A	1	Each	
601	ANTENNA, WHIP, 762-870 MHZ	AN000411A01	1	Each	
602	BATT Lilon IMPRES 2 IP68 2850T	PMNN4813A	1	Each	
603	BATT Lilon IMPRES 2 DIV 1 IP68 3200T	PMNN4815A	1	Each	
604	Charger DESKTOP SINGLE UNIT IMPRES 2 EXT PS US N30/N50	PMPN4820A	1	Each	
605	Charger DESKTOP MULTI UNIT IMPRES 2	PMPN4594A	1	Each	
606	ADAPTER, MUC CHARGING POCKET	AS000130A01	1	Each	
607	POWER SUPPLY,AC ADAPTOR,WALL CUBE	25009297002	1	Each	
608	POWER CORD US/NA 120V	3087791G01	1	Each	
609	POWER SUPPLY ADAPTOR,POWER SUPPLY BRICK 100-240VAC	PS000242A01	1	Each	
610	BRACKET, WALL MOUNT, 6WAY MAINTENANCE MUC	BR000272A01	1	Each	
611	BELT CLIP,APX N30/APX N50 2.0 Inch	PMLN8369A	1	Each	
612	BELT CLIP,APX N30/APX N50 2.5 Inch	PMLN8370A	1	Each	
613	RM780 Remote Speaker Microphone	PMMN4128A	1	Each	
614	REPLACEMENT CABLE FOR RSM	PMKN4232A	1	Each	
615	LOW PROFILE SWIVEL CLIP	PMLN8121A	1	Each	
616	RM760 Remote Speaker Microphone	PMMN4140A	1	Each	
617	REPLACEMENT DUST COVER FOR RSM	PMLN8122A	1	Each	
618	ACCESSORY KIT,REPLACEMENT DUST COVER (PACK OF 10)	PMLN8253A	1	Each	
619	APX N70 7/800 MODEL 4.5 PORTABLE 3.0" Touch Display, 7/800MHz, Includes: Limited Key Pad; P25 9600 Band Trunking; Smartzone Operation; Astro Digital CAI Operation; Battery, Li-Ion IMPRES 2 IP68 3200 MAH; Charger, Single-Unit, IMPRES 2, 3A, 115VAC, US/NA(PMPN4604A); GPS Software & Hardware (QA00782); MissionCritical Wireless Bluetooth 4.0 (LE) (QA00583); ADP Privacy - Single Key, Radio Packet Data (Q947); Software Key (QA01749); Carry Holder; 7/800 MHZ Whip Antenna (LSV01S03084A); CPS Programming only Three Year DMS Essential Service. WiFi Remote Speaker Microphone Not Included	H35UCT9PW8A N	1	Each	
620	SUBMERSIBLE (DELTA)MIL-STD Delta-T, IP68	H499KC	1	Each	
621	WIFI CAPABILITY	QA09001AM	1	Each	
622	OUT OF THE BOX WIFI PROVISIONING	QA09007AL	1	Each	
623	ADAPTIVE NOISE SUPPRESSION	QA09006AA	1	Each	
624	ADAPTIVE SPEAKER VOLUME	QA08676AA	1	Each	
625	DIGITAL TONE SIGNALING	QA09000AG	1	Each	
626	DVRS PSU ACTIVATION	QA00631AL	1	Each	
627	ENHANCED DATA	QA03399AK	1	Each	
628	EXTREME 1-SIDED NOISE REDUCTION	QA01833AH	1	Each	

Line Number	Item Description	Supplier Part No.	Est. Qty	UOM	Unit Price
629	MANDOWN OPERATION	QA01843AR	1	Each	
630	MULTICAST VOTING SCAN	Q387CB	1	Each	
631	P25 LINK LAYER AUTHENTICATION	QA01767BL	1	Each	
632	APX PERSONNEL ACCOUNTABILITY	Q445BC	1	Each	
633	TDMA OPERATION	QA00580BA	1	Each	
634	VIQI VC RADIO OPERATION	QA09028AA	1	Each	
635	ADP ONLY	Q667BB	1	Each	
636	AES ENCRYPTION AND ADP	Q629BD	1	Each	
637	MULTIKEY	H869DB	1	Each	
638	ASTRO 25 OTAR W/ MULTIKEY	Q498BN	1	Each	
639	DELETE LTE	QA08909AA	1	Each	
640	BATT IMPRES LIION IP68 4400T	QA08817AA	1	Each	
641	BATT IMPRES 2 LIION TIA4950	QA08818AA	1	Each	
642	3.0 Inch HOLSTER	QA08824AA	1	Each	
643	IMPRES 2 Li-Ion 3200 mAh Battery, IP68	PMNN4816	1	Each	
644	IMPRES 2 Li-Ion 4400 mAh Battery, IP68	PMNN4817	1	Each	
645	IMPRES 2 Li-Ion 3650 mAh Battery, IP68	PMNN4818	1	Each	
646	APX N70 HYBRID LEATHER HOLSTER STD BATTERY	QA09041AA	1	Each	
647	APX N70 HYBRID LEATHER HOLSTER HICAP BATTERY	QA09042AA	1	Each	
648	APX N70 HYBRID LEATHER HOLSTER UL BATTERY	QA09043AA	1	Each	
649	RadioCentral Programming	LSV01S03082A	1	Each	
650	RadioManagement (MSI Hosted)	LSV01S03197A	1	Each	
651	RadioCentral Programming PROMO	LSV01P03092A	1	Each	
652	APX N70 DMS Essential 3YR	LSV01S03060A	1	Each	
653	N70 DMS Essential with Accidental Damage 3YR	LSV01S03061A	1	Each	
654	GCAI-MINI PTT NEXUS ADAPTE	PMLN8297A	1	Each	
655	CABLES-ADAPTER CABLES,GCAI MINI TO GCAI CABLE ADAPTER, FOR APX	PMLN8334A	1	Each	
656	ANTENNA, WHIP,ANTENNA, WHIP, 762-870 MHZ , 15CM,FERRULE	AN000411A01	1	Each	
657	CHARGER,Charger DESKTOP SINGLE UNIT IMPRES 2 EXT US	PMPN4604A	1	Each	
658	WALL MOUNT KIT FOR IMPRES MULTI-UNIT CHARGER	NLN7967	1	Each	
659	INSERT RADIO Charger MULTI UNIT	AS000178A01	1	Each	
660	APX Next/N70 Vehicle Charger	PMPN4639	1	Each	
661	POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,110VAC FIXED BLADE US 14.5	PS000040A02	1	Each	
662	RM760 IMPRES WINDPORTING REMOTE SPEAKER MICROPHONE, LARGE (IP68)	PMMN4140A	1	Each	
663	AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE,XVP750 RSM	PMMN4141A	1	Each	
664	AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE,XVP730 RSM	PMMN4142A	1	Each	
665	APX SmartConnect N30/N50 1 YEAR	SSV01S01663A	1	Each	
666	APX SmartConnect N30/N50 2 YEAR	SSV01S01663A	1	Each	
667	APX SmartConnect N30/N50 3 YEAR	SSV01S01663A	1	Each	
668	APX SmartConnect N30/N50 4 YEAR	SSV01S01663A	1	Each	
669	APX SmartConnect N30/N50 5 YEAR	SSV01S01663A	1	Each	