



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

August 22, 2024

ADDENDUM # 1

Bid Number: 50-00145792

Bid Due Date: August 22, 2024
Bid Opening Postponed to: September 5, 2024

Two (2) Year Contract for a Supply of SDR 35 Fitting and Flexible Coupling for the Department of Sewerage, and all Jefferson Parish Agencies and Municipalities.

Revision:

- Unit of measure for line item number 63 was changed to "EA"
- Remove the Bid Form in its entirety, and replace with the attached Revised Bid Form per Addendum #1.

****THE BID OPENING HAS BEEN POSTPONED TO SEPTEMBER 5, 2024 AT 2:00PM****

****PLEASE SEE THE REVISED BID FORM ATTACHED. YOU MUST USE THIS BID FORM FOR YOUR SUBMISSION****

*****PLEASE REMEMBER TO ACKNOWLEDGE THIS ADDENDUM BY NUMBER ON YOUR BID SUBMISSION****

Sincerely,

A handwritten signature in blue ink, appearing to read "Ruby Tran".

Ruby Tran, Purchasing Specialist II
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form by indicating the addendum number listed above. Failure to list each addenda number on the bid form will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

JOSEPH S. YENNI BUILDING - 1221 ELMWOOD PARK BLVD - SUITE 404 - JEFFERSON, LA 70123 - PO BOX 10242 JEFFERSON, LA 70181-0242
OFFICE 504.364-2678

GENERAL GOVERNMENT BUILDING - 200 DERBIGNY ST - SUITE 4400 - GRETNA, LA 70053 - PO BOX 9 - GRETNA - LA 70054
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.GOV

WEBSITE: WWW.JEFFPARISH.GOV

DATE: 8/22/2024

Page: 6

BID NO.: 50-00145792

BID FORM
Non Public Works**All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form**

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO _____

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: _____

ADDRESS: _____

CITY, STATE: _____ ZIP: _____

TELEPHONE: () _____ FAX: () _____

EMAIL ADDRESS: _____

In the event that addenda are issued with this bid, bidders **MUST** acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ _____

AUTHORIZED

SIGNATURE: _____

Printed Name _____

TITLE: _____

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

DATE: 8/22/2024

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145792

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TWO (2) YEAR CONTRACT FOR SUPPLY OF SDR 35 FITTINGS AND FLEXIBLE COUPLING FOR THE DEPARTMENT OF SEWERAGE, AND ALL JEFFERSON PARISH AGENCIES AND MUNICIPALITIES		
1	5.00	EA	0001 - 4 inch WYES 45 Degrees (All Bell) SDR-35	\$	\$
2	2.00	EA	0002 - 4 Inch 45 Degree Bends (B&B) SDR-35	\$	\$
3	15.00	EA	0003 - 4 Inch 22-1/2 Degree Bends (B&S) SDR-35	\$	\$
4	2.00	EA	0004 - 4 Inch 45 Degree Bends (B&S) SDR-35	\$	\$
5	48.00	EA	0005 - 4 Inch 90 Degree Bends SDR-35	\$	\$
6	15.00	EA	0006 - 4 Inch 90 Degree Bends (B&S) SDR-35	\$	\$
7	440.00	EA	0007 - 6 inch WYES 45 Degrees (All Bell) SDR-35	\$	\$
8	260.00	EA	0008 - 6 Inch Caps (Plastic Only) SDR-35	\$	\$
9	1.00	EA	0009 - 6 Inch x 6 Inch x 6 Inch Tees (All Bell) SDR-35	\$	\$
10	420.00	EA	0010 - 6 Inch 45 Degree Bends (B&S) SDR-35	\$	\$
11	2.00	EA	0011 - 6 inch 90 Degree Bends (B&B) SDR-35	\$	\$
12	60.00	EA	0012 - 8 Inch WYES 45 Degrees (All Bell) SDR-35	\$	\$

DATE: 8/22/2024

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145792

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
13	2.00	EA	0013 - 8 Inch x 8 Inch x 6 Inch Tees (All Bell) SDR-35	\$ _____	\$ _____
14	2.00	EA	0014 - 8 Inch x 8 Inch x 8 Inch Tees (All Bell) SDR-35	\$ _____	\$ _____
15	2.00	EA	0015 - 8 Inch Caps (Plastic Only) SDR-35	\$ _____	\$ _____
16	2.00	EA	0016 - 8 Inch 45 Degree Bends (B&S) SDR-35	\$ _____	\$ _____
17	2.00	EA	0017 - 8 Inch 45 Degree Bends SDR-35	\$ _____	\$ _____
18	2.00	EA	0018 - 8 Inch 90 Degree Bends (B&S) SDR-35	\$ _____	\$ _____
19	2.00	EA	0019 - 10 Inch 45 Degree Bends (B&S) SDR-35 Solid Wall	\$ _____	\$ _____
20	2.00	EA	0020 - 10 Inch x 6 Inch Saddles SDR-35 Solid Wall	\$ _____	\$ _____
21	2.00	EA	0021 - 10 Inch x 6 Inch Tees (All Bell) SDR-35 Solid Wall	\$ _____	\$ _____
22	4.00	EA	0022 - 12 Inch x 45 Degree Bends (B&S) SDR-35 Solid Wall	\$ _____	\$ _____
23	2.00	EA	0023 - 12 Inch x 6 Inch Saddles SDR-35 Solid Wall	\$ _____	\$ _____
24	40.00	EA	0024 - Flexible Couplings (Fernco or Equal) 4 Inch x 4 Inch PVC to PVC	\$ _____	\$ _____
25	2.00	EA	0025 - 4 Inch x 2 Inch PVC to PVC	\$ _____	\$ _____

DATE: 8/22/2024

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145792

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
26	2.00	EA	0026 - 4 Inch x 4 Inch Dickey Clay to PVC/CI	\$ _____	\$ _____
27	75.00	EA	0027 - 4 Inch x 6 Inch Dickey Clay to PVC CI Fernco	\$ _____	\$ _____
28	125.00	EA	0028 - 6 Inch x 4 Inch PVC to PVC	\$ _____	\$ _____
29	2.00	EA	0029 - 6 Inch x 4 Inch Dickey Clay to PVC CI	\$ _____	\$ _____
30	2.00	EA	0030 - 6 Inch x 4 Inch Concrete to PVC CI	\$ _____	\$ _____
31	48.00	EA	0031 - 6 Inch x 6 Inch Concrete to PVC/CI	\$ _____	\$ _____
32	16.00	EA	0032 - 6 Inch x 6 Inch Dickey Clay to Dickey Clay	\$ _____	\$ _____
33	195.00	EA	0033 - 6 Inch x 6 Inch Dickey Clay PVC/CI	\$ _____	\$ _____
34	24.00	EA	0034 - 6 Inch x 6 Inch Concrete to Concrete	\$ _____	\$ _____
35	25.00	EA	0035 - 6 Inch x 6 Inch AC to PVC/CI	\$ _____	\$ _____
36	25.00	EA	0036 - 6 Inch x 6 Inch PVC to PVC	\$ _____	\$ _____
37	75.00	EA	0037 - 8 Inch x 6 Inch Dickey Clay to PVC/CI	\$ _____	\$ _____
38	15.00	EA	0038 - 8 Inch x 6 Inch PVC to PVC	\$ _____	\$ _____
39	2.00	EA	0039 - 8 Inch x 6 Inch AC to PVC/CI Fernco	\$ _____	\$ _____

DATE: 8/22/2024

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145792

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
40	2.00	EA	0040 - 8 Inch x 8 Inch Dickey Clay to Dickey Clay	\$	\$
41	16.00	EA	0041 - 8 Inch x 8 Inch Dickey Clay to PVC/CI	\$	\$
42	25.00	EA	0042 - 8 Inch x 8 Inch Concrete to Concrete	\$	\$
43	15.00	EA	0043 - 8 Inch x 8 Inch AC to PVC/CI Fernco	\$	\$
44	40.00	EA	0044 - 8 Inch x 8 Inch PVC to PVC	\$	\$
45	2.00	EA	0045 - 8 Inch x 8 Inch Concrete to PVC/CI	\$	\$
46	2.00	EA	0046 - 10 Inch x 10 Inch Dickey Clay to Dickey Clay	\$	\$
47	10.00	EA	0047 - 10 Inch x 10 Inch PVC/CI to PVC/CI	\$	\$
48	10.00	EA	0048 - 10 Inch x 10 Inch Dickey Clay to PVC/CI Fernco	\$	\$
49	2.00	EA	0049 - 10 Inch x 10 Inch Concrete (CC) to PVC/CI	\$	\$
50	6.00	EA	0050 - 10 Inch x 10 Inch AC to PVC/CI Fernco	\$	\$
51	2.00	EA	0051 - 12 Inch x 12 Inch Dickey Clay to Dickey Clay	\$	\$
52	2.00	EA	0052 - 12 Inch x 12 Inch PVC/CI to PVC/CI	\$	\$

DATE: 8/22/2024

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145792

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
53	2.00	EA	0053 - 12 Inch x 12 Inch Dickey Clay to PVC/CI	\$ _____	\$ _____
54	2.00	EA	0054 - 12 Inch x 12 Inch Concrete to PVC/CI Fernco	\$ _____	\$ _____
55	2.00	EA	0055 - 12 Inch x 12 Inch Concrete to Concrete	\$ _____	\$ _____
56	2.00	EA	0056 - 12 Inch x 12 Inch AC to PVC/CI Fernco	\$ _____	\$ _____
57	2.00	EA	0057 - 15 Inch x 12 Inch Dickey Clay to PVC/CI Fernco	\$ _____	\$ _____
58	10.00	EA	0058 - 15 Inch x 15 Inch Concrete to PVC/CI	\$ _____	\$ _____
59	36.00	EA	0059 - 15 Inch x 15 Inch PVC/CI to PVC/CI	\$ _____	\$ _____
60	4.00	EA	0060 - 15 Inch x 15 Inch Dickey Clay to PVC/CI	\$ _____	\$ _____
61	4.00	EA	0061 - 18 Inch x 18 Inch Dickey Clay to PVC/CI Fernco	\$ _____	\$ _____
62	2.00	EA	0062 - 18 Inch x 18 Inch AC to PVC/CI Fernco	\$ _____	\$ _____
63	1.00	EA	0063 - Pipe, 24 in x 14 ft, SDR-35, gasketed, bell x spigot	\$ _____	\$ _____
64	2.00	EA	0064 - T Cone Expandable Pipe Plug, 4 Inch, Dickey Brand ETCO No. S-401 or Equal, ETCO No. ST-401	\$ _____	\$ _____

DATE: 8/22/2024

Page 12

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145792

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
65	382.00	EA	<p>**Sioux Chief No. 882-ST402**</p> <p>0065 - T Cone Expandable Pipe Plug, 6 Inch, Dickey Brand ETCO No. S-601</p> <p>or Equal, ETCO No. ST-601</p> <p>**Sioux Chief No. 882-ST602**</p>	<p>\$ _____</p>	<p>\$ _____</p>
66	2.00	EA	<p>0066 - 6 Inch PVC Backflow Preventer Plaster Trends No. P0106, NDS 675P</p> <p>**Sioux Chief No. 869-6P**</p>	<p>\$ _____</p>	<p>\$ _____</p>
67	2.00	EA	<p>0067 - 4 Inch PVC Backwater Valve NDS 475P or Equal, NDS 475P</p> <p>**Sioux Chief No. 869-S4APK**</p>	<p>\$ _____</p>	<p>\$ _____</p>