

Bid Number <u>50-00145985</u>

Purchase of Pump Equipment for the Jefferson Parish Department of Sewerage

BID DUE: September 5, 2024 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

Jefferson Parish Purchasing Department 200 Derbigny Street General Government Building, Suite 4400 Gretna, LA 70053

Purchasing Specialist: Ruby Tran Email: ruby.tran@jeffparish.gov

Phone: 504-364-2687

PURCHASE OF SUMERSIBLE SEWAGE PUMPS

FOR THE JEFFERSON PARISH DEPARTMENT OF SEWERAGE

PART 1: GENERAL

1.01 SCOPE OF WORK

- A. Bidder shall quote on furnishing one (1) 8", 100 horsepower, submersible, explosion proof, solids handling sewage pump, with integral non-sparking guide rail interface bracket as specified herein. The pump shall be a direct replacement for any of the existing three (3) 8", 100HP, Fairbanks Morse pumps, or approved equal, and existing 8" x 10" discharge elbows. The new pump shall be identical in every way to the existing pumps including dimensions, weights, hydraulic performance, parts interchangeability and materials of construction. Potential bidders shall include with their bid sufficient information to evaluate the proposed equipment along with all notations of any deviations from the standards and requirements of this specifications. The owner reserves the right to reject any and all bids for any reason including, incomplete data or non-conformance.
- B. All equipment and auxiliaries shall be new and furnished as required for an installation incorporating the highest standards for this type of service. Also included shall be supervisory services during installation and field testing of each unit and instructing the regular operating personnel in the proper care, operation and maintenance of the equipment.

1.02 QUALITY ASSURANCE

- A. The manufacturer shall supervise the installation and operation of the pumping system including the pumps as specified.
- B. The equipment covered by these specifications is intended to be standard pumping equipment of proven ability as manufactured by concerns having extensive experience in the production of such equipment. Units specified herein shall be furnished by a single manufacturer. The equipment furnished shall be designed and constructed to operate satisfactorily when installed onto the existing pump base elbows.
- C. Pumps shall be manufactured in accordance with the Hydraulic Institute Standards, except where otherwise specified herein.
- D. Pumps of the same type to be furnished under this Section shall be the products of a single manufacture. All pumps shall be designed for 24-hour continuos operation. The pumps shall be assembled in the USA and manufactured by:

1. Fairbanks Morse Pump Co. Kansas City, KS. or approved equal.

- E. The rated horsepower of the drive unit shall be such that the unit will not be overloaded or the service factor reduced when the pump is operated at any point on the pump's recommended capacity curve.
- F. The pump and motor shall be designed and built for 24 hour continuous service at any and all points within the required range of operation, without overheating, without cavitation, and without excessive vibration or strain. All parts shall be so designed and proportioned as to have liberal strength, stability and stiffness and to be especially constructed to meet the specified requirements. Ample room and facilities shall be provided for inspection, repairs and adjustments.

1.03 SYSTEM DESCRIPTION

A. All of the equipment included herein is intended to be standard for submersible, 24-hour continuous operation uses in wastewater treatment.

1. Subrban Canal and Veterans Blvd. Pump Sation

Number of new pumps: 1

Configuration: Submersible

Design Capacity and Head: 2,435 GPM at 86 feet TDH

Min. Efficiency at Design capacity: 78%

Min. Secondary Capacity and Head: 2,950 GPM at 75 feet TDH

Min. Efficiency at Secondary Conditions: 78%

Min Run out Capacity: 3,670 GPM at 60 feet TDH

Min. efficiency at run out capacity: 70%

Drive: VFD

Pump Speed at Design Capacity: 1175 rpm Max.

Minimum Solid Size: 4.00 inches

Impeller Type: Solids Handling, 2-Vane

Minimum Shut-Off Head: 130 feet

Minimum Motor Hp: 100 HP

Motor Type: Submersible Explosion Proof

Power Cable Length: 50 feet

1.04 MAINTENANCE

A. Furnish all special tools required for the proper servicing of all equipment. All such tools shall be furnished in a suitable steel tool chest complete with lock and duplicate keys.

1.05 DELIVERY, STORAGE AND HANDLING

- A. All parts shall be properly protected so that no damage or deterioration will occur during a prolonged delay from the time of shipment until installation is completed and the unit and equipment are ready for operation.
- B. All equipment and parts must be properly protected against any damage during shipment. Store equipment in accordance with the manufacturer's instruction.
- C. Factory assembled parts and components shall not be dismantled for shipment unless permission is received in writing from the Engineer.
- D. The finished surfaces of all exposed flanges shall be protected by wooden or equivalent blank flanges, strongly built and securely bolted thereto.
- E. Finished iron or steel surfaces not painted shall be properly protected to prevent rust and corrosion.

1.06 PATENTS

- A. The manufacturer shall be responsible for all patents or licenses that exist on the equipment that to be provided.
- B. The manufacturer shall assume all cost of patent fees or licenses for the equipment or process; and shall safeguard and save harmless the Parish from all damages, judgements, claims and expenses arising from license fees, or claimed infringement of any letter, patents, or patent rights, or fees for the use of equipment or process, structural feature or arrangement of any component parts of the installation; and the bid price shall be deemed to include payment of such patent fees, licenses or other cost pertaining thereto.

1.07 EQUIPMENT FIELD TESING

A. After all the equipment has been installed and the submersible pump is ready to be Placed into operation, the pump company's factory representative shall test the pump for proper operating limits. All tested values shall be recorded and provided to the owner for their future reference and use.

1.09 WARRANTY

A. The equipment shall be warranted for a period 18 months from shipment or 12 months from stat up whichever occurs first.

PART 2: PRODUCTS

2.01 GENERAL

- A. The pumping unit shall all be supplied by a factory authorized agent for the specified brand and shall be complete including pump, motor and appurtenances. The pump and motor shall be assembled in the USA and shall be noted as such on the SS pump manufacturers tag.
- B. The pump and motor shall be designed and built for 24-hour continuous service at any and all points within the required range of operation, without overheating, without cavitation, and without excessive vibration or strain. All parts shall be so designed and proportioned as to have liberal strength, stability and stiffness and to be especially constructed to meet the specifications.
- C. Each major piece of equipment shall be furnished with a stainless-steel nameplate (with embossed data) securely mounted to the body of the equipment. As a minimum, the nameplate for the pump shall include the manufacturer's name and model number, serial number, rated flow capacity, head, speed and all other pertinent data. As a minimum, nameplates for motors shall include the manufacturer's name and model number, serial number, horsepower, speed, input voltage, amps, number of cycles, power and service factors and point of assembly.
- D. All electrical materials and equipment shall be Underwriters Laboratories Inc. listed, and NEMA rated.

2.02 CONDITIONS OF OPERATION

- A. The pump shall be a totally submersible pump as listed in the table and manufactured by Fairbanks Morse Pump Company. The supplied pump must be able to fit into the existing opening and seat onto the existing base elbows with no modifications. The supplied pump shall be identical in hydraulic and electrical performance to the three (3) existing Fairbanks Morse Pumps.
- B. Each pump shall be designed for the conditions of service listed in these specifications. Where total head (TH) is referred to in conjunction with the specified discharge requirements, it shall be understood to consist of the sum of the pressure head plus the velocity head, in feet, at the discharge nozzle of the pump minus the pressure head and the velocity head at the suction nozzle of the pump. The efficiency of the pump shall be understood to be based upon total head as just defined.

2.03 PUMP CONSTRUCTION

- A. The impeller shall be balanced solids handling type made of close-grained cast iron conforming to ASTM A48 Class 30. The impeller shall be of one piece; single suction, enclosed, two blade radial flow design with well-rounded leading vanes and then tapered toward the trailing edge for a circular flow pattern. The waterways through the impeller will have extremely smooth contours, devoid of sharp corners so as to prevent rags or stringy, fibrous material from catching or clogging. The clearance between the full diameter impeller outside diameter and cutwater shall be capable of passing a solid sphere as listed in these specifications. The impeller is to be balanced and secured to the shaft by means of a bolt, washer, and key. The arrangement shall be such that the impeller cannot be loosened from torque in either forward or reverse rotation. Wiper vanes on the back impeller shroud are not allowed.
- B. The volute shall be matched to the impeller and made of close-grained cast iron conforming to ASTM A48 Class 30. The volute is to be of one-piece circular constant flow, equalizing pressure design with smooth fluid passages large enough to pass any size solid that can pass through the impeller. The volute shall be centerline discharge. The pump discharge elbow interface shall be integral to the volute and not a bolt on sealing flange.
- C. A separately cast close-grained cast iron back head conforming to ASTM A48 Class 30 shall be provided.
- D. The pump shaft shall be 416 Stainless Steel of sufficient diameter to carry the maximum loads imposed and to prevent vibration and fatigue. The shaft shall be accurately machined along its entire length and precision ground at bearing locations. Radial bearings and thrust bearing shall be grease lubricated designed to carry the hydraulic radial loads encountered in the service conditions. Bearing shall be designed for a nominal L10 life of 100,000 hrs. per AFBMA at best efficiency point.
- E. The pump shall be supplied with a non-sparking slide bracket designed to lower the pump along (2) existing 2" SS guide rails and fit directly onto the existing 8" X 10" discharge elbows.
- F. The volute casing, back head, and frame shall be manufactured with concentric shoulder fits to assure accurate alignment. All machine bolts, nuts, and cap screws shall be stainless steel.
- G. Pump shall be provided with impeller and volute axial type wear rings. Impeller wear ring shall be 300-350 BHN 400 series stainless; the volute shall have wear rings of 410-484 BHN.

2.04 PUMP DRIVE SYSTEM

A. Each submersible solids handling pump shall be driven by a completely sealed, electric submersible squirrel cage induction motor, inverter duty rated per NEMA MG 1, revision 3 part 31, section 31.40.4, rated for use with VFD's. The motor nameplate horsepower rating shall not be exceeded by the brake horsepower requirements of the specified head and capacity requirements. Motor shall be suitable for operation in an environment.

- B. The submersible motor shall be U.L. Listed for Class 1, Division 1, Group C & D explosion proof location as defined by the National Electric Code. All electrical components shall be housed in an air-filled, cast iron, watertight enclosure that is sealed by the use of O-rings and shall have rabbet joints with an extra overlap. The pump shall be supplied with 50' of flexible UL approved electrical motor and sensor cables.
- C. The stator winding and lead shall be insulated for continuous duty in 40 C rise liquids. The motor shall be designed for continuous duty capable of minimum of ten (10) starts per hour. The motor shaft shall be 416 stainless steels; the rotor to be dynamically balanced to meet NEMA vibration limits; all hardware to be stainless steel. Cable leads are to allow the connection of a cable to the motor, to be accomplished in the field without soldering cable. All leads are to be sealed and designed to prevent cable wicking to conduit box located on top of the motor. Individual wires shall have the insulation removed and epoxy potted to prevent wicking into the motor area. Grommets or similar compression only systems are not allowed.
- D. Each pump shall be provided with a tandem mechanical rotation shaft seal system. The upper seal shall be hydraulically balanced incorporating a non clogging polymeric body acting as a spring mechanism with high grade carbon vs. 99.5 % ceramic faces lapped to within 3 helium light bands. The seal shall be installed using a snap ring on the polymeric body and a positive locator machined in the ID of the polymeric body. All O-rings shall be high temperature FKM O-rings. The lower seal shall be of similar construction with the faces materials being silicon carbide vs. tungsten carbide lapped to within 3 helium light bands. Seals using a conventional metal spring will not be allowed.

2.05 SHOP TESTS

- A. Each pump, at the discression of the owner, shall undergo a factory hydraulic performance test prior to shipment. This test shall be conducted in the same facility as the pump's point of manufacture. This hydraulic test may be witnessed at the discression of the owner or the owners representative. A ten (10) day notice shall be given before the date of hydraulic testing.
 - A complete test report for each pump, including certified characteristic curves of the pump, consisting of at least all information required in Paragraph 1.05. These certified copies of the hydraulic test report, shall be submitted and approved by the owner before the pumps are permitted to be shipped.
- B. Pump being furnished under these specifications shall be factory tested in accordance with the latest edition of the Hydraulic Institute Standards. Certified copies of the Hydraulic Test Report shall be supplied prior. Notification of such test and a list of test equipment and procedures shall be furnished to the Owner at least ten working days before the schedule test date.
 - 1. Pump shall be tested and data recorded at its operating conditions of service as listed in Paragraph 1.05 and the pump shall be tested and data recorded for five (5) different operating points including shut-off head. Sufficient test point readings shall be made to establish complete head flow capacity, efficiency and brake horsepower curves for each pump.

2. All gauges and other test instruments shall be calibrated within 30 days of the scheduled test and certified calibration data shall be provided. All Venturi flow meters shall be calibrated within two years of the scheduled test and certified calibration data shall be provided.

2.07 SURFACE PREPARATION AND SHOP PRIME PAINTING

A. Each piece of equipment in the pumping system including pump, motor and elbow shall be prepared and shop-primed. The shop primer shall be compatible with the finished paint.

PART 2: PREPARATION

3.01 GENERAL

- A. Coordinate with other trades, equipment and systems to the fullest extent possible.
- B. Take all necessary measurements in the field to determine the exact dimensions for all work and the required sizes of all equipment under this contract. All pertinent data and dimensions shall be verified.

3.02 FIELD TESTS

A. In the presence of the owner, the supplier shall conduct such tests as necessary to indicate that the pumps and motors generally conform to the efficiencies and operating conditions specified herein. A ten-day operating period of the pumps will be required before acceptance. If the pump performance does not meet these specifications, corrective measures shall be taken within ten (10) days or the pump shall be removed and replaced with the specified pump which satisfies the conditions of these specifications at no expense to the owner.

3.03 QUALIFICATIONS AND SERVICE

A. The pump bidder must be listed as a factory authorized service center, for the brand they are bidding and be capable of completely servicing the proposed pumps within one (1) hour of the project site. The pump bidder must own and operate a direct factory service center and stocking facility capable of completely servicing and suppling spare parts for the proposed pumps within one (1) hour of the project site. The bidder's factory service center/stocking facility shall be available for Jefferson Parish inspection on a twenty-four (24) hour prior notice. The bidders service center must have at minimum three (3) full time, factory trained mechanics capable and certified to service the equipment being offered.

DATE: 8/14/2024 BID NO.: 50-00145985

PURCHASING DEPARTMENT

P.O. BOX 9 GRETNA, LA. 70054-0009 504-364-2678 PURCHASING SPECIALIST: RUBY.TRAN@jeffparish.gov

Page:

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 9/05/2024 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE AND MUST PROVIDE PROOF OF THE SECURED SIGNATURE WITH BID SUBMISSION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 136353 and/or Resolution No. 141125 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from http://www.jeffparish.gov/464/Purchasing and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the Purchasing Specialist's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

BID NO.: 50-00145985 Page: 2

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge any Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website http://www.jeffparish.gov/464/Purchasing or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website http://www.jeffparish.gov/464/Purchasing or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

- B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.
- C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

BID NO.: 50-00145985 INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Page:

3

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at http://www.jeffparish.gov/464/Purchasing.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 136353 or 141125 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at http://www.jeffparish.gov/464/Purchasing and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW. IF THE NUMBER IS NOT SPECIFIED IN THIS BOX, IT IS NOT APPLICABLE FOR THIS BID.

10, 13, 15

- All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
- Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
- Contractor must hold current applicable JEFFERSON PARISH licenses with the Department Building Permits.Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Building Permits. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable municipality, Federal and State licenses. Contractor shall be responsible for the payment of these

and shall obtain them prior to the start of the project.

BID NO.: 50-00145985 Page: 4

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.

- 5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
- 6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
- 7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
- NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the
 contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the
 contract.
- NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
- 10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Any deviation from the Standard Insurance Requirements must be requested in writing prior to bid opening. Written approval for any deviation, must be submitted with your bid submission. Failure to comply with this instruction will result in bid rejection.
- 11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
- 12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
- 13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
- 14. PUBLIC WORKS BIDS Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

BID NO.: 50-00145985 Page: 5

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

- 16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications per the appendix instructions will result in bid rejection.
- 17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

BID NO.: 50-00145985

Are you requesting an escalation provision?

BID FORMNon Public Works

Page: 6

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

	YES	NO				
	MAXIMUM ESCALATION	I PERCENTAGE REQUE	STED	%		
	INITIAL BID PRICES WIL	L REMAIN FIRM THROU	JGH THE DAT	E OF		
escalation percentage qu will be used to calculate to	oted by the bidder to the pe	eriod to which it is appli assumed,for comparise	ed in the bid.	rson Parish will apply the maximum The initial price and the escalation nly, that an equal amount of materia		
DELIVERY: F	OB JEFFERSON I	PARISH				
INDICATE DELIV	INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES					
LOUISIANA (LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable)					
THIS SECTION N	IUST BE COMPLE	TED BY BIDDER	:			
FIRM NAME:						
ADDRESS:						
CITY, STATE:			ZIP:			
TELEPHONE: ()		FAX: ()		
EMAIL ADDRESS:						
acknowledge receipt	enda are issued with this bi t of an addendum on the bi e bid form will result in bid	d form by placing the ac	wledge all add Idendum num	denda on the bid form.Bidder must ber as indicated. Failure to acknow	ledge	
Acknowledge Receip	t of Addenda: NUMBER: _					
	NUMBER:					
	NUMBER: _					
	NUMBER: _					
TOTAL PRICE OF	ALL BID ITEMS: \$					
AUTHORIZED						
SIGNATURE:						
TITLE:			_	Printed Name		

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

BID NO.: 50-00145985

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

7

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF PUMP EQUIPMENT FOR THE JEFFERSON PARISH DEPARTMENT OF SEWERAGE		
1	1.00	EA	0001 - PUMP, 8 INCH, D5434LMV WITH 50 FOOT CORD, 100 HP, 460/3/60, 1185 RPM, EXPLOSION-PROOF, HIGH EFFICIENCY SUBMERSIBLE SOLIDS HANDLING SEWERAGE PUMP AND MOTOR WITH 8 INCH DISCHARGE TO MATCH THE EXISTING PUMPS DIMENSIONS, DISCHARGE ELBOWS AND HYDRAULICS	\$	\$\$
			**** PER ATTACHED SPECIFICATIONS ****		
			DELIVER TO: EAST BANK SEWERAGAE DEPT. 4901 JEFFERSON HWY, STE B JEFFERSON, LA 70121		

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF INCORPORATED. AT THE MEETING OF DIRECTORS OF INCORPORATED, DULY NOTICED AND HELD ON A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT WAS: , BE AND IS HEREBY RESOLVED THAT APPOINTED. CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES, DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES, CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-FACT. I HEREBY CERTIFY THE FOREGOING TO BE A TRUE AND CORRECT COPY OF AN EXCERPT OF THE MINUTES OF THE ABOVE DATED MEETING OF THE BOARD OF DIRECTORS OF SAID CORPORATION, AND THE SAME HAS NOT BEEN REVOKED OR RESCINDED. SECRETARY-TREASURER **DATE**

Non-Public Works Bid Affidavit Instructions

- Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.
- Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.
- Affidavit must be notarized or the affidavit will not be accepted.
- Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.
- Affiant MUST select either A or B when required or the affidavit will not be accepted.
- Affiants who select choice A must include an attachment or the affidavit will not be accepted.
- If both choice A and B are selected, the affidavit will not be accepted.
- Affidavit marked N/A will not be accepted.
- It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF	
PARISH/COUNTY OI	?
BEFORE ME, th	ne undersigned authority, personally came and appeared:
,	(Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully author	rized of (Entity),
the party who submitted	a bid in response to Bid Number, to the Parish of
Jefferson.	
Affiant further said:	
Campaign Contribution	<u>Disclosures</u>
(Choose A or B, if o	ption A is indicated please include the required
attachment):	
Choice A	Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.
Choice B	there are <u>NO</u> campaign contributions made which would require disclosure under Choice A of this section.

Page 1 of 3 Updated: 02.27.2014

Debt Disclosures

(Choose A <u>or</u> B, if option A is indicated please include the required attachment):

Choice A	Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.
Choice B	There are NO debts which would require disclosure under Choice A of this section

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

Page 2 of 3 Updated: 02.27.2014

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

	Signature of Affiant
	Printed Name of Affiant
SWORN AND SUBSCRIBED TO BEFORE	E ME
ON THE DAY OF,	20
Notary Public	-
Printed Name of Notary	-
	_
Notary/Bar Roll Number	
My commission expires	

Page 3 of 3 Updated: 02.27.2014

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 136353 or No. 141125, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or her designee, with the concurrence of the Director of Risk Management or her designee, may agree on a case-by- case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. **Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date.** Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause the bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name the Parish of Jefferson, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

WORKER'S COMPENSATION INSURANCE

As required by Worker's Compensation Law of the State of the Contractor's headquarters. Employer's Liability is included, with minimum limits of \$500,000 per occurrence, except it shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act.

With a Waiver of Subrogation in favor of The Parish of Jefferson, its Districts, Departments, Agencies and Employees under the direction of the Parish President and the Parish Council, and any other entities who may require waivers by specific contract.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the

bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

Limits of not less than the following: \$1,000,000.00 Combined Single Limit Per Occurrence; 2 million General Aggregate for bodily injury and property damage.

With a Waiver of Transfer of Rights of Recovery Against Others to Us in favor of The Parish of Jefferson, its Districts, Departments, Agencies and Employees under the direction of the Parish President and the Parish Council.

BUSINESS AUTOMOBILE LIABILITY

Limits of not less than the following: Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence. Property Damage Liability \$1,000,000.00 each occurrence. Liability coverage to be provided for Any Auto or for ALL Owned Autos and Hired and Non-owned Autos.

With a Waiver of Transfer of Rights of Recovery Against Others to Us in favor of The Parish of Jefferson, its Districts, Departments, Agencies and Employees under the direction of the Parish President and the Parish Council.

Note: This category may be omitted if bidders do not/will not utilize vehicles for the project AS DETERMINED BY Risk Management and Parish Attorney's Office after properly requesting a deviation as discussed above. Bidder must request a deviation prior to bid opening and may be given an automobile insurance declaration affidavit to execute. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

<u>DEDUCTIBLES</u> - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

<u>UMBRELLA LIABILITY COVERAGE</u> - An umbrella policy or excess may be used to meet minimum requirements. Certificate of Insurance must state which coverage the Umbrella sits over.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required if selected below. Such insurance is due upon contract execution.

☐ OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

□ BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.