

ATTACHMENT B

RFx number: 3000024634

Contract Title: Harley Davidson Motorcycles – DPS

Specifications

1. Model Year:

Motorcycles shall be new, of current manufacture, and production models. Production schedule for model year bid shall be provided with bid. Updates to the production schedule shall be submitted within one week of manufacturer publishing.

2. Emissions Standards:

In order to be considered for an award, all vehicles, unless specified herein, must be approved for delivery in the 48 continental United States.

3. Louisiana Safety Inspection Sticker

Do not include the cost of the safety inspection in your bid price. Applicable Safety Inspection Sticker cost, as determined by LA Dept. of Motor Vehicles (DMV) guidelines, will be added to awarded lines, based on the parish in which the Dealer is domiciled. Two Year new vehicle Safety Inspection Stickers will be required for participating Dealers, in participating parishes. One Year Safety Inspection Stickers will be required for all other vehicles not covered above. Dealers located in Orleans Parish will have the cost of an East Baton Rouge Parish Inspection Sticker added to awarded lines (\$18).

Dealership domiciled in _____ Parish.

- Dealership authorized to issue LA new vehicle 2 Year Safety Inspection Sticker.
- Dealership authorized to issue LA 1 Year Safety Inspection Sticker
- Dealership is not authorized to issue, but will obtain a 1 Year sticker prior to delivery of vehicles.

4. Pre-Delivery Servicing and Adjustment

- a. Dealer shall not attach any Dealer identification advertising or similar material to the motorcycle.
- b. The motorcycle shall be clean and free from defects when delivered.
- c. Prior to acceptance by the State, the Dealer shall service and adjust each motorcycle for operational use, to include as a minimum, the following:
 - i. A Louisiana temporary license plate
 - ii. A Louisiana safety inspection sticker
 - iii. All motorcycles will be delivered with a fuel gauge digital readout indicating minimum 40 miles to empty.
 - iv. Focusing of lights
 - v. Tuning of engine
 - vi. Adjustment of accessories
 - vii. Checking of electrical, braking and suspension systems
 - viii. Charging of battery

- ix. Alignment of front end
- x. Inflation of tires
- xi. Balancing of all wheels
- xii. Complete lubrication of engine, chassis and operating mechanisms with recommended grades of lubricants for the ambient air temperature at the point of delivery.
- xiii. All fluids filled to OEM's recommended capacity

5. Documents

Each vehicle shall be delivered with complete certification of origin, odometer disclosure statement, tag application, warranty, owner's manual, copy of Dealer's inspection and service check sheet and any other necessary credentials. Dealer will supply the Agency with at least one copy (printed or electronic) of technical information, manuals, service manuals, suggested time schedule/flat rate manual, parts list, special parts list and bulletins related to each make and model of vehicle(s) purchased at Dealer's invoice cost. Dealer must set up notification through OEM to same Agency for receiving new bulletins, vehicle updates, service alerts or recalls.

6. All applicable requirements and standards of the Environmental Protection Agency regulations, Federal Motor Vehicle Safety Standards, Federal Motor Carrier Safety Administration regulations and Tire and Rim Association Inc. that are in effect on the date of manufacture, shall apply. Vehicle(s) furnished to meet indicated specifications, including all equipment and accessories, shall comply with the regulations applicable to current model year vehicle: Title 49, Code of Federal Regulations, Chapter iii, Federal Highway Administration, Department of Transportation and State of Louisiana highway regulatory laws.

All vehicles shall be approved and marketed by the OEM. Full OEM literature, parts, service, technical support and warranties shall be available.

7. Warranty

All vehicles procured under these specifications shall be fully warranted against defective materials or workmanship by the OEM program for a period of not less than 36 months or 60,000 miles from date of delivery and acceptance. However, if additional warranty coverage on the whole or any components of the vehicle, in the form of time and/or mileage including any pro rata arrangements, is normally extended to commercial customers, the State shall receive corresponding warranty benefits.

8. Standard Equipment

- A. All vehicles offered under this solicitation shall be equipped with all OEM equipment advertised as "standard fleet equipment", unless otherwise specified herein, and should be installed through OEM program.
- B. Deletions from "standard equipment" will not be accepted, unless otherwise specified.
- C. In the specifications, where standard equipment is listed, items less than standard equipment will not be accepted, unless otherwise specified.

Motorcycle Specifications: Harley Davidson Road King (FLHP)

Exterior: Birch White

Highlights:

- Mechanical Adjustable Actuation Clutch
- Limited 3 year, 60,000 mile factory warranty
 - Police Duty use only
 - Fully Transferable
 - Expires at 3 years or 60,000 miles, whichever comes first

Model Unique Features

- RDRS Rider Safety Enhancements
 - Cornering Enhance ABS (C-ABS)
 - Cornering Enhance Electronic Linked Braking (C-ELB)
 - Cornering Enhance Traction Control System (C-TCS)
 - Drag-Torque Slip Control System (DSCS)
 - Vehicle Hold Control (VHC)
 - Tire Pressure Monitoring System (TPMS)
- Fan-assisted oil cooler
- Floating, dual-front open brake rotors
- 2-1-2 exhaust with dual tapered mufflers
- Dual law enforcement blue license plate marker lamps (OEM standard)
- Pivoting footboards with heel/toe shift lever
- Dual halogen headlight
- Reflex Linked Brembo Brakes with ABS
- 4-piston front and rear caliper
- Trigger switch activation allows approx. 15 minutes of power to police emergency equipment with ignition off
- Independent hazard warning switch
- Emergency light switch with four functions and individual indicator lights for: Off, Both Front and Rear On, Front On only, Rear On only
- Saddlebags with One-Touch latch, standard saddlebag guard and luggage locks, common with ignition key

Dimensions

- Length: 96.5 in.
- Overall Width: 37 in.
- Overall Height: 56.3 in.
- Seat Height: Laden 27.3 in. Unladen 31.1 in.
- Ground Clearance: 5.3 in.
- Rake: 26
- Fork Angle: 29.25
- Trail: 6.7 in.
- Fuel Capacity: 6 gallon (warning light at approximately 1 gallon)

- Weight:
 - As Shipped: 805 LB
 - In Running Order: 842 LB
 - Gross Vehicle Weight Rating: 1360 LB
 - Gross Axle Weight Rating
 - Front: 500 LB
 - Rear: 927 LB

Engine

- Engine: MDwaukee-Eight 114 Engine
- Valves: Pushrod-operated, overhead valves with hydraulic, self-adjusting lifters; four valves per cylinder
- Bore x Stroke: 4.016 in. x 4.5 in.
- Displacement: 114 cu. in.
- Compression Ratio: 10.5:1

Performance

- Engine Torque:
 - North America: 123 ft. lb @3000 RPM
- Lean Angle:
 - Right 32"
 - Left 32"
- Fuel Economy: 43 MPG

Chassis

- Frame: Mild steel; tubular frame; two-piece stamped and welded backbone; cast and forged junctions; twin downtubes; bolt-on rear frame with forged fender supports; MIG welded.
- Swingarm: Mild steel, two-piece drawn and welded section, forged junctions, MIG welded
- Front Fork: 49 mm Dual Bending Valve
- Rear Shocks: Premium standard height hand-adjustable rear suspension
- Wheels: Impeller Cast Aluminum
 - Front: 17in. x 3 in.
 - Rear: 16in. x 5 in.
- Brakes:
 - Caliper Type: 32 mm, 4-piston front and rear
 - Rotor Type {diameter x width}:
 - Front: (dual floating rotors) 11.8 in x 0.2 in.
 - Rear: (fixed rotor) 11.8 in. x 0.28 in.
 - Anti-lock Braking System: Standard
- Suspension Travel
 - Front Wheel: 4.6 in.
 - Rear Wheel: 3 in.

Each unit to be fitted with add-ons and to be installed prior to delivery (Unit required to be fitted with specified quantities as listed).

Add-Ons:

PART NUMBER	DESCRIPTION	QUANTITY
68000287	KIT, LTG, LIGHTING ARRAY	1
69202610	KIT, HARN/WRG,PWR INP,POCE	1
90201903	SADDLEBAG GUARD	1
68000279	POWER BOX	2
69200308	SOCKET, TERMINAL	18
72038-71A	SOCKET, TERMINAL	1
72168-07	SOCKET, TERMINAL	5
72414-07BK	HOUSING, 6WAY	1
72907-11	HOUSING, 4 WAY PIN	1
72908-11	HOUSING, 4 WAY SOCKET	7
72909-11	TERMINAL, PIN	2
76000853	AMP	1
69200597	AMP MOUNT	1
P32F2BB	BLUE PAR32 W/DRIVE LIGHT	1
TIONHDSS	TION SIDE SADDLE BAG MOUNT	2
TIONHDSR	TION REAR SADDLBAG MOUNT	2
IONSV3BC	ION BLUE W/PUDDLE/ALLEY	2
PSRASXCR	STRIP LED B/T W/AMBER TS	1
PSE02FCR	STRIP LIGHT DUE FLASH B/W	1
IONHD2FM	FLHP FORK LED MNT KIT	2
TLI2E	ION T-SERIES DUO B/W	8
TLMI2E	ION T-SERIES DUO MINI B/W	2
M4E	SPLIT COLOR B/W CLEAR LENSE	4
SA350MB1	SPEAKER BRACKET	1
SA350MH	100 WATT SIREN SPEAKER HD	1
65301	ULTRA BIRGHT LED	2
65881R2	WIG-WAG HARNESS	1
67502P-HD	H-D BRUSHED ALUM LIGHT	1
POLICEBOX	REAR BOX	1
44340859	SEAT RISER	1
54395-220015	RISER BOLT	2
AVS-X19-15	BLACK SPACER 4 PACK	1
2120-1164	HARNESS SMART CNTRL BRK	1
2106-0581	TAKE DOWN SWITCH	1