

Trailer specification for Sport Trail TAL2528 or (equivalent)
for a 26 foot Reno Lake Skiff boat (2013 Model)

The Department of Wildlife & Fisheries is seeking to purchase a Sport Trail TAL2528 or (equivalent) for a 26 foot Reno Lake Skiff boat (2013 Model). The specifications for this trailer are as follows:

1. Tandem axle all welded aluminum construction.
2. 11,320 lb. GVWR capacity rating.
3. Aluminum C-Channel frame, 80" wide.
4. 6000 lb. rated torsion axles with Vortex hubs.
5. ST225-75R15 load range D tires mounted on galvanized 6 lug wheels.
6. 12" 6 lug Kodiak brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler.
7. 4 treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 26' Reno Lake Skiff boat (2013 Model).
8. ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle.
9. All stainless steel hardware.
10. 2000 lb. 2-speed winch with heavy-duty strap.
11. LED tail and marker lights with full length ground and heat shrink connectors.
12. Heavy duty side guides (1 ½" x 1 ½" square tubing covered by capped schedule 40 PVC pipe).
13. Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included.
14. Bow ladder
15. If awarded vendor is located beyond a 50 mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for delivery of trailer, and all associated costs, to the LDWF Lacombe office.
16. If awarded vendor needs vessel to fit/weld bunk configuration on trailer, and vendor is located beyond a 50 mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for pickup and return, and all associated costs, of 26' Reno Skiff to the LDWF Lacombe office.

Trailer specification for Sport Trail TAL2528 or (equivalent)
for a 26 foot Reno Lake Skiff boat (2011 Model)

The Department of Wildlife & Fisheries is seeking to purchase a Sport Trail TAL2528 or (equivalent) for a 26 foot Reno Lake Skiff boat (2011 Model). The specifications for this trailer are as follows:

1. Tandem axle all welded aluminum construction.
2. 11,320 lb. GVWR capacity rating.
3. Aluminum C-Channel frame, 80" wide.
4. 6000 lb. rated torsion axles with Vortex hubs.
5. ST225-75R15 load range D tires mounted on galvanized 6 lug wheels.
6. 12" 6 lug Kodiak brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler.
7. 4 treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 26' Reno Lake Skiff boat (2011 Model).
8. ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle.
9. All stainless steel hardware.
10. 2000 lb. 2-speed winch with heavy-duty strap.
11. LED tail and marker lights with full length ground and heat shrink connectors.
12. Heavy duty side guides (1 ½" x 1 ½" square tubing covered by capped schedule 40 PVC pipe).
13. Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included.
14. Bow ladder
15. If awarded vendor is located beyond a 50 mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for delivery of trailer, and all associated costs, to the LDWF Lacombe office.
16. If awarded vendor needs vessel to fit/weld bunk configuration on trailer, and vendor is located beyond a 50 mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for pickup and return, and all associated costs, of 26' Reno Skiff to the LDWF Lacombe office.

Trailer specification for Sport Trail CTTAL2528 or (equivalent)
for a 27 foot Lifetyme net boat (2011 Model)

The Department of Wildlife & Fisheries is seeking to purchase a Sport Trail CTTAL2528 or (equivalent) for a 27 foot Lifetyme net boat (2011 Model). The specifications for this trailer are as follows:

1. Triple axle all welded aluminum construction.
2. 11,320 lb. GVWR capacity rating.
3. Aluminum C-Channel frame, 108" wide.
4. 6000 lb. rated torsion axles with Vortex hubs.
5. ST225-75R15 load range D tires mounted on galvanized 6 lug wheels.
6. 12" 6 lug Kodiak brakes with stainless steel calipers on all axles, with a 20,000 lb. brake coupler.
7. 4 treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 27' Lifetyme net boat (2011 Model).
8. ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick-change spindle.
9. All stainless steel hardware.
10. 2000 lb. 2-speed winch with heavy-duty strap.
11. LED tail and marker lights with full length ground and heat shrink connectors.
12. Heavy duty side guides (1 ½" x 1 ½" square tubing covered by capped schedule 40 PVC pipe).
13. Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included.
14. Boat trailer tongue step
15. If awarded vendor is located beyond a 50 mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for delivery of trailer, and all associated costs, to the LDWF Lacombe office.
16. If awarded vendor needs vessel to fit/weld bunk configuration on trailer, and vendor is located beyond a 50 mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for pickup and return, and all associated costs, of 27' Lifetyme net boat to the LDWF Lacombe office.