## **Scope of Work**

# Oil, Lubricants, and Related Fluid Supply and Waste Fluid Removal Services

#### 1. Introduction

The Regional Transit Authority (RTA) seeks a qualified vendor to provide a continuous supply of maintenance fluids and lubricants for the operation and servicing of its bus and paratransit fleet and streetcar fleets. This solicitation covers the purchase, delivery, and optional waste fluid removal of specified products. The RTA intends to establish a multi-year agreement with an initial term of four (4) years and one (1) optional renewal year, not to exceed a total contract period of five (5) years.

#### 2. General Requirements

- Delivery Timeframe: All items must be delivered within two (2) business days of order placement.
- Packaging & Delivery: Products must be delivered in the format specified (bulk tank fill, 55-gallon drums, 5-gallon pails, 120-lb kegs, or totes).
- Waste Fluid Removal Option: Vendor must provide an optional service for the collection and disposal of waste oil and antifreeze in compliance with all local, state, and federal environmental regulations.
- Product Substitution: Brand names listed are for specification purposes only; equivalent or superior products may be supplied upon RTA approval.
- Compliance: All products must meet or exceed OEM specifications for RTA fleet vehicles.

#### DEF

- -Vendor will need to supply three 330-gallon totes with fill nozzles and a monitoring system.
- 3. Product Specifications & Estimated Usage

Fluid Type	Delivery Type	Estimated Quantity & Frequency
15W-40 Motor Oil, Semi- Synthetic	Bulk Tank Fill	400–500 gallons every 2 weeks
5W-30 Synthetic Motor Oil	Bulk Tank Fill	200 gallons every 3 months
ATF Synthetic Multi- Purpose (TES 295)	Bulk Tank Fill	100–165 gallons every 2 months

85W-140 Gear Oil,	55-Gallon Drum	2 drums every 2 months
Conventional		
80W-90 Gear Oil,	55-Gallon Drum	2 drums every 5 months
Conventional		
Mobil Grease XHP 222 (or equivalent)	55-Gallon Drum	1 drum every 8 months
equivalency		
NUTO H 32 Hydraulic Oil	5-Gallon Pail	As needed
Grease NLGI-LB Wheel	120-Lb Keg	4 kegs every 4 months
Bearings		
M-DTE 10 Excel 32 Non-	5-Gallon Pail	As needed
Conductive		
M-DTE 10 Excel 15	5-Gallon Pail	As needed
DEF Fluid	330-Gallon Tote (x3/mo)	700 gallons Weekly
Antifreeze – HD Extended	Bulk Tank Fill	700 gallons every 1 month
Life NMOAT Premix 50/50		

### 4. Optional Service

#### **Waste Fluids**

Vendor shall provide the option to collect and properly dispose of:

- Waste oil from RTA's bulk tanks.
- Waste antifreeze in compliance with all applicable environmental regulations.

The vendor shall furnish all necessary equipment, manifests, and documentation for regulatory compliance.

#### 5. Ordering & Invoicing

- Orders will be placed by authorized RTA staff via email or phone.
- Invoices must clearly list product delivered, quantity, delivery date, and pricing per contract.
- Pricing must remain firm for the duration of the contract unless otherwise approved through the escalation clauses in the final agreement.

#### 6. Performance Standards

- Vendor must meet the delivery timeframe for at least 98% of orders.
- Products must arrive undamaged, sealed, and in compliance with specifications.
- Waste removal (if provided) must be documented with appropriate disposal certificates.

# **Bid Pricing Sheet**

Pricing shall be submitted as cost per gallon. Vendor must complete the table for each contract year (Years 1–4) and the optional Year 5. Pricing shall be firm for the term indicated unless otherwise agreed upon by RTA.

- I	D 11	Ι = .			T., ~	
Product	Delivery	Est.	Year 1	Year 2	Year 3	Year 4
	Type	Annual	Price	Price /	Price /	Price /
		Usage	/	Gallon	Gallon	Gallon
		(Gallons)	Gallon		Option	Option
15W-40	Bulk	~13,000				
Motor Oil,	Tank Fill					
Semi-						
Synthetic						
5W-30	Bulk	~800				
Synthetic	Tank Fill					
Motor Oil						
ATF	Bulk	~1000				
Synthetic	Tank Fill					
Multi-						
Purpose (TES						
295)						<u>                                       </u>
85W-140	55-Gallon	~715				
Gear Oil,	Drum					
Conventional						
80W-90 Gear	55-Gallon	~275				
Oil,	Drum					
Conventional						
Mobil Grease	55-Gallon	~110				
XHP 222 (or	Drum					
equivalent)						
NUTO H 32	5-Gallon	As				
Hydraulic Oil	Pail	needed	<u></u>		<u></u>	<u> </u>
Grease NLGI-	120-Lb	~480 lbs				
LB Wheel	Keg					
Bearings						
M-DTE 10	5-Gallon	As				
Excel 32	Pail	needed				
Non-						
Conductive						
M-DTE 10	5-Gallon	As				
Excel 15	Pail	needed				
DEF Fluid	330-	~36,400				
	Gallon					
	Tote					
	(x3/mo)					
	(1.0)	L	1	<u> </u>	1	

Antifreeze –	Bulk	~8,400		
HD Extended	Tank Fill			
Life NMOAT				
Premix				

# Optional Service Pricing – Waste Fluid Removal

Service	Unit	Year 1	Year 2	Year 3	Year 4
		Price	Price	Price	Price
				Optional	Optional
Waste Oil	Per Gallon				
Removal					
Waste	Per Gallon				
Antifreeze					
Removal					