

Bid Number <u>50-00148680</u>

Two (2) Year Contract for Vehicle Bodies and Accessories for The Jefferon Parish Department of Fleet Management

BID DUE: October 30, 2025 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

Jefferson Parish Purchasing Department 200 Derbigny Street General Government Building, Suite 4400 Gretna, LA 70053

Purchasing Specialist II: Stacey Champagne Email: stacey.champagne@jeffparish.gov

Phone: 504-364-2688

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO



May 2025

Changes to Jefferson Parish Bidding Information

The Jefferson Parish Purchasing Department would like to make vendors aware of the following changes that are now effective:

> Additional Requirements for Bid Instructions:

The Additional Requirements for Bid Instructions have been revised. The numbers correlating with the instructions may not be the same number as past bids. **Please read <u>ALL</u> instructions and bid documents carefully and thoroughly prior to bid submission.**

> Affidavits:

There is a new affidavit for all bids named "Generic Bid Affidavit". The Public Works Bid Affidavit and Non-Public Works Bid Affidavit are no longer valid. **The "Generic Bid Affidavit" must be submitted with ALL bid submissions.**

> <u>Insurance Requirements</u>:

Within ten (10) days of bid opening, the apparent low bidder will be required to provide FINAL insurance certificates evidencing the insurance coverages of the subject bid (please refer to each individual bid specifications requirements) to Jefferson Parish which shall name "the Parish of Jefferson, its Districts, Departments, and Agencies under the direction of the Parish President and the Parish Council" as additional insured on the Commercial General Liability and the Comprehensive Automobile Liability policies to protect against negligence by the contractor, as provided by contract.

Failure to provide your certificate of insurance within the ten (10) days of bid opening shall result in the Parish rejecting your bid as non-responsive and moving on to the next apparent lowest bidder.

You may still opt to send in your insurance certificates with your bid submission, however, if the provided certificates are not in FINAL form, if you are the apparent low bidder, then you will still be required to send in a FINAL certificate within 10 days of bid opening.

TWO (2) YEAR CONTRACT FOR VEHICLE BODIES AND ACCESSORIES FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT

BID #50-00148680

SPECIFICATIONS

General:

A two-year agreement to provide parts and labor for vehicle bodies and accessories for the Jefferson Parish Department of Fleet Management.

All units will be delivered completely assembled by the vendor to the Department of Fleet Management located at 4901 Jefferson Hwy. Jefferson, LA 70121. Complete invoice and certificate of origin documentation is to be signed for by Fleet Management personnel upon delivery. Jefferson Parish has three (3) working days after delivery for inspection purposes to determine if the above meets Jefferson Parish specifications. If it does not, necessary corrections are to be made by the vendor at the vendor's expense and are not considered as warranty work. Vendors must furnish two (2) copies of operator's manuals and two (2) copies of GVW. Final acceptance and payment will be made subject to the above requirements. The vehicle bodies and accessories built by the vendor may retain manufacturer's name, but dealer's name shall not appear either by painted decal, or metal name plate.

ORDER PLACEMENT AND DELIVERY:

Fleet Management shall issue purchase orders to the vendor for the placements of bodies and/or accessories. The vendor shall expect delivery of new vehicle(s) directly from manufacturer or from the Department of Fleet Management. The vendor shall perform the work as indicated in the purchase order and deliver the vehicle(s) within 120 days from the date of delivery.

SERVICING OF VEHICLES:

The vendor must pick up vehicles for factory maintenance and/or warranty services within one (1) hour of notification by the Jefferson Parish Department of Fleet Management.

FACILITY REQUIREMENTS:

- The facility shall be capable and willing to perform full warranty services, normal repair services and adequate spare parts support on the completed unit.
- The facility shall be capable and willing to perform service on all components and accessories which are added to, or installed on the base vehicle or equipment.

BIDDING REQUIREMENTS:

- The Director of Fleet Management or his representative reserves the right to accept or reject bid proposals based upon their inspection of service facilities.
- Where brand names are specified, it is for the purpose of establishing minimum standards of quality. Bids may be submitted for products for equal quality, provided the brand names are specified in the respective line items as indicated. Complete equivalent product data will be required upon departmental requests. Failure to provide this documentation will result in bid rejections.
- Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.
- All pricing shall be firm for two (2) years as stated in the contract or until the contract expires, whichever is later.
- The bidder must specify terms of warranty and repair services. All new vehicle bodies and accessories must be delivered complete with a standard factory warranty. Warranty information must be provided with the bid submission. Failure to submit will result in bid rejection.
- All items must meet or exceed all federal and state safety standards.
- Insurance Requirements-The terms and conditions of Resolution No. 136353 will be
 considered a part of the bid whether attached or not. A copy may be obtained from the
 Office of the Parish Clerk, 6th Floor, General Government Building, 200 Derbigny St.,
 Gretna, LA 70053 or can be found on the Jefferson Parish Website-Department of
 Purchasing.
- Please see attached bid packet for STANDARD INSURANCE requirements PLUS:
 Garage Keeper's Insurance in the amount of \$500,000.00 per occurrence

INVITATION TO BID THIS IS NOT AN ORDER

DATE: 10/15/2025

BID NO: 50-00148680

JEFFERSON PARISH

PURCHASING DEPARTMENT P.O. BOX 9 GRETNA, LA. 70054-0009 504-364-2678 PURCHASING SPECIALIST: @jeffparish.gov

Page:

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 10/30/2025
AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH
GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit
their bid via Jefferson Parish's electronic procurement page. Additional instructions are included in the text box
highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES FOR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN La. R.S. 9:2602(8) ARE ACCEPTABLE. IN ACCORDANCE WITH La. R.S. 9:2602(8, JEFFERSON PARISH REQUIRES A SECURED DIGITAL SIGNATURE AND BIDDERS MUST PROVIDE PROOF OF THE SECURED SIGNATURE WITH BID SUBMISSION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- A. All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, and in the terms and conditions of Resolution No. 136353 and/or Resolution No. 141125, all of which are made part of this bid proposal and ensuing contract by reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances ("JPCO"), Louisiana Code of Ethics, and applicable Jefferson Parish ethical standards.
- B. The General Conditions for construction projects (141125) and the General Conditions for the purchase of materials, services and/or supplies (136353) are those adopted by the Jefferson Parish Council by Resolution No. 136353 and Resolution No. 141125, respectively. The General Conditions adopted by these resolutions shall be considered as much a part of this document and the ensuing contract or P.O. as if they were written wholly herein. A copy of each may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy of each by visiting the Purchasing Department webpage at http://www.jeffparish.gov/464/Purchasing and clicking on Online Forms.
- C. Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in La. R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.
- D. All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from http://www.jeffparish.gov/464/Purchasing and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.
- E. All quotations shall be based on F.O.B. Agency warehouse or job site (see Additional Requirements section), anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to Public Works projects.
- F. Jefferson Parish requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated on the bid form with bid submission. Supporting documentation may be required upon request.

Page: 2

DATE: 10/15/2025

BID NO: 50-00148680

G. Bidders should submit all questions in writing via email to the Purchasing Specialist's email address as indicated above, no later than five (5) working days prior to the bid opening. Bid numbers must be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than five (5) working days prior to the bid opening. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

- H. All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge any Addendum on the bid form shall cause the bid to be rejected. Jefferson Parish reserves the right to award bid to next lowest responsive and responsible bidder in this event.
- If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions.
- J. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH WILL ACCEPT ONE PRICE FOR EACH ITEM UNLESS OTHERWISE INDICATED. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line-item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.
- K. Written evidence of the authority of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. Acceptable written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer or a manager. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection. A sample corporate resolution can be downloaded from our website http://www.jeffparish.gov/464/Purchasing or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website http://www.jeffparish.gov/464/Purchasing or you may provide your own document.
- L. AWARD OF CONTRACT: Jefferson Parish reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of Jefferson Parish. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.
 - a. All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar day increments.
 - b. PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)
 - c. PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA R.S. 38:2251-2261"
- M. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.
- N. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.
 - a. For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.
- O. PRICES: Jefferson Parish is exempt from paying sales tax under La. R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and, unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures no more than four (4) decimal points. In the event there is a difference in unit prices and totals, the unit price shall prevail.
 - a. Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

BID NO: 50-00148680

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- P. ANTI- DISCRIMINATION: Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).
 - a. In accordance with La. R.S. 38:2216.1, Jefferson Parish is prohibited from entering into a contract with a value of \$100,000 or more with a company for the purchase of goods or services unless the contract contains a written verification from the company of both of the following: 1) The company does not have a practice, policy, guidance, or directive that discriminates against a firearm entity or firearm trade association based solely on the entity's or association's status as a firearm entity or firearm trade association. 2) The company will not discriminate against a firearm entity or firearm trade association during the term of the contract based solely on the entity's or association's status as a firearm entity or firearm trade association. As a result, the awarded bidder will be required to verify the above in the ensuing contract.
- Q. INSPECTOR GENERAL: It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.
- R. Proof of Cyber Security Training may be required for the successful bidder. Pursuant to La. R.S. 42:1267, any contractor who has access to state or local government information technology assets is required to complete cybersecurity training during the term of the contract and during any renewal period. As a Parish contractor, you are responsible for taking the cyber training, whether from the State or another source. After completion of said training please forward proof to your contract monitor/Parish contact.

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder after nine (9) working days.

BID NO: 50-00148680

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at http://www.jeffparish.gov/464/Purchasing.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW. IF THE NUMBER IS NOT SPECIFIED IN THIS BOX, IT IS NOT APPLICABLE FOR THIS BID.

10,12,13,14

- MANDATORY PRE-BID All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and
 out as evidence of attendance. In accordance with LA.R.S. 38:2212(I), all prospective bidders shall be present at the
 beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any
 prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for
 the project.
- 2. NON-MANDATORY PRE-BID Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
- 3. JP LICENSE Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Building Permits. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Building Permits. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable municipality, Federal and/or State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
- 4. LSCB LICENSE A LA State Contractor's License will be required in accordance with LA.R.S. 37:2150 et. seq. and such license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
- 5. SITE VISIT It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
- 6. JOB SITE CLEANLINESS Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

Page: 5

DATE: 10/15/2025

BID NO: 50-00148680 INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. PUBLIC WORKS BIDS - All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.

- NON-PUBLIC WORKS BIDS A performance bond will be required for this bid. The amount of the bond will be 100% of the
 contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the
 contract.
- 9.. NON-PUBLIC WORKS BIDS A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
- 10. INSURANCE All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Any deviation from the Standard Insurance Requirements must be requested in writing prior to bid opening. Proof of coverage will be required prior to award. Failure to comply with this instruction will result in bid rejection.
- 11. BID BOND A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
- 12. AS-NEEDED WORK This is a requirements-based contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
- 13. FREIGHT Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
- 14. AFFIDAVIT Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations in conformity with the provisions contained in LA.R.S. 38:2212.9, LA.R.S. 38:2212.10, LA.R.S. 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled GENERIC BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
- 15. FEDERAL FUNDING The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents and ensuing contract. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications per the appendix instruction will result in bid rejection.
- 16. TAX EXEMPT For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.
- 17. TECH AFFIDAVIT The Technology Affidavit is required for this solicitation and shall be submitted with the bid submission. Failure to do so will result in your bid being rejected. Pursuant to La. R.S. 38:2237.1, prior to the procurement of telecommunications or video surveillance equipment or services, the vendor shall provide documentation by affidavit that the equipment or services to be procured are not prohibited telecommunications or video surveillance equipment or services as defined in R.S. 39:1753.1(A). This affidavit is supplied as a courtesy to Affiant. It is the responsibility of the affiant to insure the affidavit submitted to Jefferson Parish complies, in both form and content, with federal, state and parish laws. No procurement shall be made from a vendor or other entity who fails to provide the documentation; any procurement in contravention to this requirement shall be null and void by law.

Page: 6

DATE: 10/15/2025

BID NO: 50-00148680

Are you requesting an escalation provision?

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm throughout the entirety of the contract. However, bidders may request that an escalation provision be added to their contract by selecting "yes" below. The escalation provision in the contract will state that only one escalation will be allowed during the term of the contract, and the escalation shall take effect only after the initial 12 month period of the contract. A vendor with an escalation provision int their contract must submit a request in writing to activate the provision, but should not do so any sooner than the first day of the 13th month of their contract. The escalation percentage shall be limited to the most recently published CPI figure issued at the time an adjustment is requested by bidder based on the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure.

	YES	NO	<u></u>
escalation percentage will be used to calcul	e auoted by the bidder	to the period to which it It will be assumed,for co	on is requested, Jefferson Parish will apply the maximum is applied in the bid. The initial price and the escalation omparison of prices only, that an equal amount of material
DELIVERY	: FOB JEFFER	SON PARISH	
INDICATE DE	LIVERY DATE ON EG	QUIPMENT AND SUPP	PLIES
LOUISIAN	A CONTRACTO	R'S LICENSE NO	O.: (if applicable)
THIS SECTION	N MUST BE COM	MPLETED BY BID	DDER:
FIRM NAME:			
ADDRESS:			
CITY, STATE: _			ZIP:
TELEPHONE: ()		
E-MAIL:			
acknowledge red	addenda are issued wit ceipt of an addendum o n the bid form will resu	n the bid form by placing	T acknowledge all addenda on the bid form.Bidder must g the addendum number as indicated. Failure to acknowledge
Acknowledge Re	ceipt of Addenda: NUM	IBER:	
	NUM	IBER:	
	NUM	IBER:	
	NUN	IBER:	
TOTAL PRICE	OF ALL BID ITEMS:	\$	
AUTHORIZED			
SIGNATURE:			
TITLE:			Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

7

SEALED BID BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			Two (2) Year Contract For Vehicle Bodies and Accessories for The Jefferson Parish Department of Fleet Management		
1	6.00	EA	0001 - TRAILER BRAKE CONTROL KITS STRAIGHT AIR WITH SEVEN WAY PLUG	\$	\$\$
			(INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
2	1.00	EA	0002 - BRAKE CONTROL KITS-ALL ELECTRIC BRAKES WITH SIX-WAY PLUG INSTALLED AND	\$	\$\$
			IN READY TO WORK CONDITION. (INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
3	4.00	EA	0003 - ELECTRIC TRAILER BRAKE CONTROL KIT-SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
4	8.00	EA	0004 - ELECTRIC BACK UP ALARM (INSTALLED)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
5	9.00	EA	0005 - MUD FLAPS (INSTALLED)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
6	2.00	EA	0006 - VAN BODY INTERIOR DOME LIGHTS (INSTALLED)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
7	1.00	EA	0007 - LOADING/FLOOR LIGHTS-ONE PAIR CHROME OR STAINLESS STEEL, MINIMUM 6"	\$	\$\$
			DIAMETER, ADJUSTABLE WITH PROTECTIVE MOUNTING BRACKET, WIRED TO TRUCK 12 VOLT SYSTEM WITH FUSE LINK, CONTROL		

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SWITCH IN CAB, INSTALLED AT LOCATION ON TRUCK AS SPECIFIED BY USING DEPARTMENT. MANUFACTURER: MANUFACTURER NUMBER:		
8	2.00	EA	0008 - FEDERAL SIGNAL LATITUDE TRAFFIC ADVISOR MODEL-SL8S-A-48 SIGNAL	\$	\$\$
			(OR EQUAL) MASTER DIRECTIONAL FLAT BAR WITH CABLE AND CONTROLLER ONLY. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
9	1.00	EA	0009 - FEDERAL SIGNAL SPIRE (OR EQUAL) 200 TALL TRAFFIC LED BEACON MODEL	\$	\$\$
			200TC-A-AMBER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
10	11.00	EA	0010 - FEDERAL SIGN MICRO (0R EQUAL) PLUS ULTRA DUAL MODEL MPS62OU-WA	\$	\$
			SIX HEAD EXTERIOR MOUNT/PERIMETER LIGHT WIHTE/AMBER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
11	1.00	EA	0011 - FEDERAL SIGNAL MICRO (OR EQUAL) PLUS ULTRA DUAL MODEL MPS122OU-WA	\$	\$\$
			TWELVE HEAD EXTERIOR MOUNT/PERIMETER LIGHT WHITE/AMBER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
12	10.00	EA	0012 - FEDERAL SIGNAL ALLEGIANT MODEL #ALGT53Z-AMBR3F6C (OR EQUAL)	\$	\$\$
			53" WIDE AND 61"WIDE MODELS AMBER LIGHT BAR WITH 18 AMBER/ WHITE LED HEADS; 4 AMBER LED HEAD; FRONT AND REAR FLOOD; SIGNALMASTER; FLAT MOUNT; CLEAR DOMES; LOW POWER; DIMMING FEATURE AND CAT 5 CABLE FOR PLUG'N'PLAY WIRE INSTALL TO A PREPROGRAMMED 6 BUTTON CONTROLLER		

Page

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE MANUFACTURER: MANUFACTURER PART:		
13	3.00	EA	0013 - FEDERAL SIGNAL LATITUDE TRAFFIC ADVISOR WARNING LIGHT MODEL	\$	\$\$
			SL8F-AW (OR EQUAL) LATITUDE 32" DIRECTIONAL FLAT BAR WITH CABLE AND CONTROLLER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
14	4.00	EA	0014 - FEDERAL SIGNAL MICRO PULSE ULTRA THREE COLOR MODEL MPS63U-	\$	\$\$
			(OR EQUAL) AGW SIX HEAD EXTERIOR MOUNT/PERIMETER LIGHT WHITE/AMBER/GREEN COLOR. (SUPPLY ONLY)		
			MANUFACTURER MANUFACTURER NUMBER:		
15	1.00	EA	0015 - FEDERAL SIGNAL MICRO PULSE ULTRA THREE COLOR MODEL MPS123U-	\$	\$\$
			(OR EQUAL) AGW TWELVE HEAD EXTERIOR MOUNT/ PERIMETER LIGHT WHITE/AMBER/GREEN. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
16	1.00	EA	0016 - FEDERAL SIGNAL ALLEGIANT MINI LIGHT BAR MODEL #ALGT21D-AMBR3BF.	\$	\$\$
			(OR EQUAL) 21" WIDE AMBER LIGHT BAR WITH WHITE LED HEADS; AMBER LED HEADS; FRONT AND REAR FLOOD; FLAT MOUNT; CLEAR DOMES; LOW POWER DIMMING FEATURE AND CAT 5 CABLE FOR PLUG'N'PLAY WIRE INSTALL TO A PREPROGRAMMED 6 BUTTON CONTROLLER MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER NUMBER:		
17	4.00	EA	0017 - FEDERAL SIGNAL ELECTRIC SIREN MODEL PA300 WITH SPEAKER.	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

10

SEALED BID BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			(OR EQUAL)		
			MANUFACTURER: MANUFACTURER NUMBER:		
18	1.00	EA	0018 - FEDERAL SIGNAL SWITCH BOX CONTROLS. SW200B, FOUR SWITCH	\$	\$\$
			CONTROL BOX (OR EQUAL) (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
19	1.00	EA	0019 - FEDERAL SIGNAL SWITCH BOX CONTROLS; SW300B, SIX SWITCH	\$	\$\$
			CONRTROL BOX (OR EQUAL) (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
20	3.00	EA	0020 - 4 HEAD DOT REMOTE STROBE SYSTEM FOR HEADLIGHTS AND TAIL LIGHTS, WEATHER	\$	\$\$
			PROOF HOUSING AND CONNECTORS, HI/LO INTENSITY AND DOUBLE/QUAD FLASH OPERATION, SHORT CIRCUIT PROTECTION, OUTPUT POWER REGULATION, FULLY INSTALLED ON PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
21	1.00	EA	0021 - SIX (6) INCH DIAMETER LED SAFETY STROBE LIGHT INSTALLED ON	\$	\$\$
			VEHICLE AT PARISH CHOICE OF LOCATION WITH CONTROL SWITCH IN TRUCK CAB AND ALL WIRING IN LOOM CONDUIT BOLTED TO TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
22	1.00	EA	0022 - FEDERAL SIGNAL 32" LONG MESSAGE BOARD MODEL NUMBER MB1-A (OR	\$	\$\$
			EQUAL)CONTROLLER AMBER COLOR MOUNTING BRACKETS. HARDWARE KIT AND CARRIAGE BOLTS. THIS PUBLIC SAFETY MESSAGING SYSTEM INCORPORATES LED MESSAGE DISPLAY PC SOFTWARE ALLOW ADMIN TO CREATE CUSTOM MESSAGE SETS. SYSTEM COMES EQUIPPED WITH A DEFAULT MESSAGE		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

Page

11

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SETTING IF NEEDED. LED DISPLAY CAN BE "DIMMED" TO ADJUST MESSAGE CONTRAST. WIRED WITH CAT FIVE CABLE ONLY FOR THIS SYSTEM. MANUFACTURER: MANUFACTURER NUMBER:		
23	1.00	EA	0023 - FEDERAL SIGNAL ALLEGIANT MODEL # LGD45Z-AMBRH6C (OR EQUAL)	\$	\$
			45" WIDE AMBER LIGHT BAR WITH ALL AMBER LED HEADS. FOUR AMBER LED HEADS: FRONT AND TWO REARTS; CLEAR DOMES: LOW POWER DIMMING WORK FLOODS; SIGNALMASTER: OPTIONAL MOUNTS; CLEAR DOMES: LOW POWER DIMMING FEATURE AND CAT 5 CABLE FOR PLUG'N'PLAY WIRE INSTALL TO A PREPROGRAMMED 6 BUTTON CONTROLLER MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLED IN READY TO MANUFACTURER: MANUFACTURER NUMBER:		
24	2.00	EA	0024 - ECCO DIRECTIONAL ARROW SIGNAL LIGHT MODEL 3410A (OR EQUAL).	\$	\$
			MANUFACTURER: MANUFACTURER NUMBER:		
25	5.00	EA	0025 - FIRE EXTINGUISHER 5 LB. IN CAB ABC TYPE,	\$	\$
			MOUNTED IN CAB MANUFACTURER: MANUFACTURER NUMBER:		
26	4.00	EA	0026 - DOT EMERGENCY ROAD SAFETY KIT MOUNTED IN CAB.	\$	\$
			MANUFACTURER: MANUFACTURER NUMBER:		
27	1.00	EA	0027 - SPARE TIRE CARRIER-FRAME MOUNTED UNDERBODY (INSTALLED & PAINTED)	\$	\$
			MANUFACTURER: MANUFACTURER NUMBER:		
28	1.00	EA	0028 - SPARE TIRE CARRIER-INTERIOR OF OF VEHICLE (INSTALLED AND PAINTED)	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

Page

12

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER NUMBER:		
29	1.00	EA	0029 - HVY DUTY STEEL FLATBED TRUCK BODY INSTALLED & PAINTED	\$	\$\$
			HEAVY DUTY 10'5L X 8'0"W STEEL STAKE TRUCK BODY CONSTRUCTED OF 6" STRUCTURAL STEEL CHANNEL LONGSILLS, 4" STRUCTURAL STEEL CHANNEL CROSSILLS SPACED 12" APART. 5" STRUCTURAL STEEL CHANNEL SIDESILLS, 2" X 4" X 1/4" OUTSIDE STEEL STAKE POCKETS SPACED 24" APART DOWN BOTH SIDES AND REAR WITH 3/8" X 3" OUTSIDE CHAIN RAIL. ONE PIECE 3/16" SAFETY HEAVY DUTY STEEL FLATBED TRUCK BODY WELDED. HEAVY DUTY STEEL BULKHEAD CONSTRUCTED OF 2 1/2" X 2 1/2" X 1/4" STEEL SQUARE TUBE FOUR POST FRAME COVERED BY 3/16" TREADPLATE STEEL BELOW WINDOW AND #3 EXPANDED METAL ABOVE. HEAVY DUTY ICC BUMPER REINFORCED TO TRUCK. FMVSS ARMOUR TYPE LIGHTING WITH WIRING IN CONDUIT. REAR WHEEL MUD FLAPS SANDBLASTED, ZINC PHOSPHATE PRIMED AND FINISH PAINTED 5 MILS THICKNESS ENAMEL PAINTED TO HEAVY DUTY STEEL FLATBED TRUCK BODY U-BOLTS AND 20 YR. CELCURE RISERS.		
			MANUFACTURER: MANUFACTURER NUMBER:		
30	40.00	FT	0030 - ADDITIONAL LENGTH OF FLATBED PER FOOT.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
31	4.00	FT	0031 - HEAVY DUTY REMOVE STEEL STAKE & RACK SIDES, 42" HIGH	\$	\$\$
			DOWN BOTH SIDES & REAR OF FLATBED, 4 SLATS HIGH WITH AUTOMATIC LOCKDOWNS. INTERLOCKING CONNECTORS AND PRIMED AND FINISH PAINTED TO MATCH FLATBED. PRICE PER LINEAR FOOT OF FLATBED.		
			MANUAFACTURER: MANUFACTURER PART:		
32	8.00	EA	0032 - STEP-UP & GRAB HANDLES-TRUCK BODY INSTALLED & PAINTED	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

13

Page

BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER NUMBER:		
33	15.00	EA	0033 - PICK UP TRUCK ONE TON CAB ACCESS STEPS. TUBE TYPE PAINTED BLACK FOR	\$	\$\$
			VARIOUS DOMESTIC TRUCKS.		
			MANUFACTURER: MANUFACTURER NUMBER:		
34	1.00	EA	0034 - PICK UP TRUCK ONE TON ACCESS STEPS. TUBE TYPE CHROME FOR VARIOUS	\$	\$\$
			DOMESTIC TRUCKS.		
			MANUFACTURER: MANUFACTURER NUMBER:		
35	1.00	EA	0035 - PICK UP AND ONE TON TRUCK HEAVY DUTY FRONT BUMPER PUSH BAR ASSEMBLY,	\$	\$\$
			CHROMED STEEL CONSTRUCTION, MOUNTED TO FRONT BUMPER OF TRUCK CAB.		
			MANUFACTURER: MANUFACTURER NUMBER:		
36	15.00	FT	0036 - HEAVY DUTY STEEL CONTRACT 16 IN. HIGH SIDES AND TAILGATE DOWN EACH SIDE	\$	\$
			AND REAR OF FLATBED. 10 GALLON STEEL CENTERS HINGED REAR TAILGATE. 3 BEND TOP RAIL. FLANGED BOTTOM RAIL.PRIMED AND PAINTED TO MATCH FLATBED. PRICE PER LINEAR FOOT.		
			MANUFACTURER: MANUFACTURER NUMBER:		
37	1.00	EA	0037 - HEAVY DUTY INTERIOR PARTITIONS- SOLID-INSTALLED AND PAINTED.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
38	1.00	EA	0038 - VAN BODY INTERIOR PARTITIONS- SCREEN INSTALLED & PAINTED-SCREEN TYPE	\$	\$\$
			WITH DOOR.		
			MANUFACTURER: MANUFACTURER NUMBER:		
39	2.00	EA	0039 - INTERIOR SEATS-FOUR PASSENGER VAN BODY WITH SEAT BELTS. MUST	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

14

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			INCLUDE VEHICLE DOT RECERTIFICATIONS (INCLUDING BOND)-COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE. MANUFACTURER: MANUFACTURER NUMBER:		
40	1.00	EA	0040 - INTERIOR SEATS-THREE PASSENGER VAN BODY WITH SEAT BELTS. MUST INCLUDE VEHICLE DOT RECERTIFICATIONS (INCLUDING BOND) - COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
41	1.00	EA	0041 - INTERIOR SEATS-TWO PASSENGER VAN BODY WITH SEAT BELTS. MUST	\$	\$
			INCLUDE VEHICLE RECERTIFICATIONS (INCLUDING BOND) - COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE.		
			MANUFACTURER: MANUFACTURER NUMBER:		
42	20.00	PR	0042 - REAR TOW HOOKS-FRAME MOUNTED STANDARD DUTY FOR UP TO 14,500 GVWR	\$	\$\$
			TRUCKS. MANUFACTURER: MANUFACTURER NUMBER:		
43	20.00	PR	0043 - REAR TOW HOOKS- FRAME MOUNTED HEAVY DUTY FOR 14,500 GVWR TO 33,000	\$	\$
			GVWR		
			MANUFACTURER: MANUFACTURER NUMBER:		
44	10.00	PR	0044 - REAR TOW HOOKS-FRAME MOUNTED EXTRA HEAVY DUTY FOR OVER 33,000 GVWR.	\$	\$
			MANUFACTURER: MANUFACTURER NUMBER:		
45	5.00	EA	0045 - TRAILER HITCH 1 7/8 INCH CLASS 1V HITCH PART #1801005 (OR EQUAL)	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

15

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			WITH A TWO INCH BALL ASSEMBLY MANUFACTURER: MANUFACTURER NUMBER:		
46	2.00	EA	0046 - TRAILER HITCH 2 5/6" BALL HITCH ASSEMBLY	\$	\$
			MANUFACTURER: MANUFACTURER NUMBER:		
47	7.00	EA	0047 - TRAILER HITCH-COMBINATION BALL HITCH/PINTLE HITCH (16,000 LBS.)	\$	\$\$
			2 5/16" BALL. MANUFACTURER: MANUFACTURER NUMBER:		
48	10.00	EA	0048 - TRAILER HITCH-STANDARD DUTY PINTEL HITCH (8 TON).	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
49	3.00	EA	0049 - B & W COMBO BALL HITCH INSERT 2"INCH BALL & 2 5/6" BALL WITH	\$	\$\$
			FIVE INCH HEIGHT ADJUSTMENT WITH 5/16" DIAMETER LOCKING KEEPER PIN. MANUFACTURER: MANUFACTURER NUMBER:		
50	4.00	EA	0050 - TRAILER HITCH-HEAVY DUTY PINTLE HITCH (49,000 LB. GVWR. CAPACITY)	\$	\$
			MANUFACTURER: MANUFACTURER NUMBER:		
51	2.00	EA	0051 - UNDERBODY TOOL BOX-24"L X 18"H X 18"D WITH STAINLESS STEEL HINGES AND	\$	\$\$
			LOCKS. (PAINTED AND INSTALLED) MANUFACTURER: MANUFACTURER NUMBER:		
52	1.00	EA	0052 - UNDERBODY TOOL BOX- 16"L X 18"H X 18"D WITH STAINLESS STEEL HINGES AND	\$	\$
			LOCKS. (PAINTED AND INSTALLED).		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

Page

16

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
53	1.00	EA	0053 - UNDERBODY TOOL BOX-48"L X 18"H 18"D WITH STAINLESS STEEL HINGES AND	\$	\$\$
			LOCKS (PAINTED AND INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
54	3.00	EA	0054 - UNDERBODY TOOL BOX-60"L X 18"H X 18"D WITH STAINLESS STEEL	\$	\$\$
			HINGES AND LOCKS.(PAINTED AND INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
55	2.00	EA	0055 - RAWSON-KOENIG MODEL ST-63 TOOLBOX (OR EQUAL) STEEL CROSSOVER	\$	\$\$
			TOOLBOX, MINIMUM 14 GA. STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR, HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
56	2.00	EA	0056 - RAWSON-KOENIG MODEL ST-46U TOOLBOX (OR EQUAL), STEEL CROSSOVER	\$	\$\$
			TOOLBOX. MINIMUM 14 GA. STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR, HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
57	2.00	EA	0057 - RAWSON-KOENIG MODEL C-56 TOOL BOX (OR EQUAL) STEEL CROSSOVER TOOL BOX,	\$	\$\$
			MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
58	2.00	EA	0058 - RAWSON-KOENIG MODEL M451NM TOOL BOX (OR EQUAL). STEEL CROSSOVER TOOL	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

17

Page

BID NO.: 50-00148680 **SEALED BID**

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BOX, MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR, HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR A PICK-UP TRUCK. MANUFACTURER: MANUFACTURER NUMBER:		
59	2.00	EA	0059 - RAWSON-KOENIG MODEL 43-S TOOL BOX (OR EQUAL) LOWER SIDE TOOL BOX,	\$	_\$
			MINIMUM 14 GA STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE,DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
60	2.00	EA	0061 - RAWSON-KOENIG MODEL 50-S TOOL BOX (OR EQUAL). LOWER SIDE TOOLBOX,	\$	\$
			MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
61	2.00	EA	0062 - RAWSON-KOENIG MODEL 61-S TOOLBOX (OR EQUAL) LOWER SIDE TOOL BOX,	\$	\$
			MINIMUM 14 GALLON STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
62	2.00	EA	0063 - RAWSON-KOENIG MODEL 67-S TOOLBOX (OR EQUAL) LOWER SIDE TOOL BOX	\$	\$
			MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR, HARDWARE AND DOOR SEALS. PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
63	2.00	EA	0064 - RAWSON-KOENIG MODEL 88-S TOOL BOX (OR EQUAL) UPPER SIDE TOOL	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

ITEM IUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BOX, MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK. MANUFACTURER:		
			MANUFACTURER NUMBER:		
64	3.00	EA	0065 - RAWSON-KOENIG MODEL US90 TOOL BOX (OR EQUAL) UPPER SIDE TOOL	\$	\$\$
			BOX,MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
65	5.00	EA	0066 - RAWSON-KOENIG MODEL M60FW1NMA (OR EQUAL) ALUMINUM CHEST TYPE TOOL	\$	\$\$
			BOX, MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
66	2.00	EA	0067 - RAWSON-KOENIG MODEL MTB602NM (OR EQUAL) STEEL CROSSOVER TOOL BOX,	\$	\$\$
			MINIMUM 14 GA STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
67	2.00	EA	0068 - RAWSON-KOENIG MODEL US96C (OR EQUAL) UPPER SIDE TOOL BOX, MINIMUM	\$	\$\$
			14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
68	20.00	EA	0069 - RAWSON-KOENIG MODEL C-63A TOOL BOX (OR EQUAL) ALUMINUM CROSSOVER TOOL	\$	\$\$
			BOX, MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL		

Page 19

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			HARDWARE, DOOR SEALS AND INSTALLATION FOR PICK UP TRUCK. MANUFACTURER: MANUFACTURER PART:		
69	2.00	EA	0070 - RAWSON-KOENIG MODEL C-63WA TOOL	\$	\$\$
			BOX (OR EQUAL) ALUMINUM CROSSOVER TOOL BOX MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
70	2.00	EA	0071 - RAWSON-KOENIG MODEL C-56A TOOLBOX (OR EQUAL)	\$	\$\$
			ALUMINUM CROSSOVER TOOL BOX MINIMUM .125 GA ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HRADWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK		
			MANUFACTURER: MANUFACTURER NUMBER:		
71	2.00	EA	0072 - RAWSON-KOENIG MODEL C-63 (OR EQUAL) CROSS OVER TOOLBOX,	\$	\$\$
ĺ			MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
72	2.00	EA	0073 - RAWSON-KOENIG MODEL M451NMA TOOL BOX (OR EQUAL) ALUMINUM CHEST TYPE TOOL	\$	\$\$
			BOX MINIMUM .125 GA ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
73	2.00	EA	0074 - RAWSON-KOENIG MODEL 43-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL	\$	\$\$
			BOX,MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARW, DOOR SEALS & INSTALLATION FOR		
J					

INVITATION TO BID FROM JEFFERSON PARISH - continued

20

Page

SEALED BID BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PICK UP TRUCK. MANUFACTURER: MANUFACTURER NUMBER:		
74	4.00	EA	0075 - RAWSON-KOENIG MODEL 50-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL	\$	\$
			BOX, MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
75	4.00	EA	0076 - RAWSON-KOENIG MODEL 67-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL	\$	\$
			BOX,MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
76	2.00	EA	0077 - RAWSON-KOENIG MODEL NUMBER C-63LPA ALUMINUM TOOLBOX(OR EQUAL)	\$	\$
			CROSSOVER TOOLBOX. LOW PROFILE LID, MINIMUM .125 GAUGE ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS AND INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
77	2.00	EA	0078 - RAWSON-KOENIG MODEL C-63W STEEL CROSSOVER TOOLBOX, (OR EQUAL)	\$	\$
			MINIMUM 14 GAUGE STAINLES STEEL DOOR HARDWARE,DOOR SEALS,PAINTED AND INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
78	2.00	EA	0079 - RAWSON-KOENIG MODEL 43-S LOWER SIDE TOOLBOX (OR EQUAL)	\$	\$
			MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK UP TRUCK. RKI WHITE PAINT IS ACCEPTABLE		

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

21

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
79	1.00	EA	0080 - RAWSON-KOENIG MODEL ST63A (OR EQUAL) CROSSOVER TOOL BOX,	\$	\$\$
			MINIMUM 100.00 ALUMINUM TREADPLATE CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS AND INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER MANUFACTURER PART:		
80	175.00	FT	0081 - FULL AUTOMATIC 12 VOLT ELECTRIC TARP RACK SYSTEM COMPLETE WITH CAB	\$	\$\$
			CONTROLLER AND ALL OTHER FEATURES AS DESCRIBED ABOVE EXCEPT HAND CRANK. PRICE PER FOOT LENGTH OF BODY.		
			MANUFACTURER: MANUFACTURER PART:		
81	1.00	EA	0082 - DUMPBODY AIR RELEASE TAILGATE SYSTEM COMPLETE WITH CAB CONTROLLER AND	\$	\$\$
			AIR RELEASE CYLINDER MOUNTED AT FRONT OF DUMP BODY WITH MANUAL OVERRIDE RELEASE CONTROL SYSTEM		
			MANUFACTURER: MANUFACTURER PART:		
82	1.00	EA	0083 - DUMP BODY CAB PROTECTORS (INSTALLED AND PAINTED)	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
83	2.00	EA	0084 - HEAVY DUTY FULL WIDTH REAR DOZER PUSH PLATE REINFORCEMENT FOR	\$	\$\$
			DUMP BODIES (INSTALLED & PAINTED) SIDE PLATES 3/4 INCHES THICK X 12 INCH X 24 INCH LONG. TOW (2) "V" BRACES-3/8 X 6 FLATBAR WIDTH.		
			MANUFACTURER: MANUFACTURER PART:		
84	1.00	EA	0085 - 10 FT. THRU 12 FT. BODY- UNDERBODY TYPE DUMP HOISTS FOR FLATBED)	\$	\$\$

Page 22

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BODIES (INSTALLED WITH PTO) MANUFACTURER:		
85	1.00	EA	MANUFACTURER PART: 0086 - 14 FT THRU 16 FT UNDERBODY TYPE HOIST FOR FLATBED BODIES	\$	\$\$
			(INSTALLED WITH PTO)		
			MANUFACTURER: MANUFACTURER PART:		
86	1.00	EA	0087 - 16 FT. TO 20 FT. HOIST, MODEL UMB HOIST AND TWIN TELESCOPIC INSIDE	\$	\$\$
			THE FRAME CYLINDERS TYPE DUMP BODY HOIST INSTALLED AND PAINTED AND IN READY TO WORK CONDITION.		
			MANUFACTURER: MANUFACTURER PART:		
87	1.00	EA	0088 - REPLACEMENT DUMP BODY HOIST WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$\$
			HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY). PAINTED BLACK.		
			MANUFACTURER: MANUFACTURER PART:		
88	1.00	EA	0089 - AUXILIARY REFUELING SYSTEM SYSTEM COMPLETE WITH THE FOLLOWING:	\$	\$\$
			A.ONE PRIOR MODEL R30 RECTANGULAR STEEL FUEL TANK (0R EQUAL) 30 GALLON CAPACITY, MOUNTED UNDER VAN FLOOR ON LEFT SIDE		
			OF VEHICLE AGAINST CHASSIS FRAME WITH FILL LINE TO SIDE OF VAN SKIRTING. B.ONE FILL RITE MODEL 1P894 FUEL TRANSFER PUMP(OR EQUAL)12 VOLT DC		
			POWER FROM TRUCK BATTERY UP TO 13.6 PM. C.ONE SPEEDAIRE MODEL 52026 HOSE AUXILIARY REFUELING SYSTEM NOZZLE (OR EQUAL)(NON- DRIP AUTOMATIC		
			SHUTOFF) D. ONE RAWSON MODEL UBW36 UNDER BODY TOOL BOX (OR EQUAL) D.ONE RAWSON MODEL UBW36 UNDER BODY TOOL BOX (OR EQUAL) FOR STORAGE OF		
			HOSE REEL. FOR STORAGE OF HOSE REEL . E.ONE RED WARNING LIGHT FOR PUMP ON CAB OF VEHICLE.		
			F.TO BE LOCATED IN A PLACE AGREED ON BY BOTH INSTALLER AND		

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

23

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			REPRESENTATIVE OF THE DEPARTMENT. TOTAL SYSTEM PRICE (INSTALLED)		
			MANUFACTURER: MANUFACTURER PART:		
89	1.00	EA	0090 - MASTER LOCK SYSTEM-SERVICE TRUCK BODY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
90	1.00	EA	0091 - LADDER/PIPE RACKS - BOW TYPE ON SERVICE TRUCK BODY (INSTALLED &	\$	\$\$
			PAINTED)		
			MANUFACTURER: MANUFACTURE PART:		
91	1.00	EA	0092 - LADDER/PIPE RACKS-SIDE MOUNT ON SERVICE TRUCK BODY	\$	\$\$
			(INSTALLED & PAINTED)		
			MANUFACTURER: MANUFACTURER PART:		
92	16.00	FT	0093 - FULL HEIGHT PLYWOOD INTERIOR LINING IN VAN TRUCKS.	\$	\$\$
			PRICE PER LINEAR FOOT OF VAN BODY		
			MANUFACTURER: MANUFACTURER PART:		
93	1.00	EA	0094 - LADDER/PIPE RACKS - FULL LENGTH TO CAB HEAVY DUTY PIPE RACK	\$	\$\$
			(5,000 LB. CAPACITY) ON SERVICE TRUCK BODY WITH FULL LENGTH SERVICE BODY REINFORCEMENT. (INSTALLED & PAINTED)		
			MANUFACTURER: MANUFACTURER PART:		
94	8.00	EA	0095 - REPLACEMENT TODCO (OR EQUAL)ROLL- UP DOOR ASSEMBLY INSTALLED IN VAN BODY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
95	1.00	EA	0096 - HEAVY DUTY TRUCK 5TH WHEEL - 24" AIR SLIDE WITH CAB CONTROLS	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

24

SEALED BID BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			(INSTALLED & PAINTED)		
			MANUFACTURER: MANUFACTURER PART:		
96	3.00	EA	0097 - HEAVY DUTY TRUCK 5TH WHEEL- OSCILLATING FIFTH WHEEL	\$	\$
			(INSTALLED & PAINTED) MANUFACTURER: MANUFACTURE PART:		
97	2.00	EA	0098 - REPLACEMENT HEAVY DUTY 2" TRAILER KINGPINS-DROP IN TYPE	\$	\$
			(INSTALLED & PAINTED) MANUFACTURER:		
98	1.00	EA	MANUFACTURER PART: 0099 - HEAVY DUTY SERVICE TRUCK BODY 56"	\$	\$\$
			SINGLE FOR 56" C/A SINGLE WHEEL TRUCK. 96"L X 79"W X 36"H. SIX COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS. FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED & INSTALLED. MANUFACTURER: MANUFACTURER PART:		
99	3.00	EA	0100 - HEAVY DUTY SERVICE TRUCK BODY 56" DUAL FOR 56" C/A DUAL WHEEL TRUCK. 96"L X 94"W X 40"H. SIX COMPARTMENTS 20" DEEP COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH ITCH RECESS. FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED & INSTALLED. HEAVY DUTY SERVICE TRUCKBODY 56" DUAL MANUFACTURER: MANUFACTURER	\$	\$\$
100	11.00	EA	0101 - HYDRAULIC TRUCK TAILGATES-1550 LB CAPACITY PICKUP TRUCK	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

25

SEALED BID BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TAILGATE 56"W X 26"D LOAD PLATFORM PLUS 5" RAMP AND WIDTH RECESSED HITCH TYPE REAR BUMPER (PAINTED & INSTALLED) MANUFACTURER:		
			MANUFACTURER PART:		
101	1.00	EA	0102 - HYDRAULIC TRUCK TAILGATES-2000 LB CAPACITY STOWAWAY TYPE	\$	\$\$
			TAILGATE 84"W X 36"D LOAD PLATFORM PLUS 5" RAMP AND OUTSIDE CHANNEL LIFT ARMS WITH DOCK BUMPERS (PAINTED & INSTALLED)		
			MANUFACTURER: MANUFACTURER PART:		
102	1.00	EA	0103 - HYDRAULIC TRUCK TAILGATES 1250 LB CAPACITY RAIL-TYPE TAILGATE	\$	\$\$
			85"W X X30"D LOAD PLATFORM PLUS 5" RAMP FOR STEP VAN BODIES WITH ROLL UP DOORS ONLY. (PAINTED & INSTALLED)		
			MANUFACTURER: MANUFACTURER PART:		
103	1.00	EA	0104 - POWER ROTATION FOR TRUCK SERVICE 2000 LB. SERVICE CRANE. 2000 LB.	\$	\$\$
			CAPACITY 4' TO 7' EXTENDABLE BOOM.		
			MANUFACTURER: MANUFACTURER PART:		
104	3.00	EA	0105 - REPLACEMENT DUMP BODY-HEIL SL 2/3 YARD.MODEL SL 2/3 YD. 8'L X 7'W (OR	\$	\$\$
			EQUAL)DUMP BODY. PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS AND CAB PROTECTORS.		
			MANUFACTURER: MANUFACTURER PART:		
105	1.00	EA	0106 - REPLACEMENT DUMP BODY-HEIL SL 6/8 YD. MODEL SL 6/8 YD (OR EQUAL)	\$	\$\$
			10'L X8'W DUMP BODY, PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND CAB PROTECTORS.		
			MANUFACTURER		

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

26

UNIT PRICE ITEM **QUANTITY** U/M **DESCRIPTION OF ARTICLES TOTALS NUMBER** QUOTED MANUFACTURER PART: 106 \$ 0107 - REPLACEMENT DUMP BODY-HEIL HH 6/8 1.00 EΑ YD. MODEL HH 6/8 YD. 10'L X 8'W DUMP **BODY, PAINTED AND INSTALLED WITH FMVSS** #108 LIGHTS, FLAPS, AND CAB PROTECTORS. **MANUFACTURER:** MANUFACTURER PART: 107 \$ 0108 - REPLACE DUMP BODY-HEIL LH 10/12 8 1.00 EΑ YARD. MODEL LH 10/12 YD. 13'L X 8'W (OR EQUAL) DUMP BODY, PAINTED, AND INSTALLED WITH FMVSS #108 LIGHTS. FLAPS, AND CAB PROTECTORS MANUFACTURER: MANUFACTURER PART: 108 0109 - REPLACE DUMP BODY-HEIL MODEL SL \$ \$ 1.00 EΑ 16 YD. MODEL SL 16 YD. 16'L X8'W TRASH DUMP BODY (OR EQUAL) TRASH DUMP BODY. PAINTED AND INSTALLED. SIX COMPARTMENTS, WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINTER. **ALL STAINLESS STEEL HARDWARE. 12 GAUGE** TREADPLATE STEEL FLOOR, HEAVY DUTY **REAR BUMPER WITH RECESS. FMVSS #108** RECESSED LIGHTS. TAILGATE, UNDERCOATED, PAINTED AND INSTALLED. **HEAVY DUTY SERVICE TRUCK BODY 56" DUAL.** MANUFACTURER: **MANUFACTURER PART:** 109 \$ \$ 1.00 EΑ 0110 - TRUCK SERVICE CRANE 2000 LB. 4' TO 7' CAPACITY. 4' TO 7' EXTENDABLE BOOM, ELECTRIC HOIST WITH CABLE LINE. **BLOCK AND HOOK, JACKLEG STABALIZER.** OVERLOAD WARNING DEVICE. (PAINTED AND INSTALLED) MANUFACTURER: **MANUFACTURER PART:** 110 \$ \$ 1.00 EΑ 0111 - 5-6 YARD CAPACITY NINE (9') LONG DUMP BODY 9' X 7' BOX SIZE **COMPLETE WITH CAB GUARD, PAINTED WHITE** INSTALLED WITH FMVSS #108 LIGHTS AND FLAPS ON A PARISH OWNED SUITABLE VEHICLE IN READY TO WORK CONDITION. MANUFACTURER:

INVITATION TO BID FROM JEFFERSON PARISH - continued

27

Page

SEALED BID BID NO.: 50-00148680

ITEM Number	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
111	2.00	EA	0112 - REPLACE DUMP BODY HOIST HEIL 1500 HEIL MODEL 1520 DLE HOIST,(OR EQUAL)	\$	\$\$
			INSTALLED WITH PTO AND CAB CONTROLS.		
			MANUFACTURER: MANUFACTURER PART:		
112	1.00	EA	0113 - REPLACE DUMP BODY HOISTS HEIL 1821. HEIL MODEL 1821 HOIST	\$	\$\$
			(OR EQUAL) INSTALLED PTO AND CAB CONTROLS.		
			MANUFACTURER: MANUFACTURER PART:		
113	1.00	EA	0114 - REPLACE DUMP BODY HOISTS HEIL 2824. HEIL MODEL 2824 HOIST(OR EQUAL)	\$	\$\$
			INSTALLED WITH PTO AND CAB CONTROLS.		
			MANUFACTURER: MANUFACTURER PART:		
114	1.00	EA	0115 - REPLACEMENT DUMP BODY HOIST WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$\$
			HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY)(OR EQUAL) PAINTED AND INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
115	1.00	EA	0116 - STELLAR SLIDER 65 HOOK-LIFT LIFT MACHINE HOIST, (OR EQUAL).	\$	\$\$
			THIS BODY HANDLING SYSTEM IS MOUNTED ON SUITABLE PARISH OWNED TRUCK CHASSIS AND IS CAPABLE OF LOADING, UNLOADING AND DUMPING VARIOUS BODIES 22' LONG WITH THE USE OF A HEXAGONAL SLIDING JIB. COMES WITH A HOOK HEIGHT OF 61.76" THAT MATCHES THE A-FRAME SLIDE THAT GOES UNDER VARIOUS BODIES AND WILL ACCOMMODATE CAPACITIES UP TO 65,000 LBS. MAXIMUM DUMP ANGLE IS 50 DEGREES ON A 41 INCH HIGH TRUCK FRAME FROM THE GROUND COMPLETE WITH FENDER, GANTRY TARP SYSTEM AND REARBUMPER IN READY TO WORK CONDITION. TRUCK CHASSIS MUST HAVE 64,000 LB. GVWR AND A 190" TO 204" CT DISTANCE AND DOUBLE FRAME RAILS CHASSIS FRAME.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

28 Page **SEALED BID**

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
116	1.00	EA	0117 - RUGBY SUB-FRAME HEAVY DUTY HOIST LR2066 (OR EQUAL)	\$	\$\$
			WITH TWIN CYLINDER FOR DUMP BODY USE ON VARIOUS TRUCK BODIES. INSTALLED AND PAINTED BLACK		
			MANUFACTURER MANUFACTURER PART:		
117	1.00	EA	0118 - ROLL BACK EQUIPMENT LOADER 20'L X 8'W WITH EXTRA HEAVY DUTY STEEL	\$	\$\$
			FLATBED TRUCK BODY, BULKHEAD, 12,000 LBS. HYDRAULIC WINCH, DUAL TILT CYLINDERS, FULL ROLL BACK CYLINDERS, PTO, SIDE CONTROLS, FMVSS #108 LIGHTS, FLAPS, PAINTED AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
118	1.00	EA	0119 - HOOK-LIFT TRUCK HYDRAULIC SYSTEM UNIT TO LIFT FLATBED AND DUMP FLATBED	\$	\$\$
			WITH HEAVY DUTY 16'L X 8'W STEEL FLATBED CAB CONTROLS. PTO, MVSS #108 LIGHTS, FLAPS, PAINTED AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
119	1.00	EA	0120 - BUYERS MODEL PH-15 HOOK ASSEMBLY (OR EQUAL)	\$	\$\$
			15 TON HOOK ASSEMBLY, 15 TON CAPACITY REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
120	1.00	EA	0121 - BUYERS MODEL PH-5 (OR EQUAL) PINTLE HOOK ASSEMBLY 5 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
121	1.00	EA	0122 - BUYERS MODEL BP100A PINTLEHOOK (OR EQUAL) PINTLE HOOK ASSEMBLY 10 TON	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

29

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED MANUFACTURER: MANUFACTURER PART:	330.12	
122	1.00	EA	0123 - BUYERS MODEL BP125 HOOK ASSEMBLY (OR EQUAL)15 TON HOOK ASSEMBLY REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED MANUFACTURER: MANUFACTURER PART:	\$	\$
123	1.00	EA	0124 - BUYERS MODEL BP760-(OR EQUAL) PINTLE HOOK ASSEMBLY 24.5 TON CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED MANUFACTURER: MANUFACTURER PART:	\$	\$\$
124	3.00	EA	0125 - BUYERS MODEL BP1238-(OR EQUAL) DRAWBAR EYE 3" I.D. 11 TON REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED MANUFACTURER: MANUFACTURER PART:	\$	\$\$
125	1.00	EA	0126 - BUYERS MODEL DB1385-(OR EQUAL) DRAWBAR EYE 3" I.D. 11 TON - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED MANUFACTURER: MANUFACTURER PART:	\$	\$\$
126	1.00	EA	0127 - BUYERS MODEL DB12492H-DRAWBAR EYE (OR EQUAL) DRAWBAR EYE 3" I.D. 22 TON - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED MANUFACTURER: MANUFACTURER PART:	\$	\$
127	1.00	EA	0128 - BUYERS MODEL DB124949 DRAWBAR EYE (OR EQUAL)DRAWBAR EYE 3" I.D. 22.5 TON - REPLACEMENT PINTLE HITCHES	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

30

Page

SEALED BID BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			AND DRAWBARS NOT INSTALLED MANUFACTURER: MANUFACTURER PART:		
128	1.00	EA	0129 - MODEL DB1250-15 DRAWBAR EYE E2.5" (OR EQUAL) DRAWBAR EYE 2.5" I.D.	\$	\$
			22 TON - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
129	1.00	EA	0130 - MODEL DB1250-3 DRAWBAR EYE 2" (OR EQUAL) DRAWBAR EYE 2" I.D. 7.5 TON	\$	\$\$
			- REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
130	2.00	EA	0131 - BUYERS MODEL PM 107-(OR EQUAL) PINTLE MOUNT PLATE REPLACEMENT.	\$	\$\$
			PINTLE HITCHES AND DRAWBARS NOT INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
131	1.00	EA	0132 - BUYERS MODEL PM812 MOUNT PLATE (OR EQUAL) PINTLE MOUNT PLATE -	\$	\$\$
			REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
132	1.00	EA	0133 - BUYERS MODEL BH81780-COMBO HITCH (OR EQUAL) COMBINATION HITCH 8 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
133	2.00	EA	0134 - BUYERS MODEL BH82000 COMBO HITCH (OR EQUAL)COMBINATION HITCH 8 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		

INVITATION TO BID FROM JEFFERSON PARISH - continued

31

Page

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
134	1.00	EA	0135 - BUYERS MODEL BH82516-COMBO HITCH (OR EQUAL) COMBINATION HITCH 8 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
135	1.00	EA	0136 - SERVICE BODY HEAVY DUTY CANOPY TOP 60" INTERIOR HEIGHT, 96" OVERALL	\$	\$\$
			LENGTH, CANOPY TOP TO BE COMPLETED WITH STATIONARY ROOF. ONE GLASS IN FRONT PANEL. ONE GLASS IN EACH REAR SWING DOOR PANEL. TWO FULL LENGTH INTERIOR FLOURESCENT LIGHTS. STAINLESS STEEL DOOR HARDWARE. PAINTED INSIDE AND OUTSIDE ONE COLOR TO MATCH CAB.		
			MANUFACTURER: MANUFACTURER PART:		
136	1.00	EA	0137 - HEAVY DUTY SERVICE TRUCK BODY FOR 60" C/A DUAL REAR WHEEL TRUCK.	\$	\$\$
			108"L X 89"W X 41"H. ALL COMPARTMENTS 20" DEEP.		
			MANUFACTURER: MANUFACTURER PART:		
137	1.00	EA	0138 - ELECTRIC WINCH-8,000 LB. CAPACITY COMPLETE WITH HEAVY DUTY FRONT BUMPER	\$	\$\$
			ASSEMBLY. 4 WAY ROLLER GUIDES, REMOTE CONTROL PENDANT, AND 150' OF CABLE WITH HOOK END (UNIT TO FIT PICK-UPS, CARRYALLS OR 1 TON CAB AND CHASSIS)		
			MANUFACTURER: MANUFACTURER PART:		
138	1.00	EA	0139 - HEAVY DUTY SERVICE TRUCK BODY FOR 84" C/A DUAL REAR WHEEL TRUCK	\$	\$\$
			132"L X 89"W X 41"H. COMPARTMENTS 20" DEEP.		
			MANUFACTURER: MANUFACTURER PART:		
139	1.00	EA	0140 - LABELMASTER HEAVY DUTY ALUMINUM FRAME HAZARDOUS MATERIAL PLACECARDS	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

MANUFACTURER: MANUFACTURER PART:	\$ \$ \$
MANUFACTURER: MANUFACTURER PART: 141 1.00 EA 0142 - CUTAWAY VAN BODY-(OR EQUAL) SPECIAL 1 1/2 TON HEAVY DUTY LOW MOUNT SIDE ACCESS 1 1/2 CUTAWAY VAN TRUCK CAB AND CHASSIS: BODY LENGTH - 16 FT. WALK-THRU OPEN PARTITION BETWEEN CAB AND REAR VAN. CUTAWAY: FRONT PANELS CUTAWAY FOR FULL ACCESS TO TRUCK CAB INCLUDING WATER TIGHT SEAL TO CAB. LENGTH: 16'0' MINIMUM INSIDE LENGTH WIDTH: 96" MINIMUM EXTERIOR WIDTH HEIGHT: 79" INTERIOR HEIGHT FROM FLOOR TO ROOF BOWS. FLOOR HEIGHT: MAXIMUM 36" UNLOAD FLOOR HEIGHT: MAXIMUM 36" UNLOAD FLOOR HEIGHT FROM GROUND. LONGSILLS: 3/8" X 3" STEEL FLAT BAR U-BOLTED TO TRUCK FRAME. CROSSILLS: 3" STEEL I-BEAMS SPACED 12" ON CENTERS.	
141 1.00 EA 0142 - CUTAWAY VAN BODY-(OR EQUAL) SPECIAL 1 1/2 TON HEAVY DUTY LOW MOUNT SIDE ACCESS 1 1/2 CUTAWAY VAN TRUCK CAB AND CHASSIS: BODY LENGTH - 16 FT. WALK-THRU OPEN PARTITION BETWEEN CAB AND REAR VAN. CUTAWAY: FRONT PANELS CUTAWAY FOR FULL ACCESS TO TRUCK CAB INCLUDING WATER TIGHT SEAL TO CAB. LENGTH: 16'0" MINIMUM INSIDE LENGTH WIDTH: 96" MINIMUM EXTERIOR WIDTH HEIGHT: 79" INTERIOR HEIGHT FROM FLOOR TO ROOF BOWS. FLOOR HEIGHT: MAXIMUM 36" UNLOAD FLOOR HEIGHT: MAXIMUM 36" UNLOAD FLOOR HEIGHT FROM GROUND. LONGSILLS: 3/8" X 3" STEEL FLAT BAR U-BOLTED TO TRUCK FRAME. CROSSILLS: 3" STEEL I-BEAMS SPACED 12" ON CENTERS.	\$ \$\$
SPECIAL 1 1/2 TON HEAVY DUTY LOW MOUNT SIDE ACCESS 1 1/2 CUTAWAY VAN TRUCK CAB AND CHASSIS: BODY LENGTH - 16 FT. WALK-THRU OPEN PARTITION BETWEEN CAB AND REAR VAN. CUTAWAY: FRONT PANELS CUTAWAY FOR FULL ACCESS TO TRUCK CAB INCLUDING WATER TIGHT SEAL TO CAB. LENGTH: 16'0" MINIMUM INSIDE LENGTH WIDTH: 96" MINIMUM EXTERIOR WIDTH HEIGHT: 79" INTERIOR HEIGHT FROM FLOOR TO ROOF BOWS. FLOOR HEIGHT: MAXIMUM 36" UNLOAD FLOOR HEIGHT FROM GROUND. LONGSILLS: 3/8" X 3" STEEL FLAT BAR U-BOLTED TO TRUCK FRAME. CROSSILLS: 3" STEEL I-BEAMS SPACED 12" ON CENTERS.	\$ \$\$
HARDWOOD WITH TWO FLOOR HARDWOOD WITH TWO FLOOR MAXIMUM PROTECTION CROSS MEMBER WHEEL WELLS: STEEL WHEEL WELLS OVERREAR TIRES FOR LOW FLOOR TO GROUND HEIGHT. AERODYNAMICS: MINIMUM 12" FRONT ROOF RADIUS AND 9" FRONT CORNER RADIUS. TOP FRONT CORNERS: HEAVY DUTY CAST ALUMINUM CORNER CAPS WITH RECESSED LIGHTING FOR MAXIMUM PROTECTION SIDE POSTS: STEEL Z POSTS ON 16" CENTERS TOP AND BOTTOM RAILS: HEAVY DUTY EXTRUDED ALUMINUM FRONT & SIDE EXTERIOR PANELS: HEAVY	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ROOF BOWS: ARCHED GALVANIZED STEEL HAT CHANNELS ON 24" CENTERS TENSION INSTALLED WITH NO RIVETS OVER VAN INTERIOR AREA. INTERIOR LINING: FULL HEIGHT 1/2" PLYWOOD ON SIDE WALLS REAR HEADER: HEAVY DUTY STAINLESS OR GALVANIZED STEEL PAINTED WHITE REAR DOOR: HEAVY DUTY OVERHEAD ROLL-UP TYPE REAR DOOR ASSEMBLY REAR DOOR SEALS: FULL PERIMETER WIDTH WATER SEEPAGE THROUGH REAR FLOOR ENTRY. REAR DOOR OPENING: 88" WIDE X 73" HIGH SIDE DOOR: SLIDING PASSENGER SIDE DOOR WITH BUILT IN KEY PUSH BUTTON LOCK SIDE DOOR CONSTRUCTION: MINIMUM 1/2" CORE PREPAINTED WHITE ALUMINUM PLYMETAL WITH SEALED DOOR PERIMETER AND BRUSH CONSTRUCTION SIDE DOOR ENTRANCE: LOCATED 15 1/2 FROM INSIDE OF FRONT WALL SIDE DOOR STEPS SIZES: MINIMUM 40" WIDE X 10" DEEP X 8" HIGH SIDE DOOR CONSTRUCTION: SKID RESISTANT SAFETY TREAD PLATE ALUMINUM REAR BUMPER: HEAVY DUTY STRUCTURAL CHANNEL REINFORCED FULL WIDTH SKID-RESISTANT 12" DEEP STEP BUMPER WITH CLOSED VERTICAL PLATE TO PREVENT UNDER SLIP AND RECESSED LIGHT AND LICENSE BRACKETS INTERIOR LIGHTS: TWO INTERIOR DOME LIGHTS WITH SWITCH AT SIDE DOOR ENTRANCE. EXTERIOR LIGHTS: FMVSS #108 EXTERIOR VAN LIGHTS RECESSED FOR MAXIMUM PROTECTION. FUEL FILL NECK: RECESSED INTO VAN BOTTOM RAIL. MANUFACTURER: MANUFACTURER: MANUFACTURER		
142	3.00	EA	0143 - DOT APPROVED HEAVY DUTY SOLID BULKHEAD PARTITION 48" FRONT	\$	\$\$
			FROM FRONT OF VAN MANUFACTURER: MANUFACTURER PART:		
143	25.00	FT	0144 - SOLID WELDED SAFETY TREADPLATE STEEL VAN BODY FLOORING	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

34

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PRICE PER LINEAR FOOT OF VAN BODY MANUFACTURER: MANUFACTURER PART:		
144	1.00	EA	0145 - INSULATED VAN SIDES, ROOF & REAR BULKHEAD WITH MINIMUM 2" INSULATION	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
145	13.00	EA	0146 - POWERED VENITLATOR IN VAN ROOF	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
146	1.00	EA	0147 - STATIONARY WINDOW IN SIDE DOOR EACH.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
147	2.00	EA	0148 - SLIDING WINDOW IN SIDE DOOR EACH	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
148	1.00	EA	0149 - ADDITIONAL DRIVER'S SIDE DOOR IN VAN BODY AS SPECIFIED ABOVE	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
149	1.00	EA	0150 - VEHICLE AND VAN BODY 194" WHBS18' EXACTLY AS SPECIFIED ABOVE EXCEPT 194"	\$	\$\$
			WHEELBASE AND 18' VAN BODY (ALTERED VEHICLE CERTIFICATION TO DOT FOR APPLICABLE FMVSS COMPLIANCE AS OF DATE MUST BE INCLUDED IF VEHICLE WHEELBASE IS ALTERED)		
			MANUFACTURER: MANUFACTURER PART:		
150	1.00	EA	0151 - TRAILER TOWING PACKAGE	\$	\$\$
			MANUFACTURER:		

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

35

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
151	5.00	EA	0152 - FULL LENGTH 24" W HEAVY DUTY STORAGE SHELVES ATTACHED TO VAN	\$	\$\$
			INTERIOR SIDE WALLS FABRICATED OF 1/4" X 3" X 3" STRUCTURAL STEEL ANGLE PERIMETER FRAME WORK REINFORCED TO VAN FLOORING AND WITH REINFORCED 10 GAUGE EXPANDED FLOORING, PRICE PER SHELF.		
			MANUFACTURER: MANUFACTURER PART:		
152	1.00	EA	0153 - ADRIAN MODEL 2252 (OR EQUAL) ELECTRICAL CONTRACTOR COMBINATION	\$	\$\$
			INTERIOR STORAGE BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE.		
			MANUFACTURER: MANUFACTURER PART:		
153	1.00	EA	0154 - EXTRA HEAVY DUTY 70,000 LB. CAPACITY HYDRAULIC WINCH ASSEMBLY,	\$	\$\$
			COMPLETE WITH TWO-SPEED MOTOR, 100' OF 1" DIAMETER WIRE ROPE WITH 4' TAILCHAIN AND HOOK, CABLE ROLLER GUIDES, SECOND HYDRAULIC SYSTEM FOR HYDRAULICALLY REMOVAL GOOSENECK TRAILER CAB AIR CONTROLS, HEADACHE RACK, SERVICE PLATFORM, COMBINATION ALUMINUM STEP-UPS /TOOLBOXES ON EACH SIDE, HEAVY DUTY FULL ALUMINUM FENDERS, REAR FLAPS, 7" DIAMETER TAILROLLER 2260 EXTRA HEAVY HEAVY DUTY 70,000 LB SKID PLATES, UNDER -RIDE GUARD, AIRSLIDE FIFTH WHEEL, LOAD LIGHTS, 15" STROBE TYPE FLASHING LIGHT, AND BINDER RACKS INCLUDING COMPLETE INSTALLATION IN READY TO WORK CONDITION ON PARISH SUPPLIED HEAVY DUTY TRACTOR.		
			MANUFACTURER: MANUFACTURER PART:		
154	1.00	EA	0155 - ARM-LIFT MODEL NUMBER TK-41(OR EQUAL)AERIAL DEVICE. HORIZONTAL REACH	\$	\$\$
			OF 29'WORKING HEIGHT OF 41' BUCKET CAPACITY OF 350 LBS; STOWED TRAVEL HEIGHT OF NINE FEET, EIGHT INCHES (9'8"); WEIGHT OF LIFT 3,300 LBS.; BASED ON 40 INCH FRAME H EIGHT-ALL DIMESION NORMAL WITH STANDARD PEDESTAL HEIGHT OF 39 INCHES TALL; HYDRAULIC SYSTEM OPERATING PRESSURE OF 2,500 PSI;		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FLOW RATE 6 GPM; FILTRATION 10 MICRON; 100 MESH SUCTION; SYSTEM TYPE OPEN CENTER; POWER SOURCE PTO/PUMP; BOOM ACTION OUTER/INNER BOOM TRAVEL-14 DEGREES TO +74 DEGREES; LOWER +88 DEGREES; INNER BOOM EXTENSION 96"; ROTATION 360 DEGREES CONTINUOUS; RETRACTED 0 INCHES; MANUAL; PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONS DECALS.		
			MANUFACTURER PART:		
155	2.00	EA	0156 - RAILGATE DESIGN LIFTGATE MOUNTED TO REAR OF VAN, MINIMUM SPECIFICATIONS	\$	\$\$
			AS FOLLOWS: RAILGATE DESIGN(OR EQUAL)WITH LEVEL RIDE FULL TRAVEL UP AND DOWN FOR MAXIMUM STABILITY AND SAFETY. MINIMUM 2,000 LBS. LOAD CAPACITY. PLATFORM SIZE 90" WIDE BY 42" DEEP PLUS 5" FULL WIDTH LOAD RAMP. TORSION BAR ASSIST PLATFORM CLOSING. SELF-CONTAINED WEATHERPROOF 12 RAILGATE DESIGN LIFTGATE MOUNTED SIDE MOUNT RECESSED TOGGLE SWITCH CONTROL. ICC APPROVED UNDERRIDE PROTECTION - INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
156	1.00	EA	0157 - HEAVY DUTY SERVICE TRUCK BODY FOR 40"CA TRUCK CHASSIS,80"1 X 80"W X 41"H,	\$	\$\$
			SIX COMPARTMENTS 12 GA. GALVANIZED STEEL COMPARTMENTS AND DOORS, WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS ALL STAINLESS STEEL DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR, HEAVY DUTY REAR BUMPER WITH HITCH RECESS, FMVSS #108 RECESSED LIGHTS, LIGHTS, TAILGATE UNDERCOATED, PAINTED TO MATCH TRUCK AND INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
157	1.00	EA	0158 - VERTICAL LIFT & TRAVERSING AERIAL PLATFORM, SCISSOR LINK LIGHTING DESIGN	\$	\$\$
			WITH MINIMUM FOUR LIFT CYLINDERS MINIMUM 60"L X 90"W ALUMINUM WORK PLATFORM TO TRANSVERSE 60" IN BOTH DIRECTIONS, 42" HIGH FOLDING HANDRAIL FOLDING ACCESS STEPS TO WORK PLATFORM, VERTICAL STABILIZERS, MINIMUM 29'6"		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

37

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			WORKING HEIGHT MINIMUM 1,500 LBS. CAPACITY, FULLY HYDRAULIC OPERATION WITH UPPER AND LOWER VERTICAL LIFT AND TRAVERSING AERIAL TO PREVENT LIFTING WITHOUT OUTRIGGERS EXTENDED AND TO PREVENT TRUCK MOVEMENT WITH PLATFORM RAISED, UNIT TO MEET ALL APPLICABLE ANSI AND OSHA REGULATIONS, INSTALLED ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART:		
158	1.00	EA	0159 - COMPLETE CAB GUARD FOR TREE- TRIMMING OPERATIONS FABRICATED OF	\$	\$\$
			MINIMUM 2" STEEL TUBE FRAME REINFORCEMENT WITH MINIMUM #3 EXPANDED METAL COVER.		
			MANUFACTURER: MANUFACTURER PART:		
159	1.00	EA	0160 - RECEIVER TYPE ELECTRIC WINCH ASSEMBLY, MINIMUM 8,000 LB. CAPACITY,	\$	\$\$
			COMPLETE WITH 75' CABLE, ROLLER GUIDES, REMOTE HAND CONTROLLER, AND WIRING TO FRONT AND REAR OF VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
160	30.00	EA	0161 - SPRAY-ON TYPE 8' PICKUP BED FULL LINER INCLUDING TAILGATE	\$	\$\$
			(RHINO OR EQUAL) MANUFACTURER: MANUFACTURER PART:		
161	1.00	EA	0162 - OPTIONAL AIR CONDITIONING AND HEATING SYSTEM IN ANIMAL CONTROL TRUCK	\$	\$
			BODIES IN ADDITION TO THE STANDARD FORCE AIR VENTILATION SYSTEM		
			MANUFACTURER: MANUFACTURER PART:		
162	1.00	EA	0163 - HEAVY DUTY VALVE EXCERSIER SERVICE TYPE UTILITY TRUCK SYSTEM. WACHS MODEL TM-7(OR EQUAL) VALVE	\$	\$
			EXCERSIZER ASSEMBLY INCLUDING AN AUTOMATIC COMPUTER CONTROL, 2,500 LBS. TORQUE SYSTEM WITH ELECTRONIC TORQUE		

INVITATION TO BID FROM JEFFERSON PARISH - continued

38

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			AND DIRECTION CONTROL, ELECTRONIC REVOLUTIONARY COUNTER, INTEGRAL 2,000 PSI AUXILLIARY HYDRAULIC CIRCUIT, PRESSURE GAUGE,TWO 8' LONG VALVE KEYS WITH 2" UNIVERSAL SOCKET, INCLUDES RUGGEDIZED CONTROLLER/DATA LOGGER ASSEMBLY INCLUDING RECON PDA STYLE PC, TACTICAL MOUNT, 12 VOLT VEHICLE CHARGE KIT, CONTROL CABLE AND PELICAN WATERPROOF CASE. BLUETOOTH ADAPTER FOR SUPPLY AND INSTALL A HEAVY DUTY PTO WITH HYDRAULIC PUMP 10GPM@2000 PSI CONNECT ALL HYDRAULICS BETWEEN PUMP, COOLER AND VALVE MACHINE. CHECK SYSTEM FOR PROPER OPERATION. MANUFACTURER: MANUFACTURER: MANUFACTURER PART:		
163	1.00	EA	0164 - CUSTOM FABRICATED A-FRONT CRADLE TO STORE A LOADER GRAPPLE ATTACHMENT ON THE FRONT OF THE TRUCK FRAME FOR TRANSPORTING. CONSTRUCTED OF HEAVY DUTY	\$	\$\$
			CHANNEL AND HEAVY DUTY TUBING. THE SUPPORT ARMS THAT EXTEND OVER THE HOOD NEED TO BE REMOVABLE. PRIMED AND PAINTED ONE COLOR. MANUFACTURER: MANUFACTURER PART:		
164	1.00	EA	0165 - VMAC PTO DRIVEN AIR COMPRESSOR THAT IS DIRECT TRANSMISSION MOUNTED AS	\$	\$
			A HEAVY STORAGE SOLUTION, MODEL NUMBER DTM70(OR EQUAL) IN READY TO WORK CONDITION TO BE USED ON VARIOUS TRUCK BODIES INSTALLED IN RAW ALUMINUM FINISH.		
			MANUFACTURER: MANUFACTURER PART:		
165	1.00	EA	0166 - HEAVY DUTY ALUMINUM LOADING RAMP 800 LB. MINIMUM CAPACITY, COMPLETE WITH	\$	\$\$
			UNDERBODY SLIDE OUT TYPE STORAGE BRACKET WITH ROLLERS, INSTALLED UNDER VAN TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
166	1.00	EA	0167 - HEAVY DUTY GOOSENECK TRAILER 2-5/16" BALL HITCH ASSEMBLY, HIDE-A-WAY	\$	\$
			TYPE, 30,000 LB. TRAILER GVWR CAPACITY,		

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

39

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			THRU-BOLTED TO TRUCK FRAME IN ACCORDANCE WITH APPLICABLE DOT REGULATIONS, INSTALLED IN EITHER FLATBED OR PICKUP BODY. MANUFACTURER: MANUFACTURER PART:		
167	2.00	EA	0168 - ALUMINIMUM 6 COMPARTMENT PERSONNEL LOCKER, 88"W X 12"H X 12"D,	\$	\$\$
			10 GAUGE CONSTRUCTION, SIX DOORS WITH CONTINUOUS HINGES AND TWIST TYPE HASP LOCKS, INSTALLED ON FRONT TOP OF INTERNAL BULKHEAD WALL IN CREW-VAN TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
168	1.00	EA	0169 - ALUMINUM 6 COMPARTMENT TOOL LOCKER 88" W X 24" H X 36" D, 10 GAUGE	\$	\$\$
			CONSTRUCTION, SIX DOORS WITH CONTINUOUS HINGES AND TWIST TYPE HASP LOCKS, INSTALLED ON FRONT TOP OF PEEKOVER IN CREW-VAN TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
169	1.00	EA	0170 - ALUMINUM TROUGH TYPE TOOLBOX 10 GAUGE CONSTRUCTION, 88" W X 24" H X	\$	\$\$
			24" D, INSTALLED ON TOP REAR OF INTERNAL BULKHEAD IN CREW-VAN TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
170	1.00	EA	0171 - ALUMINUM COFFIN TYPE TOOLBOX 10 GAUGE CONSTRUCTION, 88" W X 24" H X	\$	\$\$
			24" D, SINGLE TOP LID WITH CONTINUOUS HINGES AND LOCK, INSTALLED ON BOTTOM REAR OF INTERNAL BULKHEAD IN CREW-VAN TRUCK BODY		
			MANUFACTURER: MANUFACTURER PART:		
171	1.00	EA	0172 - ALUMINUM GAS CAN STORAGE 10 GAUGE CONSTRUCTION, 24" L X 36" H X	\$	\$\$
			24" D, SINGLE SIDE DOOR WITH CONTINUOUS HINGE AND LOCK, INSTALLED ON BOTTOM		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

40

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			REAR CURBSIDE INTERIOR VAN WALL WITH FUME VENTS THROUGH SIDE WALL.		
			MANUFACTURER: MANUFACTURER PART:		
172	5.00	EA	0173 - SHOVEL,RAKE,BROOM STORAGE RACK 1/4" STEEL CONSTRUCTION, CAPABLE OF	\$	\$\$
			HOLDING NINE TOOLS, PAINTED BLACK AND INSTALLED IN UPPER LEFT SIDE INTERIOR WALL OF CREW-CAB TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
173	1.00	EA	0174 - WHEEL BASE REDUCTION-20,000- 30,000 GVWR TRUCK CHASSIS INCLUDING	\$	\$\$
			VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION.		
			MANUFACTURER: MANUFACTURER PART:		
174	1.00	EA	0175 - WHEELBASE EXT. UP TO OR OVER 33,000 LB. GVWR TRUCK CHASSIS,INCLUDING	\$	\$\$
			VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION.		
			MANUFACTURER: MANUFACTURER PART:		
175	1.00	EA	0176 - WHEEL BASE REDUCTION UP TO 48 I ON 20,000-33,000 LB. BVWR TRUCK CHASSIS	\$	\$\$
			INCLUDING VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTS REGULATIONS AS OF DATE OF ALTERATION.		
			MANUFACTURER: MANUFACTURER PART:		
176	1.00	EA	0177 - WHEEL BASE EXT. UP TO 48' OVER 33,000 LBS. GVWR TRUCK CHASSIS.	\$	\$\$
			INCLUDING VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION.		
			MANUFACTURER: MANUFACTURER PART:		
177	1.00	EA	0178 - TRACTOR WET-LINE KIT FOR DUMP TRAILER APPLICATION COMPLETE WITH PTO,	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			CAB AIR CONTROLS, MINIMUM 28GPM HYDRAULIC PUMP @ 2500 PSI, MARRIED TO PTO, MINIMUM 55 GALLON HYDRAULIC RESERVOIR TANK WITH SHUT-OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULIC HOSES WITH NON-DRIP QUICK COUPLERS TO MATCH PARISH OWNED DUMP TRAILERS. MANUFACTURER: MANUFACTURER		
178	1.00	EA	0180 - HVY DUTY SERVICE TRUCK BODY 108" C/A TRUCK CHASSIS 156"L X 94" W X 41"H	\$	\$\$
			EIGHT COMPARTMENTS, 12 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOORS, WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS, ALL STAINLESS STEEL DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR, HEAVY DUTY REAR BUMPER WITH HITCH RECESS,FMVSS #108 RECESSED LIGHTS TAILGATE, UNDERCOATED, PAINTED TO MATCH TRUCK CAB, AND INSTALLED. MANUFACTURER:		
179	1.00	EA	0181 - HVY DUTY SERVICE TRUCK BODY 120" C/A TRUCK CHASSIS, 168"L X 94"W X 41"H	\$	\$\$
			EIGHT COMPARTMENTS, 12 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR, HEAVY DUTY REAR BUMPER WITH HITCH RECESS, FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED TO MATCH TRUCK CAB AND INSTALLED. MANUFACTURER: MANUFACTURER PART:		
180	1.00	EA	0182 - ANIMAL CONTROL TYPE BODY (SWAB MODEL ARF-8 ANIMAL TRANPORT TRUCK BODY)	\$	\$\$
			(OR EQUAL) SUPPLY AND INSTALL ON SUITABLE 3/4 TON 6" C/A PICK-UP TRUCK 8' LONG BED WITH ALL THE FOLLOWING SPECIFICATIONS: FIBERGLASS CONSTRUCTION, 98"L X 78"H OVERALL, 20"W X 30" H X 32" DEEP COMPARTMENTS. SET OF SIX SAFETY DOORS AND ANIMAL COMPARTMENTS. ONE PIECE STORAGE COMPARTMENT, 750CFM FRESH AIR BLOWER, FRESH AIR BLOWS INTO ALL AIR CONDITIONING IS ADDED). EECO TYPE MODEL #510 (OR EQUAL) 97 DECIBLE BACK-		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			UP ALARM, 8" DIAMETER REAR VIEW BLIND SPOT MIRROR. BODY SAFETY LIGHTS, FOUR WAY FLASHERS. ONE YEAR WARRANTY, ANIMAL CONTROL BODY INSTALLED. MANUFACTURER: MANUFACTURER PART:		
181	25.00	FT	0183 - PRICE PER LINEAR FOOT REFRIGERATED VAN TRUCK BODY (INCLUDING	\$	\$\$
			UNIT) TO ADD FOR DECREASE BODY LENGTH. MANUFACTURER: MANUFACTURER PART:		
182	1.00	EA	0184 - HEAVY DUTY CHIPPER TYPE TRUCK BODY ASSEMBLY, 16"L X 52"H	\$	\$\$
			X 96"W. MINIMUM 10 GAUGE REINFORCED STEEL CONSTRUCTION, COMPLETE WITH REMOVABLE VENTER TOP COVER ON FRONT 1/3 OF BODY. DOUBLE FULL OPENING REAR SWING GATES 36"H WITH CAMLOCKS AND SAFETY BAR LOCK. TWO UNDERBODY STORAGE BOXES MINIMUM 60"L X 18"H X 18"D, UNDERRIDE GUIDE GUARD, MUD FLAPS, FMVSS LIGHTS, PAINTED JEFFERSON PARISH WHITE (FOR USE WITH EITHER HEIL TWIN OR HEIL HEAVY DUTY CHIPPER TELESCOPIC OR UNDERBODY TYPE HOISTS).		
			MANUFACTURER: MANUFACTURER PART:		
183	1.00	EA	0185 - HEAVY DUTY 10 TON TRUCK CRANE 22 FT-56 FT. THREE SECTION PROPORTIONAL BOOM. 3 SHEAVE BOOM HEAD (TO ALLOW 3 PARTING OF LINE), CONTINUOUS ROTATION, 360 DEGREE AREA OF OPERATION, FRONT CENTER STABALIZER (TO ALLOW 360 DEGREE AREA OF OPERATION). HORIZONTAL BOOM REST IN LIEU OF COLLAR REST, HYDRAULIC CAPACITY ALERT SYSTEM, A-FRAME 10 FT. SPAN REAR STABILIZERS, ELECTRONIC FOOT THROTTLE (AS REQUIRED FOR NON- MECHANICAL ENGINES) EXTRA-HEAVY DUTY 18FT. SAFETY HEAVY DUTY 10 TON TRUCK CRANE, 22FT 56FT. TREADPLATE STEEL FLATBED, BRADEN MODEL PD12C2, SPEED HOIST WITH "LAY-A-WAY" FEATURE, 200FT. OF 9/16 INCH 6 X 37 IWRC WIRE ROPE, ANIT-TWO BLOCK WITH FUNCTION LOCKOUT, A-FRAME 16FT X 7 1/2 IN SPAN OUTRIGGERS AT PEDESTAL, OUTRIGGER AND STABILIZER AUDIO/VISUAL MOTION ALARM, 21FT. TORSION BOX FOR 18FT. FLATBED, ELECTRONIC BACK-UP ALARM, ICC SAFETY	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

43

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			KIT TO MEET DOT HEAVY DUTY 10 TON TRUCK CRANE, 22FT 56FT. WITH TWO GATE VALVES ON SUCTION LINES 60 GALLON HYDRAULIC OIL TANK WITH FILTER STRAINER AND LOCKABLE FILLER CAP WITHOUT LOCK, SIGHT LEVEL, AND TEMPERATURE GAUGE, DUAL OPERATOR CONTROL STATIONS AND AUDIBLE AWARENESS WARNING HORN, BOOM LENGTH AND ANGLE INDICATORS, ONE SET OPERATOR AND SERVICE MAINTENANCE MANUALS, PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS ONE YEAR FULL FACTORY WARRANTY. MANUFACTURER: MANUFACTURER PART:		
184	1.00	EA	0186 - HEAVY DUTY HYDRAULIC ARTICULATING BOOM TRASH LOADER, 70,000 FT. LBS.	\$	\$\$
			RATING, 0' HORIZONTAL REACH FROM CENTERLINE OF PEDESTAL, 6' VERTICAL REACH BELOW GRADE WITH GRAPPLE, 31'7" ABOVE GROUND BASED ON 40" TRUCK FRAME HEIGHT, 5,050 LBS. MAXIMUM LOADER WEIGHT WITHOUT GRAPPLE, MINIMUM 12' 2" OUTRIGGER SPAN AT FULL EXTENSION, 28" MOUNTING SPACE BEHIND CAB, 24/24 GPM TANDEM PUMP, 50 GALLONS RESERVOIR, MINIMUM LIFTING CAPACITIES FROM HEAVY DUTY HYDRAULIC ARTICULATING CENTERLINE OF PEDESTAL TO BE 13,000 LBS. @5' 0", 7,170 LBS. @ 10' 0", 5,070 LBS. @5' 0", 7,170 LBS. @ 20' 0" TOP PEDESTAL TO BE MOUNTED ON LEFT SIDE OF PEDESTAL WITH OPERATOR ACCESS STEPS AND GUARD RAIL, HEAVY DUTY GEARBOX AND TURNABLE BEARING TO ASSUME SMOOTH AND PRECISE OPERATION FOR 360 DEGREES CONTINUOUS BOOM ROTATION,INTEGRAL MOUNTED HEAVY DUTY PTO/TANDEM HYDRAULIC PUMP WITH MINIMUM 24/24 GPM @ 2500 PSI, HEAVY DUTY HYDRAULIC ARTICULATING TANDEM CIRCUIT DESIGN TO ALLOW OPERATION OF TWO SELECTED FUNCTIONS SIMULTANEOUSLY WITHOUT LOSS OF POWER, THE HYDRAULIC SYSTEM IS TO BE OPEN CENTERED TYPE WITH WITH SUCTION LINE STRAINER, AIR BREATHER, RETURN LINE FILTER, AND A STACK TYPE CONTROL VALVE, UNIT TO INCLUDE LOAD HOLDING VALVES AND/OR VELOCITY FUSES ON ALL BOOM, BOOM EXTENSION, AND OUTRIGGERS CYLINDERS A SWING CONTROL VALVE IS TO BE HEAVY DUTY HYDRAULIC ARTICULATING PROVIDED TO CONTROL THE ROTATION OF THE CRAME UNDER LOAD, "A" FRAME STYLE OUTRIGGERS WITH INDIVIDUAL CONTROLS. OUTRIGGERS WITH INDIVIDUAL CONTROLS. OUTRIGGERS TO HAVE INTERNALLY MOUNTED CYLINDERS FOR SIMULTANEOUS OUT AND DOWN OPERATION, HEAVY DUTY BULK WASTE TYPE		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			GRAPPLE WITH CONTINUOUS HYDRAULIC ROTATION TO BE PROVIDED, COMPLETED UNIT TO COMPLY WITH AND BE CERTIFIED TO ALL APPLICABLE AND CURRENT ANSI, ASME, DOT, DOTD, FMVSS, AND OSHA HEAVY DUTY HYDRAULIC ARTICULATING SAFETY STANDARDS FOR THIS TYPE OF EQUIPMENT, COMPLETE INSTALLATION ON PARISH TRUCK. MANUFACTURER:		
185	1.00	EA	MANUFACTURER PART: 0187 - AUTOMATED SANDBAG SYSTEM TO BE	\$	\$\$
			INSTALLED ON REAR OF EXISTING DUMP TRUCK BODY, 3,000 BAG PER HOUR CAPACITY, COMPLETE WITH AUXILIARY 8 GPM HYDRAULIC SYSTEM TO POWER SANDBAGGER SYSTEM, DUAL DISPENSING HOPPERS, TWO SPEED ELECTRIC/HYDRAULIC DRIVE MOTORS, DUAL MICRO-SWITCH LOAD CONTROL BARS, DUAL CONVEYOR BELTS PRODUCT MOVEMENT SYSTEM CAPABLE OF HANDLING SAND, MUD, OR ROCKS, SYSTEM CAPABLE OF INSTALLATION OR REMOVAL AUTOMATED SANDBAG SYSTEM FROM REAR OF DUMP BODY BODY IN 30 MINUTES OR LESS.		
			MANUFACTURER: MANUFACTURER PART:		
186	1.00	EA	0188 - ALUMINUM CAB GUARDS COMPLETE WITH JAIL-HOUSE WINDOWS, DUAL LOCABLE BINDER RACKS, CHAIN TRAY, AND COMPLETE INSTALLATION ON TRUCK TRACTOR IN ACCORDANCE WITH APPLICABLE DOT REGULATIONS.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
187	1.00	EA	0189 - 20 FT. INSULATED ALUMINUM REFRIGERATED VAN TRUCK BODY FOR	\$	\$\$
			TRANSPORTING FRESH AND FROZEN FOOD PRODUCTS, FORKLIFT/PALLET JACK REINFORCED FLOORING, MINIMUM INTERIOR HEIGHT OF 98", 102" OVERALL WIDTH, NON-SLIP EXTRUDED ALUMINUM FLOORING, 224" HIGH INTERIOR WALL SCUFF LINER, 1/8" KEMLITE INTERIOR WALLS, .050 GAUGE ALUMINUM EXTERIOR PANELS, MINIMUM 3" URETHANE FOAM-IN-PLACE INSULATION IN SIDE WALLS AND 4" URETHANE FOAM-IN-PLACE 20FT. INSULATED ALUMINUM REFRIGERA INSULATION IN CEILING AND FLOOR, 2" INSULATED OVERHEAD REAR DOOR,		

INVITATION TO BID FROM JEFFERSON PARISH - continued

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			DIESEL POWERED REFRIGERATION UNIT WITH AUTOMATIC CAB CONTROLS AND 220 VOLT ELECTRIC STANDBY, CAPABLE OF MAITAINING -10 DEGREES INTERIOR TEMPERATURE WITH 98 DEGREE EXTERIOR TEMPERATURES, FULL WIDTH REAR STEP BUMPER, INTERIOR DOME LIGHT, FMVSS BODY LIGHTS, FLAPS, AND COMPLETE INSTALLATION ON PARISH OWNED TRUCK, PRICE PER LINEAR 20FT. INSULATED ALUMINUM REFRIGERATED FOOT OF REFRIGERATED VAN TRUCK BODY (INCLUDING UNIT) MANUFACTURER: MANUFACTURER:		
188	1.00	EA	0190 - VANAIR RC40 (OR EQUAL) 9HYD. RECIPROCATING AIR COMPRESSOR-40 CFM@175 PSI. 100% DUTY CYCLE, MINIMUM 15 AIR RESERVOIR WITH 1/2 X 50 AIR REEL AND FILTER INSTALLED IN REAR CS COMPARTMENT	\$	\$\$
			, PLUMBED TO ACCESS OUTSIDE BOX ON REAR WALL FACES OF BODY. ALL INSTALLED IN READY TO WORK CONDITION. MANUFACTURER: MANUFACTURER PART:		
189	1.00	EA	0191 - VMAC DTM70(OR EQUAL)PTO DRIVEN AIR COMPRESSOR-70 CFM@175 PSI.	\$	\$\$
			COMPONENTS INCLUDE MECHANICAL REGULATOR, AIR/OIL SEPARATOR TANK, COOLER, HEATER, REMOTE HEAVY DUTY AIR FILTER AND DIGITAL CONTROL BOX WITH ON/OFF BUTTON MOUNTED IN CAB OF TRUCK, ALL INSTALLED IN READY TO WORK CONDITION.		
			MANUFACTURER: MANUFACTURER PART:		
190	1.00	EA	0192 - CYCLONE CY5000(OR EQUAL) SELF- CONTAINED RIDING SURFACE CLEANER WITH	\$	\$\$
			FULL RECOVERY ENCLOSED CAB DESIGN WITH HEATER AND AIR CONDITION. 34' CLEANING PATH WITH VARIABLE PRESSURE FROM 1,200 TO 4,000 PSI AT 5 GPM DEEP CLEANING, HOT WATER PRESSURE CLEANING WITHOUT CHEMICALS. ENVIRONMENTALLY FRIENDLY, CLEAN WITH ONLY WATER, FULL RECOVERY CONTROLS: ALL CLEANING ACTIONS CONTROLLED FROM THE OPERATOR SEAT WITH ERGONOMIC OPERATOR INTERFACE. STEERING-FRONT WHEEL STEERING WITH HYDRAULIC POWER ASSIST WATER PUMP; TRIPLEX PLUNGER CAPABLE OF 4,350 PSI AT		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

46

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			5 GPM 360 GALLON SUPPLY AND RECOVERY TANK CURB CLEANER AND PRESSURE WAND WITH 25' OF HOSE WITH REEL CLEANING ATTACHMENTS; STANDARD MODEL INCLUDES HIGH PRESSURE CURB AND GUTTER CLEANING SYSTEM AND HIGH PRESSURE CLEANING WAND SYSTEM WITH 25' OF HOSE WITH REEL, BACKUP CAMERA, REAR ACCESS LADDER, CONTRACTOR LIGHT KIT, DOT SAFETY PACKAGE START UP PARTS KIT, 18 GALLON FUEL TANK. ENGINE-2.8L CUMMINS TURBODIESEL 74 HP GRADEABLE: 20%, RUN TIME:UP TO ONE HOUR, WEIGHT-EMPTY 5,280 LBS. FULL-8,282 LBS. PARTS KIT PACKAGE 8, ON-SITE TRAINING. PRODUCTIVITY: UP TO 20,000 FT. PER HOUR. DIMENSIONS: 154"L X 56" X 77.5. WARRANTY: PARTS AND LABOR ON YEAR, TRAVEL 6 MONTHS. EXCLUDES MINOR ADJUSTMENTS AND WEAR PARTS. MANUFACTURER: MANUFACTURER PART:		
191	1.00	EA	0193 - TAG OR PUSHER LIFTING AXLE ASSEMBLY, 25,000 LB. CAPACITY, FULL AIR POWER UP AND DOWN, 250,000 MILE WARRANTY (EXCEPT AIR BAGS) COMPLETE WITH CAB RAISE/LOWER CONTROL, EXTERIOR PRESSURE CONTROL, AND FOUR 11.00R22.5 STEEL RADIAL TIRES MOUNTED ON STEEL DISC HUB PILOTED WHEELS, INSTALLED ON	\$	\$\$
192	1.00	EA	PARISH OWNED TRUCK. MANUFACTURER: MANUFACTURER PART: 0194 - PICKUP TRUCK REAR BUMPER FOLDING	\$	\$
			CRANE ASSEMBLY, 1,000 CAPACITY, MANUAL ERECTION AND FOLDING, 12 VOLT ELECTRIC WINCH HOIST, INSTALLED ON REAR OF PARISH OWNED PICKUP OR ONE TON TRUCK. MANUFACTURER: MANUFACTURER PART:		
193	1.00	EA	0195 - STATIONARY GASOLINE ENGINE DRIVER AIR COMPRESSOR; 12 1/2 HP ENGINE WITH 12 VOLT ELECTRIC STARTER, FUEL PUMP, 15 AMP GENERATOR, FULL PRESSURE LUBRICATION, 5 GALLON FUEL TANK, AUTOMOTIVE TYPE AIR FILTER, SELFCLEANING VALVE, DUCTILE IRON COUNTERBALANCE CRANKSHAFT, TWO STAGE CAST IRON AIR COMPRESSOR, 175 PSI MAXIMUM PRESSURE	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

47

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			@ 25.1 CFM 30 GALLON ASME CODED AIR RESERVOIR TANK WITH SAFETY VALVE, TANK DRAIN, PRESSURE GAUGE, AND SHUT OFF STATIONARY GASOLINE ENGINE 3/8" X 100 FT. AIR HOSE, BALL STOP, AND QUICK COUPLER END; INSTALLED IN PARISH OWNED PICKUP TRUCK, SERVICE TRUCK, OR FLATBED TRUCK, WITH HINGED WEATHER GUARD TOP OVER COMPRESSOR ASSEMBLY. MANUFACTURER: MANUFACTURER PART:		
194	1.00	EA	0196 - TRUCK CHASSIS FRAME ""FISHPLATE"" REINFORCEMENT TO INCREASE SECTION	\$	\$\$
			MODULES RATING BY 10.0 POINTS. MANUFACTURER: MANUFACTURER PART:		
195	1.00	EA	0197 - CAR-CARRIER TRUCK BODY ASSEMBLY WITH 3,000 LB. INDEPENDENT WHEEL LIFT	\$	\$\$
			TOWBAR, STAINLESS STEEL WHEEL SIMULATORS 19' THRU 21' LENGTHS - 96" WIDTH, STEEL DECK 10,000 LB. CAMPACITY REPLACABLE HIGH PERFORMANCE POLYMER WEAR PADS, INTEGRATED DECK HOLD DOWN AND TOOLBOX MOUNTS, ANTI-SAIL MUDFLAPS, ABRAISION RESISTANT HYDRAULIC HOSED, CLUTCH PUMP WITH WARNING LIGHT, HYDRAULIC RESERVOIR WITH FILTER, OIL LEVEL, AND TEMPERATURE GAUGE, 8,000 LB THRU 12,000 LB CAPACITY CAR-CARRIER TRUCK BODY ASSEMBLY AND CABLE ROLLER GUIDES ON WINCH,DELUXE BOLT-ON STEEL HEADBOARD, REMOTE FREE SPOOL ON WINCH, REMOVABLE RAISED SIDE RAILS, REINFORCED AND TAPERED APPROACH TIP TWO KEYSLOTS AT FRONT OF DECK, TWO MID-DECK, AND FOUR AT REAR DECK, FMVSS LIGHT GROUP WITH WIRING HARNESS AND WEATHER LIGHT CONNECTIONS, TWO CHAIN AND BINDER TRAYS RECEPTABLE FOR AUXILIARY TOW LIGHTS HYDRAULIC OUT ON DECK TILT FUNCTION HYDRAULIC COUNTER BALANCE CAR-CARRIER TRUCK BODY ASSEMBLY CONTROL STATIONS, BUILT IN SAFETY CHAINS WITH STORAGE POCKETS, V-CHAIN WITH CLUSTER HOOKS, TIE DOWN CHAINS WITH RATCHET AND CLUSTER HOOKS, TWO 36"-48" UNDERDECK TOOL STORAGE BOXES, FEDERAL 60" SIX HEAD JETSTROBE LIGHT WITH STRAP, TURN, TAIL, AND FLOOD LIGHTS, TWEO 4"RUBBER WORK LIGHTS, UNITY SWIVEL SPOT LIGHT, 4 SWITCH IN-DASH PANEL.		

Page 48

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

SEALED BID

INVITATION TO BID FROM JEFFERSON PARISH - continued

49

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			THIS FACILITY SHALL BE CAPABLE AND WILLING TO PERFORM FULL WARRANTY SERVICES AND NORMAL REPAIR SERVICES AND ADEQUATE SPARE PARTS SUPPORT ON THE COMPLETE UNIT WHICH IS BEING BID ON. THIS STIPULATION IS ALSO REQUIRED ON ALL COMPONENTS AND ACCESSORIES WHICH ARE ADDED TO, OR INSTALLED ON THE BASE VEHICLE OR EQUIPMENT. THE DIRECTOR OF FLEET MANAGEMENT		
			OR HIS CAR-CARRIER TRUCK BODY ASSEMBLY REPRESENTATIVE RESERVES THE RIGHT TO ACCEPT OR REJECT BID PROPOSALS BASED UPON THEIR INSPECTION OF THE SERVICE FACILITIES PRIOR TO ACCEPTANCE OF ANY BIDS.		
			LIST ALL SERVICE FACILITIES, NAME AND ADDRESS, OUTLINING THE COMPONENTS OF THE VEHICLE/EQUIPMENT THAT ARE TO BE SERVED AT EACH LOCATION. "FOB DELIVERED DESTINATION" QUANTITIES LISTED ARE FOR BIDDING CAR-CARRIER TRUCK BODY ASSEMBLY PURPOSES ONLY. ACTUAL REQUIREMENTS MAY BE MORE OR LESS THAN QUANTITIES LISTED.		
			MANUFACTURER: MANUFACTURER PART:		
196	1.00	EA	0198 - PAIR EXTRA HEAVY DUTY ALUMINUM TANDEM FENDER ASSEMBLY,	\$	\$\$
			MINIMUM 1/4 IN. TREAD PLATE ALUMINUM CONSTRUCTION WITH PERIMETER 1/4 IN X 21 IN X 2 IN ALUMINUM ANGLE REINFORCEMENT AND EXTRA HEAVY DUTY MOUNTING BRACKTS BOLTED THROUGH TO TRUCK FRAME. INSTALLED ON PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
197	1.00	EA	0199 - HEAVY DUTY PICKUP TRUCK RACK DOUBLE 2 INCH: HIGH STRENGTH, ROUND TUBE	\$	\$\$
			FRAMING FULL LENGTH OF PICKUP BODY AND EXTENDING TO WINDSHIELD, 51" INSIDE WIDTH, FOUR 2" SQUARE CROSSBARS, REMOVABLE REAR BROSSBAR, WELDED TIE-DOWN CLEATS, PAYLOAD CAPACITY TO EXCEED TRUCK BED WALL CAPACITY, BLACK COLOR, TO FIT ALL FULL-SIZED DOMESTIC PICKUP TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

50

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
198	1.00	EA	0200 - HEAVY DUTY FRONT GRILL GUARD ASSEMBLY TO COVER FRONT OF TRUCK INCLUDING HEADLIGHTS WITH HINGED MECHANISM TO ACCOMODATE FORWARD TILTING HOODS. GRILL GUARD TO FIT ALL LIGHT MEDIUM, AND HEAVY DUTY DOMESTICK TRUCKS. MANUFACTURER: MANUFACTURER:	\$	\$\$
199	1.00	EA	0201 - AERIAL DEVICE 15,000 GVWR 84"" AERIAL DEVICE FULL INSTALLED IN READY- TO-WORK CONDITION ON PARISH OWNED 15,000 GVWR 84" C/A TRUCK CHASSIS AND INCLUDING A HEAVY DUTY AERIAL TYPE SERVICE TRUCK BODY, HEAVY DUTY TORSION BAR REAR STABILIZER, AUTOMATIC THROTTLE CONTROL, UPPER & LOWER CONTROLS, BOOM TRAVEL SUPPORT, BUCKET TRAVEL SUPPORT SAFETY BELT & LANYARD, 12 VOLT EMERGENCY POWER SYSTEM, BUCKET COVER & LINER, ACCESS STEPS TO BUCKET, BACKUP AERIAL DEVICE 15,000 GVWR 84" ALARM, 15" STROBE FLASHING LIGHT AND PAINTED PAINTED JEFFERSON PARISH FLEET COLOR. INSTALLED UNIT IS TO STRICTLY COMPLY WITH ANSI A922-1990 AND ANY OTHER SAFETY STANDARDS IN EFFECT AT TIME OF DELIVERY. MANUFACTURER: MANUFACTURER:	\$	\$5
200	2.00	EA	0202 - DRIVER ACCESS GRAB HANDLE MINIMUM 16" LONG, CHROME OR STAINLESS CONSTRUCTION, INSTALLED AT LOCATION ON TRUCK AS SPECIFIED BY USING DEPARTMENT. MANUFACTURER: MANUFACTURER PART:	\$	\$
201	1.00	EA	0203 - PICKUP TRUCK DUMPBODY ASSEMBLY 3 CU. YARD PICKUP TRUCK DUMP BODY ASSEMBLE, 6000LB. LOAD CAPACITY, FRONT MOUNT TELESCOPIC HOIST MINIMUM 14 GA. GALVANEELED STEEL BOX CONSTRUCTION STAKE POKETS ON THREE SIDES, FULL WIDTH & DEPTH DOUBLEE ACTING TAILGATE TO SWING OUT OF DROP DOWN, CONTROL SWITCH IN CAB ENTIRE ASSEMBLY INCLUDING POWER PACK TO BE IN ONE INTEGRAL UNIT, PAINTED BLACK, TO FIL ALL FULL SIZE DOMESTIC PICKUP TRUCKS.	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

51

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
202	1.00	EA	0204 - REPLACEMENT DUMP BODY-HEIL MODEL LD 10/12YD (OR EQUAL) 13'L X 8'W	\$	\$\$
			ALUMINUM DUMP BODY SLUDGE TYPE TAILGATE ASSEMBLY, INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND ALUMINUM CAB PROTECTOR.		
			MANUFACTURER: MANUFACTURER PART:		
203	5.00	EA	0205 - REPLACE DUMP BODY-HEIL MODEL HPT 17/19 YD.DUMP(OR EQUAL)	\$	\$
			16'L X 8'W DUMP BODY WITH SLANT FORWARD TAILGATE, PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS AND CAB PROTECTOR.		
			MANUFACTURER: MANUFACTURER PART:		
204	1.00	EA	0206 - REPLACEMENT DUMP BODY HOIST HEIL MODEL HPT63-140 HOIST (OR EQUAL)	\$	\$\$
			INSTALLED WITH MARRIED PTO AND CAB CONTROLS.		
			MANUFACTURER MANUFACTURER PART:		
205	1.00	EA	0207 - ADD ONE LEAF SPRING TO REAR SPRING PACK AS NEEDED ON PARISH OWNED	\$	\$
			TRUCK CHASSIS FOR NEW EQUIPMENT INSTALLED LEVEL OFF NEEDS. MANUFACTURER:		
000			MANUFACTURER PART:		
206	2.00	EA	0208 - ADD TWO LEAF SPRINGS TO REAR SPRING PACK AS NEEDED ON PARISH	\$	\$
			OWNED TRUCK CHASSIS FOR NEW EQUIPMENT INSTALLED LEVEL OFF NEEDS.		
			MANUFACTURER: MANUFACTURER PART:		
207	2.00	EA	0209 - AUTO CRANE BOOM SUPPORT FOR CRANE STORAGE, INSTALLED AND	\$	\$\$

Page 52

INVITATION TO BID FROM JEFFERSON PARISH - continued

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PAINTED TRUCK CHASSIS FOR NEW EQUIPMENT IN READY TO WORK CONDITION ON PARISH OWNED FLATBED OR SERVICE BODY. MANUFACTURER: MANUFACTURER PART:		
208	1.00	EA	0210 - TIGER(OR EQUAL)CRANE SPRING LOADED BOOM SUPPORT FOR CRANE SAFE	\$	\$\$
			STORAGE,INSTALLED AND PAINTED IN READY TO WORK CONDITION ON PARISH SUITABLE FLATBED OR SERVICE BODY.		
			MANUFACTURER: MANUFACTURER PART:		
209	1.00	EA	0211 - CRANE REINFORCEMENT SUPPORT UNDER THE CRANE WITH STEEL HEAVY DUTY	\$	\$\$
			PLATE, STEEL TUBE AS NEEDED FOR STRENGTH AND SAFE CRANE USE. ALL INSTALLED AND PAINTED IN READY TO WORK CONDITION ON FLATBED OR SERVICE BODY.		
			MANUFACTURER: MANUFACTURER PART:		
210	1.00	EA	0212 - ELEVEN FOOT LONG WHEEL SERVICE CRANE BODY, 84" C/A EAGLE PRO I	\$	\$\$
			47K FT. LBS., WITH WORKBENCH, 22" DEEP X 5" TALL CABINETS, RAISED 60" TALL CS CABINET FOR C/A, PRESSURIZED CABINETS. STANDARD SHELF PACKAGE FOR COMPARTMENTS WITHOUT DRAWER UNITS. WILL MOUNT ON CHASSIS WITH 19/5" TIRES. INCLUDES 2250' BOLT ON HEADACHE RACK, GRAB HANDLES AND FOLDING STEPS TO DECK AREA. 33 GALLON HYD TANK INCLUDES 10 MICRON FILTER, DRAIN VALVE AND LEVEL GAUGE WITH THERMOMETER. ATTACHES TO WORKBENCH ON SS, REAR ACCESS BOX FOR AIR, HYDRAULIC INSTALLATION KIT FOR OUTRIGGERS. WORK BENCH BUMPER WITH INTERNAL BOX FOR STORAGE. INCLUDES FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED ON PARISH OWNED TURCK CHASSIS. BODY REQUIRES THE FOLLOWING: 19,500 GWWR TRUCK SIZE WITH AN 84" C/A DISTANCE, FACTORY PTO PROVISION, AND 7K FRONT AXLE.		
211	1.00	EA	0213 - HVY DUTY SERV TRUCK CRANE 8,000	\$	\$\$
			LBS.CAPACITY AT 5' RADIUS, FULL		

SEALED BID

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			HYDRAULIC POWER, POWER BOOM ELEVATION, POWER HOIST, POWER ROTATION, POWER EXTENDSION FROM 10' TO 16' WITH MANUAL EXTENSION TO 20', 55FT./MIN SINGLE LINE SPEED,8 GPM @ 2,500 PSI TRUCK HYDRAULIC POWER SOURCE WITH 8 GALLON RESERVOIR, STRAINER, RETURN LINE FILTER, AND SIGHT GAUGE, 24 FT. REMOTE CONTROL PENDANT, 95 FT. OF 3/8" 14,400 LBS. SINGLE LINE BREAK STRENGTH AIRCRAFT HEAVY DUTY SERVICE TRUCK CRANE-8,000 LBS. CABLE, 370 DEGREE ROTATION, AUTOMATIC OVERLOAD PROTECTION FOR HOIST UP, BOOM EXTEND, AND BOOM DOWN FUNCTIONS, NON-DIPPING SWIVEL BLOCK WITH LATCH, -5 TO +75 DEGREE BOOM ELEVATION,UNIT TO MEET OSHA 1910.180 REQUIREMENTS AND ANSI B30.5 SAFETY STANDARDS, ADDITIONAL CHARGE FOR EITHER CRANE REINFORCEMENT IN TRUCK BODY OR UPCHARGE TO CRANE-TYPE SERVICE TRUCK BODY, TWO ADDITIONAL LEAF SPRINGS IN RIGHT REAR SPRING PACK TO HEAVY DUTY SERVICE TRUCK CRANE-8,000 LBS. LEVEL TRUCK AFTER CRANE INSTALLATION 145" MINIMUM SPREAD MANUAL OUT, MAN CRANK DOWN REAR OUTRIGGER ASSEMBLY, BOOM SUPPORT PEDESTLB FOR TRAVEL (UNIT FOR MINIMUM 20,500 LB GVWR TRUCK CHASSIS OR HEAVIER)		
212	1.00	EA	0214 - 5000 POUND FULL HYDRAULIC CRANE POWER EXTENSION TO 26'6. EASE OF USE- 20 FT. USEFULL, FULL POWER ROTATION 370 DEGREE MOVEMENT TO MAXIMUM VERSITILITY IN LIFTING. CAPABLE OF LIFTING AT 100% IN ALL POSITIONS. INSTALLED ON TITAN CRANE BODIES WITHOUT OUTRIGGERS. MAXIMUM CAPACITY FOR LIFTING. RADIO REMOTE CONTROL PENDANT. CRANE WEIGHT 1390 LBS. SINGLE LINE SPEED 60 FT. PER MINUTE. 80' OF 5/16 AIRCRAFT CABLE. STOWED BOOM LENGTH 10'4. HYDRAULIC REQUIREMENTS: 8GPM @ 2750 PSI. ADJUSTABLE SPEED SETTINGS 25% TO 100%. CRANE REQUIRES THE FOLLOWING: 14,5000 GVWR MINIMUM TRUCK SIZE. CRANE WEIGHT 1,390 LBS., EXTENDED BOOM LENGTH 20'6", WIDTH-19.75", HEIGHT-2'11.75", BASE PLATE DIMENSIONS-16.75 X 16.75", BOOM DOWN 11-15 SECONDS (FULL STROKE OF CYLINDER)_, BOOM RETRACT 10-14 SECONDS. FULL TWO YEAR WARRANTY, PAINTED WHITE AND INSTALLED. MANUFACTURER:	₹ <u>7</u>	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

54

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
213	1.00	EA	0215 - HEAVY DUTY SERVICE TRUCK CRANE CRANE 3200 LBS. CAPACITY AT 3'	\$	\$\$
			ELECTRIC/HYDRAULIC POWER. 360 DEGREE CONTINUOUS HYDRAULIC ROTATION. BOOM ELEVATION. 7' TO 11' HYDRAULIC BOOM EXTENSION WITH 11' TO 15' MANUAL BOOM EXTENSION. AUTOMATIC OVERLOAD PROTECTION 17' REMOTE CONTROL PENDANT. 60' OF 1/4 AIRCRAFT CABLE WITH SWIVEL BLOCK, HOOK, & SAFETY LATCH. CRANE REINFORCEMENT IN RIGHT REAR CORNER OF SERVICE HEAVY DUTY SERVICE TRUCK CRANE 3200 LB IN RIGHT REAR SPRING PACK, 145" MINIMUM SPREAD MANUAL OUT. MANUAL CRANE DOWN REAR OUTRIGGERS, AND BOOM SUPPORT PEDESTAL.		
			MANUFACTURER: MANUFACTURER PART:		
214	1.00	EA	0216 - 14,000 POUND CRANE HYDRAULIC POWER EXTENSION TO 29'. EASE OF USE-	\$	\$\$
			FULL. CONTINUOUS POWER ROTATION 400 DEGREE MOVEMENT FOR MAXIMUM VERSITILITY IN LIFTING. INSTALLED ON STI CRANE BODIES WITHOUT OUTRIGGERS. RADIO REMOTE PISTOL GRIP CONTROL, CRANE WEIGHT- 3,140 LBS., EXTENDED BOOM LENGTH-29' OVERALL STORED LENGHT-164", HEIGHT-46", 1/2 X 120' FEET WINCH CABLE, 11 DEGREES TO +75 DEGREES BOOM ANGLE. 10 GPM@ 3000 PSI-OPEN CENTER HYDRAULICS. FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED ON PARISH OWNED TRUCK CHASSIS; CRANE REQUIRES THE FOLLOWING: 33,000 GVWR MINIMUM TRUCK SIZE WITH A 120" C/A DISTANCE.		
			MANUFACTURER: MANUFACTURER PART:		
215	1.00	EA	0217 - HEAVY DUTY 25 TON CRANE, 27 FT. TO 90 FT FOUR SECTION PROPORTIONAL	\$	\$\$
			BOOM, THREE SHEAVE BOOM HEAT (TO ALLOW THREE PARTING OF LINE) CONTINUOUS ROTATION, 360 DEGREE AREA OF OPERATION, FRONT CENTER STABALIZER (TO ALLOW 360 DEGREE AREA OF OPERATION), HORIZONTAL BOOM REST IN LIEU OF COLLAR REST, HYDRAULIC CAPACITY ALERT SYSTEM, A-FRAM 12 FT. SPAN FRONT STABILIZERS AND OUT AND DOWN 10 FT. SPAN REAR STABALIZERS, ELECTRONIC FOOT THROTTLE (AS REQUIRED)		

Page 55

INVITATION TO BID FROM JEFFERSON PARISH - continued

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
216	1.00	EA	0218 - HEAVY DUTY SERVICE TRUCK CRANE 4,000 LB CAPCITY AT 4 FT. ELECTRIC	\$	\$\$
			OVER HYDRAULIC POWER. 360 DEGREE CONTINUOUS ROTATION. HYDRAULIC POWER BOOM EXTENSION, MANUAL BOOM EXTENSION TO 16 FT. AUTOMATIC OVERLOAD PROTECTION DEVICE, 80 FT OF 5/16 IN. 9800 LB. SINGLE LINE BRAKE STRENGTH A CRAFT CABLE WITH SWIVEL BLOCK. HOOK SAFETY LATCH, CRANE REINFORCEMENT IN REAR RIGHT CORNER OF SERVICED TRUCK AFTER INSTALLAION. 145. IN. SPEED MANUAL SLIDE OUT AND CRANK DOWN OUTRIGGER ASSEMBLY. BOOM SUPPORT PEDESTAL INSTALLED ON PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
217	1.00	EA	0219 - CRANE OVERHAUL TO AUTO CRANE 3203 PRX-15 SERVICE TRUCK CRANES TO	\$	\$\$
			INCLUDE REPAIR OR REPLACEMENT OF WORN GEAR ON SWING MOTOR. ELECTRIC MOTOR ON HOIST WINCH. ANTI-TOW LOCK SYSTEM AND CONTROL PENDANT AND WIRING.		
			MANUFACTURER: MANUFACTURER PART:		
218	1.00	EA	0220 - 0-8,600 POUND CRANE WITH FULL HYDRAULICS, POWER EXTENSION TO 30'.5".	\$	\$\$
			EASE OF USE-50 RFPM NO LOAD SINGLE LINE WINCH SPEED. AUTO II SPEED, WIRELESS JOYSTICK CONTROL WITH PROPORTIONAL TRIGGER AND LCD LOAD DISPLAY, INTEGRATE FILTRATION WITH VISUAL BYPASS ALERT, 400 DEGREES ROTATION, ANTI-TWO-BLOCK, OVERLOAD PROTESTION NOTIFICATION HORN AND 33 FT. TETHER CORD. 16" HEX BOOM AR ADDITIONAL LEAF SPRING ADDED TO REAR DISTANCE DECALS ON SIDE OF BOOM ARM, ADDITIONAL LEAF SPRINGS ADDED TO REAR SPRING PACK FOR CRANE SIDE OF THE BODY. HYDARULIC INSTALLATION. FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED ON PARISH OWNED TRUCK CHASSIS. CRANE REQUIRES THE FOLLOWING: 19,500 GVWR MINIMUM TRUCK SIZE WITH AN 84' C/A DISTANCE.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

56

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
219	1.00	EA	0221 - REMOVE AND REBUILD OR REPLACE DEFECTIVE MOTOR ON CRANE MODEL 3203	\$	\$\$
			SERVICE CRANES.		
			MANUFACTURER: MANUFACTURER PART:		
220	1.00	EA	0222 - BUMPER CRANE. 1350 LB. CAPACITY 12V-DC POWERED FROM VEHICLE BATTERY.	\$	\$\$
			10 FT. HAND HELD PENDANT CONTROL. 360 DEGREE CONTINUOUS MANUAL ROTATION. BUILT IN OUTRIGGER. 2 IN. RECEIVER HITC POWER COATED BLACK. ALUMINIUM DIAMOND PLATE COVER. 45 IN. FIXED BOOM LENGTH, BOOM HEIGHT OF 77 IN. AND 85 IN. FLIP OVER CENTER STEP. BUMPER BUILT TO BODY WIDTH. INSTALLTION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
221	1.00	EA	0223 - HEAVY DUTY SERVICE TRUCK CRANE 4,000 LB. CAPACITY AT 4 FT. ELECTRONIC	\$	\$\$
			HYDRAULIC POWER. 360 DEGREE CONTINUOUS HYDRAULIC ROTATON. BOOM ELEVATED 8FT TO 12 FT. HYDRAULIC BOOM EXTENSION TO 16 FT. AUTOMATIC OVERLOAD PROTECTION 18 FT. REMOVE CONTROL PENDANT. 880 FT X 5/16 FT. AIR CRAFT CABLE WITH SWIVE BLOCK, HOOK, AND SAFETY LATCH. REMOVAL OF EXISTING USED CRANE. INSTALLED ON CRANE REINFORCED BODY COMPLETE WITH OUTRIGGERS. BOOM SUPPORT AND SPRING PACKAGE.		
			MANUFACTURER: MANUFACTURER PART:		
222	1.00	EA	0224 - HEAVY DUTY SERVICE TRUCK CRANE 3,200 LB. CAPACITY AT 3 FT ELECTRONIC/	\$	\$\$
			HYDRAULIC POWER. 360 DEGREE CONTINUOUS HYDRAULIC ROTATION. BOOM ELEVATION 7 FT. TO 11 FT. TO 15 FT. MANUAL BOOM EXTENSION. AUTOMATIC OVERLOAD PROTECTION 17 FT. REMOTE CONTROL PENDANT. 60 FT. X 1/4 AND SAFETY LATCH. REMOVAL OF EXISTING CRANE. INSTALLED ON CRANE REINFORCED BODY COMPLETE WITH OUTRIGGERS BOOM SUPPORT AND SPRING PACKAGE MANUFACTURER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

57

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
223	1.00	EA	0225 - HEAVY DUTY TRUCK CRANE, 7,000 LBS CAPACITY AT 5 FT. FULL HYDRAULIC POWER.	\$	\$
			370 DEGREE NON-CONTINUOUS HYDRAULIC ROTATION. POWER BOOM EXTENSION TO 20 FT 6 IN. 8 GPM AT 2.75 PSI. TRUCK HYDRAULIC POWER SOURCE WITH RESERVOIR TANK, STRAINER, RETURN LINE FILTER AND SIGHT PROTECTION. PRESSURE TRANSDUCER TYPE SENSING. 25 FT. REMOTE CONTROL PENDANT. 95 FT OF 3/8 INCH AIRCRAFT CABLE WITH SWIVEL BLOCK HOOK AND SAFETY LATCH. UNIT TO MEET OSHA 1920 180 AND ANSI B30, 5 STANDARDS. INSTALLED ON CUSTOMER'S CRANE READY SERVICE BODY FOR A MINIMUM 38,000 FT. CRANE PACKAGE. PRICE INCLUDES PTO TO LEVEL TRUCK AFER CRANE INSTALLATION. UNIT FOR A MINIMUM 14,5000 GVWR TRUCK CHASSIS OR HEAVIER.		
			MANUFACTURER: MANUFACTURER PART:		
224	1.00	EA	0226 - HEAVY DUTY SERVICE TRUCK CRANE 8,000 LB. CAPACITY AT 5 FT 3 IN. RADIUS	\$	\$
			FULL HYDRAULIC POWER. 370 DEGREE NON-CONTINUOUS HYDRAULIC ROTATION. POWER BOOM ELEVATION.HYDRAULIC BOOM EXTENSION TO 20 FT. 6 IN. 6 GPM AT 2.750 PSI. TRUCK HYDRAULIC POWER SOURCE WITH A RESEVOIR TANK, STRAINER, RETURN LINE FILTER AND SIGHT GAUGE. AUTOMATIC OVERLOAD PROTECTION. PRESSSURE TRANSDUCER TYPE SENSING. 25. FT. REMOTE CONTROL PENDANT, 95 FT. OF 3/8 IN. AIRCRAFT CABLE WITH SWIVEL BLOCK HOOK AND SAFETY LATCH. UNIT TO MEET OSHA 1910 180 AND ANSI B30.5 STANDARDS INSTALLED ON CUSTOMER'S CRANE READY SERVICE BODY FOR A MINIMUM 49,000 FT. LB. CRANE PACKAGE PRICE TO INCLUDE PTO AND HYDRAULIC PUMP, BOOM SUPPORT, AND SPRING REINFORCEMENT PACKAGE TO LEVEL TRUCK AFTER CRANE INSTALLATION. UNIT FOR MINIMUM 19,5000 GVWR TRUCK CHASSIS OR HEAVIER.		
225	1.00	EA	0227 - HEAVY DUTY SERVICE CRANE 12,000 LB. CAPACITY AT 6 FT RADIUS. FULL HYDRAULIC POWER. EQUIPPED WITH 370 DEGREE NON-CONTINUOUS HYDRAULIC	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

58

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ROTATION. POWER BOOM ELEVATION TO 30 FT. 15 GPM AT 2800 PSI TRUCK HYDRAULIC POWER SOURCE WITH RESEVOIR TANK, STRAINER RETURN LINE FILTER AND SIGHT GAUGE. AUTOMATIC OVERLOAD PROTECTION. PRESSURE TRANSDUCER TYPE SENSING. RADIO REMOTE CONTROL. SINGLE LINE SPEED 60 FT. PER MIN 120 FT. OF 7/16 IN. 21,000 LBS. SINGLE LINE BREAK STRENGTH AIRCRAFT CABLE WITH BLOCK, HOOK, AND SAFETY LATCH. UNIT TO MEET OSCHA 1910, 180 AND ANSI B30.5 STANDARDS. INSTALLED ON CUSTOMER CRANE READY SERVICE BODY FOR A MINIMUM 70,000 FT. LB. CRANE PACKAGE. PRICE TO INCLUDE PTO AND HYDRAULIC PUMP. BOOM SUPPORT AND SPRING REINFORCEMENT PKG. LEVEL TRUCK AFTER CRANE INSTALLATION. UNIT FOR A MINIMUM 29,000 GVWR TRUCK CHASSIS OR HEAVIER. MANUFACTURER: MANUFACTURER: MANUFACTURER		
226	1.00	EA	0228 - HEAVY DUTY SERVICE CRANE BODY 38,000 FT. LBS. FOR AN 84 IN C/A DUAL	\$	\$\$
			WHEEL TRUCK 133 IN. L X 94 IN. W X 58 IN HIGH CARGO AREA 50 INCH.FLAT DOOR HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GAUGE TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. 36 GALLON HYDRAULIC OIL TANK AND BULK HEAD. INTERGRAL CRANE REINFORCEMENTS UP TO 38,000 FT. GLVS ON THE REAR CURBSIDE COMPARTMENT. 20 FT. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE, REAR TOW HITCH FOR HEAVY DUTY TRAILER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTISAIL MUDFLAPS. PAINTED AND INSTALLED MANUFACTURER: MANUFACTURER PART:		
227	1.00	EA	0229 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT LBS. FOR AN 84 INCH C/A DUAL WHEEL TRUCK. 133 IN L X 94 IN W X 58 IN HIGH CARGO AREA. 50 IN. FLAT FLOOR. EIGHT COPARTMENTS. 14 GAUGE GALVANIZED STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCK-IN T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. 36 GALLON HYDRAULIC OIL TANK AND BULK HEAD. INTERGRAL CRANE REINFORCEMENT	\$	<i>Φ</i>

Page 59

INVITATION TO BID FROM JEFFERSON PARISH - continued

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			UP TO 16,000 FT. LBS. ON THE REAR CURB COMPARTMENT. 20 IN. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE, REAR TOW HITCH FOR HEAVY DUTY TRAILER 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI-MUD FLAPS, PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER PART:		
228	1.00	EA	0230 - HEAVY DUTY SERVICE CRANE BODY 50,000 FT. LBS. FOR AN 84 IN C/A DUAL	\$	\$\$
			WHEEL TRUCK. 133 IN. L X 94 IN. W X 58 IN H. CARGO AREA 50 FT. FLAT FLOOR. EIGHT COMPARTMENTS, DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD- PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. 36GA. HYDRAULIC OIL TANK AND BULK HEAD. 50,000 FT LBS. ON THE REAR CURBSIDE COMPARTMENT. 24 IN. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER-16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI- SAIL MUD FLAPS. PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER:		
229	1.00	EA	0231 - HEAVY DUTY SERVICE CRANE BODY 85,000 FT. LBS. FOR A 120 IN C/A DUAL	\$	\$\$
			WHEEL TRUCK. 169 IN L X 58 IN H CARGO AREA. 50 IN. FLAT FLOOR. TEN COMPARTMENT 14 GA. GALVANIZED STEEL COMPARTMENTS DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER AND DIVIDERS. 12 GA TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. HYDRAULIC OIL TANK AND BULKHEAD. INTERGRAL CRANE REINFORCEMENTS UP TO 85,000 FT. LBS. ON REAR CURBSIDE COMPARTMENT. 30 IN. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE. HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED. THIS BODY DESIGNED FOR THE 12 CRANE 120" C/A 14' LONG BODY MIN. 33,000 GVWR TRUCK CHASSIS NEEDED		

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

60

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
230	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0232 - HEAVY DUTY SERVICE CRANE BODY	\$	₹₽
	1.00		TRUCK 133" L X 94" W X 58" H. CARGO AREA 50" FLAT FLOOR. EIGHT COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDELES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR TIE DOWNS. INTEGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LBS. ON THE REAR TOW HITCH FOR HEAVY DUTY TRAILER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR ON ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER PART:	Y	
231	1.00	EA	0233 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT LBS. FOR A 60" C/A DUAL WHEEL TRUCK. 108" L X 94 W X 58 H. CARGO AREA 50: FLAT FLOOR, EIGHT COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENTS. DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. INTEGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LB ON THE REAR CURBSIDE COMPARTMENT. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRIALER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER:	\$	\$
232	1.00	EA	0234 - HEAVY DUTY SERVICE CRANE BODY 38,000 FT. LBS. FOR A 84" C/A DUAL WHEEL CARGO AREA. 50" FLAT FLOOR. EIGHT COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. CRANE PAD ON REAR TOP COMPARTMENTS. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER 16,000 LBS. FMVSS 107 RECESSED LIGHTS.	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

Page

61

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ONE PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER PART:		
233	1.00	EA	0235 - HEAVY DUTY TRI BALL MOUNT INSERT PAINTED BLACK. SOLID SHANK TUBE TOWING	\$	\$\$
			BALLS ARE 1 7/8" AND 2 5/16".		
			MANUFACTURER: MANUFACTURER PART:		
234	1.00	EA	0236 - 5000 LB CRANE ELECTRIC OVER HYDRAULIC POWER EXTENSION TO 20'6".	\$	\$\$
			EASE F USE-FULL. CONTINUOUS POWER ROTATION 370 DEGREE MOVEMENT FOR MAXIMUM VERSITILITY IN LIFTING. CAPABLE OF LIFTING AT 100% IN ALL POSITIONS. INSTALLED ON TITAN CRANE BODIES WITH OUTRIGGERS. MAXIMIZED CAPACITY FOR LIFTING. RADIO REMOTE CONTROL PENDANT. CRANE WEIGH 1390 LBS. SINGLE LINE SPEED 60 FT. PER MINUTE. 80' OF 5/16' AIR- CRAFT CABLES. STOWED BOOM LENGTH 10'4. HYDRAULIC REQUIREMENTS-8 GPM@2750 PSI. ADJUSTABLE SPEED SETTING 25% TO 100% CRANE REQUIREMENTS; 14,500 GVWR MINIMUM TRUCK SIZE. CRANE WEIGHT 1,390 LBS. EXTENSION BOOM LENGHT 20'6", WIDTH- 1'9.75, HEIGHT-2'11.75", BASE PLATE- 16.75" X 16.75", BOOM DOWN 11-15 SECONDS (FULL STROKE OF CYLINDER) BOOM RETRACT 10-14 SECONDS. FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
235	2.00	EA	0237 - ELECTRIC WINCH - 12,000 LB COMPLETE WITH HEAVY DUTY FRONT	\$	\$\$
			BUMPER ASSEMBLY, 4 WAY ROLLER GUIDES, REMOTE CONTROL PENDANT AND 150' OF CABLE WITH HOOK END (UNIT TO FIT ALL DOMESTIC PICKUPS, CARRYALLS, OR 1 TON TRUCKS)		
			MANUFACTURER: MANUFACTURER PART:		
236	3.00	EA	0238 - ELECTRIC WINCH - 15,000 LB COMPLETE WITH HEAVY DUTY FRONT	\$	\$\$
			BUMPER ASSEMBLY, 4 WAY ROLLER GUIDES,		

INVITATION TO BID FROM JEFFERSON PARISH - continued

62

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			REMOTE CONTROL PENDANT, AND 150' OF CABLE WITH HOOK END (UNIT TO FILL ALL DOMESTIC PICKUPS, CARRYALLS, OR 1 TON TRUCKS) MANUFACTURER: MANUFACTURER PART:		
237	1.00	EA	0239 - AUTOMATED SANDBAG SYSTEM MOUNTING BRACKETS AND HYDRAULIC POWER	\$	\$\$
			SYSTEM WITH CONTROLS INSTALLED ON EXISTING PARISH OWNED DUMP TRUCK (FOR EQUIPPING ADDITIONAL DUMP TRUCKS FOR AUTOMATED SANDBAG SYSTEM CAPABILITY)		
			MANUFACTURER: MANUFACTURER PART:		
238	1.00	EA	0240 - INSIDE-OUTSIDE RAILROLL OFF HOIST SYSTEM FOR CONTAINERS UP TO 22'L,	\$	\$\$
			60,000 LBS. CAPACITY 4" X 8" X 1/2" STRUCTURAL TUBE FRAME WITH SUBFRAME, 47 GALLON OIL RESERVOIR, OUTSIDE CONTROLS, DUAL SINGLE STAGE DOUBLE ACTING 6" BORE X 80" STROKE, LTFT CYLINDERS WITH 5" DIAMETER RODS, CYLINDER COVERS, TEN 4" O.D. X 4" L OUTSIDE ROLLERS WITH BRONZE BUSHING ON COLD ROLLED ALLOY SHAFT WITH TWO POINT SUPPORT, REAR BUMPER WITH LIGHTS AND MUD FLAPS,BODY PROP, BODY UP INSIDE-OUTSIDE RAILROLLOFF HOIST SYSTEM WARNING LIGHT, REVERSE ALARM, CONTAINER HOLD DOWN AND AUTOMATIC ROLLER LOCK FOR OUTSIDE RAIL CONTAINERS, AIR CONTROLS, AIR SHIFT PTO, FULL FENDERS, TOOL BOX, 52 DEGREE DUMP ANGLE, 79,600 LBS. CAPACITY 7/8" X 75' X6 X 25 IWRC EIPS CABLE WITH 2" CAST HOOK END, 27' CABLE HOOK TRAVEL, 10" DIAMETER CABLE SHEAVES WITH BRONZE BUSHINGS, OIL FILTER, 47 GPM HYDRAULIC PUMP @ 1800 PSI, TWO SPOOL CONTROL VALVE, 27 SECOND HOIST AND INSIDE-OUTSIDE RAILROLLOFF HOIST SYSTEM WINCH UP CYCLE, 15 SECOND DOWN CYCLE UNIT FOR A 174" C/A RANDEM TRUCK CHASSIS MANUFACTURER: MANUFACTURER PART:		
239	6.00	EA	0241 - FUEL TRANSFER SYSTEM COMPLETE WITH MINIMUM 100 GALLON CAPACITY ALUMINUM FUEL TANK, 13 GPM 12 VOLT ELECTRIC FUEL PUMP, 12 ft OF 3/4" DIAMETER FUEL HOSE, AND ALUMINUM DISPENSING NOZZLE WITH STORAGE BRACKET,	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

63

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			INSTALLED ON PARISH OWNED PICKUP, FLATBED OR SERVICE TRUCK MANUFACTURER: MANUFACTURER PART:		
240	1.00	EA	0242 - CLUTCH PUMP HYDRAULIC WET LINE KIT COMPLETE WITH ENGINE MOUNTING	\$	\$\$
			BRACKETS, 2,500 PSI HYDRAULIC PUMP WITH 7 TO 13 GPM CAPACITY, CAB CONTROLLER, CAN CAB INDICATOR LIGHT,INSTALLED ON PARISH OWNED TRUCK WITH HYDRUALIC LINES TO POWER SYSTEM NEEDED.		
			MANUFACTURER: MANUFACTURER PART:		
241	1.00	EA	0243 - GOOSENECK HITCH OPTION ON NEW TRAILERS IN LIEU OF TWO EYE OR BALL	\$	\$
			HITCH. PRICE TO BE ADDED TO TRAILERS SELECTED ON THIS ITEM. MANUFACTURER: MANUFACTURER PART:		
242	1.00	EA	0244 - REAR REFUSE LOADER, 25 CU.UD CAPACITY,254 IN COVERALL LENGTH, 93 IN.	\$	\$\$
			OVERALL HEIGHT ABOVE CHASSIS FRAME. APPROXIMATE 10,700 UNIT WEIGHT, WITH COMPLETE INSTALLATION ON PARISH OWNED 43,000 GVWR TRUCK CHASSIS WITH A 138" C.T. CYCLE TIME. 6 SECOND RELOAD TIME. MINIMUM 2.6 CUBIC YARD HOPPER 2500 PSI GEAR-TYPE 24 GPM PUMP, 24 GALLON HYDRAULIC RESERVOIR WTIH 10 MICRON RETURN FILTER AND 140 MICRON SUCTION FILTER. SPOOL TYPE CONTROL VALVES. MINIMUM 80 IN. HOPPER LOADER WEIGHT.		
			MANUFACTURER: MANUFACTURER PART:		
243	20.00	FT	0245 - DRY FREIGHT VAN TRUCK BODY FROM 10 FT. TO 28 FT. LENGTH, 8 FT.	\$	\$
			WIDTH 8 FT. INTERIOR HEIGHT,4" I-BEAM LONGSILLS, 3" I-BEAM CROSSILLS ON 12" CENTERS, 1 1/2" OAK FLOORING, .050 GA. PRE-PAINTED ALUMINUM SIDE PANELS OVER SIDE POSTS ON 16" CENTERS,ONE PIECE .040 GAUGE.ALUMINUM ROOF OVER HATSILLS ON 24" DEEP REAR THRESHOLD PLATE, OVERHEAD ROLLUP REAR DOOR, INTERIOR DOME LIGHT, EXTERIOR FMVSS BODY LIGHTS, FULL WIDTH CHANNEL DOUBLE STEP REAR BUMPER,		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

64

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
244	1.00	EA	0246 - STREET FLUSHER UNIT,4000 GALLON CAPACITY, EPOXY COATED 7 GA. & 10 GA.	\$	\$
			STEEL TANK CONSTRUCTION WITH FULL SKIRT-ING, 750 GPM CENTRIFUGAL WATER PUMP WITH 4 IN. DISCHARGE PORTING CAPABLE OF MAINTAINING 60 LBS PRESSURE PUMPING 600 PM@ 2,000 RPM'S WITH FOUR NOZZLES OPERATING, VARIABLE DISPLACEMENT HYDROSTATIC WATER PUMP DRIVE SYSTEM DRIVEN BY 80 HP DIESEL ENGINE WITH FIXED DISPLACEMENT PISTON MOTOR,20 GALLON PRESSURIZED HYDRAULIC RESERVOIR,		
			MANUFACTURER: MANUFACTURER PART:		
245	50.00	FT	0247 - TRAILER FLOOR REPLACEMENT FOR LOWBOY MACHINERY TRAILERS WITH 6 FT.	\$	\$\$
			WIDE LOAD DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS NEW GRADE FLOOR TO BE 1/8" THICK 7" WIDE 31 GRADE APITONG TROPICAL HARDWOOD ATTACHED TO CROSSMEMBERS WITH TWO 1/4" FLOOR SCREWS PER BOARD PER CROSSMEMBERS. PRICE PER LINEAR FOOT OF TRAILER LOAD DECK.		
			MANUFACTURER: MANUFACTURER PART:		
246	250.00	FT	0248 - TRAILER FLOOR REPLACEMENT FOR LOWBOY MACHINERY AND FLATBED	\$	\$\$
			TRAILERS WITH 8 FT. WIDE LOAD DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS. NEW FLOOR TO BE 1 3/8" THICK BY 7" WIDE #1 GRADE APITONG TROPICAL HARDWOOD ATTACHED TO TRAILER CROSSMEMBERS WITH TWO 1/4" FLOOR SCREWS PER BOARD PER CROSSMEMBER. PRICE PER LINEAR FOOT OF TRAILER DECK.		
			MANUFACTURER: MANUFACTURER PART:		
247	25.00	FT	0249 - TRAILER FLOOR REPALCEMENT FOR LOWBOY TRAILERS WITH 8 FT. WIDE LOAD	\$	\$
			DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS. NEW FLOOR TO BE 2" THICK BY 12" WIDE #1 GRADE CLEAR WHITE OAK HARDWOOD ATTACHED TO TRAILER		

INVITATION TO BID FROM JEFFERSON PARISH - continued

65

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			CROSSMEMBERS WITH TWO 5/16" FLOOR SCREWS PER BOARD PER CROSSMEMBER. PRICE PER LINEAR FOOT OF TRAILER LOAD DECK PLUS LENGTH OF FOLDING LOWBOY NECK. MANUFACTURER: MANUFACTURER PART:		
248	1.00	EA	0250 - HYDRAULIC DRIVEN AIR COMPRESSOR 18 CFM, 100-155 PSI RANGE,7 GPM @ 1,800	\$	\$\$
			PSI HYDRAULIC MOTOR, OIL RESERVOIR TANK, HYDRAULIC OIL COOLER, SPRING REWIND HOSE REEL IN REAR COMPARTMENT WITH 100 FT.AIR HOSE,BALL STOP, AND QUICK CONNECTOR END (REQUIRES SEPARATE PURCHASE OF TRUCK ENGINE DRIVEN HYDRAULIC CLUTCH PUMP ASSEMBLY.)		
			MANUFACTURER: MANUFACTURER PART:		
249	1.00	EA	0251 - HEAVY DUTY TRUCK ENGINE PTO DRIVE HIGH PERFORMANCE AIR COMPRESSOR ASSEMBLY	\$	\$\$
			DUAL PRESSURE 100LB/150LB, W/TU, REMOTE MOUNT HYDRAULIC OIL COOLERS, HOSE PLUMBING KIT, MUNCIE CONTINOUS DUTY CYCLE HEAVY DUTY PTO ASSEMBLY, SPICER (OR EQUAL) 2" BALANCE AUTOMOTIVE TYPE DRIVESHAFT ASSEMBLY, CAB AIR CONTROLLER ASSEMBLY, REPROGRAM TRUCK COMPUTER TO ENABLE TRUCK ENGINE RPM'S TO COINCIDE WITH COMPRESSOR PERFORMANCE REQUIREMENTS TEST UNIT FOR PROPER OPERATION		
			MANUFACTURER: MANUFACTURER PART:		
250	1.00	EA	0252 - HI-RAIL SYSTEM FOR 33,000 GVWR INCLUDING POWER PACK SYSTEM FOR HI-RAIL	\$	\$\$
			SYSTEM, FRONT BRAKES, RAIL SWEEPS FRONT AND REAR, REMOTE REAR PIN-OFF (CABLE). SLOTTED REAR LINKS, FOUR (4) EA, CORNER STROBE LIGHTS, BLOCK-UP FRONT AXLE FOR MAXIMUM CLEARANCE, REAR BRAKES IN ADDITION TO FRONT BRAKES, SIGNAL INSULATION, REMOTE FRONT PIN-OFF(CABLE), COMPLETE INSTALLATION LABOR.		
			MANUFACTURER: MANUFACTURER PART:		
251	1.00	EA	0253 - HEAVY DUTY CREW MAINTENANCE 156" LONG X 92" H X 96" W OVERALL DIMENSIONS,	\$	\$\$
			MINIMUM 12 GALLON GALVANIZED STEEL PANEL		

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

66

Page

BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
NUMBER			CONSTRUCTION, FOUR 48" H X 22"D VERTICAL SIDE COMPARTMENTS PLUS ONE 24" H X 22" DEEP HORIZONTAL SIDE COMPARTMENT DOWN EACH SIDE, SHELVING PACKAGE IN EACH COMPARTMENT, FULLY ENCLOSED CANOPY TOP 146 WIDE WITH THREE FULL LENGTH 22" WIDE SHELVES DOWN EACH SIDE AND FULL HEIGHT DOUBLE REAR DOORS EACH SIDE AND FULL HEIGHT DOUBLE REAR DOORS EACH SIDE AND FULL HEIGHT DOUBLE REAR DOOR EACH SIDE. TWO INTERIOR DOME LIGHTS, SPRING OR GAS SHOCK RETAINERS ON ALL DOORS, STAINLESS STEEL DOOR LOCKS WEATHER TIGHT DOOR SEALS, 12 GAUGE REAR PLATE, STEEL FLOOR IN RECESSED DIRECTIONAL SIGNAL LIGHTS AND BACK UP LIGHTS, LICENSE PLATE LIGHT AND BRACKET. ALL ELECTRICAL WIRING IN LOOM CONDUIT, UNDERCOATED, HEAVY DUTY FULL WIDTH REAR REINFORCED TO TRUCK FRAME, COMBO-3 WAY BALL HITCH AND PINTLE HITCH ASSEMBLY WITH ELECTRIC BRAKE CONTROL PACKAGE, REAR WHEEL SPLASH GUARD FENDERS, REAR WHEEL MUD FLAPS, CONE HOLDER ON REAR BUMPER, FULL INSTALLATION ON PARISH SUPPLIED 26,000 GVWR LOW-PROFILE TRUCK CHASSIS WITH 84" CLEAR C/A DISTANCE, PRIMED AND FINISH PAINTED INSIDE AND OUTSIDE 5 MILS IMRON. FLEET WHITE. MANUFACTURER: MANUFACTURER PART: W	QUOTED	
252	1.00	EA	0254 - TRANSFER OF PARISH OWNED USED SERVICE TRUCK CRANE THAT IS IN PROPER	\$	\$\$
			WORKING CONDITION FROM A USED TRUCK CHASSIS TO A NEW TRUCK CHASSIS. TRANSFER TO INCLUDE ALL SERVICES REQUIRED TO MAKE TRANSFER OF PARISH OWNED USED UNIT FULLY FUNCTIONAL ON A NEW TRUCK CHASSIS INCLUDIDING TRANSFER OF OUTRIGGER SPRINT ADDITIONS TO LEVEL TRUCK. SERVICE BODY OR FLATBED REINFORCEMENTS ON A NEW TRUCK CRANE. ALL ELECTRICAL AND HYDRAULIC CONNECTIONS TO NEW TRUCK CHASSIS AND TOUCH UP PAINT TO ALL WORK AREAS. MANUFACTURER: MANUFACTURER PART:		
253	1.00	EA	0255 - POWER INVERTER SYSTEM. 30 AMP CAPACITY,110 VOLT AC OUTPUT INCLUDING 200 AMP TRUCK ALTERNATOR.TWO ADDITIONAL AUXILLARY DEEP CYCLE RESERVE BATTERIES. STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING AND SPRING REWIND 20 AMP ELECTRIC REEL WITH 50 FEET OF 12 GAUGE	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

67

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			110 VOLT ELECTRIC CORD AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET. FULLY INSTALLED ON PARISH OWNED TRUCK. MANUFACTURER: MANUFACTURER PART:		
254	1.00	EA	0256 - WILTON (OR EQUAL) HEAVY DUTY MULTI-PURPOSE 6" MECHANICAL VISE	\$	\$\$
			ASSEMBLY, FULLY INSTALLED ON PARISH OWNED TRUCK AT LOCATION TO BE SPECIFIED BY USING AGENT.		
			MANUFACTURER: MANUFACTURER PART:		
255	1.00	EA	0257 - HYDRAULIC TOOL CIRCUIT COMPLETE WITH TWIN HYDRAULIC LINE HOSE REEL	\$	\$\$
			WITH 50' HOSE EACH LINE, AIR MOTOR REWIND, FLOW CONTROL VALVES, FULLY INSTALLED AND CONNECTED TO HYDRAULIC AND AIR POWER SOURCE ON PARISH OWNED VEHICLE (HYDRAULIC POWER SOURCE TO BE SELECTED FROM APPROPRIATE COMMODITY CODE)		
			MANUFACTURER: MANUFACTURER PART:		
256	5.00	EA	0258 - SPRING REWIND AIR HOSE REEL COMPLETE WITH 4-WAY ROLLER GUIDE, 50'	\$	\$\$
			OF 3/8 DIAMETER AIR HOSE AND QUICK CONNECTOR END. RUBBER HOSE STOP AND FULLY INSTALLED AND CONNECTED TO AIR POWER SOURCE ON PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
257	1.00	EA	0259 - DRAWER CABINET UNIT FOR 20" DEEP TRUCK BODY FRONT COMPARTMENT, 18"DEEP	\$	\$\$
			SERVICE TRUCK BODY FRONT COMPARTMENT, 18" W X 5" HIGH AND TWO DEEP DRAWERS ARE 16" DEEP AND 30" WIDE. FIVE 3" HIGH, TWO 5" HIGH AND TWO 7" HIGH, 250 LB CAPACITY DRAWER, FULLY INSTALLED IN PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
258	1.00	EA	0260 - HEAVY DUTY, MATERIAL HANDLING, FIGURE, KNUCKLE BOOM CRANE ASSEMBLY	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

Page

68

ITEM	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE	TOTALS
NUMBER	QOAIIIII	0/111	DECOM HONOI ANNOLLO	QUOTED	TOTALO
			WITH 16'5" MAXIMUM SPREAD HYDRAULIC OUT AND DOWN RIGGERS, WO TELESCOPIC SECTIONS 75,000 FT-LB RATING, 26'3" MAXIMUM HORIZONTAL REACH, 33'10" MAXIMUM VERTICAL REACH, 7,165 LBS MAXIMUM CAPACITY, 2,755 CAPACITY AT MAXIMUM REACH, 4500 LB. SINGLE LINE CAPACITY PLANETARY WINCH WITH 140' OF 7/16" DIAMETER WIRE ROPE WITH SAFETY HOOK END AND SHEAVE ASSEMBLY FOR BOOM TIP HYRAULIC OVERLEAD SYSTEM, FULLY INSTALLED ON PARISH OWNED VEHICLE		
			MANUFACTURER: MANUFACTURER PART:		
259	1.00	EA	0261 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT FINISH PAINT 5	\$	\$\$
			MILS THICKNESS AND REINSTALL THE BELOW DUMP BODIES: 3 YARD DUMP BODY		
			MANUFACTURER: MANUFACTURER PART:		
260	1.00	EA	0262 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT, FINISH PAINT 5	\$	\$\$
			MILS THICKNESS AND REINSTALL THE BELOW DUMP BODY: 12 YARD DUMP BODY.		
			MANUFACTURER: MANUFACTURER PART:		
261	1.00	EA	0263 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT, FINISH PAINT 5	\$	\$\$
			MILS THICKNESS AND REINSTALL THE BELOW DUMP BODY: 16 YARD DUMP BODY.		
			MANUFACTURER: MANUFACTURER PART:		
262	1.00	EA	0264 - 40 CU. YD. CAPACITY ROLLOFF AND/OR HOOKLIFT TRASH CONTAINER. 22 IN	\$	\$\$
			LONG. MINIMUM 3 INCH STEEL CHANNEL FLOOR SUPPORTERS ON 12 IN. CENTERS, MINIMUM 8 GALLON STEEL SIDE CONSTRUCTION. SIDE POST SUPPORTS ON MINIMUM 32 IN. CENTERS. FULL OPENING REAR SWING DOOR WITH HOLD-BACK SAFETY LOCKING MECHANISM. PRIMED AND FINISHED. PAINTED 5 MILS. ENAMEL FLEET WHITE. UNIT TO BE COMPATIBLE WITH EXISTING JEFFERSON PARISH FLEET TRUCK.		

Page 69

SEALED BID

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

UNIT PRICE ITEM **QUANTITY** U/M **DESCRIPTION OF ARTICLES TOTALS NUMBER** QUOTED MANUFACTURER: **MANUFACTURER PART:** 263 \$ 1.00 EΑ 0265 - 16 CUBIC YD. CAPACITY ROLLOFF AND/OR HOOKLIFT TRASH CONTAINERS, 16 FT. LONG. MINIMUM 3 IN. STEEL CHANNEL FLOOR **SUPPORTS ON 12 IN. CENTERS, MINIMUM 8 GAUGE STEEL SIDE CONSTRUCTION. SIDE POST** SUPPORTS ON MINIMUM 32 IN. CENTERS. **FULL OPENING REAR SWING DOOR WITH HOLD** BACK SAFETY LOCKING MECHANISM, PRIMED AND PAINTED WHITE. UNIT TO BE COMPATIBLE WITH EXISTING JEFFFERSON PARISH FLEET TRUCK. MANUFACTURER: **MANUFACTURER PART:** 264 Ś 1.00 EΑ 0266 - REAR CRASH ENERGY ABSORBTION DEVICE FOR DUMP TRUCKS, FLATBED TRUCKS, **ETC. CRASH EXTENUATOR TO MEET ALL CURRENT FEDERAL NCHRP 350. TEST LEVEL** 3' TO INCLUDE COMPLETE INSTALLATION AND MODIFICATIONS REQUIRED TO REAR OF REAR CRASH ENERGY ABSORBTION VEHICLE TO ACCEPT CRASH, EXTENUATOR AND MAKE UNIT READY FOR WORK. MANUFACTURER: **MANUFACTURER PART:** 265 \$ 1.00 0267 - MEDIUM DUTY WRECKER TRUCK BODY \$ ASSEMBLY WITH UNDERLIFT ASSEMBLY RATED AT 12,000 LBS. RETRACTED. 16 TON RETRACTED BOOM RATING. TWO 15,000 LBS. **WORM GEAR VARIABLE SPEED HYDRAULIC** WINCHES WITH 1/2 IN X 150 FT. CABLE **POWER FOLD STINGER. 360 DEGREE BOOM** END SWIVEL POWER BOOM ELEVATION, 96 IN. WIDE BODY WITH TWO STORAGE COMPARTEMENT PER SIDE. TUNNEL FRONT COMPARTMENT. **DUAL CONTROLS. BACK UP ALARM. DUAL** HYDRAULIC PUMPS. SAFETY CHAINS. FIBER **GLASS FENDERS. 4 IN. RUBBER LOWER WORK** LIGHTS. 6 IN. UPPER CHROME WORK LIGHTS, FRONT **PUSH BUMPER. FULLY INSTALLED ON PARISH SUPPLIES. 26,000 GVWR TRUCK CHASSIS** WITH 120 IN. CLEAR C/A IN READY TO WORK CONDITION. MANUFACTURER: **MANUFACTURER PART:** 266 \$ 1.00 EΑ 0268 - HEAVY DUTY WRECKER TRUCK BODY **ASSEMBLY WITH UNDERLIFT ASSEMBLY RATED**

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

70

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			AT 35,000 LBS. RETRACTED. 40 TON RETRACTED BOOM RATING. TOW 35,000 LBS. PLANETRY VARIABLE SPEED. HYDRAULIC WINCHES WITH 3/4 IN X 200 FT. CABLE. POWER FOLD STINGER, 360 DEGREE BOOM ROTATION. FRONT AND REAR OUTRIGGERS. POWER BOOM ELEVATION. 96. IN. WIDE BODY WITH FULL LENGTH STORAGE COMPARTMENTS PER SIDE. DUAL CONTROLS AND BACK UP ALARM. DUAL HYDRAULIC PUMPS. SAFETY CHAINS. FIBERGLASS FENDERS.60IN WHELEN STROB LIGHT BAR (OR EQUAL) 4 IN. RUBBER LOWER WORK LIGHTS. FRONT PUSH BUMPER FULLY INSTALLED ON PARISH SUPPLIED 54,000 LB. GVWR TRUCK CHASSIS WITH 156 IN. CLEAR C/A DISTANCE IN READY TO WORK CONDITION. MANUFACTURER: MANUFACTURER		
267	1.00	EA	0269 - SERVICE TRUCK BODY TELESCOPIC TOP ASSEMBLES WITH LOCKABLE TAILGATE ENCLOSURES. INSTALLED AND PAINTED TO	\$	\$\$
			MATCH TRUCK FOR 96 IN. LONG BODY. MANUFACTURER: MANUFACTURER PART:		
268	1.00	EA	0270 - SERVICE TRUCK BODY TELESCOPIC TOP ASSEMBLES WITH LOCKABLE TAILGATE ENCLOSURES. INSTALLED AND PAINTED TO	\$	\$\$
			MATCH TRUCK BODY. FOR 108 IN. LONG BODY. MANUFACTURER: MANUFACTURER PART:		
269	1.00	EA	0271 - TRUCK BODY TELESCOPIC TOP ASSEMBLES WITH LOCKABLE TAILGATE ENCLOSURES. INSTALLED AND PAINTED TO MATCH TRUCK BODY. FOR 132 IN. LONG	\$	\$
			BODY. MANUFACTURER: MANUFACTURER PART:		
270	1.00	EA	0272 - REPLACEMENT PICK UP TRUCK BODIES TO FIT FORD, CHEVROLET, AND/OR DODGE PICK UP TRUCKS INCLUDING COMPLETE TAILGATE ASSEMBLIES, INSTALLED AND PAINTED TO MATCH EXISTING VEHICLE.	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

71

Page

BID NO.: 50-00148680 **SEALED BID**

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
271	1.00	EA	0273 - HEAVY RAIL SYSTEM FOR PICK UP TRUCKS INCLUDING HYDRAULIC SYSTEM.	\$	\$
			STEERING WHEEL LOCK, DERAILS, MOUNTING BRACKET GROUP, SIGNAL INSTALLATION, LOCKING VALVES FOR VALVES IN HIGHWAY POSITION. RAILSWEEPS FRONT AND REAR. IN-CAB CONTROLS. WHEEL MODIFICATION GROUP INCLUDING APPROVED TIRES FOR RAIL APPLICATION. FOUR EACH CORNER STROBE LIGHTS AND COMPLETED INSTALLATION. LABOR ON PARISH OWNED TRUCK IN READY TO WORK CONDITIONS.		
			MANUFACTURER: MANUFACTURER PART:		
272	1.00	EA	0274 - OPTIONAL RAISED BOTTLE GAS STORAGE COMPARTMENT ON SERVICE TRUCK	\$	\$\$
			BODY INCLUDING GAS VENTS AND THREE BOTTLE GAS RESTRAINING BRACKETS. MANUFACTURER: MANUFACTURER PART:		
273	1.00	EA	0275 - RKI MODEL SPK55240 (0R EQUAL) SPACE RACK ASSEMBLY FOR ONE TON TRUCK	\$	\$\$
			CHASSIS. TWO DOORS PER SIDE. UPPER THRU COMPARTMENT, 82 IN. W X 55 IN H X 20 FT LONG. INSTALLED AND PRINTED TO MATCH TRUCK CAB.		
			MANUFACTURER: MANUFACTURER PART:		
274	1.00	EA	0276 - SPRING REWIND AIR HOSE REEL ASSESMBLY COMPLETE WITH 100 FT OF 3/8 IN	\$	\$
			DIAMETER AIR HOSE AND QUICK COUPLER END. INSTALLED AS DIRECTED IN PARISH OWNED SERVICE TRUCK, FLATBED, DUMP TRUCK, ETC.		
			MANUFACTURER: MANUFACTURER PART:		
275	1.00	EA	0277 - MANUAL REWIND DUAL WELDING LEAD ASSEMBLY COMPLETE WITH 100 FT OF	\$	\$\$
			WELDING LEADS. QUICK CONNECT ENDS. INSTALLED AS DIRECTED IN PARISH OWNED		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

72

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SERVICE TRUCK, FLATBED, DUMP TRUCK, ETC. MANUFACTURER: MANUFACTURER PART:		
276	1.00	EA	0278 - OPTIONAL PEAKOVER ATTIC EXTENSION FOR VAN TRUCK BODIES AS	\$	\$
			DESCRIBED: 48' L X 24' H X 96' W. INSTALLED ON VAN TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
277	1.00	EA	0279 - REPLACEMENT REAR BUMPERS WITH REVERSE ALARM SENSORS AND CAB WARNING	\$	\$\$
			BELL FOR FORD, CHEVROLET, OR DODGE PICK UP TRUCKS INCLUDING COMPLETE INSTALLATION ON TRUCK NOT PREVIOUSLY EQUIPPED WITH THIS SYSTEM.		
			MANUFACTURER: MANUFACTURER PART:		
278	1.00	EA	0280 - POWER INVERTER SYSTEM 2000 WATT 110 VOLT AC OUTPUT, INCLUDING AUXILLARY	\$	\$
			DEEP CYCLE BATTERY IF NEEDED. WEATHER PROOF STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING TO ALTERNATOR. SPRING REWIND 15 AMP ELECTRIC CORD REEL WITH 50 FT. OF 12 GAUGE 110 AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET. FULLY INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
279	1.00	EA	0281 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$
			TO 24,000 LB GVWR LOWBOY TRAILER- SUSPENSION CROSS BAR SUPPORTS MANUFACTURER:		
			MANUFACTURER PART:		
280	1.00	EA	0282 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000 T0 24,000 LB. GVWR LOWBOY	\$	\$
			TRAILER AXEL ASSEMBLIES INCLUDING HUBS AND U-BOLTS.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

73

Page

BID NO.: 50-00148680 **SEALED BID**

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
281	3.00	EA	0283 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LB GVWR LOWBOY TRAILER. SUSPENSION TORQUE ALIGNMENT RODS.		
			MANUFACTURER: MANUFACTURER PART:		
282	1.00	EA	0284 - REPAIR AND REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LB GVWR LOWBOY TRAILERS- LANDING GEAR INCLUDING SUPPORT BRACKETS.		
			MANUFACTURER: MANUFACTURER PART:		
283	1.00	EA	0285 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LB. GVWR LOWBOY TRAILER- A-FRAME TONGUE ASSEMBLIES.		
			MANUFACTURER: MANUFACTURER PART:		
284	1.00	EA	0286 - REPAIR OR REPLACEMENT ON THE FOLLOWING ITMES ON PARISH OWNED 20,000	\$	\$
			TO 24, 000 LB. GVWR LOWBOY TRAILER- TRAILER REAR LOADING RAMP ASSEMBLIES.		
			MANUFACTURER: MANUFACTURER PART:		
285	1.00	EA	0287 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITMES ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LBS.GVWR LOWBOY TRAILER: REAR DOVETAIL ASSEMBLIES.		
			MANUFACTURER: MANUFACTURER PART:		
286	1.00	EA	0288 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$
			TO 24,000 LBS. GVWR LOWBOY TRAILERS- SUSPENSION CROSS BAR SUPPORTS.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

74

Page

BID NO.: 50-00148680 **SEALED BID**

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
287	1.00	EA	0289 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LB. GVWR LOWBOY TRAILERS- AXEL ASSEMBLIES INCLUDING HUGS AND U- BOLTS.		
			MANUFACTURER: MANUFACTURER PART:		
288	1.00	EA	0290 - SLIDE OUT DRAWER UNIT FOR FULL SIZE PICK UP TRUCK BED. MINIMUM	\$	\$\$
			OVERHAUL DIMENSIONS; 48'L X 12 2/3' X 40' W. FOUR COMPARTMENTS EACH MEASURING 45'L X 8 1/2' H X 9 3/4'W. INSTALLED IN PARISH OWNED FULL SIZE PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
289	1.00	EA	0291 - INTERIOR REAR FENDER WALL TOOL BOX ASSEMBLY PAIR. ALUMINUM TREAD PLATE	\$	\$\$
			CONSTRUCTION. BLACK ANODIZED FINISH. 55" L X 23" H X 8" W. OVERALL DIMENSIONS-THREE SLIDE OUT REAR DRAWERS INSTALLED IN PARISH OWNED FULL SIZE PICK UP TRUCK EQUIPPED WITH FIBERGLASS LID COVER OVER BED AREA.		
			MANUFACTURER: MANUFACTURER PART:		
290	1.00	EA	0292 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS 19,501 LBS TO	\$	\$\$
			33,000 LBS. GVWR TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
291	9.00	EA	0293 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS 33,001 LBS.	\$	\$\$
			GVWR AND OVER.		
			MANUFACTURER: MANUFACTURER PART:		
292	3.00	EA	0294 - PTO REBUILD OR REPLACEMENT ON EQUIPMENT WITH ALLISON 2000 SERIES	\$	\$\$

SEALED BID

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

UNIT PRICE ITEM **QUANTITY** U/M **DESCRIPTION OF ARTICLES TOTALS NUMBER** QUOTED **AUTOMATIC TRANSMISSION.** MANUFACTURER: **MANUFACTURER PART:** 293 \$ 0295 - PTO REBUILD OR REPLACEMENT ON 1.00 EΑ TRUCKS 52,000 LB GVWR AND OVER. TRUCKS EQUIPPED WITH ALLISON 4000 **SERIES AUTOMATIC TRANSMISSION** MANUFACTURER: **MANUFACTURER PART:** 294 1.00 EΑ 0296 - BULK FUEL DELIVERY TRUCK TANK **ASSEMBLY SPECIFICATIONS AS FOLLOWS: TANK 4,500 GALLON (MINIMUM) COMPARTMENTS TWO SIZES-1,500 TO 3,000 LB TANK ELLIPTICAL DESIGN FABRICATED FROM** POLISHED ALUMINUM BULKHEADS-DOUBLE **BULKHEAD CONSTRUCTION HEADS ARE DISHED** AND FLANGED FOR MAXIMUM STRENGTH AND TO MEET DOT MC405 REGULATIONS. UNDER FRAME **EXTRUDED J-TYPE SILLS WELDED TO TANK** BOTTOM, CROSS MEMBERS ARE INSTALLED TO FLASHING-FULL LENGTH DOUBLE LEGGED. LEAK PROOF OVERTURN FAILS TO MEET DOT 406 MAY BE USED AS VAPOR RECOVERY HEADER. FLASHING DRAINS-TWO EXTERNAL 1 1/2 IN. TUBING. **FILL OPENING-16 IN. MANHOLES WITH 10 IN FILL DOT MC406 APPROVED VENTING CALIBRATION: 15 IN. THREE ADDED ROD WITH** MARKER IN EACH COMPARTMENT SEALED AT RATED CAPACITY. **DISCHARGE LINES-3 IN X 1 IN EMERGENCY VALVES WITH 2 IN PIPING TERMINATING** IN REAR BUCKET BOX WITH MALE PIPE THREAD STANDARD PIPE ROTATION TO R 2-4-5-3-1 **EMERGENCY VALVE OPERATOR INSTALLED OVER HEADY BUCKET BOX WITH EMERGENCY VALVE** RELEASE AT STREET SIDE FRONT, EMERGENCY CABLE RUN IN STAINLESS STEEL TUBING. **PERMANENT PIPELINE (2 SUCTION, 2 DISCHARGE) WITH VICTALIC GROOVES AT BOTH ENDS FOR A DUAL PUMP SYSTEM. BOTTOM** LOADING/VAPER RECOVERY. TANK INCLUDES **BOTTOM LOADING WITH 2 FT. PIPING TO THE REAR AND 3 IN. PIPING TO CURB SIDE.** FUTURE VAPOR RECOVERY WITH V/R LINE THRU TANK JUST AHEAD OF THE BUCKET BOX. **REAR BUCKET BOX-SLOPING ALUMINUM CABINET 44 IN. DEEP AT BOTTOM WITH** FLOOR LOWERED TO ENCLOSE FAUCETS. SINGLE REAR LIFT DOOR WITH GAS SPRINGS. HOSE DOOR OUTLET EACH SIDE WITH STAINLESS STEEL PADDLE HANDLE, BULK FUEL

Page 76

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			DELIVERY TRUCK TANK SLMA LATCHES. EXTRA PIN HINGES WITH GREASE JERKS ON 70 IN. WELD ON BARREL CARRIER WITH HOSE TUBES. BUMPER-HEAVY DUTY WRAP AROUND BUMPER TO MEET DOT 406 NOZZLE HOLDER IN EACH CORNER. LADDER-LADDERS ON BOTH SIDES AT REAR WITH FULL WIDTH PLATFORM ACROSS TOP OF FENDERS. FENDERS. FENDERS.JEEP STYLE ALUMINUM FENDERS. LIGHTS-FEDERAL STANDARD MVSS 107 BELT SNAP SEAL. LIGHTS WITH VAPOR PROOF WIRING. WORK LIGHTS WITH VAPOR PROOF WIRING. WORK LIGHTS WITH SEPARATE SWITCH IN BUCKET BOX. FINISH-ALUMINIM LEFT IN BRIGHT FINISH, STEEL PARTS PAINTED. SAFETY WARNING PLACE CARD ON ALL FOUR SIDES OF TRUCK AS REQUIRED BY FEDERAL REGULATION FOR BULK GASOLINE AND DIESEL FUEL DELIVERY. PUMPING SYSTEM-100 GPM DUAL PUMPING SYSTEM. 2 BLACMER (OR EQUAL) TXD@1/2A-2 1/2 IN. PUMPS RATED AT 100 GPM. 2 IN LINE STAINERS 2-5 FT. JUMPER HOSES 2 EMCO WEATON DRY BRAKES 2 METER TANKS SPLIT 2 HANNAY (OR EQUAL) 2 IN. METERS WITH PRINT REGISTERS 2 METER TANKS SPLIT 2 HANNAY (OR EQUAL) ELECTRIC REWIND HOSE REELS. 2 HEAVY DUTY DRIVE LINES WITH UNIVERSALS 2 HOT SHEFT POTS AND ELECTRONIC THROTTLE CONTROLS AT REAR. INSTALLATION TO INCLUDE ALL MATERIALS, LABOR, FUEL, PUMPING TESTS. BOTTOM LOADING AND VAPOR RECORDER-AIR OPERATED VENTS-SCULLY-GO-ANYWHERE-OVERFILL SENSOR GROUND BOLT OPENABLE APOL ADAPTORS WITH DUST CAPS-BRAKE INTERLOCKS-OPTICS AND THERMISTER SOCKETS INSTALLATION, DEMONSTRATION AND TRAINING. COMPLETE INSTALLATION ON PARISH SUPPLIED SUITABLE TRUCK CHASSIS IN READY TO WORK CONDITION DELIVERED TO FLEET MANAGEMENT WITH OPERATOR DEMONSTRATION AND TRAINING.		
295	1.00	EA	0297 - MECHANIC'S LUBRICATION SKID ASSEMBLY. OVERHAUL DIMENSIONS ARE TO BE 36' L X 60'H X 42' W AND MUST FIT INTO STANDARD 8 FT. PICK UP BED. SKID ASSEMBLY MUST HAVE CAPABILITY TO BE LOADED WITH OFF-LOADED VIA EITHER UNDERSIDE FORKLIFT EYES FOR CRANE	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

77

Page

BID NO.: 50-00148680 **SEALED BID**

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LIFTING. ASSEMBLY TO INCLUDE 4 SEPARATE TANKS OF 30 GALLON CAPACITY EACH FOR NEW OIL PRODUCTS. ONE TANK TO BE 60 GALLONS. TANKS ARE EQUIPPED WITH SIGHT GLASS FILL GAUGES. EACH NEW PRODUCT TANK IS TO BE EQUIPPED WITH GRACO SERIES 716 (OR EQUAL) 5 TO 1 PNEUMATIC OIL PUMPS AND REGULATRORS.WASTE OIL PRODUCTS TANKS ARE TO BE EQUIPPED WITH GRACO SERIES 716 (OR EQUAL) DIAPHRAM OIL PUMP AND REGULATOR WITH FOUR WAY RESERVING VALVE TO PUMP INTO AND OUT OF TANK. EACH NEW PRODUCT TANK IS TO BE EQUIPPED WITH A HEAVY DUTY SPRING REWIND HOSE REEL ASSEMBLY IS TO POWERED BY AN INDEPENDENT AIR SOURCE DELIVERING BETWEEN 12 TO 15 D FM AT 12 LB. PSI. INDEPENDENT AIR SOURCE IN NOT TO BE INCLUDED WITH THE LUBRICATION SKID ASSEMBLY AND MUST BE AVAILABLE ON CARRYING TRUCK TO POWER THE UNIT. FIVE YEAR WARRANTY ON ALL LUBRICATION EQUIPMENT. MANUFACTURER: MANUFACTURER:		
296	1.00	EA	0298 - BOTTLE GAS CYLINDER STORAGE COMPARTMENT WILL BE INSTALLED TO LEFT FRONT CORNER OF PARISH OWNED FLATBED TRUCK BODY. THREE BOTTLE CAPACITY- DIMINSIONS 36" L X 28" H X 16" D. MINIMUM 125 INCH TREADPLATE STEEL COMPARTMENT CONSTRUCTED WITH 2 1/2 INCH	\$	\$\$
			DIAMETER HOLE TO RECEIVE BOTTLE GAS CYLINDERS TO BE SECURED VIA HINGED MECHANICAL DOUBLE LOCKING DEVICES TO SECURE IN PLACE. STRAPS NOT ACCEPTABLE. UNIT TO BE PRIMED AND FINISHED. PAINTED FLATBED TO MATCH. MANUFACTURER: MANUFACTURER PART:		
297	1.00	EA	0299 - REPLACEMENT DUMP BODY ELECTRIC/ HYDRAULIC PUMP. REPLACEMENT HEIL MODEL	\$	\$\$
			219-1553 ELECTRIC OVER-HYDRAULIC DUMP BODY PUMP ASSEMBLY. 12 VOLT DC. 2.6 GPM AT 2500 PSI CAPACITY (INCLUDES REMOVAL OF OLD PUMP). MANUFACTURER:		
298	4.00		MANUFACTURER PART:	ė.	<u>.</u>
290	1.00	EA	0300 - REPLACEMENT VAN BODY REAR BUMPER REPLACEMENT MORGAN MODEL BSP 36022 (OR	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

78

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			EQUAL) ONE WAY STYLE REAR BUMPER ASSEMBLY WITH 18 INCH UPRIGHTS AND 10 IN DEEP FULL STEP. (INCLUDES REMOVAL OF OLD BUMPER). MANUFACTURER: MANUFACTURER PART:		
299	1.00	EA	0301 - REPLACEMENT VAN BODY SIDE DOOR FRAME. REPLACEMENT MORGAN VAN BODY	\$	\$\$
			MODEL SPECENGO4 (OR EQUAL) MAXIMIZE SLIDING CURBSIDE DOOR, BOTTOM FRAME ASSSEMBLY. (INCLUDING REMOVAL OF OLD ASSEMBLY).		
			MANUFACTURER: MANUFACTURER PART:		
300	1.00	EA	0302 - REPLACEMENT VAN BODY REAR FRAME BOTTOM HEADER. REPLACEMENT MORGAN VAN MODEL APP0110 REAR FRAME POST SUB- MODEL APP0110 (OR EQUAL) COMPONENT GALVANIZED STEEL FOR OVERHEAD DOOR END PLATE. INSTALLED AND PAINTED TO MATCH ORIGINAL.	\$	\$\$
301	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0303 - REPLACEMENT OF GLAD HANDS WITH	\$	\$
			DUST CAP ENDS FOR TRACTOR PACKAGE INCLUDING ELBOWS AND CONNECTORS TO TRUCK AIR SYSTEM AND INSTALLATION. MANUFACTURER: MANUFACTURER PART:		
302	1.00	EA	O304 - PICK UP TRUCK 8 FT. BED TRANSFERABLE TOOL STORAGE SYSTEM INCLUDING FULL LENGTH TPX ALUMINUM SIDE BOXES. 1000 LB. CAPACITY SLIDE OUT DRAWER BED. 2000 LB. FLOOR CAPACITY ABOVE DRAWER. FORKLIFT TUNNELS FOR EASE OF REMOVAL AND TRANSFER TO OTHER TRUCK. DOUBLE LOCKING COMPARTMENTS.HEADACHE RACK AND 2000 LB. LIFTING JACKS FOR EASE OF REMOVAL AND STORAGE WHEN SYSTEM IS NOT BEING TRANSFERRED. INSTALLATION IN PARISH OWNED 3/4 TON PICK UP TRUCK WITH 8 FT. OF BED. MANUFACTURER: MANUFACTURER PART:	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

79

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
303	2.00	EA	0305 - REMOVAL AND INSTALLATION OF NEW TRUCK WINCH CABLE. 7/8 IN. DIAMETER X	\$	\$\$
			150 FT. HIGH TENSILE CABLE WITH 4 FT. TAILCHAIN AND HOOKEND.		
			MANUFACTURER: MANUFACTURER PART:		
304	1.00	EA	0306 - HEAVY DUTY SERVICE TRUCK BODY RACK, DOUBLE 2-HIGH LENGTH. ROUND TUBE	\$	\$\$
			FRAMING, FULL LENGHT OF PICK UP, BODY AND EXTENDING TO WINDSHIELD. 51 INCH INSIDE WIDTH. FOUR 2 IN. SQUARE CROSSBAR WELDED TIE DOWN CLEATS. PAYLOAD CAPACITY BLACK COLOR. TO FIT ALL FULL SIZED DOMESTIC SERVICE BODY TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
305	1.00	EA	0307 - REMOVE AND REBUILD OR REPLACE DEFECTIVE HYDRAULIC MOTOR ASSEMBLY ON	\$	\$\$
			AUTO CRANE MODEL 4004H OR 6404H (OR EQUAL) SERVICE.		
			MANUFACTURER: MANUFACTURER PART:		
306	2.00	EA	0308 - REMOVE AND REPLACE DAMAGED PENDANT CONTROL ASSEMBLY ON AUTO CRANE	\$	\$\$
			MODEL 3203 (OR EQUAL)TRUCK SERVICE CRANE.		
			MANUFACTURER: MANUFACTURER PART:		
307	1.00	EA	0309 - REMOVE, REBUILD OR REPLACE DEFECTIVE WINCHBRAKE ASSEMBLY ON AUTO	\$	\$\$
			CRANE MODEL 4004 OR 6404 SERVICE CRANE (OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
308	100.00	FT	0310 - DUMP TRUCK BODY FLOOR REPLACEMENT OVERLAY 1/4 IN. HIGH TENSILE STEEL	\$	\$\$
			SOLID WELDED AND FLASHED. 12 IN. UP SIDES. PRICE PER LINEAR FOOT OF DUMP BODY.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

80

		MANUFACTURER: MANUFACTURER PART:		
25.00	EA	0311 - BACK UP CAMERA WITH REAR VIEW SYSTEM COMPLETE WITH 7 INCH WIDE PANEL	\$	\$\$
		CLAM SHELL TYPE MONITOR WITH HEAVY DUTY COLOR LCD PANEL. WHITE LED BACK LIGHT. 16 TO 9 ASPECT RATIO. 300 TO 1 CONTRAST RATIO; 500 NITE BRIGHTNESS. VIEW ANGLE (V/H) 100/120. ANTIGLARE AND ANTISCRATCH PROTECTIVE LENS. INTERGRATED AUDIO SPEAKER. AUTO DAY/NIGHT BRIGHTNESS MODE OPTIONS TO FIT TRUCKS AND/OR DRIVER PREFERENCE. CAMERA ENCLOSED IN RUGGED WATERPROOF DIE CAST ALUMINUM HOUSING. MICROPHONE, STAINLESS STEEL HARDWARE, U/V WEATHER RESISTANT CABLE WITH WATER TIGHT FITTINGS. INSTALLED ON PARISH OWNED VEHICLE.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0312 - REVERSE PROXIMITY ALARM SYSTEM TO ALERT THE DRIVER TO THE PRESENCE AND	\$	\$\$
		DISTANCE OF OBSTACLES WHILE REVERSING. 15 FOOT RANGE. MINIMUM OF FOUR SENSORS. AUDIBLE BEEP ALARM TO SOUND IN CAB WITH INCREASING FREQUENCY AS DISTANCE DECREASES, CONTINUOUS ALARM TO SOUND AT ONE FOOT AWAY. LCD SCREEN IN CAB DISPLAYS DISTANCE FROM OBSTACLES IN FEET. THREE VOLUME LEVELS FOR SPEAKER. WATERPROOF. INSTALLED ON PARISH OWNED VEHICLE.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0313 - HEAVY DUTY FLIP TOP SERVICE TRUCK BODY FOR A 56 INCH C/A SINGLE WHEEL	\$	\$\$
		TRUCK. 96 IN L X 80 IN W X 41.5 IN H. SIX COMPARTMENTS. 14 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GALLON TREADPLATE STEEL FLOORS. HEAVY DUTY REAR BUMPERS. FMVSS 108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER		
1.00	EA	0314 - HEAVY DUTY FLIP TOP SERVICE TRUCK	\$	\$\$
	1.00	1.00 EA	COLOR LCD PANEL. WHITE LED BACK LIGHT. 16 TO 9 ASPECT RATIO. 300 TO 1 CONTRAST RATIO; 500 NITE BRIGHTNESS. VIEW ANGLE (V/H) 100/120. ANTIGLARE AND ANTISCRATCH PROTECTIVE LENS. INTERGRATED AUDIO SPEAKER. AUTO DAY/NIGHT BRIGHTNESS MODE OPTIONS TO FIT TRUCKS AND/ON DRIVER PREFERENCE. CAMERA ENCLOSED IN RUGGED WATERPROOF DIE CAST ALUMINUM HOUSING. MICROPHONE, STAINLESS STEEL HARDWARE, U/V WEATHER RESISTANT CABLE WITH WATER TIGHT FITTINGS. INSTALLED ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0312 - REVERSE PROXIMITY ALARM SYSTEM TO ALERT THE DRIVER TO THE PRESENCE AND DISTANCE OF OBSTACLES WHILE REVERSING. 15 FOOT RANGE. MINIMUM OF FOUR SENSORS. AUDIBLE BEEP ALARM TO SOUND IN CAB WITH INCREASING FREQUENCY AS DISTANCE DECREASES, CONTINUOUS ALARM TO SOUND AT ONE FOOT AWAY. LCD SCREEN IN CAB DISPLAYS DISTANCE FROM OBSTACLES IN FEET. THREE VOLUME LEVELS FOR SPEAKER. WATERPROOF. INSTALLED ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0313 - HEAVY DUTY FLIP TOP SERVICE TRUCK BODY FOR A 56 INCH C/A SINGLE WHEEL TRUCK, 96 IN L X 80 IN W X 41.5 IN H. SIX COMPARTMENTS. 14 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GALLON TREADPLATE STEEL FLOORS. HEAVY DUTY REAR BUMPERS. FMVSS 108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER PART:	COLOR LCD PANEL. WHITE LED BACK LIGHT. 16 TO 9 ASPECT RATIO. 300 TO 1 CONTRAST RATIO: 500 NITE BRIGHTNESS. VIEW ANGLE (V/H) 1001/20. ANTIGLARE AND ANTISCRATCH PROTECTIVE LENS. INTERGRATED AUDIO SPEAKER. AUTO DAYNIGHT BRIGHTNESS MODE OPTIONS TO FIT TRUCKS AND/OR DRIVER PREFERENCE. CAMERA ENCLOSED IN RUGGED WATERPROOF DIE CAST ALLMINUM HOUSING. MICROPHONE, STAINLESS STEEL HARDWARE, U/V WEATHER RESISTANT CABLE WITH WATER TIGHT FITTINGS. INSTALLED ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0312 - REVERSE PROXIMITY ALARM SYSTEM TO ALERT THE DRIVER TO THE PRESENCE AND DISTANCE OF OBSTACLES WHILE REVERSING, 15 FOOT RANGE, MINIMUM OF FOUR SENSORS. AUDIBLE BEEP ALARM TO SOUND IN CAB WITH INGREASING FREQUENCY AS DISTANCE DECREASES, CONTINUOUS ALARM TO SOUND AT ONE POOT AWAY, LCD SCREEN IN CAB DISPLAYS DISTANCE FROM OBSTACLES IN FEET. THREE VOLUME LEVELS FOR SPEAKER. WATERPROOF, INSTALLED ON PARISH OWNED VEHICLE. MANUFACTURER? MANUFACTURER PART: 1.00 EA 0313 - HEAVY DUTY FLIP TOP SERVICE TRUCK BODY FOR A 56 INCH C/A SINGLE WHEEL TRUCK. 96 IN L X 80 IN W X 41.5 IN H. SIX COMPARTMENTS. AND GOORS. WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS, ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GALLON TREADPLATE STEEL FLOORS. HEAVY DUTY REAR BUMPERS. FMVSS 108 RECESSED LIGHTS, TAILED. MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 MANUFACTURER: MANUFACTURER PART: MANUFACTURER: MANUFACTURER MANUESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GALLON TREADPLATE STEEL FLOORS. HEAVY DUTY REAR BUMPERS. FMVSS 108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED AND INSTALLED. MANUFACTURER PART: 1.00 MANUFACTURER PART:

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680

SEALED BID

IUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			108 IN L X 94 IN W X 41.5 IN H. SIX COMPARTMENTS PLUS TWO FLIP TOP COMPARTMENTS. 14 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATED STEEL FLOOR. HEAVY DUTY REAR BUMPER, FMVSS 108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER PART:		
313	1.00	EA	0315 - HEAVY DUTY FLIP TOP SERVICE TRUCK BODY FOR AN 84 IN C/A DUAL WHEEL TRUCK. 132 IN L X94 IN W X 41.5 IN H. EIGHT COMPARTMENTS PLUS TOW FLIP TOP COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER	\$	\$\$
			TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATED STEEL FLOOR. HEAVY DUTY REAR BUMPER. FMVSS 108 RECESSED LIGHTS. TAILGATE, UNDERCOAT, PAINTED AND INSTALLED. MANUFACTURER:		
314	1.00	EA	MANUFACTURER PART: 0316 - 16 FT. INSULATED ALUMINUM	\$	\$
			TRANSPORTING FOOD PRODUCTS. MINIMUM INTERIOR HEIGHT 85 IN. INTERIOR WIDTH 89 IN. NON-SLIP EXTRUDED ALUMINUM FLOOR 12 IN. HIGH SCUFF LINER ON THE SIDES AND FRONT WALL. KEMLITE LINING ON THE CEILING, SIDES, AND FRONT WALL. PRE-PAINTED WHITE ALUMINUM EXTERIOR PANELS. 3 IN POLYURETHANE IN THE FRONT WALL AND FLOOR. DIESEL POWERED REFRIDGERATION UNIT WITH AUTOMTATIC CAB CONTROLS AND 220 VOLT ELECTRIC STAND-BY. CAPABLE OF MAINTAINING 0-35 DEGREES. FULL WIDTH, DOUBLE REAR STAMP BUMPER, INTERIOR DOME LIGHTS, FLAPS AND COMPLETE INSTALLATION WITH 5/8 IN U-BOLTS AND WOODEN CUSHION STRIPS. CHASSIS FRAME EXTENDED TO THE REAR OF THE BODY AND THE FRAME. BUMPER PAINTED BLACK.		
			MANUFACTURER: MANUFACTURER PART:		
315	1.00	EA	0317 - CONFINED SPACE RESCUE/RECOVERY SYSTEM WO-CSR TO WORK WITH A WESTERN	\$	\$

Page 82

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MULE BUMPER CRANE. REQUIRED WHEN USING THE CRANE AS A MAN-LIFT. INCLUDES WO-14 ROTATION LOCK. WO-14 FALL ARRESTOR BOOM ATTACHMENT ANCHOR PIN. WO-23 65 FT X 3/16 IN GALVANIZED LIFTING CABLE. R50G QUICK ATTACHED HAND CRANK OPERATOR RECOVERY WINCH/FALL ARRESTOR WITH 50 FT. LIFELINE. MANUFACTURER: MANUFACTURER PART:		
316	1.00	EA	0318 - HEAVY DUTY WINDOW GRILL. PAINTED WHITE. SOLID PLATE AND TUBE. LOUVERED	\$	\$\$
			COVERINGS WITH CUT OUT FOR REAR VEHICLE LIGHT. INSTALLATION ON A PARISH OWNED PICK UP TRUCK IN READY TO WORK CONDITION.		
			MANUFACTURER: MANUFACTURER PART:		
317	1.00	EA	0319 - SIDE REFUSE LOADER. 28 CU. YD CAPACITY. 900 LB. PER CUBIC YARD	\$	\$\$
			COMPACTION. 8 SECOND LIFT CYCLE TIME. LIFT REACH 9 FT. 1250 LBS. @ HOPPER. 2500 PSI TANDEM VANE-TYPE 28 GPM PUMP. WORKING RPM 800. 50 GA. HYDRAULIC RESERVOIR CHASSIS FRAME MOUNTED WITH 3 MICRON RETURN FILTERS AND 140 MICRON SUCTION FILTERS. PACKING CONTROL VALVES LOCKING AND BODY RAISE. ALL AIR OPERATED TOGGLE SWITCH. ADDITIONAL REQUIREMENTS FOR TRUCK CHASSIS-425 FT. LBS. RECOMMENDED. ENGINE TORQUE AT PUMP SHAFT AT IDLE. 130 AMP MINIMUM ALTERNATOR. NEUTRAL SIGNAL BRAKE SINGAL AND R-STATOR SIGNAL. DEDICATED FOR BODY BUILDER USE IN CAB. HOPPER LOADING HEIGTH 190 IN. OVERALL UNIT LENGTH 284 IN. OVERALL UNIT WIDTH-96 IN. OVERALL UNIT HEIGHT ABOVE CHASSIS FRAME 103 IN. APPROXIMATELY 9900 LBS. UNIT WEIGHT. AUTOMATED PYTHON LIFT. DURA MOUNT DESIGN JOYSTICK CAB CONTROLS 60/90 GALLON BELT GRABBERS. OPERATED IN REAR AT IDLE. CONSTANT DUTY PTO.PETERSON MULIT FUNCTION EMERGENCY LIGHTS ON TAILGATE. LED LIGHTS FOR ENTIRE UNIT. REMOTE LIFT CONTROLS MOUNTED UNDER PASSENGER SEAT. MUD FLAPS AHEAD OF REAR TIRES. MANUAL HOPPER COVER 20 LB FIRE EXTINGUISHER. REAR "CAUTION" DECAL MOUNTED ON TAILGATE TRIPLE CAMERA SYSTEM CM 1 IN. HOPPER. CAMERA 2 ON TAILGATE CAM 3 ON ARM. BODY SERVICE HOIST LIFT ALLOWS BODY TO BE RAISED OFF OF FRAME		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

83

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			RAILS TO ACCESS CHASSIS FOR SERVICE WITH COMPLETE INSTALLATION ON PARISH OWNED 58,000 LB. GVWR TRUCK CHASSIS. FRONT AXEL 18,000 IN C/T DISTANCE AND C.O.E. WHEELBASE OF 212 IN. MANUFACTURER: MANUFACTURER PART:		
318	1.00	EA	0320 - ADRIAN (OR EQUAL) MODEL 43818TM130 HVAC PACKAGE FOR TRANSIT.	\$	\$\$
			INTERIOR STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		
			MANUFACTURER: MANUFACTURER PART:		
319	2.00	EA	0321 - ADRIAN MODEL 2256 (0R EQUAL) (OR EQUAL)	\$	\$\$
			GENERAL CONTRACTOR COMBINATION INTERIOR STORAGE BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE		
			MANUFACTURER: MANUFACTURER PART:		
320	1.00	EA	0322 - ADRIAN MODEL 2251 (OR EQUAL) (OR EQUAL)	\$	\$\$
			PLUMBING & HEATING COMBINATION STORAGE INTERIOR BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE.		
			MANUFACTURER: MANUFACTURER PART:		
321	1.00	EA	0323 - ADRIAN MODEL 4317TM130 (OR EQUAL)	\$	\$
			GENERAL SERVICE PACKAGE FOR TRANSIT. INTERIOR STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		
			MANUFACTURER: MANUFACTURER PART:		
322	1.00	EA	0324 - ADRIAN MODEL 4319TM130 (OR EQUAL)	\$	\$
			ELECTICAL PACKAGE FOR TRANSIT, INTERIOR STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

84

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
323	1.00	EA	0325 - ADRIAN (OR EQUAL) GENERAL SERVICE PACKAGE FOR A TRANSIT CONNECT.	\$	\$
			INTERIOR STORAGE BINS, CABINETS, DRAWERS AND SHELVING		
			MANUFACTURER: MANUFACTURER PART:		
324	1.00	EA	0326 - ADRIAN (OR EQUAL) DOUBLE DROP DOWN LADDER RACK.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
325	1.00	EA	0327 - ADRIAN (OR EQUAL) DOUBLE GRIP LOCK LADDER RACK. PAINTED WHITE	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
326	1.00	EA	0328 - ADRAIN (OR EQUAL) PLUMBING PACKAGE FOR A TRANSIT CONNECT, INTERIOR	\$	\$\$
			STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		
			MANUFACTURER: MANUFACTURER PART:		
327	1.00	EA	0329 - ADRIAN (OR EQUAL) ELECTRICAL PACKAGE FOR A TRANSIT CONNECT. INTERIOR	\$	\$
			STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		
			MANUFACTURER: MANUFACTURER PART:		
328	1.00	EA	0330 - ADRIAN (OR EQUAL)DOUBEL GRIP LOCK LADDER BACK, PAINTED WHITE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
329	1.00	EA	0331 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS-8,500 LB TO	\$	\$\$
			19,500 LB. GVWR TRUCKS.		

Page 85

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
330	1.00	EA	0332 - WRECKER TRUCK BODY ASSEBMLY WITH INTERGRATED BOOM AND UNDERLIFT.	\$	\$\$
			ASSEMBLY AND HYDRAULIC SPADES ON THE REAR. 12 TON RETRACTED BOOM RATING, 3 TON EXTENDED BOOM RATING, TOW 6 TON WORM GEAR VARIABLE SPEED HYDRAULIC WINCHES WITH 7/17 IN. X 100 FT. CABLE POWER FOLD FOR STINGER, 360 DEGREE BOOM END SWIVEL, POWER BOOM ELEVATION,90 IN. WIDE BODY WITH TOW STORAGE COMPARTMENT, DUAL CONTROLS. BACK UP FENDERS. 60 IN. WHELEN STROBE LIGHT BAR. 4 IN. RUBBER LOWER WORK LIGHTS, 6 IN. UPPER CHROME WORK LIGHTS, 4 SWITCH IN-DASH PANE, HEAVY DUTY DELUXE FRONT PUSH BUMPER. INSTALLED ON 15,000 TO 19,000 GWWR TRUCK WITH 84 IN. C/A DISTANCE SUPPLIED BY THE PARISH.		
331	62.00	EA	MANUFACTURER: MANUFACTURER PART:	\$	\$
001	63.00	EA	0333 - HYDRAULIC OIL (H32) SOLD BY THE GALLON FOR USE ON REPAIRS OF	٧	٠,٠
			TRUCK WET KIT SYSTEMS. MANUFACTURER: MANUFACTURER PART:		
332	1.00	EA	0334 - VERSA-LIFT MODEL NUMBER VST40-I (OR EQUAL)ARIAL DEVICE.HORIZONTAL REACH	\$	\$\$
			OF 30"4. WORKING HEIGHT OF 45'4 BUCKET CAPACITY OF 400 LBS. STOWED TRAVEL HEIGHT OF TEN FEET SIX INCHES. WEIGHT OF LIFT-3,300 LBS. BASED ON 40 INCH FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 46.25. HYDRAULIC SYSTEM OPERATING PRESSURE OF 3000 PSI, FLOW RATE 6 GPM, FILTRATION 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/PUMP BOOM ACTION OUTER, INNER BOOM +87 DEGREES. CONTINUOUS. INSULATION GAP-UPPER BOOM FULLY RETRACTED 46", LOWER BOOM 12 INCHES. ONE SET OF OPERATOR AND SERVICE MAINTENANCE MANUALS PAINTED JEFFERSON PARISH WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL FACTORY WARRANTY. MANUFACTURER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

86

BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
333	1.00	EA	0335 - VERSA LIFT MODEL SST-37 EIH AERIAL DEVICE (OR EQUAL). HORIZONTAL	\$	\$\$
			REACH OF 27"9, WORKING HEIGHT OF 42', BUCKET CAPACITY OF 300 LBS. STOWED TRAVEL HEIGHT OF TEN FT. FOUR IN WEIGHT OF LIFT 3100 LBS. BASED ON 40 INCH FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 46'25" TALL. HYDRAULIC SYSTEM OPERATING PRESSURE OF 10 MICRON, 100 MESH SUCTION SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/PUMP BOOM ACTION OUTER/INNER BOOM TRAVEL - 14 DEGREES TO +74 DEGREES, LOWER BOOM TRAVEL-7 DEGREES TO VERTICAL INNER BOOM EXTENSION OF 116', ROTATION 370 DEGREES NON CONTINUOUS. INSULATION GAP-UPPER BOOM FULLY RETRACTED 42 INCHES. LOWER BOOM 12 INCES, ONE SET OF OPERATOR AND SERVICE MAINTENANCE MANUALS PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL FACTORY WARRANTY.		
			MANUFACTURER: MANUFACTURER PART:		
334	1.00	EA	0336 - VERSA-LIFT MODEL SST-40 IEH(0R EQUAL)AERIAL DEVICE,HORIZONTAL REACH OF	\$	\$\$
			29'9, WORKING HT.OF 45'. BUCKET CAPACITY OF 450 LBS., STOWED TRAVEL HEIGHT OF 10 FEET FOUR INCHES. WEIGHT OF LIFT 3,100 LBS BASED ON 40" FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 46.25 INCHES, HYDRAULIC SYSTEM OPERATING PRESSURE OF 2250 PSI, FLOW RATE 3 GPM, FILTRATION 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/PUMP. BOOM ACTION OUTER/INNER BOOM TRAVEL-14 DEGREES TO +74 DEGREES, LOWER BOOM TRAVEL IS -5 DEGREES TO VERTICAL, INNER BOOM EXTENSION 116 INCHES, ROTATION 370 DEGREES NON CONTINUOUS, INSULATION GAP-UPPER BOOM FULLY RETRACTED 42 INCHES AND LOWER BOOM 12 INCHES. ONE SET OF OPERATOR AND SERVICE MANUALS, PAINTED JEFFERSON PARISH WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL WARRANTY.		
225			MANUFACTURER PART:		
335	1.00	EA	0337 - VERSA-LIFT MODEL VO-255-REAR ARTICULATED OVER CENTER AERIAL DEVICE	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

87

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			(OR EQUAL). HORIZONTAL REACH OF 46"2, WORKING HEIGHTOF 59'10, BUCKET CAPACITY 450 LBS.STOWED TRAVEL HEIGHT OF 11 FT. 3 IN. WEIGHT OF LIFT-5500 LBS. BASED IB 40" FRAME HEIGHT.ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HT. OF 46.25" TALL, HYDRAULIC SYSTEM OPERATING PRESSURE OF 2900 PSI. FLOW RATE 7 GPM, FILTRATION 10 MICRON, 100 MESH. SUCTION SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/PUMP, INSULATION UPPER 214", INSULATION UPPER 18", UPPER BOOM ARTICULATION 270 DEGREES. LOWER BOOM ARTICULATION 125 DEGREES. ONE SET OF OPERTATOR AND SERVICE MANINTENANCE MANUALS. PAINTED JEFFERSON PARISH WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL FACTORY WARRANTY.		
336	1.00	EA	0338 - VERSA-LIFT MODEL NUMBER VST47-I AERIAL DEVICE(OR EQUAL) HORIZONTAL REACH OF 30'9, WORKING HEIGHT OF 51'4, BUCKET CAPACITY OF 600 LBS. STOWED TRAVEL HEIGHT OF TEN FEET SIX INCHES. WEIGHT OF LIFT 3,580 LBS. BASED ON 40" FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 52.25", RATE 6 GPM, FILTRATION 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/PUMP, BOOM ACTION OUTER/INNER BOOM TRAVEL IS -25 DEGREES, OPERATIONAL DECAL. ONE YEAR FULL WARRANTY. MANUFACTURER: MANUFACTURER:	\$	\$
337	1.00	EA	0339 - VERSA-LIFT MODEL NUMBER VST52-I (OR EQUAL) AERIAL DEVICE.HORIZONTAL REACH OF 30'4 WORKING HEIGHT OF 55'6, BUCKET CAPACITY OF 600 LBS. STOWED TRAVEL HEIGHT OF 10 FT.5 IN. WEIGHT OF LIFT 3,760 LBS BASED ON 40" FRAME HEIGHT ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 52.25", ONE HYDRAULIC SYSTEM OPERATING PRESSURE OF 3000 PSI, FLOW RATE 6 GPM, FILTRATION 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER, PWER SOURCE PTO/PUMP,BOOM ACTION TO OUTER/INNER BOOM TRAVEL OF -25 DEGREES TO +85 DEGREES, LOWER BOOM TRAVEL O DEGREES TO +84 DEGREES, INNER BOOM EXTENSION 53", ROTATION 360	\$	\$2

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

88

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			CONTINUOUS, INSULATION GAP-UPPER BOOM FULLY RETRACTED 52', LOWER BOOM 121", ONE SET OPERATOR AND SERVICE MAINTENANCE MANUALS, PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS ONE YEAR FULL FACTORY WARRANTY. MANUFACTURER: MANUFACTURERS PART:		
338	1.00	EA	0340 - VERSA-LIFT OPTION FOR JIB & WINCH FOR VARIOUS VERSA-LIFT AERIAL DEVICES.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
339	1.00	EA	0341 - ONE SET OF VERSA-LIFT OPTIONS FOR FULL HYDRAULIC OUTRIGGER FOR	\$	\$\$
			VARIOUS VERSA-LIFT AERIAL DEVICES.		
			MANUFACTURER: MANUFACTURER PART:		
340	1.00	EA	0342 - VERSA-LIFT OPTION FOR FULL LENGTH SUB-FRAME FOR VARIOUS VERSA-LIFT	\$	\$
			AERIAL DEVICES. WEIGHT- 1000 LBS.		
			MANUFACTURER: MANUFACTURER PART:		
341	1.00	EA	0343 - VERSA-LIFT OPTION FOR FULL HYDRAULIC BUCKET ROTATION FOR VARIOUS	\$	\$
			VERSA-LIFT AERIAL DEVICES.		
			MANUFACTURER: MANUFACTURER PART:		
342	1.00	EA	0344 - BUYERS OR EQUAL REMOTE CONTROLLED SPOTLIGHT (LED) MOUNTED ON CUSTOM STEEL	\$	\$\$
			OR ALUMINUM BRACKET IN CONJUCTION WITH AN EXISTING HEADACHE RACK OR LADDER RACK		
			MANUFACTURER: MANUFACTURER PART:		
343	1.00	EA	0345 - SKAVIN-JER MODEL NUMBER SPLS (OR EQUAL)PARKING LOT SWEEPER MACHINE TO	\$	\$\$
			MOUNT ON A ONE TON TRUCK WITH A 60" C/A & SINGLE REAR WHEELS.INCLUDES HOPPER		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

89

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LIFTING MACHINE/MAINFRAME, SWEEPING HEAD SWEEPER AUX ENGINE, BLOWER, INSIDE CABIN SWEEPER CONTROLS AND THE FOLLOWING ADDITIONAL EQUIPMENT: AMBER LED BEACON LIGHT, FRESH AIR BLOWER BACK PACK AND BLOWER STORAGE, REAR BUMPER, LOCKING TOOL BOX, ONE SET OF OPERATOR AND SERVICE MANUALS. PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE FULL YEAR FACTORY WARRANTY. MANUFACTURER: MANUFACTURER PART:		
344	1.00	EA	0346 - WRECKER TRUCK BODY SMALL. MODEL 810 VULCAN (OR EQUAL)	\$	\$\$
			STANDARD FEATURES: WIRED 10 FUNCTION IN-CAB REMOTE CONTROL WITH CARBON STEEL SIDES. ONE PAIR OF SAFETY STRAPS. 26' STEEL PYLON. SAFETY CHAINS IN REAR POCKET.POWER ELEVATION. 360 SHEAVE HEAD. CABLE TIE BACKS. PLANETARY WINCH. CABLE TENSIONER. MANAUL WINCH FREE SPOOL. HYDRAULIC FOLD, 2-STAGE DESIGN. LOW PROFILE HYDRAULIC CROSS BAR. ADJUSTABLE MODULARE BODY WITH RUBBER MOUNTING INSULATORS. TOOL COMPARTMENT LIGHTING. DRIVER & PASSENGER SIDE STORAGE COMPARTMENTS. REMOVABLE ACCESS COVER FOR HYDAULIC FILTER SERVICE. LEGEND 10 LED LIGHT BAR (61"). BACK UP ALARM, MUD FLAPS. FOR USE ON A 60" C/A TRUCK CHASSIS WITH A SUGGESTED GVWR OF 19,500 LBS. MANUFACTURER: MANUFACTURER PART:		
345	1.00	EA	0347 - WRECKER TRUCK BODY,SMALL MODEL 311 EXPRESS (OR EQUAL) WITH CARBON	\$	_\$
			STEEL SIDES. 88" X 24" CARBON STEEL SADDLE BOX 24" STEEL PYLON. LED WORK LIGHTS, WIRELESS TOW LIGHTS 21", 10 HEAD LED BAR 60" FOR USE ON 60" C/A TRUCK CHASSIS WITH A SUGGESTED GVWR OF 19,500 LBS. MANUFACTURER: MANUFACTURER PART:		
346	1.00	EA	0348 - WRECKER TRUCK BODY SMALL, MODEL 311(OR EQUAL)EXPRESS WITH 24" TUNNEL BOX WITH CARBON STEEL SIDES.88"X 24" CARBON STEEL SADDLE BOX. 24"STEEL PYLON LED WORK LIGHTS. WIRELESS TOW	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LIGHTS 21" 10 HEAD LED BAR 60" FOR USE ON AN 84"C/A TRUCK CHASSIS WITH A SUGGESTED WRECKER TRUCK BODY SMALL, GVWR OF 19500 LBS. MANUFACTURER: MANUFACTURER PART:		
347	1.00	EA	0349 - REPLACEMENT DUMP BODY HOIST- WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$\$
			HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY. PAINTED BLACK AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
348	1.00	EA	0350 - REPLACEMENT DUMP BODY HOIST- WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$\$
			HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY). PAINTED BLACK AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
349	1.00	EA	0351 - 5000 POUND CRANE ELECTRIC OVER HYDRAULIC, POWER EXTENSION TO 20'4	\$	\$\$
			(6.2M). EASE OF USE-FULL CONTINUOUS POWER ROTATION 370 DEGREES MOVEMENT FOR MAXIMUM VERSITILITY IN LIFTING. CAPABLE OF LIFTING AT 100% IN ALL POSITIONS. INSTALLED ON TITAN CRANE BODIES WITHOUT OUTRIGGERS. MAXIMIZED CAPACITY FOR LIFTING. 14 DEGREES TO +75 DEGREES BOOM ELEVATION. SMALL SHEAVE HARD WIRE REMOTE CONTROL PENDANT. CRANE WEIGHT: 1,455 LBS. SINGLE LINE SPEED 36FT. PER MINUTE. 80' OF 5/16' AIRCRAFT CABLE. STOWED BOOM LENGTH 13'1". FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED. CRANE REQUIRES THE FOLLOWING: 14,500 GVWR MINIMUM TRUCK SIZE. CRANE WEIGHT: 1,455 LBS. (627 KG), EXTENDED BOOM LENGHT 20'4 (6.2M), WIDTH 1'96" (55M), HEIGHT-2'11.75 (.90M), BASE PLATE DIMENSIONS 16.75" X 16.75" (0.43M X.43M). BOOM DOWN-33-41 SECONDS (FULL STROKE OF CYLINDER). BOOM RETRACT 33-41 SECONDS. MOTOR 2.5HP. 24V DC ELECTRIC HOIST MOTOR, BATTERY INFO: 575 AMP COLD CRANKING RATING NEEDED. 130 MINUTE RESERVE CAPACITY, MAINTENANCE TYPE BATTERY REQUIRED FOR 12/24 VOLT DC OPERATION. 75 AMP MINIMUM TRUCK ALTERNATOR REQUIRED. TWO BATTERIES		

INVITATION TO BID FROM JEFFERSON PARISH - continued

91

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			REQUIRED ON TRUCK TO OPERATE CRANE. MANUFACTURER: MANUFACTURER PART:		
350	1.00	EA	0352 - HEIL MODEL SL 16 YD.(OR EQUAL) 16"L HEAVY DUTY TRASH DUMP BODY	\$	\$\$
			ASSEMBLY WITH 1/4" FLOOR, SINGLE REAR SWING GATE (GATE TO SWING AND LATCH ON THE DRIVER'S SIDE WALL). INSTALLED.		
			MANUFACTURER: MANUFACTURERS PART:		
351	1.00	EA	0353 - FEDERAL SIGNAL (OR EQUAL) RED AND WHITE LIGHT BAR LOW PROFILE DESIGN	\$	\$\$
			INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
352	5.00	EA	0354 - FEDERAL SIGNAL PATH FINDER HAND HELD REMOTE WITH CURLY CORD CONTROLLER	\$	\$\$
			(OR EQUAL) INSTALLED IN CAB OF VEHICLE FOR CONTROL OF MPS LIGHTS, LIGHT BARS & SIREN AND/ OR SPEAKER USE.		
			MANUFACTURER: MANUFACTURER PART:		
353	2.00	EA	0355 - FEDERAL SIGNAL (OR EQUAL) RED AND WHITE TYPE FLASHING LIGHT LOW	\$	\$\$
			PROFILE SIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
354	1.00	EA	0356 - FEDERAL SIGNAL (OR EQUAL) BLUE AND WHITE	\$	\$\$
			MPS TYPE FLASHING LIGHT LOW PROFILE DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
355	1.00	EA	0357 - FEDERAL SIGNAL RED, WHITE AND BLUE MPS TYPE FLASHING LIGHT LOW	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

92

BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PROFILE DESIGN (OR EQUAL) INSTALLED IN READY TO TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART:		
356	4.00	EA	0358 - FEDERAL SIGNAL (OR EQUAL) BLUE AND WHITE LOW PROFILE DESIGN INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE	\$	\$\$
357	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0359 - TIGER CRANE MODEL 2081E ELECTRIC CRANE INSTALLED (OR EQUAL)	\$	\$\$
358	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0360 - TIGER CRANE MODEL 3216E ELECTRIC INSTALLED (OR EQUAL)	\$	\$\$
359	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0361 - TIGER CRANE MODEL 4016E ELECTRIC INSTALLED (OR EQUAL)	\$	\$\$
360	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0362 - TIGER CRANE MODEL 2060 ELECTRIC CRANE. (OR EQUAL) INSTALLED.	\$	\$\$
361	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0363 - TIGER CRANE MODEL 2085 ELECTRIC CRANE, (OR EQUAL) INSTALLED.	\$	\$\$
362	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0364 - TIGER CRANE MODEL 2082TB TALL	\$	\$\$
			BASES ELECTRIC CRANE (OR EQUAL).		

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

93

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			INSTALLED. MANUFACTURER: MANUFACTURER PART:		
363	5.00	EA	0365 - TIGER CRANE MODEL 3216EP PROPORTIONAL CONTROL ELECTRIC CRANE.	\$	\$\$
			(OR EQUAL)		
			MANUFACTUER: MANUFACTURER PART:		
364	1.00	EA	0366 - TIGER CRANE MODEL 4016EP PROPORTIONAL CONTROL ELECTRIC CRANE.	\$	\$\$
			(OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
365	5.00	EA	0367 - TIGER CRANE MODEL 5032E ELECTRIC CRANE INSTALLED.	\$	\$
			(OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
366	1.00	EA	0368 - TIGER CRANE MODEL 5032EP PROPARTIONAL CONTROL ELECTRIC CRANE.	\$	\$
			(OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
367	5.00	EA	0369 - TIGER CRANE MODEL 6542E ELECTRIC CRANE INSTALLED	\$	\$\$
			(OR INSTALLED)		
			MANUFACTURER: MANUFACTURER PART:		
368	4.00	EA	0370 - TIGER CRANE MODEL 6542EP PROPORTIONAL CRANE INSTALLED.	\$	\$\$
			(OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
369	1.00	EA	0371 - TIGER CRANE MODEL 5032 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
Í	ا ا			I	

INVITATION TO BID FROM JEFFERSON PARISH - continued

94

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			CRANE INSTALLED. (OR EQUAL) MANUFACTURER:		
			MANUFACTURER PART:		
370	1.00	EA	0372 - TIGER CRANE MODEL 6542 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE INSTALLED.(OR EQUAL) MANUFACTURER: MANUFACTURER PART:		
371	1.00	EA	0373 - TIGER CRANE MODEL 8652 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE. INSTALLED.(OR EQUAL) MANUFACTURER:		
			MANUFACTURER PART:		
372	1.00	EA	0374 - TIGER CRANE MODEL 1061 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE. (0R EQUAL) INSTALLED MANUFACTURER: MANUFACTURER PART:		
373	1.00	EA	0375 - TIGER CRANE MODEL 1069 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE. (OR EQUAL) INSTALLED MANUFACTURER: MANUFACTURER PART:		
374	1.00	EA	0376 - TIGER CRANE MODEL 1593 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE. (OR EQUAL). INSTALLED MANUFACTURER:		
			MANUFACTURER PART:		
375	1.00	EA	0377 - VANAIR MODEL AIR N ARC 150 20 HP (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
376	1.00	EA	0378 - VANAIR MODEL AIR N ARC 300 DIESEL (OR EQUAL) INSTALLED	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

95

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
377	1.00	EA	0379 - VANAIR MODEL AIR N ARC 300 GAS (OR EQUAL) INSTALLED	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
378	1.00	EA	0380 - VANAIR MODEL D80 GAS DRIVEN (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
379	1.00	EA	0381 - VANAIR MODEL D80 DIESEL DRIVEN (OR EQUAL) INSTALLED.	\$	\$
			MANUFACTURER: MANUFACTURE PART:		
380	4.00	EA	0382 - VANAIR MODEL JUMPPACK 12-10000- 002T, 12 VOLT 10K AMPS SUPPLY (OR EQUAL)	\$	\$
			MANUFACTURER: MANUFACTURE PART:		
381	1.00	EA	0383 - VANAIR MODEL JUMPPACK 12-24 (12 AND 24 VOLT) SUPPLY ONLY (OR EQUAL)	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
382	5.00	EA	0384 - STELLAR HOOK LIFT MODEL NXT 18 (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
383	3.00	EA	0385 - STELLAR HOOK LIFT MODEL NXT52 (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

96

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
384	2.00	EA	0296 CTELLAR HOOK LIET MODEL 9440ELEV	\$	\$
304	2.00	EA	0386 - STELLAR HOOK LIFT MODEL 8410FLEX 36 (OR EQUAL) INSTALLED.	۶	<u> </u> ₽
			MANUFACTURER: MANUFACTURE PART:		
385	7.00	EA	0387 - STELLAR HOOK LIFT MODEL SLIDER 26, (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
386	1.00	EA	0388 - STELLAR HOOK LIFT MODEL SLIDER 20-S, (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
387	1.00	EA	0389 - STELLAR HOOK LIFT MODEL SLIDER 20 (OR EQUAL)	\$	\$\$
			INSTALLED MANUFACTURER: MANUFACTURER PART:		
388	1.00	EA	0390 - STELLAR HOOK LIFT MODEL SLIDER 34 (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
389	1.00	EA	0391 - STELLAR HOOK LIFT MODEL SLIDER 40 (0R EQUAL)	\$	\$\$
			INSTALLED MANUFACTURER: MANUFACTURER PART:		
390	1.00	EA	0392 - STELLAR HOOK LIFT MODEL SLIDER 50 (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
391	2.00	EA	0393 - STELLAR HOOK LIFT (OR EQUAL) 20' LONG FLATBED BED WITH DOVE TAIL AND	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

97

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			15K ELECTRIC WINCH LOCATED AT FRONT OF FLATBED FLOOR MOUNT ON OR NEAR HEAD BOARD AREA WITH CLOSED CUSTOM FABRICATED BATTERY BOX NEAR IT, INSTALLED MANUFACTURER: MANUFACTURER PART:		
392	1.00	EA	0394 - STELLAR HOOK LIFT (OR EQUAL) 16' LONG FLATBED. BED WITH DOVE TAIL & 15K ELECTRIC WINCH LOCATED AT FRONT OF FLATBED FLOOR MOUNT ON OR NEAR HEAD BOARD AREA WITH CLOSED CUSTOM FABRICATED BATTERY BOX NEAR IT, INSTALLED MANUFACTURER: MANUFACTURER PART:	\$	\$
393	1.00	EA	0395 - STELLAR HOOK LIFT (OR EQUAL) 12' LONG FLATBED BED WITH DOVE TAIL & 15K ELECTRIC WINCH LOCATED AT FRONT OF FLATBED FLOOR MOUNT ON OR NEAR HEAD BOARD AREA WITH CLOSED CUSTOM FABRICATED BATTERY BOX NEAR IT, INSTALLED. MANUFACTURER: MANUFACTURER PART:	\$	\$\$
394	1.00	EA	0396 - STELLAR FULL HYDRAULIC 8K CRANE (OR EQUAL) AND 11" MECHANICS ALUMINUM BODY WITH PTO DRIVE AIR COMPRESSOR, LIGHT IN BODY AND RADIO REMOTE CONTROL PROPORTIONAL TYPE WITH DIG DISPLAY FOR CRANE USE, BODY MODEL NUMBER TMAX111, ALL FACTORY INSTALLED. MANUFACTURER: MANUFACTURER PART:	\$	\$\$
395	5.00	EA	0397 - MILLER ENPAK A30GBW (OR EQUAL) INSTALLED MANUFACTURER: MANUFACTURER PART:	\$	\$\$
396	1.00	EA	0398 - MILLER ENPAK A30GBW DIESEL UNIT (OR EQUAL) INSTALLED.	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

98

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
397	1.00	EA	0399 - MILLER ENPAK A60 GBHW, FULLY INTEGRATED TRUCK POWER UNIT (OR EQUAL)	\$	\$\$
			INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
398	1.00	EA	0400 - MILLER ENPAK A60GBH FULLY INTEGRATED TRUCK POWER UNIT (OR EQUAL)	\$	\$\$
			INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
399	1.00	EA	0401 - MILLER ENPAK A60GB FULLY INTEGRATED TRUCK POWER UNIT (OR EQUAL)	\$	\$\$
			INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
400	1.00	EA	0402 - MILLER ENPAK A60GBW FULLY INTEGRATED TRUCK POWER UNIT (OR EQUAL)	\$	\$\$
			INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
401	4.00	EA	0403 - WHELEN TRUCK (OR EQUAL) LIGHT BAR PACKAGE WITH FLASHING SIDE	\$	\$\$
			MARKER LIGHTS INSTALLED FOR LIGHT TRUCKS		
			MANUFACTURER: MANUFACTURER PART:		
402	4.00	EA	0404 - WHELEN TRUCK (OR EQUAL) LIGHT BAR PACKAGE WITH FLASHING SIDE	\$	\$\$
			MARKER LIGHTS FOR LARGE HEAVY DUTY TRUCK		
			MANUFACTURER: MANUFACTURER PART:		
403	1.00	EA	0405 - WHELEN TRUCK (OR EQUAL) LIGHT BAR PAKCAGE WITH FLASHING SIDE	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

99

Page

NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MARKER LIGHTS INSTALLED FOR POLICE OR FIRE LIGHT DUTY PICK-UP TRUCKS AND SUV VEHICLES. MANUFACTURER: MANUFACTURER PART:		
404	2.00	EA	0406 - SET OF NERF BARS FOR WHEEL TO WHEEL SIZE ON LIGHT DUTY PICK-UP	\$	\$\$
			TRUCKS 2 DOOR INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
405	6.00	EA	0407 - SET OF NERF BARS FOR WHEEL TO WHEEL SIZE ON LIGHT DUTY PICK-UP	\$	\$\$
			TRUCKS-4 DOOR, INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
406	1.00	EA	0408 - WACH'S HEAVY DUTY (UP TO 2500 FT. LB) TM-7 PLUS FOR	\$	\$\$
			INSTALLATION ON A PICK UP TRUCK 8' LONG BED 3/4 TON VEHICLE, INCLUDING THE FOLLOWING WACH ITEMS: TC-100 (NORTH AMERICA) RUGGEDIZED CONTROLLER/DATA LOGGER, 8'STEEL VALVE KEY. 4 07-508-20, UNIVERSAL 2" H.D. USOCKET RATED TO 2,500'/LBS. FOR 2" STANDARD AWWA ACTUATOR NUTS. ALSO, CUSTOM STEEL FRAME TABLE TO MOUNT THE AREA INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
407	1.00	EA	0409 - VAULT STORAGE UP REAR COMPARTMENT WITH BASKET INSTALLED IN VEHICLE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
408	1.00	EA	0410 - FEDERAL SIGNAL NAVIGATOR LIGHT BAR (OR EQUAL)	\$	\$\$
			BAR, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
		EA	0411 - FEDERAL SIGNAL INTEGRITY LIGHT	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 100

	U/M	DESCRIPTION OF ARTICLES	QUOTED	TOTALS
		INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0412 - FEDERAL SIGNAL(OR EQUA) MICRO- PULSE SIGNAL MASTER LIGHT BAR LOW	\$	\$\$
		PROFILE SIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
		MANUFACTURER: MANUFACTURER PART:		
2.00	EA	0413 - FEDERAL SIGNAL (OR EQUAL) XSTREAM INTERIOR MOUNT WARNING LIGHT	\$	\$\$
		PROFESSIONAL PROFILE DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0414 - FEDERAL SIGNAL(OR EQUAL) Q SIREN QB212NNSD CONTROLLER INSTALLED IN	\$	\$\$
		VEHICLE.		
		MANUFACTURER: MANUFACTURER PART:		
3.00	EA	0415 - FEDERAL SIGNAL Q SIREN EQ2B-200 (OR EQUAL) CONTROLLER INSTALL IN	\$	\$\$
		VEHICLE		
		MANUFACTURER: MANUFACTURER PART:		
3.00	EA	0416 - FEDERAL SIGNAL PF400Q WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER	\$	\$\$
		(OR EQUAL) INSTALLED.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0417 - FEDERAL SIGNAL PF400Q (OR EQUAL) 400 WATT PROGRAMABLE SIREN AND	\$	\$\$
		LIGHT CONTROLLER.SUPPLY ONLY.		
		MANUFACTURER:		
	2.00 1.00 3.00	2.00 EA 1.00 EA 3.00 EA	CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0412 - FEDERAL SIGNAL (OR EQUA) MICROPULSE SIGNAL MASTER LIGHT BAR LOW PROFILE SIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART: 2.00 EA 0413 - FEDERAL SIGNAL (OR EQUAL) XSTREAM INTERIOR MOUNT WARNING LIGHT PROFESSIONAL PROFILE DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0414 - FEDERAL SIGNAL (OR EQUAL) Q SIREN QB212NNSD CONTROLLER INSTALLED IN VEHICLE. MANUFACTURER: MANUFACTURER PART: 3.00 EA 0415 - FEDERAL SIGNAL Q SIREN EQ2B-200 (OR EQUAL) CONTROLLER INSTALL IN VEHICLE MANUFACTURER: MANUFACTURER PART: 3.00 EA 0416 - FEDERAL SIGNAL PF400Q WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER (OR EQUAL) INSTALLED. MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0417 - FEDERAL SIGNAL PF400Q (OR EQUAL) 400 WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER.SUPPLY ONLY.	CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0412 - FEDERAL SIGNAL (OR EQUA) MICRO- PULSE SIGNAL MASTER LIGHT BAR LOW PROFILE SIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 2.00 EA 0413 - FEDERAL SIGNAL (OR EQUAL) XSTREAM INTERIOR MOUNT WARNING LIGHT PROFESSIONAL PROFILE DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0414 - FEDERAL SIGNAL (OR EQUAL) Q SIREN QB212NNSD CONTROLLER INSTALLED IN VEHICLE. MANUFACTURER PART: 3.00 EA 0415 - FEDERAL SIGNAL Q SIREN EQ2B-200 (OR EQUAL) CONTROLLER INSTALL IN VEHICLE MANUFACTURER PART: 3.00 EA 0416 - FEDERAL SIGNAL PF400Q WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER (OR EQUAL) INSTALLED. MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0417 - FEDERAL SIGNAL PF400Q (OR EQUAL) 400 WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER.SUPPLY ONLY.

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

101

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
416	1.00	EA	0418 - FEDERAL SIGNAL (OR EQUAL) RUMBLE SPEAKER ADD ON INSTALLED IN	\$	\$\$
			VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
417	1.00	EA	0419 - FEDERAL SIGNAL FS DIRECT CONTROL MODULE NUMBER OBMOD16 (OR EQUAL)	\$	\$\$
			INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
418	2.00	EA	0420 - FEDERAL SIGNAL FIRERAY LED 6 X 4 EXTERIOR PERIMETER LIGHT, INSTALLED	\$	\$\$
			IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
419	1.00	EA	0421 - FEDERAL SIGNAL FIRERAY LED 7 X 3 EXTERIOR PERIMETER LIGHT(OR EQUAL)	\$	\$\$
			INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
420	4.00	EA	0422 - FEDERAL SIGNAL FIRERAY (OR EQUAL) LED9 X 7 EXTERIOR PERIMETER LIGHT,	\$	\$\$
			INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
421	1.00	EA	0423 - FEDERAL SIGNAL (OR EQUAL) TRAFFIC CLEARING LIGHT 6X4.	\$	\$\$
			INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
422	1.00	EA	0424 - FEDERAL SIGNAL (OR EQUAL) TRAFFIC CLEARING LIGHT 9 x 7,	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

102

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHCLE. MANUFACTURER: MANUFACTURER PART:		
423	3.00	EA	0425 - FEDERAL SIGNAL VISOR INTERIOR (OR EQUAL), LIGHTS (ONE PAIR),INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
424	1.00	EA	0426 - FEDERAL SIGNAL VISOR INTERIOR LIGHTS (1 PAIR), (OR EQUAL) SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
425	1.00	EA	0427 - K-9 PLATFORM SYSTEM INSTALLED IN VEHICLE.	\$	<u></u> \$
426	2.00	EA	MANUFACTURER: MANUFACTURER PART:	\$	\$
125	2.00	EA	0428 - INMATE TRANSPORT SLIDE IN SYSTEM INSTALLED IN VEHICLE. MANUFACTURER:	Ϋ	, v
427	1.00	EA	MANUFACTURER PART: 0429 - INMATE TRANSPORT SLIDE IN SCREEN SYSTEM INSTALLED IN VEHICLE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
428	1.00	EA	0430 - INMATE TRANSPORT SLIDE IN SYSTEM THAT IS ADD ACCESSABLE. INSTALLED IN	\$	\$\$
			VEHICLE. MANUFACTURER: MANUFACTURER PART:		
429	1.00	EA	0431 - FEDERAL SIGNAL ALGT21D-AMBR3BF ALLEGIANT 21" FEDERAL AMBER MINI LIGHT	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page 103

BID NO.: 50-00148680

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BAR (OR EQUAL) SUPPLY ONLY. MANUFACTURER: MANUFACTURER PART:		
430	1.00	EA	0432 - FEDERAL SIGNAL FEDERAL LEGEND SERIAL 45" AMBER LIGHT BAR, (OR EQUAL)	\$	\$\$
			SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
431	4.00	EA	0433 - FEDERAL SIGNAL FEDERAL MOUNTING BAR-(OR EQUAL) SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
432	1.00	EA	0434 - FEDERAL SIGNAL FEDERAL CUSTOM MOUNTING BRACKET FEET (ONE PAIR),	\$	\$\$
			(OR EQUAL) SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
433	1.00	EA	0435 - FEDERAL SIGNAL FEDERAL 1" LED FLASHING LIGHTS WITH GROMMET. SUPPLY	\$	\$\$
			ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
434	1.00	EA	0436 - FEDERAL VALOR LIGHT BAR,OR EQUAL, INSTALLED IN READY TO WORK CONDITION	\$	\$\$
			ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
435	25.00	HR	0437 - PRENTICE LOADER "CHERRY PICKER" NIDKE 2124 (OR EQUAL) WITH A-FRAME	\$	\$\$
			BASES AND TRASH GRAPPLE ROTATOR INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
436	1.00	EA	0438 - 48" TRASH GRAPPLE BUCKET WITH ROTATOR SUPPLY ONLY	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 104

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
437	1.00	EA	0439 - 48" TRASH GRAPPLE BUCKET WITH ROTATOR SUPPLY & INSTALLED ON	\$	\$\$
			SERCO OR PRENTICE LOADER IN READY TO WORK CONDITION		
			MANUFACTURER: MANUFACTURER PART:		
438	1.00	EA	0440 - LOG GRAPPLE WITH ROTATOR-SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
439	3.00	EA	0441 - LOG GRAPPLE WITH ROTATOR SUPPLY & INSTALLED ON SERCO OR PRENTICE	\$	\$\$
			LOADER IN READY TO WORK CONDITION.		
			MANUFACTURER: MANUFACTURER PART:		
440	1.00	EA	0442 - FEDERAL SIGNAL ILS VISOR(OR EQUAL) INTERIOR LIGHTS (PAIR),INSTALLED	\$	\$\$
			IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
441	1.00	EA	0443 - FEDERAL SIGNAL ILS VISOR INTERIOR INTERIOR LIGHTS (PAIR) OR EQUAL,	\$	\$\$
			INSTALLED IN READY TO WORK CONDITION.		
			MANUFACTURER: MANUFACTURER PART:		
442	1.00	EA	0444 - EX50 FUEL PUMP CUSTOM KIT FOR PARISH USE ONLY,(OR EQUAL) FOR	\$	\$\$
			PARISH USE ONLY		
			MANUFACTURER: MANUFACTURER PART:		
443	1.00	EA	0445 - FEDERAL SIGNAL VALR44J (OR EQUAL) VALOR 44" V SHAPED LIGHT BAR,	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 105

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SUPPLY ONLY MANUFACTURER:		
			MANUFACTURER NUMBER:		
444	1.00	EA	0446 - FEDERAL SIGNAL INTG44J (OR EQUAL) 44" INTEGRITY LIGHT BAR, SUPPLY ONLY	\$	\$
			MANUFACTURER: MANUFACTURER NUMBER:		
445	1.00	EA	0447- FEDERAL SIGNAL INTG51J (OR EQUAL) 51" INTEGRITY LIGHT BAR, SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
446	1.00	EA	0448 - FEDERAL SINGAL RELIANT S2 MODEL RLNT48J-XXXXX (OR EQUAL) 48" WIDE	\$	\$\$
			MODELS AMBER LIGHT BAR WITH 22 AMBER/ WHITE LED HEADS, 4 AMBER LED HEADS FRONT AND REAR FLOOD, SIGNALMASTER, FLAT MOUNT, CLEAR DOMES, LOW POWER DIMMING FEATURE & CAT 5 CABLE FOR PLUG' N' PLAY WIRE INSTALLATION TO A PREPROGRAMMED 4-BUTTON CONTROLLER MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLATION IN READY TO WORK CONDITION ON A PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER NUMBER:		
447	1.00	EA	0449 - FEDERAL SIGNAL RELIANT S2 MODEL # ALGT21J-XXXXX (OR EQUAL), 21"	\$	\$\$
			WIDE MODELS AMBER LIGHT BAR WITH 22 AMBER/WHITE LED HEADS, 4 AMBER LED HEADS, FRONT AND REAR FLOOD, SIGNAL- MASTER, FLAT MOUNT, CLEAR DOMES, LOW POWER DIMMING FEATURE & CAT 5 CABLE FOR PLUG'N'PLAY WIRE INSTALL TO A PRE- PROGRAMMED 4 BUTTON CONTROLLER MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER NUMBER:		
448	1.00	EA	0450 - FEDERAL SIGNAL FS (FS DIRECT CONTROL MODULE MODEL	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 106

BID NO.: 50-00148680 SEALED BID

0BM0D16 (OR EQUAL), INSTALLED.		
MANUFACTURER: MANUFACTURER NUMBER:		
0451 - FEDERAL SIGNAL HIGHLIGHTER (OR EQUAL)	\$	\$\$
MANUFACTURER: MANUFACTURER NUMBER:		
0452 - FEDERAL SIGNAL 0013 LATITUDE TRAFFIC ADVISOR WARNING LIGHT	\$	\$\$
MODEL SL8F-AW(OR EQUAL). LATITUDE 32" FLAT BAR WITH CABLE AND CONTROLLER (SUPPLY ONLY). FLASHING ONLY		
MANUFACTURER: MANUFACTURER NUMBER:		
0453 - FEDERAL SIGNAL CHSML 18 AND 30 FORD ONLY BRACKET (OR EQUAL).	\$	\$\$
SUPPLY ONLY.		
MANUFACTURER: MANUFACTURER NUMBER:		
0454 - FEDERAL SIGNAL 4 BUTTON CONTROLLER (OR EQUAL) CNTRLR-XX, SUPPLY	\$	\$\$
ONLY.		
MANUFACTURER: MANUFACTURER NUMBER:		
0455 - FEDERAL SIGNAL 6 BUTTON CONTROLLER (OR EQUAL) CNTRLR-XX, SUPPLY	\$	\$\$
ONLY		
MANUFACTURER: MANUFACTURER NUMBER:		
0456 - FEDERAL SIGNAL 9 BUTTON CONTROLLER CNTRLR-XX (OR EQUAL),	\$	\$\$
SUPPLY ONLY		
MANUFACTURER: MANUFACTURER NUMBER:		
0457 - FEDERAL SIGNAL NAVG45Z 45" (OR EQUAL) LIGHT BAR, SUPPLY ONLY.	\$	\$\$
	MANUFACTURER: MANUFACTURER NUMBER: 0452 - FEDERAL SIGNAL 0013 LATITUDE TRAFFIC ADVISOR WARNING LIGHT MODEL SL8F-AW(OR EQUAL). LATITUDE 32" FLAT BAR WITH CABLE AND CONTROLLER (SUPPLY ONLY). FLASHING ONLY MANUFACTURER: MANUFACTURER NUMBER: 0453 - FEDERAL SIGNAL CHSML 18 AND 30 FORD ONLY BRACKET (OR EQUAL). SUPPLY ONLY. MANUFACTURER: MANUFACTURER NUMBER: 0454 - FEDERAL SIGNAL 4 BUTTON CONTROLLER (OR EQUAL) CNTRLR-XX, SUPPLY ONLY. MANUFACTURER: MANUFACTURER: MANUFACTURER NUMBER: 0455 - FEDERAL SIGNAL 6 BUTTON CONTROLLER (OR EQUAL) CNTRLR-XX, SUPPLY ONLY MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER NUMBER: 0456 - FEDERAL SIGNAL 9 BUTTON CONTROLLER CNTRLR-XX (OR EQUAL), SUPPLY ONLY MANUFACTURER: MANUFACTURER NUMBER:	MANUFACTURER: MANUFACTURER NUMBER: 0452 - FEDERAL SIGNAL 0013 LATITUDE TRAFFIC ADVISOR WARNING LIGHT MODEL SL8F-AW(OR EQUAL). LATITUDE 32" FLAT BAR WITH CABLE AND CONTROLLER (SUPPLY ONLY). FLASHING ONLY MANUFACTURER: MANUFACTURER NUMBER: 0453 - FEDERAL SIGNAL CHSML 18 AND 30 FORD ONLY BRACKET (OR EQUAL). SUPPLY ONLY. MANUFACTURER: MANUFACTURER NUMBER: 0454 - FEDERAL SIGNAL 4 BUTTON CONTROLLER (OR EQUAL) CNTRLR-XX, SUPPLY ONLY. MANUFACTURER: MANUFACTURER: MANUFACTURER NUMBER: 0455 - FEDERAL SIGNAL 6 BUTTON CONTROLLER (OR EQUAL) CNTRLR-XX, SUPPLY ONLY MANUFACTURER: MANUFACTURER: MANUFACTURER NUMBER: 0456 - FEDERAL SIGNAL 9 BUTTON CONTROLLER CNTRLR-XX (OR EQUAL), SUPPLY ONLY MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER NUMBER: 0457 - FEDERAL SIGNAL 9 BUTTON CONTROLLER CNTRLR-XX (OR EQUAL), SUPPLY ONLY MANUFACTURER: MANUFACTURER: MANUFACTURER NUMBER:

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 107

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER NUMBER:		
456	1.00	EA	0458 - FEDERAL SIGNAL NAVG53Z 53" (OR EQUAL) LIGHT BAR, SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
457	1.00	EA	0459 - FEDERAL SIGNAL NAVG73D 73" (OR EQUAL) LIGHT BAR, SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
458	1.00	EA	0460 - FEDERAL SIGNAL NAVG87D 87" (OR EQUAL) LIGHT BAR, SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
459	1.00	EA	0461 - FEDERAL SIGNAL OBD CABLE-25 (OR EQUAL).	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
460	1.00	EA	0462 - FEDERAL SIGNAL PFSYNC-1 SYNC SCENE MODULE (OR EQUAL), SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
461	1.00	EA	0463 - FEDERAL SIGNAL PFPMD POWER DISTRIBUTION MODEL (OR EQUAL),SUPPLY	\$	\$\$
			ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
462	1.00	EA	0464 - FEDERAL SIGNAL EXPMOD24 24 CHANNEL EXPAN MODULE (OR EQUAL),	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

108

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
463	1.00	EA	0465 - FEDERAL SIGNAL EXPMOD32 32 CHANNEL EXPAN MODULE (OR EQUAL)	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
464	1.00	EA	0466 - FEDERAL SIGNAL Z858303641 A SERIAL INTERFACE FOR NON-NETWORK TO	\$	\$\$
			NETWORK (OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
465	1.00	EA	0467 - FEDERAL SIGNAL PW100 SIREN 100 WATT (OR EQUAL), SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
466	1.00	EA	0468 - FEDERAL SIGNAL LATITUDE SL6S-A 24" SIGNAL MASTER WITH	\$	\$\$
			CONTROLLER (OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
467	1.00	EA	0469 - FEDERAL SIGNAL LATITUDE SL8S-A 32" SIGNAL MASTER WITH CONTROLLER	\$	\$\$
			(OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
468	1.00	EA	0470 - FEDERAL SIGNAL LATITUDE SL8S-A 48" SIGNAL MASTER WITH CONTROLLER	\$	\$\$
			(OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
469	1.00	EA	0471 - FEDERAL SIGNAL LATITUDE SL4F-A FLASHING ONLY (OR EQUAL), SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
470	1.00	EA	0472 - FEDERAL SIGNAL LATITUDE SL6F-A FLASHING ONLY SINGLE OR DUAL COLOR	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 109

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			(OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
471	1.00	EA	0473 - FEDERAL SIGNAL LATITUDE SL8-F-A FLASHING ONLY SINGLE OR DUAL COLOR	\$	\$\$
			(OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
472	1.00	EA	0474 - FEDERAL SIGNAL SA-361 SIREN FOR SINGLE 100-WATT SPEAKER (OR EQUAL),	\$	\$\$
			SUPPLY ONLY.		
473	1.00	EA	0475 - FEDERAL SIGNAL ICON UTILITY 13" 21" AND 24" (OR EQUAL), SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
474	1.00	EA	0476 - FEDERAL SIGNAL CNSMJ8R-XXXXXCN (OR EQUAL) SIGNAL MASTER BAR	\$	\$\$
			DIRECTIONAL LIGHT BAR WITH FLOOD LIGHT CAPABILITY (COVERGENCE NETWORK) AMBER WHITE, SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
475	1.00	EA	0477 - FEDERAL SINGAL CNSMJ4F-PC3-CN SIGNAL MASTER BAR (OR EQUAL).	\$	\$\$
			DIRECTIONAL LIGHT BAR WITH FLOOD LIGHT CAPABILITY (COVERGENCE NETWORK) RED, BLUE WHITE FRONT MODEL. SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
476	1.00	EA	0478 - FEDERAL SIGNAL CNSMJ8R-XXX-CN SIGNAL MASTER SIGNAL BAR (OR EQUAL)	\$	\$\$
			DIRECTIONAL LIGHT BAR IWTH FLOOD LIGHT CAPABILITY (COVERGENCE NETWORK). RED, FLUE, AMBER, ETX. REAR MODEL. SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 110

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
477	1.00	EA	0479 - FEDERAL SIGNAL XSTREAM (OR EQUAL) INTERIOR MOUNT WARNING LIGHT	\$	\$\$
			PROFESSIONAL PROFILE DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
478	1.00	EA	0480 - FEDERAL SIGNAL XSTREAM (OR EQUAL) INTERIOR MOUNT WARNING LIGHT.	\$	\$\$
			PROFESSIONAL PROFILE DESIGN,INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
479	1.00	EA	0481 - FEDERAL SIGNAL RUMBLER SPEAKER (OR EQUAL) WITH ADD ON SUPPLY AND	\$	\$\$
			INSTALL. SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
480	1.00	EA	0482 - FEDERAL SIGNAL RUMBLER SPEAKER SOLO RBKITSOLO (OR EQUAL). SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
481	1.00	EA	0483 - FEDERAL SIGNAL RUMBLE SPEAKER SOLO RBKITSOLO (OR EQUAL). INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
482	1.00	EA	0484 - FEDERAL SIGNAL SPEAKER ES100C, (OR EQUAL) 100 WATT (COMPACT). SUPPLY	\$	\$\$
			ONLY		
			MANUFACTURER: MANUFACTURER PART:		
483	1.00	EA	0485 - FEDERAL SINGAL SPEAKER MODEL AS124 (OR EQUAL), 100 WATT (LARGE).	\$	\$
			SUPPLY ONLY.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 111

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
484	1.00	EA	0486 - FEDERAL SIGNAL SPEAKER MODEL ES100C (OR EQUAL), 100 WATT (COMPACT),	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
485	1.00	EA	0487 - FEDERAL SIGNAL SPEAKER MODEL AS124 (OR EQUAL) 100 WATT (LARGE)	\$	\$\$
			INSTALLED, SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
486	1.00	EA	0488 - FEDERAL SIGNAL D PILER KIT (OR EQUAL).SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
487	1.00	EA	0489 - FEDERAL SPEAKER SIGNAL D PILER KIT (OR EQUAL), SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
488	1.00	EA	0490 - FEDERAL SIGNAL MPSMS-SPOILER KIT (OR EQUAL), SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
489	1.00	EA	0491 - FEDERAL SIGNAL MPSMP-SPOILER KIT (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
490	1.00	EA	0492 - FEDERAL SIGNAL LITTLE LIGHT MAP LIGHT UV (OR EQUAL) FOR BETTER VIEWING	\$	\$\$
			FLASHERS, SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 112

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
491	1.00	EA	0493 - FEDERAL SINGAL COM3SRWC RED AND WHITE COMPARTMENT LIGHT (OR EQUAL),	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
492	1.00	EA	0494 - FEDERAL SIGNAL PUSH BUMPER DFE- PB-XXXX (OR EQUAL), SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
493	1.00	EA	0495 - FEDERAL SIGNAL PUSH BUMPER LOWER GUARDS DFC-LG-XXXX (OR EQUAL),	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
494	1.00	EA	0496 - FEDERAL SIGNAL PUSH BUMPER UPPER GUARDS DFC-UG-XXXX (OR EQUAL)	\$	\$\$
			SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
495	1.00	EA	0497 - FEDERAL SIGNAL PUSH BUMPER TOP CHANNEL; DFC-TC-XXXX (OR EQUAL), SUPPLY	\$	\$\$
			ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
496	1.00	EA	0498 - FEDEDRAL SIGNAL PUSH BUMPER WIRE COVERS DFC-WC-XXXX (OR EQUAL), SUPPLY	\$	\$\$
			ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
497	1.00	EA	0499 - FEDERAL SIGNAL PUSH BUMPER SPEAKER BRACKETS DFC-SC-XXXX (OR EQUAL)	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 113

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
498	1.00	EA	0500 - FEDERAL SIGNAL PERIMETER BREACH	\$	\$
			SYSTEM WITH BRACKETS DFC-SC-XXXX		
			(OR EQUAL). SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
499	1.00	EA	0501 - FEDERAL SIGNAL MICRO PULSE MISC BRACKETS (OR EQUAL, SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
500	1.00	EA	0502 - FEDERAL SIGNAL MICRO PULSE MISC BRACKETS (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
501	1.00	EA	0503 - FEDERAL SIGNAL MICRO PULSE WIDE ANGEL PRO 180 DEGREE WIDE LIGHT	\$	\$\$
			(OR EQUAL) FOR UNDER THE SIDE DOOR MIRROR. MPSWP-XXX, SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
502	1.00	EA	0504 - FEDERAL SIGNAL MICRO PULSE WIDE ANGLE PRO 180 DEGREE WIDE LIGHT FOR	\$	\$\$
			UNDER THE SIDE MIRROR MPSWP-XXX (OR EQUAL), SUPPLY ONLY. MANUFACTURER:		
			MANUFACTURER PART:		
503	1.00	EA	0505 - FEDERAL SIGNAL MICRO PULSE C SERIES DUAL COLOR MPSC2-XX (OR EQUAL)	\$	\$\$
			SUPPLY ONLY. MANUFACTURER: MANUFACTURER PART:		
504	1.00	EA	0506 - FEDERAL SINGNAL MICRO PULSE C SERIES DUAL COLOR MPSC2-XX (OR EQUAL)	\$	\$\$
			INSTALLED.		
			MANUFACTURER:		
1	1	ı l		I	

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 114

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
505	1.00	EA	0507 - FEDERAL SIGNAL RUNNING BOARDS LIGHTS SIX FEET LONG DR6-XXX (OR	\$	\$\$
			EQUAL) SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
506	1.00	EA	0508 - FEDERAL SIGNAL RUNNING BOARDS LIGHTS-FIVE FEET LONG DR5-XXX	\$	\$\$
			(OR EQUAL) SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
507	1.00	EA	0509 - FEDERAL SIGNAL RUNNING BOARDS LIGHTS, SIX FEET LONG. DR6-XXX (OR	\$	\$\$
			EQUAL), INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
508	1.00	EA	0510 - FEDERAL SIGNAL RUNNING BOARDS LIGHTS-FIVE FEET LONG DR5-XXX	\$	\$\$
			(OR EQUAL) INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
509	1.00	EA	0511 - FEDERAL SIGNAL DR BRACKET KIT DRXBKTRB (OR EQUAL), SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
510	1.00	EA	0512 - FEDERAL SIGNAL 416918-XXX LOW PROFILE PERIMETER INSTERT LIGHT	\$	\$\$
			1" ROUND TRI-COLOR (OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
511	1.00	EA	0513 - FEDERAL SIGNAL 416309-XXX FLUSH MOUNT PERIMETER INSER LIGHT 1"	\$	\$\$
			RPIMG TRI-COLOR-BUMPER APPLICATION (OR EQUAL). SUPPLY ONLY		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 115

512	1.00		MANUFACTURER:	
512	1.00		MANUFACTURER PART:	
		EA	0514 - FEDERAL SIGNAL VARIOUS GROMMETS FOR FLUSH MOUNT LIGHTS (OR EQUAL),	\$ \$\$
			SUPPLY ONLY	
			MANUFACTURER: MANUFACTURER PART:	
513	1.00	EA	0515 - FEDERAL SIGNAL ILS VISOR INTERIOR LIGHTS (PAIR) SIFMJS-XXXX FRONT MOUNT	\$ \$\$
			(OR EQUAL). SUPPLY ONLY.	
			MANUFACTURER: MANUFACTURER PART:	
514	1.00	EA	0516 - FEDERAL SIGNAL ILS VISOR INTERIOR LIGHTS (PAIR) SIFMJH-XXXX REAR MOUNT	\$ \$\$
			(OR EQUAL) SUPPLY ONLY.	
			MANUFACTURER: MANUFACTURER PART:	
515	1.00	EA	0517 - FEDERAL SIGNAL FLASHERS FHL-HL & FHL-TAIL, FACTORY LIGHT FLASHERS	\$ \$\$
			(OR EQUAL). SUPPLY ONLY	
			MANUFACTURER: MANUFACTURER PART:	
516	1.00	EA	0518 - FEDERAL SIGNAL LITTLE LIGHT MAP LIGHT LF218TS (OR EQUAL) SUPPLY ONLY.	\$ \$\$
			MANUFACTURER: MANUFACTURER PART:	
517	1.00	EA	0519 - STELLAR DIESEL FUEL TRAILER 880 GALLONS DELUXE MODEL (OR EQUAL),	\$ \$\$
			SUPPLY ONLY	
			MANUFACTURER: MANUFACTURER PART:	
518	1.00	EA	0520 - STELLAR DIESEL FUEL TRAILER 770 GALLONS DELUXE MODEL WITH 110	\$ \$\$
			GALLONS OF DEF FLUID IN ONE TANK	

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 116

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			(OR EQUAL). SUPPLY ONLY. MANUFACTURER: MANUFACTURER PART:		
519	1.00	EA	0521 - SUPPLY AND INSTALL ADRIAN STEEL (OR EQUAL) COMMERCIAL WORK TRUCK CAP	\$	\$\$
			FOR LONG OR SHORT BED PICK-UP TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
520	1.00	EA	0522 - SUPPLY AND INSTALL ADRIAN STEEL (OR EQUAL) COMMERCIAL WORK TRUCK CAP	\$	\$\$
			SLIDE FLOOR PULL OUT FOR LONG OR SHORT BED PICK-UP TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
521	1.00	EA	0523 - SUPPLY AND INSTALL ADRIAN STEEL (OR EQUAL) COMMERCIAL WORK TRUCK CAP	\$	\$\$
			INTERIOR TOOL BOXES ON THE SIDE PACKS FOR LONG OR SHORT BED PICK-UP TRUCKS		
			MANUFACTURER: MANUFACTURER PART:		
522	1.00	EA	0524 - SUPPLY AND INSTALL ADRIAN STEEL (OR EQUAL) COMMERCIAL WORK TRUCK CAP	\$	\$\$
			ROOF RACK TYPE LADDER RACK FOR LONG OR SHORT BED PICK-UP TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
523	1.00	EA	0525 - SNOWDOGG XPII SNOW PLOW WITH RAPIDLINK (OR EQUAL) INSTALLED ON	\$	\$\$
			SUITABLE TRUCK IN READY TO WORK CONDITION. 3/4 TON WITH PLOW PREP AND 1+ TON TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
524	1.00	EA	0526 - SALTDOGG PRO ELECTRIC POLY HOPPER SPREADER WITH AUGER (OR EQUAL)	\$	\$\$
			INSTALLED ON SUITABLE TRUCK (FITS 3/4 TON AND 1 TON PICK-UP TRUCKS).		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 117

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
525	1.00	EA	0527 - SNOWDOGG CMII SNOW PLOW(OR EQUAL) WITH RAPIDLINK INSTALLED ON SUITABLE	\$	\$\$
			TRUCK IN READY TO WORK CONDITION. FOR VEHICLES 10,000-29,000 GVWR.		
			MANUFACTURER: MANUFACTURER PART:		
526	1.00	EA	0528 - SALTDOGG 2.5-5.5 CUBIC YARD GAS CONVEYOR CHAIN SPREADER (0R EQUAL)	\$	\$\$
			INSTALLED ON SUITABLE TRUCK IN READY TO WORK CONDITIONS. FOR VEHICLES 10,000-29,000 GVWR.		
			MANUFACTURER: MANUFACTURER PART:		
527	50.00	МІ	0529 - DELIVERY FEE PER MILE FOR A NEW TRUCK DELIVERY TO ANY MANUFACTURER FOR	\$	\$\$
			FACTORY INSTALLATION. NEW TRUCK WILL BE LOADED ON A TRAILER FOR THE MOVE.		
528	500.00	HR	0530 - SHOP RATE FOR GENERAL REPAIRS- SERVICE REPAIRS INCLUDE WELDING SERVICES, MECHANICAL SERVICES, HYDRAULIC SERVICES, AND ELECTRICAL ON TRUCK BODIES. PRICE PER HOUR.	\$	\$\$

Evidence of Authority Instructions

Only an authorized Agent shall sign this proposal. Each Proposer is required to provide satisfactory evidence of the authority of the person signing for the agency, corporation, partnership or other legal entity, which shall be attached to the proposal.

The following page is a sample Corporate Resolution. This sample is supplied as a courtesy to Proposers, but it is the responsibility of the Proposer to ensure the evidence of authority they submit to Jefferson Parish complies, in both form and content, with federal, state and Parish laws. Additionally. sample Sole **Proprietorship** a Certification found may be https://www.jeffparish.gov/466/Document-Library.

Instruction sheet may be omitted when submitting.

CORPORATE RESOLUTION

Excerpt from minutes of meeting of the Board of Directors of
Incorporated.
At the meeting of Directors of
Resolved that
I hereby certify the foregoing to be a true and correct copy of an excerpt of the minutes of the above dated meeting of the Board of Directors of said corporation, and the same has not been revoked or rescinded.
Secretary-Treasurer

Generic Bid Affidavit Instructions

This affidavit is supplied as a courtesy to Affiant. It is the responsibility of the affiant to insure the affidavit submitted to Jefferson Parish complies, in both form and content, with federal, state and parish laws. It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

The Affidavit MUST comply with the following requirements to be accepted.

- Must be signed by an authorized representative of the entity.
- Must be notarized by a notary with proper jurisdiction who must sign and print name, and include bar/notary number.
- Location where the notarization is taking place should be filled in at the top of the affidavit not the location of the contract services.
- MUST select either Choice A or B when required.
- If choice A is selected, it must include an attachment.

Affidavits with the following WILL NOT be accepted.

- If both choice A and B are selected, the affidavit will not be accepted.
- An affidavit marked N/A will not be accepted.
- An affidavit missing attachment(s) when required will not be accepted.
- An affidavit that is notarized by a notary who does not have jurisdiction in the place where notarized or is not active will not be accepted.
- Affidavits that are older than six (6) months will not be accepted.

Instruction sheet may be omitted when submitting the affidavit.

Generic Bid

AFFIDAVIT

STATE OF	
PARISH/COUNTY OF	
BEFORE ME, the	undersigned authority, personally came and appeared:
	(Affiant) who after being duly sworn by me, deposed and
said that he/she is the full	y authorized of
	(Entity), who submitted a bid to the Parish of Jefferson.
Affiant further said:	
Campaign Contribution I (Choose A or B, if option	Disclosures on A is indicated please include the required attachment):
Choice A	Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.
Choice B	There are NO campaign contributions made which would require disclosure under Choice A of this section.
Affiant further said:	
Debt Disclosures (Choose A or B, if option	on A is indicated please include the required attachment):
Choice A	Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish of Jefferson to the Affiant.
Choice B	There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Affiant further said:

Affiant personally has not been convicted of, nor has he/she entered into a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. No individual partner, incorporator, director, manager, officer, organizer, or member, who has a minimum of a ten percent ownership in the Bidding Entity, has been convicted of or has entered a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall permanently bar any person or the bidding entity from bidding on public projects:

- (a) Public bribery (R.S. 14:118)
- (b) Corrupt influencing (R.S. 14:120)
- (c) Extortion (R.S. 14:66)
- (d) Money laundering (R.S. 14:230)

A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall bar any person or the bidding entity from bidding on public projects for a period of five years from the date of conviction or from the date of the entrance of the plea of guilty or nolo contendere:

- (a) Theft (R.S. 14:67)
- (b) Identity Theft (R.S. 14:67.16)
- (c) False accounting (R.S. 14:70)
- (d) Issuing worthless checks (R.S. 14:71)
- (e) Bank fraud (R.S. 14:71.1)
- (f) Forgery (R.S. 14:72)
- (g) Contractors; misapplication of payments prohibited (R.S. 14:202)
- (h) Malfeasance in office (R.S. 14:134)

The five-year prohibition provided for in this section shall apply only if the crime was committed during the solicitation or execution of a contract or bid awarded pursuant to these provisions. If evidence is submitted substantiating that a false attestation has been made and the project must be readvertised or the contract canceled, the awarded entity

making the false attestation shall be responsible to the public entity for the costs of rebidding, additional costs due to increased costs of bids and any and all delay costs due to the rebid or cancellation of this project.

Affiant further said:

- (1) Entity is registered and participates in a status verification system to verify that all employees in the State of Louisiana are legal citizens of the United States or are legal aliens.
- (2) Entity shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the State of Louisiana.
- (3) Entity shall require all subcontractors to submit to the Entity a sworn affidavit

verifying compliance with sta	atements (1) and (2) above.
	Signature of Affiant
	Printed Name of Affiant
SWORN AND SUBSCRIBED TO BEFORMOTARY PUBLIC ON THEOF, 20	DAY
Notary Public	
Printed Name of Notary	
Notary/Bar Roll Number	
My commission expires	

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 136353 or No. 141125, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or her designee, with the concurrence of the Director of Risk Management or her designee, may agree on a case-by- case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. **Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date.** Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

Within ten (10) days of bid opening, the apparent low bidder will be required to provide final insurance certificates to the Parish which shall name the Parish of Jefferson, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council as additional insured on the Commercial General Liability, and the Comprehensive Automobile Liability policies to protect against negligence by the contractor as provided by contract. Failure to provide your certificate of insurance within the ten (10) days, shall result in the Parish rejecting your bid and moving on to the next lowest bidder. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

WORKER'S COMPENSATION INSURANCE

As required by Worker's Compensation Law of the State of the Contractor's headquarters. Employer's Liability is included, with minimum limits of \$500,000 per occurrence, except it shall be \$1,000,000 per occurrence when Work is to be overwater and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act.

Waiver of Subrogation endorsement in favor of the Parish of Jefferson, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council.

Note: If your company is not required by law to carry worker's compensation insurance, i.e. sole employee of the company, then bidders must request a

worker's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized within ten (10) days of the bid opening. A scanned copy may be submitted initially; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☑ COMMERCIAL GENERAL LIABILITY

Commercial General Liability Form CG 00 01, or pre-approved equivalent; Minimal acceptable limits: \$1,000,000 per occurrence; \$1,000,000 personal & advertising injury; \$2,000,000 general aggregate; and \$2,000,000 products/completed operations aggregate.

Waiver of Transfer of Rights of Recovery Against Others endorsement in favor of the Parish of Jefferson, its Districts, Departments, Agencies and Employees under the direction of the Parish President and the Parish Council.

BUSINESS AUTOMOBILE LIABILITY

Minimal acceptable limit for bodily injury and property damage liability: \$1,000,000 Combined Single Limit.

Liability coverage to be provided for Any Auto OR for ALL Owned Autos and Hired and Non-owned Autos. If contractor owns no vehicles, then a Hired and Non-owned Auto Liability policy is required.

Waiver of Transfer of Rights of Recovery Against Others to Us endorsement in favor of the Parish of Jefferson, its Districts, Departments, Agencies and Employees under the direction of the Parish President and the Parish Council.

Note: This category may be omitted if bidders do not/will not utilize vehicles for the project AS DETERMINED BY Risk Management and Parish Attorney's Office after properly requesting a deviation as discussed above. Bidder must request a deviation prior to bid opening and may be given an automobile insurance declaration affidavit to execute. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted within ten (10) days of the bid opening. A scanned copy of the completed, signed and properly notarized affidavit may be submitted initially; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

<u>**DEDUCTIBLES**</u> - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

<u>UMBRELLA LIABILITY COVERAGE</u> - An umbrella policy or excess may be used to meet minimum requirements. If you are purporting to use an umbrella policy or excess to meet minimum requirements, then you must provide the Umbrella Schedule of Underlying Policies with the Certificate of Insurance evidencing which policies the Umbrella sits over.

FOR CONSTRUCTION AND RENOVATION PROJECTS: The following are required if selected below. Such insurance is due upon contract execution.

☐ OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

□ BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.