CYNTHIA LEE SHENG

PARISH PRESIDENT





RENNY SIMNO DIRECTOR

October 28, 2025

ADDENDUM #1

Bid Number: 50-00148680 Due Date: October 30, 2025

Postponed Due Date: November 13, 2025

Two (2) Year Contract for Vehicle Bodies and Accessories for the Jefferson Parish Department of **Fleet Management**

Question & Answer:

1. Question: Is item 161 for pickup trucks or utility bed vehicles? Answer: The spray on bed liner is for both, pickup truck beds and Utility truck beds.

Revision to bid:

The Following lines have been added to the bid.

- Item: 0067 Rawson-Koenig Model MTB602NM (or Equal) Steel Crossover Tool Box, Etc.
- Item: 0179 Tractor Dual Purpose Wet-Line Kit

PLEASE SEE THE REVISED BID FORM ATTACHED. THIS FORM MUST BE USED FOR BID SUBMISSION

***PLEASE REMEMBER TO ACKNOWLEDGE THIS ADDENDUM BY NUMBER ON YOUR BID SUBMISSION**

PARISH PRESIDENT





RENNY SIMNO DIRECTOR

Sincerely,

Stacey Champagne **Purchasing Specialist II Jefferson Parish Purchasing Department**

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form by indicating the addendum number listed above. Failure to list each addenda number on the bid form will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

BID NO: 50-00148680

DATE: 10/28/2025

INVITATION TO BID THIS IS NOT AN ORDER

JEFFERSON PARISH

PURCHASING DEPARTMENT **P.O. BOX 9** GRETNA, LA. 70054-0009 504-364-2678

PURCHASING SPECIALIST: @jeffparish.gov

Page:

1

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 10/30/2025 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit their bid via Jefferson Parish's electronic procurement page. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES FOR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN La. R.S. 9:2602(8) ARE ACCEPTABLE. IN ACCORDANCE WITH La. R.S. 9:2602(8, JEFFERSON PARISH REQUIRES A SECURED DIGITAL SIGNATURE AND BIDDERS MUST PROVIDE PROOF OF THE SECURED SIGNATURE WITH BID SUBMISSION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- A. All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, and in the terms and conditions of Resolution No. 136353 and/or Resolution No. 141125, all of which are made part of this bid proposal and ensuing contract by reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances ("JPCO"), Louisiana Code of Ethics, and applicable Jefferson Parish ethical standards.
- B. The General Conditions for construction projects (141125) and the General Conditions for the purchase of materials, services and/or supplies (136353) are those adopted by the Jefferson Parish Council by Resolution No. 136353 and Resolution No. 141125, respectively. The General Conditions adopted by these resolutions shall be considered as much a part of this document and the ensuing contract or P.O. as if they were written wholly herein. A copy of each may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy of each by visiting the Purchasing Department webpage at http://www.jeffparish.gov/464/Purchasing and clicking on Online Forms.
- C. Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in La. R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.
- D. All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from http://www.jeffparish.gov/464/Purchasing and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.
- E. All quotations shall be based on F.O.B. Agency warehouse or job site (see Additional Requirements section), anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to Public Works projects.
- F. Jefferson Parish requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated on the bid form with bid submission. Supporting documentation may be required upon request.

DATE: 10/28/2025

BID NO: 50-00148680

G. Bidders should submit all questions in writing via email to the Purchasing Specialist's email address as indicated above, no later than five (5) working days prior to the bid opening. Bid numbers must be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than five (5) working days prior to the bid opening. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Page:

2

- H. All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge any Addendum on the bid form shall cause the bid to be rejected. Jefferson Parish reserves the right to award bid to next lowest responsive and responsible bidder in this event.
- If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions.
- J. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH WILL ACCEPT ONE PRICE FOR EACH ITEM UNLESS OTHERWISE INDICATED. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line-item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.
- K. Written evidence of the authority of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. Acceptable written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer or a manager. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection. A sample corporate resolution can be downloaded from our website http://www.jeffparish.gov/464/Purchasing or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website http://www.jeffparish.gov/464/Purchasing or you may provide your own document.
- L. AWARD OF CONTRACT: Jefferson Parish reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of Jefferson Parish. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.
 - a. All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar day increments.
 - b. PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)
 - c. PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA R.S. 38:2251-2261"
- M. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.
- N. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.
 - a. For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.
- O. PRICES: Jefferson Parish is exempt from paying sales tax under La. R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and, unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures no more than four (4) decimal points. In the event there is a difference in unit prices and totals, the unit price shall prevail.
 - a. Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

DATE: 10/28/2025

BID NO: 50-00148680

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- P. ANTI- DISCRIMINATION: Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).
 - a. In accordance with La. R.S. 38:2216.1, Jefferson Parish is prohibited from entering into a contract with a value of \$100,000 or more with a company for the purchase of goods or services unless the contract contains a written verification from the company of both of the following: 1) The company does not have a practice, policy, guidance, or directive that discriminates against a firearm entity or firearm trade association based solely on the entity's or association's status as a firearm entity or firearm trade association. 2) The company will not discriminate against a firearm entity or firearm trade association during the term of the contract based solely on the entity's or association's status as a firearm entity or firearm trade association. As a result, the awarded bidder will be required to verify the above in the ensuing contract.

Page:

3

- Q. INSPECTOR GENERAL: It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.
- R. Proof of Cyber Security Training may be required for the successful bidder. Pursuant to La. R.S. 42:1267, any contractor who has access to state or local government information technology assets is required to complete cybersecurity training during the term of the contract and during any renewal period. As a Parish contractor, you are responsible for taking the cyber training, whether from the State or another source. After completion of said training please forward proof to your contract monitor/Parish contact.

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder after nine (9) working days.

BID NO: 50-00148680

Page: 4

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at http://www.jeffparish.gov/464/Purchasing.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW. IF THE NUMBER IS NOT SPECIFIED IN THIS BOX, IT IS NOT APPLICABLE FOR THIS BID.

10,12,13,14

- 1. MANDATORY PRE-BID All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LA.R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
- 2. NON-MANDATORY PRE-BID Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
- 3. JP LICENSE Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Building Permits. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Building Permits. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable municipality, Federal and/or State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
- 4. LSCB LICENSE A LA State Contractor's License will be required in accordance with LA.R.S. 37:2150 et. seq. and such license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
- 5. SITE VISIT It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
- 6. JOB SITE CLEANLINESS Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

DATE: 10/28/2025

BID NO: 50-00148680 INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. PUBLIC WORKS BIDS - All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.

Page:

5

- NON-PUBLIC WORKS BIDS A performance bond will be required for this bid. The amount of the bond will be 100% of the
 contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the
 contract.
- 9.. NON-PUBLIC WORKS BIDS A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
- 10. INSURANCE All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Any deviation from the Standard Insurance Requirements must be requested in writing prior to bid opening. Proof of coverage will be required prior to award. Failure to comply with this instruction will result in bid rejection.
- 11. BID BOND A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
- 12. AS-NEEDED WORK This is a requirements-based contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
- 13. FREIGHT Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form
- 14. AFFIDAVIT Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations in conformity with the provisions contained in LA.R.S. 38:2212.9, LA.R.S. 38:2212.10, LA.R.S. 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled GENERIC BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
- 15. FEDERAL FUNDING The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents and ensuing contract. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications per the appendix instruction will result in bid rejection.
- 16. TAX EXEMPT For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.
- 17. TECH AFFIDAVIT The Technology Affidavit is required for this solicitation and shall be submitted with the bid submission. Failure to do so will result in your bid being rejected. Pursuant to La. R.S. 38:2237.1, prior to the procurement of telecommunications or video surveillance equipment or services, the vendor shall provide documentation by affidavit that the equipment or services to be procured are not prohibited telecommunications or video surveillance equipment or services as defined in R.S. 39:1753.1(A). This affidavit is supplied as a courtesy to Affiant. It is the responsibility of the affiant to insure the affidavit submitted to Jefferson Parish complies, in both form and content, with federal, state and parish laws. No procurement shall be made from a vendor or other entity who fails to provide the documentation; any procurement in contravention to this requirement shall be null and void by law.

BID NO: 50-00148680

SID EODM

6

BID FORM Non Public Works

Page:

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm throughout the entirety of the contract. However, bidders may request that an escalation provision be added to their contract by selecting "yes" below. The escalation provision in the contract will state that only one escalation will be allowed during the term of the contract, and the escalation shall take effect only after the initial 12 month period of the contract. A vendor with an escalation provision int their contract must submit a request in writing to activate the provision, but should not do so any sooner than the first day of the 13th month of their contract. The escalation percentage shall be limited to the most recently published CPI figure issued at the time an adjustment is requested by bidder based on the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure.

	YES	NO	
scalation percentage quo	oted by the bidder he total bid price.	to the period to which it will be assumed, for	ision is requested, Jefferson Parish will apply the maximum h it is applied in the bid. The initial price and the escalation r comparison of prices only, that an equal amount of material .
DELIVERY: F	OB JEFFER	SON PARISH	
INDICATE DELIVE	RY DATE ON E	QUIPMENT AND SU	JPPLIES
LOUISIANA C	ONTRACTO	R'S LICENSE I	NO.: (if applicable)
HIS SECTION M	UST BE CO	MPLETED BY F	BIDDER:
FIRM NAME:			
ADDRESS:			
CITY, STATE:			ZIP:
TELEPHONE: ()		
E-MAIL:			
In the event that adde acknowledge receipt any addendum on the	of an addendum of	on the bid form by place	UST acknowledge all addenda on the bid form.Bidder must cing the addendum number as indicated. Failure to acknowledge
Acknowledge Receipt	of Addenda: NUI	/IBER:	
	NUM	MBER:	
	NUM	MBER:	
	NUM	MBER:	
TOTAL PRICE OF A	LL BID ITEMS:	\$	
TOTAL PRICE OF A	LL BID ITEMS:	\$	
AUTHORIZED			Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

7

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			Two (2) Year Contract For Vehicle Bodies and Accessories for The Jefferson Parish Department of Fleet Management		
1	6.00	EA	0001 - TRAILER BRAKE CONTROL KITS STRAIGHT AIR WITH SEVEN WAY PLUG	\$	\$\$
			(INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
2	1.00	EA	0002 - BRAKE CONTROL KITS-ALL ELECTRIC BRAKES WITH SIX-WAY PLUG INSTALLED AND	\$	\$\$
			IN READY TO WORK CONDITION. (INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
3	4.00	EA	0003 - ELECTRIC TRAILER BRAKE CONTROL KIT-SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
4	8.00	EA	0004 - ELECTRIC BACK UP ALARM (INSTALLED)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
5	9.00	EA	0005 - MUD FLAPS (INSTALLED)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
6	2.00	EA	0006 - VAN BODY INTERIOR DOME LIGHTS (INSTALLED)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
7	1.00	EA	0007 - LOADING/FLOOR LIGHTS-ONE PAIR CHROME OR STAINLESS STEEL, MINIMUM 6"	\$	\$\$
			DIAMETER, ADJUSTABLE WITH PROTECTIVE MOUNTING BRACKET, WIRED TO TRUCK 12 VOLT SYSTEM WITH FUSE LINK, CONTROL		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SWITCH IN CAB, INSTALLED AT LOCATION ON TRUCK AS SPECIFIED BY USING DEPARTMENT. MANUFACTURER: MANUFACTURER NUMBER:		
8	2.00	EA	0008 - FEDERAL SIGNAL LATITUDE TRAFFIC ADVISOR MODEL-SL8S-A-48 SIGNAL	\$	\$\$
			(OR EQUAL) MASTER DIRECTIONAL FLAT BAR WITH CABLE AND CONTROLLER ONLY. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
9	1.00	EA	0009 - FEDERAL SIGNAL SPIRE (OR EQUAL) 200 TALL TRAFFIC LED BEACON MODEL	\$	\$
			200TC-A-AMBER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
10	11.00	EA	0010 - FEDERAL SIGN MICRO (0R EQUAL) PLUS ULTRA DUAL MODEL MPS620U-WA	\$	\$\$
			SIX HEAD EXTERIOR MOUNT/PERIMETER LIGHT WIHTE/AMBER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
11	1.00	EA	0011 - FEDERAL SIGNAL MICRO (OR EQUAL) PLUS ULTRA DUAL MODEL MPS122OU-WA	\$	\$\$
			TWELVE HEAD EXTERIOR MOUNT/PERIMETER LIGHT WHITE/AMBER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
12	10.00	EA	0012 - FEDERAL SIGNAL ALLEGIANT MODEL #ALGT53Z-AMBR3F6C (OR EQUAL)	\$	\$\$
			53" WIDE AND 61"WIDE MODELS AMBER LIGHT BAR WITH 18 AMBER/ WHITE LED HEADS; 4 AMBER LED HEAD; FRONT AND REAR FLOOD; SIGNALMASTER; FLAT MOUNT; CLEAR DOMES; LOW POWER; DIMMING FEATURE AND CAT 5 CABLE FOR PLUG'N'PLAY WIRE INSTALL TO A PREPROGRAMMED 6 BUTTON CONTROLLER		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE MANUFACTURER: MANUFACTURER PART:		
13	3.00	EA	0013 - FEDERAL SIGNAL LATITUDE TRAFFIC ADVISOR WARNING LIGHT MODEL	\$	\$\$
			SL8F-AW (OR EQUAL) LATITUDE 32" DIRECTIONAL FLAT BAR WITH CABLE AND CONTROLLER. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
14	4.00	EA	0014 - FEDERAL SIGNAL MICRO PULSE ULTRA THREE COLOR MODEL MPS63U-	\$	\$\$
			(OR EQUAL) AGW SIX HEAD EXTERIOR MOUNT/PERIMETER LIGHT WHITE/AMBER/GREEN COLOR. (SUPPLY ONLY)		
			MANUFACTURER MANUFACTURER NUMBER:		
15	1.00	EA	0015 - FEDERAL SIGNAL MICRO PULSE ULTRA THREE COLOR MODEL MPS123U-	\$	\$\$
			(OR EQUAL) AGW TWELVE HEAD EXTERIOR MOUNT/ PERIMETER LIGHT WHITE/AMBER/GREEN. (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
16	1.00	EA	0016 - FEDERAL SIGNAL ALLEGIANT MINI LIGHT BAR MODEL #ALGT21D-AMBR3BF.	\$	\$\$
			(OR EQUAL) 21" WIDE AMBER LIGHT BAR WITH WHITE LED HEADS; AMBER LED HEADS; FRONT AND REAR FLOOD; FLAT MOUNT; CLEAR DOMES; LOW POWER DIMMING FEATURE AND CAT 5 CABLE FOR PLUG'N'PLAY WIRE INSTALL TO A PREPROGRAMMED 6 BUTTON CONTROLLER MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER NUMBER:		
17	4.00	EA	0017 - FEDERAL SIGNAL ELECTRIC SIREN MODEL PA300 WITH SPEAKER.	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

10

Page

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			(OR EQUAL)		
			MANUFACTURER: MANUFACTURER NUMBER:		
18	1.00	EA	0018 - FEDERAL SIGNAL SWITCH BOX CONTROLS. SW200B, FOUR SWITCH	\$	\$\$
			CONTROL BOX (OR EQUAL) (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
19	1.00	EA	0019 - FEDERAL SIGNAL SWITCH BOX CONTROLS; SW300B, SIX SWITCH	\$	\$\$
			CONRTROL BOX (OR EQUAL) (SUPPLY ONLY)		
			MANUFACTURER: MANUFACTURER NUMBER:		
20	3.00	EA	0020 - 4 HEAD DOT REMOTE STROBE SYSTEM FOR HEADLIGHTS AND TAIL LIGHTS, WEATHER	\$	\$\$
			PROOF HOUSING AND CONNECTORS, HI/LO INTENSITY AND DOUBLE/QUAD FLASH OPERATION, SHORT CIRCUIT PROTECTION, OUTPUT POWER REGULATION, FULLY INSTALLED ON PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
21	1.00	EA	0021 - SIX (6) INCH DIAMETER LED SAFETY STROBE LIGHT INSTALLED ON	\$	\$\$
			VEHICLE AT PARISH CHOICE OF LOCATION WITH CONTROL SWITCH IN TRUCK CAB AND ALL WIRING IN LOOM CONDUIT BOLTED TO TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
22	1.00	EA	0022 - FEDERAL SIGNAL 32" LONG MESSAGE BOARD MODEL NUMBER MB1-A (OR	\$	\$\$
			EQUAL)CONTROLLER AMBER COLOR MOUNTING BRACKETS. HARDWARE KIT AND CARRIAGE BOLTS. THIS PUBLIC SAFETY MESSAGING SYSTEM INCORPORATES LED MESSAGE DISPLAY PC SOFTWARE ALLOW ADMIN TO CREATE CUSTOM MESSAGE SETS. SYSTEM COMES EQUIPPED WITH A DEFAULT MESSAGE		

INVITATION TO BID FROM JEFFERSON PARISH - continued

11

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SETTING IF NEEDED. LED DISPLAY CAN BE "DIMMED" TO ADJUST MESSAGE CONTRAST. WIRED WITH CAT FIVE CABLE ONLY FOR THIS SYSTEM. MANUFACTURER: MANUFACTURER NUMBER:		
23	1.00	EA	0023 - FEDERAL SIGNAL ALLEGIANT	\$	\$
			MODEL # LGD45Z-AMBRH6C (OR EQUAL)	Υ	- ~
			45" WIDE AMBER LIGHT BAR WITH ALL AMBER LED HEADS. FOUR AMBER LED HEADS: FRONT AND TWO REARTS; CLEAR DOMES: LOW POWER DIMMING WORK FLOODS; SIGNALMASTER: OPTIONAL MOUNTS; CLEAR DOMES: LOW POWER DIMMING FEATURE AND CAT 5 CABLE FOR PLUG'N'PLAY WIRE INSTALL TO A PREPROGRAMMED 6 BUTTON CONTROLLER MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLED IN READY TO MANUFACTURER: MANUFACTURER NUMBER:		
24	2.00	EA	0024 - ECCO DIRECTIONAL ARROW SIGNAL LIGHT MODEL 3410A (OR EQUAL).	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
25	5.00	EA	0025 - FIRE EXTINGUISHER 5 LB. IN CAB ABC TYPE,	\$	\$\$
			MOUNTED IN CAB		
			MANUFACTURER: MANUFACTURER NUMBER:		
26	4.00	EA	0026 - DOT EMERGENCY ROAD SAFETY KIT MOUNTED IN CAB.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
27	1.00	EA	0027 - SPARE TIRE CARRIER-FRAME MOUNTED UNDERBODY (INSTALLED & PAINTED)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
28	1.00	EA	0028 - SPARE TIRE CARRIER-INTERIOR OF OF VEHICLE (INSTALLED AND PAINTED)	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

12

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER NUMBER:		
29	1.00	EA	0029 - HVY DUTY STEEL FLATBED TRUCK BODY INSTALLED & PAINTED	\$	\$\$
			HEAVY DUTY 10'5L X 8'0"W STEEL STAKE TRUCK BODY CONSTRUCTED OF 6" STRUCTURAL STEEL CHANNEL LONGSILLS, 4" STRUCTURAL STEEL CHANNEL CROSSILLS SPACED 12" APART. 5" STRUCTURAL STEEL CHANNEL SIDESILLS, 2" X 4" X 1/4" OUTSIDE STEEL STAKE POCKETS SPACED 24" APART DOWN BOTH SIDES AND REAR WITH 3/8" X 3" OUTSIDE CHAIN RAIL. ONE PIECE 3/16" SAFETY HEAVY DUTY STEEL FLATBED TRUCK BODY WELDED. HEAVY DUTY STEEL BULKHEAD CONSTRUCTED OF 2 1/2" X 2 1/2" X 1/4" STEEL SQUARE TUBE FOUR POST FRAME COVERED BY 3/16" TREADPLATE STEEL BELOW WINDOW AND #3 EXPANDED METAL ABOVE. HEAVY DUTY ICC BUMPER REINFORCED TO TRUCK. FMVSS ARMOUR TYPE LIGHTING WITH WIRING IN CONDUIT. REAR WHEEL MUD FLAPS SANDBLASTED, ZINC PHOSPHATE PRIMED AND FINISH PAINTED 5 MILS THICKNESS ENAMEL PAINTED TO HEAVY DUTY STEEL FLATBED TRUCK BODY U-BOLTS AND 20 YR. CELCURE RISERS. MANUFACTURER: MANUFACTURER NUMBER:		
30	40.00	FT	0030 - ADDITIONAL LENGTH OF FLATBED PER FOOT.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
31	4.00	FT	0031 - HEAVY DUTY REMOVE STEEL STAKE & RACK SIDES, 42" HIGH	\$	\$\$
			DOWN BOTH SIDES & REAR OF FLATBED, 4 SLATS HIGH WITH AUTOMATIC LOCKDOWNS. INTERLOCKING CONNECTORS AND PRIMED AND FINISH PAINTED TO MATCH FLATBED. PRICE PER LINEAR FOOT OF FLATBED. MANUAFACTURER:		
			MANUFACTURER PART:		
32	8.00	EA	0032 - STEP-UP & GRAB HANDLES-TRUCK BODY INSTALLED & PAINTED	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

13

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER NUMBER:		
33	15.00	EA	0033 - PICK UP TRUCK ONE TON CAB ACCESS STEPS. TUBE TYPE PAINTED BLACK FOR	\$	\$\$
			VARIOUS DOMESTIC TRUCKS.		
			MANUFACTURER: MANUFACTURER NUMBER:		
34	1.00	EA	0034 - PICK UP TRUCK ONE TON ACCESS STEPS. TUBE TYPE CHROME FOR VARIOUS	\$	\$\$
			DOMESTIC TRUCKS.		
			MANUFACTURER: MANUFACTURER NUMBER:		
35	1.00	EA	0035 - PICK UP AND ONE TON TRUCK HEAVY DUTY FRONT BUMPER PUSH BAR ASSEMBLY,	\$	\$\$
			CHROMED STEEL CONSTRUCTION, MOUNTED TO FRONT BUMPER OF TRUCK CAB.		
			MANUFACTURER: MANUFACTURER NUMBER:		
36	15.00	FT	0036 - HEAVY DUTY STEEL CONTRACT 16 IN. HIGH SIDES AND TAILGATE DOWN EACH SIDE	\$	\$\$
			AND REAR OF FLATBED. 10 GALLON STEEL CENTERS HINGED REAR TAILGATE. 3 BEND TOP RAIL. FLANGED BOTTOM RAIL.PRIMED AND PAINTED TO MATCH FLATBED. PRICE PER LINEAR FOOT.		
			MANUFACTURER: MANUFACTURER NUMBER:		
37	1.00	EA	0037 - HEAVY DUTY INTERIOR PARTITIONS- SOLID-INSTALLED AND PAINTED.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
38	1.00	EA	0038 - VAN BODY INTERIOR PARTITIONS- SCREEN INSTALLED & PAINTED-SCREEN TYPE	\$	\$\$
			WITH DOOR.		
			MANUFACTURER: MANUFACTURER NUMBER:		
39	2.00	EA	0039 - INTERIOR SEATS-FOUR PASSENGER VAN BODY WITH SEAT BELTS. MUST	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

14

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			INCLUDE VEHICLE DOT RECERTIFICATIONS (INCLUDING BOND)-COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE. MANUFACTURER: MANUFACTURER NUMBER:		
40	1.00	EA	0040 - INTERIOR SEATS-THREE PASSENGER VAN BODY WITH SEAT BELTS.	\$	\$\$
			MUST INCLUDE VEHICLE DOT RECERTIFICATIONS (INCLUDING BOND) - COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE		
			MANUFACTURER: MANUFACTURER PART:		
41	1.00	EA	0041 - INTERIOR SEATS-TWO PASSENGER VAN BODY WITH SEAT BELTS. MUST	\$	\$\$
			INCLUDE VEHICLE RECERTIFICATIONS (INCLUDING BOND) - COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE.		
			MANUFACTURER: MANUFACTURER NUMBER:		
42	20.00	PR	0042 - REAR TOW HOOKS-FRAME MOUNTED STANDARD DUTY FOR UP TO 14,500 GVWR	\$	\$\$
			TRUCKS.		
			MANUFACTURER: MANUFACTURER NUMBER:		
43	20.00	PR	0043 - REAR TOW HOOKS- FRAME MOUNTED HEAVY DUTY FOR 14,500 GVWR TO 33,000	\$	\$\$
			GVWR		
			MANUFACTURER: MANUFACTURER NUMBER:		
44	10.00	PR	0044 - REAR TOW HOOKS-FRAME MOUNTED EXTRA HEAVY DUTY FOR OVER 33,000 GVWR.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
45	5.00	EA	0045 - TRAILER HITCH 1 7/8 INCH CLASS 1V HITCH PART #1801005 (OR EQUAL)	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

15

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			WITH A TWO INCH BALL ASSEMBLY		
			MANUFACTURER: MANUFACTURER NUMBER:		
46	2.00	EA	0046 - TRAILER HITCH 2 5/6" BALL HITCH ASSEMBLY	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
47	7.00	EA	0047 - TRAILER HITCH-COMBINATION BALL HITCH/PINTLE HITCH (16,000 LBS.)	\$	\$\$
			2 5/16" BALL.		
			MANUFACTURER: MANUFACTURER NUMBER:		
48	10.00	EA	0048 - TRAILER HITCH-STANDARD DUTY PINTEL HITCH (8 TON).	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
49	3.00	EA	0049 - B & W COMBO BALL HITCH INSERT 2"INCH BALL & 2 5/6" BALL WITH	\$	\$\$
			FIVE INCH HEIGHT ADJUSTMENT WITH 5/16" DIAMETER LOCKING KEEPER PIN.		
			MANUFACTURER: MANUFACTURER NUMBER:		
50	4.00	EA	0050 - TRAILER HITCH-HEAVY DUTY PINTLE HITCH (49,000 LB. GVWR. CAPACITY)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
51	2.00	EA	0051 - UNDERBODY TOOL BOX-24"L X 18"H X 18"D WITH STAINLESS STEEL HINGES AND	\$	\$\$
			LOCKS. (PAINTED AND INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
52	1.00	EA	0052 - UNDERBODY TOOL BOX- 16"L X 18"H X 18"D WITH STAINLESS STEEL HINGES AND	\$	\$\$
			LOCKS. (PAINTED AND INSTALLED).		

INVITATION TO BID FROM JEFFERSON PARISH - continued

16

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
53	1.00	EA	0053 - UNDERBODY TOOL BOX-48"L X 18"H 18"D WITH STAINLESS STEEL HINGES AND	\$	\$\$
			LOCKS (PAINTED AND INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
54	3.00	EA	0054 - UNDERBODY TOOL BOX-60"L X 18"H X 18"D WITH STAINLESS STEEL	\$	\$\$
			HINGES AND LOCKS.(PAINTED AND INSTALLED)		
			MANUFACTURER: MANUFACTURER NUMBER:		
55	2.00	EA	0055 - RAWSON-KOENIG MODEL ST-63 TOOLBOX (OR EQUAL) STEEL CROSSOVER	\$	\$\$
			TOOLBOX, MINIMUM 14 GA. STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR, HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
56	2.00	EA	0056 - RAWSON-KOENIG MODEL ST-46U TOOLBOX (OR EQUAL), STEEL CROSSOVER	\$	\$\$
			TOOLBOX. MINIMUM 14 GA. STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR, HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
57	2.00	EA	0057 - RAWSON-KOENIG MODEL C-56 TOOL BOX (OR EQUAL) STEEL CROSSOVER TOOL BOX,	\$	\$\$
			MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
58	2.00	EA	0058 - RAWSON-KOENIG MODEL M451NM TOOL BOX (OR EQUAL). STEEL CROSSOVER TOOL	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

17

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BOX, MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR, HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR A PICK-UP TRUCK. MANUFACTURER: MANUFACTURER NUMBER:		
59	2.00	EA	0059 - RAWSON-KOENIG MODEL 43-S TOOL BOX (OR EQUAL) LOWER SIDE TOOL BOX,	\$	\$\$
			MINIMUM 14 GA STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE,DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
60	2.00	EA	0060 - RAWSON-KOENIG MODEL M60FW1NM (OR EQUAL) STEEL CROSSOVER TOOL BOX,	\$	\$\$
			MINIMUM 14 GAL STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED, FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
61	2.00	EA	0061 - RAWSON-KOENIG MODEL 50-S TOOL BOX (OR EQUAL). LOWER SIDE TOOLBOX,	\$	\$\$
			MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
62	2.00	EA	0062 - RAWSON-KOENIG MODEL 61-S TOOLBOX (OR EQUAL) LOWER SIDE TOOL BOX,	\$	\$\$
			MINIMUM 14 GALLON STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED FOR PICK-UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
63	2.00	EA	0063 - RAWSON-KOENIG MODEL 67-S TOOLBOX (OR EQUAL) LOWER SIDE TOOL BOX	\$	\$\$

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

18

UNIT PRICE ITEM **QUANTITY** U/M **DESCRIPTION OF ARTICLES TOTALS NUMBER** QUOTED **MINIMUM 14 GAUGE STEEL CONSTRUCTION** WITH STAINLESS STEEL DOOR, HARDWARE AND DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK. MANUFACTURER: **MANUFACTURER PART:** 64 2.00 0064 - RAWSON-KOENIG MODEL 88-S \$ \$ EΑ TOOL BOX (OR EQUAL) UPPER SIDE TOOL **BOX. MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL** DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK. MANUFACTURER: **MANUFACTURER NUMBER:** 65 Ś \$ 3.00 EΑ 0065 - RAWSON-KOENIG MODEL US90 TOOL BOX (OR EQUAL) UPPER SIDE TOOL **BOX.MINIMUM 14 GAUGE STEEL CONSTRUCTION** WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK UP TRUCK. MANUFACTURER: **MANUFACTURER NUMBER:** 66 \$ 5.00 EΑ 0066 - RAWSON-KOENIG MODEL M60FW1NMA (OR EQUAL) ALUMINUM CHEST TYPE TOOL **BOX, MINIMUM .125 GA. ALUMINUM** CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK. MANUFACTURER: MANUFACTURER NUMBER: 67 \$ 0067 - RAWSON-KOENIG MODEL MTB602NM \$ 2.00 EΑ (OR EQUAL) STEEL CROSSOVER TOOL BOX, MINIMUM 14 GA STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK. **MANUFACTURER:** MANUFACTURER NUMBER: 68 \$ 0068 - RAWSON-KOENIG MODEL US96C 2.00 EΑ (OR EQUAL) UPPER SIDE TOOL BOX, MINIMUM

14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE.

INVITATION TO BID FROM JEFFERSON PARISH - continued

19

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK. MANUFACTURER: MANUFACTURER NUMBER:		
69	20.00	EA	0069 - RAWSON-KOENIG MODEL C-63A TOOL BOX (OR EQUAL) ALUMINUM CROSSOVER TOOL	\$	\$\$
			BOX, MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS AND INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
70	2.00	EA	0070 - RAWSON-KOENIG MODEL C-63WA TOOL BOX (OR EQUAL) ALUMINUM CROSSOVER TOOL	\$	\$\$
			BOX MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
71	2.00	EA	0071 - RAWSON-KOENIG MODEL C-56A TOOLBOX (OR EQUAL)	\$	\$\$
			ALUMINUM CROSSOVER TOOL BOX MINIMUM .125 GA ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HRADWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK		
			MANUFACTURER: MANUFACTURER NUMBER:		
72	2.00	EA	0072 - RAWSON-KOENIG MODEL C-63 (OR EQUAL) CROSS OVER TOOLBOX,	\$	\$\$
			MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
73	2.00	EA	0073 - RAWSON-KOENIG MODEL M451NMA TOOL BOX (OR EQUAL) ALUMINUM CHEST TYPE TOOL	\$	\$\$
			BOX MINIMUM .125 GA ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION		

DATE: 10/28/2025

INVITATION TO BID FROM JEFFERSON PARISH - continued

20

Page

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FOR PICK UP TRUCK. MANUFACTURER: MANUFACTURER NUMBER:		
74	2.00	EA	0074 - RAWSON-KOENIG MODEL 43-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL	\$	\$\$
			BOX,MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARW, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
75	4.00	EA	0075 - RAWSON-KOENIG MODEL 50-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL	\$	\$\$
			BOX, MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
76	4.00	EA	0076 - RAWSON-KOENIG MODEL 67-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL	\$	\$\$
			BOX,MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER NUMBER:		
77	2.00	EA	0077 - RAWSON-KOENIG MODEL NUMBER C-63LPA ALUMINUM TOOLBOX(OR EQUAL)	\$	\$\$
			CROSSOVER TOOLBOX. LOW PROFILE LID, MINIMUM .125 GAUGE ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS AND INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
78	2.00	EA	0078 - RAWSON-KOENIG MODEL C-63W STEEL CROSSOVER TOOLBOX, (OR EQUAL)	\$	\$\$
			MINIMUM 14 GAUGE STAINLES STEEL DOOR HARDWARE,DOOR SEALS,PAINTED AND INSTALLATION FOR PICK UP TRUCK.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

21

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
79	2.00	EA	0079 - RAWSON-KOENIG MODEL 43-S LOWER SIDE TOOLBOX (OR EQUAL)	\$	\$\$
			MINIMUM 14 GAUGE STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK UP TRUCK. RKI WHITE PAINT IS ACCEPTABLE		
			MANUFACTURER: MANUFACTURER PART:		
80	1.00	EA	0080 - RAWSON-KOENIG MODEL ST63A (OR EQUAL) CROSSOVER TOOL BOX,	\$	\$\$
			MINIMUM 100.00 ALUMINUM TREADPLATE CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS AND INSTALLATION FOR PICK UP TRUCK.		
			MANUFACTURER MANUFACTURER PART:		
81	175.00	FT	0081 - FULL AUTOMATIC 12 VOLT ELECTRIC TARP RACK SYSTEM COMPLETE WITH CAB	\$	\$\$
			CONTROLLER AND ALL OTHER FEATURES AS DESCRIBED ABOVE EXCEPT HAND CRANK. PRICE PER FOOT LENGTH OF BODY.		
			MANUFACTURER: MANUFACTURER PART:		
82	1.00	EA	0082 - DUMPBODY AIR RELEASE TAILGATE SYSTEM COMPLETE WITH CAB CONTROLLER AND	\$	\$\$
			AIR RELEASE CYLINDER MOUNTED AT FRONT OF DUMP BODY WITH MANUAL OVERRIDE RELEASE CONTROL SYSTEM		
			MANUFACTURER: MANUFACTURER PART:		
83	1.00	EA	0083 - DUMP BODY CAB PROTECTORS (INSTALLED AND PAINTED)	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
84	2.00	EA	0084 - HEAVY DUTY FULL WIDTH REAR DOZER PUSH PLATE REINFORCEMENT FOR	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

22

QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
		DUMP BODIES (INSTALLED & PAINTED) SIDE PLATES 3/4 INCHES THICK X 12 INCH X 24 INCH LONG. TOW (2) "V" BRACES-3/8 X 6 FLATBAR WIDTH.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0085 - 10 FT. THRU 12 FT. BODY- UNDERBODY TYPE DUMP HOISTS FOR FLATBED)	\$	\$\$
		BODIES (INSTALLED WITH PTO)		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0086 - 14 FT THRU 16 FT UNDERBODY TYPE HOIST FOR FLATBED BODIES	\$	\$\$
		(INSTALLED WITH PTO)		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0087 - 16 FT. TO 20 FT. HOIST, MODEL UMB HOIST AND TWIN TELESCOPIC INSIDE	\$	\$\$
		THE FRAME CYLINDERS TYPE DUMP BODY HOIST INSTALLED AND PAINTED AND IN READY TO WORK CONDITION.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0088 - REPLACEMENT DUMP BODY HOIST WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$\$
		HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY). PAINTED BLACK.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0089 - AUXILIARY REFUELING SYSTEM SYSTEM COMPLETE WITH THE FOLLOWING:	\$	\$\$
		A.ONE PRIOR MODEL R30 RECTANGULAR STEEL FUEL TANK (0R EQUAL) 30 GALLON CAPACITY, MOUNTED UNDER VAN FLOOR ON LEFT SIDE OF VEHICLE AGAINST CHASSIS FRAME WITH FILL LINE TO SIDE OF VAN SKIRTING. B.ONE FILL RITE MODEL 1P894 FUEL TRANSFER PUMP(OR EQUAL)12 VOLT DC POWER FROM TRUCK BATTERY UP TO 13.6 PM.		
		C.ONE SPEEDAIRE MODEL 52026 HOSE		
	1.00	1.00 EA 1.00 EA 1.00 EA	DUMP BODIES (INSTALLED & PAINTED) SIDE PLATES 3/4 INCHES THICK X 12 INCH X 24 INCH LONG, TOW (2) "V" BRACES-3/8 X 6 FLATBAR WIDTH. MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0085 - 10 FT. THRU 12 FT. BODY- UNDERBODY TYPE DUMP HOISTS FOR FLATBED) BODIES (INSTALLED WITH PTO) MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0087 - 16 FT. TO 20 FT. HOIST, MODEL UMB HOIST AND TWIN TELESCOPIC INSIDE THE FRAME CYLINDERS TYPE DUMP BODY HOIST INSTALLED AND PAINTED AND IN READY TO WORK CONDITION. MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0088 - REPLACEMENT DUMP BODY HOIST WARREN SUB-FRAME TYPE SINGLE CYLINDER HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10"L X 8"W WARREN DUMP BODY). PAINTED BLACK. MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0089 - AUXILIARY REFUELING SYSTEM SYSTEM COMPLETE WITH THE FOLLOWING: A.ONE PRIOR MODEL R30 RECTANGULAR STEEL FUEL TANK (0R EQUAL) 30 GALLON CAPACITY, MOUNTED UNDER VAN FLOOR ON LEFT SIDE OF VEHICLE AGAINST CHASSIS FRAME WITH FILL LINE TO SIDE OF VAN SKIRTING. B.ONE FILL RITE MODEL 1988 FFUEL TRANSFER PUMP/OR EQUAL)12 VOLT DC POWER FROM TRUCK BATTERY UP TO 13.6 PM.	DUMP BODIES (INSTALLED & PAINTED) SIDE PLATES 3/4 INCHES THICK X 12 INCH X 24 INCH LONG. TOW (2) "V BRACES-3/8 X 6 FLATBAR WIDTH. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0085 - 10 FT. THRU 12 FT. BODY- UNDERBODY TYPE DUMP HOISTS FOR FLATBED) BODIES (INSTALLED WITH PTO) MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0086 - 14 FT THRU 16 FT UNDERBODY TYPE HOIST FOR FLATBED BODIES (INSTALLED WITH PTO) MANUFACTURER PART: 1.00 EA 0087 - 16 FT. TO 20 FT. HOIST, MODEL UMB HOIST AND TWIN TELESCOPIC INSIDE THE FRAME CYLINDERS TYPE DUMP BODY HOIST INSTALLED AND PAINTED AND IN READY TO WORK CONDITION. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0088 - REPLACEMENT DUMP BODY HOIST WARREN SUB-FRAME TYPE SINGLE CYLINDER HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10*L X 8'W WARREN DUMP BODY). PAINTED BLACK. MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0089 - AUXILIARY REFUELING SYSTEM SYSTEM COMPLETE WITH THE FOLLOWING: A.ONE PRIOR MODEL R30 RECTANGULAR STEEL FUEL TANK (0/8 EQUAL) 30 GALLON CAPACITY, MOUNTED UNDER VAN FLOOR ON LEFT SIDE OF VEHICLE AGAINST CHASSIS FRAME WITH FILL LINE TO SIDE OF VAN SKIRTING. B.ONE FILL RITE MODEL 1P894 FUEL TRANSFER FUMPIOR EQUAL) 12 VOLT DC POWER FROM TRUCK BATTERY UP TO 13.6 FM.

INVITATION TO BID FROM JEFFERSON PARISH - continued

23

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			AUXILIARY REFUELING SYSTEM NOZZLE (OR EQUAL)(NON- DRIP AUTOMATIC SHUTOFF) D. ONE RAWSON MODEL UBW36 UNDER BODY TOOL BOX (OR EQUAL) D.ONE RAWSON MODEL UBW36 UNDER BODY TOOL BOX (OR EQUAL) FOR STORAGE OF HOSE REEL. FOR STORAGE OF HOSE REEL. E.ONE RED WARNING LIGHT FOR PUMP ON CAB OF VEHICLE. F.TO BE LOCATED IN A PLACE AGREED ON BY BOTH INSTALLER AND REPRESENTATIVE OF THE DEPARTMENT. TOTAL SYSTEM PRICE (INSTALLED) MANUFACTURER: MANUFACTURER:		
90	1.00	EA	0090 - MASTER LOCK SYSTEM-SERVICE TRUCK BODY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
91	1.00	EA	0091 - LADDER/PIPE RACKS - BOW TYPE ON SERVICE TRUCK BODY (INSTALLED &	\$	\$\$
			PAINTED)		
			MANUFACTURER: MANUFACTURE PART:		
92	1.00	EA	0092 - LADDER/PIPE RACKS-SIDE MOUNT ON SERVICE TRUCK BODY	\$	\$\$
			(INSTALLED & PAINTED)		
			MANUFACTURER: MANUFACTURER PART:		
93	16.00	FT	0093 - FULL HEIGHT PLYWOOD INTERIOR LINING IN VAN TRUCKS.	\$	\$\$
			PRICE PER LINEAR FOOT OF VAN BODY		
			MANUFACTURER: MANUFACTURER PART:		
94	1.00	EA	0094 - LADDER/PIPE RACKS - FULL LENGTH TO CAB HEAVY DUTY PIPE RACK	\$	\$\$
			(5,000 LB. CAPACITY) ON SERVICE TRUCK BODY WITH FULL LENGTH SERVICE BODY REINFORCEMENT. (INSTALLED & PAINTED)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

24

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
95	8.00	EA	0095 - REPLACEMENT TODCO (OR EQUAL)ROLL- UP DOOR ASSEMBLY INSTALLED IN VAN BODY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
96	1.00	EA	0096 - HEAVY DUTY TRUCK 5TH WHEEL - 24" AIR SLIDE WITH CAB CONTROLS	\$	\$\$
			(INSTALLED & PAINTED)		
			MANUFACTURER: MANUFACTURER PART:		
97	3.00	EA	0097 - HEAVY DUTY TRUCK 5TH WHEEL- OSCILLATING FIFTH WHEEL	\$	\$\$
			(INSTALLED & PAINTED)		
			MANUFACTURER: MANUFACTURE PART:		
98	2.00	EA	0098 - REPLACEMENT HEAVY DUTY 2" TRAILER KINGPINS-DROP IN TYPE	\$	\$\$
			(INSTALLED & PAINTED)		
			MANUFACTURER: MANUFACTURER PART:		
99	1.00	EA	0099 - HEAVY DUTY SERVICE TRUCK BODY 56" SINGLE FOR 56" C/A SINGLE WHEEL TRUCK.	\$	\$\$
			96"L X 79"W X 36"H. SIX COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS. FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED & INSTALLED. MANUFACTURER: MANUFACTURER PART:		
100	3.00	EA	0100 - HEAVY DUTY SERVICE TRUCK BODY 56" DUAL FOR 56" C/A DUAL WHEEL TRUCK. 96"L X 94"W X 40"H. SIX COMPARTMENTS 20" DEEP COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

25

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH ITCH RECESS. FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED & INSTALLED. HEAVY DUTY SERVICE TRUCKBODY 56" DUAL		
			MANUFACTURER: MANUFACTURER PART:		
101	11.00	EA	0101 - HYDRAULIC TRUCK TAILGATES-1550 LB CAPACITY PICKUP TRUCK	\$	\$\$
			TAILGATE 56"W X 26"D LOAD PLATFORM PLUS 5" RAMP AND WIDTH RECESSED HITCH TYPE REAR BUMPER (PAINTED & INSTALLED)		
			MANUFACTURER: MANUFACTURER PART:		
102	1.00	EA	0102 - HYDRAULIC TRUCK TAILGATES-2000 LB CAPACITY STOWAWAY TYPE	\$	\$\$
			TAILGATE 84"W X 36"D LOAD PLATFORM PLUS 5" RAMP AND OUTSIDE CHANNEL LIFT ARMS WITH DOCK BUMPERS (PAINTED & INSTALLED)		
			MANUFACTURER: MANUFACTURER PART:		
103	1.00	EA	0103 - HYDRAULIC TRUCK TAILGATES 1250 LB CAPACITY RAIL-TYPE TAILGATE	\$	\$\$
			85"W X X30"D LOAD PLATFORM PLUS 5" RAMP FOR STEP VAN BODIES WITH ROLL UP DOORS ONLY. (PAINTED & INSTALLED)		
			MANUFACTURER: MANUFACTURER PART:		
104	1.00	EA	0104 - POWER ROTATION FOR TRUCK SERVICE 2000 LB. SERVICE CRANE. 2000 LB.	\$	\$\$
			CAPACITY 4' TO 7' EXTENDABLE BOOM.		
			MANUFACTURER: MANUFACTURER PART:		
105	3.00	EA	0105 - REPLACEMENT DUMP BODY-HEIL SL 2/3 YARD.MODEL SL 2/3 YD. 8'L X 7'W (OR	\$	\$\$
			EQUAL)DUMP BODY. PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS AND CAB		

INVITATION TO BID FROM JEFFERSON PARISH - continued

26

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PROTECTORS. MANUFACTURER: MANUFACTURER PART:		
106	1.00	EA	0106 - REPLACEMENT DUMP BODY-HEIL SL 6/8 YD. MODEL SL 6/8 YD (OR EQUAL)	\$	\$\$
			10'L X8'W DUMP BODY, PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND CAB PROTECTORS.		
			MANUFACTURER MANUFACTURER PART:		
107	1.00	EA	0107 - REPLACEMENT DUMP BODY-HEIL HH 6/8 YD. MODEL HH 6/8 YD. 10'L X 8'W DUMP	\$	\$\$
			BODY, PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND CAB PROTECTORS.		
			MANUFACTURER: MANUFACTURER PART:		
108	1.00	EA	0108 - REPLACE DUMP BODY-HEIL LH 10/12 8 YARD. MODEL LH 10/12 YD. 13'L X 8'W	\$	\$\$
			(OR EQUAL) DUMP BODY, PAINTED, AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND CAB PROTECTORS		
			MANUFACTURER: MANUFACTURER PART:		
109	1.00	EA	0109 - REPLACE DUMP BODY-HEIL MODEL SL 16 YD. MODEL SL 16 YD. 16'L X8'W	\$	\$\$
			TRASH DUMP BODY (OR EQUAL) TRASH DUMP BODY. PAINTED AND INSTALLED. SIX COMPARTMENTS, WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINTER. ALL STAINLESS STEEL HARDWARE. 12 GAUGE TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH RECESS. FMVSS #108 RECESSED LIGHTS. TAILGATE, UNDERCOATED, PAINTED AND INSTALLED. HEAVY DUTY SERVICE TRUCK BODY 56" DUAL. MANUFACTURER: MANUFACTURER PART:		
110	1.00	EA	0110 - TRUCK SERVICE CRANE 2000 LB. 4' TO 7' CAPACITY. 4' TO 7' EXTENDABLE	\$	\$\$
			BOOM. ELECTRIC HOIST WITH CABLE LINE, BLOCK AND HOOK, JACKLEG STABALIZER. OVERLOAD WARNING DEVICE. (PAINTED AND INSTALLED)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

27

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
111	1.00	EA	0111 - 5-6 YARD CAPACITY NINE (9') LONG DUMP BODY 9' X 7' BOX SIZE	\$	\$\$
			COMPLETE WITH CAB GUARD, PAINTED WHITE INSTALLED WITH FMVSS #108 LIGHTS AND FLAPS ON A PARISH OWNED SUITABLE VEHICLE IN READY TO WORK CONDITION.		
			MANUFACTURER: MANUFACTURER PART:		
112	2.00	EA	0112 - REPLACE DUMP BODY HOIST HEIL 1500 HEIL MODEL 1520 DLE HOIST,(OR EQUAL)	\$	\$\$
			INSTALLED WITH PTO AND CAB CONTROLS.		
			MANUFACTURER: MANUFACTURER PART:		
113	1.00	EA	0113 - REPLACE DUMP BODY HOISTS HEIL 1821. HEIL MODEL 1821 HOIST	\$	\$\$
			(OR EQUAL) INSTALLED PTO AND CAB CONTROLS.		
			MANUFACTURER: MANUFACTURER PART:		
114	1.00	EA	0114 - REPLACE DUMP BODY HOISTS HEIL 2824. HEIL MODEL 2824 HOIST(OR EQUAL)	\$	\$\$
			INSTALLED WITH PTO AND CAB CONTROLS.		
			MANUFACTURER: MANUFACTURER PART:		
115	1.00	EA	0115 - REPLACEMENT DUMP BODY HOIST WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$\$
			HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY)(OR EQUAL) PAINTED AND INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
116	1.00	EA	0116 - STELLAR SLIDER 65 HOOK-LIFT LIFT MACHINE HOIST, (OR EQUAL).	\$	\$\$
			THIS BODY HANDLING SYSTEM IS MOUNTED ON SUITABLE PARISH OWNED TRUCK CHASSIS AND IS CAPABLE OF LOADING, UNLOADING		

INVITATION TO BID FROM JEFFERSON PARISH - continued

28

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			AND DUMPING VARIOUS BODIES 22' LONG WITH THE USE OF A HEXAGONAL SLIDING JIB. COMES WITH A HOOK HEIGHT OF 61.76" THAT MATCHES THE A-FRAME SLIDE THAT GOES UNDER VARIOUS BODIES AND WILL ACCOMMODATE CAPACITIES UP TO 65,000 LBS. MAXIMUM DUMP ANGLE IS 50 DEGREES ON A 41 INCH HIGH TRUCK FRAME FROM THE GROUND COMPLETE WITH FENDER, GANTRY TARP SYSTEM AND REARBUMPER IN READY TO WORK CONDITION. TRUCK CHASSIS MUST HAVE 64,000 LB. GVWR AND A 190" TO 204" CT DISTANCE AND DOUBLE FRAME RAILS CHASSIS FRAME. MANUFACTURER: MANUFACTURER:		
117	1.00	EA	0117 - RUGBY SUB-FRAME HEAVY DUTY HOIST LR2066 (OR EQUAL)	\$	\$\$
			WITH TWIN CYLINDER FOR DUMP BODY USE ON VARIOUS TRUCK BODIES. INSTALLED AND PAINTED BLACK MANUFACTURER MANUFACTURER PART:		
118	1.00	EA	0118 - ROLL BACK EQUIPMENT LOADER 20'L X 8'W WITH EXTRA HEAVY DUTY STEEL	\$	\$\$
			FLATBED TRUCK BODY, BULKHEAD, 12,000 LBS. HYDRAULIC WINCH, DUAL TILT CYLINDERS, FULL ROLL BACK CYLINDERS, PTO, SIDE CONTROLS, FMVSS #108 LIGHTS, FLAPS, PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER PART:		
119	1.00	EA	0119 - HOOK-LIFT TRUCK HYDRAULIC SYSTEM UNIT TO LIFT FLATBED AND DUMP FLATBED	\$	\$\$
			WITH HEAVY DUTY 16'L X 8'W STEEL FLATBED CAB CONTROLS. PTO, MVSS #108 LIGHTS, FLAPS, PAINTED AND INSTALLED. MANUFACTURER:		
			MANUFACTURER PART:		
120	1.00	EA	0120 - BUYERS MODEL PH-15 HOOK ASSEMBLY (OR EQUAL) 15 TON HOOK ASSEMBLY, 15 TON CAPACITY REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED.	\$	\$
			MANUFACTURER:		

DATE: 10/28/2025

INVITATION TO BID FROM JEFFERSON PARISH - continued

29

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
121	1.00	EA	0121 - BUYERS MODEL PH-5 (OR EQUAL) PINTLE HOOK ASSEMBLY 5 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
122	1.00	EA	0122 - BUYERS MODEL BP100A PINTLEHOOK (OR EQUAL) PINTLE HOOK ASSEMBLY 10 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
123	1.00	EA	0123 - BUYERS MODEL BP125 HOOK ASSEMBLY (OR EQUAL)15 TON HOOK ASSEMBLY	\$	\$\$
			REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
124	1.00	EA	0124 - BUYERS MODEL BP760-(OR EQUAL) PINTLE HOOK ASSEMBLY 24.5 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
125	3.00	EA	0125 - BUYERS MODEL BP1238-(OR EQUAL) DRAWBAR EYE 3" I.D. 11 TON	\$	\$\$
			REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
126	1.00	EA	0126 - BUYERS MODEL DB1385-(OR EQUAL) DRAWBAR EYE 3" I.D. 11 TON -	\$	\$\$
			REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
127	1.00	EA	0127 - BUYERS MODEL DB12492H-DRAWBAR EYE (OR EQUAL) DRAWBAR EYE 3" I.D. 22 TON -	\$	\$\$

DATE: 10/28/2025

INVITATION TO BID FROM JEFFERSON PARISH - continued

30

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			REPLACEMENT PINTLE HITCHES AND		
			DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
128	1.00	EA	0128 - BUYERS MODEL DB124949 DRAWBAR EYE (OR EQUAL)DRAWBAR EYE 3" I.D. 22.5 TON	\$	\$\$
			- REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
129	1.00	EA	0129 - MODEL DB1250-15 DRAWBAR EYE E2.5" (OR EQUAL) DRAWBAR EYE 2.5" I.D.	\$	\$\$
			22 TON - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
130	1.00	EA	0130 - MODEL DB1250-3 DRAWBAR EYE 2" (OR EQUAL) DRAWBAR EYE 2" I.D. 7.5 TON	\$	\$\$
			- REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
131	2.00	EA	0131 - BUYERS MODEL PM 107-(OR EQUAL) PINTLE MOUNT PLATE REPLACEMENT.	\$	\$\$
			PINTLE HITCHES AND DRAWBARS NOT INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
132	1.00	EA	0132 - BUYERS MODEL PM812 MOUNT PLATE (OR EQUAL) PINTLE MOUNT PLATE -	\$	\$\$
			REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
133	1.00	EA	0133 - BUYERS MODEL BH81780-COMBO HITCH (OR EQUAL) COMBINATION HITCH 8 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE		

INVITATION TO BID FROM JEFFERSON PARISH - continued

31

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			HITCHES AND DRAWBARS NOT INSTALLED MANUFACTURER: MANUFACTURER PART:		
134	2.00	EA	0134 - BUYERS MODEL BH82000 COMBO HITCH (OR EQUAL)COMBINATION HITCH 8 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
135	1.00	EA	0135 - BUYERS MODEL BH82516-COMBO HITCH (OR EQUAL) COMBINATION HITCH 8 TON	\$	\$\$
			CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
136	1.00	EA	0136 - SERVICE BODY HEAVY DUTY CANOPY TOP 60" INTERIOR HEIGHT, 96" OVERALL	\$	\$\$
			LENGTH, CANOPY TOP TO BE COMPLETED WITH STATIONARY ROOF. ONE GLASS IN FRONT PANEL. ONE GLASS IN EACH REAR SWING DOOR PANEL. TWO FULL LENGTH INTERIOR FLOURESCENT LIGHTS. STAINLESS STEEL DOOR HARDWARE. PAINTED INSIDE AND OUTSIDE ONE COLOR TO MATCH CAB.		
			MANUFACTURER: MANUFACTURER PART:		
137	1.00	EA	0137 - HEAVY DUTY SERVICE TRUCK BODY FOR 60" C/A DUAL REAR WHEEL TRUCK.	\$	\$\$
			108"L X 89"W X 41"H. ALL COMPARTMENTS 20" DEEP.		
			MANUFACTURER: MANUFACTURER PART:		
138	1.00	EA	0138 - ELECTRIC WINCH-8,000 LB. CAPACITY COMPLETE WITH HEAVY DUTY FRONT BUMPER	\$	\$\$
			ASSEMBLY. 4 WAY ROLLER GUIDES, REMOTE CONTROL PENDANT, AND 150' OF CABLE WITH HOOK END (UNIT TO FIT PICK-UPS, CARRYALLS OR 1 TON CAB AND CHASSIS)		
			MANUFACTURER: MANUFACTURER PART:		
139	1.00	EA	0139 - HEAVY DUTY SERVICE TRUCK BODY FOR 84" C/A DUAL REAR WHEEL TRUCK	\$	\$\$

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

UNIT PRICE ITEM **QUANTITY** U/M **DESCRIPTION OF ARTICLES TOTALS NUMBER** QUOTED 132"L X 89"W X 41"H. COMPARTMENTS 20" DEEP. MANUFACTURER: **MANUFACTURER PART:** 140 \$ \$ 0140 - LABELMASTER HEAVY DUTY ALUMINUM 1.00 EΑ FRAME HAZARDOUS MATERIAL PLACECARDS MODEL NUMBER 126-CT/81-8F (OR EQUAL) IN **READY TO WORK CONDITION ON ALL 4 SIDES** OF THE TRUCK BODY, TO BE USED ON **VARIOUS TRUCK BODIES INSTALLED AND** PAINTED OR RAW ALUMINUM FINISH. MANUFACTURER: **MANUFACTURER PART:** 141 Ś \$ 1.00 EΑ 0141 - REAR TOW HOOKS (FRAME MOUNTED) MANUFACTURER: **MANUFACTURER PART:** 142 \$ 0142 - CUTAWAY VAN BODY-(OR EQUAL) 1.00 EΑ SPECIAL 1 1/2 TON HEAVY DUTY LOW MOUNT SIDE ACCESS 1 1/2 CUTAWAY VAN TRUCK CAB AND CHASSIS: **BODY LENGTH - 16 FT. WALK-THRU OPEN PARTITION BETWEEN CAB** AND REAR VAN. **CUTAWAY: FRONT PANELS CUTAWAY FOR FULL ACCESS TO TRUCK CAB INCLUDING** WATER TIGHT SEAL TO CAB. LENGTH: 16'0" MINIMUM INSIDE LENGTH WIDTH: 96" MINIMUM EXTERIOR WIDTH **HEIGHT: 79" INTERIOR HEIGHT FROM** FLOOR TO ROOF BOWS. FLOOR HEIGHT: MAXIMUM 36" UNLOAD FLOOR HEIGHT FROM GROUND. LONGSILLS: 3/8" X 3" STEEL FLAT BAR U-BOLTED TO TRUCK FRAME. **CROSSILLS: 3" STEEL I-BEAMS SPACED** 12" ON CENTERS. FLOORING: 1 1/8" THICK LAMINATED HARDWOOD WITH TWO FLOOR HARDWOOD WITH TWO FLOOR **MAXIMUM PROTECTION CROSS MEMBER** WHEEL WELLS: STEEL WHEEL WELLS OVERREAR TIRES FOR LOW FLOOR TO GROUND HEIGHT. AERODYNAMICS: MINIMUM 12" FRONT ROOF **RADIUS AND 9" FRONT CORNER** RADIUS. TOP FRONT CORNERS: HEAVY DUTY CAST **ALUMINUM CORNER CAPS WITH** RECESSED LIGHTING FOR MAXIMUM

Page 32

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

33

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PROTECTION		
			SIDE POSTS: STEEL Z POSTS ON 16"		
			CENTERS		
			TOP AND BOTTOM RAILS: HEAVY DUTY		
			EXTRUDED ALUMINUM		
			FRONT & SIDE EXTERIOR PANELS: HEAVY GAUGE.050 PRE-PAINTED WHITE		
			ALUMINUM		
			RIVETS: SPACED ON 2" CENTERS ON ALL		
			PERIMETERS		
			ROOF BOWS: ARCHED GALVANIZED STEEL HAT CHANNELS ON 24" CENTERS		
			TENSION INSTALLED WITH NO		
			RIVETS OVER VAN INTERIOR AREA.		
			INTERIOR LINING: FULL HEIGHT 1/2"		
			PLYWOOD ON SIDE WALLS REAR HEADER: HEAVY DUTY STAINLESS OR		
			GALVANIZED STEEL PAINTED WHITE		
			REAR DOOR: HEAVY DUTY OVERHEAD ROLL-UP		
			TYPE REAR DOOR		
			ASSEMBLY REAR DOOR SEALS: FULL PERIMETER WIDTH		
			WATER SEEPAGE THROUGH REAR		
			FLOOR ENTRY.		
			REAR DOOR OPENING: 88" WIDE X 73" HIGH		
			SIDE DOOR: SLIDING PASSENGER SIDE DOOR		
			WITH BUILT IN KEY PUSH BUTTON LOCK		
			SIDE DOOR CONSTRUCTION: MINIMUM 1/2"		
			CORE PREPAINTED WHITE ALUMINUM		
			PLYMETAL WITH SEALED DOOR		
			PERIMETER AND BRUSH CONSTRUCTION		
			SIDE DOOR ENTRANCE: LOCATED 15 1/2		
			FROM INSIDE OF FRONT WALL		
			SIDE DOOR STEPS: BUS STYLE SIDE DOOR.		
			INTERIOR TWO STEPS TO INTERIOR FLOOR.		
			SIDE DOOR STEP SIZES: MINIMUM		
			40" WIDE X 10" DEEP X 8" HIGH		
			SIDE DOOR CONSTRUCTION: SKID RESISTANT SAFETY TREAD		
			PLATE ALUMINUM		
			REAR BUMPER: HEAVY DUTY STRUCTURAL CHANNEL REINFORCED FULL WIDTH		
			SKID-RESISTANT 12" DEEP STEP		
			BUMPER WITH CLOSED VERTICAL		
			PLATE TO PREVENT UNDER SLIP		
			AND RECESSED LIGHT AND LICENSE BRACKETS		
			INTERIOR LIGHTS: TWO INTERIOR DOME		
			LIGHTS WITH SWITCH AT SIDE		
			DOOR ENTRANCE.		
			EXTERIOR LIGHTS: FMVSS #108 EXTERIOR VAN LIGHTS RECESSED FOR		
			MAXIMUM PROTECTION.		
			FUEL FILL NECK: RECESSED INTO VAN		
			BOTTOM RAIL.		
			MANUFACTURER: MANUFACTURER PART:		
			MANOI ACIONENT ANT.		

DATE: 10/28/2025

INVITATION TO BID FROM JEFFERSON PARISH - continued

34

Page

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
143	3.00	EA	0143 - DOT APPROVED HEAVY DUTY SOLID BULKHEAD PARTITION 48" FRONT	\$	\$\$
			FROM FRONT OF VAN		
			MANUFACTURER: MANUFACTURER PART:		
144	25.00	FT	0144 - SOLID WELDED SAFETY TREADPLATE STEEL VAN BODY FLOORING	\$	\$\$
			PRICE PER LINEAR FOOT OF VAN BODY		
			MANUFACTURER: MANUFACTURER PART:		
145	1.00	EA	0145 - INSULATED VAN SIDES, ROOF & REAR BULKHEAD WITH MINIMUM 2" INSULATION	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
146	13.00	EA	0146 - POWERED VENITLATOR IN VAN ROOF	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
147	1.00	EA	0147 - STATIONARY WINDOW IN SIDE DOOR EACH.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
148	2.00	EA	0148 - SLIDING WINDOW IN SIDE DOOR EACH	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
149	1.00	EA	0149 - ADDITIONAL DRIVER'S SIDE DOOR IN VAN BODY AS SPECIFIED ABOVE	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
150	1.00	EA	0150 - VEHICLE AND VAN BODY 194" WHBS18' EXACTLY AS SPECIFIED ABOVE EXCEPT 194"	\$	\$\$
			WHEELBASE AND 18' VAN BODY (ALTERED		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

35

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			VEHICLE CERTIFICATION TO DOT FOR APPLICABLE FMVSS COMPLIANCE AS OF DATE MUST BE INCLUDED IF VEHICLE WHEELBASE IS ALTERED) MANUFACTURER:		
			MANUFACTURER PART:		
151	1.00	EA	0151 - TRAILER TOWING PACKAGE	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
152	5.00	EA	0152 - FULL LENGTH 24" W HEAVY DUTY STORAGE SHELVES ATTACHED TO VAN	\$	\$\$
			INTERIOR SIDE WALLS FABRICATED OF 1/4" X 3" X 3" STRUCTURAL STEEL ANGLE PERIMETER FRAME WORK REINFORCED TO VAN FLOORING AND WITH REINFORCED 10 GAUGE EXPANDED FLOORING, PRICE PER SHELF.		
			MANUFACTURER: MANUFACTURER PART:		
153	1.00	EA	0153 - ADRIAN MODEL 2252 (OR EQUAL) ELECTRICAL CONTRACTOR COMBINATION	\$	\$\$
			INTERIOR STORAGE BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE.		
			MANUFACTURER: MANUFACTURER PART:		
154	1.00	EA	0154 - EXTRA HEAVY DUTY 70,000 LB. CAPACITY HYDRAULIC WINCH ASSEMBLY,	\$	\$\$
			COMPLETE WITH TWO-SPEED MOTOR, 100' OF 1" DIAMETER WIRE ROPE WITH 4' TAILCHAIN AND HOOK, CABLE ROLLER GUIDES, SECOND HYDRAULIC SYSTEM FOR HYDRAULICALLY REMOVAL GOOSENECK TRAILER CAB AIR CONTROLS, HEADACHE RACK, SERVICE PLATFORM, COMBINATION ALUMINUM STEP-UPS /TOOLBOXES ON EACH SIDE, HEAVY DUTY FULL ALUMINUM FENDERS, REAR FLAPS, 7" DIAMETER TAILROLLER 2260 EXTRA HEAVY HEAVY DUTY 70,000 LB SKID PLATES, UNDER -RIDE GUARD, AIRSLIDE FIFTH WHEEL, LOAD LIGHTS, 15" STROBE TYPE FLASHING LIGHT, AND BINDER RACKS INCLUDING COMPLETE INSTALLATION IN READY TO WORK CONDITION ON PARISH SUPPLIED HEAVY DUTY TRACTOR.		
			MANUFACTURER: MANUFACTURER PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

36

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
155	1.00	EA	0155 - ARM-LIFT MODEL NUMBER TK-41(OR EQUAL)AERIAL DEVICE. HORIZONTAL REACH OF 29'WORKING HEIGHT OF 41' BUCKET CAPACITY OF 350 LBS; STOWED TRAVEL HEIGHT OF NINE FEET, EIGHT INCHES (9'8"); WEIGHT OF LIFT 3,300 LBS.; BASED ON 40 INCH FRAME H EIGHT-ALL DIMESION NORMAL WITH STANDARD PEDESTAL HEIGHT OF 39 INCHES TALL; HYDRAULIC SYSTEM OPERATING PRESSURE OF 2,500 PSI; FLOW RATE 6 GPM; FILTRATION 10 MICRON; 100 MESH SUCTION; SYSTEM TYPE OPEN CENTER; POWER SOURCE PTO/PUMP; BOOM ACTION OUTER/INNER BOOM TRAVEL-14 DEGREES TO +74 DEGREES; LOWER +88 DEGREES; INNER BOOM EXTENSION 96";	\$	\$
156	2.00	EA	ROTATION 360 DEGREES CONTINUOUS; RETRACTED 0 INCHES; MANUAL; PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONS DECALS. MANUFACTURER: MANUFACTURER PART: 0156 - RAILGATE DESIGN LIFTGATE MOUNTED	\$	\$
			TO REAR OF VAN, MINIMUM SPECIFICATIONS AS FOLLOWS: RAILGATE DESIGN(OR EQUAL)WITH LEVEL RIDE FULL TRAVEL UP AND DOWN FOR MAXIMUM STABILITY AND SAFETY. MINIMUM 2,000 LBS. LOAD CAPACITY. PLATFORM SIZE 90" WIDE BY 42" DEEP PLUS 5" FULL WIDTH LOAD RAMP. TORSION BAR ASSIST PLATFORM CLOSING. SELF-CONTAINED WEATHERPROOF 12 RAILGATE DESIGN LIFTGATE MOUNTED SIDE MOUNT RECESSED TOGGLE SWITCH CONTROL. ICC APPROVED UNDERRIDE PROTECTION - INSTALLED		
157	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0157 - HEAVY DUTY SERVICE TRUCK BODY FOR	\$	\$\$
			40"CA TRUCK CHASSIS,80"1 X 80"W X 41"H, SIX COMPARTMENTS 12 GA. GALVANIZED STEEL COMPARTMENTS AND DOORS, WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS ALL STAINLESS STEEL DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR,HEAVY DUTY REAR BUMPER WITH HITCH RECESS, FMVSS #108 RECESSED LIGHTS, LIGHTS, TAILGATE UNDERCOATED, PAINTED TO MATCH TRUCK AND INSTALLED		

INVITATION TO BID FROM JEFFERSON PARISH - continued

37

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
			MANUFACTURER: MANUFACTURER PART:			
158	1.00	EA	0158 - VERTICAL LIFT & TRAVERSING AERIAL PLATFORM, SCISSOR LINK LIGHTING DESIGN	\$	\$\$	
			WITH MINIMUM FOUR LIFT CYLINDERS MINIMUM 60"L X 90"W ALUMINUM WORK PLATFORM TO TRANSVERSE 60" IN BOTH DIRECTIONS, 42" HIGH FOLDING HANDRAIL FOLDING ACCESS STEPS TO WORK PLATFORM, VERTICAL STABILIZERS, MINIMUM 29'6" WORKING HEIGHT MINIMUM 1,500 LBS. CAPACITY, FULLY HYDRAULIC OPERATION WITH UPPER AND LOWER VERTICAL LIFT AND TRAVERSING AERIAL TO PREVENT LIFTING WITHOUT OUTRIGGERS EXTENDED AND TO PREVENT TRUCK MOVEMENT WITH PLATFORM RAISED, UNIT TO MEET ALL APPLICABLE ANSI AND OSHA REGULATIONS, INSTALLED ON PARISH OWNED VEHICLE.			
			MANUFACTURER: MANUFACTURER PART:			
159	1.00	1.00	EA	0159 - COMPLETE CAB GUARD FOR TREE- TRIMMING OPERATIONS FABRICATED OF	\$	\$\$
			MINIMUM 2" STEEL TUBE FRAME REINFORCEMENT WITH MINIMUM #3 EXPANDED METAL COVER.			
			MANUFACTURER: MANUFACTURER PART:			
160	1.00	EA	0160 - RECEIVER TYPE ELECTRIC WINCH ASSEMBLY, MINIMUM 8,000 LB. CAPACITY,	\$	\$\$	
			COMPLETE WITH 75' CABLE, ROLLER GUIDES, REMOTE HAND CONTROLLER, AND WIRING TO FRONT AND REAR OF VEHICLE.			
			MANUFACTURER: MANUFACTURER PART:			
161	30.00	EA	0161 - SPRAY-ON TYPE 8' PICKUP BED FULL LINER INCLUDING TAILGATE	\$	\$\$	
			(RHINO OR EQUAL)			
			MANUFACTURER: MANUFACTURER PART:			
162	1.00	EA	0162 - OPTIONAL AIR CONDITIONING AND HEATING SYSTEM IN ANIMAL CONTROL TRUCK	\$	\$\$	
			BODIES IN ADDITION TO THE STANDARD			

REVISED PER ADDENDUM #1

DATE: 10/28/2025

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

38

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FORCE AIR VENTILATION SYSTEM MANUFACTURER: MANUFACTURER PART:		
163	1.00	EA	0163 - HEAVY DUTY VALVE EXCERSIER SERVICE TYPE UTILITY TRUCK SYSTEM.	\$	\$\$
			WACHS MODEL TM-7(OR EQUAL) VALVE EXCERSIZER ASSEMBLY INCLUDING AN AUTOMATIC COMPUTER CONTROL, 2,500 LBS. TORQUE SYSTEM WITH ELECTRONIC TORQUE AND DIRECTION CONTROL, ELECTRONIC REVOLUTIONARY COUNTER, INTEGRAL 2,000 PSI AUXILLIARY HYDRAULIC CIRCUIT, PRESSURE GAUGE,TWO 8' LONG VALVE KEYS WITH 2" UNIVERSAL SOCKET, INCLUDES RUGGEDIZED CONTROLLER/DATA LOGGER ASSEMBLY INCLUDING RECON PDA STYLE PC, TACTICAL MOUNT, 12 VOLT VEHICLE CHARGE KIT, CONTROL CABLE AND PELICAN WATERPROOF CASE. BLUETOOTH ADAPTER FOR SUPPLY AND INSTALL A HEAVY DUTY PTO WITH HYDRAULIC PUMP 10GPM@2000 PSI CONNECT ALL HYDRAULICS BETWEEN PUMP, COOLER AND VALVE MACHINE. CHECK SYSTEM FOR PROPER OPERATION.		
			MANUFACTURER: MANUFACTURER PART:		
164	1.00	EA	0164 - CUSTOM FABRICATED A-FRONT CRADLE TO STORE A LOADER GRAPPLE ATTACHMENT ON	\$	\$\$
			THE FRONT OF THE TRUCK FRAME FOR TRANSPORTING. CONSTRUCTED OF HEAVY DUTY CHANNEL AND HEAVY DUTY TUBING. THE SUPPORT ARMS THAT EXTEND OVER THE HOOD NEED TO BE REMOVABLE. PRIMED AND PAINTED ONE COLOR.		
			MANUFACTURER: MANUFACTURER PART:		
165	1.00	EA	0165 - VMAC PTO DRIVEN AIR COMPRESSOR THAT IS DIRECT TRANSMISSION MOUNTED AS	\$	\$\$
			A HEAVY STORAGE SOLUTION, MODEL NUMBER DTM70(OR EQUAL) IN READY TO WORK CONDITION TO BE USED ON VARIOUS TRUCK BODIES INSTALLED IN RAW ALUMINUM FINISH.		
			MANUFACTURER: MANUFACTURER PART:		
166	1.00	EA	0166 - HEAVY DUTY ALUMINUM LOADING RAMP 800 LB. MINIMUM CAPACITY, COMPLETE WITH	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

39

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			UNDERBODY SLIDE OUT TYPE STORAGE BRACKET WITH ROLLERS, INSTALLED UNDER VAN TRUCK BODY. MANUFACTURER: MANUFACTURER PART:		
167	1.00	EA	0167 - HEAVY DUTY GOOSENECK TRAILER 2-5/16" BALL HITCH ASSEMBLY, HIDE-A-WAY	\$	\$\$
			TYPE, 30,000 LB. TRAILER GVWR CAPACITY, THRU-BOLTED TO TRUCK FRAME IN ACCORDANCE WITH APPLICABLE DOT REGULATIONS,INSTALLED IN EITHER FLATBED OR PICKUP BODY.		
			MANUFACTURER: MANUFACTURER PART:		
168	2.00	EA	0168 - ALUMINIMUM 6 COMPARTMENT PERSONNEL LOCKER, 88"W X 12"H X 12"D,	\$	\$\$
			10 GAUGE CONSTRUCTION, SIX DOORS WITH CONTINUOUS HINGES AND TWIST TYPE HASP LOCKS, INSTALLED ON FRONT TOP OF INTERNAL BULKHEAD WALL IN CREW-VAN TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
169	1.00	EA	0169 - ALUMINUM 6 COMPARTMENT TOOL LOCKER 88" W X 24" H X 36" D, 10 GAUGE	\$	\$\$
			CONSTRUCTION, SIX DOORS WITH CONTINUOUS HINGES AND TWIST TYPE HASP LOCKS, INSTALLED ON FRONT TOP OF PEEKOVER IN CREW-VAN TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
170	1.00	EA	0170 - ALUMINUM TROUGH TYPE TOOLBOX 10 GAUGE CONSTRUCTION, 88" W X 24" H X	\$	\$\$
			24" D, INSTALLED ON TOP REAR OF INTERNAL BULKHEAD IN CREW-VAN TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
171	1.00	EA	0171 - ALUMINUM COFFIN TYPE TOOLBOX 10 GAUGE CONSTRUCTION, 88" W X 24" H X	\$	\$\$
			24" D, SINGLE TOP LID WITH CONTINUOUS		

REVISED PER ADDENDUM #1

DATE: 10/28/2025

INVITATION TO BID FROM JEFFERSON PARISH - continued

40

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			HINGES AND LOCK, INSTALLED ON BOTTOM REAR OF INTERNAL BULKHEAD IN CREW-VAN TRUCK BODY MANUFACTURER: MANUFACTURER PART:		
172	1.00	EA	0172 - ALUMINUM GAS CAN STORAGE	\$	\$\$
			10 GAUGE CONSTRUCTION, 24" L X 36" H X 24" D, SINGLE SIDE DOOR WITH CONTINUOUS HINGE AND LOCK, INSTALLED ON BOTTOM REAR CURBSIDE INTERIOR VAN WALL WITH FUME VENTS THROUGH SIDE WALL.		
			MANUFACTURER: MANUFACTURER PART:		
173	5.00	EA	0173 - SHOVEL,RAKE,BROOM STORAGE RACK 1/4" STEEL CONSTRUCTION, CAPABLE OF	\$	\$\$
			HOLDING NINE TOOLS, PAINTED BLACK AND INSTALLED IN UPPER LEFT SIDE INTERIOR WALL OF CREW-CAB TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
174	1.00	EA	0174 - WHEEL BASE REDUCTION-20,000- 30,000 GVWR TRUCK CHASSIS INCLUDING	\$	\$\$
			VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION.		
			MANUFACTURER: MANUFACTURER PART:		
175	1.00	EA	0175 - WHEELBASE EXT. UP TO OR OVER 33,000 LB. GVWR TRUCK CHASSIS,INCLUDING	\$	\$\$
			VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION.		
			MANUFACTURER: MANUFACTURER PART:		
176	1.00	EA	0176 - WHEEL BASE REDUCTION UP TO 48 I ON 20,000-33,000 LB. BVWR TRUCK CHASSIS	\$	\$\$
			INCLUDING VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTS REGULATIONS AS OF DATE OF ALTERATION.		
			MANUFACTURER: MANUFACTURER PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

41

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
177	1.00	EA	0177 - WHEEL BASE EXT. UP TO 48' OVER 33,000 LBS. GVWR TRUCK CHASSIS.	\$	\$\$
			INCLUDING VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION.		
			MANUFACTURER: MANUFACTURER PART:		
178	1.00	EA	0178 - TRACTOR WET-LINE KIT FOR DUMP TRAILER APPLICATION COMPLETE WITH PTO,	\$	\$\$
			CAB AIR CONTROLS, MINIMUM 28GPM HYDRAULIC PUMP @ 2500 PSI, MARRIED TO PTO, MINIMUM 55 GALLON HYDRAULIC RESERVOIR TANK WITH SHUT-OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULIC HOSES WITH NON-DRIP QUICK COUPLERS TO MATCH PARISH OWNED DUMP TRAILERS.		
			MANUFACTURER: MANUFACTURER PART:		
179	5.00	EA	0179 - TRACTOR DUEL PURPOSE WET-LINE KIT FOR DUMP TRAILER AND ROLL-OFF TRAILER	\$	\$\$
			APPLICATION (INCLUDING HYDRAULIC LOWBOY TRAILERS) COMPLETE WITH PTO, CAB AIR CONTROLS, TANDEM MINIMUM 55 GALLON HYDRAULIC RESERVOIR TANK WITH SHUT OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULIC HOSES WITH NONDRIP QUICK COUPLERS TO MATCH PARISH OWNED DUMP TRAILRES, ROLL-OFF TRAILERS, AND HYDRAULIC LOWBOY TRAILERS.		
			MANUFACTURER: MANUFACTURER PART:		
180	1.00	EA	0180 - HVY DUTY SERVICE TRUCK BODY 108" C/A TRUCK CHASSIS 156"L X 94" W X 41"H	\$	\$\$
			EIGHT COMPARTMENTS, 12 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOORS, WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS, ALL STAINLESS STEEL DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR, HEAVY DUTY REAR BUMPER WITH HITCH RECESS, FMVSS #108 RECESSED LIGHTS TAILGATE, UNDERCOATED, PAINTED TO MATCH TRUCK CAB, AND INSTALLED. MANUFACTURER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

42

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
181					4
101	1.00	EA	0181 - HVY DUTY SERVICE TRUCK BODY 120" C/A TRUCK CHASSIS, 168"L X 94"W X 41"H	\$	\$
			EIGHT COMPARTMENTS, 12 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR, HEAVY DUTY REAR BUMPER WITH HITCH RECESS, FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED TO MATCH TRUCK CAB AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
182	1.00	EA	0182 - ANIMAL CONTROL TYPE BODY (SWAB MODEL ARF-8 ANIMAL TRANPORT TRUCK BODY)	\$	\$\$
			(OR EQUAL) SUPPLY AND INSTALL ON SUITABLE 3/4 TON 6" C/A PICK-UP TRUCK 8' LONG BED WITH ALL THE FOLLOWING SPECIFICATIONS: FIBERGLASS CONSTRUCTION, 98"L X 78"H OVERALL, 20"W X 30" H X 32" DEEP COMPARTMENTS. SET OF SIX SAFETY DOORS AND ANIMAL COMPARTMENTS. ONE PIECE STORAGE COMPARTMENT, 750CFM FRESH AIR BLOWER, FRESH AIR BLOWS INTO ALL AIR CONDITIONING IS ADDED). EECO TYPE MODEL #510 (OR EQUAL) 97 DECIBLE BACK- UP ALARM, 8" DIAMETER REAR VIEW BLIND SPOT MIRROR. BODY SAFETY LIGHTS, FOUR WAY FLASHERS. ONE YEAR WARRANTY, ANIMAL CONTROL BODY INSTALLED. MANUFACTURER:		
			MANUFACTURER PART:		
183	25.00	FT	0183 - PRICE PER LINEAR FOOT REFRIGERATED VAN TRUCK BODY (INCLUDING UNIT) TO ADD FOR DECREASE BODY LENGTH.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
184	1.00	EA	0184 - HEAVY DUTY CHIPPER TYPE TRUCK BODY ASSEMBLY, 16"L X 52"H	\$	\$\$
			X 96"W. MINIMUM 10 GAUGE REINFORCED STEEL CONSTRUCTION, COMPLETE WITH REMOVABLE VENTER TOP COVER ON FRONT 1/3 OF BODY. DOUBLE FULL OPENING REAR SWING GATES 36"H WITH CAMLOCKS AND SAFETY BAR LOCK. TWO UNDERBODY STORAGE BOXES MINIMUM 60"L X 18"H X 18"D, UNDERRIDE GUIDE GUARD, MUD FLAPS,FMVSS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

43

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LIGHTS, PAINTED JEFFERSON PARISH WHITE (FOR USE WITH EITHER HEIL TWIN OR HEIL HEAVY DUTY CHIPPER TELESCOPIC OR UNDERBODY TYPE HOISTS). MANUFACTURER: MANUFACTURER PART:		
185	1.00	EA	0185 - HEAVY DUTY 10 TON TRUCK CRANE 22 FT-56 FT. THREE SECTION PROPORTIONAL	\$	\$\$
			BOOM. 3 SHEAVE BOOM HEAD (TO ALLOW 3 PARTING OF LINE), CONTINUOUS ROTATION, 360 DEGREE AREA OF OPERATION, FRONT CENTER STABALIZER (TO ALLOW 360 DEGREE AREA OF OPERATION). HORIZONTAL BOOM REST IN LIEU OF COLLAR REST, HYDRAULIC CAPACITY ALERT SYSTEM, A-FRAME 10 FT. SPAN REAR STABILIZERS, ELECTRONIC FOOT THROTTLE (AS REQUIRED FOR NON-MECHANICAL ENGINES) EXTRA-HEAVY DUTY 18FT. SAFETY HEAVY DUTY 10 TON TRUCK CRANE, 22FT 56FT. TREADPLATE STEEL FLATBED, BRADEN MODEL PD12C2, SPEED HOIST WITH "LAY-A-WAY" FEATURE, 200FT. OF 9/16 INCH 6 X 37 IWRC WIRE ROPE, ANIT-TWO BLOCK WITH FUNCTION LOCKOUT, A-FRAME 16FT X 7 1/2 IN SPAN OUTRIGGERS AT PEDESTAL, OUTRIGGER AND STABILIZER AUDIO/VISUAL MOTION ALARM, 21FT. TORSION BOX FOR 18FT. FLATBED, ELECTRONIC BACK-UP ALARM, ICC SAFETY KIT TO MEET DOT HEAVY DUTY 10 TON TRUCK CRANE, 22FT 56FT. WITH TWO GATE VALVES ON SUCTION LINES 60 GALLON HYDRAULIC OIL TANK WITH FILTER STRAINER AND LOCKABLE FILLER CAP WITHOUT LOCK, SIGHT LEVEL, AND TEMPERATURE GAUGE, DUAL OPERATOR CONTROL STATIONS AND AUDIBLE AWARENESS WARNING HORN, BOOM LENGTH AND ANGLE INDICATORS, ONE SET OPERATOR AND SERVICE MAINTENANCE MANUALS, PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS ONE YEAR FULL FACTORY WARRANTY.		
186	1.00	EA	0186 - HEAVY DUTY HYDRAULIC ARTICULATING BOOM TRASH LOADER, 70,000 FT. LBS.	\$	\$\$
			RATING, 0' HORIZONTAL REACH FROM CENTERLINE OF PEDESTAL, 6' VERTICAL REACH BELOW GRADE WITH GRAPPLE, 31'7" ABOVE GROUND BASED ON 40" TRUCK FRAME HEIGHT, 5,050 LBS. MAXIMUM LOADER WEIGHT WITHOUT GRAPPLE, MINIMUM 12' 2" OUTRIGGER SPAN AT FULL EXTENSION, 28" MOUNTING SPACE BEHIND CAB, 24/24 GPM		

INVITATION TO BID FROM JEFFERSON PARISH - continued

44

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TANDEM PUMP, 50 GALLONS RESERVOIR, MINIMUM LIFTING CAPACITIES FROM HEAVY DUTY HYDRAULIC ARTICULATING CENTERLINE OF PEDESTAL TO BE 13,000 LBS. @5' 0", 7,170 LBS. @ 10' 0", 5,070 LBS. @5' 0", 3,500 LBS. @ 20' 0" TOP PEDESTAL TO BE MOUNTED ON LEFT SIDE OF PEDESTAL WITH OPERATOR ACCESS STEPS AND GUARD RAIL, HEAVY DUTY GEARBOX AND TURNABLE BEARING TO ASSUME SMOOTH AND PRECISE OPERATION FOR 360 DEGREES CONTINUOUS BOOM ROTATION,INTEGRAL MOUNTED HEAVY DUTY PTO/TANDEM HYDRAULIC PUMP WITH MINIMUM 24/24 GPM @ 2500 PSI, HEAVY DUTY HYDRAULIC ARTICULATING TANDEM CIRCUIT DESIGN TO ALLOW OPERATION OF TWO SELECTED FUNCTIONS SIMULTANEOUSLY WITHOUT LOSS OF POWER, THE HYDRAULIC SYSTEM IS TO BE OPEN CENTERED TYPE WITH WITH SUCTION LINE STRAINER, AIR BREATHER, RETURN LINE FILTER, AND A STACK TYPE CONTROL VALVE, UNIT TO INCLUDE LOAD HOLDING VALVES AND/OR VELOCITY FUSES ON ALL BOOM, BOOM EXTENSION, AND OUTRIGGERS CYLINDERS A SWING CONTROL VALVE IS TO BE HEAVY DUTY HYDRAULIC ARTICULATING PROVIDED TO CONTROL THE ROTATION OF THE CRANE UNDER LOAD, "A" FRAME STYLE OUTRIGGERS WITH INDIVIDUAL CONTROLS. OUTRIGGERS TO HAVE INTERNALLY MOUNTED CYLINDERS FOR SIMULTANEOUS OUT AND DOWN OPERATION, HEAVY DUTY BULK WASTE TYPE GRAPPLE WITH CONTINUOUS HYDRAULIC ROTATION TO BE PROVIDED, COMPLETED UNIT TO COMPLY WITH AND BE CERTIFIED TO ALL APPLICABLE AND CURRENT ANSI, ASME, DOT, DOTD, FMVSS, AND OSHA HEAVY DUTY HYDRAULIC ARTICULATING SAFETY STANDARDS FOR THIS TYPE OF EQUIPMENT, COMPLETE INSTALLATION ON PARISH TRUCK. MANUFACTURER:		
187	1.00	EA	MANUFACTURER PART: 0187 - AUTOMATED SANDBAG SYSTEM TO BE INSTALLED ON REAR OF EXISTING DUMP TRUCK BODY, 3,000 BAG PER HOUR	\$	\$\$
			CAPACITY, COMPLETE WITH AUXILIARY 8 GPM HYDRAULIC SYSTEM TO POWER SANDBAGGER SYSTEM, DUAL DISPENSING HOPPERS, TWO SPEED ELECTRIC/HYDRAULIC DRIVE MOTORS, DUAL MICRO-SWITCH LOAD CONTROL BARS, DUAL CONVEYOR BELTS PRODUCT MOVEMENT SYSTEM CAPABLE OF HANDLING SAND, MUD, OR ROCKS, SYSTEM CAPABLE OF INSTALLATION OR REMOVAL AUTOMATED SANDBAG SYSTEM FROM REAR OF DUMP BODY BODY IN 30 MINUTES OR LESS.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

45

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
188	1.00	EA	MANUFACTURER: MANUFACTURER PART: 0188 - ALUMINUM CAB GUARDS COMPLETE WITH JAIL-HOUSE WINDOWS, DUAL LOCABLE BINDER RACKS, CHAIN TRAY, AND COMPLETE INSTALLATION ON TRUCK TRACTOR IN ACCORDANCE WITH APPLICABLE DOT REGULATIONS. MANUFACTURER: MANUFACTURER: MANUFACTURER PART:	\$	\$\$
189	1.00	EA	0189 - 20 FT. INSULATED ALUMINUM REFRIGERATED VAN TRUCK BODY FOR TRANSPORTING FRESH AND FROZEN FOOD PRODUCTS, FORKLIFT/PALLET JACK REINFORCED FLOORING, MINIMUM INTERIOR HEIGHT OF 98", 102" OVERALL WIDTH, NON-SLIP EXTRUDED ALUMINUM FLOORING, 224" HIGH INTERIOR WALL SCUFF LINER, 1/8" KEMLITE INTERIOR WALLS, .050 GAUGE ALUMINUM EXTERIOR PANELS, MINIMUM 3" URETHANE FOAM-IN-PLACE INSULATION IN SIDE WALLS AND 4" URETHANE FOAM-IN-	\$	\$\$
			PLACE 20FT. INSULATED ALUMINUM REFRIGERA INSULATION IN CEILING AND FLOOR, 2" INSULATED OVERHEAD REAR DOOR, DIESEL POWERED REFRIGERATION UNIT WITH AUTOMATIC CAB CONTROLS AND 220 VOLT ELECTRIC STANDBY, CAPABLE OF MAITAINING -10 DEGREES INTERIOR TEMPERATURE WITH 98 DEGREE EXTERIOR TEMPERATURES, FULL WIDTH REAR STEP BUMPER, INTERIOR DOME LIGHT, FMVSS BODY LIGHTS, FLAPS, AND COMPLETE INSTALLATION ON PARISH OWNED TRUCK, PRICE PER LINEAR 20FT. INSULATED ALUMINUM REFRIGERATED FOOT OF REFRIGERATED VAN TRUCK BODY (INCLUDING UNIT) MANUFACTURER: MANUFACTURER PART:		
190	1.00	EA	0190 - VANAIR RC40 (OR EQUAL) 9HYD. RECIPROCATING AIR COMPRESSOR-40 CFM@175 PSI. 100% DUTY CYCLE, MINIMUM 15 AIR RESERVOIR WITH 1/2 X 50 AIR REEL AND FILTER INSTALLED IN REAR CS COMPARTMENT , PLUMBED TO ACCESS OUTSIDE BOX ON REAR WALL FACES OF BODY. ALL INSTALLED IN READY TO WORK CONDITION. MANUFACTURER: MANUFACTURER PART:	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

46

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
191	1.00	EA	0191 - VMAC DTM70(OR EQUAL)PTO DRIVEN	\$	\$
	1.00	EA	AIR COMPRESSOR-70 CFM@175 PSI. COMPONENTS INCLUDE MECHANICAL REGULATOR, AIR/OIL SEPARATOR TANK, COOLER, HEATER, REMOTE HEAVY DUTY AIR FILTER AND DIGITAL CONTROL BOX WITH ON/OFF BUTTON MOUNTED IN CAB OF TRUCK, ALL INSTALLED IN READY TO WORK CONDITION. MANUFACTURER: MANUFACTURER PART:	Ψ	<u> </u>
192	1.00	EA	0192 - CYCLONE CY5000(OR EQUAL) SELF-CONTAINED RIDING SURFACE CLEANER WITH FULL RECOVERY ENCLOSED CAB DESIGN WITH HEATER AND AIR CONDITION. 34' CLEANING PATH WITH VARIABLE PRESSURE FROM 1,200 TO 4,000 PSI AT 5 GPM DEEP CLEANING, HOT WATER PRESSURE CLEANING WITHOUT CHEMICALS. ENVIRONMENTALLY FRIENDLY, CLEAN WITH ONLY WATER, FULL RECOVERY CONTROLS: ALL CLEANING ACTIONS CONTROLLED FROM THE OPERATOR SEAT WITH ERGONOMIC OPERATOR INTERFACE. STEERING-FRONT WHEEL STEERING WITH HYDRAULIC POWER ASSIST WATER PUMP; TRIPLEX PLUNGER CAPABLE OF 4,350 PSI AT 5 GPM 360 GALLON SUPPLY AND RECOVERY TANK CURB CLEANER AND PRESSURE WAND WITH 25' OF HOSE WITH REEL CLEANING ATTACHMENTS; STANDARD MODEL INCLUDES HIGH PRESSURE CURB AND GUTTER CLEANING SYSTEM AND HIGH PRESSURE CLEANING WAND SYSTEM WITH 25' OF HOSE WITH REEL, BACKUP CAMERA, REAR ACCESS LADDER, CONTRACTOR LIGHT KIT, DOT SAFETY PACKAGE START UP PARTS KIT, 18 GALLON FUEL TANK. ENGINE-2.8L CUMMINS TURBODIESEL 74 HP GRADEABLE: 20%, RUN TIME:UP TO ONE HOUR, WEIGHT-EMPTY 5,280 LBS. FULL-8,282 LBS. PARTS KIT PACKAGE 8, ON-SITE TRAINING. PRODUCTIVITY: UP TO 20,000 FT. PER HOUR. DIMENSIONS: 154"L X 56" X 77.5. WARRANTY: PARTS AND LABOR ON YEAR, TRAVEL 6 MONTHS. EXCLUDES MINOR ADJUSTMENTS AND WEAR PARTS. MANUFACTURER: MANUFACTURER PART:	\$	\$
193	1.00	EA	0193 - TAG OR PUSHER LIFTING AXLE ASSEMBLY, 25,000 LB. CAPACITY, FULL AIR POWER UP AND DOWN, 250,000 MILE	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

47

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			WARRANTY (EXCEPT AIR BAGS) COMPLETE WITH CAB RAISE/LOWER CONTROL, EXTERIOR PRESSURE CONTROL, AND FOUR 11.00R22.5 STEEL RADIAL TIRES MOUNTED ON STEEL DISC HUB PILOTED WHEELS, INSTALLED ON PARISH OWNED TRUCK. MANUFACTURER: MANUFACTURER PART:		
194	1.00	EA	0194 - PICKUP TRUCK REAR BUMPER FOLDING	\$	\$\$
			CRANE ASSEMBLY, 1,000 CAPACITY, MANUAL ERECTION AND FOLDING, 12 VOLT ELECTRIC WINCH HOIST, INSTALLED ON REAR OF PARISH OWNED PICKUP OR ONE TON TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
195	1.00	EA	0195 - STATIONARY GASOLINE ENGINE DRIVER AIR COMPRESSOR; 12 1/2 HP ENGINE	\$	\$\$
			WITH 12 VOLT ELECTRIC STARTER, FUEL PUMP, 15 AMP GENERATOR, FULL PRESSURE LUBRICATION, 5 GALLON FUEL TANK, AUTOMOTIVE TYPE AIR FILTER, SELFCLEANING VALVE, DUCTILE IRON COUNTERBALANCE CRANKSHAFT, TWO STAGE CAST IRON AIR COMPRESSOR, 175 PSI MAXIMUM PRESSURE © 25.1 CFM 30 GALLON ASME CODED AIR RESERVOIR TANK WITH SAFETY VALVE, TANK DRAIN, PRESSURE GAUGE, AND SHUT OFF STATIONARY GASOLINE ENGINE 3/8" X 100 FT. AIR HOSE, BALL STOP, AND QUICK COUPLER END; INSTALLED IN PARISH OWNED PICKUP TRUCK, SERVICE TRUCK, OR FLATBED TRUCK, WITH HINGED WEATHER GUARD TOP OVER COMPRESSOR ASSEMBLY.		
196	1.00	EA	0196 - TRUCK CHASSIS FRAME ""FISHPLATE"" REINFORCEMENT TO INCREASE SECTION	\$	\$\$
			MODULES RATING BY 10.0 POINTS. MANUFACTURER: MANUFACTURER PART:		
197	1.00	EA	0197 - CAR-CARRIER TRUCK BODY ASSEMBLY WITH 3,000 LB. INDEPENDENT WHEEL LIFT TOWBAR, STAINLESS STEEL WHEEL SIMULATORS 19' THRU 21' LENGTHS - 96" WIDTH, STEEL DECK 10,000 LB. CAMPACITY REPLACABLE	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

48

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			HIGH PERFORMANCE POLYMER WEAR PADS, INTEGRATED DECK HOLD DOWN AND TOOLBOX MOUNTS, ANTI-SAIL MUDFLAPS, ABRAISION RESISTANT HYDRAULIC HOSED, CLUTCH PUMP WITH WARNING LIGHT, HYDRAULIC RESERVOIR WITH FILTER, OIL LEVEL, AND TEMPERATURE GAUGE, 8,000 LB THRU 12,000 LB CAPACITY CAR-CARRIER TRUCK BODY ASSEMBLY AND CABLE ROLLER GUIDES ON WINCH, DELUXE BOLT-ON STEEL HEADBOARD, REMOTE FREE SPOOL ON WINCH, REMOVABLE RAISED SIDE RAILS, REINFORCED AND TAPERED APPROACH TIP TWO KEYSLOTS AT FRONT OF DECK, TWO MID-DECK, AND FOUR AT REAR DECK, FMVSS LIGHT GROUP WITH WIRING HARNESS AND WEATHER LIGHT CONNECTIONS, TWO CHAIN AND BINDER TRAYS RECEPTABLE FOR AUXILIARY TOW LIGHTS HYDRAULIC OUT ON DECK TILT FUNCTION HYDRAULIC COUNTER BALANCE CAR-CARRIER TRUCK BODY ASSEMBLY CONTROL STATIONS, BUILT IN SAFETY CHAINS WITH STORAGE POCKETS, V-CHAIN WITH CLUSTER HOOKS, TIE DOWN CHAINS WITH RATCHET AND CLUSTER HOOKS, TWO 36"-48" UNDERDECK TOOL STORAGE BOXES, FEDERAL 60" SIX HEAD JETSTROBE LIGHT WITH STRAP, TURN, TAIL, AND FLOOD LIGHTS, TWEO 4"RUBBER WORK LIGHTS, UNITY SWIVEL SPOT LIGHT, 4 SWITCH IN-DASH PANEL.		
			ALL SAFETY EQUIPMENT TO MEET STATE AND CAR-CARRIER TRUCK BODY ASSEMBLY FEDERAL STANDARDS. ALL UNITS TO BE DELIVERED, COMPLETELY ASSEMBLED, TO THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT 4901 JEFFERSON HIGHWAY, SUITE A		
			JEFFERSON, LA 70121 UPON COMPLETION OF ASSEMBLY, COMPLETE WITH INVOICE AND CERTIFICATE OF ORIGIN DELIVERY IS TO BE SIGNED FOR BY FLEET MANAGEMENT PERSONNEL FOR STORAGE PURPOSES ONLY.		
			FINAL ACCEPTANCE AND PAYMENT WILL BE TO THE ABOVE CAR-CARRIER TRUCK BODY ASSEMBLY MEETING SPECIFICATIONS.		
			PARISH HAS THREE (3) WORKING DAYS AFTER DELIVERY FOR INSPECTION PURPOSES TO DETERMINE IF THE ABOVE MEETS JEFFERSON PARISH SPECIFICATIONS. IF IT DOES NOT NECESSARY CORRECTIONS ARE TO BE MADE BY THE VENDOR AT VENDOR'S EXPENSE, AND IS NOT CONSIDERED AS WARRANTY WORK.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

49

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			VENDORS MUST FURNISH TWO (2) COPIES OF OPERATORS MANUAL AND TWO (2) COPIES OF SERVICE MANUAL. ALL INVOICES WILL SHOW CAR-CARRIER TRUCK BODY ASSEMBLY G.V.W. UNIT MUST COMPLY WITH STATE AND FEDERAL SAFETY REGULATIONS. THE ABOVE MAY RETAIN MANUFACTURER'S NAME BUT DEALER'S NAME SHALL NOT APPEAR EITHER BY PAINTING, DECAL OR METAL NAME PLATE. DEALERS ARE REQUESTED TO FILL IN THE RIGHT SIDE OF THE SPECIFICATIONS SHEET WITH THE INFORMATION CONCERNING WHAT THEY PROPOSE TO FURNISH, WHEN BELOW THE STANDARD SPECIFIC AT ION		
			STANDARD SPECIFIED IN THE SPECIFICATION THEN THIS SHOULD BE NOTED ON THE CAR-CARRIER TRUCK BODY ASSEMBLY SHEET.		
			BIDDERS ARE REQUESTED TO FILL IN THE TERMS OF SALE SHOWN ON THE FIRST SHEET OF BID SHEET, AND SIGN THE BID SHEET. PLEASE SPECIFY TERMS OF WARRANTY, WARRANTY AND REPAIR SERVICES. THE BIDDER WILL MAKE AVAILABLE TO JEFFERSON PARISH A FULL SERVICE WITHIN APPROXIMATELY THIRTY MILES FROM THE		
			JEFFERSON PARISH FLEET MANAGEMENT, 4901 JEFFERSON HIGHWAY, SUITE A, CAR-CARRIER TRUCK BODY ASSEMBLY JEFFERSON, LA 70121.		
			THIS FACILITY SHALL BE CAPABLE AND WILLING TO PERFORM FULL WARRANTY SERVICES AND NORMAL REPAIR SERVICES AND ADEQUATE SPARE PARTS SUPPORT ON THE COMPLETE UNIT WHICH IS BEING BID ON. THIS STIPULATION IS ALSO REQUIRED ON ALL COMPONENTS AND ACCESSORIES WHICH ARE ADDED TO, OR INSTALLED ON THE BASE VEHICLE OR EQUIPMENT.		
			THE DIRECTOR OF FLEET MANAGEMENT OR HIS CAR-CARRIER TRUCK BODY ASSEMBLY REPRESENTATIVE RESERVES THE RIGHT TO ACCEPT OR REJECT BID PROPOSALS BASED UPON THEIR INSPECTION OF THE SERVICE FACILITIES PRIOR TO ACCEPTANCE OF ANY BIDS.		
			LIST ALL SERVICE FACILITIES, NAME AND ADDRESS, OUTLINING THE COMPONENTS OF THE VEHICLE/EQUIPMENT THAT ARE TO BE SERVED AT EACH LOCATION. "FOB DELIVERED DESTINATION" QUANTITIES LISTED ARE FOR BIDDING CAR-CARRIER TRUCK BODY ASSEMBLY PURPOSES ONLY. ACTUAL REQUIREMENTS MAY BE MORE OR LESS THAN QUANTITIES LISTED.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

50

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
198	1.00	EA	0198 - PAIR EXTRA HEAVY DUTY ALUMINUM TANDEM FENDER ASSEMBLY,	\$	\$\$
			MINIMUM 1/4 IN. TREAD PLATE ALUMINUM CONSTRUCTION WITH PERIMETER 1/4 IN X 21 IN X 2 IN ALUMINUM ANGLE REINFORCEMENT AND EXTRA HEAVY DUTY MOUNTING BRACKTS BOLTED THROUGH TO TRUCK FRAME. INSTALLED ON PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
199	1.00	EA	0199 - HEAVY DUTY PICKUP TRUCK RACK DOUBLE 2 INCH: HIGH STRENGTH, ROUND TUBE	\$	\$\$
			FRAMING FULL LENGTH OF PICKUP BODY AND EXTENDING TO WINDSHIELD, 51" INSIDE WIDTH, FOUR 2" SQUARE CROSSBARS, REMOVABLE REAR BROSSBAR, WELDED TIE-DOWN CLEATS, PAYLOAD CAPACITY TO EXCEED TRUCK BED WALL CAPACITY, BLACK COLOR, TO FIT ALL FULL-SIZED DOMESTIC PICKUP TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
200	1.00	EA	0200 - HEAVY DUTY FRONT GRILL GUARD ASSEMBLY TO COVER FRONT OF TRUCK	\$	\$\$
			INCLUDING HEADLIGHTS WITH HINGED MECHANISM TO ACCOMODATE FORWARD TILTING HOODS. GRILL GUARD TO FIT ALL LIGHT MEDIUM, AND HEAVY DUTY DOMESTICK TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
201	1.00	EA	0201 - AERIAL DEVICE 15,000 GVWR 84"" AERIAL DEVICE FULL INSTALLED IN READY-	\$	\$\$
			TO-WORK CONDITION ON PARISH OWNED 15,000 GVWR 84" C/A TRUCK CHASSIS AND INCLUDING A HEAVY DUTY AERIAL TYPE SERVICE TRUCK BODY, HEAVY DUTY TORSION BAR REAR STABILIZER, AUTOMATIC THROTTLE CONTROL, UPPER & LOWER CONTROLS, BOOM TRAVEL SUPPORT, BUCKET TRAVEL SUPPORT SAFETY BELT & LANYARD, 12 VOLT EMERGENCY POWER SYSTEM, BUCKET COVER & LINER, ACCESS STEPS TO BUCKET, BACKUP AERIAL DEVICE 15,000 GVWR 84" ALARM, 15" STROBE FLASHING LIGHT AND PAINTED		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

51

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PAINTED JEFFERSON PARISH FLEET COLOR. INSTALLED UNIT IS TO STRICTLY COMPLY WITH ANSI A922-1990 AND ANY OTHER SAFETY STANDARDS IN EFFECT AT TIME OF DELIVERY.		
			MANUFACTURER: MANUFACTURER PART:		
202	2.00	EA	0202 - DRIVER ACCESS GRAB HANDLE MINIMUM 16" LONG, CHROME OR STAINLESS	\$	\$\$
			CONSTRUCTION, INSTALLED AT LOCATION ON TRUCK AS SPECIFIED BY USING DEPARTMENT.		
			MANUFACTURER: MANUFACTURER PART:		
203	1.00	EA	0203 - PICKUP TRUCK DUMPBODY ASSEMBLY 3 CU. YARD PICKUP TRUCK DUMP BODY	\$	\$\$
			ASSEMBLE, 6000LB. LOAD CAPACITY, FRONT MOUNT TELESCOPIC HOIST MINIMUM 14 GA. GALVANEELED STEEL BOX CONSTRUCTION STAKE POKETS ON THREE SIDES, FULL WIDTH & DEPTH DOUBLEE ACTING TAILGATE TO SWING OUT OF DROP DOWN, CONTROL SWITCH IN CAB ENTIRE ASSEMBLY INCLUDING POWER PACK TO BE IN ONE INTEGRAL UNIT, PAINTED BLACK, TO FIL ALL FULL SIZE DOMESTIC PICKUP TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
204	1.00	EA	0204 - REPLACEMENT DUMP BODY-HEIL MODEL LD 10/12YD (OR EQUAL) 13'L X 8'W	\$	\$\$
			ALUMINUM DUMP BODY SLUDGE TYPE TAILGATE ASSEMBLY, INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND ALUMINUM CAB PROTECTOR.		
			MANUFACTURER: MANUFACTURER PART:		
205	5.00	EA	0205 - REPLACE DUMP BODY-HEIL MODEL HPT 17/19 YD.DUMP(OR EQUAL)	\$	\$\$
			16'L X 8'W DUMP BODY WITH SLANT FORWARD TAILGATE, PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS AND CAB PROTECTOR.		
			MANUFACTURER: MANUFACTURER PART:		
206	1.00	EA	0206 - REPLACEMENT DUMP BODY HOIST HEIL MODEL HPT63-140 HOIST (OR EQUAL)	\$	\$\$

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

52

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			INSTALLED WITH MARRIED PTO AND CAB CONTROLS.		
			MANUFACTURER MANUFACTURER PART:		
207	1.00	EA	0207 - ADD ONE LEAF SPRING TO REAR SPRING PACK AS NEEDED ON PARISH OWNED	\$	\$\$
			TRUCK CHASSIS FOR NEW EQUIPMENT INSTALLED LEVEL OFF NEEDS.		
			MANUFACTURER: MANUFACTURER PART:		
208	2.00	EA	0208 - ADD TWO LEAF SPRINGS TO REAR SPRING PACK AS NEEDED ON PARISH	\$	\$\$
			OWNED TRUCK CHASSIS FOR NEW EQUIPMENT INSTALLED LEVEL OFF NEEDS.		
			MANUFACTURER: MANUFACTURER PART:		
209	2.00	EA	0209 - AUTO CRANE BOOM SUPPORT FOR CRANE STORAGE, INSTALLED AND	\$	\$\$
			PAINTED TRUCK CHASSIS FOR NEW EQUIPMENT IN READY TO WORK CONDITION ON PARISH OWNED FLATBED OR SERVICE BODY.		
			MANUFACTURER: MANUFACTURER PART:		
210	1.00	EA	0210 - TIGER(OR EQUAL)CRANE SPRING LOADED BOOM SUPPORT FOR CRANE SAFE	\$	\$\$
			STORAGE, INSTALLED AND PAINTED IN READY TO WORK CONDITION ON PARISH SUITABLE FLATBED OR SERVICE BODY.		
			MANUFACTURER: MANUFACTURER PART:		
211	1.00	EA	0211 - CRANE REINFORCEMENT SUPPORT UNDER THE CRANE WITH STEEL HEAVY DUTY	\$	\$\$
			PLATE, STEEL TUBE AS NEEDED FOR STRENGTH AND SAFE CRANE USE. ALL INSTALLED AND PAINTED IN READY TO WORK CONDITION ON FLATBED OR SERVICE BODY.		
			MANUFACTURER: MANUFACTURER PART:		
212	1.00	EA	0212 - ELEVEN FOOT LONG WHEEL SERVICE CRANE BODY, 84" C/A EAGLE PRO I	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

53

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			47K FT. LBS., WITH WORKBENCH, 22" DEEP X 5" TALL CABINETS, RAISED 60" TALL CS CABINET FOR C/A, PRESSURIZED CABINETS. STANDARD SHELF PACKAGE FOR COMPARTMENTS WITHOUT DRAWER UNITS. WILL MOUNT ON CHASSIS WITH 19/5" TIRES. INCLUDES 2250' BOLT ON HEADACHE RACK, GRAB HANDLES AND FOLDING STEPS TO DECK AREA. 33 GALLON HYD TANK INCLUDES 10 MICRON FILTER, DRAIN VALVE AND LEVEL GAUGE WITH THERMOMETER. ATTACHES TO WORKBENCH ON SS, REAR ACCESS BOX FOR AIR, HYDRAULIC INSTALLATION KIT FOR OUTRIGGERS. WORK BENCH BUMPER WITH INTERNAL BOX FOR STORAGE. INCLUDES FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED ON PARISH OWNED TURCK CHASSIS. BODY REQUIRES THE FOLLOWING: 19,500 GVWR TRUCK SIZE WITH AN 84" C/A DISTANCE, FACTORY PTO PROVISION, AND 7K FRONT AXLE. MANUFACTURER: MANUFACTURER PART:		
213	1.00	EA	D213 - HVY DUTY SERV TRUCK CRANE 8,000 LBS.CAPACITY AT 5' RADIUS, FULL HYDRAULIC POWER, POWER BOOM ELEVATION, POWER HOIST, POWER ROTATION, POWER EXTENDSION FROM 10' TO 16' WITH MANUAL EXTENSION TO 20', 55FT./MIN SINGLE LINE SPEED,8 GPM @ 2,500 PSI TRUCK HYDRAULIC POWER SOURCE WITH 8 GALLON RESERVOIR, STRAINER, RETURN LINE FILTER, AND SIGHT GAUGE, 24 FT. REMOTE CONTROL PENDANT, 95 FT. OF 3/8" 14,400 LBS. SINGLE LINE BREAK STRENGTH AIRCRAFT HEAVY DUTY SERVICE TRUCK CRANE-8,000 LBS. CABLE, 370 DEGREE ROTATION, AUTOMATIC OVERLOAD PROTECTION FOR HOIST UP, BOOM EXTEND, AND BOOM DOWN FUNCTIONS, NON-DIPPING SWIVEL BLOCK WITH LATCH, -5 TO +75 DEGREE BOOM ELEVATION,UNIT TO MEET OSHA 1910.180 REQUIREMENTS AND ANSI B30.5 SAFETY STANDARDS, ADDITIONAL CHARGE FOR EITHER CRANE REINFORCEMENT IN TRUCK BODY OR UPCHARGE TO CRANE-TYPE SERVICE TRUCK BODY, TWO ADDITIONAL LEAF SPRINGS IN RIGHT REAR SPRING PACK TO HEAVY DUTY SERVICE TRUCK CRANE- 8,000 LBS. LEVEL TRUCK AFTER CRANE INSTALLATION 145" MINIMUM SPREAD MANUAL OUT, MAN CRANK DOWN REAR OUTRIGGER ASSEMBLY, BOOM SUPPORT PEDESTLB FOR TRAVEL (UNIT FOR MINIMUM 20,500 LB GVWR TRUCK CHASSIS OR HEAVIER) MANUFACTURER: MANUFACTURER PART:	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

54

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
214	1.00	EA	0214 - 5000 POUND FULL HYDRAULIC CRANE POWER EXTENSION TO 26'6. EASE OF USE- 20 FT. USEFULL, FULL POWER ROTATION 370 DEGREE MOVEMENT TO MAXIMUM VERSITILITY IN LIFTING. CAPABLE OF LIFTING AT 100% IN ALL POSITIONS. INSTALLED ON TITAN CRANE BODIES WITHOUT OUTRIGGERS. MAXIMUM CAPACITY FOR LIFTING. RADIO	\$	\$\$
			REMOTE CONTROL PENDANT. CRANE WEIGHT 1390 LBS. SINGLE LINE SPEED 60 FT. PER MINUTE. 80' OF 5/16 AIRCRAFT CABLE. STOWED BOOM LENGTH 10'4. HYDRAULIC REQUIREMENTS: 8GPM @ 2750 PSI. ADJUSTABLE SPEED SETTINGS 25% TO 100%. CRANE REQUIRES THE FOLLOWING: 14,5000 GVWR MINIMUM TRUCK SIZE. CRANE WEIGHT 1,390 LBS., EXTENDED BOOM LENGTH 20'6", WIDTH-19.75", HEIGHT-2'11.75", BASE PLATE DIMENSIONS-16.75 X 16.75", BOOM DOWN 11-15 SECONDS (FULL STROKE OF CYLINDER)_, BOOM RETRACT 10-14 SECONDS. FULL TWO YEAR WARRANTY, PAINTED WHITE AND INSTALLED.		
215	4.00	F4	MANUFACTURER: MANUFACTURER PART:	خ	<u>.</u>
213	1.00	EA	0215 - HEAVY DUTY SERVICE TRUCK CRANE CRANE 3200 LBS. CAPACITY AT 3' ELECTRIC/HYDRAULIC POWER. 360 DEGREE CONTINUOUS HYDRAULIC ROTATION. BOOM ELEVATION. 7' TO 11' HYDRAULIC BOOM EXTENSION WITH 11' TO 15' MANUAL BOOM EXTENSION. AUTOMATIC OVERLOAD PROTECTION 17' REMOTE CONTROL PENDANT. 60' OF 1/4 AIRCRAFT CABLE WITH SWIVEL BLOCK, HOOK, & SAFETY LATCH. CRANE REINFORCEMENT IN RIGHT REAR CORNER OF SERVICE HEAVY DUTY SERVICE TRUCK CRANE 3200 LB IN RIGHT REAR SPRING PACK, 145" MINIMUM SPREAD MANUAL OUT. MANUAL CRANE DOWN REAR OUTRIGGERS, AND BOOM SUPPORT PEDESTAL. MANUFACTURER: MANUFACTURER: MANUFACTURER	\$\$	\$
216	1.00	EA	0216 - 14,000 POUND CRANE HYDRAULIC POWER EXTENSION TO 29'. EASE OF USE- FULL. CONTINUOUS POWER ROTATION 400 DEGREE MOVEMENT FOR MAXIMUM VERSITILITY IN LIFTING. INSTALLED ON STI CRANE BODIES WITHOUT OUTRIGGERS. RADIO REMOTE	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

55

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PISTOL GRIP CONTROL, CRANE WEIGHT- 3,140 LBS., EXTENDED BOOM LENGTH-29' OVERALL STORED LENGHT-164", HEIGHT-46", 1/2 X 120' FEET WINCH CABLE, 11 DEGREES TO +75 DEGREES BOOM ANGLE. 10 GPM@ 3000 PSI-OPEN CENTER HYDRAULICS. FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED ON PARISH OWNED TRUCK CHASSIS; CRANE REQUIRES THE FOLLOWING: 33,000 GWWR MINIMUM TRUCK SIZE WITH A 120" C/A DISTANCE.		
217	1.00	EA	MANUFACTURER PART: 0217 - HEAVY DUTY 25 TON CRANE, 27 FT. TO 90 FT FOUR SECTION PROPORTIONAL	\$	\$\$
			BOOM, THREE SHEAVE BOOM HEAT (TO ALLOW THREE PARTING OF LINE) CONTINUOUS ROTATION, 360 DEGREE AREA OF OPERATION, FRONT CENTER STABALIZER (TO ALLOW 360 DEGREE AREA OF OPERATION), HORIZONTAL BOOM REST IN LIEU OF COLLAR REST, HYDRAULIC CAPACITY ALERT SYSTEM, A-FRAM 12 FT. SPAN FRONT STABILIZERS AND OUT AND DOWN 10 FT. SPAN REAR STABALIZERS, ELECTRONIC FOOT THROTTLE (AS REQUIRED)		
			MANUFACTURER: MANUFACTURER PART:		
218	1.00	EA	0218 - HEAVY DUTY SERVICE TRUCK CRANE 4,000 LB CAPCITY AT 4 FT. ELECTRIC	\$	\$\$
			OVER HYDRAULIC POWER. 360 DEGREE CONTINUOUS ROTATION. HYDRAULIC POWER BOOM EXTENSION, MANUAL BOOM EXTENSION TO 16 FT. AUTOMATIC OVERLOAD PROTECTION DEVICE, 80 FT OF 5/16 IN. 9800 LB. SINGLE LINE BRAKE STRENGTH A CRAFT CABLE WITH SWIVEL BLOCK. HOOK SAFETY LATCH, CRANE REINFORCEMENT IN REAR RIGHT CORNER OF SERVICED TRUCK AFTER INSTALLAION. 145. IN. SPEED MANUAL SLIDE OUT AND CRANK DOWN OUTRIGGER ASSEMBLY. BOOM SUPPORT PEDESTAL INSTALLED ON PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
219	1.00	EA	0219 - CRANE OVERHAUL TO AUTO CRANE 3203 PRX-15 SERVICE TRUCK CRANES TO INCLUDE REPAIR OR REPLACEMENT OF WORN GEAR ON SWING MOTOR. ELECTRIC MOTOR ON HOIST WINCH. ANTI-TOW LOCK SYSTEM	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

56

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			AND CONTROL PENDANT AND WIRING. MANUFACTURER: MANUFACTURER PART:		
220	1.00	EA	0220 - 0-8,600 POUND CRANE WITH FULL HYDRAULICS, POWER EXTENSION TO 30'.5". EASE OF USE-50 RFPM NO LOAD SINGLE LINE WINCH SPEED. AUTO II SPEED, WIRELESS JOYSTICK CONTROL WITH PROPORTIONAL TRIGGER AND LCD LOAD DISPLAY, INTEGRATE	\$	\$\$
			FILTRATION WITH VISUAL BYPASS ALERT, 400 DEGREES ROTATION, ANTI-TWO-BLOCK, OVERLOAD PROTESTION NOTIFICATION HORN AND 33 FT. TETHER CORD. 16" HEX BOOM AR ADDITIONAL LEAF SPRING ADDED TO REAR DISTANCE DECALS ON SIDE OF BOOM ARM, ADDITIONAL LEAF SPRINGS ADDED TO REAR SPRING PACK FOR CRANE SIDE OF THE BODY. HYDARULIC INSTALLATION. FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED ON PARISH OWNED TRUCK CHASSIS. CRANE REQUIRES THE FOLLOWING: 19,500 GVWR MINIMUM TRUCK SIZE WITH AN 84' C/A DISTANCE.		
			MANUFACTURER: MANUFACTURER PART:		
221	1.00	EA	0221 - REMOVE AND REBUILD OR REPLACE DEFECTIVE MOTOR ON CRANE MODEL 3203 SERVICE CRANES. MANUFACTURER: MANUFACTURER PART:	\$	<u>\$</u>
222	1.00	EA	0222 - BUMPER CRANE. 1350 LB. CAPACITY 12V-DC POWERED FROM VEHICLE BATTERY. 10 FT. HAND HELD PENDANT CONTROL. 360 DEGREE CONTINUOUS MANUAL ROTATION. BUILT IN OUTRIGGER. 2 IN. RECEIVER HITC POWER COATED BLACK. ALUMINIUM DIAMOND PLATE COVER. 45 IN. FIXED BOOM LENGTH, BOOM HEIGHT OF 77 IN. AND 85 IN. FLIP OVER CENTER STEP. BUMPER BUILT TO BODY WIDTH. INSTALLTION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER:	\$	\$
223	1.00	EA	0223 - HEAVY DUTY SERVICE TRUCK CRANE 4,000 LB. CAPACITY AT 4 FT. ELECTRONIC HYDRAULIC POWER. 360 DEGREE CONTINUOUS	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

57

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			HYDRAULIC ROTATON. BOOM ELEVATED 8FT TO 12 FT. HYDRAULIC BOOM EXTENSION TO 16 FT. AUTOMATIC OVERLOAD PROTECTION 18 FT. REMOVE CONTROL PENDANT. 880 FT X 5/16 FT. AIR CRAFT CABLE WITH SWIVE BLOCK, HOOK, AND SAFETY LATCH. REMOVAL OF EXISTING USED CRANE. INSTALLED ON CRANE REINFORCED BODY COMPLETE WITH OUTRIGGERS. BOOM SUPPORT AND SPRING PACKAGE.		
			MANUFACTURER: MANUFACTURER PART:		
224	1.00	EA	0224 - HEAVY DUTY SERVICE TRUCK CRANE 3,200 LB. CAPACITY AT 3 FT ELECTRONIC/	\$	\$\$
			HYDRAULIC POWER. 360 DEGREE CONTINUOUS HYDRAULIC ROTATION. BOOM ELEVATION 7 FT. TO 11 FT. TO 15 FT. MANUAL BOOM EXTENSION. AUTOMATIC OVERLOAD PROTECTION 17 FT. REMOTE CONTROL PENDANT. 60 FT. X 1/4 AND SAFETY LATCH. REMOVAL OF EXISTING CRANE. INSTALLED ON CRANE REINFORCED BODY COMPLETE WITH OUTRIGGERS BOOM SUPPORT AND SPRING PACKAGE		
			MANUFACTURER: MANUFACTURER PART:		
225	1.00	EA	0225 - HEAVY DUTY TRUCK CRANE, 7,000 LBS CAPACITY AT 5 FT. FULL HYDRAULIC POWER.	\$	\$\$
			370 DEGREE NON-CONTINUOUS HYDRAULIC ROTATION. POWER BOOM EXTENSION TO 20 FT 6 IN. 8 GPM AT 2.75 PSI. TRUCK HYDRAULIC POWER SOURCE WITH RESERVOIR TANK, STRAINER, RETURN LINE FILTER AND SIGHT PROTECTION. PRESSURE TRANSDUCER TYPE SENSING. 25 FT. REMOTE CONTROL PENDANT. 95 FT OF 3/8 INCH AIRCRAFT CABLE WITH SWIVEL BLOCK HOOK AND SAFETY LATCH. UNIT TO MEET OSHA 1920 180 AND ANSI B30, 5 STANDARDS. INSTALLED ON CUSTOMER'S CRANE READY SERVICE BODY FOR A MINIMUM 38,000 FT. CRANE PACKAGE. PRICE INCLUDES PTO TO LEVEL TRUCK AFER CRANE INSTALLATION. UNIT FOR A MINIMUM 14,5000 GVWR TRUCK CHASSIS OR HEAVIER.		
			MANUFACTURER: MANUFACTURER PART:		
226	1.00	EA	0226 - HEAVY DUTY SERVICE TRUCK CRANE 8,000 LB. CAPACITY AT 5 FT 3 IN. RADIUS	\$	\$\$
			FULL HYDRAULIC POWER. 370 DEGREE NON- CONTINUOUS HYDRAULIC ROTATION. POWER		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

58

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BOOM ELEVATION.HYDRAULIC BOOM EXTENSION TO 20 FT. 6 IN. 6 GPM AT 2.750 PSI. TRUCK HYDRAULIC POWER SOURCE WITH A RESEVOIR TANK, STRAINER, RETURN LINE FILTER AND SIGHT GAUGE. AUTOMATIC OVERLOAD PROTECTION. PRESSSURE TRANSDUCER TYPE SENSING. 25. FT. REMOTE CONTROL PENDANT, 95 FT. OF 3/8 IN. AIRCRAFT CABLE WITH SWIVEL BLOCK HOOK AND SAFETY LATCH. UNIT TO MEET OSHA 1910 180 AND ANSI B30.5 STANDARDS INSTALLED ON CUSTOMER'S CRANE READY SERVICE BODY FOR A MINIMUM 49,000 FT. LB. CRANE PACKAGE PRICE TO INCLUDE PTO AND HYDRAULIC PUMP, BOOM SUPPORT, AND SPRING REINFORCEMENT PACKAGE TO LEVEL TRUCK AFTER CRANE INSTALLATION. UNIT FOR MINIMUM 19,5000 GVWR TRUCK CHASSIS OR HEAVIER.		
227	1.00	EA	0227 - HEAVY DUTY SERVICE CRANE 12,000	\$	\$\$
			LB. CAPACITY AT 6 FT RADIUS. FULL HYDRAULIC POWER. EQUIPPED WITH 370 DEGREE NON-CONTINUOUS HYDRAULIC ROTATION. POWER BOOM ELEVATION TO 30 FT. 15 GPM AT 2800 PSI TRUCK HYDRAULIC POWER SOURCE WITH RESEVOIR TANK,STRAINER RETURN LINE FILTER AND SIGHT GAUGE. AUTOMATIC OVERLOAD PROTECTION. PRESSURE TRANSDUCER TYPE SENSING. RADIO REMOTE CONTROL. SINGLE LINE SPEED 60 FT. PER MIN 120 FT. OF 7/16 IN. 21,000 LBS. SINGLE LINE BREAK STRENGTH AIRCRAFT CABLE WITH BLOCK,HOOK, AND SAFETY LATCH. UNIT TO MEET OSCHA 1910, 180 AND ANSI B30.5 STANDARDS. INSTALLED ON CUSTOMER CRANE READY SERVICE BODY FOR A MINIMUM 70,000 FT. LB. CRANE PACKAGE. PRICE TO INCLUDE PTO AND HYDRAULIC PUMP. BOOM SUPPORT AND SPRING REINFORCEMENT PKG. LEVEL TRUCK AFTER CRANE INSTALLATION. UNIT FOR A MINIMUM 29,000 GVWR TRUCK CHASSIS OR HEAVIER. MANUFACTURER: MANUFACTURER:		
228	1.00	EA	0228 - HEAVY DUTY SERVICE CRANE BODY 38,000 FT. LBS. FOR AN 84 IN C/A DUAL	\$	\$\$
			WHEEL TRUCK 133 IN. L X 94 IN. W X 58 IN HIGH CARGO AREA 50 INCH.FLAT DOOR HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GAUGE TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

59

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			36 GALLON HYDRAULIC OIL TANK AND BULK HEAD. INTERGRAL CRANE REINFORCEMENTS UP TO 38,000 FT. GLVS ON THE REAR CURBSIDE COMPARTMENT. 20 FT. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE, REAR TOW HITCH FOR HEAVY DUTY TRAILER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTISAIL MUDFLAPS. PAINTED AND INSTALLED MANUFACTURER:		
229	1.00	EA	0229 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT LBS. FOR AN 84 INCH C/A DUAL	\$	\$\$
			WHEEL TRUCK. 133 IN L X 94 IN W X 58 IN HIGH CARGO AREA. 50 IN. FLAT FLOOR. EIGHT COPARTMENTS. 14 GAUGE GALVANIZED STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCK-IN T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. 36 GALLON HYDRAULIC OIL TANK AND BULK HEAD. INTERGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LBS. ON THE REAR CURB COMPARTMENT. 20 IN. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE, REAR TOW HITCH FOR HEAVY DUTY TRAILER 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI-MUD FLAPS, PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER:		
230	1.00	EA	0230 - HEAVY DUTY SERVICE CRANE BODY 50,000 FT. LBS. FOR AN 84 IN C/A DUAL	\$	\$\$
			WHEEL TRUCK. 133 IN. L X 94 IN. W X 58 IN H. CARGO AREA 50 FT. FLAT FLOOR. EIGHT COMPARTMENTS, DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD- PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. 36GA. HYDRAULIC OIL TANK AND BULK HEAD. 50,000 FT LBS. ON THE REAR CURBSIDE COMPARTMENT. 24 IN. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER-16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI-		

INVITATION TO BID FROM JEFFERSON PARISH - continued

60

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SAIL MUD FLAPS. PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER PART:		
231	1.00	EA	0231 - HEAVY DUTY SERVICE CRANE BODY 85,000 FT. LBS. FOR A 120 IN C/A DUAL	\$	\$\$
			WHEEL TRUCK. 169 IN L X 58 IN H CARGO AREA. 50 IN. FLAT FLOOR. TEN COMPARTMENT 14 GA. GALVANIZED STEEL COMPARTMENTS DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER AND DIVIDERS. 12 GA TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. HYDRAULIC OIL TANK AND BULKHEAD. INTERGRAL CRANE REINFORCEMENTS UP TO 85,000 FT. LBS. ON REAR CURBSIDE COMPARTMENT. 30 IN. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE. HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED. THIS BODY DESIGNED FOR THE 12 CRANE 120" C/A 14' LONG BODY MIN. 33,000 GVWR TRUCK CHASSIS NEEDED		
			MANUFACTURER: MANUFACTURER PART:		
232	1.00	EA	0232 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT. LBS. FOR 84" C/A DUAL WHEEL	\$	\$\$
			TRUCK 133" L X 94" W X 58" H. CARGO AREA 50" FLAT FLOOR. EIGHT COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDELES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR TIE DOWNS. INTEGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LBS. ON THE REAR TOW HITCH FOR HEAVY DUTY TRAILER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR ON ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
233	1.00	EA	0233 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT LBS. FOR A 60" C/A DUAL	\$	\$\$
			WHEEL TRUCK. 108" L X 94 W X 58 H. CARGO AREA 50: FLAT FLOOR, EIGHT COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENTS. DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER		

INVITATION TO BID FROM JEFFERSON PARISH - continued

61

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TIGHT DOOR SEALS. FULL INERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. INTEGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LB ON THE REAR CURBSIDE COMPARTMENT. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRIALER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
234	1.00	EA	0234 - HEAVY DUTY SERVICE CRANE BODY 38,000 FT. LBS. FOR A 84" C/A DUAL	\$	\$\$
			WHEEL CARGO AREA. 50" FLAT FLOOR. EIGHT COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. CRANE PAD ON REAR TOP COMPARTMENTS. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER 16,000 LBS. FMVSS 107 RECESSED LIGHTS. ONE PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
235	1.00	EA	0235 - HEAVY DUTY TRI BALL MOUNT INSERT PAINTED BLACK. SOLID SHANK TUBE TOWING BALLS ARE 1 7/8" AND 2 5/16". MANUFACTURER: MANUFACTURER PART:	\$	\$\$
236	1.00	EA	0236 - 5000 LB CRANE ELECTRIC OVER HYDRAULIC POWER EXTENSION TO 20'6". EASE F USE-FULL. CONTINUOUS POWER ROTATION 370 DEGREE MOVEMENT FOR MAXIMUM VERSITILITY IN LIFTING. CAPABLE OF LIFTING AT 100% IN ALL POSITIONS. INSTALLED ON TITAN CRANE BODIES WITH OUTRIGGERS. MAXIMIZED CAPACITY FOR LIFTING. RADIO REMOTE CONTROL PENDANT. CRANE WEIGH 1390 LBS. SINGLE LINE SPEED 60 FT. PER MINUTE. 80' OF 5/16' AIR-CRAFT CABLES. STOWED BOOM LENGTH 10'4. HYDRAULIC REQUIREMENTS-8 GPM@2750 PSI. ADJUSTABLE SPEED SETTING 25% TO 100% CRANE REQUIREMENTS; 14,500 GVWR MINIMUM TRUCK SIZE. CRANE WEIGHT 1,390 LBS.	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

62

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			EXTENSION BOOM LENGHT 20'6", WIDTH- 1'9.75, HEIGHT-2'11.75", BASE PLATE- 16.75" X 16.75", BOOM DOWN 11-15 SECONDS (FULL STROKE OF CYLINDER) BOOM RETRACT 10-14 SECONDS. FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED. MANUFACTURER: MANUFACTURER:		
237	2.00	EA	0237 - ELECTRIC WINCH - 12,000 LB COMPLETE WITH HEAVY DUTY FRONT	\$	\$\$
			BUMPER ASSEMBLY, 4 WAY ROLLER GUIDES, REMOTE CONTROL PENDANT AND 150' OF CABLE WITH HOOK END (UNIT TO FIT ALL DOMESTIC PICKUPS, CARRYALLS, OR 1 TON TRUCKS)		
			MANUFACTURER: MANUFACTURER PART:		
238	3.00	EA	0238 - ELECTRIC WINCH - 15,000 LB COMPLETE WITH HEAVY DUTY FRONT	\$	\$\$
			BUMPER ASSEMBLY, 4 WAY ROLLER GUIDES, REMOTE CONTROL PENDANT, AND 150' OF CABLE WITH HOOK END (UNIT TO FILL ALL DOMESTIC PICKUPS, CARRYALLS, OR 1 TON TRUCKS)		
			MANUFACTURER: MANUFACTURER PART:		
239	1.00	EA	0239 - AUTOMATED SANDBAG SYSTEM MOUNTING BRACKETS AND HYDRAULIC POWER	\$	\$\$
			SYSTEM WITH CONTROLS INSTALLED ON EXISTING PARISH OWNED DUMP TRUCK (FOR EQUIPPING ADDITIONAL DUMP TRUCKS FOR AUTOMATED SANDBAG SYSTEM CAPABILITY)		
			MANUFACTURER: MANUFACTURER PART:		
240	1.00	EA	0240 - INSIDE-OUTSIDE RAILROLL OFF HOIST SYSTEM FOR CONTAINERS UP TO 22'L,	\$	\$\$
			60,000 LBS. CAPACITY 4" X 8" X 1/2" STRUCTURAL TUBE FRAME WITH SUBFRAME, 47 GALLON OIL RESERVOIR, OUTSIDE CONTROLS, DUAL SINGLE STAGE DOUBLE ACTING 6" BORE X 80" STROKE, LTFT CYLINDERS WITH 5" DIAMETER RODS, CYLINDER COVERS, TEN 4" O.D. X 4" L OUTSIDE ROLLERS WITH BRONZE BUSHING ON COLD ROLLED ALLOY SHAFT WITH TWO POINT SUPPORT, REAR BUMPER WITH		

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

63

QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
		LIGHTS AND MUD FLAPS, BODY PROP, BODY UP INSIDE-OUTSIDE RAILROLLOFF HOIST SYSTEM WARNING LIGHT, REVERSE ALARM, CONTAINER HOLD DOWN AND AUTOMATIC ROLLER LOCK FOR OUTSIDE RAIL CONTAINERS, AIR CONTROLS, AIR SHIFT PTO, FULL FENDERS, TOOL BOX, 52 DEGREE DUMP ANGLE, 79,600 LBS. CAPACITY 7/8" X 75' X6 X 25 IWRC EIPS CABLE WITH 2" CAST HOOK END, 27' CABLE HOOK TRAVEL, 10" DIAMETER CABLE SHEAVES WITH BRONZE BUSHINGS, OIL FILTER, 47 GPM HYDRAULIC PUMP @ 1800 PSI, TWO SPOOL CONTROL VALVE, 27 SECOND HOIST AND INSIDE-OUTSIDE RAILROLLOFF HOIST SYSTEM WINCH UP CYCLE, 15 SECOND DOWN CYCLE UNIT FOR A 174" C/A RANDEM TRUCK CHASSIS		
6.00	EA	0241 - FUEL TRANSFER SYSTEM COMPLETE	\$	\$\$
		WITH MINIMUM 100 GALLON CAPACITY ALUMINUM FUEL TANK, 13 GPM 12 VOLT ELECTRIC FUEL PUMP, 12 ft OF 3/4" DIAMETER FUEL HOSE, AND ALUMINUM DISPENSING NOZZLE WITH STORAGE BRACKET, INSTALLED ON PARISH OWNED PICKUP, FLATBED OR SERVICE TRUCK MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0242 - CLUTCH PUMP HYDRAULIC WET LINE KIT COMPLETE WITH ENGINE MOUNTING BRACKETS, 2,500 PSI HYDRAULIC PUMP WITH 7 TO 13 GPM CAPACITY, CAB CONTROLLER, CAN CAB INDICATOR LIGHT,INSTALLED ON PARISH OWNED TRUCK WITH HYDRUALIC LINES TO POWER SYSTEM NEEDED. MANUFACTURER: MANUFACTURER PART:	\$	\$\$
1.00	EA	0243 - GOOSENECK HITCH OPTION ON NEW TRAILERS IN LIEU OF TWO EYE OR BALL HITCH. PRICE TO BE ADDED TO TRAILERS SELECTED ON THIS ITEM.	\$	\$\$
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0244 - REAR REFUSE LOADER, 25 CU.UD CAPACITY,254 IN COVERALL LENGTH, 93 IN.	\$	\$\$
	1.00	6.00 EA	LIGHTS AND MUD FLAPS, BODY PROP, BODY UP INSIDE-OUTSIDE RAILROLLOFF HOIST SYSTEM WARNING LIGHT, REVERSE ALARM, CONTAINER HOLD DOWN AND AUTOMATIC ROLLER LOCK FOR OUTSIDE RAIL CONTAINERS, AIR CONTROLS, AIR SHIFT PTO, FULL FENDERS, TOOL BOX, 52 DEGREE DUMP ANGLE, 79,600 LBS. CAPACITY 7/8" X 75 X 6 X 25 IWRC EIPS CABLE WITH 2" CAST HOOK EIPS, 2" CABLE HOOK TRAVEL, 10" DIAMETER CABLE SHEAVES WITH BRONZE BUSHINGS, OIL FILTER, 47 GPM HYDRAULIC PUMP @ 1800 PSI, TWO SPOOL CONTROL VALVE, 27 SECOND HOIST AND INSIDE-OUTSIDE RAILROLLOFF HOIST SYSTEM WINCH UP CYCLE, 15 SECOND DOWN CYCLE UNIT FOR A 174" C/A RANDEM TRUCK CHASSIS MANUFACTURER: MANUFACTURER PART: 6.00 EA 0241 - FUEL TRANSFER SYSTEM COMPLETE WITH MINIMUM 100 GALLON CAPACITY ALUMINUM FUEL TANK, 13 GPM 12 VOLT ELECTRIC FUEL PUMP, 12 ft 0 F 3/4" DIAMETER FUEL HOSE, AND ALUMINUM DISPENSING NOZIZE WITH STORAGE BRACKET, INSTALLED ON PARISH OWNED PICKUP, FLATBED OR SERVICE TRUCK MANUFACTURER: MANUFACTURER PART: 1.00 EA 0242 - CLUTCH PUMP HYDRAULIC WET LINE KIT COMPLETE WITH ENGINE MOUNTING BRACKETS, 2,500 PSI HYDRAULIC WET LINE KIT COMPLETE WITH ENGINE MOUNTING BRACKETS, 2,500 PSI HYDRAULIC PUMP WITH 7 TO 13 GPM CAPACITY, CAB CONTROLLER, CAN CAB INDICATOR LIGHT, INSTALLED ON PARISH OWNED TRUCK WITH HYDRUALIC LINES TO POWER SYSTEM NEEDED. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0243 - GOOSENECK HITCH OPTION ON NEW TRAILERS IN LIEU OF TWO EYE OR BALL HITCH, PRICE TO BE ADDED TO TRAILERS SELECTED ON THIS ITEM. MANUFACTURER: MANUFACTURER PART: 1.00 MANUFACTURER PART: 1.00 EA 0244 - REAR REFUSE LOADER, 25 CU.UD	LIGHTS AND MUD FLAPS, BODY PROP, BODY UP INSIDE-OUTSIDE RAILROILOFF HOIST SYSTEM WARNING LIGHT, REVERSE ALARM, CONTAINER HOLD DOWN AND AUTOMATIC ROLLER LOCK FOR OUTSIDE RAIL. CONTAINERS, AIR CONTROLS, AIR SHIFT PTO, FULL FENDERS, TOOL BOX, S2 DEGREE DUMP ANGLE, 79,600 LBS. CAPACITY 7/8" x 75" X6 x 25 IWRC EIPS CABLE WITH 2" CAST HOOK END, 2" CABLE HOOK TRAVEL, 10" DIAMETER CABLE SHEAVES WITH BRONZE BUSHINGS, OIL FILTER, 4" GPM HYDRAULIC PUMP @ 1800 PSI, TWO SPOOL CONTROL VALVE, 2" SECOND HOUST AND INSIDE-OUTSIDE RAILROLLOFF HOIST SYSTEM WINCH UP CYCLE, 15 SECOND DOWN CYCLE UNIT FOR A 174" C'IA RANDEM TRUCK CHASSIS MANUFACTURER: MANUFACTURER PART: 6.00 EA 0241 - FUEL TRANSFER SYSTEM COMPLETE WITH MINIMUM 100 GALLON CAPACITY ALUMINUM FUEL TANK, 13 GPM 12 VOLT ELECTRIC FUEL PUMP, 12 ft 0F 34" DIAMETER FUEL HOSE, AND ALUMINUM DISPENSING NOZZLE WITH STORAGE BRACKET, INSTALLED ON PARISH OWNED PICKUP, FLATBED OR SERVICE TRUCK MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0242 - CLUTCH PUMP HYDRAULIC WET LINE KIT COMPLETE WITH ENGINE MOUNTING BRACKETS, 2:500 PSI HYDRAULIC PUMP WITH 7 TO 13 GPM CAPACITY, CAB CONTROLLER, CAN CAB INDICATOR LIGHT, INSTALLED ON PARISH OWNED TRUCK WITH HYDRUALIC LINES TO POWER SYSTEM NEEDED. MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 1.00 EA 0243 - GOOSENECK HITCH OPTION ON NEW TRAILERS IN LIEU OF TWO EYE OR BALL HITCH, PRICE TO BE ADDED TO TRAILERS SELECTED ON THIS ITEM. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0244 - REAR REFUSE LOADER, 25 CUJUD \$

INVITATION TO BID FROM JEFFERSON PARISH - continued

64

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			OVERALL HEIGHT ABOVE CHASSIS FRAME. APPROXIMATE 10,700 UNIT WEIGHT, WITH COMPLETE INSTALLATION ON PARISH OWNED 43,000 GVWR TRUCK CHASSIS WITH A 138" C.T. CYCLE TIME. 6 SECOND RELOAD TIME. MINIMUM 2.6 CUBIC YARD HOPPER 2500 PSI GEAR-TYPE 24 GPM PUMP, 24 GALLON HYDRAULIC RESERVOIR WTIH 10 MICRON RETURN FILTER AND 140 MICRON SUCTION FILTER. SPOOL TYPE CONTROL VALVES. MINIMUM 80 IN. HOPPER LOADER WEIGHT. MANUFACTURER: MANUFACTURER PART:		
245	20.00	FT	0245 - DRY FREIGHT VAN TRUCK BODY FROM 10 FT. TO 28 FT. LENGTH, 8 FT.	\$	\$
			WIDTH 8 FT. INTERIOR HEIGHT,4" I-BEAM LONGSILLS, 3" I-BEAM CROSSILLS ON 12" CENTERS, 1 1/2" OAK FLOORING, .050 GA. PRE-PAINTED ALUMINUM SIDE PANELS OVER SIDE POSTS ON 16" CENTERS,ONE PIECE .040 GAUGE.ALUMINUM ROOF OVER HATSILLS ON 24" DEEP REAR THRESHOLD PLATE, OVERHEAD ROLLUP REAR DOOR, INTERIOR DOME LIGHT, EXTERIOR FMVSS BODY LIGHTS, FULL WIDTH CHANNEL DOUBLE STEP REAR BUMPER,		
			MANUFACTURER: MANUFACTURER PART:		
246	1.00	EA	0246 - STREET FLUSHER UNIT,4000 GALLON CAPACITY, EPOXY COATED 7 GA. & 10 GA.	\$	\$
			STEEL TANK CONSTRUCTION WITH FULL SKIRT-ING, 750 GPM CENTRIFUGAL WATER PUMP WITH 4 IN. DISCHARGE PORTING CAPABLE OF MAINTAINING 60 LBS PRESSURE PUMPING 600 PM@ 2,000 RPM'S WITH FOUR NOZZLES OPERATING, VARIABLE DISPLACEMENT HYDROSTATIC WATER PUMP DRIVE SYSTEM DRIVEN BY 80 HP DIESEL ENGINE WITH FIXED DISPLACEMENT PISTON MOTOR,20 GALLON PRESSURIZED HYDRAULIC RESERVOIR, MANUFACTURER:		
			MANUFACTURER: MANUFACTURER PART:		
247	50.00	FT	0247 - TRAILER FLOOR REPLACEMENT FOR LOWBOY MACHINERY TRAILERS WITH 6 FT. WIDE LOAD DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS NEW GRADE FLOOR TO BE 1/8" THICK 7" WIDE 31 GRADE APITONG TROPICAL HARDWOOD ATTACHED TO CROSSMEMBERS WITH TWO 1/4" FLOOR SCREWS PER BOARD PER CROSSMEMBERS. PRICE PER LINEAR FOOT OF TRAILER LOAD	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

65

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			DECK. MANUFACTURER: MANUFACTURER PART:		
248	250.00	FT	0248 - TRAILER FLOOR REPLACEMENT FOR LOWBOY MACHINERY AND FLATBED	\$	\$\$
			TRAILERS WITH 8 FT. WIDE LOAD DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS. NEW FLOOR TO BE 1 3/8" THICK BY 7" WIDE #1 GRADE APITONG TROPICAL HARDWOOD ATTACHED TO TRAILER CROSSMEMBERS WITH TWO 1/4" FLOOR SCREWS PER BOARD PER CROSSMEMBER. PRICE PER LINEAR FOOT OF TRAILER DECK.		
			MANUFACTURER: MANUFACTURER PART:		
249	25.00	FT	0249 - TRAILER FLOOR REPALCEMENT FOR LOWBOY TRAILERS WITH 8 FT. WIDE LOAD	\$	\$\$
			DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS. NEW FLOOR TO BE 2" THICK BY 12" WIDE #1 GRADE CLEAR WHITE OAK HARDWOOD ATTACHED TO TRAILER CROSSMEMBERS WITH TWO 5/16" FLOOR SCREWS PER BOARD PER CROSSMEMBER. PRICE PER LINEAR FOOT OF TRAILER LOAD DECK PLUS LENGTH OF FOLDING LOWBOY NECK.		
			MANUFACTURER: MANUFACTURER PART:		
250	1.00	EA	0250 - HYDRAULIC DRIVEN AIR COMPRESSOR 18 CFM, 100-155 PSI RANGE,7 GPM @ 1,800	\$	\$\$
			PSI HYDRAULIC MOTOR, OIL RESERVOIR TANK, HYDRAULIC OIL COOLER, SPRING REWIND HOSE REEL IN REAR COMPARTMENT WITH 100 FT.AIR HOSE,BALL STOP, AND QUICK CONNECTOR END (REQUIRES SEPARATE PURCHASE OF TRUCK ENGINE DRIVEN HYDRAULIC CLUTCH PUMP ASSEMBLY.)		
			MANUFACTURER: MANUFACTURER PART:		
251	1.00	EA	0251 - HEAVY DUTY TRUCK ENGINE PTO DRIVE HIGH PERFORMANCE AIR COMPRESSOR ASSEMBLY	\$	\$\$
			DUAL PRESSURE 100LB/150LB, W/TU, REMOTE MOUNT HYDRAULIC OIL COOLERS, HOSE PLUMBING KIT, MUNCIE CONTINOUS DUTY CYCLE HEAVY DUTY PTO ASSEMBLY, SPICER (OR EQUAL) 2" BALANCE AUTOMOTIVE TYPE DRIVESHAFT ASSEMBLY, CAB AIR CONTROLLER		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

66

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ASSEMBLY, REPROGRAM TRUCK COMPUTER TO ENABLE TRUCK ENGINE RPM'S TO COINCIDE WITH COMPRESSOR PERFORMANCE REQUIREMENTS TEST UNIT FOR PROPER OPERATION MANUFACTURER: MANUFACTURER PART:		
252	1.00	EA	0252 - HI-RAIL SYSTEM FOR 33,000 GVWR	\$	\$\$
			INCLUDING POWER PACK SYSTEM FOR HI-RAIL SYSTEM, FRONT BRAKES, RAIL SWEEPS FRONT AND REAR, REMOTE REAR PIN-OFF (CABLE). SLOTTED REAR LINKS, FOUR (4) EA, CORNER STROBE LIGHTS, BLOCK-UP FRONT AXLE FOR MAXIMUM CLEARANCE, REAR BRAKES IN ADDITION TO FRONT BRAKES, SIGNAL INSULATION, REMOTE FRONT PIN-OFF(CABLE), COMPLETE INSTALLATION LABOR. MANUFACTURER: MANUFACTURER PART:		
253	1.00	EA	0253 - HEAVY DUTY CREW MAINTENANCE 156" LONG X 92" H X 96" W OVERALL DIMENSIONS.	\$	\$\$
			MINIMUM 12 GALLON GALVANIZED STEEL PANEL CONSTRUCTION, FOUR 48" H X 22"D VERTICAL SIDE COMPARTMENTS PLUS ONE 24" H X 22" DEEP HORIZONTAL SIDE COMPARTMENT DOWN EACH SIDE, SHELVING PACKAGE IN EACH COMPARTMENT, FULLY ENCLOSED CANOPY TOP 146 WIDE WITH THREE FULL LENGTH 22" WIDE SHELVES DOWN EACH SIDE AND FULL HEIGHT DOUBLE REAR DOORS EACH SIDE TWO INTERIOR DOME LIGHTS, SPRING OR GAS SHOCK RETAINERS ON ALL DOORS, STAINLESS STEEL DOOR LOCKS WEATHER TIGHT DOOR SEALS, 12 GAUGE REAR PLATE, STEEL FLOOR IN RECESSED DIRECTIONAL SIGNAL LIGHTS AND BACK UP LIGHTS, LICENSE PLATE LIGHT AND BRACKET. ALL ELECTRICAL WIRING IN LOOM CONDUIT, UNDERCOATED, HEAVY DUTY FULL WIDTH REAR REINFORCED TO TRUCK FRAME, COMBO-3 WAY BALL HITCH AND PINTLE HITCH ASSEMBLY WITH ELECTRIC BRAKE CONTROL PACKAGE, REAR WHEEL SPLASH GUARD FENDERS, REAR WHEEL MUD FLAPS, CONE HOLDER ON REAR BUMPER, FULL INSTALLATION ON PARISH SUPPLIED 26,000 GVWR LOW-PROFILE TRUCK CHASSIS WITH 84" CLEAR C/A DISTANCE, PRIMED AND FINISH PAINTED INSIDE AND OUTSIDE 5 MILS IMRON. FLEET WHITE. MANUFACTURER: MANUFACTURER PART: W		

INVITATION TO BID FROM JEFFERSON PARISH - continued

67

Page

254 1.00 255 1.00 257 1.00	EA	0254 - TRANSFER OF PARISH OWNED USED SERVICE TRUCK CRANE THAT IS IN PROPER WORKING CONDITION FROM A USED TRUCK CHASSIS TO A NEW TRUCK CHASSIS. TRANSFER TO INCLUDE ALL SERVICES REQUIRED TO MAKE TRANSFER OF PARISH OWNED USED UNIT FULLY FUNCTIONAL ON A NEW TRUCK CHASSIS INCLUDIDING TRANSFER OF OUTRIGGER SPRINT ADDITIONS TO LEVEL TRUCK. SERVICE BODY OR FLATBED REINFORCEMENTS ON A NEW TRUCK CRANE. ALL ELECTRICAL AND HYDRAULIC CONNECTIONS TO NEW TRUCK CHASSIS AND TOUCH UP PAINT TO ALL WORK AREAS. MANUFACTURER: MANUFACTURER PART: 0255 - POWER INVERTER SYSTEM. 30 AMP CAPACITY,110 VOLT AC OUTPUT INCLUDING 200 AMP TRUCK ALTERNATOR.TWO ADDITIONAL AUXILLARY DEEP CYCLE RESERVE BATTERIES. STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING AND SPRING REWIND 20 AMP ELECTRIC REEL WITH 50 FEET OF 12 GAUGE 110 VOLT ELECTRIC CORD AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET. FULLY INSTALLED ON PARISH OWNED TRUCK.	<i>\$</i> }	\$5
256 1.00	EA	CHASSIS TO A NEW TRUCK CHASSIS. TRANSFER TO INCLUDE ALL SERVICES REQUIRED TO MAKE TRANSFER OF PARISH OWNED USED UNIT FULLY FUNCTIONAL ON A NEW TRUCK CHASSIS INCLUDIDNG TRANSFER OF OUTRIGGER SPRINT ADDITIONS TO LEVEL TRUCK. SERVICE BODY OR FLATBED REINFORCEMENTS ON A NEW TRUCK CRANE. ALL ELECTRICAL AND HYDRAULIC CONNECTIONS TO NEW TRUCK CHASSIS AND TOUCH UP PAINT TO ALL WORK AREAS. MANUFACTURER: MANUFACTURER PART: 0255 - POWER INVERTER SYSTEM. 30 AMP CAPACITY,110 VOLT AC OUTPUT INCLUDING 200 AMP TRUCK ALTERNATOR.TWO ADDITIONAL AUXILLARY DEEP CYCLE RESERVE BATTERIES. STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING AND SPRING REWIND 20 AMP ELECTRIC REEL WITH 50 FEET OF 12 GAUGE 110 VOLT ELECTRIC CORD AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET.	\$7	47-
256 1.00	EA	MANUFACTURER PART: 0255 - POWER INVERTER SYSTEM. 30 AMP CAPACITY,110 VOLT AC OUTPUT INCLUDING 200 AMP TRUCK ALTERNATOR.TWO ADDITIONAL AUXILLARY DEEP CYCLE RESERVE BATTERIES. STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING AND SPRING REWIND 20 AMP ELECTRIC REEL WITH 50 FEET OF 12 GAUGE 110 VOLT ELECTRIC CORD AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET.	\$	\$\$
256 1.00	EA	CAPACITY,110 VOLT AC OUTPUT INCLUDING 200 AMP TRUCK ALTERNATOR.TWO ADDITIONAL AUXILLARY DEEP CYCLE RESERVE BATTERIES. STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING AND SPRING REWIND 20 AMP ELECTRIC REEL WITH 50 FEET OF 12 GAUGE 110 VOLT ELECTRIC CORD AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET.	\$	\$
255		AUXILLARY DEEP CYCLE RESERVE BATTERIES. STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING AND SPRING REWIND 20 AMP ELECTRIC REEL WITH 50 FEET OF 12 GAUGE 110 VOLT ELECTRIC CORD AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET.		
25-				
255		MANUFACTURER: MANUFACTURER PART:		
257 1.00	EA	0256 - WILTON (OR EQUAL) HEAVY DUTY MULTI-PURPOSE 6" MECHANICAL VISE	\$	\$\$
257 1.00		ASSEMBLY, FULLY INSTALLED ON PARISH OWNED TRUCK AT LOCATION TO BE SPECIFIED BY USING AGENT.		
257 1.00		MANUFACTURER: MANUFACTURER PART:		
	EA	0257 - HYDRAULIC TOOL CIRCUIT COMPLETE WITH TWIN HYDRAULIC LINE HOSE REEL	\$	\$\$
		WITH 50' HOSE EACH LINE, AIR MOTOR REWIND, FLOW CONTROL VALVES, FULLY INSTALLED AND CONNECTED TO HYDRAULIC AND AIR POWER SOURCE ON PARISH OWNED VEHICLE (HYDRAULIC POWER SOURCE TO BE SELECTED FROM APPROPRIATE COMMODITY CODE)		
		MANUFACTURER: MANUFACTURER PART:		
258 5.00		0258 - SPRING REWIND AIR HOSE REEL	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

68

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			OF 3/8 DIAMETER AIR HOSE AND QUICK CONNECTOR END. RUBBER HOSE STOP AND FULLY INSTALLED AND CONNECTED TO AIR POWER SOURCE ON PARISH OWNED TRUCK. MANUFACTURER: MANUFACTURER PART:		
259	1.00	EA	0259 - DRAWER CABINET UNIT FOR 20" DEEP TRUCK BODY FRONT COMPARTMENT, 18"DEEP	\$	\$\$
			SERVICE TRUCK BODY FRONT COMPARTMENT, 18" W X 5" HIGH AND TWO DEEP DRAWERS ARE 16" DEEP AND 30" WIDE. FIVE 3" HIGH, TWO 5" HIGH AND TWO 7" HIGH, 250 LB CAPACITY DRAWER, FULLY INSTALLED IN PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
260	1.00	EA	0260 - HEAVY DUTY, MATERIAL HANDLING, FIGURE, KNUCKLE BOOM CRANE ASSEMBLY	\$	\$\$
			WITH 16'5" MAXIMUM SPREAD HYDRAULIC OUT AND DOWN RIGGERS, WO TELESCOPIC SECTIONS 75,000 FT-LB RATING, 26'3" MAXIMUM HORIZONTAL REACH, 33'10" MAXIMUM VERTICAL REACH, 7,165 LBS MAXIMUM CAPACITY, 2,755 CAPACITY AT MAXIMUM REACH, 4500 LB. SINGLE LINE CAPACITY PLANETARY WINCH WITH 140' OF 7/16" DIAMETER WIRE ROPE WITH SAFETY HOOK END AND SHEAVE ASSEMBLY FOR BOOM TIP HYRAULIC OVERLEAD SYSTEM, FULLY INSTALLED ON PARISH OWNED VEHICLE MANUFACTURER: MANUFACTURER PART:		
261	1.00	EA	0261 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT FINISH PAINT 5	\$	\$\$
			MILS THICKNESS AND REINSTALL THE BELOW DUMP BODIES: 3 YARD DUMP BODY		
			MANUFACTURER: MANUFACTURER PART:		
262	1.00	EA	0262 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT, FINISH PAINT 5	\$	\$\$
			MILS THICKNESS AND REINSTALL THE BELOW DUMP BODY: 12 YARD DUMP BODY.		
			MANUFACTURER: MANUFACTURER PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

69

Page

NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
263	1.00	EA	0263 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT, FINISH PAINT 5	\$	\$
			MILS THICKNESS AND REINSTALL THE BELOW DUMP BODY: 16 YARD DUMP BODY.		
			MANUFACTURER: MANUFACTURER PART:		
264	1.00	EA	0264 - 40 CU. YD. CAPACITY ROLLOFF AND/OR HOOKLIFT TRASH CONTAINER. 22 IN	\$	\$\$
			LONG. MINIMUM 3 INCH STEEL CHANNEL FLOOR SUPPORTERS ON 12 IN. CENTERS, MINIMUM 8 GALLON STEEL SIDE CONSTRUCTION. SIDE POST SUPPORTS ON MINIMUM 32 IN. CENTERS. FULL OPENING REAR SWING DOOR WITH HOLD-BACK SAFETY LOCKING MECHANISM. PRIMED AND FINISHED. PAINTED 5 MILS. ENAMEL FLEET WHITE. UNIT TO BE COMPATIBLE WITH EXISTING JEFFERSON PARISH FLEET TRUCK.		
265	1.00	EA	MANUFACTURER PART: 0265 - 16 CUBIC YD. CAPACITY ROLLOFF	\$	\$
			AND/OR HOOKLIFT TRASH CONTAINERS, 16 FT. LONG. MINIMUM 3 IN. STEEL CHANNEL FLOOR SUPPORTS ON 12 IN. CENTERS, MINIMUM 8 GAUGE STEEL SIDE CONSTRUCTION. SIDE POST SUPPORTS ON MINIMUM 32 IN. CENTERS. FULL OPENING REAR SWING DOOR WITH HOLD BACK SAFETY LOCKING MECHANISM. PRIMED AND PAINTED WHITE. UNIT TO BE COMPATIBLE WITH EXISTING JEFFFERSON PARISH FLEET TRUCK. MANUFACTURER: MANUFACTURER:		
266	1.00	EA	0266 - REAR CRASH ENERGY ABSORBTION DEVICE FOR DUMP TRUCKS, FLATBED TRUCKS,	\$	\$\$
			ETC. CRASH EXTENUATOR TO MEET ALL CURRENT FEDERAL NCHRP 350. TEST LEVEL 3' TO INCLUDE COMPLETE INSTALLATION AND MODIFICATIONS REQUIRED TO REAR OF REAR CRASH ENERGY ABSORBTION VEHICLE TO ACCEPT CRASH. EXTENUATOR AND MAKE UNIT READY FOR WORK. MANUFACTURER: MANUFACTURER PART:		
267	1.00	EA	0267 - MEDIUM DUTY WRECKER TRUCK BODY ASSEMBLY WITH UNDERLIFT ASSEMBLY RATED	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

70

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			AT 12,000 LBS. RETRACTED. 16 TON RETRACTED BOOM RATING. TWO 15,000 LBS. WORM GEAR VARIABLE SPEED HYDRAULIC WINCHES WITH 1/2 IN X 150 FT. CABLE POWER FOLD STINGER. 360 DEGREE BOOM END SWIVEL POWER BOOM ELEVATION. 96 IN. WIDE BODY WITH TWO STORAGE COMPARTEMTENT PER SIDE. TUNNEL FRONT COMPARTMENT. DUAL CONTROLS. BACK UP ALARM. DUAL HYDRAULIC PUMPS. SAFETY CHAINS. FIBER GLASS FENDERS. 4 IN. RUBBER LOWER WORK LIGHTS. 6 IN. UPPER CHROME WORK LIGHTS, FRONT PUSH BUMPER. FULLY INSTALLED ON PARISH SUPPLIES. 26,000 GWWR TRUCK CHASSIS WITH 120 IN. CLEAR C/A IN READY TO WORK CONDITION. MANUFACTURER:		
268	1.00	EA	MANUFACTURER PART: 0268 - HEAVY DUTY WRECKER TRUCK BODY	\$	\$
	1.00	LA	ASSEMBLY WITH UNDERLIFT ASSEMBLY RATED AT 35,000 LBS. RETRACTED. 40 TON RETRACTED BOOM RATING. TOW 35,000 LBS. PLANETRY VARIABLE SPEED. HYDRAULIC WINCHES WITH 3/4 IN X 200 FT. CABLE. POWER FOLD STINGER, 360 DEGREE BOOM ROTATION. FRONT AND REAR OUTRIGGERS. POWER BOOM ELEVATION. 96. IN. WIDE BODY WITH FULL LENGTH STORAGE COMPARTMENTS PER SIDE. DUAL CONTROLS AND BACK UP ALARM. DUAL HYDRAULIC PUMPS. SAFETY CHAINS. FIBERGLASS FENDERS.60IN WHELEN STROB LIGHT BAR (OR EQUAL) 4 IN. RUBBER LOWER WORK LIGHTS. FRONT PUSH BUMPER FULLY INSTALLED ON PARISH SUPPLIED 54,000 LB. GVWR TRUCK CHASSIS WITH 156 IN. CLEAR C/A DISTANCE IN READY TO WORK CONDITION. MANUFACTURER: MANUFACTURER:	Υ	Y
269	1.00	EA	0269 - SERVICE TRUCK BODY TELESCOPIC TOP ASSEMBLES WITH LOCKABLE TAILGATE ENCLOSURES. INSTALLED AND PAINTED TO MATCH TRUCK FOR 96 IN. LONG BODY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
270	1.00	EA	0270 - SERVICE TRUCK BODY TELESCOPIC TOP ASSEMBLES WITH LOCKABLE TAILGATE	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

71

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ENCLOSURES. INSTALLED AND PAINTED TO MATCH TRUCK BODY. FOR 108 IN. LONG BODY.		
			MANUFACTURER: MANUFACTURER PART:		
271	1.00	EA	0271 - TRUCK BODY TELESCOPIC TOP ASSEMBLES WITH LOCKABLE TAILGATE	\$	\$
			ENCLOSURES. INSTALLED AND PAINTED TO MATCH TRUCK BODY. FOR 132 IN. LONG BODY.		
			MANUFACTURER: MANUFACTURER PART:		
272	1.00	EA	0272 - REPLACEMENT PICK UP TRUCK BODIES TO FIT FORD, CHEVROLET, AND/OR DODGE	\$	\$\$
			PICK UP TRUCKS INCLUDING COMPLETE TAILGATE ASSEMBLIES, INSTALLED AND PAINTED TO MATCH EXISTING VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
273	1.00	EA	0273 - HEAVY RAIL SYSTEM FOR PICK UP TRUCKS INCLUDING HYDRAULIC SYSTEM.	\$	\$\$
			STEERING WHEEL LOCK, DERAILS, MOUNTING BRACKET GROUP, SIGNAL INSTALLATION, LOCKING VALVES FOR VALVES IN HIGHWAY POSITION. RAILSWEEPS FRONT AND REAR. IN-CAB CONTROLS. WHEEL MODIFICATION GROUP INCLUDING APPROVED TIRES FOR RAIL APPLICATION. FOUR EACH CORNER STROBE LIGHTS AND COMPLETED INSTALLATION. LABOR ON PARISH OWNED TRUCK IN READY TO WORK CONDITIONS.		
			MANUFACTURER: MANUFACTURER PART:		
274	1.00	EA	0274 - OPTIONAL RAISED BOTTLE GAS STORAGE COMPARTMENT ON SERVICE TRUCK	\$	\$\$
			BODY INCLUDING GAS VENTS AND THREE BOTTLE GAS RESTRAINING BRACKETS.		
			MANUFACTURER: MANUFACTURER PART:		
275	1.00	EA	0275 - RKI MODEL SPK55240 (0R EQUAL) SPACE RACK ASSEMBLY FOR ONE TON TRUCK	\$	\$
			CHASSIS. TWO DOORS PER SIDE. UPPER THRU		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

72

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			COMPARTMENT, 82 IN. W X 55 IN H X 20 FT LONG. INSTALLED AND PRINTED TO MATCH TRUCK CAB. MANUFACTURER: MANUFACTURER PART:		
276	4.00	F.A.		بغ	\$
270	1.00	EA	0276 - SPRING REWIND AIR HOSE REEL ASSESMBLY COMPLETE WITH 100 FT OF 3/8 IN	\$	 -
			DIAMETER AIR HOSE AND QUICK COUPLER END. INSTALLED AS DIRECTED IN PARISH OWNED SERVICE TRUCK, FLATBED, DUMP TRUCK, ETC.		
			MANUFACTURER: MANUFACTURER PART:		
277	1.00	EA	0277 - MANUAL REWIND DUAL WELDING LEAD ASSEMBLY COMPLETE WITH 100 FT OF	\$	\$\$
			WELDING LEADS. QUICK CONNECT ENDS. INSTALLED AS DIRECTED IN PARISH OWNED SERVICE TRUCK, FLATBED, DUMP TRUCK, ETC.		
			MANUFACTURER: MANUFACTURER PART:		
278	1.00	EA	0278 - OPTIONAL PEAKOVER ATTIC EXTENSION FOR VAN TRUCK BODIES AS	\$	\$\$
			DESCRIBED: 48' L X 24' H X 96' W. INSTALLED ON VAN TRUCK BODY.		
			MANUFACTURER: MANUFACTURER PART:		
279	1.00	EA	0279 - REPLACEMENT REAR BUMPERS WITH REVERSE ALARM SENSORS AND CAB WARNING	\$	\$\$
			BELL FOR FORD, CHEVROLET, OR DODGE PICK UP TRUCKS INCLUDING COMPLETE INSTALLATION ON TRUCK NOT PREVIOUSLY EQUIPPED WITH THIS SYSTEM.		
			MANUFACTURER: MANUFACTURER PART:		
280	1.00	EA	0280 - POWER INVERTER SYSTEM 2000 WATT 110 VOLT AC OUTPUT, INCLUDING AUXILLARY	\$	\$\$
			DEEP CYCLE BATTERY IF NEEDED. WEATHER PROOF STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING TO ALTERNATOR. SPRING REWIND 15 AMP ELECTRIC CORD		

INVITATION TO BID FROM JEFFERSON PARISH - continued

73

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			REEL WITH 50 FT. OF 12 GAUGE 110 AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET. FULLY INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
281	1.00	EA	0281 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LB GVWR LOWBOY TRAILER- SUSPENSION CROSS BAR SUPPORTS		
			MANUFACTURER: MANUFACTURER PART:		
282	1.00	EA	0282 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED	\$	\$\$
			20,000 T0 24,000 LB. GVWR LOWBOY TRAILER AXEL ASSEMBLIES INCLUDING HUBS AND U-BOLTS.		
			MANUFACTURER: MANUFACTURER PART:		
283	3.00	EA	0283 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LB GVWR LOWBOY TRAILER. SUSPENSION TORQUE ALIGNMENT RODS.		
			MANUFACTURER: MANUFACTURER PART:		
284	1.00	EA	0284 - REPAIR AND REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LB GVWR LOWBOY TRAILERS- LANDING GEAR INCLUDING SUPPORT BRACKETS.		
			MANUFACTURER: MANUFACTURER PART:		
285	1.00	EA	0285 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LB. GVWR LOWBOY TRAILER- A-FRAME TONGUE ASSEMBLIES.		
			MANUFACTURER: MANUFACTURER PART:		
286	1.00	EA	0286 - REPAIR OR REPLACEMENT ON THE FOLLOWING ITMES ON PARISH OWNED 20,000	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

74

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TO 24, 000 LB. GVWR LOWBOY TRAILER-		
			TRAILER REAR LOADING RAMP ASSEMBLIES.		
			MANUFACTURER: MANUFACTURER PART:		
287	1.00	EA	0287 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITMES ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LBS.GVWR LOWBOY TRAILER: REAR DOVETAIL ASSEMBLIES.		
			MANUFACTURER: MANUFACTURER PART:		
288	1.00	EA	0288 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LBS. GVWR LOWBOY TRAILERS- SUSPENSION CROSS BAR SUPPORTS.		
			MANUFACTURER: MANUFACTURER PART:		
289	1.00	EA	0289 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000	\$	\$\$
			TO 24,000 LB. GVWR LOWBOY TRAILERS- AXEL ASSEMBLIES INCLUDING HUGS AND U- BOLTS.		
			MANUFACTURER: MANUFACTURER PART:		
290	1.00	EA	0290 - SLIDE OUT DRAWER UNIT FOR FULL SIZE PICK UP TRUCK BED. MINIMUM	\$	\$\$
			OVERHAUL DIMENSIONS; 48'L X 12 2/3' X 40' W. FOUR COMPARTMENTS EACH MEASURING 45'L X 8 1/2' H X 9 3/4'W. INSTALLED IN PARISH OWNED FULL SIZE PICK UP TRUCK.		
			MANUFACTURER: MANUFACTURER PART:		
291	1.00	EA	0291 - INTERIOR REAR FENDER WALL TOOL BOX ASSEMBLY PAIR. ALUMINUM TREAD PLATE	\$	\$\$
			CONSTRUCTION. BLACK ANODIZED FINISH. 55" L X 23" H X 8" W. OVERALL DIMENSIONS-THREE SLIDE OUT REAR DRAWERS INSTALLED IN PARISH OWNED FULL SIZE PICK UP TRUCK EQUIPPED WITH FIBERGLASS LID COVER OVER BED AREA.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

75

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
292	1.00	EA	0292 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS 19,501 LBS TO	\$	\$\$
			33,000 LBS. GVWR TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
293	9.00	EA	0293 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS 33,001 LBS.	\$	\$\$
			GVWR AND OVER.		
			MANUFACTURER: MANUFACTURER PART:		
294	3.00	EA	0294 - PTO REBUILD OR REPLACEMENT ON EQUIPMENT WITH ALLISON 2000 SERIES	\$	\$
			AUTOMATIC TRANSMISSION.		
			MANUFACTURER: MANUFACTURER PART:		
295	1.00	EA	0295 - PTO REBUILD OR REPLACEMENT ON TRUCKS 52,000 LB GVWR AND OVER.	\$	\$
			TRUCKS EQUIPPED WITH ALLISON 4000 SERIES AUTOMATIC TRANSMISSION		
			MANUFACTURER: MANUFACTURER PART:		
296	1.00	EA	0296 - BULK FUEL DELIVERY TRUCK TANK ASSEMBLY SPECIFICATIONS AS FOLLOWS:	\$	\$
			TANK 4,500 GALLON (MINIMUM) COMPARTMENTS		
			TWO SIZES-1,500 TO 3,000 LB TANK ELLIPTICAL DESIGN FABRICATED FROM		
			POLISHED ALUMINUM BULKHEADS-DOUBLE BULKHEAD CONSTRUCTION HEADS ARE DISHED AND FLANGED FOR MAXIMUM STRENGTH AND TO		
			MEET DOT MC405 REGULATIONS. UNDER FRAME EXTRUDED J-TYPE SILLS WELDED TO TANK		
			BOTTOM. CROSS MEMBERS ARE INSTALLED TO FLASHING-FULL LENGTH DOUBLE LEGGED. LEAK		
			PROOF OVERTURN FAILS TO MEET DOT 406 MAY BE USED AS VAPOR RECOVERY HEADER.		
			FLASHING DRAINS-TWO EXTERNAL 1 1/2 IN. TUBING.		
			FILL OPENING-16 IN. MANHOLES WITH 10 IN FILL DOT MC406 APPROVED VENTING CALIBRATION: 15 IN. THREE ADDED ROD WITH		
		l l		I	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00148680 SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MARKER IN EACH COMPARTMENT SEALED AT RATED CAPACITY. DISCHARGE LINES-3 IN X 1 IN EMERGENCY VALVES WITH 2 IN PIPING TERMINATING IN REAR BUCKET BOX WITH MALE PIPE THREAD STANDARD PIPE ROTATION TO R 2-4-5-3-1 EMERGENCY VALVE OPERATOR INSTALLED OVER HEADY BUCKET BOX WITH EMERGENCY VALVE RELEASE AT STREET SIDE FRONT. EMERGENCY CABLE RUN IN STAINLESS STEEL TUBING. PERMANENT PIPELINE (2 SUCTION, 2 DISCHARGE) WITH VICTALLO GROOVES AT BOTH ENDS FOR A DUAL PUMP SYSTEM. BOTTOM LOADING/VAPER RECOVERY. TANK INCLUDES BOTTOM LOADING WITH 2 FT. PIPING TO THE REAR AND 3 IN. PIPING TO CURB SIDE. FUTURE VAPOR RECOVERY. WITH V/R LINE THRU TANK JUST AHEAD OF THE BUCKET BOX. REAR BUCKET BOX-SLOPING ALUMINUM CABINET 44 IN. DEEP AT BOTTOM WITH FLOOR LOWERED TO ENCLOSE FAUCETS. SINGLE REAR LIFT DOOR WITH GAS SPRINGS. HOSE DOOR OUTLET EACH SIDE WITH STAINLESS STEEL PADDLE HANDLE. BULK FUEL DELIVERY TRUCK TANK SLMA LATCHES. EXTRA PIN HINGES WITH GREASE JERKS ON 70 IN. WELD ON BARREL CARRIER WITH HOSE TUBES. BUMPER-HEAVY DUTY WRAP AROUND BUMPER TO MEET DOT 406 NOZZLE HOLDER IN EACH CORNER. LADDER-LADDERS ON BOTH SIDES AT REAR WITH FULL WIDTH PLATFORM ACROSS TOP OF FENDERS. FENDERS. FEDERAL STANDARD MYSS 107 BELT SNAP SEAL. LIGHTS WITH VAPOR PROOF WIRING. WORLD SYSTEM LIGHTS WITH VAPOR PROOF WIRING. WORK LIGHTS WITH SEPARATE SWITCH IN BUCKET BOX. FINISH-ALUMINIM LEFT IN BRIGHT FINISH, STEEL PARTS PAINTED. SAFETY WARNING PLACE CARD ON ALL FOUR SIDES OF TRUCK AS REQUIRED BY FEDERAL REGULATION FOR BULK GASOLINE AND DIESEL FUEL DELIVERY. PUMPING SYSTEM-100 GPM DUAL PUMPING SYSTEM SATES SUBJECT SOON BEA		

Page 76

INVITATION TO BID FROM JEFFERSON PARISH - continued

77

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LOADING AND VAPOR RECORDER-AIR OPERATED VENTS-SCULLY-GO-ANYWHERE-OVERFILL SENSOR GROUND BOLT OPENABLE APOL ADAPTORS WITH DUST CAPS-BRAKE INTERLOCKS-OPTICS AND THERMISTER SOCKETS INSTALLATION, DEMONSTRATION AND TRAINING. COMPLETE INSTALLATION ON PARISH SUPPLIED SUITABLE TRUCK CHASSIS IN READY TO WORK CONDITION DELIVERED TO FLEET MANAGEMENT WITH OPERATOR DEMONSTRATION AND TRAINING.		
			MANUFACTURER: MANUFACTURER PART:		
297	1.00	EA	0297 - MECHANIC'S LUBRICATION SKID ASSEMBLY. OVERHAUL DIMENSIONS ARE TO BE	\$	\$\$
			36' L X 60'H X 42' W AND MUST FIT INTO STANDARD 8 FT. PICK UP BED. SKID ASSEMBLY MUST HAVE CAPABILITY TO BE LOADED WITH OFF-LOADED VIA EITHER UNDERSIDE FORKLIFT EYES FOR CRANE LIFTING. ASSEMBLY TO INCLUDE 4 SEPARATE TANKS OF 30 GALLON CAPACITY EACH FOR NEW OIL PRODUCTS. ONE TANK TO BE 60 GALLONS. TANKS ARE EQUIPPED WITH SIGHT GLASS FILL GAUGES. EACH NEW PRODUCT TANK IS TO BE EQUIPPED WITH GRACO SERIES 716 (OR EQUAL) 5 TO 1 PNEUMATIC OIL PUMPS AND REGULATRORS.WASTE OIL PRODUCTS TANKS ARE TO BE EQUIPPED WITH GRACO SERIES 716 (OR EQUAL) DIAPHRAM OIL PUMP AND REGULATOR WITH FOUR WAY RESERVING VALVE TO PUMP INTO AND OUT OF TANK. EACH NEW PRODUCT TANK IS TO BE EQUIPPED WITH A HEAVY DUTY SPRING REWIND HOSE REEL ASSEMBLY IS TO POWERED BY AN INDEPENDENT AIR SOURCE DELIVERING BETWEEN 12 TO 15 D FM AT 12 LB. PSI. INDEPENDENT AIR SOURCE IN NOT TO BE INCLUDED WITH THE LUBRICATION SKID ASSEMBLY AND MUST BE AVAILABLE ON CARRYING TRUCK TO POWER THE UNIT. FIVE YEAR WARRANTY ON ALL LUBRICATION EQUIPMENT. MANUFACTURER: MANUFACTURER PART:		
298	1.00	EA	0298 - BOTTLE GAS CYLINDER STORAGE COMPARTMENT WILL BE INSTALLED TO LEFT FRONT CORNER OF PARISH OWNED FLATBED TRUCK BODY. THREE BOTTLE CAPACITY- DIMINSIONS 36" L X 28" H X 16" D. MINIMUM 125 INCH TREADPLATE STEEL	\$	\$\$
			TRUCK BODY. THREE BOTTLE CAPACITY- DIMINSIONS 36" L X 28" H X 16" D.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

78

ITEM UMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			COMPARTMENT CONSTRUCTED WITH 2 1/2 INCH DIAMETER HOLE TO RECEIVE BOTTLE GAS CYLINDERS TO BE SECURED VIA HINGED MECHANICAL DOUBLE LOCKING DEVICES TO SECURE IN PLACE. STRAPS NOT ACCEPTABLE. UNIT TO BE PRIMED AND FINISHED. PAINTED FLATBED TO MATCH. MANUFACTURER: MANUFACTURER PART:		
299	1.00	EA	0299 - REPLACEMENT DUMP BODY ELECTRIC/ HYDRAULIC PUMP. REPLACEMENT HEIL MODEL	\$	\$\$
			219-1553 ELECTRIC OVER-HYDRAULIC DUMP BODY PUMP ASSEMBLY. 12 VOLT DC. 2.6 GPM AT 2500 PSI CAPACITY (INCLUDES REMOVAL OF OLD PUMP).		
			MANUFACTURER: MANUFACTURER PART:		
300	1.00	EA	0300 - REPLACEMENT VAN BODY REAR BUMPER REPLACEMENT MORGAN MODEL BSP 36022 (OR	\$	\$\$
			EQUAL) ONE WAY STYLE REAR BUMPER ASSEMBLY WITH 18 INCH UPRIGHTS AND 10 IN DEEP FULL STEP. (INCLUDES REMOVAL OF OLD BUMPER). MANUFACTURER:		
301	4.00	F.A.	MANUFACTURER PART:	ė	\$
501	1.00	EA	0301 - REPLACEMENT VAN BODY SIDE DOOR FRAME. REPLACEMENT MORGAN VAN BODY MODEL SPECENGO4 (OR EQUAL) MAXIMIZE SLIDING CURBSIDE DOOR, BOTTOM FRAME ASSSEMBLY. (INCLUDING REMOVAL OF OLD ASSEMBLY). MANUFACTURER:	\$	٧
			MANUFACTURER PART:		
302	1.00	EA	0302 - REPLACEMENT VAN BODY REAR FRAME BOTTOM HEADER. REPLACEMENT MORGAN VAN MODEL APP0110 REAR FRAME POST SUB- MODEL APP0110 (OR EQUAL) COMPONENT GALVANIZED STEEL FOR OVERHEAD DOOR END PLATE. INSTALLED AND PAINTED TO MATCH ORIGINAL.	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
303	1.00	EA	0303 - REPLACEMENT OF GLAD HANDS WITH DUST CAP ENDS FOR TRACTOR PACKAGE	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

79

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			INCLUDING ELBOWS AND CONNECTORS TO TRUCK AIR SYSTEM AND INSTALLATION. MANUFACTURER: MANUFACTURER PART:		
304	1.00	EA	0304 - PICK UP TRUCK 8 FT. BED TRANSFERABLE TOOL STORAGE SYSTEM	\$	\$\$
			INCLUDING FULL LENGTH TPX ALUMINUM SIDE BOXES. 1000 LB. CAPACITY SLIDE OUT DRAWER BED. 2000 LB. FLOOR CAPACITY ABOVE DRAWER. FORKLIFT TUNNELS FOR EASE OF REMOVAL AND TRANSFER TO OTHER TRUCK. DOUBLE LOCKING COMPARTMENTS.HEADACHE RACK AND 2000 LB. LIFTING JACKS FOR EASE OF REMOVAL AND STORAGE WHEN SYSTEM IS NOT BEING TRANSFERRED. INSTALLATION IN PARISH OWNED 3/4 TON PICK UP TRUCK WITH 8 FT. OF BED.		
			MANUFACTURER: MANUFACTURER PART:		
305	2.00	EA	0305 - REMOVAL AND INSTALLATION OF NEW TRUCK WINCH CABLE. 7/8 IN. DIAMETER X	\$	\$\$
			150 FT. HIGH TENSILE CABLE WITH 4 FT. TAILCHAIN AND HOOKEND.		
			MANUFACTURER: MANUFACTURER PART:		
306	1.00	EA	0306 - HEAVY DUTY SERVICE TRUCK BODY RACK, DOUBLE 2-HIGH LENGTH. ROUND TUBE	\$	\$\$
			FRAMING, FULL LENGHT OF PICK UP, BODY AND EXTENDING TO WINDSHIELD. 51 INCH INSIDE WIDTH. FOUR 2 IN. SQUARE CROSSBAR WELDED TIE DOWN CLEATS. PAYLOAD CAPACITY BLACK COLOR. TO FIT ALL FULL SIZED DOMESTIC SERVICE BODY TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
307	1.00	EA	0307 - REMOVE AND REBUILD OR REPLACE DEFECTIVE HYDRAULIC MOTOR ASSEMBLY ON	\$	\$\$
			AUTO CRANE MODEL 4004H OR 6404H (OR EQUAL) SERVICE.		
			MANUFACTURER: MANUFACTURER PART:		
308	2.00	EA	0308 - REMOVE AND REPLACE DAMAGED PENDANT CONTROL ASSEMBLY ON AUTO CRANE	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

80

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MODEL 3203 (OR EQUAL)TRUCK SERVICE CRANE. MANUFACTURER: MANUFACTURER PART:		
309	1.00	EA	0309 - REMOVE, REBUILD OR REPLACE DEFECTIVE WINCHBRAKE ASSEMBLY ON AUTO	\$	\$\$
			CRANE MODEL 4004 OR 6404 SERVICE CRANE (OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
310	100.00	FT	0310 - DUMP TRUCK BODY FLOOR REPLACEMENT OVERLAY 1/4 IN. HIGH TENSILE STEEL	\$	\$\$
			SOLID WELDED AND FLASHED. 12 IN. UP SIDES. PRICE PER LINEAR FOOT OF DUMP BODY.		
			MANUFACTURER: MANUFACTURER PART:		
311	25.00	EA	0311 - BACK UP CAMERA WITH REAR VIEW SYSTEM COMPLETE WITH 7 INCH WIDE PANEL	\$	\$\$
			CLAM SHELL TYPE MONITOR WITH HEAVY DUTY COLOR LCD PANEL. WHITE LED BACK LIGHT. 16 TO 9 ASPECT RATIO. 300 TO 1 CONTRAST RATIO; 500 NITE BRIGHTNESS. VIEW ANGLE (V/H) 100/120. ANTIGLARE AND ANTISCRATCH PROTECTIVE LENS. INTERGRATED AUDIO SPEAKER. AUTO DAY/NIGHT BRIGHTNESS MODE OPTIONS TO FIT TRUCKS AND/OR DRIVER PREFERENCE. CAMERA ENCLOSED IN RUGGED WATERPROOF DIE CAST ALUMINUM HOUSING. MICROPHONE, STAINLESS STEEL HARDWARE, U/V WEATHER RESISTANT CABLE WITH WATER TIGHT FITTINGS. INSTALLED ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
312	1.00	EA	0312 - REVERSE PROXIMITY ALARM SYSTEM TO ALERT THE DRIVER TO THE PRESENCE AND	\$	\$\$
			DISTANCE OF OBSTACLES WHILE REVERSING. 15 FOOT RANGE. MINIMUM OF FOUR SENSORS. AUDIBLE BEEP ALARM TO SOUND IN CAB WITH INCREASING FREQUENCY AS DISTANCE DECREASES, CONTINUOUS ALARM TO SOUND AT ONE FOOT AWAY. LCD SCREEN IN CAB DISPLAYS DISTANCE FROM OBSTACLES IN FEET. THREE VOLUME LEVELS FOR SPEAKER.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

81

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			WATERPROOF. INSTALLED ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART:		
313	1.00	EA	0313 - HEAVY DUTY FLIP TOP SERVICE TRUCK BODY FOR A 56 INCH C/A SINGLE WHEEL	\$	\$\$
			TRUCK. 96 IN L X 80 IN W X 41.5 IN H. SIX COMPARTMENTS. 14 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GALLON TREADPLATE STEEL FLOORS. HEAVY DUTY REAR BUMPERS. FMVSS 108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED AND INSTALLED. MANUFACTURER:		
314	1.00	EA	MANUFACTURER PART: 0314 - HEAVY DUTY FLIP TOP SERVICE TRUCK	\$	\$
	1.00	LA	FOR A 60 INCH C/A DUAL WHEEL TRUCK. 108 IN L X 94 IN W X 41.5 IN H. SIX COMPARTMENTS PLUS TWO FLIP TOP COMPARTMENTS. 14 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATED STEEL FLOOR. HEAVY DUTY REAR BUMPER, FMVSS 108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER: MANUFACTURER PART:	₹ <u> </u>	Y
315	1.00	EA	0315 - HEAVY DUTY FLIP TOP SERVICE TRUCK BODY FOR AN 84 IN C/A DUAL WHEEL TRUCK. 132 IN L X94 IN W X 41.5 IN H. EIGHT COMPARTMENTS PLUS TOW FLIP TOP COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATED STEEL FLOOR. HEAVY DUTY REAR BUMPER. FMVSS 108 RECESSED LIGHTS. TAILGATE, UNDERCOAT, PAINTED AND INSTALLED. MANUFACTURER: MANUFACTURER:	\$	\$
316	1.00	EA	0316 - 16 FT. INSULATED ALUMINUM REFRIGERATED VAN TRUCK BODY FOR	\$	\$\$

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

82

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TRANSPORTING FOOD PRODUCTS. MINIMUM INTERIOR HEIGHT 85 IN. INTERIOR WIDTH 89 IN. NON-SLIP EXTRUDED ALUMINUM FLOOR 12 IN. HIGH SCUFF LINER ON THE SIDES AND FRONT WALL. KEMLITE LINING ON THE CEILING, SIDES, AND FRONT WALL. PRE-PAINTED WHITE ALUMINUM EXTERIOR PANELS. 3 IN POLYURETHANE IN THE FRONT WALL AND FLOOR. DIESEL POWERED REFRIDGERATION UNIT WITH AUTOMTATIC CAB CONTROLS AND 220 VOLT ELECTRIC STAND-BY. CAPABLE OF MAINTAINING 0-35 DEGREES. FULL WIDTH, DOUBLE REAR STAMP BUMPER, INTERIOR DOME LIGHTS, FLAPS AND COMPLETE INSTALLATION WITH 5/8 IN U-BOLTS AND WOODEN CUSHION STRIPS. CHASSIS FRAME EXTENDED TO THE REAR OF THE BODY AND THE FRAME. BUMPER PAINTED BLACK.		
317	1.00	EA	0317 - CONFINED SPACE RESCUE/RECOVERY SYSTEM WO-CSR TO WORK WITH A WESTERN	\$	\$\$
			MULE BUMPER CRANE. REQUIRED WHEN USING THE CRANE AS A MAN-LIFT. INCLUDES WO-14 ROTATION LOCK. WO-14 FALL ARRESTOR BOOM ATTACHMENT ANCHOR PIN. WO-23 65 FT X 3/16 IN GALVANIZED LIFTING CABLE. R50G QUICK ATTACHED HAND CRANK OPERATOR RECOVERY WINCH/FALL ARRESTOR WITH 50 FT. LIFELINE.		
			MANUFACTURER: MANUFACTURER PART:		
318	1.00	EA	0318 - HEAVY DUTY WINDOW GRILL. PAINTED WHITE. SOLID PLATE AND TUBE. LOUVERED	\$	\$\$
			COVERINGS WITH CUT OUT FOR REAR VEHICLE LIGHT. INSTALLATION ON A PARISH OWNED PICK UP TRUCK IN READY TO WORK CONDITION. MANUFACTURER:		
			MANUFACTURER PART:		
319	1.00	EA	0319 - SIDE REFUSE LOADER. 28 CU. YD CAPACITY. 900 LB. PER CUBIC YARD	\$	\$\$
			COMPACTION. 8 SECOND LIFT CYCLE TIME. LIFT REACH 9 FT. 1250 LBS. @ HOPPER. 2500 PSI TANDEM VANE-TYPE 28 GPM PUMP. WORKING RPM 800. 50 GA. HYDRAULIC RESERVOIR CHASSIS FRAME MOUNTED WITH 3 MICRON RETURN FILTERS AND 140 MICRON SUCTION FILTERS. PACKING CONTROL VALVES		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

83

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LOCKING AND BODY RAISE. ALL AIR OPERATED TOGGLE SWITCH. ADDITIONAL REQUIREMENTS FOR TRUCK CHASSIS-425 FT. LBS. RECOMMENDED. ENGINE TORQUE AT PUMP SHAFT AT IDLE. 130 AMP MINIMUM ALTERNATOR. NEUTRAL SIGNAL BRAKE SINGAL AND R-STATOR SIGNAL. DEDICATED FOR BODY BUILDER USE IN CAB. HOPPER LOADING HEIGTH 190 IN. OVERALL UNIT LENGTH 284 IN. OVERALL UNIT WIDTH-96 IN. OVERALL UNIT HEIGHT ABOVE CHASSIS FRAME 103 IN. APPROXIMATELY 9900 LBS. UNIT WEIGHT. AUTOMATED PYTHON LIFT. DURA MOUNT DESIGN JOYSTICK CAB CONTROLS 60/90 GALLON BELT GRABBERS. OPERATED IN REAR AT IDLE. CONSTANT DUTY PTO.PETERSON MULIT FUNCTION EMERGENCY LIGHTS ON TAILGATE. LED LIGHTS FOR ENTIRE UNIT. REMOTE LIFT CONTROLS MOUNTED UNDER PASSENGER SEAT. MUD FLAPS AHEAD OF REAR TIRES. MANUAL HOPPER COVER 20 LB FIRE EXTINGUISHER. REAR "CAUTION" DECAL MOUNTED ON TAILGATE TRIPLE CAMERA SYSTEM CM 1 IN. HOPPER. CAMERA 2 ON TAILGATE CAM 3 ON ARM. BODY SERVICE HOIST LIFT ALLOWS BODY TO BE RAISED OFF OF FRAME RAILS TO ACCESS CHASSIS FOR SERVICE WITH COMPLETE INSTALLATION ON PARISH OWNED 58,000 LB. GVWR TRUCK CHASSIS. FRONT AXEL 18,000 IN C/T DISTANCE AND C.O.E. WHEELBASE OF 212 IN. MANUFACTURER: MANUFACTURER		
320	1.00	EA	0320 - ADRIAN (OR EQUAL) MODEL 43818TM130 HVAC PACKAGE FOR TRANSIT. INTERIOR STORAGE BINS, CABINETS, DRAWERS AND SHELVING.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
321	2.00	EA	0321 - ADRIAN MODEL 2256 (0R EQUAL) (OR EQUAL)	\$	\$\$
			GENERAL CONTRACTOR COMBINATION INTERIOR STORAGE BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE		
			MANUFACTURER: MANUFACTURER PART:		
322	1.00	EA	0322 - ADRIAN MODEL 2251 (OR EQUAL) (OR EQUAL)	\$	\$\$
			PLUMBING & HEATING COMBINATION		

INVITATION TO BID FROM JEFFERSON PARISH - continued

84

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STORAGE INTERIOR BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE.		
			MANUFACTURER: MANUFACTURER PART:		
323	1.00	EA	0323 - ADRIAN MODEL 4317TM130 (OR EQUAL)	\$	\$\$
			GENERAL SERVICE PACKAGE FOR TRANSIT. INTERIOR STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		
			MANUFACTURER: MANUFACTURER PART:		
324	1.00	EA	0324 - ADRIAN MODEL 4319TM130 (OR EQUAL)	\$	\$\$
			ELECTICAL PACKAGE FOR TRANSIT, INTERIOR STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		
			MANUFACTURER: MANUFACTURER PART:		
325	1.00	EA	0325 - ADRIAN (OR EQUAL) GENERAL SERVICE PACKAGE FOR A TRANSIT CONNECT.	\$	\$\$
			INTERIOR STORAGE BINS, CABINETS, DRAWERS AND SHELVING		
			MANUFACTURER: MANUFACTURER PART:		
326	1.00	EA	0326 - ADRIAN (OR EQUAL) DOUBLE DROP DOWN LADDER RACK.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
327	1.00	EA	0327 - ADRIAN (OR EQUAL) DOUBLE GRIP LOCK LADDER RACK. PAINTED WHITE	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
328	1.00	EA	0328 - ADRAIN (OR EQUAL) PLUMBING PACKAGE FOR A TRANSIT CONNECT, INTERIOR	\$	\$\$
			STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

85

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
329	1.00	EA	0329 - ADRIAN (OR EQUAL) ELECTRICAL PACKAGE FOR A TRANSIT CONNECT. INTERIOR	\$	\$\$
			STORAGE BINS, CABINETS, DRAWERS AND SHELVING.		
			MANUFACTURER: MANUFACTURER PART:		
330	1.00	EA	0330 - ADRIAN (OR EQUAL)DOUBEL GRIP LOCK LADDER BACK, PAINTED WHITE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
331	1.00	EA	0331 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS-8,500 LB TO	\$	\$\$
			19,500 LB. GVWR TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
332	1.00	EA	0332 - WRECKER TRUCK BODY ASSEBMLY WITH INTERGRATED BOOM AND UNDERLIFT.	\$	\$\$
			ASSEMBLY AND HYDRAULIC SPADES ON THE REAR. 12 TON RETRACTED BOOM RATING, 3 TON EXTENDED BOOM RATING, TOW 6 TON WORM GEAR VARIABLE SPEED HYDRAULIC WINCHES WITH 7/17 IN. X 100 FT. CABLE POWER FOLD FOR STINGER, 360 DEGREE BOOM END SWIVEL, POWER BOOM ELEVATION,90 IN. WIDE BODY WITH TOW STORAGE COMPARTMENT, DUAL CONTROLS. BACK UP FENDERS. 60 IN. WHELEN STROBE LIGHT BAR. 4 IN. RUBBER LOWER WORK LIGHTS, 6 IN. UPPER CHROME WORK LIGHTS, 4 SWITCH IN-DASH PANE, HEAVY DUTY DELUXE FRONT PUSH BUMPER. INSTALLED ON 15,000 TO 19,000 GVWR TRUCK WITH 84 IN. C/A DISTANCE SUPPLIED BY THE PARISH.		
			MANUFACTURER: MANUFACTURER PART:		
333	63.00	EA	0333 - HYDRAULIC OIL (H32) SOLD BY THE GALLON FOR USE ON REPAIRS OF	\$	\$\$
			TRUCK WET KIT SYSTEMS.		
			MANUFACTURER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

86

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
334	1.00	EA	0334 - VERSA-LIFT MODEL NUMBER VST40-I (OR EQUAL)ARIAL DEVICE.HORIZONTAL REACH	\$	\$\$
			OF 30"4. WORKING HEIGHT OF 45'4 BUCKET CAPACITY OF 400 LBS. STOWED TRAVEL HEIGHT OF TEN FEET SIX INCHES. WEIGHT OF LIFT-3,300 LBS. BASED ON 40 INCH FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 46.25. HYDRAULIC SYSTEM OPERATING PRESSURE OF 3000 PSI, FLOW RATE 6 GPM, FILTRATION 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/PUMP BOOM ACTION OUTER,INNER BOOM +87 DEGREES. CONTINUOUS. INSULATION GAP-UPPER BOOM FULLY RETRACTED 46", LOWER BOOM 12 INCHES. ONE SET OF OPERATOR AND SERVICE MAINTENANCE MANUALS PAINTED JEFFERSON PARISH WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL FACTORY WARRANTY.		
			MANUFACTURER: MANUFACTURER PART:		
335	1.00	EA	0335 - VERSA LIFT MODEL SST-37 EIH AERIAL DEVICE (OR EQUAL). HORIZONTAL	\$	\$\$
			REACH OF 27"9, WORKING HEIGHT OF 42', BUCKET CAPACITY OF 300 LBS. STOWED TRAVEL HEIGHT OF TEN FT. FOUR IN WEIGHT OF LIFT 3100 LBS. BASED ON 40 INCH FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 46'25" TALL. HYDRAULIC SYSTEM OPERATING PRESSURE OF 10 MICRON, 100 MESH SUCTION SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/PUMP BOOM ACTION OUTER/INNER BOOM TRAVEL - 14 DEGREES TO +74 DEGREES, LOWER BOOM TRAVEL-7 DEGREES TO VERTICAL INNER BOOM EXTENSION OF 116', ROTATION 370 DEGREES NON CONTINUOUS. INSULATION GAP-UPPER BOOM FULLY RETRACTED 42 INCHES. LOWER BOOM 12 INCES, ONE SET OF OPERATOR AND SERVICE MAINTENANCE MANUALS PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL FACTORY WARRANTY. MANUFACTURER: MANUFACTURER:		
336	1.00	EA	0336 - VERSA-LIFT MODEL SST-40 IEH(0R	\$	\$\$
			EQUAL)AERIAL DEVICE,HORIZONTAL REACH OF 29'9,WORKING HT.OF 45'. BUCKET CAPACITY OF 450 LBS.,STOWED TRAVEL HEIGHT OF		
			OF 450 LBS.,STOWED TRAVEL REIGHT OF		

INVITATION TO BID FROM JEFFERSON PARISH - continued

87

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			10 FEET FOUR INCHES.WEIGHT OF LIFT 3,100 LBS BASED ON 40" FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 46.25 INCHES, HYDRAULIC SYSTEM OPERATING PRESSURE OF 2250 PSI, FLOW RATE 3 GPM, FILTRATION 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER, POWER SOURCE PTO/ PUMP. BOOM ACTION OUTER/INNER BOOM TRAVEL-14 DEGREES TO +74 DEGREES,LOWER BOOM TRAVEL IS -5 DEGREES TO VERTICAL, INNER BOOM EXTENSION 116 INCHES,ROTATION 370 DEGREES NON CONTINUOUS, INSULATION GAP-UPPER BOOM FULLY RETRACTED 42 INCHES AND LOWER BOOM 12 INCHES. ONE SET OF OPERATOR AND SERVICE MANUALS, PAINTED JEFFERSON PARISH WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL WARRANTY. MANUFACTURER: MANUFACTURER:		
337	4.00	E .		خ	\$
337	1.00	EA	0337 - VERSA-LIFT MODEL VO-255-REAR ARTICULATED OVER CENTER AERIAL DEVICE (OR EQUAL). HORIZONTAL REACH OF 46"2, WORKING HEIGHTOF 59'10, BUCKET CAPACITY 450 LBS.STOWED TRAVEL HEIGHT OF 11 FT. 3 IN. WEIGHT OF LIFT-5500 LBS. BASED IB 40" FRAME HEIGHT.ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HT. OF 46.25" TALL,HYDRAULIC SYSTEM OPERATING PRESSURE OF 2900 PSI. FLOW RATE 7 GPM, FILTRATION 10 MICRON, 100 MESH. SUCTION SYSTEM TYPE OPEN CENTER,POWER SOURCE PTO/PUMP,INSULATION UPPER 214", INSULATION UPPER 18",UPPER BOOM ARTICULATION 270 DEGREES. LOWER BOOM ARTICULATION 125 DEGREES. ONE SET OF OPERTATOR AND SERVICE MANINTENANCE MANUALS. PAINTED JEFFERSON PARISH WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE YEAR FULL FACTORY WARRANTY. MANUFACTURER: MANUFACTURER: MANUFACTURER PART:	\$	- P
338	1.00	EA	0338 - VERSA-LIFT MODEL NUMBER VST47-I AERIAL DEVICE(OR EQUAL) HORIZONTAL REACH OF 30'9, WORKING HEIGHT OF 51'4, BUCKET CAPACITY OF 600 LBS. STOWED TRAVEL HEIGHT OF TEN FEET SIX INCHES. WEIGHT OF LIFT 3,580 LBS. BASED ON 40" FRAME HEIGHT. ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 52.25", RATE 6 GPM, FILTRATION 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER,	\$2	\$2

INVITATION TO BID FROM JEFFERSON PARISH - continued

88

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			POWER SOURCE PTO/PUMP, BOOM ACTION OUTER/INNER BOOM TRAVEL IS -25 DEGREES, OPERATIONAL DECAL. ONE YEAR FULL WARRANTY. MANUFACTURER:		
			MANUFACTURER PART:		
339	1.00	EA	0339 - VERSA-LIFT MODEL NUMBER VST52-I (OR EQUAL) AERIAL DEVICE.HORIZONTAL	\$	\$\$
			REACH OF 30'4 WORKING HEIGHT OF 55'6, BUCKET CAPACITY OF 600 LBS. STOWED TRAVEL HEIGHT OF 10 FT.5 IN. WEIGHT OF LIFT 3,760 LBS BASED ON 40" FRAME HEIGHT ALL DIMENSIONS NOMINAL WITH STANDARD PEDESTAL HEIGHT OF 52.25", ONE HYDRAULIC SYSTEM OPERATING PRESSURE OF 3000 PSI, FLOW RATE 6 GPM, FILTRATION 10 MICRON, 100 MESH SUCTION, SYSTEM TYPE OPEN CENTER, PWER SOURCE PTO/PUMP, BOOM ACTION TO OUTER/INNER BOOM TRAVEL OF -25 DEGREES TO +85 DEGREES, LOWER BOOM TRAVEL O DEGREES TO +84 DEGREES, INNER BOOM EXTENSION 53", ROTATION 360 CONTINUOUS, INSULATION GAP-UPPER BOOM FULLY RETRACTED 52', LOWER BOOM 121", ONE SET OPERATOR AND SERVICE MAINTENANCE MANUALS, PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS ONE YEAR FULL FACTORY WARRANTY.		
			MANUFACTURERS PART:		
340	1.00	EA	0340 - VERSA-LIFT OPTION FOR JIB & WINCH FOR VARIOUS VERSA-LIFT AERIAL DEVICES.	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
341	1.00	EA	0341 - ONE SET OF VERSA-LIFT OPTIONS FOR FULL HYDRAULIC OUTRIGGER FOR	\$	\$\$
			VARIOUS VERSA-LIFT AERIAL DEVICES.		
			MANUFACTURER: MANUFACTURER PART:		
342	1.00	EA	0342 - VERSA-LIFT OPTION FOR FULL LENGTH SUB-FRAME FOR VARIOUS VERSA-LIFT	\$	\$\$
			AERIAL DEVICES. WEIGHT- 1000 LBS.		
			MANUFACTURER: MANUFACTURER PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

89

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
343	1.00	EA	0343 - VERSA-LIFT OPTION FOR FULL HYDRAULIC BUCKET ROTATION FOR VARIOUS	\$	\$\$
			VERSA-LIFT AERIAL DEVICES.		
			MANUFACTURER: MANUFACTURER PART:		
344	1.00	EA	0344 - BUYERS OR EQUAL REMOTE CONTROLLED SPOTLIGHT (LED) MOUNTED ON CUSTOM STEEL	\$	\$\$
			OR ALUMINUM BRACKET IN CONJUCTION WITH AN EXISTING HEADACHE RACK OR LADDER RACK		
			MANUFACTURER: MANUFACTURER PART:		
345	1.00	EA	0345 - SKAVIN-JER MODEL NUMBER SPLS (OR EQUAL)PARKING LOT SWEEPER MACHINE TO	\$	\$\$
			MOUNT ON A ONE TON TRUCK WITH A 60" C/A & SINGLE REAR WHEELS.INCLUDES HOPPER LIFTING MACHINE/MAINFRAME, SWEEPING HEAD SWEEPER AUX ENGINE, BLOWER, INSIDE CABIN SWEEPER CONTROLS AND THE FOLLOWING ADDITIONAL EQUIPMENT: AMBER LED BEACON LIGHT, FRESH AIR BLOWER BACK PACK AND BLOWER STORAGE, REAR BUMPER, LOCKING TOOL BOX, ONE SET OF OPERATOR AND SERVICE MANUALS. PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS. ONE FULL YEAR FACTORY WARRANTY. MANUFACTURER:		
346	1.00	EA	MANUFACTURER PART: 0346 - WRECKER TRUCK BODY SMALL.	\$	\$
			MODEL 810 VULCAN (OR EQUAL) STANDARD FEATURES: WIRED 10 FUNCTION IN-CAB REMOTE CONTROL WITH CARBON STEEL SIDES. ONE PAIR OF SAFETY STRAPS. 26' STEEL PYLON. SAFETY CHAINS IN REAR POCKET.POWER ELEVATION. 360 SHEAVE HEAD. CABLE TIE BACKS. PLANETARY WINCH. CABLE TENSIONER. MANAUL WINCH FREE SPOOL. HYDRAULIC FOLD, 2-STAGE DESIGN. LOW PROFILE HYDRAULIC CROSS BAR. ADJUSTABLE MODULARE BODY WITH RUBBER MOUNTING INSULATORS. TOOL COMPARTMENT LIGHTING. DRIVER & PASSENGER SIDE STORAGE COMPARTMENTS. REMOVABLE ACCESS COVER FOR HYDAULIC FILTER SERVICE. LEGEND 10 LED LIGHT BAR (61"). BACK UP ALARM, MUD FLAPS. FOR USE ON A 60" C/A TRUCK CHASSIS WITH A SUGGESTED GVWR OF 19,500		

INVITATION TO BID FROM JEFFERSON PARISH - continued

90

Page

ITEM Number	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LBS. MANUFACTURER: MANUFACTURER PART:		
347	1.00	EA	0347 - WRECKER TRUCK BODY,SMALL MODEL 311 EXPRESS (OR EQUAL) WITH CARBON	\$	\$\$
			STEEL SIDES. 88" X 24" CARBON STEEL SADDLE BOX 24" STEEL PYLON. LED WORK LIGHTS, WIRELESS TOW LIGHTS 21", 10 HEAD LED BAR 60" FOR USE ON 60" C/A TRUCK CHASSIS WITH A SUGGESTED GVWR OF 19,500 LBS.		
			MANUFACTURER: MANUFACTURER PART:		
348	1.00	EA	0348 - WRECKER TRUCK BODY SMALL, MODEL 311(OR EQUAL)EXPRESS WITH 24"	\$	\$\$
			TUNNEL BOX WITH CARBON STEEL SIDES.88"X 24" CARBON STEEL SADDLE BOX. 24"STEEL PYLON LED WORK LIGHTS. WIRELESS TOW LIGHTS 21" 10 HEAD LED BAR 60" FOR USE ON AN 84"C/A TRUCK CHASSIS WITH A SUGGESTED WRECKER TRUCK BODY SMALL, GVWR OF 19500 LBS.		
			MANUFACTURER: MANUFACTURER PART:		
349	1.00	EA	0349 - REPLACEMENT DUMP BODY HOIST- WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$\$
			HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY. PAINTED BLACK AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
350	1.00	EA	0350 - REPLACEMENT DUMP BODY HOIST- WARREN SUB-FRAME TYPE SINGLE CYLINDER	\$	\$\$
			HEAVY DUTY HOIST (TO FIT A 6/8 YD. 10'L X 8'W WARREN DUMP BODY). PAINTED BLACK AND INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
351	1.00	EA	0351 - 5000 POUND CRANE ELECTRIC OVER HYDRAULIC, POWER EXTENSION TO 20'4	\$	\$\$
			(6.2M). EASE OF USE-FULL CONTINUOUS POWER ROTATION 370 DEGREES MOVEMENT		

BID NO.: 50-00148680

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID

Page

91

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FOR MAXIMUM VERSITILITY IN LIFTING. CAPABLE OF LIFTING AT 100% IN ALL POSITIONS. INSTALLED ON TITAN CRANE BODIES WITHOUT OUTRIGGERS. MAXIMIZED CAPACITY FOR LIFTING. 14 DEGREES TO +75 DEGREES BOOM ELEVATION. SMALL SHEAVE HARD WIRE REMOTE CONTROL PENDANT. CRANE WEIGHT: 1,455 LBS. SINGLE LINE SPEED 36FT. PER MINUTE. 80' OF 5/16' AIRCRAFT CABLE. STOWED BOOM LENGTH 13'1". FULL TWO YEAR WARRANTY. PAINTED WHITE AND INSTALLED. CRANE REQUIRES THE FOLLOWING: 14,500 GVWR MINIMUM TRUCK SIZE. CRANE WEIGHT: 1,455 LBS. (627 KG), EXTENDED BOOM LENGHT 20'4 (6.2M), WIDTH 1'96" (55M), HEIGHT-2'11.75 (.90M), BASE PLATE DIMENSIONS 16.75" X 16.75" (O.43M X .43M). BOOM DOWN-33-41 SECONDS (FULL STROKE OF CYLINDER). BOOM RETRACT 33-41 SECONDS. MOTOR 2.5HP. 24V DC ELECTRIC HOIST MOTOR, BATTERY INFO: 575 AMP COLD CRANKING RATING NEEDED. 130 MINUTE RESERVE CAPACITY, MAINTENANCE TYPE BATTERY REQUIRED FOR 12/24 VOLT DC OPERATION. 75 AMP MINIMUM TRUCK ALTERNATOR REQUIRED. TWO BATTERIES REQUIRED ON TRUCK TO OPERATE CRANE. MANUFACTURER: MANUFACTURER: MANUFACTURER		
352	1.00	EA	0352 - HEIL MODEL SL 16 YD.(OR EQUAL) 16"L HEAVY DUTY TRASH DUMP BODY	\$	\$\$
			ASSEMBLY WITH 1/4" FLOOR, SINGLE REAR SWING GATE (GATE TO SWING AND LATCH ON THE DRIVER'S SIDE WALL). INSTALLED. MANUFACTURER: MANUFACTURERS PART:		
353	1.00	EA	0353 - FEDERAL SIGNAL (OR EQUAL) RED AND WHITE LIGHT BAR LOW PROFILE DESIGN	\$	\$\$
			INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER:		
354	5.00	EA	MANUFACTURER PART: 0354 - FEDERAL SIGNAL PATH FINDER HAND	\$	\$\$
			HELD REMOTE WITH CURLY CORD CONTROLLER (OR EQUAL) INSTALLED IN CAB OF VEHICLE FOR CONTROL OF MPS LIGHTS, LIGHT BARS & SIREN AND/ OR SPEAKER USE. MANUFACTURER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

92

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
355	2.00	EA	0355 - FEDERAL SIGNAL (OR EQUAL) RED AND WHITE TYPE FLASHING LIGHT LOW	\$	\$\$
			PROFILE SIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
356	1.00	EA	0356 - FEDERAL SIGNAL (OR EQUAL) BLUE AND WHITE	\$	\$\$
			MPS TYPE FLASHING LIGHT LOW PROFILE DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
357	1.00	EA	0357 - FEDERAL SIGNAL RED, WHITE AND BLUE MPS TYPE FLASHING LIGHT LOW	\$	\$\$
			PROFILE DESIGN (OR EQUAL) INSTALLED IN READY TO TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
358	4.00	EA	0358 - FEDERAL SIGNAL (OR EQUAL) BLUE AND WHITE LOW PROFILE DESIGN	\$	\$\$
			INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE		
			MANUFACTURER: MANUFACTURER PART:		
359	1.00	EA	0359 - TIGER CRANE MODEL 2081E ELECTRIC CRANE INSTALLED (OR EQUAL)	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
360	1.00	EA	0360 - TIGER CRANE MODEL 3216E ELECTRIC INSTALLED (OR EQUAL)	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
361	1.00	EA	0361 - TIGER CRANE MODEL 4016E ELECTRIC INSTALLED (OR EQUAL)	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

93

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
362	1.00	EA	0362 - TIGER CRANE MODEL 2060 ELECTRIC CRANE. (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
363	1.00	EA	0363 - TIGER CRANE MODEL 2085 ELECTRIC CRANE, (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
364	1.00	EA	0364 - TIGER CRANE MODEL 2082TB TALL BASES ELECTRIC CRANE (OR EQUAL).	\$	\$\$
			INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
365	5.00	EA	0365 - TIGER CRANE MODEL 3216EP PROPORTIONAL CONTROL ELECTRIC CRANE.	\$	\$\$
			(OR EQUAL)		
			MANUFACTUER: MANUFACTURER PART:		
366	1.00	EA	0366 - TIGER CRANE MODEL 4016EP PROPORTIONAL CONTROL ELECTRIC CRANE.	\$	\$\$
			(OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
367	5.00	EA	0367 - TIGER CRANE MODEL 5032E ELECTRIC CRANE INSTALLED.	\$	\$\$
			(OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
368	1.00	EA	0368 - TIGER CRANE MODEL 5032EP PROPARTIONAL CONTROL ELECTRIC CRANE.	\$	\$\$
			(OR EQUAL)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

94

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
369	5.00	EA	0369 - TIGER CRANE MODEL 6542E ELECTRIC CRANE INSTALLED	\$	\$\$
			(OR INSTALLED)		
			MANUFACTURER: MANUFACTURER PART:		
370	4.00	EA	0370 - TIGER CRANE MODEL 6542EP PROPORTIONAL CRANE INSTALLED.	\$	\$\$
			(OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
371	1.00	EA	0371 - TIGER CRANE MODEL 5032 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE INSTALLED. (OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
372	1.00	EA	0372 - TIGER CRANE MODEL 6542 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE INSTALLED.(OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
373	1.00	EA	0373 - TIGER CRANE MODEL 8652 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE. INSTALLED.(OR EQUAL)		
			MANUFACTURER: MANUFACTURER PART:		
374	1.00	EA	0374 - TIGER CRANE MODEL 1061 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE. (0R EQUAL) INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
375	1.00	EA	0375 - TIGER CRANE MODEL 1069 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

95

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			CRANE. (OR EQUAL) INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
376	1.00	EA	0376 - TIGER CRANE MODEL 1593 PROPORTIONAL CONTROL FULL HYDRAULIC	\$	\$\$
			CRANE. (OR EQUAL). INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
377	1.00	EA	0377 - VANAIR MODEL AIR N ARC 150 20 HP (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
378	1.00	EA	0378 - VANAIR MODEL AIR N ARC 300 DIESEL (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
379	1.00	EA	0379 - VANAIR MODEL AIR N ARC 300 GAS (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
380	1.00	EA	0380 - VANAIR MODEL D80 GAS DRIVEN (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
381	1.00	EA	0381 - VANAIR MODEL D80 DIESEL DRIVEN (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
382	4.00	EA	0382 - VANAIR MODEL JUMPPACK 12-10000- 002T, 12 VOLT 10K AMPS SUPPLY	\$	\$\$
			(OR EQUAL)		
			MANUFACTURER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

96

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURE PART:		
383	1.00	EA	0383 - VANAIR MODEL JUMPPACK 12-24 (12 AND 24 VOLT) SUPPLY ONLY	\$	\$\$
			(OR EQUAL)		
			MANUFACTURER: MANUFACTURE PART:		
384	5.00	EA	0384 - STELLAR HOOK LIFT MODEL NXT 18 (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
385	3.00	EA	0385 - STELLAR HOOK LIFT MODEL NXT52 (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
386	2.00	EA	0386 - STELLAR HOOK LIFT MODEL 8410FLEX 36 (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
387	7.00	EA	0387 - STELLAR HOOK LIFT MODEL SLIDER 26, (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
388	1.00	EA	0388 - STELLAR HOOK LIFT MODEL SLIDER 20-S, (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURE PART:		
389	1.00	EA	0389 - STELLAR HOOK LIFT MODEL SLIDER 20 (OR EQUAL)	\$	\$\$
			INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
390	1.00	EA	0390 - STELLAR HOOK LIFT MODEL SLIDER 34 (OR EQUAL) INSTALLED.	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

97

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
391	1.00	EA	0391 - STELLAR HOOK LIFT MODEL SLIDER 40 (0R EQUAL)	\$	\$\$
			INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
392	1.00	EA	0392 - STELLAR HOOK LIFT MODEL SLIDER 50 (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
393	2.00	EA	0393 - STELLAR HOOK LIFT (OR EQUAL) 20' LONG FLATBED BED WITH DOVE TAIL AND	\$	\$\$
			15K ELECTRIC WINCH LOCATED AT FRONT OF FLATBED FLOOR MOUNT ON OR NEAR HEAD BOARD AREA WITH CLOSED CUSTOM FABRICATED BATTERY BOX NEAR IT, INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
394	1.00	EA	0394 - STELLAR HOOK LIFT (OR EQUAL) 16' LONG FLATBED. BED WITH DOVE TAIL &	\$	\$\$
			15K ELECTRIC WINCH LOCATED AT FRONT OF FLATBED FLOOR MOUNT ON OR NEAR HEAD BOARD AREA WITH CLOSED CUSTOM FABRICATED BATTERY BOX NEAR IT, INSTALLED		
			MANUFACTURER: MANUFACTURER PART:		
395	1.00	EA	0395 - STELLAR HOOK LIFT (OR EQUAL) 12' LONG FLATBED BED WITH DOVE TAIL &	\$	\$\$
			15K ELECTRIC WINCH LOCATED AT FRONT OF FLATBED FLOOR MOUNT ON OR NEAR HEAD BOARD AREA WITH CLOSED CUSTOM FABRICATED BATTERY BOX NEAR IT, INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
396	1.00	EA	0396 - STELLAR FULL HYDRAULIC 8K CRANE (OR EQUAL) AND 11" MECHANICS ALUMINUM	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

98

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BODY WITH PTO DRIVE AIR COMPRESSOR, LIGHT IN BODY AND RADIO REMOTE CONTROL PROPORTIONAL TYPE WITH DIG DISPLAY FOR CRANE USE, BODY MODEL NUMBER TMAX111, ALL FACTORY INSTALLED. MANUFACTURER: MANUFACTURER PART:		
397	5.00	EA	0397 - MILLER ENPAK A30GBW (OR EQUAL) INSTALLED	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
398	1.00	EA	0398 - MILLER ENPAK A30GBW DIESEL UNIT (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
399	1.00	EA	0399 - MILLER ENPAK A60 GBHW, FULLY INTEGRATED TRUCK POWER UNIT (OR EQUAL)	\$	\$\$
			INSTALLED. MANUFACTURER:		
400	1.00	EA	MANUFACTURER PART: 0400 - MILLER ENPAK A60GBH FULLY INTEGRATED TRUCK POWER UNIT (OR EQUAL) INSTALLED. MANUFACTURER: MANUFACTURER PART:	\$	\$\$
401	1.00	EA	0401 - MILLER ENPAK A60GB FULLY INTEGRATED TRUCK POWER UNIT (OR EQUAL)	\$	\$\$
			INSTALLED. MANUFACTURER: MANUFACTURER PART:		
402	1.00	EA	0402 - MILLER ENPAK A60GBW FULLY INTEGRATED TRUCK POWER UNIT (OR EQUAL)	\$	\$\$
			INSTALLED. MANUFACTURER: MANUFACTURER PART:		
403	4.00	EA	0403 - WHELEN TRUCK (OR EQUAL) LIGHT BAR PACKAGE WITH FLASHING SIDE	\$	\$\$

REVISED PER ADDENDUM #1

DATE: 10/28/2025

INVITATION TO BID FROM JEFFERSON PARISH - continued

99

Page

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MARKER LIGHTS INSTALLED FOR LIGHT TRUCKS MANUFACTURER: MANUFACTURER PART:		
404	4.00	EA	0404 - WHELEN TRUCK (OR EQUAL) LIGHT BAR PACKAGE WITH FLASHING SIDE MARKER LIGHTS FOR LARGE HEAVY DUTY	\$	\$\$
			TRUCK MANUFACTURER: MANUFACTURER PART:		
405	1.00	EA	0405 - WHELEN TRUCK (OR EQUAL) LIGHT BAR PAKCAGE WITH FLASHING SIDE	\$	\$\$
			MARKER LIGHTS INSTALLED FOR POLICE OR FIRE LIGHT DUTY PICK-UP TRUCKS AND SUV VEHICLES. MANUFACTURER: MANUFACTURER PART:		
406	2.00	EA	0406 - SET OF NERF BARS FOR WHEEL TO WHEEL SIZE ON LIGHT DUTY PICK-UP TRUCKS 2 DOOR INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
407	6.00	EA	0407 - SET OF NERF BARS FOR WHEEL TO WHEEL SIZE ON LIGHT DUTY PICK-UP TRUCKS-4 DOOR, INSTALLED.	\$	\$
			MANUFACTURER: MANUFACTURER PART:		
408	1.00	EA	0408 - WACH'S HEAVY DUTY (UP TO 2500 FT. LB) TM-7 PLUS FOR INSTALLATION ON A PICK UP TRUCK 8' LONG BED 3/4 TON VEHICLE, INCLUDING THE FOLLOWING WACH ITEMS: TC-100 (NORTH AMERICA) RUGGEDIZED CONTROLLER/ DATA LOGGER, 8'STEEL VALVE KEY. 4 07-508-20, UNIVERSAL 2" H.D. U- SOCKET RATED TO 2,500'/LBS. FOR 2" STANDARD AWWA ACTUATOR NUTS. ALSO, CUSTOM STEEL FRAME TABLE TO MOUNT THE AREA INSTALLED. MANUFACTURER:	\$	\$

REVISED PER ADDENDUM #1

DATE: 10/28/2025

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

100

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
409	1.00	EA	0409 - VAULT STORAGE UP REAR COMPARTMENT WITH BASKET INSTALLED IN VEHICLE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
410	1.00	EA	0410 - FEDERAL SIGNAL NAVIGATOR LIGHT BAR (OR EQUAL)	\$	\$\$
			BAR, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
411	1.00	EA	0411 - FEDERAL SIGNAL INTEGRITY LIGHT BAR, (OR EQUAL)	\$	\$\$
			INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
412	1.00	EA	0412 - FEDERAL SIGNAL(OR EQUA) MICRO- PULSE SIGNAL MASTER LIGHT BAR LOW	\$	\$\$
			PROFILE SIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
413	2.00	EA	0413 - FEDERAL SIGNAL (OR EQUAL) XSTREAM INTERIOR MOUNT WARNING LIGHT	\$	\$\$
			PROFESSIONAL PROFILE DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
414	1.00	EA	0414 - FEDERAL SIGNAL(OR EQUAL) Q SIREN QB212NNSD CONTROLLER INSTALLED IN	\$	\$\$
			VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
415	3.00	EA	0415 - FEDERAL SIGNAL Q SIREN EQ2B-200 (OR EQUAL) CONTROLLER INSTALL IN	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 101

1.00 1.00	EA EA	VEHICLE MANUFACTURER: MANUFACTURER PART: 0416 - FEDERAL SIGNAL PF400Q WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER (OR EQUAL) INSTALLED. MANUFACTURER: MANUFACTURER PART: 0417 - FEDERAL SIGNAL PF400Q (OR EQUAL) 400 WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER.SUPPLY ONLY. MANUFACTURER: MANUFACTURER PART: 0418 - FEDERAL SIGNAL (OR EQUAL) RUMBLE SPEAKER ADD ON INSTALLED IN VEHICLE. MANUFACTURER: MANUFACTURER PART: 0419 - FEDERAL SIGNAL FS DIRECT CONTROL	\$\frac{4}{4}	\$ \$
1.00	EA	MANUFACTURER: MANUFACTURER PART: 0416 - FEDERAL SIGNAL PF400Q WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER (OR EQUAL) INSTALLED. MANUFACTURER: MANUFACTURER PART: 0417 - FEDERAL SIGNAL PF400Q (OR EQUAL) 400 WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER.SUPPLY ONLY. MANUFACTURER: MANUFACTURER PART: 0418 - FEDERAL SIGNAL (OR EQUAL) RUMBLE SPEAKER ADD ON INSTALLED IN VEHICLE. MANUFACTURER: MANUFACTURER: MANUFACTURER PART:	\$\$\frac{\darkar}{2}	\$
1.00	EA	MANUFACTURER PART: 0416 - FEDERAL SIGNAL PF400Q WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER (OR EQUAL) INSTALLED. MANUFACTURER: MANUFACTURER PART: 0417 - FEDERAL SIGNAL PF400Q (OR EQUAL) 400 WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER.SUPPLY ONLY. MANUFACTURER: MANUFACTURER PART: 0418 - FEDERAL SIGNAL (OR EQUAL) RUMBLE SPEAKER ADD ON INSTALLED IN VEHICLE. MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 0419 - FEDERAL SIGNAL FS DIRECT CONTROL	\$\$\frac{\darkar}{2}	\$
1.00	EA	PROGRAMABLE SIREN AND LIGHT CONTROLLER (OR EQUAL) INSTALLED. MANUFACTURER: MANUFACTURER PART: 0417 - FEDERAL SIGNAL PF400Q (OR EQUAL) 400 WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER.SUPPLY ONLY. MANUFACTURER: MANUFACTURER PART: 0418 - FEDERAL SIGNAL (OR EQUAL) RUMBLE SPEAKER ADD ON INSTALLED IN VEHICLE. MANUFACTURER: MANUFACTURER: MANUFACTURER PART:	\$\$\frac{\darkar}{2}	\$
1.00	EA	MANUFACTURER: MANUFACTURER PART: 0417 - FEDERAL SIGNAL PF400Q (OR EQUAL) 400 WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER.SUPPLY ONLY. MANUFACTURER: MANUFACTURER PART: 0418 - FEDERAL SIGNAL (OR EQUAL) RUMBLE SPEAKER ADD ON INSTALLED IN VEHICLE. MANUFACTURER: MANUFACTURER: MANUFACTURER: MANUFACTURER PART:	ئ >	\$\$
1.00	EA	MANUFACTURER PART: 0417 - FEDERAL SIGNAL PF400Q (OR EQUAL) 400 WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER.SUPPLY ONLY. MANUFACTURER: MANUFACTURER PART: 0418 - FEDERAL SIGNAL (OR EQUAL) RUMBLE SPEAKER ADD ON INSTALLED IN VEHICLE. MANUFACTURER: MANUFACTURER: MANUFACTURER PART: 0419 - FEDERAL SIGNAL FS DIRECT CONTROL	ئ >	\$\$
1.00	EA	400 WATT PROGRAMABLE SIREN AND LIGHT CONTROLLER.SUPPLY ONLY. MANUFACTURER: MANUFACTURER PART: 0418 - FEDERAL SIGNAL (OR EQUAL) RUMBLE SPEAKER ADD ON INSTALLED IN VEHICLE. MANUFACTURER: MANUFACTURER: MANUFACTURER PART:	ئ >	\$\$
		MANUFACTURER: MANUFACTURER PART: 0418 - FEDERAL SIGNAL (OR EQUAL) RUMBLE SPEAKER ADD ON INSTALLED IN VEHICLE. MANUFACTURER: MANUFACTURER PART: 0419 - FEDERAL SIGNAL FS DIRECT CONTROL		
		MANUFACTURER PART: 0418 - FEDERAL SIGNAL (OR EQUAL) RUMBLE SPEAKER ADD ON INSTALLED IN VEHICLE. MANUFACTURER: MANUFACTURER PART: 0419 - FEDERAL SIGNAL FS DIRECT CONTROL		
		RUMBLE SPEAKER ADD ON INSTALLED IN VEHICLE. MANUFACTURER: MANUFACTURER PART: 0419 - FEDERAL SIGNAL FS DIRECT CONTROL		
1.00	EA	MANUFACTURER: MANUFACTURER PART: 0419 - FEDERAL SIGNAL FS DIRECT CONTROL	\$	Ś
1.00	EA	MANUFACTURER PART: 0419 - FEDERAL SIGNAL FS DIRECT CONTROL	\$	Š
1.00	EA		\$	Š
		MODULE NUMBER OBMOD16 (OR EQUAL)		+ ~
		INSTALLED.		
		MANUFACTURER: MANUFACTURER PART:		
2.00	EA	0420 - FEDERAL SIGNAL FIRERAY LED 6 X 4 EXTERIOR PERIMETER LIGHT, INSTALLED	\$	\$\$
		IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
		MANUFACTURER: MANUFACTURER PART:		
1.00	EA	0421 - FEDERAL SIGNAL FIRERAY LED 7 X 3 EXTERIOR PERIMETER LIGHT(OR EQUAL)	\$	\$\$
		INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
		MANUFACTURER: MANUFACTURER PART:		
4.00	EA	0422 - FEDERAL SIGNAL FIRERAY (OR EQUAL) LED9 X 7 EXTERIOR PERIMETER LIGHT,	\$	\$\$
	1.00	1.00 EA	IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0421 - FEDERAL SIGNAL FIRERAY LED 7 X 3 EXTERIOR PERIMETER LIGHT(OR EQUAL) INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART: 4.00 EA 0422 - FEDERAL SIGNAL FIRERAY (OR EQUAL)	IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART: 1.00 EA 0421 - FEDERAL SIGNAL FIRERAY LED 7 X 3 EXTERIOR PERIMETER LIGHT(OR EQUAL) INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART: 4.00 EA 0422 - FEDERAL SIGNAL FIRERAY (OR EQUAL) \$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

102

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			INSTALLED IN READY TO WORK CONDITION		
			ON PARISH OWNED VEHICLE. MANUFACTURER:		
			MANUFACTURER PART:		
423	1.00	EA	0423 - FEDERAL SIGNAL (OR EQUAL) TRAFFIC CLEARING LIGHT 6X4.	\$	\$\$
			INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
424	1.00	EA	0424 - FEDERAL SIGNAL (OR EQUAL) TRAFFIC CLEARING LIGHT 9 x 7,	\$	\$\$
			INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHCLE.		
			MANUFACTURER: MANUFACTURER PART:		
425	3.00	EA	0425 - FEDERAL SIGNAL VISOR INTERIOR (OR EQUAL), LIGHTS (ONE PAIR),INSTALLED	\$	\$\$
			IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
426	1.00	EA	0426 - FEDERAL SIGNAL VISOR INTERIOR LIGHTS (1 PAIR), (OR EQUAL) SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
427	1.00	EA	0427 - K-9 PLATFORM SYSTEM INSTALLED IN VEHICLE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
428	2.00	EA	0428 - INMATE TRANSPORT SLIDE IN SYSTEM INSTALLED IN VEHICLE.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
429	1.00	EA	0429 - INMATE TRANSPORT SLIDE IN SCREEN SYSTEM INSTALLED IN VEHICLE.	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 103

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
430	1.00	EA	0430 - INMATE TRANSPORT SLIDE IN SYSTEM THAT IS ADD ACCESSABLE. INSTALLED IN	\$	\$\$
			VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
431	1.00	EA	0431 - FEDERAL SIGNAL ALGT21D-AMBR3BF ALLEGIANT 21" FEDERAL AMBER MINI LIGHT	\$	\$\$
			BAR (OR EQUAL) SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
432	1.00	EA	0432 - FEDERAL SIGNAL FEDERAL LEGEND SERIAL 45" AMBER LIGHT BAR, (OR EQUAL)	\$	\$\$
			SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
433	4.00	EA	0433 - FEDERAL SIGNAL FEDERAL MOUNTING BAR-(OR EQUAL) SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
434	1.00	EA	0434 - FEDERAL SIGNAL FEDERAL CUSTOM MOUNTING BRACKET FEET (ONE PAIR),	\$	\$\$
			(OR EQUAL) SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
435	1.00	EA	0435 - FEDERAL SIGNAL FEDERAL 1" LED FLASHING LIGHTS WITH GROMMET. SUPPLY	\$	\$\$
			ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
436	1.00	EA	0436 - FEDERAL VALOR LIGHT BAR,OR EQUAL, INSTALLED IN READY TO WORK CONDITION	\$	\$\$

REVISED PER ADDENDUM #1

DATE: 10/28/2025

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 104

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ON PARISH OWNED VEHICLE. MANUFACTURER: MANUFACTURER PART:		
437	25.00	HR	0437 - PRENTICE LOADER "CHERRY PICKER" NIDKE 2124 (0R EQUAL) WITH A-FRAME	\$	\$\$
			BASES AND TRASH GRAPPLE ROTATOR INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
438	1.00	EA	0438 - 48" TRASH GRAPPLE BUCKET WITH ROTATOR SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
439	1.00	EA	0439 - 48" TRASH GRAPPLE BUCKET WITH ROTATOR SUPPLY & INSTALLED ON	\$	\$\$
			SERCO OR PRENTICE LOADER IN READY TO WORK CONDITION		
			MANUFACTURER: MANUFACTURER PART:		
440	1.00	EA	0440 - LOG GRAPPLE WITH ROTATOR-SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
441	3.00	EA	0441 - LOG GRAPPLE WITH ROTATOR SUPPLY & INSTALLED ON SERCO OR PRENTICE	\$	\$\$
			LOADER IN READY TO WORK CONDITION.		
			MANUFACTURER: MANUFACTURER PART:		
442	1.00	EA	0442 - FEDERAL SIGNAL ILS VISOR(OR EQUAL) INTERIOR LIGHTS (PAIR),INSTALLED	\$	\$\$
			IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER PART:		
443	1.00	EA	0443 - FEDERAL SIGNAL ILS VISOR INTERIOR INTERIOR LIGHTS (PAIR) OR EQUAL,	\$	\$\$

REVISED PER ADDENDUM #1

DATE: 10/28/2025

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 105

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			INSTALLED IN READY TO WORK CONDITION.		
			MANUFACTURER: MANUFACTURER PART:		
444	1.00	EA	0444 - EX50 FUEL PUMP CUSTOM KIT FOR PARISH USE ONLY,(OR EQUAL) FOR	\$	\$\$
			PARISH USE ONLY		
			MANUFACTURER: MANUFACTURER PART:		
445	1.00	EA	0445 - FEDERAL SIGNAL VALR44J (OR EQUAL) VALOR 44" V SHAPED LIGHT BAR,	\$	\$\$
			SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER NUMBER:		
446	1.00	EA	0446 - FEDERAL SIGNAL INTG44J (OR EQUAL) 44" INTEGRITY LIGHT BAR, SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
447	1.00	EA	0447- FEDERAL SIGNAL INTG51J (OR EQUAL) 51" INTEGRITY LIGHT BAR, SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
448	1.00	EA	0448 - FEDERAL SINGAL RELIANT S2 MODEL RLNT48J-XXXXX (OR EQUAL) 48" WIDE	\$	\$\$
			MODELS AMBER LIGHT BAR WITH 22 AMBER/ WHITE LED HEADS, 4 AMBER LED HEADS FRONT AND REAR FLOOD, SIGNALMASTER, FLAT MOUNT, CLEAR DOMES, LOW POWER DIMMING FEATURE & CAT 5 CABLE FOR PLUG' N' PLAY WIRE INSTALLATION TO A PREPROGRAMMED 4-BUTTON CONTROLLER MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLATION IN READY TO WORK CONDITION ON A PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER NUMBER:		
449	1.00	EA	0449 - FEDERAL SIGNAL RELIANT S2 MODEL # ALGT21J-XXXXX (OR EQUAL), 21"	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

106

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			WIDE MODELS AMBER LIGHT BAR WITH 22 AMBER/WHITE LED HEADS, 4 AMBER LED HEADS, FRONT AND REAR FLOOD, SIGNAL- MASTER, FLAT MOUNT, CLEAR DOMES, LOW POWER DIMMING FEATURE & CAT 5 CABLE FOR PLUG'N'PLAY WIRE INSTALL TO A PRE- PROGRAMMED 4 BUTTON CONTROLLER MOUNTED IN THE CAB OF THE TRUCK-ALL INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.		
			MANUFACTURER: MANUFACTURER NUMBER:		
450	1.00	EA	0450 - FEDERAL SIGNAL FS (FS DIRECT CONTROL MODULE MODEL	\$	\$\$
			0BM0D16 (OR EQUAL), INSTALLED.		
			MANUFACTURER: MANUFACTURER NUMBER:		
451	1.00	EA	0451 - FEDERAL SIGNAL HIGHLIGHTER (OR EQUAL)	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
452	1.00	EA	0452 - FEDERAL SIGNAL 0013 LATITUDE TRAFFIC ADVISOR WARNING LIGHT	\$	\$\$
			MODEL SL8F-AW(OR EQUAL). LATITUDE 32" FLAT BAR WITH CABLE AND CONTROLLER (SUPPLY ONLY). FLASHING ONLY		
			MANUFACTURER: MANUFACTURER NUMBER:		
453	1.00	EA	0453 - FEDERAL SIGNAL CHSML 18 AND 30 FORD ONLY BRACKET (OR EQUAL).	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
454	1.00	EA	0454 - FEDERAL SIGNAL 4 BUTTON CONTROLLER (OR EQUAL) CNTRLR-XX, SUPPLY	\$	\$\$
			ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
455	1.00	EA	0455 - FEDERAL SIGNAL 6 BUTTON CONTROLLER (OR EQUAL) CNTRLR-XX, SUPPLY	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 107

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ONLY		
			MANUFACTURER: MANUFACTURER NUMBER:		
456	1.00	EA	0456 - FEDERAL SIGNAL 9 BUTTON CONTROLLER CNTRLR-XX (OR EQUAL),	\$	\$\$
			SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER NUMBER:		
457	1.00	EA	0457 - FEDERAL SIGNAL NAVG45Z 45" (OR EQUAL) LIGHT BAR, SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
458	1.00	EA	0458 - FEDERAL SIGNAL NAVG53Z 53" (OR EQUAL) LIGHT BAR, SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
459	1.00	EA	0459 - FEDERAL SIGNAL NAVG73D 73" (OR EQUAL) LIGHT BAR, SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
460	1.00	EA	0460 - FEDERAL SIGNAL NAVG87D 87" (OR EQUAL) LIGHT BAR, SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
461	1.00	EA	0461 - FEDERAL SIGNAL OBD CABLE-25 (OR EQUAL).	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
462	1.00	EA	0462 - FEDERAL SIGNAL PFSYNC-1 SYNC SCENE MODULE (OR EQUAL), SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page

108

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
463	1.00	EA	0463 - FEDERAL SIGNAL PFPMD POWER DISTRIBUTION MODEL (OR EQUAL),SUPPLY	\$	\$\$
			ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
464	1.00	EA	0464 - FEDERAL SIGNAL EXPMOD24 24 CHANNEL EXPAN MODULE (OR EQUAL),	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
465	1.00	EA	0465 - FEDERAL SIGNAL EXPMOD32 32 CHANNEL EXPAN MODULE (OR EQUAL)	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
466	1.00	EA	0466 - FEDERAL SIGNAL Z858303641 A SERIAL INTERFACE FOR NON-NETWORK TO	\$	\$\$
			NETWORK (OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
467	1.00	EA	0467 - FEDERAL SIGNAL PW100 SIREN 100 WATT (OR EQUAL), SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
468	1.00	EA	0468 - FEDERAL SIGNAL LATITUDE SL6S-A 24" SIGNAL MASTER WITH	\$	\$\$
			CONTROLLER (OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
469	1.00	EA	0469 - FEDERAL SIGNAL LATITUDE SL8S-A 32" SIGNAL MASTER WITH CONTROLLER	\$	\$\$
			(OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 109

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
470	1.00	EA	0470 - FEDERAL SIGNAL LATITUDE SL8S-A 48" SIGNAL MASTER WITH CONTROLLER	\$	\$\$
			(OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
471	1.00	EA	0471 - FEDERAL SIGNAL LATITUDE SL4F-A FLASHING ONLY (OR EQUAL), SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER NUMBER:		
472	1.00	EA	0472 - FEDERAL SIGNAL LATITUDE SL6F-A FLASHING ONLY SINGLE OR DUAL COLOR	\$	\$\$
			(OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
473	1.00	EA	0473 - FEDERAL SIGNAL LATITUDE SL8-F-A FLASHING ONLY SINGLE OR DUAL COLOR	\$	\$\$
			(OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER NUMBER:		
474	1.00	EA	0474 - FEDERAL SIGNAL SA-361 SIREN FOR SINGLE 100-WATT SPEAKER (OR EQUAL),	\$	\$\$
			SUPPLY ONLY.		
475	1.00	EA	0475 - FEDERAL SIGNAL ICON UTILITY 13" 21" AND 24" (OR EQUAL), SUPPLY ONLY	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
476	1.00	EA	0476 - FEDERAL SIGNAL CNSMJ8R-XXXXXCN (OR EQUAL) SIGNAL MASTER BAR	\$	\$\$
			DIRECTIONAL LIGHT BAR WITH FLOOD LIGHT CAPABILITY (COVERGENCE NETWORK) AMBER WHITE, SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
477	1.00	EA	0477 - FEDERAL SINGAL CNSMJ4F-PC3-CN SIGNAL MASTER BAR (OR EQUAL).	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 110

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS													
			DIRECTIONAL LIGHT BAR WITH FLOOD LIGHT CAPABILITY (COVERGENCE NETWORK) RED, BLUE WHITE FRONT MODEL. SUPPLY ONLY															
			MANUFACTURER: MANUFACTURER PART:															
478	1.00	EA	0478 - FEDERAL SIGNAL CNSMJ8R-XXX-CN SIGNAL MASTER SIGNAL BAR (OR EQUAL)	\$	\$\$													
			DIRECTIONAL LIGHT BAR IWTH FLOOD LIGHT CAPABILITY (COVERGENCE NETWORK). RED, FLUE, AMBER, ETX. REAR MODEL. SUPPLY ONLY															
			MANUFACTURER: MANUFACTURER PART:															
479	1.00	EA	0479 - FEDERAL SIGNAL XSTREAM (OR EQUAL) INTERIOR MOUNT WARNING LIGHT	\$	\$\$													
			PROFESSIONAL PROFILE DESIGN, INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.															
			MANUFACTURER: MANUFACTURER PART:															
480	1.00	EA	0480 - FEDERAL SIGNAL XSTREAM (OR EQUAL) INTERIOR MOUNT WARNING LIGHT.	\$	\$\$													
			PROFESSIONAL PROFILE DESIGN,INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED VEHICLE.															
			MANUFACTURER: MANUFACTURER PART:															
481	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	.00 EA 0481 - FEDERAL SIGNAL RUMBLER SPEAKER (OR EQUAL) WITH ADD ON SUPPLY AND	\$	\$\$
			INSTALL. SUPPLY ONLY. MANUFACTURER:															
			MANUFACTURER PART:															
482	1.00	EA	0482 - FEDERAL SIGNAL RUMBLER SPEAKER SOLO RBKITSOLO (OR EQUAL). SUPPLY ONLY	\$	\$\$													
			MANUFACTURER: MANUFACTURER PART:															
483	1.00	EA	0483 - FEDERAL SIGNAL RUMBLE SPEAKER SOLO RBKITSOLO (OR EQUAL). INSTALLED	\$	\$\$													

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 111

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
484	1.00	EA	0484 - FEDERAL SIGNAL SPEAKER ES100C, (OR EQUAL) 100 WATT (COMPACT). SUPPLY	\$	\$\$
			ONLY		
			MANUFACTURER: MANUFACTURER PART:		
485	1.00	EA	0485 - FEDERAL SINGAL SPEAKER MODEL AS124 (OR EQUAL), 100 WATT (LARGE).	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
486	1.00	EA	0486 - FEDERAL SIGNAL SPEAKER MODEL ES100C (OR EQUAL), 100 WATT (COMPACT),	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
487	1.00	EA	0487 - FEDERAL SIGNAL SPEAKER MODEL AS124 (OR EQUAL) 100 WATT (LARGE)	\$	\$\$
			INSTALLED, SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
488	1.00	EA	0488 - FEDERAL SIGNAL D PILER KIT (OR EQUAL).SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
489	1.00	EA	0489 - FEDERAL SPEAKER SIGNAL D PILER KIT (OR EQUAL), SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
490	1.00	EA	0490 - FEDERAL SIGNAL MPSMS-SPOILER KIT (OR EQUAL), SUPPLY ONLY	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 112

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
491	1.00	EA	0491 - FEDERAL SIGNAL MPSMP-SPOILER KIT (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
492	1.00	EA	0492 - FEDERAL SIGNAL LITTLE LIGHT MAP LIGHT UV (OR EQUAL) FOR BETTER VIEWING	\$	\$\$
			FLASHERS, SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
493	1.00	EA	0493 - FEDERAL SINGAL COM3SRWC RED AND WHITE COMPARTMENT LIGHT (OR EQUAL),	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
494	1.00	EA	0494 - FEDERAL SIGNAL PUSH BUMPER DFE- PB-XXXX (OR EQUAL), SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
495	1.00	EA	0495 - FEDERAL SIGNAL PUSH BUMPER LOWER GUARDS DFC-LG-XXXX (OR EQUAL),	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
496	1.00	EA	0496 - FEDERAL SIGNAL PUSH BUMPER UPPER GUARDS DFC-UG-XXXX (OR EQUAL)	\$	\$\$
			SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
497	1.00	EA	0497 - FEDERAL SIGNAL PUSH BUMPER TOP CHANNEL; DFC-TC-XXXX (OR EQUAL), SUPPLY	\$	\$\$
			ONLY.		
			MANUFACTURER:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 113

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER PART:		
498	1.00	EA	0498 - FEDEDRAL SIGNAL PUSH BUMPER WIRE COVERS DFC-WC-XXXX (OR EQUAL), SUPPLY	\$	\$\$
			ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
499	1.00	EA	0499 - FEDERAL SIGNAL PUSH BUMPER SPEAKER BRACKETS DFC-SC-XXXX (OR EQUAL)	\$	\$\$
			SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
500	1.00	EA	0500 - FEDERAL SIGNAL PERIMETER BREACH SYSTEM WITH BRACKETS DFC-SC-XXXX	\$	\$\$
			(OR EQUAL). SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
501	1.00	EA	0501 - FEDERAL SIGNAL MICRO PULSE MISC BRACKETS (OR EQUAL, SUPPLY ONLY.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
502	1.00	EA	0502 - FEDERAL SIGNAL MICRO PULSE MISC BRACKETS (OR EQUAL) INSTALLED.	\$	\$\$
			MANUFACTURER: MANUFACTURER PART:		
503	1.00	EA	0503 - FEDERAL SIGNAL MICRO PULSE WIDE ANGEL PRO 180 DEGREE WIDE LIGHT	\$	\$\$
			(OR EQUAL) FOR UNDER THE SIDE DOOR MIRROR. MPSWP-XXX, SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
504	1.00	EA	0504 - FEDERAL SIGNAL MICRO PULSE WIDE ANGLE PRO 180 DEGREE WIDE LIGHT FOR	\$	\$\$
			UNDER THE SIDE MIRROR MPSWP-XXX (OR EQUAL), SUPPLY ONLY.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 114

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
505	1.00	EA	0505 - FEDERAL SIGNAL MICRO PULSE C SERIES DUAL COLOR MPSC2-XX (OR EQUAL)	\$	\$\$
			SUPPLY ONLY. MANUFACTURER: MANUFACTURER PART:		
506	1.00	EA	0506 - FEDERAL SINGNAL MICRO PULSE C SERIES DUAL COLOR MPSC2-XX (OR EQUAL)	\$	\$\$
			INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
507	1.00	EA	0507 - FEDERAL SIGNAL RUNNING BOARDS LIGHTS SIX FEET LONG DR6-XXX (OR	\$	\$\$
			EQUAL) SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
508	1.00	EA	0508 - FEDERAL SIGNAL RUNNING BOARDS LIGHTS-FIVE FEET LONG DR5-XXX	\$	\$\$
			(OR EQUAL) SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
509	1.00	EA	0509 - FEDERAL SIGNAL RUNNING BOARDS LIGHTS, SIX FEET LONG. DR6-XXX (OR	\$	\$\$
			EQUAL), INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
510	1.00	EA	0510 - FEDERAL SIGNAL RUNNING BOARDS LIGHTS-FIVE FEET LONG DR5-XXX	\$	\$\$
			(OR EQUAL) INSTALLED.		
			MANUFACTURER: MANUFACTURER PART:		
511	1.00	EA	0511 - FEDERAL SIGNAL DR BRACKET KIT DRXBKTRB (OR EQUAL), SUPPLY ONLY	\$	\$\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 115

ITEM Number	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER: MANUFACTURER PART:		
512	1.00	EA	0512 - FEDERAL SIGNAL 416918-XXX LOW PROFILE PERIMETER INSTERT LIGHT	\$	\$\$
			1" ROUND TRI-COLOR (OR EQUAL), SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
513	1.00	EA	0513 - FEDERAL SIGNAL 416309-XXX FLUSH MOUNT PERIMETER INSER LIGHT 1"	\$	\$\$
			RPIMG TRI-COLOR-BUMPER APPLICATION (OR EQUAL). SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
514	1.00	EA	0514 - FEDERAL SIGNAL VARIOUS GROMMETS FOR FLUSH MOUNT LIGHTS (OR EQUAL),	\$	\$\$
			SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
515	1.00	EA	0515 - FEDERAL SIGNAL ILS VISOR INTERIOR LIGHTS (PAIR) SIFMJS-XXXX FRONT MOUNT	\$	\$\$
			(OR EQUAL). SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
516	1.00	EA	0516 - FEDERAL SIGNAL ILS VISOR INTERIOR LIGHTS (PAIR) SIFMJH-XXXX REAR MOUNT	\$	\$\$
			(OR EQUAL) SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
517	1.00	EA	0517 - FEDERAL SIGNAL FLASHERS FHL-HL & FHL-TAIL, FACTORY LIGHT FLASHERS	\$	\$\$
			(OR EQUAL). SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
518	1.00	EA	0518 - FEDERAL SIGNAL LITTLE LIGHT MAP LIGHT LF218TS (OR EQUAL) SUPPLY ONLY.	\$	\$\$

REVISED PER ADDENDUM #1

DATE: 10/28/2025

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 116

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MANUFACTURER:		
			MANUFACTURER PART:		
519	1.00	EA	0519 - STELLAR DIESEL FUEL TRAILER 880 GALLONS DELUXE MODEL (OR EQUAL),	\$	\$\$
			SUPPLY ONLY		
			MANUFACTURER: MANUFACTURER PART:		
520	1.00	EA	0520 - STELLAR DIESEL FUEL TRAILER 770 GALLONS DELUXE MODEL WITH 110	\$	\$\$
			GALLONS OF DEF FLUID IN ONE TANK (OR EQUAL). SUPPLY ONLY.		
			MANUFACTURER: MANUFACTURER PART:		
521	1.00	EA	0521 - SUPPLY AND INSTALL ADRIAN STEEL (OR EQUAL) COMMERCIAL WORK TRUCK CAP	\$	\$\$
			FOR LONG OR SHORT BED PICK-UP TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
522	1.00	EA	0522 - SUPPLY AND INSTALL ADRIAN STEEL (OR EQUAL) COMMERCIAL WORK TRUCK CAP	\$	\$\$
			SLIDE FLOOR PULL OUT FOR LONG OR SHORT BED PICK-UP TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
523	1.00	EA	0523 - SUPPLY AND INSTALL ADRIAN STEEL (OR EQUAL) COMMERCIAL WORK TRUCK CAP	\$	\$\$
			INTERIOR TOOL BOXES ON THE SIDE PACKS FOR LONG OR SHORT BED PICK-UP TRUCKS		
			MANUFACTURER: MANUFACTURER PART:		
524	1.00	EA	0524 - SUPPLY AND INSTALL ADRIAN STEEL (OR EQUAL) COMMERCIAL WORK TRUCK CAP	\$	\$\$
			ROOF RACK TYPE LADDER RACK FOR LONG OR SHORT BED PICK-UP TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 117

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
525	1.00	EA	0525 - SNOWDOGG XPII SNOW PLOW WITH RAPIDLINK (OR EQUAL) INSTALLED ON	\$	\$\$
			SUITABLE TRUCK IN READY TO WORK CONDITION. 3/4 TON WITH PLOW PREP AND 1+ TON TRUCKS.		
			MANUFACTURER: MANUFACTURER PART:		
526	1.00	EA	0526 - SALTDOGG PRO ELECTRIC POLY HOPPER SPREADER WITH AUGER (OR EQUAL)	\$	\$\$
			INSTALLED ON SUITABLE TRUCK (FITS 3/4 TON AND 1 TON PICK-UP TRUCKS).		
			MANUFACTURER: MANUFACTURER PART:		
527	1.00	EA	0527 - SNOWDOGG CMII SNOW PLOW(OR EQUAL) WITH RAPIDLINK INSTALLED ON SUITABLE	\$	\$\$
			TRUCK IN READY TO WORK CONDITION. FOR VEHICLES 10,000-29,000 GVWR.		
			MANUFACTURER: MANUFACTURER PART:		
528	1.00	EA	0528 - SALTDOGG 2.5-5.5 CUBIC YARD GAS CONVEYOR CHAIN SPREADER (0R EQUAL)	\$	\$\$
			INSTALLED ON SUITABLE TRUCK IN READY TO WORK CONDITIONS. FOR VEHICLES 10,000-29,000 GVWR.		
			MANUFACTURER: MANUFACTURER PART:		
529	50.00	МІ	0529 - DELIVERY FEE PER MILE FOR A NEW TRUCK DELIVERY TO ANY MANUFACTURER FOR	\$	\$\$
			FACTORY INSTALLATION. NEW TRUCK WILL BE LOADED ON A TRAILER FOR THE MOVE.		
530	500.00	HR	0530 - SHOP RATE FOR GENERAL REPAIRS- SERVICE REPAIRS INCLUDE WELDING SERVICES, MECHANICAL SERVICES, HYDRAULIC SERVICES, AND ELECTRICAL ON TRUCK BODIES. PRICE PER HOUR.	\$	\$