| INVIT | ATION TO BID | BID DUE DATE AND TIME |
|---|---|---|
| LOUISI | O OF SUPERVISORS OF IANA STATE UNIVERSITY GRICULTURAL & MECHANICAL COLLEGE | 11/18/2025 11:00 AM CT |
| SOLICITATION RFQ-0000002646 SUPPLIER # SUPPLIER NAME AND ADDRESS | | RETURN BID TO Isubids@lsu.edu |
| | | |
| | | Buyer Erica Pino |
| | | Buyer Phone |
| | | Buyer Email epino2@Isu.edu |
| | | Issue Date 10/28/2025 |
| TITLE | : Door Hardware and Key Blanks for Residential Li | fe - Term Contract |
| Addendum 01: Notice is given to all parties that this Solicitation is amended by the University as stated herein. This Addendum is hereby made an official part of this solicitation. See attached Revised Specifications and Supplier Inquiries and Responses. | | |
| To Be Completed By Supplier | | |
| 1"No Bid" (sign and return this page only). | | |
| 2. | My Company does not wish to receive future so | olicitations for this spend category |
| 3. | Specify your Delivery: To be made within | |
| 4. | If applicable, Supplier's Addendum Acknowledgement/R As an authorized agent/signatory of the supplier, I/we ad | esponse: knowledge receipt of this Addendum, and |
| | submit no alterations/clarifications to our origin | |
| submit superseding revisions/clarifications to our original bid as written herein or attached hereto. | | |
| General Instructions to Suppliers 1. Sealed bids for furnishing the items and/or services specified are hereby solicited, and will be received by LSU Procurement at | | |
| | the "Return Bid To" address stated above, until the specified due date and time. | |
| 2. | Read the entire solicitation, including all terms, conditions and specifications. | |
| 3. | All bid information and prices must be typed or written in ink. Any corrections, erasures or other forms of alteration to unit price are to be initialed by the supplier. | |
| 4. | Bid prices are to be quoted FOB LSU/Destination and inclusive of any and all applicable shipping and handling charges unless otherwise specified in the solicitation. Any invoiced delivery charges not quoted and itemized on the LSU purchase order are subject to rejection and non-payment. | |
| 5. | Payment is to be made within 30 days after receipt of later. | properly executed invoice, or delivery and acceptance, whichever is |
| 6. | By signing this solicitation, the supplier certifies compliance with all general instructions to suppliers, terms, conditions and specifications; and further certifies that this bid is made without collusion or fraud. | |
| SUPPLIER NAME MA | | MAILING ADDRESS |
| AUTHORIZED SIGNATURE | | CITY, STATE ZIP |
| PRINTED NAME | | PHONE # |
| TITLE | | FAX# |
| E-MAIL | | FEDERAL TAX ID # |

Revised Specifications

The following section of the specifications is replaced as follows:

2.2 Schlage Mortise Lock Body, or equivalent

- L9000 Series lock bodies- field reversible without disassembly
- 1 ¾ Standard Door thickness
- 2 ¾ Backset
- L Escutcheons Stainless Steel
- L9000 Series
- 1 -1/4 x 4 7/8 x 13/16 ANSI Curved Lip Strike
- Quantity 30

Supplier Inquiry and Response

- Q1. I would like to confirm the requirements for Item 2 on this RFQ. The heading states Lock Case Only (which is the lock case and screws), but the description is itemizing parts that does not come with the lock case. Do they want escutcheon, strike, strike plate, mortise housing, and cores as well?
 - A1. See revised specifications above.
- Q2. Regardless of above question, we need the function of the lock case as pricing varies per function.
 - A2. The function is to house the components that allow the lock to function.

- Q3. For item #2, this is asking for a L9000 series lock body only. I would need to know which function of lock is needed?
 - A3. A complete lock is required with bed/bath privacy function. See revised specifications above.
- Q4. Also lock bodies don't come with a cylinder so the 6 pin C Keyway, interchangeable core, if needed would be separate from the lock body.
 - A4. The 6 pin C keyway and interchangeable core are not needed and are removed from the specifications. See revised specifications above.
- Q5. I have a question regarding the Schlage Mortise Lock Case Only. Is the function of the lock case the same as the Privacy lock mentioned in Line 2.1? Also, there are no cores or keys included with the lock case only. Please advise about the highlighted info below.
- 2.2 Schlage Mortise Lock Case Only, or equivalent
- L9000 Series lock bodies-field reversible without disassembly
- 1 3/4 Standard Door thickness
- 2 ¾ Backset
- L Escutcheons Stainless Steel
- L9000 Series
- 1 -1/4 x 4 7/8 x 13/16 ANSI Curved Lip Strike
- 6 pin C Keyway
- Interchangeable Core
- Quantity 30
 - A5. The lock body does not have a function other than to house the mortise. The 6 pin C Keyway and interchangeable core are not required and are removed from the specifications. See revised specifications above.