

Bid Number <u>50–00149076</u>

Labor, Materials, and Equipment Needed to Provide Two (2)
Year Contract for Asphalt Street Maintenance and Small Jobs
(Projects) on an As Needed Basis for the Jefferson Parish
Department of Public Works – Streets and All Jefferson
Parish Agencies & Municipalities

BID DUE: December 2, 2025 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

Jefferson Parish Purchasing Department 200 Derbigny Street General Government Building, Suite 4400 Gretna, LA 70053

Purchasing Specialist II: Ruby Tran Email: ruby.tran@jeffparish.gov

Phone: 504-364-2687

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO



May 2025

Changes to Jefferson Parish Bidding Information

The Jefferson Parish Purchasing Department would like to make vendors aware of the following changes that are now effective:

> Additional Requirements for Bid Instructions:

The Additional Requirements for Bid Instructions have been revised. The numbers correlating with the instructions may not be the same number as past bids. **Please read <u>ALL</u> instructions and bid documents carefully and thoroughly prior to bid submission.**

> Affidavits:

There is a new affidavit for all bids named "Generic Bid Affidavit". The Public Works Bid Affidavit and Non-Public Works Bid Affidavit are no longer valid. **The "Generic Bid Affidavit" must be submitted with ALL bid submissions.**

> <u>Insurance Requirements</u>:

Within ten (10) days of bid opening, the apparent low bidder will be required to provide <u>FINAL</u> insurance certificates evidencing the insurance coverages of the subject bid (please refer to each individual bid specifications requirements) to Jefferson Parish which shall name "the Parish of Jefferson, its Districts, Departments, and Agencies under the direction of the Parish President and the Parish Council" as additional insured on the Commercial General Liability and the Comprehensive Automobile Liability policies to protect against negligence by the contractor, as provided by contract.

Failure to provide your certificate of insurance within the ten (10) days of bid opening shall result in the Parish rejecting your bid as non-responsive and moving on to the next apparent lowest bidder.

You may still opt to send in your insurance certificates with your bid submission, however, if the provided certificates are not in FINAL form, if you are the apparent low bidder, then you will still be required to send in a FINAL certificate within 10 days of bid opening.

Labor, Materials, and Equipment Needed to Provide Two (2) Year Contract for Asphalt Street Maintenance and Small Jobs (Projects) on an As Needed Basis for the Jefferson Parish Department of Public Works – Streets and All Jefferson Parish Agencies and Municipalities

License Requirement:

Louisiana Contract License Category: Highway, Street, and Bridge Construction

Bid Bond:

- A surety bond in the amount of 5% is due electronically with the bid submission.
- Payment Bond A payment bond in the amount of 50% of the bid is due at the signing of the formal contract.
- Performance Bond Performance bond in the amount of 50% of the bid is due at the signing of the formal contract.

I. <u>Definition of Terms:</u>

Construction Zones: The immediate area of actual construction and all abutting areas which are used by the contractor and which interfere with the driving and walking public.

Job: For this proposal, the definition of "job" shall be the work described on any one issued work order.

Service Engineer: A person licensed as a professional engineer in accordance with the laws of the State of Louisiana, who is employed by the contractor to provide technical direction of the maintenance service.

Initials: (abbreviations)

Wherever the following abbreviations are used in these specifications or on the plans, they are to be construed the same as the respective expressions represented:

AASHTO	AMERICAN ASSOCIATION OF STATE HIGHWAY

AND TRANSPORTATION OFFICIALS

ACI AMERICAN CONCRETE INSTITUTE
ANS AMERICAN NATIONAL STANDARDS
ASA AMERICAN STANDARD ASSOCIATION

ASTM AMERICAN SOCIETY FOR TESTING MATERIALS

ATSSA AMERICAN TRAFFIC SAFETY SERVICES ASSOCIATION

AWWA AMERICAN WATER WORKS ASSOCIATION

JPDPW JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS

LADOTD LOUISIANA DEPARTMENT OF TRANSPORTATION

AND DEVELOPMENT

The Owner: The owner is the Department of Public Works, Parish of Jefferson, State of Louisiana, acting through duly authorized governing authority, the Jefferson Parish Council.

Specifications: The directions, provisions and requirements contained herein setting our or relating to the method and manner of performing the work or to the quantities and qualities of material and labor to be furnished under this contract.

All work shall be performed in accordance with Jefferson Parish Standard Details for roadways, sidewalks and curbs, as well as applicable utilities. Copies are available at the Department of Engineering, Suite 802, Yenni Building, 1221 Elmwood Park Boulevard, Jefferson, Louisiana 70123.

II. <u>General Specifications:</u>

Bidder is required to bid on each item except for two items listed as "NO BID ITEM" (0020 and 0040).

The terms and conditions of Resolution No. 141125, as amended, will be considered a part of the bid whether attached or not. A copy may be obtained from the Office of the Parish Clerk, 6th Floor, General Government Building, 200 Derbigny Street, Gretna, Louisiana 70053. The resolution "provides for a uniform set of general specifications and conditions for all contractors engaged in performing work or services for the Parish of Jefferson."

The contractor shall be aware and shall be held responsible under this contract to the requirements prescribed by the following resolution.

This is an "asphalt maintenance and small job contract". It is intended to supplement work performed by regular maintenance forces of the Department of Public Works. Types of work under this contract include asphalt roadway maintenance projects such as asphaltic concrete overlay, extruded asphalt curb repairs, etc. roadway rehabilitations and reconstruction such as the addition of asphalt turning lanes, median crossings and additions to modifications to subsurface drainage systems and structures.

The quantities given in the proposal form are approximate for the comparison of bids only. The Parish reserves the right to purchase only such items and in such quantities as needed. Each "job" shall be estimated as to the tons of asphalt required to complete the amount of work proposed. Estimated time for completion shall be in accordance to size of "job".

Every effort will be made to consolidate the work so that work orders may be issued in combinations of the proposal items which cumulatively would amount to the equivalent of 100 tons of asphalt paving as a minimum.

Each work order will be issued in letter form with appropriate drawings or other attachments as necessary and will designate a work order number (WO#25/26/27-000). All correspondence, billing, etc., pertaining to the work should reference this job number designation. Payment will be made upon receipt of detailed and itemized invoices and verification by public works inspectors regarding quantity and quality of work performed. Partial payments will be made only

when completion is unduly delayed through no fault of the contractor, in which case requests for partial payment may be submitted monthly.

All of the work within the limits of each job shall be shown to the contractor by a representative of the Department of Public Works prior to commencing work. Appropriate sketches and/or drawings may be furnished to the contractor with each work order. Work sites may be scattered for an individual work order; however, every effort will be made to consolidate the work to minimize scattered work sites. The contractor shall begin the work within 10 days after issuance of a work order.

Each work order must be completed in a timely manner based on the estimated tonnage of asphalt to be used. If the work order is not completed in the specified time from the first day on site, then liquidated damages will be assessed. See the table below for time allowed:

Job Size (tons)	Allotted Construction Time (calendar days)*
500 or less	10
501-1500	20
Greater than 1500	45

^{*} Only the Director (of Streets Dept.) can approve the work to go beyond the days stipulated in the table above depending on the size / scope of the project.

If any work order does not begin in the allotted commencement time period (10 calendar days from issuance) or work remains incomplete past the allotted construction time (based on the table above), then the contractor will be assessed a liquidated damage cost of **\$250 per day** past the required start date and/or required completion date. The liquidated damage cost will be deducted from the final individual work order invoice.

Time extension will be granted for excusable days that are not the contractor's fault (like water or sewer leaks) and for inclement weather days. Excusable days must be documented in writing (email) by the contractor and are subject to approval by the Director (of Streets Dept.). Inclement weather days shall be defined as any day on which construction operations were unable to proceed for at least five (5) continuous hours of the day or 65% of the regular working hours, whichever is greater. Should the contractor prepare to begin work on any given day in which inclement weather or the site conditions resulting from previous inclement weather prevent work from starting at the usual time (and the crew is dismissed as a result thereof), then the day will be declared an inclement weather day, regardless if conditions improve, resulting in the rest of the day becoming suitable for work. Inclement weather days must be documented by the contractor and are subject to the approval by the Director (of Streets).

Also, the owner has the right to put a hold on a job at the beginning or when job is in progress without designating a reason. If the job is discontinued, the contractor will be compensated only for the items of work actually done and not for any down time.

Contractor shall not work during the holidays observed by Jefferson Parish unless otherwise authorized in writing by the director.

Contractor shall not schedule any contract work on major roads and thoroughfares between Thanksgiving and New Year holidays, or during Mardi Gras season.

If the contractor has a valid reason to hold off on a job, he has to obtain written permission from the Director of Streets for the stipulated delay.

If any sworn statement of claims are filed during the term of this contract, the parish shall withhold the next accruing payment and shall have the authority to satisfy the claim and deduct the amount from payments due.

Adequate safety precautions will be taken for all work performed under this contract. Necessary barricades, signs, lights and warning devices including the arrow board if requested by the engineering inspector will be installed and maintained by the contractor at no direct cost. The contractor shall be responsible for providing safe and expeditious movement of traffic through. The responsibility includes, but is not limited to such items as proper construction warning signing, signals, lighting devices, markings, barricades, channelization and hand signaling devices (flagging operations).

All traffic control devices shall be defined as all signs, signals, markings and other devices used to regulate, warn, or guide traffic, placed on, over or adjacent to a street, highway, pedestrian facility, or bikeway under the jurisdiction of Jefferson Parish.

All traffic control devices utilized under the terms of this contract shall be in accordance with the "Manual of Uniform Traffic Control Devices" (latest edition) as published by the American Traffic Safety Services Association (ATSSA).

All of the signing and traffic control devices shall be approved by the Office of Traffic Engineering, Jefferson Parish Department of Public Works prior to starting of the job. All expenses related to maintain traffic is incidental to the job, and no extra cost will be allowed for this. There is no added or additional payment for traffic control. All temporary striping shall be done by the contractor. There is no compensation for temporary striping.

During the performance of all work outlined in these specifications, the contractor will exercise due caution regarding underground utilities and will cooperate with representatives of the utility companies and/or parish departments to avoid damage to any installations. There is no additional compensation for layout of roadways, parking lots, turning lanes, walking tracks and any other facility.

Contractor must protect, support and maintain all subsurface, surface and aerial utilities. In the event of any damage to existing utilities, contractor shall restore service, as soon as possible at contractor's expense. Contractor shall have the sole responsibility of resolving any lawsuits and liabilities arising from defective workmanship and or improper maintenance of utilities.

Wherever a brand name, make, manufacturer, model, or catalog number is specified, it is used only to denote the quality standard of product desired and does not restrict bidders to that brand or manufacturer. Such references are intended solely to convey the general style, type, character, and minimum quality of product required. Equivalent products may be acceptable if, in the Parish's sole discretion, they meet all specifications and project needs. Required documentation for proposed equivalents shall be submitted in accordance with these specifications.

The below specifications will apply to Items 0010 thru 0080, 1020 and 1030:

The hot mix asphalt shall conform to the latest ASTM and AASHTO specifications and all workmanship, equipment and materials shall be in accordance with the LADOTD, Office of Highways, Louisiana Standard Specifications for Roads and Bridges, (2006 edition) and applicable sections. (see tables below).

• Table below used for: Non-polymer hot mix asphalt (Items 0010, 0030, 0940 and 0950)

Current Traffic Load	Mixture Type	Grade of Asphalt Cement
Level		
Level A	Incidental Wearing Course	PG64-22
Level 1	Binder and Wearing Course	PG64-22
Level 1	Base Course	PG64-22

• Table below used for: Polymer hot mix asphalt (Items 0050 and 0060)

Current Traffic Load Level	Mixture Type	Grade of Asphalt Cement
Level 1	Binder and Wearing Course	PG70-22
Level 1	Base Course	PG64-22

Bid prices for this item are to include all cost of labor, equipment and materials necessary to provide finished asphaltic concrete pavement in place as described in the above mentioned specification manuals.

All survey, initial and final layout of roadway re-construction is incidental to bid items. There is no separate compensation for this work. The accepted quantities of asphaltic concrete will be paid for at the contract unit price per ton (2,000 pound). The estimated quantities shown in the proposal are for hot mix asphalt found in Louisiana Standard Specifications for Roads and Bridges, 2006 edition and applicable sections. No other type of mix will be allowed without prior approval of the engineer (owner). Haul and/or loading tickets will be issued for each truck load of asphalt delivered by vendor's trucks and placed on the job. Tack coat or prime coat required will not be measured for separate payment, but will be considered incidental to the asphaltic concrete pay item.

The below specifications will apply to Items 0020 and 0040:

THIS IS A "NO BID" ITEM

Item 0020 will be to adjust the Binder Course and Item 0040 will be to adjust the Wearing Course. The adjustment will reflect the additional payment or a deduction in payment.

A. General: Payment for contract items indicated herein will be adjusted to compensate for cost differentials of Performance Grade (PG 64-22 and/or PG 70-22m) asphalt cement as specified for the hot mix asphalt to be used, when such costs increase or decrease more than 5 percent from LADOTD's established base prices for these items. The base price indices for asphalt cements will be the monthly price indices in effect at the time the bids are opened for the project. The base price indices for asphalt cements will be as stated below in Paragraph (B) below.

Payment adjustments will be made for each pay estimate submitted when a price index during that period varies more than 5 percent from its respective base price index. The monthly price indices to be used with each pay estimate submitted will be the price indices for the month that corresponds to the month on the first asphalt ticket for the work order being billed, indicating when the asphalt was laid / delivered.

If the project is placed in default, payment adjustments will be based on the monthly price indices used for the last pay estimate submitted prior to the project being placed in default, unless a monthly index decreases in which case the lower monthly index will be used.

B. Performance Graded (PG) Asphalt Cements: The base price index will be the monthly price index in effect at the time of the bid opening as shown elsewhere herein. The monthly price indices will be the average, excluding the extreme outliers, of the unit prices for PG 64-22, and the average, excluding the extreme outliers, of the unit prices for PG 70-22m. The monthly prices for each of these asphalt materials will be F.O.B. (Free On Board) refinery or terminal as determined from the quoted prices effective on the first calendar day of each month from suppliers of these materials. Suppliers considered are those who have requested to participate in the liquid asphalt index determination and have supplied materials on LADOTD projects within the past 12 months. These suppliers and materials shall be listed on the LADOTD's Qualified Products List (QPL 41) and must be marketed in Louisiana.

Payment adjustments using line Items #0020 & #0040 will be made in accordance with the following formulas:

If Monthly Price Index exceeds Base Price Index,

$$P_A = (A - 1.05B) \times C \times D$$

If Base Price Index exceeds Monthly Price Index,

$$P_A = (0.95B - A) \times C \times D$$

Where:

P_A = Price adjustment for Binder or Wearing course item

A = Monthly Price Index for respective PG 64-22 or PG 70-22m in dollars per ton.

B = Base Price Index for respective PG 64-22 or PG 70-22m in dollars per ton.

C = Tons of asphaltic concrete

D = Percent of respective asphalt cement, per job mix formula, in decimals

Jefferson Parish will verify the quantities of asphaltic concrete place per work order invoice with the respective asphalt cement content, excluding the asphaltic content in reclaimed asphaltic pavement (RAP) as per the job mix formula. If the asphalt cement content changes during the course of invoicing for one issued work order, the respective weight (mass) of asphaltic concrete produced at each cement content will be reported.

The base price indices for asphalt cements will be posted on the LADOTD internet website before the 10th calendar of each month at the following URL: www.dotd.louisiana.gov/lettings/lac_price_index/priceindices.asp.

The bidder will submit his job mix formula (JMF) with each invoice to verify the percent of respective asphaltic cement (D in the formula above) used in the manufacture of the asphalt binder or wearing course used.

If the work performed for any issued work order project spans over 2 months, and a price adjustment must be made, then the price indices obtained from LADOTD will be for the month that corresponds to the month on the first asphalt ticket for the work order being billed, indicating when the asphalt was laid / delivered for that work order.

*** Any price adjustment that is associated with Items 0940 and 0950 will be adjusted via line Items 0020 and 0040, respectively.

The below specifications will apply to Items 0070 thru 0080:

These items are to be used on projects such as constructing new or rehabilitating existing bike paths / walking trails. These projects are typically located in confined areas that require smaller paving equipment; therefore, contractor must use a smaller asphalt spreader that can handle widths of 4 to 8 ft. Contractor will be paid per ton of asphalt used on the project.

Additionally, trucks delivering that asphalt would have to be lightly loaded (any amount less than 12 c.y.) so that damage does not occur to the existing bike path that is being rehabilitated. If and when the contractor is directed to lightly load his trucks, he will be compensated due to additional trucking expense via Item 1015.

The below specifications will apply to Items 0090 thru 0120:

Asphalt - 6" thick and less & Asphalt - greater than 6" thickness

These items cover work generally associated with breaking up, removal and disposal of existing asphaltic pavement in order to eliminate a badly deteriorated and/or failed section of roadway. Bid prices should include all costs for labor and equipment necessary to remove and dispose of existing asphalt for thicknesses as shown. Should the Parish desire, the contractor will dump the broken asphalt at a disposal site designated by the parish at no extra cost, provided that the disposal (dumping) site is within a 21-mile radius from the work site and may involve crossing the Mississippi River Bridge. Also, should the Parish desire, the contractor will load the broken asphalt into parish trucks at the work site at no extra cost, provided that the parish trucks are present at the work site and do not unduly delay the contractor's work.

The accepted quantities of asphalt removed will be paid for at the contract unit price per square yard measured at the site.

Concrete - 6" thick and less & Concrete - greater than 6" thickness

These items cover work generally associated with breaking up, removal and disposal of existing Portland Cement Concrete pavements. Bid prices should include all costs for labor, equipment and materials necessary to remove and dispose of existing PCC pavement. Where concrete to be removed has been overlayed with asphalt, such asphaltic thickness to be paid for under Items 0090 and 0100. The accepted quantities of concrete removed shall be paid for at the contract unit price per square yard measured at the site. Disposal shall be the same as for asphalt.

The below specifications apply to Items 0130 thru 0180:

The Asphaltic Mixture for curb construction shall be of Incidental Wearing Course mix conforming to LADOTD specifications, 2006 edition. Asphaltic curb shall be constructed by use of an approved self-propelled extruding machine. Prior to placing the curb, the contractor shall furnish and apply Asphaltic Tack Coat, Grade SS-1-H Emulsified Asphalt. Curb work shall perform to Parish Engineer's acceptance.

The Portland Cement Concrete mixture for curb construction shall be one which will provide proper workability, curb strength and minimum contraction cracking. PCC curbing may be placed by extruding machine or by forming and hand placement at contractor's option and will be bonded to holding surface in a manner approved by the Department of Streets, which may include dowelling and/or an approved bonding agent.

The accepted quantities of curbs will be paid at the contract unit price per linear foot, including all labor, equipment and materials incidental to the work.

No additional payment will be made for the removal of any type of existing curb.

The below specifications will apply to Items 0190 and 0200:

This item covers work and materials generally associated with base, shoulder and dress-up functions. Excavation will be paid by cubic yard truck measure loaded at the job site or by computing theoretical volumes as the case may be.

Should the Parish desire, the contractor will dump excavated material at a disposal site designated by the parish at no added cost, provided that the disposal (dumping) site is within a 21-mile radius from the work site and may involve crossing the Mississippi River Bridge. Additionally, should the parish desire, the contractor will load excavated material onto parish trucks at the work site at the time of excavation and do not unduly delay the contractor's work. However, ultimate responsibility for disposal excavated material rests with the contractor.

The below specifications will apply to Items 0210 and 0220:

Fill materials will be paid by cubic yard truck measure delivered to the work site and properly placed and graded, such as fill behind curbs or material for shoulders. Bid prices for fill materials should include placement and moderate compaction. High-density compaction and grading of materials when used for base construction to accommodate asphaltic concrete pavements, will be paid for separately under base preparation.

Haul and/or loading tickets will be issued for each truck load of material delivered and placed on the job and/or truck load of excavated material hauled from the work site.

The below specifications will apply to Item 0230:

Recycled Portland Cement Concrete shall be used from approved stockpiles. Stockpiles of crushed concrete shall be uniform and free from solid reinforcing steel, debris, excessive amount of asphaltic materials and other foreign matter. Material sampling shall be in accordance with the requirements for stone by the LADOTD, latest edition and revisions and all applicable sections of the materials sampling manual.

Crushed concrete shall conform to the Abrasion and Soundness Requirements of the Standard Specifications for Roads and Bridges and conform to the following gradation:

CLASS I:

U.S. SIEVE	PERCENT PASSING
1 1/2"	100
1"	90-100
3/4"	70-100
NO. 4	35-65
NO. 40	12-32
NO. 200	5-16

Aggregate passing the No. 40 sieve shall have a maximum liquid limit of 25 and a maximum plasticity index of 6.

CLASS II:

Crushed concrete in Class II gradation shall have 100% passing through 4-inch mesh and a maximum of 20 percent passing through 2-inch mesh.

Class I and Class II crushed concrete shall be bid under item crushed concrete.

The below specifications will apply to Item 0240:

Specifications for base course shall be in accordance with Louisiana Standard Specifications for Roads and Bridges, under "Stone". In addition, the material shall be calcitic or dolimitic with calcium carbonate not less than 85 percent and the silica content (impurities) not to exceed 5 percent. Limestone used on asphalt pavement shoulder shall be comparable to Mexican limestone in color and gradation.

The material shall conform to the following gradation:

<u>U.S. SIEVE</u>	PERCENT PASSING
1 1/2"	100
3/4"	50-100
NO. 4	35-65
NO. 40	10-32
NO. 200	3-16

Aggregate shall conform to LADOTD Standard Specifications for Roads and Bridges, latest edition and revisions, Subsection 1003.01.

The below specifications will apply to Items 0390 and 0400:

Corrugated metal pipe shall conform to AASHTO-M-246 and M-245 10 mil polymer, 10 mil - coated steel riveted 2 2/3" x 1/2" - connecting bands shall be 24" - corrugated band 2-piece with 4 1/2" galvanized steel rods and lugs with ramneck. The cost of the bands shall be included in the unit bid price for corrugated metal pipe.

The below specifications will apply to Items 0250 thru 0430:

Bid prices should include all costs for labor, materials (pipe, excavation, bedding, boards, fill, etc.) and equipment necessary to install new drain pipe and/or remove and replace existing drain pipe as described under this item of the proposal.

All workmanship and materials shall be in accordance with the Jefferson Parish Department of Engineering Standard Plans. (Boards shall be used during the installation of concrete pipe.)

Each joint will be wrapped with filter cloth 36" wide and overlapped a minimum of 36".

The below specifications will apply to Items 0440 thru 0650:

Specific depths for drain structures will vary with each project. However, it is anticipated that most subsurface drainage systems installed under this contract will be generally shallow. For bidding purposes, it shall be assumed 5' more or less in depth.

Frames, grates and covers for manholes, catch basins and drop inlets shall be of the heavy duty type and be of domestic United States manufacturer.

Typical details for construction of drainage structures are available from the Engineering Division of the Department of Public Works upon request.

The below specifications will apply to Items 0580 thru 0610:

These items will be used to pay for new rings when adjustments are needed based on the different thickness ranges. All rings will be metal rings. Plastic rings will be used only when approved by Streets Dept. inspector on site.

Note: If rings are removed during the milling operation, and reused (regardless of material type), then there will be no pay to reinstall these rings. Also, if rings are removed during the milling operation, not properly secured, and then stolen, the Parish will not pay for replacement rings.

The below specifications will apply to Item 0630:

This item will be used to address smaller diameter water valves in asphalt roadways that are being converted to a manhole frame & cover. See attached detail drawing for particulars regarding installation.

The below specifications will apply to Item 0660:

This item covers work generally associated with setting up new base material (roadways, parking areas, etc.). As a suitable base upon which to place asphaltic concrete/concrete pavement. Bid price shall include all costs for labor and equipment necessary to scarify, grade, shape, compact and otherwise condition new materials as a suitable base. Any materials required shall be included in bid price under the item.

The below specifications will apply to Item 0670:

Scarifying and grading existing base for even surface. Any added base material to cover deficiency shall be paid under the bid item.

The below specifications will apply to Item 0680:

Bid prices for this item shall include all costs for labor, material and equipment necessary to machine cut asphaltic or Portland Cement Concrete pavement. Payment will be by linear foot of cut per inch of depth.

The below specifications will apply to Item 0690:

Bid prices shall include all costs for labor, materials and equipment required to apply an approved asphalt filler to cracks and for joints in asphaltic concrete pavements. Opening shall be cleaned as necessary in accordance with generally accepted procedures prior to pouring the sealant.

The below specifications will apply to Item 0700 and 0710:

SAWING AND SEALING (LONGITUDINAL AND TRANSVERSE) JOINTS IN ASPHALT CONCRETE OVERLAY, AND SAWCUTS IN ASPHALT CONCRETE LIFTS):

1. Description:

These items consist of sawing and sealing (longitudinal and transverse) joints in asphalt concrete overlay and sawcuts in asphalt concrete lifts in accordance with plan details and the following requirements.

2. Construction Reequipments:

Sawcuts shall be made in the overlay at the locations of all (longitudinal and transverse) joints in the concrete pavement, the existing joint between concrete pavement and asphalt concrete shoulder and the existing joint between the concrete pavement and concrete shoulder. Before the overlay operation is started, the contractor shall accurately mark the location of each transverse joint in the existing concrete pavement and shoulder to the satisfaction of the engineer by placing a hub with a tack even with the ground at each edge of shoulder or by other approved methods. Offsets shall be measured from these hubs and tacks to locate the longitudinal joints.

All asphalt concrete lifts shall be saw cut a minimum of 1/8 inch wide by 1 inch deep over the existing ((longitudinal and transverse)) concrete pavement joints. These saw cuts shall be made after the overlay has thoroughly cooled and shall be completed within 3 calendar days after each lift is placed, before any reflective cracking has developed or other courses placed.

Both (longitudinal and transverse) joint reservoirs in the final wearing course shall be sawed to the dimensions shown on the plans. Sawing shall not begin until the overlay has thoroughly cooled. Joint faces shall be blown free of sawing slurry, dirt and water by compressed air just prior to resealing. The air compressor shall be equipped with an approved oil and water trap. The joint shall be dry before sealing. Joints which have become contaminated or dirty before sealing shall be recleaned as directed by the engineer.

The (longitudinal and transverse) joints shall be sealed with a sealant conforming to 1005.02.1 in accordance with plan details and the manufacturer's recommendations. The sealing operation shall be done as soon as possible after the sawing and cleaning and before traffic, including construction traffic, is allowed on the overlay. The sealed joints shall

remain closed to traffic until, in the engineer's opinion, the sealant has satisfactorily cured to tack free.

The hot poured sealant shall be sampled in accordance with the Materials Sampling Manual.

3. Measurements

Measurement of sawing and sealing (longitudinal and transverse) joints in asphalt concrete pavement will be made by the linear foot along the sealant reservoirs in the final wearing course. Measurement of sawcuts in asphalt concrete lifts will be made by the linear foot along the sawcuts in each lift.

4. Payments

Payment for sawing and sealing (longitudinal and transverse) joints in asphalt concrete overlay will be made at the contract unit price, which includes locating and marking the joints, sawing the sealant reservoirs in the final wearing course, cleaning the sawed sealant reservoirs, joint sealant, and all labor, equipment and incidentals necessary to complete these items. Payment for sawcuts in the asphalt concrete lifts will be made at the contract unit price which includes locating the joints in each lift of asphalt concrete, sawcuts in each lift of asphalt concrete and all labor, equipment and incidentals necessary to complete this item.

The below specifications will apply to Item 0720:

A mixture of concrete sand, pumped sand and liquid asphalt in the ratio of 70/22/8 (approximate proportion) to fill the open joints in asphaltic pavements.

Bid unit prices quoted include all costs for labor, materials and equipment. Openings shall be cleaned as necessary in accordance with general procedure prior to filling these cracks with the sealer.

The below specifications will apply to Item 0730:

Bid prices for this item shall include all costs for labor, material and equipment necessary to install conventional Portland Cement Concrete curb and gutter (barrier or rollover) with a maximum cross section area of 200 square inches. This pay item will also include cost for excavation 8 inches thick and bedding material required for installation. Payment shall be per linear foot of curb installed.

Parish Inspector / Engineer will determine which type concrete to use and inform the contractor:

- 4000 PSI 24 hours high early strength with superplasticizer and other additives if applicable.
- 4000 PSI 72 hours high early strength with superplasticizer and other additives if applicable.

The below specifications will apply to Item 0740:

Bid prices for this item shall include all costs for labor, material and equipment necessary to install conventional Portland Cement Concrete curb and gutter (barrier or rollover) with a maximum cross section area of 300 square inches. This pay item will also include cost for excavation 8 inches thick and bedding material required for installation. Payment shall be per linear foot of curb installed.

Parish Inspector / Engineer will determine which type concrete to use and inform the contractor:

- 4000 PSI 24 hours high early strength with superplasticizer and other additives if applicable.
- 4000 PSI 72 hours high early strength with superplasticizer and other additives if applicable.

The below specifications will apply to Item 0750:

Bid prices for this item shall include all costs for labor, material and equipment necessary to install conventional Portland Cement Concrete curb and gutter (barrier or rollover) with a maximum cross section area of 400 square inches. This pay item will also include cost for excavation 8 inches thick and bedding material required for installation. Payment shall be per linear foot of curb installed.

Parish Inspector / Engineer will determine which type concrete to use and inform the contractor:

- 4000 PSI 24 hours high early strength with superplasticizer and other additives if applicable.
- 4000 PSI 72 hours high early strength with superplasticizer and other additives if applicable.

The below specifications will apply to Items 0760 thru 0830:

Portland Cement Concrete

4000 PSI - 24 hours - high early strength with superplasticizer and other additives if applicable.

4000 PSI - 72 hours - high early strength with superplasticizer and other additives if applicable.

This item covers the furnishing of all materials and installation of PCC pavements for thickness as shown. Concrete shall be Class A, 4000 PSI, 24/72 hours high early strength.

Bid prices shall include all costs for labor, equipment and materials necessary to provide finished Portland Cement Concrete paving, in place, as described under this item of the proposal. All required jointing materials shall be included in bid price under the item. Method of jointing shall be the same as the existing joints in the area of work.

Damaged, missing and/or new dowel bars (longitudinal/transverse) and starlugs shall be replaced at no additional cost to the Parish. 1-1/8" x 18" smooth dowel bars or 1" plastic-coated dowel bars on 12" center shall be used. The bars shall be placed in the existing pavement by drilling 1 1/2" holes to a depth of 9" and filling with an approved epoxy grout before inserting of the dowel bars. Contractor is responsible for any deformed bars for longitudinal joints. If toeing under the slab is approved, as an option by the parish representative in lieu of doweling, there is no additional compensation for concrete used for toeing.

All costs incurred for this task will be contractor's responsibility. Bid prices shall also include adequate curing of the concrete placed and the proper sealing of contraction and expansion ioints.

Bid prices under this item shall include costs for all layout and grades required to execute the work, such as grades for setting paving forms, etc.

Mixes shall conform to Louisiana Department of Transportation and Development Standard Specifications for Roads and Bridges, latest edition.

The below specifications will apply to Items 0790 and 0820:

Six (6) inch and eight (8) inch 4000 PSI/72-hour high early strength concrete for handicapped ramps.

Where necessary or as directed by the engineer, existing sidewalk and curbing at intersections and medians shall be broken out/or saw cut, removed and replaced with a new Portland cement concrete curb ramp for the handicapped. Curb ramps shall conform to ADAAG (Americans with Disabilities Acts Accessibility) Guidelines 4.7.

The detectable warning provided shall be paid at bid unit price (Item #0760). Bid unit price should include cost for labor, equipment and materials necessary to install masonry units as per Jefferson Parish Standard Plans. Detectable warning shall contrast visually with adjoining surface (reddish like "TERRA COTTA").

Batture sand for dress, breaking out and removal of existing sidewalk will be paid for in other items.

Any other materials or labor needed to accomplish curb ramps for the handicapped must be incidental to the above items.

The below specifications will apply to Item 0850:

This work consists of furnishing and installing geotextile fabric (class D) on/under road bed surface, in conformity with the requirements of Section 1019 of the LADOTD Standard Specifications for Roads and Bridges, latest edition.

Bid prices for this item are to include all costs for labor, materials and equipment necessary to install geotextile fabric approved by Department of Streets representative. Installation shall be in accordance with the manufacturer's specifications, instruction and procedures.

The below specifications will apply to Items 0860 and 0870:

This work consists of furnishing and installing geogrid in locations designated and/or directed by the Engineer.

Installation must be in strict accordance with manufacturer's instructions and requirements.

Geogrid will be paid for per square yard, which includes furnishing all equipment, labor, materials and incidentals necessary to complete the work.

The geogrid shall conform in all respects to the physical property values listed in the manufacturing specifications. The listed property values are certifiable minimum average roll values unless otherwise noted and are equal to the mean value less one standard deviation which reflect the desired 95% confidence level. These values are subject to verification by an independent laboratory.

The below specifications will apply to Items 0880 and 0890:

The mat in different widths shall be applied over longitudinal PCC joints, transverse joints and cracks and random cracks according to specifications prior to resurfacing concrete or asphalt pavements. Proper application and installation of the mat will retard the reflective cracks in pavements.

The mat material shall be a heavy-duty crack reduction/stress relief interlayer material consisting of a flexible high density asphaltic membrane laminated between a 6 oz/sy woven polyester geotextile. The mat shall be pave-prep Type (S) standard and Type (SA) self-adhesive or equal. The alternatives shall meet or exceed the physical properties stipulated by pave-prep. Any alternate has to be approved by this department prior to its usage on the job.

Information on pave-prep can be obtained from Contractor's Source, Inc., P.O. Box 840397, Houston, TX 77284 1-800-256-2200.

Application and installation of the material strictly follow manufacturer's specifications. Contractor shall submit manufacturer's technical data on the fibrous material properties for approval a minimum of 15 days prior to its use in the field. Submittal shall also include documentation supporting the successful use of the product a minimum of 5 years. The bid unit price for the fibrous materials shall include the cost of the material, equipment, labor and all other incidentals. There will be no other compensation.

The below specifications will apply to Items 0900 and 0910:

1. Description. This item shall govern for furnishing and placing a reinforcement mesh in accordance with the details shown on the plans and requirements of these specifications to prevent reflective cracking of transverse and longitudinal joints.

2. Materials.

A. Physical requirements.

Reinforcement mesh shall be a knitted, glass fiber trand grid with the following characteristics:

SPECIFICATIONS FOR USE IN OVERLAYS

COMPLETE ROAD JOINT REPAIR

8501 8502

Imperial Metric Imperial Metric

SPECIFICATIONS FOR USE IN OVERLAYS

Tensil Strength*

COMPLETE ROAD

Imperial Metric
Across Width 560lbs/in. 100kN/m
Across Width 560lbs/in. 100kN/m

JOINT REPAIR

Imperial Metric
Across Width 1120lbs/in. 200kN/m
Across Width 560lbs/in. 100kN/m
*Based on Componet Strand Strength Test
Method G.R.I. GG 1-87 Or Bayex 1443.

ELONGATION AT BREAK MAXIMUM

COMPLETE ROAD

Imperial Metric 3% 3%

JOINT REPAIR

Imperial Metric 3% 3%

MELTING POINT

MINIMUM

TEST METHOD ASTM D 276

COMPLETE ROAD

Imperial Metric >425 F >218 C JOINT REPAIR Imperial Metric

>425 F >218 C

MASS/UNIT AREA

TEST METHOD D5261-92

(Minimum Values)

COMPLETE	ROAD
Imperial	Metric
11 oz/yd2	
JOINT REPA	
Imperial	
16 oz/yd2	

ROLL LENG	STH .
COMPLETE	ROAD
Imperial	
	100m
JOINT REPA	
	60m

ROLL WIDT	Н
COMPLETE	ROAD
Imperial	
5 ft.	1.5m
JOINT REPA	
Imperial	
5 ft.	1.5m
-	**************************************
ADHESIVE I	BACKING
COMPLETE	ROAD
Self-Adhesiv	ve
Imperial	Metric
•	12.5mm x
JOINT REPA	AIR
Self-Adhesiv	re
Imperial	Metric
-	12.5mm x

GRID SIZE	(Center to Center)
COMPLETE More: -	EROAD
Imperial	Metric
•	12.5mm x
JOINT REP	
	Metric
0.5"X0.5"	

<u>Material</u>

Complete Road Joint Repair

Fiberglass reinforcement coated with an Elastomeric Polymer and self-adhesive backing.

Coating – modified Elastomeric Polymer test method Bayex 1114 (modified ASTM 4963)

Complete Road Joint Repair – Minimum Dry Pick Up (DPU 20%)

B. Grid. The grid shall be glasgrid or approved equal. Equals should be approved by the Jefferson Parish Engineering Department a minimum of 15 days prior to bid date. Glas Grid is manufactured by Bayex, Inc., 14770 East Avenue, Albion, New York 14411-0390, 1-800-263-5715. A local supplier of this product is Industrial Fabrics, Inc., 510 O'Neal Lane, Baton Rouge, LA 70819, 1-800-848-4500.

Following information must be included in the submittal to be considered for approval:

- 1. Documentation (with contact names and phone numbers) that the grid has been utilized on projects totaling a minimum of 3,000,000 square yards worldwide.
- 2. Manufacturers signed certification by an authorized representative of the quality control department that the grid components meet all of the requirements of this specification.
- 3. A full-size roll of the grid (for laboratory analysis).
- 4. Packaging requirements. The mesh shall be packaged in standard-width rolls of specified lengths. Each roll of mesh shall be packaged individually in a suitable wrapper to help protect the mesh from damage due to ultra-violet light and moisture during normal storage and handling.
- 5. Storage requirements. The material must be stored in dry, covered conditions free from dust and should be stocked vertically to avoid misshaped rolls.
- 6. Identification requirements. Each roll shall be labeled or tagged in such a manner that the information for product identification and other quality control purposes can be read from the label without opening the roll packaging. Each roll shall be identified by the manufacturer in a manner that the following can be retrieved for quality/auditing purposes: job number, loom number, production date and shift, tare weight of packaging material, width and length of fabric on the roll and net weight of the mesh.
- 7. Safety precautions. Gloves are recommended to prevent contact with the material.

3. Construction methods:

The area on which the mesh is to be placed shall be clean of dirt, dust or other deleterious material by sweeping or other approved methods. All base failures must be repaired prior to laying the mesh.

The surface temperature before laying the mesh shall be between 40 degrees F (5 degrees C) and 140 degrees F (60 degrees C). The mesh shall not be placed when the general weather conditions, in the opinion of the engineer, are not suitable.

Tack coat, shall not be sprayed below, or onto, the mesh without prior approval. If tack coat is required for extra adhesion, it must be applied a minimum of 24 hours in advance of mesh placement to ensure complete curing of the tack coat material. This tack coat will not be paid for, but will be considered subsidiary to this item.

Mesh shall be laid out by mechanical means under sufficient tension to eliminate ripples. Should ripples occur, these must be removed by pulling the mesh tight or in extreme cases, for example, in tight radius, by cutting and laying flat. A sharp knife may be used for cutting.

Transverse joints must be lapped in the direction of the pavers by 75 millimeters (3 inches) minimum. Longitudinal joints must be lapped by 25 millimeters (1 inch) minimum. The surface of the mesh shall be rolled with a rubber coated drum roller or pneumatic tire roller; one or two passes being sufficient to activate the adhesive. Tires must be cleaned regularly with asphalt cleaning agent.

After the rolling is completed, construction and emergency traffic may run on the mesh with regulated speed control. However, the contractor must ensure that no damage is caused to the mesh by vehicles turning or braking, and that the mesh is kept clean of mud, dust and other materials. Damaged sections shall be removed and patched.

All mesh placed in a day shall be covered with asphaltic concrete the same day, within permissible laying temperatures and compacted in accordance with special specification, "quality control/quality assurance of hot mix asphalt".

4. Measurement:

The reinforcement mesh will be measured by the meter of joint or crack required or by the square meter of the actual area complete in place. No allowance will be made for overlapping at joints.

5. Payment:

The work performed and materials furnished in accordance with this item and measured as provided under "measurement" will be paid for at the unit price bid for "reinforcement mesh for joint repair" of the type specified and by the width for the meter measurement. This price shall be full compensation for cleaning the existing pavement; for furnishing, preparing, hauling and placing all materials; for all manipulation, including rolling and for all labor, tools, equipment and incidentals necessary to complete the work.

The below specifications will apply to Item 0940:

This item is intended to be used for projects that are fairly small (too small for contractor, parish will overlay), but still need to be milled before overlayed. Parish will supply trucks to haul off milled asphalt. Contractor must be able to supply this item within 30 calendar days of the request from Jefferson Parish Department of Streets.

The below specifications will apply to Item 0950:

Bid prices for this item are to include all cost for labor material and equipment necessary to remove excess bituminous material to a predetermined grade and cross-section. The equipment for removing the bituminous surface shall be a power operated planning machine or grinder capable of milling off a layer of bituminous material in increments of a minimum of four (4) feet wide and one (1) inch in depth. On residential streets, the maximum gross weight of the planning machine or grinder shall not exceed 70,000 pounds unless otherwise allowed by the Parish Engineer. The bituminous material removed shall be stockpiled or otherwise disposed of as directed by the Department of Streets representative.

At the option of the department the milled asphalt shall be hauled to any location on East or West Bank of Jefferson Parish (excluding Grand Isle). Within a 21-mile radius of the work site. Unused milled material shall be hauled by the contractor. There is no other compensation for disposing milled asphalt.

Contractor has the responsibility of providing engineering/surveying for alignment, grade, profile, survey stakes, topography when necessary and as required to improve the roadway alignment, curb and gutter layout, drain line installation, etc. Compensation for this shall be included in corresponding bid items in the maintenance contract. There is no other compensation. This includes new road, extension of existing road and turning lanes, parking lots, bike and walking trails, etc. All layouts shall be the responsibility of the contractor.

The below specifications will apply to Item 01000:

For this item the contractor shall saw-cut a groove in a roadway (asphalt/concrete), install loop wire, seal the saw-cut with sealant and make connections of loop wire to lead in cable. Details of saw-cut and loop wire installations are available at Jefferson Parish Traffic Division (736-6530). The Jefferson Parish Traffic Engineering Division shall determine the size and placement of the loop(s) as per transmittal. Inductance loop is typically 6' x 6'. Ruscoe #983 traffic detector loop sealant, preco gold label flex 1p loop sealant, 3m brand loop sealant, safety coatings loop guard four loop detector sealant or approved equal shall be used to seal loop wires in roadway.

The below specifications will apply to Item 01010:

Conduit in earth installation or replacement. The Jefferson Parish Traffic Engineering Division (736-6530), shall determine the size and placement of conduit as needed.

All schedule #40 Polyvinyl Chloride Conduit (P.V.C.) and fittings for underground installation.

All joints shall be solvent welded and watertight.

Conduit to be installed a minimum of three feet (3') below grade, unless otherwise specified by the Traffic Engineering Division. When boring operations are employed, the contractor shall bore from one side of the roadway to the other. All excavations on side of roadway are to be restored to their original condition.

The below specifications will apply to Item 01020 thru 01050:

In order to effectively perform all work within the geographical limits of Jefferson Parish and whereas the inhabited area of the Town of Grand Isle is well beyond the defined geographical limits for the work

Intended in this proposal, Items 0940 thru 0970 under Grand Isle shall only apply to work done in the Town of Grand Isle.

The successful bidder shall be required to perform the work in Grand Isle. The work in Grand Isle will be compensated at bid unit prices under the category. Any other items needed to complete the work will be compensated at bid unit prices under additional items category.

Engineering and Traffic Engineering Services

Specific material applications to be determined on a case-by-case basis by Traffic Engineering Division. Any types of markings other than those listed must be approved by Traffic Engineering Division prior to installation. All specifications are on file in the Traffic Engineering Division Office.

The below specifications will apply to Item 01070:

Bid prices shall include all costs for hourly rental of conventional heavy duty road grader, with scarifier and operator. Rental of this equipment will be for specific projects under control of the Department of Streets and will be assigned project job numbers. The use of road graders by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately under this item.

The below specifications will apply to Item 1080:

Bid prices shall include all costs for hourly rental of a self-contained, mobile, heavy duty pavement breaker with operator. Rental of this will be for work under control of the Department of Streets. The use of pavement breakers by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

The below specifications will apply to Item 1090:

Bids should include all costs for hourly rental of a grade-all Class 5100, or equal, with operator. Rental of this equipment will be for work under control of the Department of Streets. The use of a grade-all by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

The below specifications will apply to Items 1100, 1110 and 1120:

Bid prices should include all costs for hourly rental of a dump truck, tandem/trailer, 12/24 cubic yard minimum capacity with driver. Rental of this vehicle will be for work under control of the Department of Streets. The use of tandem/trailer dump trucks by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

The below specifications will apply to Item 1150:

Contractor will be paid for each night that he is scheduled to work during the night-time hours (7:00 pm to 7:00 am). This is for scheduled work to ease the disruption of traffic. (all other unit cost will remain the same.)

The below specifications will apply to Item 1160:

On major roadways, the Parish may restrict a contractor from working in the travel lanes prior to 9:00 a.m. and after 3:30 p.m. A typical workday is 8 hours; therefore, if the contractor is restricted from working a full 8-hour day, the restricted hours will be paid under this item. Parish inspector and contractor will agree on this quantity daily during the course of the project. If the contractor is performing meaningful work outside the travel lanes, then that will not count as restricted work time.

The below specifications will apply to Items 1180 and 1190:

MATERIAL TRANSFER VEHICLE (MTV):

When placing the final two lifts of asphalt concrete on the roadway travel lanes, use a material transfer vehicle (MTV) or lightweight MTV to deliver mixtures from the hauling equipment to the paving equipment, and to minimize thermal and material segregation of the hot mix asphalt concrete.

Ensure that the MTV provides additional mixing of the asphalt concrete mixtures and then deposits the mixture into the paving equipment hopper to reduce segregation and facilitate continuous production. At a minimum, provide an MTV with a high-capacity truck unloading system, which will receive mixtures from the hauling equipment; a 20-ton storage bin in the MTV to continuously mix the mixture prior to discharge to a conveyor system; a discharge conveyor, with the ability to swivel, delivering the mixture to a paving equipment hopper while allowing the MTV to operate from an adjacent lane. If the weight of the MTV is determined by the engineer to cause settlement or movement in the base or sub-base, discontinue use. If the problem persists with the use of a lightweight MTV, discontinue use of the MTV. When a malfunction occurs in the MTV during lay-down operations, immediately discontinue plant operations and do not resume until the MTV malfunctions have been remedied. Mixtures in the silo (≤ 100 tons) or materials in transit may be placed.

Due to the weight of the loaded MTV, apply the following restrictions at bridge crossings:

- 1) Abide by posted weight limits.
- 2) Prior to crossing a bridge, be as near empty as possible.
- 3) Do not move across a bridge with any other vehicles being on the bridge.
- 4) Move on a bridge only within the limits of the travel lanes and do not move on the shoulders of the bridge.
- 5) Move at a speed no greater than 5 miles per hour when crossing a bridge.

LIGHTWEIGHT MTV:

The lightweight MTV has a smaller capacity, is more fuel efficient and may be used in lieu of the MTV. Lightweight MTV's must meet all requirements of the 503.14 MTV and as modified herein. Use a Thermal Profile system in accordance with section 503.14.3 at all times when a lightweight MTV is used in lieu of the MTV. Discontinue use of lightweight MTV when thermal segregation is observed.

The requirement of the 20 ton storage hopper is waived for all lightweight MTVs. The approved remixing methods for lightweight MTV's are:

- 1. Counter rotating augers,
- 2. Offset gravity transfer conveyor chute, or
- 3. Twin interlaced augers.

A tracked or high flotation tires are required for the undercarriage of the MTV to facilitate low ground pressure (< 55 psi).

Technical Specifications for all Work:

The contractor shall conform in all workmanship and materials to the LADOTD, Office of Highways, Louisiana Standard Specifications for Roads and Bridges, latest edition and revisions and applicable sections, unless otherwise specified.

Recycled Asphaltic Concrete Mixtures

When mixture contains less than 20 percent reclaimed asphaltic pavement, Grade AC-30 asphalt cement shall be used in mixtures containing from 20 to 30 percent rap.

All reclaimed material shall be stockpiled separately from other materials at the plant and will be subject to approval prior to use. Such stockpiles shall be uniform, free of soil, debris, foreign matter and other contaminates. Reclaimed materials that cannot be readily broken down in the mixing process or that affect the paving operation shall be crushed to pass 2-inch sieve prior to use.

Mixing shall be performed in either a batch plant or a dryer-drum plant; however, the plant shall be modified as required to permit recycling operations in conformance with air pollution standards. For dryer-drum plants, a separate cold feed system, including weight indicating apparatus, shall be provided for the recycle material.

The quantity of reclaimed asphaltic concrete used in any mixture shall be at the contractor's option and shall be designated in the job mix formula and not to exceed 30 percent. Whenever mixtures contain less than 20 percent reclaimed materials, Grade AC-30 asphalt cement shall be used. Grade AS-10 asphalt cement shall be used in all mixtures containing from 20 to 30 percent reclaimed materials. Regardless of the quantity of reclaimed asphaltic concrete used, the mixture produced shall conform to all control and acceptance requirements for the type mixture specified. The engineer reserves the right to require the contractor to reduce the percentage use of reclaimed asphaltic concrete such that all control and acceptance criteria are consistently maintained.

The new aggregates shall be dried and heated to a sufficiently high temperature to produce a mixture with a discharge temperature of 275 degrees F to 315 degrees F with hot mix.

The accepted quantity of recycled bituminous plants mix pavement, complete-in-place, will be measured by the ton (2000 lbs).

The quantity of recycled bituminous plant mix pavement shall be paid at the contract bid price per ton under asphalt binder.

Work Stoppage Due to Publicly Declared Emergency

If there is an emergency declared by the federal, state or local government in Jefferson Parish or in any portion thereof, then all work on this project shall cease until such time as the contractor is instructed to resume work by department director (no one else) who has jurisdiction over the project.


If there is any type of work which must proceed to prevent harm to persons or property, or damage to the project itself; then contractor should immediately contact the department director for necessary instructions. If contractor is unable to contact the department director, contractor may perform the work necessary to prevent such harm in accordance with industry safety standards.

Contractor shall be entitled to an extension of time for the period of the stoppage, but shall not be entitled to any additional compensation by reason thereof.

Bid Bond

An Electronic Bid Bond must be submitted with this bid, through one of the respective clearing houses at https://www.centralbidding.com/bid-bonds/ To access the bonding companies on Central Bidding, hover over the "Central Bidding" link at the top of the page and select the "Bid Bonds" link.

The electronic bid bond number is to be placed in the required section listed on the standard envelope. Scanned copies of bid bonds will not be accepted with your submission.





Designation of Construction Contractor as Agent of a Governmental Entity Sales Tax Exemption Certificate

		, an agency of the officed
Legal Name of Governmental Entity	of the Otata of I	
States government, or an agency, board, commission, or instrumentality	of the State of L	ouisiana or its political subdivisions, including
parishes, municipalities and school boards, does hereby designate the fo	ollowing contracto	or as its agent for the purpose of making sales
tax exempt purchases on behalf of the governmental body:		
Name of Contractor		
Address		
City	State	ZIP
This designation of agency shall be effective for purchases of component of tangible personal property for the following named construction projec		erials, taxable services and leases and rentals
Construction Project		Contract Number
This designation and acceptance of agency is effective for the period		
Beginning Date (mm/dd/yyyy) End Date (mm/dd/yyyy)		
Purchases for the named project during this period by the designated con	tractor shall be co	onsidered as the legal equivalent of purchases

directly by the governmental body. Any materials purchased by this agent shall immediately, upon the vendor's delivery to the agent, become the property of this government entity. This government entity, as principal, assumes direct liability to the vendor for the payment of any property, services, leases, or rentals made by this designated agent. This agreement does not void or supersede the obligations of any party created under any construction contract related to this project, including specifically any contractual obligation of the construction contractor to submit payment to the vendors of materials or services for the project.

This contractor-agent is not authorized to delegate this purchasing agency to others; separate designations of agency by this governmental entity are required for each contractor or sub-contractor who is to purchase on behalf of this governmental entity. The undersigned hereby certify that this designation is the entirety of the agency designation agreement between them. In order for a purchase for an eligible governmental entity through a designated agent to be eligible for sales tax exemption, the designation of agency must be made, accepted, and disclosed to the vendor before or at the time of the purchase transaction.

Designation of A	gency		Acceptance of Ac	ency	
Signature of Authorized Designator		Date (mm/dd/yyyy)	Signature of Contractor or Subcontractor Authorized	Acceptor	Date (mm/dd/yyyy)
Name of Authorized Designator			Name of Contractor's or Subcontractor's Acceptor		
Name of Governmental Entity		Name of Contractor			
Address		Address			
City	State	ZIP	City	State	ZIP

This designation of agency form, when properly executed by both the contractor and the governmental entity, shall serve as evidence of the sales tax exempt status that has been conferred onto the contractor. No other exemption certificate form is necessary to claim exemption from sales taxes. The agency agreement evidenced by this sales tax exemption certificate must be implemented at the time of contract execution with the governmental entity. The contract between the governmental entity and his agent must contain provisions to authenticate the conferment of agency.

INVITATION TO BID THIS IS NOT AN ORDER

DATE: 11/05/2025

BID NO: 50-00149076

JEFFERSON PARISH

PURCHASING DEPARTMENT P.O. BOX 9 GRETNA, LA. 70054-0009 504-364-2678 PURCHASING SPECIALIST: ruby.tran@jeffparish.gov

Page:

1

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 12/02/2025
AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH
GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit
their bid via Jefferson Parish's electronic procurement page. Additional instructions are included in the text box
highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES FOR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN La. R.S. 9:2602(8) ARE ACCEPTABLE. IN ACCORDANCE WITH La. R.S. 9:2602(8, JEFFERSON PARISH REQUIRES A SECURED DIGITAL SIGNATURE AND BIDDERS MUST PROVIDE PROOF OF THE SECURED SIGNATURE WITH BID SUBMISSION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- A. All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, and in the terms and conditions of Resolution No. 136353 and/or Resolution No. 141125, all of which are made part of this bid proposal and ensuing contract by reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances ("JPCO"), Louisiana Code of Ethics, and applicable Jefferson Parish ethical standards.
- B. The General Conditions for construction projects (141125) and the General Conditions for the purchase of materials, services and/or supplies (136353) are those adopted by the Jefferson Parish Council by Resolution No. 136353 and Resolution No. 141125, respectively. The General Conditions adopted by these resolutions shall be considered as much a part of this document and the ensuing contract or P.O. as if they were written wholly herein. A copy of each may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy of each by visiting the Purchasing Department webpage at http://www.jeffparish.gov/464/Purchasing and clicking on Online Forms.
- C. Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in La. R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.
- D. All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from http://www.jeffparish.gov/464/Purchasing and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.
- E. All quotations shall be based on F.O.B. Agency warehouse or job site (see Additional Requirements section), anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to Public Works projects.
- F. Jefferson Parish requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated on the bid form with bid submission. Supporting documentation may be required upon request.

Page: 2

DATE: 11/05/2025

BID NO: 50-00149076

- G. Bidders should submit all questions in writing via email to the Purchasing Specialist's email address as indicated above, no later than five (5) working days prior to the bid opening. Bid numbers must be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than five (5) working days prior to the bid opening. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.
- H. All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge any Addendum on the bid form shall cause the bid to be rejected. Jefferson Parish reserves the right to award bid to next lowest responsive and responsible bidder in this event.
- If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions.
- J. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH WILL ACCEPT ONE PRICE FOR EACH ITEM UNLESS OTHERWISE INDICATED. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line-item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.
- K. Written evidence of the authority of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. Acceptable written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer or a manager. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection. A sample corporate resolution can be downloaded from our website http://www.jeffparish.gov/464/Purchasing or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website http://www.jeffparish.gov/464/Purchasing or you may provide your own document
- L. AWARD OF CONTRACT: Jefferson Parish reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of Jefferson Parish. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.
 - a. All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar day increments.
 - b. PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)
 - c. PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA R.S. 38:2251-2261"
- M. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.
- N. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.
 - a. For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.
- O. PRICES: Jefferson Parish is exempt from paying sales tax under La. R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and, unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures no more than four (4) decimal points. In the event there is a difference in unit prices and totals, the unit price shall prevail.
 - a. Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

DATE: 11/05/2025

BID NO: 50-00149076

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- P. ANTI- DISCRIMINATION: Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).
 - a. In accordance with La. R.S. 38:2216.1, Jefferson Parish is prohibited from entering into a contract with a value of \$100,000 or more with a company for the purchase of goods or services unless the contract contains a written verification from the company of both of the following: 1) The company does not have a practice, policy, guidance, or directive that discriminates against a firearm entity or firearm trade association based solely on the entity's or association's status as a firearm entity or firearm trade association. 2) The company will not discriminate against a firearm entity or firearm trade association during the term of the contract based solely on the entity's or association's status as a firearm entity or firearm trade association. As a result, the awarded bidder will be required to verify the above in the ensuing contract.
- Q. INSPECTOR GENERAL: It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.
- R. Proof of Cyber Security Training may be required for the successful bidder. Pursuant to La. R.S. 42:1267, any contractor who has access to state or local government information technology assets is required to complete cybersecurity training during the term of the contract and during any renewal period. As a Parish contractor, you are responsible for taking the cyber training, whether from the State or another source. After completion of said training please forward proof to your contract monitor/Parish contact.

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder after nine (9) working days.

DATE: 11/05/2025

BID NO: 50-00149076

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at http://www.jeffparish.gov/464/Purchasing.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW. IF THE NUMBER IS NOT SPECIFIED IN THIS BOX, IT IS NOT APPLICABLE FOR THIS BID.

3,4,5,6,7,10,11,12,13,14,16

- MANDATORY PRE-BID All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and
 out as evidence of attendance. In accordance with LA.R.S. 38:2212(I), all prospective bidders shall be present at the
 beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any
 prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for
 the project.
- 2. NON-MANDATORY PRE-BID Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
- 3. JP LICENSE Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Building Permits. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Building Permits. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable municipality, Federal and/or State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
- 4. LSCB LICENSE A LA State Contractor's License will be required in accordance with LA.R.S. 37:2150 et. seq. and such license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
- 5. SITE VISIT It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
- 6. JOB SITE CLEANLINESS Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

Page: 5

DATE: 11/05/2025

BID NO: 50-00149076 INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. PUBLIC WORKS BIDS - All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.

- 8. NON-PUBLIC WORKS BIDS A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
- 9.. NON-PUBLIC WORKS BIDS A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
- 10. INSURANCE All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Any deviation from the Standard Insurance Requirements must be requested in writing prior to bid opening. Proof of coverage will be required prior to award. Failure to comply with this instruction will result in bid rejection.
- 11. BID BOND A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
- 12. AS-NEEDED WORK This is a requirements-based contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
- 13. FREIGHT Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form
- 14. AFFIDAVIT Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations in conformity with the provisions contained in LA.R.S. 38:2212.9, LA.R.S. 38:2212.10, LA.R.S. 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled GENERIC BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
- 15. FEDERAL FUNDING The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents and ensuing contract. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications per the appendix instruction will result in bid rejection.
- 16. TAX EXEMPT For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.
- 17. TECH AFFIDAVIT The Technology Affidavit is required for this solicitation and shall be submitted with the bid submission. Failure to do so will result in your bid being rejected. Pursuant to La. R.S. 38:2237.1, prior to the procurement of telecommunications or video surveillance equipment or services, the vendor shall provide documentation by affidavit that the equipment or services to be procured are not prohibited telecommunications or video surveillance equipment or services as defined in R.S. 39:1753.1(A). This affidavit is supplied as a courtesy to Affiant. It is the responsibility of the affiant to insure the affidavit submitted to Jefferson Parish complies, in both form and content, with federal, state and parish laws. No procurement shall be made from a vendor or other entity who fails to provide the documentation; any procurement in contravention to this requirement shall be null and void by law.

BID FOR:

JEFFERSON PARISH

UNIFORM PUBLIC WORK BID FORM:

PURCHASING DEPT

TO:

TWO (2) YEAR CONTRACT FOR ASPHALT STREET

MAINTENANCE AND SMALL JOBS (PROJECTS) ON AN

Page: 6

200 DERBIGNY ST. SUITE 4400	AS NEEDED BASIS FOR THE JEFFERSON PARISH		
<pre>GRETNA, LA 70053 (Owner to provide name and address of owner)</pre>	DEPARTMENT OF PUBLIC WORKS - PARISH WIDI		
(Owner to provide name and address of Owner)	(Owner to provide name of project and other identifying information)		
The undersigned bidder hereby declares and represents that she/he; a) has care not received, relied on, or based his bid on any verbal instructions contrary to the inspected and is familiar with the project site, and hereby proposes to provide at to perform, in a workmanlike manner, all work and services for the construction accordance with the Bidding Documents prepared by: (Owner to provide name of entity preparing bidding documents.)	the Bidding Documents or any addenda, c) has personally all labor, materials, tools, appliances and facilities as required		
(Owner to provide name of entity preparing bidding documents.)	and dated:		
Bidders must acknowledge all addenda. The Bidder acknowledges receipt of t assigned to each of the addenda that the Bidder is acknowledging)	he following ADDENDA : (Enter the number the Designer has		
TOTAL BASE BID: For all work required by the Bidding Documents (includaternates) the sum of:	ding any and all unit prices designated "Base Bid" * but not		
	Dollars (\$)		
ALTERNATES: For any and all work required by the Bidding Documents for alternates in the unit price description.	or Alternates including any and all unit prices designated as		
Alternate No. 1 (Owner to provide description of alternate and state whether a	add or deduct) for the lump sum of:		
	Dollars (\$)		
Alternate No. 2 (Owner to provide description of alternate and state whether	add or deduct) for the lump sum of:		
	Dollars (\$)		
Alternate No. 3 (Owner to provide description of alternate and state whether a	add or deduct) for the lump sum of:		
	Dollars (\$)		
NAME OF BUDDED			
NAME OF BIDDER:			
ADDRESS OF BIDDER:			
LOUISIANA CONTRACTOR'S LICENSE NUMBER:			
NAME OF AUTHORIZED SIGNATORY OF BIDDER:			
TITLE OF AUTHORIZED SIGNATORY OF BIDDER:			
SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER **:			
DATE:			
THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBM	MISSION OF THIS LOUISIANA		

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA-R.S. 38:2218.(A) is attached to and made a part of this bid.

^{*} The <u>Unit Price Form</u> shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

^{**} A CORPORATE RESOLUTION OR WRITTEN EVIDENCE of the authority of the person signing the bid for the public work as prescribed by LA-R.S. 38:2218 (B)(5).

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	_			
	X Base Bid	0010 ASPHALT BI	NDER COURSE TWO (2	2) YEAR CONTRACT FOR ASPHALT STREET
DESCRIPTION:	Alt.#	MAINTENANCE AND	SMALL JOBS (PROJE	ECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
			UNITERICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0010	16,000.00	TN		
	X Base Bid	חחמת ספוכב שה.דוו	CTMENT FOR RINDER	COURSE (REFER TO ITEM #0010) (FOR ASPHALT INDEX
DESCRIPTION:	Alt.#		RPOSE ONLY) (THIS	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
				` ' '
0020	1.00	EA	XXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	X Base Bid	0030 ASPHALT WE	ARING COURSE	
DESCRIPTION:	Alt.#	0030 ABIHABI WE	ARTING COURSE	
REF NO.	QUANTITY	LINIT OF MEACURE	LINIT PRICE	LIMIT DDICE EVTENCION (Occasión simos Unit Drice)
		UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0030	14,500.00	TN		
	X Base Bid	0040 PRICE ADJU	STMENT FOR WEARING	G COURSE (REFER TO ITEM #0030) (FOR ASPHALT INDE
DESCRIPTION:	Alt.#	CREDIT/DEBIT PU	RPOSE ONLY) (THIS	IS A NO BID ITEM)
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0040	1.00	EA	XXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
0040	1.00	LA	7000000	700000000000000000000000000000000000000
	i			
	X Base Bid	0050 ASPHALT (P	OLYMER) BINDER COU	JRSE
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0050	15,500.00	TN		
	,			
DESCRIPTION:	X Base Bid	0060 ASPHALT (P	OLYMER) WEARING CO	DURSE
DESCRIPTION.	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0060	19,500.00	TN		
	,			
	X Base Bid			
DESCRIPTION:		0070 ASPHALT BI	NDER COURSE (BIKE	PATHS / WALKING TRAILS)
	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0062	1,500.00	TN		
	X Base Bid	טטט אפטטאנת מיי	אסוות מתווספה (סודייו	PATHS/ WALKING TRAILS)
DESCRIPTION:	-	UUOU ASPRALI WE	AIII) IGAUUU DNIIAA	FAILD/ WALKING TRAILS/
DEF	Alt.#	INUT OF THE STATE	IN/	INVESTIGATION OF THE PROPERTY
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0064	4,000.00	TN		

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	X Base Bid	0090 ASPHALT REMOV	AL 6 INCHES TH	ICK & LESS
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0070	9,900.00	SY	OHITTRIOL	ONIT PRIOR EXTENSION (Quantity times office rice)
0070	0,000.00	01	1	
	FF			
DESCRIPTION:	X Base Bid Alt.#	0100 ASPHALT REMOV	AL GREATER THAN	N 6 INCH THICKNESS
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0080	2,000.00	SY		
DESCRIPTION:	X Base Bid Alt.#	0110 PCC CONCRETE	REMOVAL 6 INCH	THICK AND LESS
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0090	2,100.00	SY		
DESCRIPTION:	X Base Bid	0120 PCC CONCRETE	REMOVAL GREATER	R THAN 6 INCH THICKNESS
	Alt.#	,		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0100	700.00	SY		
DESCRIPTION:	X Base Bid	0130 EXTRUDED, 6 I	INCH TO 8 INCH E	BARRIER ASPHALT
DESCRIPTION.	Alt.#	,		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0110	100.00	LF		
	X Base Bid	0140 EXTRUDED, 10	INCH BARRIER PO	C CONCRETE
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0120	50.00	LF		
	X Base Bid	0150 EXTRUDED, 8 I	INCH BARRIER PC	CONCRETE
DESCRIPTION:	Alt.#	, ,		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0130	50.00	LF		
	<u> </u>			
	X Base Bid	0160 EXTRUDED, 6 I	INCH BARRIER DC	CONCRETE
DESCRIPTION:	Alt.#	OTOO DAIRODED, 6 1	INCII DARKIEK PC	CONCRETE
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0140	300.00	LF		

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	X Base Bid	0170 EXTRUDED, 5	INCH ROLL OVER	ASPHALT
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0150	500.00	LF		
	33333			
	I			
DESCRIPTION:	X Base Bid	0180 EXTRUDED, 5	INCH ROLL OVER	PC CONCRETE
DECOKII TION.	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0160	50.00	LF		
	X Base Bid	0190 EARTHWORK EXC	ווסיד עם זארדיינוגיי	CK WEYGIDE
DESCRIPTION:	Alt.#	0190 EARIHWORK EAC	LAVAIION BI IRU	CA MEASURE
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0170	400.00	CUYD	UNIT PRICE	ONTI PRICE EXTENSION (Quantity times offit Price)
0170	400.00	COTD		
	ı			
DE00D/25-07	X Base Bid	0200 EARTHWORK EXC	CAVATION BY THE	DRETICAL VOLUME
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0180	4,500.00	CUYD		
	<u> </u>			
	X Base Bid			
DESCRIPTION:	ii:	0210 RIVER (BATTUR	RE) SAND	
	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0190	650.00	CUYD		
	X Base Bid	0220 PUMP (SUGAR)	SAND	
DESCRIPTION:	Alt.#			
REF NO.				
	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0200	800.00	CUYD	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
			UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
	800.00	CUYD		
0200	800.00 X Base Bid			
0200 DESCRIPTION:	800.00 X Base Bid Alt.#	CUYD 0230 CRUSHED CONC	RETE LA.D.O.T.D	APPROVED
DESCRIPTION:	800.00 X Base Bid Alt.# QUANTITY	CUYD 0230 CRUSHED CONCLUDIT OF MEASURE		
0200 DESCRIPTION:	800.00 X Base Bid Alt.#	CUYD 0230 CRUSHED CONC	RETE LA.D.O.T.D	APPROVED
DESCRIPTION:	800.00 X Base Bid Alt.# QUANTITY	CUYD 0230 CRUSHED CONCLUDIT OF MEASURE	RETE LA.D.O.T.D	APPROVED
DESCRIPTION: REF NO. 0210	800.00 X Base Bid Alt.# QUANTITY	CUYD 0230 CRUSHED CONCLUDIT OF MEASURE	RETE LA.D.O.T.D	APPROVED
DESCRIPTION:	X Base Bid Alt.# QUANTITY 300.00	CUYD 0230 CRUSHED CONCI UNIT OF MEASURE TN	RETE LA.D.O.T.D	APPROVED
DESCRIPTION: REF NO. 0210	800.00 X Base Bid Alt.# QUANTITY 300.00	CUYD 0230 CRUSHED CONCI UNIT OF MEASURE TN	RETE LA.D.O.T.D	APPROVED

Bid# 50-00149076

JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TO:

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	X Base Bid	0250 15 INCH DIAM	ETER, RCP, C-76	CLASS III, RUBBER JOINT, INSTALLED
DESCRIPTION:	∏ Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0230	40.00	LF		, , , , , , , , , , , , , , , , , , , ,
0230	40.00	Li		
	X Base Bid	0260 18 INCH DIAME	TTER. RCP. C-76	CLASS III, RUBBER JOINT, INSTALLED
DESCRIPTION:	Alt.#	0200 10 111011 211111	21211, 1101, 0 ,0	omiss filly Robbin Colliny Libringson
255112			INUT DRICE	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0240	40.00	LF		
	X Base Bid	0000 01 THOU DIAM	amen nan a sa	CLACC III DUDDED TOINE INCENTIED
DESCRIPTION:		02/0 21 INCH DIAME	STER, RCP, C-76,	, CLASS III, RUBBER JOINT, INSTALLED
	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0250	8.00	LF		
	V			
DESCRIPTION:	X Base Bid	0280 24 INCH DIAM	ETER, RCP, C-76,	, CLASS III, RUBBER JOINT, INSTALLED
DECOKII TION.	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0260	8.00	LF		
DESCRIPTION:	X Base Bid	0290 27 INCH DIAM	ETER, RCP, C-76,	CLASS III, RUBBER JOINT, INSTALLED
DESCRIPTION.	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0270	8.00	LF		
	J.			
DECCRIPTION	X Base Bid	0300 30 INCH DIAM	ETER, RCP, C-76,	CLASS III, RUBBER JOINT, INSTALLED
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0280	8.00	LF		
0_00				
DECODISTICA	X Base Bid	0310 6 INCH DIAME	TER, P.V.C. SDR	35, INSTALLED
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0290	100.00	LF		·
0230	100.00			
	·			
	X Base Bid	0320 8 INCH DIAMET	TER, P.V.C. SDR	35, INSTALLED
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
		LF	ONTTRICE	OHIT FRIOE EXTENSION (Quantity times Shit Frioe)
0300	100.00	LF		

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	X Base Bid	0220 O TNOU DIAME		A DEDECTAMED ODD OF TAXONALLED
DESCRIPTION:				
	Alt.#	·		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0310	10.00	LF		
	X Base Bid	0340 10 INCH DIAM	ETER PVC SDE	? 35 INSTALLED
DESCRIPTION:	Alt.#	0010 10 111011 01111	21211, 111101 021	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0320	40.00	LF	ONTFRICE	ONTI FRICE EXTENSION (Quality times offic Frice)
0320	40.00	LF		
	X Base Bid	0350 12 INCH DIAM	ETER, P.V.C. SDR	R 35 INSTALLED
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0330	40.00	LF		
	<u> </u>			
	TZ D D . 1			
DESCRIPTION:	X Base Bid	0360 15 INCH DIAM	ETER, P.V.C. SDR	R 35 INSTALLED
	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0340	40.00	LF		
	X Base Bid	0370 18 INCH DIAM	FTFP DVC SDE	2.35 INSTALLED
DESCRIPTION:	Alt.#	0570 10 11veil Billi	BIBR, I.V.C. ODI	C 33 INGINEEDS
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0350	100.00	LF	OHITTHOL	Other Mod Extension (Quantity times office 1865)
0330	100.00	LI		
	_			
DESCRIPTION	X Base Bid	0380 24 INCH DIAM	ETER, P.V.C. SDR	R 35 INSTALLED
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0360	10.00	LF		
	<u> </u>			
	X Base Bid	0000 04 737077 ====	remen our pos	AED GOAMED 10 GANGE INGESTION
DESCRIPTION:	1 <u>—</u>	0390 24 INCH DIAM	ETEK, CMP, POLYN	MER COATED, 12 GAUGE, INSTALLED
	Alt.#		1	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0370	10.00	LF		
	X Base Bid	0400 30 INCH DIAM	ETER CMP, POLYME	ER COATED, 12 GAUGE, INSTALLED
DESCRIPTION:	Alt.#		•	•
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0380	10.00	LF		
,		- -	1	

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	X Base Bid	0410 18 TNCH POINI	D FOIITVALENT PC	AP 13-1/2 INCH X 22 INCH, INSTALLED
DESCRIPTION:	=	offo fo fiven Room	J EQUIVILEENI NO.	II 15 1/2 INON N 22 INON/ INONIBEDE
	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0390	10.00	LF		
	V Dogo Did			
DESCRIPTION:	X Base Bid	0420 21 INCH ROUNI) EQUIVALENT RC	AP 15-1/2 INCH X 26 INCH, INSTALLED
	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0400	10.00	LF		
DESCRIPTION:	X Base Bid	0430 24 INCH ROUNI	D EQUIVALENT RC	AP 18 INCH X 28-1/2 INCH, INSTALLED
DESCRIPTION.	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0410	10.00	LF		
	l l			
DESCRIPTION:	X Base Bid	0440 CONVERTING TY	YPE I VERTICAL	FACE TO TYPE III CATCH BASIN, CONVERTING
DESCRIPTION:	Alt.#	EXISTING CURBSIDE	DRAIN STRUCTUR	E INTO FLAT OR ROLLOVER (GRATE & MANHOLE COVER)
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0420	5.00	EA		
DESCRIPTION.	X Base Bid	0450 YARD DRAIN, 3	12 INCH X 12 IN	CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL,
DESCRIPTION:	X Base Bid	0450 YARD DRAIN, 3		CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL,
DESCRIPTION: REF NO.	=			CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, UNIT PRICE EXTENSION (Quantity times Unit Price)
	Alt.#	6 INCH CONCRETE SI	LAB FOUNDATION	
REF NO.	Alt.# QUANTITY	6 INCH CONCRETE SI	LAB FOUNDATION	
REF NO.	Alt.#QUANTITY 4.00	6 INCH CONCRETE SI	LAB FOUNDATION	
REF NO. 0430	Alt.# QUANTITY	6 INCH CONCRETE SI UNIT OF MEASURE EA	LAB FOUNDATION UNIT PRICE	
REF NO.	Alt.#QUANTITY 4.00	6 INCH CONCRETE SI UNIT OF MEASURE EA	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
REF NO. 0430	Alt.#QUANTITY 4.00	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET,	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
REF NO. 0430 DESCRIPTION:	Alt.#QUANTITY 4.00	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, 36 INCH CONCRETE SI	UNIT PRICE 18 INCH X 18 INCLASS FOUNDATION	UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL,
REF NO. 0430 DESCRIPTION: REF NO.	Alt.#	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, 16 INCH CONCRETE SI UNIT OF MEASURE	UNIT PRICE 18 INCH X 18 INCLASS FOUNDATION	UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL,
REF NO. 0430 DESCRIPTION: REF NO.	Alt.#QUANTITY 4.00 X Base Bid Alt.#QUANTITY 5.00	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, 16 INCH CONCRETE SI UNIT OF MEASURE	UNIT PRICE 18 INCH X 18 INCLASS FOUNDATION	UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL,
REF NO. 0430 DESCRIPTION: REF NO. 0440	Alt.#	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, 16 INCH CONCRETE SI UNIT OF MEASURE EA	LAB FOUNDATION UNIT PRICE 18 INCH X 18 INCAB FOUNDATION UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL,
REF NO. 0430 DESCRIPTION: REF NO.	Alt.#QUANTITY 4.00 X Base Bid Alt.#QUANTITY 5.00	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, 16 INCH CONCRETE SI UNIT OF MEASURE EA	UNIT PRICE 18 INCH X 18 INCAB FOUNDATION UNIT PRICE 24 INCH X 24 IN	CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 8
REF NO. 0430 DESCRIPTION: REF NO. 0440	Alt.#	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, 16 6 INCH CONCRETE SI UNIT OF MEASURE EA 0470 DROP INLET, 2	UNIT PRICE 18 INCH X 18 INCAB FOUNDATION UNIT PRICE 24 INCH X 24 IN	UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 8
REF NO. 0430 DESCRIPTION: REF NO. 0440 DESCRIPTION:	Alt.#	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, 7 6 INCH CONCRETE SI UNIT OF MEASURE EA 0470 DROP INLET, 7 INCH REINFORCED CO	LAB FOUNDATION UNIT PRICE 18 INCH X 18 INCLAB FOUNDATION UNIT PRICE 24 INCH X 24 INCNCRETE SLAB FO	UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 8 UNDATION
REF NO. 0430 DESCRIPTION: REF NO. 0440 DESCRIPTION: REF NO.	Alt.#	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, 16 INCH CONCRETE SI UNIT OF MEASURE EA 0470 DROP INLET, 11 INCH REINFORCED CO	LAB FOUNDATION UNIT PRICE 18 INCH X 18 INCLAB FOUNDATION UNIT PRICE 24 INCH X 24 INCNCRETE SLAB FO	UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 8 UNDATION
REF NO. 0430 DESCRIPTION: REF NO. 0440 DESCRIPTION: REF NO.	Alt.#	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, 16 INCH CONCRETE SI UNIT OF MEASURE EA 0470 DROP INLET, 11 INCH REINFORCED CO	LAB FOUNDATION UNIT PRICE 18 INCH X 18 INCLAB FOUNDATION UNIT PRICE 24 INCH X 24 INCNCRETE SLAB FO	UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 8 UNDATION
REF NO. 0430 DESCRIPTION: REF NO. 0440 DESCRIPTION: REF NO. 0450	Alt.#	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, : 6 INCH CONCRETE SI UNIT OF MEASURE EA 0470 DROP INLET, : INCH REINFORCED CO	LAB FOUNDATION UNIT PRICE 18 INCH X 18 INCLASS FOUNDATION UNIT PRICE 24 INCH X 24	UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 8 UNDATION
REF NO. 0430 DESCRIPTION: REF NO. 0440 DESCRIPTION: REF NO.	Alt.#	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, : 6 INCH CONCRETE SI UNIT OF MEASURE EA 0470 DROP INLET, : INCH REINFORCED CO	LAB FOUNDATION UNIT PRICE 18 INCH X 18 INCLAB FOUNDATION UNIT PRICE 24 INCH X 24 I	CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 8 UNDATION UNIT PRICE EXTENSION (Quantity times Unit Price)
REF NO. 0430 DESCRIPTION: REF NO. 0440 DESCRIPTION: REF NO. 0450	Alt.#	6 INCH CONCRETE SI UNIT OF MEASURE EA 0460 DROP INLET, : 6 INCH CONCRETE SI UNIT OF MEASURE EA 0470 DROP INLET, : INCH REINFORCED CO UNIT OF MEASURE EA	LAB FOUNDATION UNIT PRICE 18 INCH X 18 INCLAB FOUNDATION UNIT PRICE 24 INCH X 24 I	CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, UNIT PRICE EXTENSION (Quantity times Unit Price) CH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 8 UNDATION UNIT PRICE EXTENSION (Quantity times Unit Price)

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	Tee					
DESCRIPTION	X Base Bid	0490 CATCH BASIN,	STANDARD TYPE	I, VERTICAL FACE, 8 INCH BRICK WALL, 8 INCH		
DESCRIPTION:	Alt.#	REINFORCED CONCRE	ΓE SLAB			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0470	3.00	EA		` ,		
0470	3.00					
	X Base Bid	0500 CATCH BASIN.	NO. 5, 8 INCH F	BRICK WALL, TYPE I, VERTICAL FACE WITH FLAT		
DESCRIPTION:	Alt.#	GRATE IN THE GUTT	ZB	, ,		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
			ONTFRICE	ONIT PRIOE EXTENSION (Quantity times offit Frice)		
0480	3.00	EA				
	X Base Bid	0510 DRATNAGE MAN	HOLE STANDARD	8 INCH BRICK WALL, AVERAGE 48 INCH BOTTOM		
DESCRIPTION:	Alt.#	DIAMETER, 8 INCH 1	•			
		<u> </u>				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0490	3.00	EA		L		
	X Base Bid	OF 20 TITMOTTON DOV	מייא א מסגמואגיים	TU DDICK WALL 24 INCU Y 26 INCU ODEN CDATE		
DESCRIPTION:	I=	0520 JUNCTION BOX, STANDARD 8 INCH BRICK WALL, 24 INCH X 36 INCH, OPEN GRATE				
	Alt.#	· ·		CED CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0500	3.00	EA		<u> </u>		
	X Base Bid	OF 2.0. CERTICATION OF		- (DI DVARION) DO DVIGRING CARGU DAGIN		
DESCRIPTION:	III					
	Alt.#	NON-REINFORCED NO				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0510	10.00	EA				
DESCRIPTION	IIVI Daga Did					
DESCRIPTION:	X Base Bid		RADE ADJUSTMENTS	S, TO EXISTING REINFORCED CONCRETE CATCH		
DESCRIPTION:	Alt.#	0540 STRUCTURAL GI BASINS-SINGLE	,	3, TO EXISTING REINFORCED CONCRETE CATCH		
REF NO.	IH		RADE ADJUSTMENTS	S, TO EXISTING REINFORCED CONCRETE CATCH UNIT PRICE EXTENSION (Quantity times Unit Price)		
	Alt.#	BASINS-SINGLE	,			
REF NO.	Alt.# QUANTITY	BASINS-SINGLE UNIT OF MEASURE	,			
REF NO.	QUANTITY 7.00	BASINS-SINGLE UNIT OF MEASURE EA	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
REF NO. 0520	Alt.#	BASINS-SINGLE UNIT OF MEASURE EA	UNIT PRICE			
REF NO.	QUANTITY 7.00	BASINS-SINGLE UNIT OF MEASURE EA	UNIT PRICE RADE ADJUSTMENT:	UNIT PRICE EXTENSION (Quantity times Unit Price)		
REF NO. 0520	Alt.#	BASINS-SINGLE UNIT OF MEASURE EA 0550 STRUCTURAL G	UNIT PRICE RADE ADJUSTMENT:	UNIT PRICE EXTENSION (Quantity times Unit Price)		
REF NO. 0520 DESCRIPTION:	Alt.# QUANTITY 7.00 X Base Bid Alt.#	BASINS-SINGLE UNIT OF MEASURE EA 0550 STRUCTURAL G BASINS-DOUBLE NO.	UNIT PRICE RADE ADJUSTMENT: 1 CATCH BASIN	UNIT PRICE EXTENSION (Quantity times Unit Price) S, TO EXISTING REINFORCED CONCRETE CATCH		
REF NO. 0520 DESCRIPTION: REF NO.	Alt.# QUANTITY 7.00 X Base Bid Alt.# QUANTITY	BASINS-SINGLE UNIT OF MEASURE EA 0550 STRUCTURAL G BASINS-DOUBLE NO. UNIT OF MEASURE	UNIT PRICE RADE ADJUSTMENT: 1 CATCH BASIN	UNIT PRICE EXTENSION (Quantity times Unit Price) S, TO EXISTING REINFORCED CONCRETE CATCH		
REF NO. 0520 DESCRIPTION: REF NO.	Alt.#	BASINS-SINGLE UNIT OF MEASURE EA 0550 STRUCTURAL G BASINS-DOUBLE NO. UNIT OF MEASURE EA	UNIT PRICE RADE ADJUSTMENT: 1 CATCH BASIN UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price) S, TO EXISTING REINFORCED CONCRETE CATCH UNIT PRICE EXTENSION (Quantity times Unit Price)		
REF NO. 0520 DESCRIPTION: REF NO. 0530	Alt.#	BASINS-SINGLE UNIT OF MEASURE EA 0550 STRUCTURAL G BASINS-DOUBLE NO. UNIT OF MEASURE EA	UNIT PRICE RADE ADJUSTMENT: 1 CATCH BASIN UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price) S, TO EXISTING REINFORCED CONCRETE CATCH		
REF NO. 0520 DESCRIPTION: REF NO.	Alt.#	BASINS-SINGLE UNIT OF MEASURE EA 0550 STRUCTURAL G BASINS-DOUBLE NO. UNIT OF MEASURE EA	UNIT PRICE RADE ADJUSTMENT: 1 CATCH BASIN UNIT PRICE RADE ADJUSTMENT:	UNIT PRICE EXTENSION (Quantity times Unit Price) S, TO EXISTING REINFORCED CONCRETE CATCH UNIT PRICE EXTENSION (Quantity times Unit Price)		
REF NO. 0520 DESCRIPTION: REF NO. 0530	Alt.#	BASINS-SINGLE UNIT OF MEASURE EA 0550 STRUCTURAL G BASINS-DOUBLE NO. UNIT OF MEASURE EA 0560 STRUCTURAL G	UNIT PRICE RADE ADJUSTMENT: 1 CATCH BASIN UNIT PRICE RADE ADJUSTMENT:	UNIT PRICE EXTENSION (Quantity times Unit Price) S, TO EXISTING REINFORCED CONCRETE CATCH UNIT PRICE EXTENSION (Quantity times Unit Price)		

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	X Base Bid	0570 STRUCTURAL G	RADE ADJUSTMENTS	S, (ELEVATION) TO EXISTING MANHOLE
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0550	20.00	EA		
	,			
	X Base Bid	0580 RING ADJUSTM	ENTS (O INCH - 3	2INCH), ON EXISTING MANHOLE
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0560	70.00	EA		
	J			
	X Base Bid	0590 PING ADJUSTM	FNTS (CDFATED T	HAN 2 INCH TO 3 INCH), ON EXISTING MANHOLE
DESCRIPTION:	Alt.#	0390 KING AD0031M	ENIS (GREATER II	IAN 2 INCH 10 3 INCH, ON EXISTING PANIOLE
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0562	10.00	EA		
L	<u> </u>			
	X Base Bid	0600 DING ADJUSTM	באידפ (מסבאידבים יינ	HAN 3 INCH TO 4 INCH), ON EXISTING MANHOLE
DESCRIPTION:	Alt.#	0000 KING ADOODIN	INIS (GREATER II	IAN 3 INCH 10 4 INCH, ON BAIDTING FAMILUE
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0564	5.00	EA		
3331	0.00			
	X Base Bid	OCIO DING AD HIGHW		VAN 4 TAGEL ON ENTONING MANUALE
DESCRIPTION:		U61U KING ADJUSIM	ENIS (GREATER II	HAN 4 INCH), ON EXISTING MANHOLE
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0566	5.00	EA	ONTTRICE	OHIT THOSE EXTENSION (Quantity times office rice)
0300	3.00	LA		
	.			
DESCRIPTION:	X Base Bid	0620 WATER VALVE A	ADJUSTMENTS, PE	R INCH, ON EXISTING WATER VALVE
	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0570	65.00	EA		
DESCRIPTION:	X Base Bid	0630 WATER VALVE	(FLOATING) MANH	OLE ADJUSTMENT
	Alt.#		7	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0575	30.00	EA		
	-			
DESCRIPTION:	X Base Bid	0640 MISCELLANEOUS	S TIE-INS	
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0580	14.00	TN		

Bid# 50-00149076

JEFFERSON PARISH TO: PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	X Base Bid	OCEO CATCU DACIN/	TIMOTTON DOV 24	INCH X 36 INCH OPEN GRATE COVER WITH FRAME,
DESCRIPTION:	Alt.#	•		NCH AND LARGER IN DEPTH RANGE, 8-10 FEET
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0590	5.00	EA		
	,			
	X Base Bid	0660 BASE PREPARA	rion - NEW CONS	TRUCTION
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0600	10,000.00	SY		
	X Base Bid	0670 BASE PREPARA	rion - EXISTING	BASE
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0610	110,000.00	SY		
	X Base Bid	0680 SAW CUT PAVE	MENT - ASPHALT (OR PCC CONCRETE (PER INCH DEPTH)
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0620	53,000.00	LF		
	X Base Bid	0690 CRACK AND JO	INT SEALING, LI	QUID POURED ASPHALT TYPE SEALANT, APPLIED,
DESCRIPTION:	Alt.#	PER GALLON		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0630	500.00	GA		
DESCRIPTION:	X Base Bid	0700 SAWCUT AND SI	EAL JOINTS IN A	SPHALT CONCRETE OVERLAY (WEARING COURSE)
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0634	10,000.00	LF		
	_			
DESCRIPTION:	X Base Bid	0710 SAWCUTS IN A	SPHALT CONCRETE	LIFTS
	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0636	4,000.00	LF		
DESCRIPTION:	X Base Bid	0720 SAND MIX ASP	HALT JOINT SEAL	ER
DESCRIPTION:	Alt.#		,	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0640	10.00	TN		l I

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	X Base Bid	ARAA GAMARIEE GUR	2 AND CHEED	DOLLOWED OF PARTIES OF COLUMN THE THE
DESCRIPTION:			3 AND GUTTER	ROLLOVER OR BARRIER, 200 SQUARE INCH CROSS
	Alt.#	SECTION MAX		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0650	150.00	LF		
	X Base Bid	0740 CONCRETE CUR	S AND GUTTER -	ROLLOVER OR BARRIERM, 300 SOUARE INCH CROSS
DESCRIPTION:				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
			UNIT PRICE	UNIT PRICE EXTENSION (Quantity times offit Price)
0660	200.00	LF		
	X Base Bid	0750 CONCRETE CUR	B AND GUTTER - :	ROLLOVER OR BARRIER, 400 SQUARE INCH CROSS
DESCRIPTION:	Alt.#	SECTION MAX		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0670	6,000.00	LF		
00.0	0,000.00			
DESCRIPTION	X Base Bid	0760 PCC 4 INCH TH	HICK 4000 PSI-3	DAYS, IN PLACE FOR WALKWAYS, ETC
DESCRIPTION:	Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0680	500.00	SY		
	,			
	X Base Bid	0770 F INGI MITOK	DATITNG 4000 DG	T 2 DAVO LITOU DADI V OMDUNOMI
DESCRIPTION:		0770 5 INCH THICK	PAVING 4000 PS	I-3 DAYS HIGH EARLY STRENGTH
555.110	Alt.#		LINET DRICE	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0690	10.00	SY		
	X Base Bid	0780 6 INCH THICK	PAVING 4000 PS	I-3 DAYS HIGH EARLY STRENGTH FOR DRIVEWAYS/APRON
DESCRIPTION:	∏ _{Alt.#}			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0700	1,000.00	SY		
0700	1,000.00	<u> </u>		
DESCRIPTION:	X Base Bid	0790 PCC 6 INCH T	HICK, HIGH EARL	Y STRENGTH 4000 PSI - 72 HOURS, IN PLACE
DESCRIPTION.	Alt.#	FOR HANDICAPPED RA	AMPS WITH 6X6 -	W2.9 STEEL MESH REINFORCEMENT
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0710	200.00	SY		
		<u> </u>		
	X Base Bid	0000 7 TMGH THE	DAVITNO 4000 DO	I-3 DAYS HIGH EARLY STRENGTH
DESCRIPTION:		0000 / INCH THICK	FAVING 4000 PS	T-3 DAID DIGE EARLI SIKENGIH
DEF :::	Alt.#	INUT OF LITTING		INIT DOLOF EVERYORS
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0720	60.00	SY		

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	I				
DESCRIPTION:	X Base Bid	0810 8 INCH THICK	PAVING 4000 PS	I-3 DAYS HIGH EARLY STRENGTH	
DESCRIPTION.	Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0730	140.00	SY			
	,				
	X Base Bid				
DESCRIPTION:			•	Y STRENGTH 4000 PSI - 72 HOURS, IN PLACE	
	Alt.#			W2.9 STEEL MESH REINFORCEMENT	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0740	50.00	SY			
	X Base Bid	0830 9 INCH THICK	PAVING 4000 PS	I-3 DAYS HIGH EARLY STRENGTH	
DESCRIPTION:	Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0750	100.00	SY	0	one in the second (quality allowed the interpretation)	
0730	100.00	01			
DESCRIPTION:	X Base Bid	0840 CAST-IN-PLACE	E DETECTABLE WAI	RNING SYSTEM (24 INCH X 48 INCH) SET IN TO	
DESCRIPTION:	Alt.#	FINISHED CONCRETE	. REDDISH LIKE	TERRA- COTTA PAD IN-PLACE AS PER ADA REGULATION	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0760	26.00	EA			
	,				
	X Base Bid	OOFO GROWENWILL BY	ADDIG (GLAGG D)	EOD DAGE /GUD DAGE	
DESCRIPTION:	I=	0850 GEOTEXTILE FA	ABRIC (CLASS D)	FOR BASE/SUB-BASE	
	Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0770	500.00	SY			
	X Base Bid	0860 GEO GRID BASE	E REINFORCEMENT	AND GEO SUB-GRADE IMPROVEMENT TYPE 1, BX 1100	
DESCRIPTION:	Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0780	1,000.00	SY			
	I			1	
DESCRIPTION:	X Base Bid	0870 GEO GRID BASI	E REINFORCEMENT	AND GEO SUB-GRADE IMPROVEMENT, TYPE 2, BS 1200	
	Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0790	1,000.00	SY			
	1,000.00				
	X Base Bid	0880 FIBROUS MATE	RIALS: PAVE PRE	PARATION TYPE S	
DESCRIPTION:	X Base Bid	0880 FIBROUS MATER	RIALS: PAVE PRE	PARATION TYPE S	
DESCRIPTION:		0880 FIBROUS MATER	RIALS: PAVE PRE	PARATION TYPE S UNIT PRICE EXTENSION (Quantity times Unit Price)	

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DECORIDEION	Base Bid 0890 FIBROUS MATERIALS PAVE PREPARATION TYPE SA					
DESCRIPTION:	Alt.#					
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0810	10.00	SQFT				
	X Base Bid 0900 GLASS GRID 8501 IN PLACE					
DESCRIPTION:	Alt.#					
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0820	500.00	SY				
	X Base Bid	0910 GLASS GRID 8	502 IN PLACE			
DESCRIPTION:	Alt.#					
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0830	500.00	SY				
	,					
	X Base Bid	0920 6 INCH X 6 II	NCH - W2.9 STEE	L MESH OR HIGHWAY MESH REINFORCEMENT FOR		
DESCRIPTION:	Alt.#	CONCRETE PAVEMENT	AND WALKWAYS (AS NEEDED)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0840	100.00	SY				
	J					
	X Base Bid	0930 REINFORCING S	omeni dado in d	I A CIE		
DESCRIPTION:	Alt.#	0930 REINFORCING A	SIEEL BARS IN F.	LACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0850	1,400.00	LB	0.0	Chill Hood Date of Causing and Chill Hood		
0000	1,400.00			<u> </u>		
DESCRIPTION:	X Base Bid	0940 SUPPLY MILLIN	NG MACHINE AND	CREW		
	Alt.#					
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0860	20.00	DAY				
DESCRIPTION:	X Base Bid	0950 COLD MILLING	EXISTING ASPHA	LT PAVEMENT (PER INCH DEPTH)		
DESCRIPTION.	Alt.#					
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0870	900,000.00	SY				
	X Base Bid	0960 ST AUGUSTINE	GRASS SOD			
DESCRIPTION:	Alt.#					
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
0880	600.00	SY				

Bid# 50-00149076

JEFFERSON PARISH TO: PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	X Base Bid	0970 BERMUDA GRAS	S SEED		
DESCRIPTION:	Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0890	25.00	LB			
	X Base Bid	0980 8-8-8 GRANUL	AR FERTILIZER		
DESCRIPTION:	Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0900	70.00	LB			
	X Base Bid	0990 SHEETING IN 1	PLACE (UP TO 12	FOOT TRENCHCUT)	
DESCRIPTION:	Alt.#		·		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0910	10.00	BDFT			
	,				
	X Base Bid	1000 VEHICLE DETE	CTOR INDUCTIVE I	OOP INSTALLATION OR REPLACEMENT	
DESCRIPTION:	Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0920	200.00	LF			
	X Base Bid	1010 1 INCH. 2 INC	CH. OR 3 INCH P.	V.C. CONDUIT IN EARTH	
DESCRIPTION:	X Base Bid	1010 1 INCH, 2 INC	CH, OR 3 INCH P.	V.C. CONDUIT IN EARTH	
DESCRIPTION:	X Base Bid Alt.# QUANTITY	1010 1 INCH, 2 INC	CH, OR 3 INCH P.	V.C. CONDUIT IN EARTH UNIT PRICE EXTENSION (Quantity times Unit Price)	
	Alt.#		,		
REF NO.	Alt.# QUANTITY	UNIT OF MEASURE	,		
REF NO.	Alt.#	UNIT OF MEASURE LF	UNIT PRICE		
REF NO.	Alt.#QUANTITY 100.00	UNIT OF MEASURE	UNIT PRICE		
REF NO. 0930	Alt.#	UNIT OF MEASURE LF	UNIT PRICE		
REF NO. 0930 DESCRIPTION:	Alt.#	UNIT OF MEASURE LF 1020 BINDER COURSE	UNIT PRICE E - GRAND ISLE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
REF NO. 0930 DESCRIPTION: REF NO.	Alt.# QUANTITY 100.00 X Base Bid Alt.# QUANTITY	UNIT OF MEASURE LF 1020 BINDER COURS! UNIT OF MEASURE	UNIT PRICE E - GRAND ISLE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
REF NO. 0930 DESCRIPTION: REF NO.	Alt.#	UNIT OF MEASURE LF 1020 BINDER COURS! UNIT OF MEASURE TN	UNIT PRICE E - GRAND ISLE UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
REF NO. 0930 DESCRIPTION: REF NO.	Alt.#	UNIT OF MEASURE LF 1020 BINDER COURS! UNIT OF MEASURE	UNIT PRICE E - GRAND ISLE UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
REF NO. 0930 DESCRIPTION: REF NO. 0940	Alt.#	UNIT OF MEASURE LF 1020 BINDER COURS! UNIT OF MEASURE TN	UNIT PRICE E - GRAND ISLE UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
REF NO. 0930 DESCRIPTION: REF NO. 0940 DESCRIPTION:	Alt.#	UNIT OF MEASURE LF 1020 BINDER COURSI UNIT OF MEASURE TN 1030 WEARING COUR	UNIT PRICE E - GRAND ISLE UNIT PRICE SE - GRAND ISLE	UNIT PRICE EXTENSION (Quantity times Unit Price) UNIT PRICE EXTENSION (Quantity times Unit Price)	
REF NO. 0930 DESCRIPTION: REF NO. 0940 DESCRIPTION: REF NO.	Alt.#	UNIT OF MEASURE LF 1020 BINDER COURS! UNIT OF MEASURE TN 1030 WEARING COUR UNIT OF MEASURE	UNIT PRICE E - GRAND ISLE UNIT PRICE SE - GRAND ISLE	UNIT PRICE EXTENSION (Quantity times Unit Price) UNIT PRICE EXTENSION (Quantity times Unit Price)	
REF NO. 0930 DESCRIPTION: REF NO. 0940 DESCRIPTION: REF NO.	Alt.#	UNIT OF MEASURE LF 1020 BINDER COURS! UNIT OF MEASURE TN 1030 WEARING COUR UNIT OF MEASURE TN	UNIT PRICE E - GRAND ISLE UNIT PRICE SE - GRAND ISLE UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price) UNIT PRICE EXTENSION (Quantity times Unit Price) UNIT PRICE EXTENSION (Quantity times Unit Price)	
REF NO. 0930 DESCRIPTION: REF NO. 0940 DESCRIPTION: REF NO.	Alt.#	UNIT OF MEASURE LF 1020 BINDER COURS! UNIT OF MEASURE TN 1030 WEARING COUR UNIT OF MEASURE TN	UNIT PRICE E - GRAND ISLE UNIT PRICE SE - GRAND ISLE UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price) UNIT PRICE EXTENSION (Quantity times Unit Price)	
REF NO. 0930 DESCRIPTION: REF NO. 0940 DESCRIPTION: REF NO. 0950	Alt.#	UNIT OF MEASURE LF 1020 BINDER COURS! UNIT OF MEASURE TN 1030 WEARING COUR UNIT OF MEASURE TN	UNIT PRICE E - GRAND ISLE UNIT PRICE SE - GRAND ISLE UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price) UNIT PRICE EXTENSION (Quantity times Unit Price) UNIT PRICE EXTENSION (Quantity times Unit Price)	

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	X Base Bid 1050 BASE PREPARATION - EXISTING BASE GRAND ISLE Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0970	300.00	SY	ONIT FRICE	ONIT PRIOR EXTENSION (Quantity times offic Price)	
0970	300.00	31			
DESCRIPTION:	X Base Bid	1060 FLASHING ARRO	OW BOARD/SOLAR I	POWERED ALTERNATE, 8 FOOT X 4 FOOT MINIMUM, OR	
	Alt.#	# EQUAL			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0980	350.00	HR			
	X Base Bid	1070 ROAD GRADER A	AND OPERATOR - V	/ENDOR TO INDICATE TYPE OF GRADER TO BE	
DESCRIPTION:	☐Alt.#	FURNISHED MAKE: CA			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0990	60.00	HR		· · ·	
	-				
	V Dogo Did				
DESCRIPTION:	X Base Bid	1080 PAVEMENT BREA	AKER, SELF-CONTA	AINED MOBILE, WITH OPERATOR	
DEENO	Alt.#	LINUT OF MEACURE	LINIT DDIOE	INIT PRIOR EVERNOUN (Overeite deserting Prior)	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1000	10.00	HR			
	_				
DESCRIPTION:	X Base Bid	1090 GRADE-ALL CLA	ASS 5100, OR EQU	JAL WITH OPERATOR	
DESCRIPTION.	Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1010	100.00	HR			
	X Base Bid	1100 DUMP TRUCK (I	TGHTLY LOADED	- LESS THAN 12 CUBIC YARDS)	
DESCRIPTION:	Alt.#	1100 2011 1110011 (1		2250 11111. 12 00210 111125,	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1015	30.00	HR			
	-				
	V Dogo Did				
DESCRIPTION:	X Base Bid	1110 DUMP TRUCK, 1	randem, 12 CUBI	C YARDS MINIMUM CAPACITY, WITH DRIVER	
	Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1020	800.00	HR			
DECORPTION	X Base Bid	1120 DUMP TRUCK, T	TANDEM TRAILER,	24 CUBIC YARDS MINIMUM CAPACITY, WITH	
DESCRIPTION:	Alt.#	DRIVER			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1030	10.00	HR			

Bid# 50-00149076

TO: JEFFERSON PARISH PURCHASING DEPT 200 DERBIGNY ST. SUITE 4400 GRETNA, LA 70053

(Owner to provide name and address of owner)

TWO (2) YEAR CONTRACT FOR ASPHALT STREET MAINTÉNANCE AND SMALL JOBS (PROJECTS) ON AN AS NEEDED BASIS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - PARISH WIDE

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

	X Base Bid	1130 POWER BROOM I	WITH 7 FOOT SWE	PING CORE, OR EQUAL, WITH OPERATOR, SWEEPER/		
DESCRIPTION:	Alt.#	POWER ROAD BROOM & OPERATOR WITH 7 FOOT SWEEPING CORE AS APPROVED BY ENGINEER				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
1040	10.00	HR				
	,					
	X Base Bid	1140 DOZER/D3 OR I	EOUAL. WITH OPER	RATOR DOZER, D-3 OR EQUAL, WITH OPERATOR, AS		
DESCRIPTION:	Alt.#	APPROVED BY ENGINEER				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
1050	10.00	HR				
	X Base Bid	1150 PREMIUM FOR I	NIGHT WORK			
DESCRIPTION:	Alt.#					
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
1060	10.00	EA				
	X Base Bid	1160 RESTRICTED HO	OURS OF WORK			
DESCRIPTION:	Alt.#					
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
1065	35.00	HR				
	X Base Bid	1170 RUMBLE STRIPS	S, 6 INCHES TO 3	.2 INCHES WIDE		
DESCRIPTION:	X Base Bid Alt.#	1170 RUMBLE STRIPS	S, 6 INCHES TO 3	2 INCHES WIDE		
DESCRIPTION:	I=	1170 RUMBLE STRIPS UNIT OF MEASURE	S, 6 INCHES TO 3	2 INCHES WIDE UNIT PRICE EXTENSION (Quantity times Unit Price)		
	Alt.#		,			
REF NO.	Alt.# QUANTITY	UNIT OF MEASURE	,			
REF NO. 1070	Alt.# QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
REF NO.	Alt.#	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
REF NO. 1070	Alt.#QUANTITY 5.00	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)		
REF NO. 1070 DESCRIPTION:	Alt.#	UNIT OF MEASURE MI 1180 MATERIAL TRAI	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price) (MTV)		
REF NO. 1070 DESCRIPTION: REF NO.	Alt.#QUANTITY 5.00 X Base Bid Alt.#QUANTITY	UNIT OF MEASURE MI 1180 MATERIAL TRAI UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price) (MTV)		
REF NO. 1070 DESCRIPTION: REF NO. 1080	Alt.#QUANTITY 5.00 X Base Bid Alt.#QUANTITY	UNIT OF MEASURE MI 1180 MATERIAL TRAI UNIT OF MEASURE DAY	UNIT PRICE NSPORT VEHICLE UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price) (MTV)		
REF NO. 1070 DESCRIPTION: REF NO.	Alt.#	UNIT OF MEASURE MI 1180 MATERIAL TRAI UNIT OF MEASURE DAY	UNIT PRICE NSPORT VEHICLE UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price) (MTV) UNIT PRICE EXTENSION (Quantity times Unit Price)		
REF NO. 1070 DESCRIPTION: REF NO. 1080	Alt.# QUANTITY 5.00 X Base Bid Alt.# QUANTITY 20.00	UNIT OF MEASURE MI 1180 MATERIAL TRAI UNIT OF MEASURE DAY	UNIT PRICE NSPORT VEHICLE UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price) (MTV) UNIT PRICE EXTENSION (Quantity times Unit Price)		
REF NO. 1070 DESCRIPTION: REF NO. 1080 DESCRIPTION:	Alt.# QUANTITY 5.00 X Base Bid Alt.# QUANTITY 20.00 X Base Bid Alt.#	UNIT OF MEASURE MI 1180 MATERIAL TRAI UNIT OF MEASURE DAY 1190 LIGHTWEIGHT I	UNIT PRICE NSPORT VEHICLE UNIT PRICE MATERIAL TRANSPO	UNIT PRICE EXTENSION (Quantity times Unit Price) (MTV) UNIT PRICE EXTENSION (Quantity times Unit Price) DRT VEHICLE (LIGHTWEIGHT MTV)		
REF NO. 1070 DESCRIPTION: REF NO. 1080 DESCRIPTION: REF NO.	Alt.#QUANTITY 5.00 X Base Bid Alt.#QUANTITY 20.00 X Base Bid Alt.#QUANTITY 20.00	UNIT OF MEASURE MI 1180 MATERIAL TRAI UNIT OF MEASURE DAY 1190 LIGHTWEIGHT I	UNIT PRICE NSPORT VEHICLE UNIT PRICE MATERIAL TRANSPO	UNIT PRICE EXTENSION (Quantity times Unit Price) (MTV) UNIT PRICE EXTENSION (Quantity times Unit Price) DRT VEHICLE (LIGHTWEIGHT MTV)		
REF NO. 1070 DESCRIPTION: REF NO. 1080 DESCRIPTION: REF NO. 1090	Alt.#QUANTITY 5.00 X Base Bid Alt.#QUANTITY 20.00 X Base Bid Alt.#QUANTITY 20.00	UNIT OF MEASURE MI 1180 MATERIAL TRAI UNIT OF MEASURE DAY 1190 LIGHTWEIGHT II UNIT OF MEASURE DAY	UNIT PRICE NSPORT VEHICLE UNIT PRICE MATERIAL TRANSPO	UNIT PRICE EXTENSION (Quantity times Unit Price) (MTV) UNIT PRICE EXTENSION (Quantity times Unit Price) DRT VEHICLE (LIGHTWEIGHT MTV)		
REF NO. 1070 DESCRIPTION: REF NO. 1080 DESCRIPTION: REF NO.	Alt.#QUANTITY 5.00 X Base Bid Alt.#QUANTITY 20.00 X Base Bid Alt.#QUANTITY 10.00	UNIT OF MEASURE MI 1180 MATERIAL TRAI UNIT OF MEASURE DAY 1190 LIGHTWEIGHT II UNIT OF MEASURE DAY	UNIT PRICE NSPORT VEHICLE UNIT PRICE MATERIAL TRANSPO	UNIT PRICE EXTENSION (Quantity times Unit Price) (MTV) UNIT PRICE EXTENSION (Quantity times Unit Price) DRT VEHICLE (LIGHTWEIGHT MTV)		
REF NO. 1070 DESCRIPTION: REF NO. 1080 DESCRIPTION: REF NO. 1090	Alt.#	UNIT OF MEASURE MI 1180 MATERIAL TRAI UNIT OF MEASURE DAY 1190 LIGHTWEIGHT II UNIT OF MEASURE DAY	UNIT PRICE NSPORT VEHICLE UNIT PRICE MATERIAL TRANSPO	UNIT PRICE EXTENSION (Quantity times Unit Price) (MTV) UNIT PRICE EXTENSION (Quantity times Unit Price) DRT VEHICLE (LIGHTWEIGHT MTV)		

Evidence of Authority Instructions

Only an authorized Agent shall sign this proposal. Each Proposer is required to provide satisfactory evidence of the authority of the person signing for the agency, corporation, partnership or other legal entity, which shall be attached to the proposal.

The following page is a sample Corporate Resolution. This sample is supplied as a courtesy to Proposers, but it is the responsibility of the Proposer to ensure the evidence of authority they submit to Jefferson Parish complies, in both form and content, with federal, state and Parish laws. Additionally. sample Sole **Proprietorship** a Certification found may be https://www.jeffparish.gov/466/Document-Library.

Instruction sheet may be omitted when submitting.

CORPORATE RESOLUTION

Excerpt from minutes of meeting of the Board of Directors of	
Incorporated.	
At the meeting of Directors of	
Resolved that	l power and oncerns and es or agents, wits, bonds, resuant to the
I hereby certify the foregoing to be a true and copy of an excerpt of the minutes of the above meeting of the Board of Directors of corporation, and the same has not been reversed.	e dated f said
Secretary-Treasurer	
Date	

Generic Bid Affidavit Instructions

This affidavit is supplied as a courtesy to Affiant. It is the responsibility of the affiant to insure the affidavit submitted to Jefferson Parish complies, in both form and content, with federal, state and parish laws. It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

The Affidavit MUST comply with the following requirements to be accepted.

- Must be signed by an authorized representative of the entity.
- Must be notarized by a notary with proper jurisdiction who must sign and print name, and include bar/notary number.
- Location where the notarization is taking place should be filled in at the top of the affidavit not the location of the contract services.
- MUST select either Choice A or B when required.
- If choice A is selected, it must include an attachment.

Affidavits with the following WILL NOT be accepted.

- If both choice A and B are selected, the affidavit will not be accepted.
- An affidavit marked N/A will not be accepted.
- An affidavit missing attachment(s) when required will not be accepted.
- An affidavit that is notarized by a notary who does not have jurisdiction in the place where notarized or is not active will not be accepted.
- Affidavits that are older than six (6) months will not be accepted.

Instruction sheet may be omitted when submitting the affidavit.

Generic Bid

AFFIDAVIT

STATE OF	
PARISH/COUNTY OF	
BEFORE ME, the	undersigned authority, personally came and appeared:
	(Affiant) who after being duly sworn by me, deposed and
said that he/she is the full	y authorized of
	(Entity), who submitted a bid to the Parish of Jefferson.
Affiant further said:	
Campaign Contribution I (Choose A or B, if option	Disclosures on A is indicated please include the required attachment):
Choice A	Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.
Choice B	There are NO campaign contributions made which would require disclosure under Choice A of this section.
Affiant further said:	
Debt Disclosures (Choose A or B, if option	on A is indicated please include the required attachment):
Choice A	Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish of Jefferson to the Affiant.
Choice B	There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Affiant further said:

Affiant personally has not been convicted of, nor has he/she entered into a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. No individual partner, incorporator, director, manager, officer, organizer, or member, who has a minimum of a ten percent ownership in the Bidding Entity, has been convicted of or has entered a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall permanently bar any person or the bidding entity from bidding on public projects:

- (a) Public bribery (R.S. 14:118)
- (b) Corrupt influencing (R.S. 14:120)
- (c) Extortion (R.S. 14:66)
- (d) Money laundering (R.S. 14:230)

A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall bar any person or the bidding entity from bidding on public projects for a period of five years from the date of conviction or from the date of the entrance of the plea of guilty or nolo contendere:

- (a) Theft (R.S. 14:67)
- (b) Identity Theft (R.S. 14:67.16)
- (c) False accounting (R.S. 14:70)
- (d) Issuing worthless checks (R.S. 14:71)
- (e) Bank fraud (R.S. 14:71.1)
- (f) Forgery (R.S. 14:72)
- (g) Contractors; misapplication of payments prohibited (R.S. 14:202)
- (h) Malfeasance in office (R.S. 14:134)

The five-year prohibition provided for in this section shall apply only if the crime was committed during the solicitation or execution of a contract or bid awarded pursuant to these provisions. If evidence is submitted substantiating that a false attestation has been made and the project must be readvertised or the contract canceled, the awarded entity

making the false attestation shall be responsible to the public entity for the costs of rebidding, additional costs due to increased costs of bids and any and all delay costs due to the rebid or cancellation of this project.

Affiant further said:

- (1) Entity is registered and participates in a status verification system to verify that all employees in the State of Louisiana are legal citizens of the United States or are legal aliens.
- (2) Entity shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the State of Louisiana.
- (3) Entity shall require all subcontractors to submit to the Entity a sworn affidavit

verifying compliance with sta	atements (1) and (2) above.
	Signature of Affiant
	Printed Name of Affiant
SWORN AND SUBSCRIBED TO BEFORMOTARY PUBLIC ON THEOF, 20	DAY
Notary Public	
Printed Name of Notary	
Notary/Bar Roll Number	
My commission expires	

PUBLIC WORKS BID INSTRUCTIONS

A. LOUISIANA CONTRACTOR'S LICENSE FOR THIS PROJECT

Must be in the following category:	
Highway, Street and Bridge Construction	

Each bidder shall comply with all rules and regulations of the Louisiana State Licensing Board for Contractors in accordance with existing state laws, and shall comply with the Licensing Requirements of LRS 37:2150 et. seq.

B. PROBABLE CONSTRUCTION RANG	GES AND PRICES	
Range of the Probable Construction Cos	st for Base Bid:	N/A
Range of the Probable Construction Cost	for Alternate No. 1:	N/A
Range of the Probable Construction Cost	for Alternate No. 2:	N/A
Range of the Probable Construction Cost		N/A
•		
Range of the Previous Contract Cap	\$10,000,000 -	15,000,000
(Public Work Maintenance Contract):		

The estimated cost range is for informational purposes only and may be subject to change. The bid prices received from bidders will be evaluated based on the actual estimate value, which will be read aloud at the time of bid opening, for award determination.

The purpose and intention of this invitation to bid is to afford all suppliers/contractors an equal opportunity to bid on construction, maintenance, repair, operating, services, supplies and/or equipment listed in this bid proposal. Jefferson Parish will accept one bid only from each vendor. Items bid on must meet or exceed specifications. Where brand names, make, manufacturer or stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bidders may submit for products of equal quality, style, type and character, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

The price quoted for the work shall be stated in figures no more than four (4) decimal points. In the event there is a difference in unit prices and totals, the unit prices shall prevail. In the event there is a difference in unit prices, written unit prices shall prevail over numerical unit prices.

The quantities listed on the bid form are prepared for comparison of bids and may be approximate. Bid item quantities may be increased, decreased, or omitted as provided in the specifications. Payment to the contractor will be made in accordance with measurement and payment requirements for bid items and other requirements of the project specifications.

Jefferson Parish requires all products to be new (current), and all work must be performed according to standard practices for the project. Unless otherwise specified, no after market parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least a one (1) year warranty, in writing, from the date of delivery/acceptance of the project.

C. METHODS OF BID SUBMISSION

All bids shall be submitted electronically through Jefferson Parish's eProcurement System online at www.jeffparishbids.net. Registration and use of this site are free to Jefferson Parish vendors.

Only bids properly signed (see more below) will be accepted. NO LATE BIDS WILL BE ACCEPTED. The name of the bidder must be legibly shown. If the bidder is an individual, their name and address should be shown. If the bidder is an entity, the name of the person given the requisite authority to submit the bid on behalf of the entity shall be shown and the address of the entity's place of business should be shown.

Evidence of agency, corporate, limited liability or partnership authority of the person submitting and signing the bid is required for submission of bid. A copy of a corporate resolution or other signature authorization shall be required for submission of the bid. Failure to include a copy of the appropriate signature authorization will result in the rejection of the bid unless bidder has complied with L.R.S. 38:2212(B)(5). A sample corporate resolution and sample certification of sole proprietorship can be downloaded from the Jefferson Parish Purchasing Department's website Document Library Jefferson Parish, LA (jeffparish.gov), or you may provide your own document. Photostatic or font signatures shall result in the bid being rejected. However, an electronic signature as defined in L.R.S. 9:2602(8) is acceptable. Signature must be a secured digital signature.

D. TIMELINES

1. Prior to the closing time for receipt of scheduled bids

A bid may be withdrawn at any time prior to the scheduled closing time for receipt of bids, by withdrawing via the eProcurement System online or providing a request in writing, executed by the bidder or his duly authorized representative, to the Purchasing Department prior to that time. When such a request is received, the bid will be returned to the bidder unopened. However, no bid can be modified, corrected or withdrawn after the time set for closing such bid, except as provided by L.R.S. 38:2214(C) & (D).

The Parish, its engineers, architects or anyone distributing plans and specifications for Parish public work projects, equal to or over the contract limit as defined in L.R.S. 38:2212, shall furnish all prime bidders who request bid documents and who are properly licensed by the Louisiana State Licensing Board for Contractors with at least one set of complete bid documents. A deposit or fee may be charged on the documents as authorized by L.R.S. 38:2212.

Addenda may be issued, as authorized by L.R.S. 38:2212 (O). All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. Jefferson Parish reserves the right to award the bid to the next lowest responsive and responsible bidder in this event.

Prior to submitting a bid each bidder shall visit the site of the proposed work and fully acquaint himself with all surface and subsurface conditions as they may exist so that he may fully understand the facilities, difficulties, and restrictions attending the execution of the work under this Contract. Bidders shall also thoroughly examine and be familiar with Drawings, Specifications, and Contract Documents. The failure or omission of any bidder to receive or examine any form, instrument, drawing, or document or to visit the site and acquaint himself with conditions there existing, shall in no way relieve any bidder from any obligation with respect to his bid and the responsibility in the premises rests with him. Submission of a bid shall be considered prima facie evidence that the bidder has made such examination and is satisfied as

to the conditions to be encountered in performing the work and as to requirements of the plans, project specifications, Resolution No. 141125, as amended, and contract forms.

Any pre-bid test and boring data in connection with subsurface conditions which have been completed by the Parish or its engineers and furnished to the bidder shall not be considered as fully representative of subsurface conditions existing throughout the area tested nor shall they in any way be binding upon the Parish, it being understood that said data is furnished the bidder for his convenience only and the bidder shall be solely responsible for conducting his own boring explorations he deems necessary in preparing his bid. Any prospective bidder wishing to conduct boring explorations on Parish property must obtain written permission from Jefferson Parish prior to such explorations.

No claims shall be made against the Parish for additional compensation due to unforeseen subsurface conditions arising during progress of the work and which might be in variance with the Parish's pre-bid boring data.

2. Post-closing time for receipt of scheduled bids

Except as where provided by law, bidder agrees that this bid shall be legally binding and may not be withdrawn for a period of forty-five (45) calendar days after the scheduled closing time for receiving bids. In the event the Parish issues the Letter of Award (copy of adopted resolution awarding bid by Jefferson Parish Council) during this period, the bid accepted shall continue to remain binding pending execution of the Contract.

Bidder agrees to execute the ensuing Contract and will deliver applicable Bonds to secure the faithful performance thereof.

The Parish of Jefferson reserves the right to cancel this contract for convenience by issuing a thirty (30) day written notice to contractor.

E. BID REVIEW AND AWARD

1. Rejection of Bids

- a. Jefferson Parish may reject any and all bids for just cause in accordance with L.R.S. 38:2214(B). Just cause, for the purpose of the construction of public works, is defined, but is not limited to, the following circumstances:
 - (1) The public entity's unavailability of funds sufficient for the construction of the proposed public work.
 - (2) The failure of any bidder to submit a bid within an established threshold of the preconstruction estimates for that public work, as part of the bid specifications.
 - (3) A substantial change by the public entity prior to the award in the scope or design of the proposed public work.
 - (4) A determination by the public entity not to build the proposed public work within twelve months of the date for the public opening and reading of bids.
 - (5) The disqualification by the public entity of all bidders.

- b. Additionally, bids may be considered irregular and be rejected for any of the following, but is not limited to the following circumstances:
 - (1) If the bid form is on a form other than that furnished by the Parish or if the form is altered or any part thereof is detached.
 - (2) If affidavits included in bid form and/or required by law are not returned with the bid or are not properly executed and notarized.
 - (3) If there are unauthorized additions, conditional or alternate bids or irregularities which alter the general terms and conditions, the plans or specifications, or make the bid incomplete, indefinite, or ambiguous as to its meaning.
 - (4) If the bidder adds provisions reserving the right to accept or reject the award or to enter into the contract pursuant to the award.
 - (5) If an owner or a principal officer of the bidding firm is an owner or a principal officer of a firm which has been declared by the Parish to be ineligible to bid.
 - (6) If the proposed bid security does not meet the requirements of Section J.
 - (7) If more than one proposal for the same work, services, materials or supplies is received from an individual, partner, firm, corporation, joint venture, other legal entity, or combination thereof under the same or a different name.
 - (8) The bid is not properly signed or the authority of the signature person submitting the bid is deemed insufficient or unacceptable.
 - (9) If the bidder does not possess the proper license(s) required as noted in the specifications.
 - (10) Any other reasons for rejection set forth by State or Parish laws, Ordinances or Resolutions.
- c. In awarding contracts for materials and supplies, Jefferson Parish shall reject the lowest bid if received from a bidder domiciled in a Communist country, or if the materials or supplies are manufactured in a Communist country, including but not limited to Soviet Union, China, North Korea and Vietnam, and to award the contract to the next lowest bidder. This Section shall not apply to any country having established trade relations agreements or approvals from the government of the United States. (L.R.S. 38:2212.3)
- d. In accordance with L.R.S. 38:2216.1, Jefferson Parish is prohibited from entering into a contract with a value of \$100,000 or more with a company for the purchase of goods or services unless the contract contains a written verification from the company of both of the following: 1) The company does not have a practice, policy, guidance, or directive that discriminates against a firearm entity or firearm trade association based solely on the entity's or association's status as a firearm entity or firearm trade association during the term of the contract based solely on the entity's or association's status as a firearm entity or firearm trade association during the term of the contract based solely on the entity's or association's status as a firearm entity or firearm trade association. As a result, the awarded bidder will be required to verify the above in the ensuing contract.

2. Disqualification of Bids

- a. The causes for disqualification from consideration for award of a contract with Jefferson Parish are as follows (Jefferson Parish Code of Ordinances, Section 2-912):
 - (1) Conviction for commission of a criminal offense as an incident to obtaining or attempting to obtain a public or private contract or subcontract, or in the performance of such contract or subcontract;

- (2) Conviction under state or federal statutes of embezzlement, theft, forgery, bribery, falsification or destruction of records, receiving stolen property, or any other offense indicating a lack of business integrity or business honesty which currently, seriously, and directly affects responsibility as a Parish contractor;
- (3) Conviction under state or federal antitrust statutes arising out of the submission of bids or proposals;
- (4) Violation of contract provisions, as set forth below, of a character which is regarded by the Purchasing Director or his designee for Jefferson Parish to be serious as to justify disqualification:
 - i. Deliberate failure without good cause to perform in accordance with the specifications or within the time limit provided in the contract; or
 - ii. A recent record of failure to perform or of unsatisfactory performance in accordance with the terms of one or more contracts; provided that failure to perform or unsatisfactory performance caused by acts beyond the control of the contractor shall not be considered to be a basis for disqualification; or
 - iii. Failure to timely pay, without cause, a subcontractor for work performed under a construction contract as required under Section 2-976 in Chapter 2, Article VII, of the Jefferson Parish Code of Ordinances, provided disqualification on such basis shall not exceed a period of one (1) year from the deadline to pay the subcontractor.
- (5) Any other cause the Purchasing Director determines to be so serious and compelling as to affect responsibility as a Parish contractor, including debarment by another governmental entity for any cause;
- (6) Violation of the State Code of Ethics or the ethical standards set forth in the Jefferson Parish Code of Ordinances:
- (7) Failure to secure, provide, and/or maintain necessary licenses and/or permits during the term of the contract;
- (8) Failure to comply with the Jefferson Parish Code of Ordinances and/or the Jefferson Parish Comprehensive Zoning Ordinance;
- (9) For any other reason in which the Paishdeems you to not be a responsible bidder.
- b. The procedures for disqualification from consideration for award of a contract with Jefferson Parish are set forth in Sec. 2- 912 (b).

Note:

A bid which is not responsive to, or does not meet bid specifications, will be rejected as being non-responsive, but that bidder will not be disqualified from future Parish bids, nor will that bidder be given a hearing pursuant to procedure listed below.

3. Award of Contract

The award of the contract, if it be awarded, will be by the Parish to the lowest responsive and responsible bidder whose proposal shall have complied with all the bid requirements. The successful bidder will be notified via the e-Procurement site that his bid has been accepted. No contract shall be executed with any contractor until their certificates of insurance, performance bonds, labor and materials payment bonds, or any other bonds required are made satisfactory to the Parish.

Jefferson Parish reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination as shall, in its judgment, be in the best interest of Jefferson Parish. Every contract or order shall be awarded to the lowest responsible bidder, taking into consideration the conformity with the specifications, and the delivery and/or completion date.

Preference will be given to bidders requesting a preference in their bid in accordance with L.R.S. 38:2251-2261 for materials, supplies, and provisions, produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the State of Louisiana, unless federal funding is directly spent by Jefferson Parish on this project.

The successful bidder shall execute the contract with the Parish in the form of the contract set forth in Resolution No. 141125 Standard General Conditions of the Construction Contract. One copy of the executed contract with all documents forming a part thereof shall be filed at the expense of the contractor, with the Recorder of Mortgages in Jefferson Parish.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-913 of the Jefferson Parish Code of Ordinances.)

Upon full execution of the contract and receiving a written notice to proceed, the bidder agrees that all work shall be completed as follows:

The work shall be substantially complete within <u>see specs</u> calendar days of the written notice to proceed and completed and shall be ready for final acceptance no more than 30 calendar days after substantial completion.

F. SALES TAX EXEMPTION

For this project, the contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Parish), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session – Louisiana Revised Statute 47:301(8)(c). Parish will furnish to contractor a certificate form which certifies that Parish is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Parish the amount of taxes not incurred.

G. LIQUIDATED DAMAGES

In accordance with Resolution No. 141125, as amended, Bidder agrees to pay, as liquidated damages, the sum of \$__n/a _____ for: (1) each consecutive calendar day after the agreed date of substantial completion that the work remains substantially incomplete, and (2) each consecutive calendar day after the 30th day following the actual date of substantial completion that the work has not been finally completed.

In addition to, but not in lieu of the per diem liquidated damages, Parish shall also be entitled to recover from the contractor or the contractor's surety additional liquidated damages as detailed in Resolution No. 141125, as amended. These additional liquidated damages may include, but are not limited to the following, in the amounts and for each of the items identified in the Supplementary Conditions:

(1)	Extended Architectural and/or Engineering Fees	_{\$} n/a	/hour
(2)	Extended Resident Project Representative Fee	_{\$} n/a	/hour
(3)	Extended Construction Management Fees	_{\$} n/a	/day
(4)	Extended Parish's Overhead and Personnel Expenses	_{\$} n/a	/hour

(5) Parish's Other Costs Directly Related to the Delay in Completion Beyond the Contract Times.

Whenever contractor's work requires inspections in excess of the budgeted amount for inspection, the contractor shall reimburse the Parish for the additional costs incurred by the Parish attributable to inspection of the contracted project in excess of the budgeted amount for inspections.

The reasonable budget for such inspections is \$_\frac{n/a}{}___. Resident Project Representative overtime rates shall be calculated at 1.2 times the hourly rate. The cost of inspection in excess of this budgeted amount shall be assessed against Contractor's progress payments, all in accordance with Louisiana Public Bid Law.

H. ETHICAL STANDARDS AND COOPERATION WITH THE OFFICE OF THE INSPECTOR GENERAL, INCLUDING CONFLICTS OF INTEREST

Vendor agrees by bid submission to comply with all provisions of Louisiana Law as well as compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, as published on http://ethics.la.gov and applicable Jefferson Parish ethical standards and Jefferson Parish Terms and Conditions.

<u>Inspector General</u>: It shall be the duty of every Parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the Parish, and the duty of every applicant for certification of eligibility for a Parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). Every Parish contract and every bid, proposal, application or solicitation for a Parish contract, and every application for certification of eligibility for a Parish contract or program shall contain a statement that the corporation, partnership, or person understands and will abide by all provisions of JPCO 2-155.10. By submitting a bid, Bidder acknowledges this and will abide by all provisions of the referenced JPCO.

<u>Conflicts of Interest</u>: Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

I. REQUIRED AFFIDAVITS

For convenience, all legally mandated affidavits have been combined into one form, entitled **Generic Bid Affidavit**. All bidders must submit with their bid submission, a completed, signed and properly notarized affidavit in its original format and without alteration in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration prior to, or at contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

The person submitting the bid, and whose authority to submit has been evidenced on the Designation of Authority is the proper party to execute the **Generic Bid Affidavit**.

If this box is checked, then the **Technology Affidavit** is required for this solicitation and shall be submitted with the bid submission. Failure to do so will result in your bid being rejected. Pursuant to La. R.S. 38:2237.1, prior to the procurement of telecommunications or video surveillance equipment or services, the vendor shall provide documentation by affidavit that the equipment or services to be procured are not prohibited telecommunications or video surveillance equipment or services as defined in R.S. 39:1753.1(A). This affidavit is supplied as a courtesy to Affiant. It is the responsibility of the affiant to insure the affidavit submitted to Jefferson Parish complies, in both form and content, with federal, state and parish laws. No procurement shall be made from a vendor or other entity who fails to provide the documentation; any procurement in contravention to this requirement shall be null and void by law.

J. BID REQUIREMENTS (BID DOCUMENTS, SPECIFICATIONS, BONDS, W-9 AND PAYMENT INFO)

Bidders must review the bid specifications and include any required documentation including but not limited to the LA Public Works Uniform Bid Form; Bid Security or Bid Bond; Acknowledgment of Addenda; Base Bid; Alternates; Signature of Bidder; Name, Title, and Address of Bidder; Name of Firm or Joint Venture; Corporate Resolution or written evidence of the authority of the person signing the bid; Louisiana Contractors License Number; Generic Bid Affidavit. Pursuant to L.R.S. 38:2212(B)(3)(b), bidders shall also be responsible for providing any other documentation as required. Please note that the payment and performance bonds must be supplied by the successful bidder at contract signing.

No oral interpretation will be made to any bidder as to the meaning of the drawings, specifications, or contract documents. Every request for such interpretation shall be made in writing and addressed and forwarded to the Engineer, Architect or person distributing plans and specifications. No inquiry received within five (5) days prior to the day fixed for opening of the bids will be given consideration. Every interpretation made to the bidder shall be in the form of an addendum to the specifications and shall be issued as authorized by L.R.S. 38:2212(O).

All such addenda shall become a part of the contract documents. Failure of any bidder to receive any such interpretation shall not relieve any bidder from any obligation under his bid as submitted without modification.

The specifications and plans are complementary of each other and all work called for or reasonably implied by either shall be performed as if called for by both. In case of conflict between the requirements of the specifications and plans, the specifications shall take precedence. Figured dimensions shall take precedence over scale dimensions, and larger scale details shall take precedence over smaller scale details in the general work drawings.

All vendors submitting bids shall register as a Jefferson Parish vendor, if not already registered. Registration forms may be downloaded from <u>Vendor Information | Jefferson Parish, LA (jeffparish.gov)</u> and click on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

Bidders must comply with all provisions of this Notice, the Standard General Conditions of the Construction Contract and any special conditions and specifications contained herein, all of which are made part of this bid proposal. Resolution No. 141125, as amended, will be considered a part of the bid whether attached or not. A copy of these terms and resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, Louisiana 70053. Bidders may also obtain a copy by visiting the Purchasing Department's webpage at Document Library | Jefferson Parish, LA (jeffparish.gov) and clicking on online forms.

<u>Bid Security</u>: Bidders shall provide bid security in the form of an electronic bid bond in the amount of five percent (5%) of the total bid price (Base Bid and any Alternates) (as per R.S. 38:2218). The Bid Security shall remain valid until the contract is executed or until final disposition is made of the bids submitted. Such security will become the property of the Parish in the event the successful bidder fails or refuses to execute the contract or fails to produce performance and payment bonds upon contract signing. Bids shall remain binding for at least forty-five (45) days after the date set for the Bid Opening. In the event the Parish issues the Letter of Award during this period, the bid accepted shall continue to remain binding until the execution of contract. Jefferson Parish and the lowest responsible bidder, by mutual written consent, may agree to extend the deadline for award by one or more extensions of thirty (30) calendar days.

Bidders must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.

<u>Performance Bond:</u> A performance bond is required in 100% of the contract amount and is due at the signing of the formal contract, unless another percentage is required in the bid specifications. In the event of a conflict between these instructions and the bid specifications, the bid specifications shall control.

<u>Payment Bond</u>: A payment bond is required in 100% of the contract amount and is due at the signing of the formal contract, unless another percentage is required in the bid specifications. In the event of a conflict between these instructions and the bid specifications, the bid specifications shall control.

K. INSURANCE REQUIREMENTS

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 141125, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or her designee, with the concurrence of the Director of Risk Management or her designee, may agree on a case-by- case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

Within ten (10) days of bid opening, the apparent low bidder will be required to provide final insurance certificates to the Parish which shall name the Parish of Jefferson, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Failure to provide your certificate of insurance within the ten (10) days, shall result in the Parish rejecting your bid and moving on to the next lowest bidder. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

WORKER'S COMPENSATION INSURANCE

As required by Worker's Compensation Law of the State of the Contractor's headquarters. Employer's Liability is included, with minimum limits of \$500,000 per occurrence, except it shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted within ten (10) days of the bid opening. A scanned copy may be submitted initially; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☑ COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit Per Occurrence; 2 million General Aggregate for bodily injury and property damage

BUSINESS AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence. Property Damage Liability \$1,000,000.00 each occurrence. Liability coverage to be provided for Any Auto or for ALL Owned Autos and Hired and Non-owned Autos

Note: This category may be omitted if bidders do not/will not utilize vehicles for the project AS DETERMINED BY Risk Management and Parish Attorney's Office after properly requesting a deviation as discussed above. Bidder must request a deviation prior to bid opening and may be given an automobile insurance declaration affidavit to execute. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted within ten (10) days of the bid opening. A scanned copy of the completed, signed and properly notarized affidavit may be submitted initially; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non- responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

<u>DEDUCTIBLES</u> - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

<u>UMBRELLA LIABILITY COVERAGE</u> - An umbrella policy or excess may be used to meet minimum requirements. Certificate of Insurance must state which coverage the Umbrella sits over.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required if selected below. Such insurance is due upon contract execution.

OWNER'S PROTECTIVE LIABILITY
To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.
BUILDER'S RISK INSURANCE
The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

L. INDEMNIFICATION

Bidder acknowledges that bidder recovered the cost of any required insurance in the contract price as required by L.R.S. 9:2780.1(I) and that bidder recovered any such cost for the purposes of insuring an obligation to indemnify Jefferson Parish, defend Jefferson Parish, or hold Jefferson Parish harmless and that bidder's indemnity liability is limited to the amount of the proceeds that are payable under the insurance policy or policies that bidder has obtained.

M. FAMILIARITY WITH LAWS AND ORDINANCES

Bidders shall familiarize themselves with and shall comply with all applicable Federal and State Laws, Parish/Municipal Ordinances, Resolutions, and the rules and regulations of all authorities having jurisdiction over construction of the project, which may directly or indirectly affect the work or its prosecution.

These laws and/or ordinances will be deemed to be included in the contract, the same as though herein written in full.

In case of conflict between the requirements of these specifications and any State and/or Federal Regulations or Laws, the State and/or Federal Regulations or Laws shall take precedence in all cases in which State and/or Federal Funding of the contract, in whole or in part, depends upon compliance with said State and/or Federal Regulations or Laws.

N. MISCELLANEOUS

The successful bidder may be required to furnish a statement of the origin, composition, and manufacture of materials to be used in construction of the work together with samples, which samples may be subjected to testing to determine their quality and fitness for the work, as specified.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, sex or religion except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Acts of 1964, or Title VI and VII of the Act of April 11, 1968 shall also apply, as amended; nor discriminate on the basis of age under the Age Discrimination Act of 1975, as amended; nor with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, as amended. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k) (5) of the Regulations.

Non-negotiable contract terms include but are not limited to taxes, assignment of contract, audit of records, EEOC and ADA compliance, record retention, content of contract/order of precedence, contract changes, force majeure, governing law, including ethics statements, claims or controversies, and termination based on contingency of appropriation of funds, as applicable.