

“ADVERTISEMENT FOR BIDS

Sealed bids will be opened and publicly read by the Purchasing Department of The University of Louisiana at Monroe, Coenan Hall, Room 140, 4014 LaSalle Street, Monroe, Louisiana, at 2 PM, December 18, 2025 for the following:

Bid #50006-033 – Dental Hygiene Equipment

Bids must be returned to the Purchasing Office in sealed envelopes. Bids must be submitted on the form enclosed herewith, and in strict conformity with the intent of same without modifications. Bids must be signed in ink, dated, and title of person signing bid must be shown on bid.

Complete bidding documents may be obtained from the University of Louisiana at Monroe, Monroe, Louisiana, 71209-2250, via fax request at 318. 342.5218 or State of Louisiana LaPac site:

<https://wwwcfprd.doa.louisiana.gov/osp/lapac/pubmain.cfm> .Use bid #50006-033.

No bid may be withdrawn for a period of thirty (30) days after receipt of bids.

The Owner reserves the right to reject any and all bids and to waive any informalities incidental thereto.

The University of Louisiana at Monroe adheres to the equal opportunity provisions of federal civil rights laws and regulations.”

	THE UNIVERSITY OF LOUISIANA AT MONROE INVITATION TO BID ONLY for Department: FACILITIES	ISSUE DATE: November 18, 2025	Date and Time by Which Quotation Must be Returned: December 18, 2025 2:00 p.m. CT																		
		TO THE VENDOR: To be returned on or before date specified above to: THE UNIVERSITY OF LOUISIANA AT MONROE PURCHASING DEPARTMENT 4014 LASALLE ST, COENEN BLDG. 140 MONROE, LOUISIANA 71209-2250 NOTE: THE UNIVERSITY RESERVE THE RIGHT TO ACCEPT OR REJECT ANY OR ALL BIDS, AND WAIVE INFORMALITIES THIS BID IS DUE IN PURCHASING OFFICE AS STATED ABOVE <u>LATE BIDS NOT ACCEPTED</u>																			
Name and Address of Vendor (Firm or Individual) 																					
REQUISITION: R0031072	BID: 50006-033	PO:																			
INSTRUCTIONS TO BIDDERS: 1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS. 2. ALL BID PRICES MUST BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATION TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER. 3. THIS BID IS TO BE MANUALLY SIGNED IN INK 4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS FREE ON BOARD (FOB) DESTINATION OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR CASH ON DELIVERY (COD) REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER. 5. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE STATE OF LOUISIANA; INCLUDING BUT NOT LIMITED TO L.R.S. 39:1551-1736; PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDARD TERMS AND CONDITIONS; SPECIAL CONDITIONS; AND SPECIFICATIONS LISTED IN THIS SOLICITATION. 6. THIS IS A SEALED BID. MUST BE MAILED OR DELIVERED TO PURCHASING DEPARTMENT, 4014 LASALLE STREET, COENEN HALL 140, MONROE, LA 71209-2250. 7. TO ASSURE CONSIDERATION OF YOU BID, ALL BIDS AND ADDENDA SHOULD BE RETURNED IN AN ENVELOPE OR PACKAGE CLEARLY MARKED WITH THE BID OPENING DATE AND THE BID NUMBER. 8. NOTE: A COMPLETE RECORD OF ALL BIDS IS KEPT ON FILE IN THE PURCHASING DEPARTMENT SUBJECT TO THE INSPECTIONS OF ANY CITIZEN. EVERY COURTESY WILL BE AFFORDED ANY CITIZEN WHO IS INTERESTED IN INVESTIGATING FOR ANY PURPOSE THE RECORD OF STATE PURCHASES. COPIES OF EVALUATION CAN BE FAXED TO YOU ONLY AFTER RECEIPT OF WRITTEN REQUEST. PLEASE DO NOT CALL. 9. IMPORTANT: BY SIGNING THE BID, THE BIDDER CERTIFIES COMPLIANCE WITH ALL INSTRUCTIONS TO BIDDERS, TERMS, CONDITIONS AND SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITHOUT COLLUSION OR FRAUD. THIS BID IS TO BE MANUALLY SIGNED IN INK BY A PERSON AUTHORIZED TO BIND THE VENDOR. ALL BID INFORMATION SHALL BE MADE WITH BLUE INK OR TYPEWRITTEN. 10. ORDER OF PRIORITY. IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN. For questions regarding this bid contact: Shakeya Bennett: Email: rodgers@ulm.edu																					
TO THE VENDOR:		THIS QUOTATION IS SUBMITTED BY <table border="0"> <tr> <td>Name of Vendor (Firm or Individual)</td> <td>_____</td> </tr> <tr> <td>Authorized Signature</td> <td>_____</td> </tr> <tr> <td>Name (Printed)</td> <td>_____</td> </tr> <tr> <td>Title</td> <td>_____</td> </tr> <tr> <td>Telephone #</td> <td>_____</td> </tr> <tr> <td>Fax #</td> <td>_____</td> </tr> <tr> <td>Email Address</td> <td>_____</td> </tr> <tr> <td>Vendor Quote #</td> <td>_____</td> </tr> <tr> <td>Date Submitted</td> <td>_____</td> </tr> </table>		Name of Vendor (Firm or Individual)	_____	Authorized Signature	_____	Name (Printed)	_____	Title	_____	Telephone #	_____	Fax #	_____	Email Address	_____	Vendor Quote #	_____	Date Submitted	_____
Name of Vendor (Firm or Individual)	_____																				
Authorized Signature	_____																				
Name (Printed)	_____																				
Title	_____																				
Telephone #	_____																				
Fax #	_____																				
Email Address	_____																				
Vendor Quote #	_____																				
Date Submitted	_____																				

THE UNIVERSITY OF LOUISIANA AT MONROE
INFORMATION FOR BIDDERS AND STANDARD CONDITIONS

1. GENERAL INFORMATION

- a. Address all inquiries and correspondence to the buyer at the phone and address as shown on cover page.
- b. Bids will be accepted in the Office of the Purchasing Department, Coenen Hall, Room 140, 700 University Avenue, Monroe, La 71209-2250, until time and date as stated on cover page. Physical address for hand delivery in Coenen Hall 140, 4014 LaSalle Street, Monroe La, 71209.
- c. Formal bids, amendments thereto or requests for withdrawal of bids or any part thereof received after time specified for bid opening will not be considered, whether delayed in the mail or for any other cause whatsoever.

2. BID FORMS

- a. All written bids, unless otherwise provided for, must be submitted on, and in accordance with, forms provided, properly signed. Bids in the following manner will not be accepted:
 - i. Bid contains no signature indicating intent to be bound;
 - ii. Bid filled out in pencil; and
 - iii. Bid not submitted on the university's standard forms.
- b. Bids must be received at the address specified in the solicitation prior to bid opening date and time in order to be considered. Telegraphic and Fax alterations to bids received before bid opening time will be considered provided formal bid and written alteration have been received and time-stamped before bid opening time. Entire bid should be returned, except item pages not bid.

3. STANDARDS OF QUALITY

- a. Any product or service bid, shall conform to all applicable federal and state laws and regulations and the specifications contained in the solicitation, unless otherwise specified in the solicitation, and manufacturer's name, trade name, brand name, or catalog number used in the specification is for the purpose of describing the standard of quality, performance, and characteristics desired and is not intended to limit or restrict competition. Bidder must specify the brand and model number of the product offered in his bid. Bids not specifying brand and model number shall be considered as offering the exact products specified in the solicitation.
- b. Unless specifically called for in the solicitation, all products for purchase must be new, never previously used, and the current model and/or packaging and of best quality as measured by acceptable standards of the trade, and any defects in any product may cause its rejection. No remanufactured, demonstrator, used or irregular product will be considered for purchase unless otherwise specified in the solicitation, where applicable, all products are to be covered by standard factory warranty unless otherwise specified by the University.
- c. Bidders proposing an equivalent brand or model should submit with the bid information (such as illustrations, descriptive literature, and technical data) sufficient for the buyer to evaluate quality, suitability, and compliance with the specifications in the solicitation. Failure to submit descriptive information may cause bid to be rejected. Any change made to manufacturer's published specifications submitted for a product shall be verifiable by the manufacturer. If item(s) bid do not fully comply with specifications (including brand and/or product number), bidder must state in what respect item(s) deviate. Failure to note exceptions on the bid form will not relieve the successful bidder(s) from supplying the actual products requested.

4. BID OPENING

Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Bids may be examined within 72 hours after bid opening. Information pertaining to completed files may be secured by visiting the purchasing office of The University of Louisiana at Monroe. Bid tabulations may be secured only after written request.

5. REJECTION OF BIDS

Bids from bidders who have a documented history of providing substandard products and/or services will be rejected and returned unopened to the bidder.

6. **AWARDS**

- a. Unless otherwise stated, award will be made to the lowest, responsible bidder, taking into consideration the quality of the products to be supplied and their conformity with the specifications.
- b. The university reserves the right to award items separately, grouped or on an all-or-none basis and to reject any or all bids and waive any informalities.
- c. Preference is hereby given to materials, supplies, and provisions, produced, manufactured, or grown in Louisiana, quality being equal to articles offered by competitors outside of the state.
- d. Only the issuance of a purchase order constitutes acceptance on the part of the University. The University of Louisiana at Monroe adheres to the equal opportunity provisions of federal civil rights laws and regulations.

7. **PRICES**

- a. Unless otherwise specified by the university in the solicitation, bid prices must be complete, including transportation prepaid by bidder to destination and firm for acceptance for a minimum of 30 days. If accepted, prices must be firm for the contractual period. Bids other than F.O.B. Destination may be rejected. Prices should be quoted in the unit (each, box, case, etc.) as specified in the solicitation. Failure to do so may result in your bid being rejected.
- b. The University will not aid in the unloading of any freight, nor be responsible for any additional freight charges. Charges for extra freight labor needed for unloading bulky or heavy items as defined under National Motor Freight Regulations must be included in bid prices.
 - i. **Non-Installed Merchandise.** If you are the successful bidder, you are to make notation on freight bills and bills-of-lading that shipper guarantees charges to protect University against contingency of additional freight charges. Should extra charges be necessary, they will be charged back to the shipper.
 - ii. Instruct the shipper to include on bills-of-lading and freight bills our Purchase Order Number and our company name as first or second vendor. We are more concerned from whom we purchased the merchandise than from whom the merchandise was shipped. If freight is unidentifiable, the University will be forced to refuse shipment.
 - iii. **Installed Merchandise.** All merchandise bid upon "installed" means that you are to deliver, be on hand to receive merchandise when it reaches our premises, uncrate or unpack, assemble and set in place ready for operation, and remove debris from site.
 - iv. The only exception to this statement will be those of instances where installed merchandise comes onto the Campus and is of a nature that the freight line can handle the items involved without the aid of University personnel. In these instances, we will allow the freight line to unload the merchandise at the proper site, and will then notify the proper vendor that the merchandise is on hand and ready for installation.
 - v. The shipment is to be consigned to your establishment in care of THE UNIVERSITY OF LOUISIANA AT MONROE with notation on bills-of lading for the freight carrier to contact you, the vendor, before delivery. The University will take no part in the delivery of this merchandise except as noted above.
 - vi. Should for any reason merchandise of a nature requiring additional unloading labor be delivered to our Campus without the vendor being here to receive the freight, the University will refuse to receive the freight and ask the freight line to contact the vendor to arrange for proper delivery. The University will not be responsible for re-delivery charges.
- c. Cash discounts will be considered and time will be counted for date of delivery at the University of Louisiana at Monroe or from date correct invoice is received from contractor, if latter date is later than date of delivery. A cash discount for less than 30 days will not be considered in making an award.
- d. All bids must be firm prices, free of any escalator clauses.

8. **NEW PRODUCTS**

Unless specifically called for in the solicitation, all products for purchase must be new, never previously used, and the current model and/or packaging. No remanufactured, demonstrator, used or irregular product will be considered for the purchase unless otherwise specified in the solicitation. The manufacturer's standard warranty will apply unless otherwise specified in the solicitation.

9. **DELIVERIES**

Bids may be rejected if the delivery time indicated is longer than that specified in the solicitation.

10. **TAXES**

Vendor is responsible for including all applicable taxes in the bid price. The University of Louisiana at Monroe, a state agency, is exempt from all state and local sales and use taxes.

11. **PAYMENT**

After receipt and acceptance of order and receipt of valid invoice, payment will be made by the University of Louisiana at Monroe within thirty (30) days. Payment will be made at the respective unit prices shown on the bid, less any percentages off list price, less Federal excise tax, less cash discount earned.

12. **CONTRACT CANCELLATION**

The University of Louisiana at Monroe has the right to cancel any contract, in accordance with Purchasing Rules and Regulations, for cause, including but not limited to, the following: (1) Failure to deliver within the time specified in the contract; (2) Failure of the product or service to meet specifications, conform to sample quality or to be delivered in good condition; (3) Misrepresentation by the contractor; (4) Fraud, collusion, conspiracy or other unlawful means of obtaining any contract with the state; (5) conflict of contract provisions with constitutional or statutory provisions of state or federal law; (6) any other breach of contract.

13. **DEFAULT OF CONTRACTOR**

Failure of a contractor to deliver within the time specified, or failure to make replacements of rejected articles, shall permit the University to purchase in the open market articles of comparable grade to take the place of those rejected or not delivered. On all such purchases the contractor shall reimburse the University for any expense incurred in excess of contract prices. Such purchases will be deducted from contract quantities. Also in accordance with R.S. 39:1661.C states in the event any contractor fails to fulfill or comply with the term of any contract, the chief procurement office may award the contract to the next lowest responsible bidder subject to acceptance by that bidder and charge the difference in cost to the defaulting contractor.

14. **CONTRACT RENEWALS**

Upon agreement of the University of Louisiana at Monroe and the Contractor, a term contract may be extended for four (4) additional twelve (12) month periods at the same prices, terms and conditions. In such cases, the total contract term cannot exceed sixty (60) months.

15. **ORDER OF PRIORITY**

- a. In the event there is a conflict between the Instructions to bidders or Standard Conditions and the Special Conditions, the Special Conditions shall govern.
- b. Any interpretation of the documents will be made by Addendum only, issued by the purchasing department, and a copy of such addendum will be mailed or faxed to each person receiving a set of the bid documents. The University will not be responsible for any other explanation of the documents.

16. **APPLICABLE LAW**

All contracts shall be construed in accordance with and governed by the Laws of the State of Louisiana.

17. **COMPLIANCE WITH CIVIL RIGHT LAWS**

By submitting and signing this bid, bidder agrees to abide by the requirements of the following as applicable: Title VI and VII of the Civil Rights Act of 1964, as amended by the Equal Opportunity Act of 1972, Federal Executive Order 11246, Federal Rehabilitation Act of 1973, as amended, the Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, the Age Act of 1975, the Davis-Bacon Act of 1931, and bidder agrees to abide by the requirements of the Americans with Disabilities Act of 1990. Bidder agrees not to discriminate in its employment practices, and will render services under any contract entered into as a result of this

solicitation without regard to race, color, religion, sex, sexual orientation, national origin, veteran status, political affiliation, or disabilities. Any act of discrimination committed by bidder, or failure to comply with these statutory obligations when applicable, shall be grounds for termination of any contract entered into as a result of this solicitation.

18. **SPECIAL ACCOMMODATION**

Any "Qualified individual with a Disability" as defined by the American with Disabilities Act who has submitted a bid and desires to attend the bid opening, must notify this office in writing not later than seven days prior to the bid opening date of their need for special accommodations. If the request cannot be reasonably provided, the individual will be informed prior to the bid opening.

19. **INDEMNITY**

Contractor agrees, upon receipt of written notice of a claim or action, to defend the claim or action, or take other appropriate measure, to indemnify, and hold harmless, the state, its officers, its agents and its employees from and against all claims and actions for bodily injury, death or property damages caused by the fault of the contractor, its officers, its agents, or its employees. Contractor is obligated to indemnify only to the extent of the fault of the contractor, its officers, its agents, or its employees. However, the contractor shall have no obligation as set forth above with respect to any claim or action from bodily injury, death or property damages arising out of the fault of the state, its officers, its agents or its employees.

20. **SIGNATURE AUTHORITY**

ATTENTION: In accordance with L.R.S. 39:1594(C)(4) requires evidence of the authority to sign and submit bids to the State of Louisiana. You must indicate which of the following apply to the signer of this bid.

PLEASE CIRCLE ONE:

1. The signer of the bid is either a Corporate Officer who is listed on the most current annual report on file with the Secretary of State or a member of a partnership or partnership in Commendam as reflected in the most current Partnership Records on file with the Secretary of State. A copy of the Annual Report or Partnership Record must be submitted to this office before contract award.
2. The signer of the bid is a representative of the Bidder Authorized to submit this bid as evidenced by documents such as, Corporate Resolution, Certification as to Corporate Principal, etc. If this applies, a copy of the Resolution, Certification, or other supportive documents must be attached hereto.
3. The bidder has filed with the Secretary of State an Affidavit or Resolution or other acknowledged/authentic document indicating that the signer is authorized to submit bids for public contracts. A copy of the applicable documents must be submitted to this office before contract award.

21. In accordance with the provisions of R.S. 39:2182, in awarding contracts after August 15, 2010, any public entity is authorized to reject a proposal or bid form, or not award the contract to, a business in which any individual with an ownership interest of five percent or more, has been convicted of, or has entered a plea of guilty of "nolo contendere" to any state felony or equivalent federal felony crime committed in the solicitation or execution of a contract or bid awarded under laws governing public contracts under the provisions of Chapter 10 of Title 38 of the Louisiana Revised Statutes of 1950, Professional, Personal, Consulting, and Social Services procurement under the provisions of Chapter 16 of Title 39, or the Louisiana Procurement Code under the provisions of Chapter 17 of Title 39.

22. **CERTIFICATION OF NO SUSPENSION OR DEBARMENT.**

By signing and submitting any bid for \$25,000 or more, the bidder certifies that their company, any subcontractors, or principals are not suspended or debarred by the General Services Administration (GSA), in accordance with the requirements in OMB Circular A-133.

A list of parties who have been suspended or debarred can be viewed via the internet at <http://www.EPLS.gov>.

23. **FEDERAL CLAUSES, IF APPLICABLE**

ANTI-KICKBACK CLAUSE- The contractor hereby agrees to adhere to mandate dictated by the Copeland “Anti-Kickback” Act which provides that each contractor or subgrantee shall be prohibited from including, by any means, any person employed in the completion of work, to give up any part of the compensation to which he is otherwise entitled.

CLEAN AIR ACT- The contractor hereby agrees to adhere to the provisions which require compliance with all applicable standards, orders or requirements issued under Section 306 of the Clean Air Act which prohibits the use under non-exempt Federal Contracts, Grants or Loans of Facilities included on the EPA list of Violating Facilities.

ENERGY POLICY AND CONSERVATION ACT- The contractor hereby recognizes the mandatory standards and policies relating to energy efficiency which are contained in the State Energy Conservation Plan issued in compliance with the Energy Policy and Conservation (P.L. 94-163).

CLEAN WATER ACT- The contractor hereby agrees to adhere to the provisions which require compliance with all applicable standards, orders or requirements issued under Section 508 of the Clean Water Act which prohibits the use under non-exempt Federal Contracts, Grants or Loans of Facilities included on the EPA list of Violating Facilities.

ANTI-LOBBYING AND DEBARMENT ACT- The contractor will be expected to comply with Federal Statutes required in the Anti-Lobbying and the Debarment Act.

24. **PIGGYBACK**

ULM and eight other institutions are governed by the University of Louisiana System. ULM declares that the successful bidder may extend the same product or services requested under this Request for Quotation to any of the University of Louisiana System institutions under the same terms as represented to ULM in the bidder’s response, all in accordance with the provision of LA R.S. 39:1702(A). Other University of Louisiana Systems institutions include: Grambling State University, Louisiana Tech, McNeese State University, Nicholls State University, Northwestern State University, Southeastern Louisiana University, University of Louisiana at Lafayette, and University of New Orleans.

BID #50006-033
Due: December 18, 2025
@ 2:00PM, CST

THE UNIVERSITY OF LOUISIANA AT MONROE
PURCHASING DEPARTMENT, COENEN HALL 140
4014 LASALLE STREET, MONROE LA 71209-2250
PHONE 318.342.5205; FAX 318.342.5218

SPECIAL CONDITIONS:

In accordance with LA R. S. 39:1655, items 1 through 13 have been approved as proprietary and only the Brand(s) Number(s) specified will be considered for award.

1. PLEASE SUBMIT YOUR QUOTE ON THE FOLLOWING ITEMS. ALL ITEMS ARE AS SPECIFIED.
2. FAILURE TO COMPLY WITH THIS REQUEST MAY ELIMINATE YOUR BID FROM CONSIDERATION.
3. ANY INTERPRETATION OF THE DOCUMENTS WILL BE MADE BY ADDENDUM ONLY, ISSUED BY THE PURCHASING DEPARTMENT. YOU MAY FAX QUESTIONS TO THE PURCHASING DEPARTMENT AT 318.342.5218.
4. ALL LINE ITEMS BID MUST HAVE A BRAND SPECIFIED.
5. ALL SHIPPING AND HANDLING CHARGES MUST BE INCLUDED IN UNIT BID QUOTE PRICE.
6. SUBMITTAL OF ANY TERMS AND CONDITIONS CONTRARY TO THOSE OF THE STATE OF LOUISIANA MAY CAUSE YOUR BID TO BE REJECTED.
7. PLEASE SEE ATTACHED DOCUMENTS FOR SPECIFICATIONS, DRAWING, INSURANCE REQUIREMENTS, AND BID FORM.

SECTION 11 7300
DENTAL EQUIPMENT

PART 1 GENERAL

1.01 SCOPE

- A. Furnish, deliver, uncrate, set in place and install all new dental equipment as specified herein. Reference plans for quantities of new equipment required.
- B. Disconnect, disassemble as needed, relocate, and reinstall the University's existing dental equipment currently located in Caldwell Hall. A list of this equipment is included in the Execution portion of this document.
- C. The University also possesses other dental equipment which was previously purchased but not installed. This equipment will be moved to the second floor hallway by University personnel. This vendor shall uncrate, set in place and install this equipment. A list of this equipment is included in the Execution portion of this document.
- D. All final electrical and plumbing connections shall be made by the equipment installer, unless licensed trade is required.

1.02 REFERENCE STANDARDS

- A. NFPA 70 - National Electrical Code; Most Recent Edition Adopted by Authority Having Jurisdiction, Including All Applicable Amendments and Supplements.
- B. UL (DIR) - Online Certifications Directory; Current Edition.

1.03 ADMINISTRATIVE REQUIREMENTS

- A. Preinstallation Meeting: Convene one week before starting work of this section.
- B. All equipment shall accommodate the existing utilities, sizes and locations. Any costs associated with modifications required to the as-is utilities due to conflict with the new equipment shall be borne by the dental equipment vendor.

1.04 SUBMITTALS

- A. Product Data: Provide manufacturer's data sheets of system components and accessories. Indicate dimensions, performance requirements, service requirements, materials, finishes, and options
- B. Manufacturer's Qualification Statement.
- C. Installer's Qualification Statement.
- D. Operation Data: Include description of equipment operation and required adjusting and testing.

- E. Maintenance Data: Identify system maintenance requirements, servicing cycles, lubrication types required and spare part sources.
- F. Warranty Documentation: Submit manufacturer warranties and ensure that forms have been completed in Owner's name and registered with manufacturer.

1.05 QUALITY ASSURANCE

- A. Manufacturer Qualifications: Company specializing in manufacturing the types of products specified in this section, with minimum five years of documented experience.
- B. Installer Qualifications: Company specializing in performing work of the type specified and with minimum three years of documented experience and approved by manufacturer.

1.06 DELIVERY, STORAGE, AND HANDLING

- A. Package equipment to project site in protective packaging.
- B. Protect finished surfaces during handling and installation with protective covering of polyethylene film or another suitable material.

1.07 WARRANTY

- A. Provide standard warranty in which manufacturer agrees to repair or replace components of new equipment that fail in materials or workmanship within the specified warranty period:
 1. Dental Chairs, Dental Lights, Delivery Systems, Monitor Mounts, Dental Furniture and Original Components (excluding upholstery): 10 years.
 2. All Upholstery: 5 years.
 3. Electric Motors, Tubing, Control Modules, and Original Components: 1 year.
 4. Replacement Components: Remainder of original product warranty period or 1 year (whichever is greater).
- B. Provide a 2 year labor warranty for servicing all equipment including both newly installed and relocated items.

PART 2 PRODUCTS

2.01 SIMULATION LAB WORKSTATIONS

- A. Description: Lab benches must be tailored for student use with integrated features that align with the curriculum. The lab benches must be made from robust materials and customizable color options for achieving the desired aesthetic appeal. Lab benches must be equipped with a configurable power panel that includes duplex outlets, USB ports, HDMI outlet, and mounting for a task light. The lab benches must be designed for linear setups of stations, with accommodation for a manufactured dental light and Simulator. The lab workstation, dental light, simulator and workstation chairs must be from the same manufacturer. Lab benches must be equipped with a monitor mount, task light, air nozzle, and bench top dividers to clearly identify individual work bench space. The final setup must be tailored to the specific needs of the ULM Simulation Clinic prior to purchase.
- B. Workstation Specifications:

1. The power panel must be configured to the University's specific needs at time of purchase and customizable over the life of the product. The lab benches must include electrical outlets, USB charging ports, USB data port, cord drop, task light, HDMI connections, and/or customer specified connection points customizable over the life of the product.
2. Task light must have a color temperature matched to the LED light (refer 2.03). On/off must be controlled by the light position.
3. Vacuum Drawer must activate the vacuum pump when open. The drawer must include a matching work surface to the bench top for solid surface countertops. The vacuum drawer must include convenient and secure access to dust filter.
4. The air nozzle must include adjustable air flow with OSHA approved tip. Consistent retraction and intuitive placement must make this easy to utilize.
5. Divider panels are required, size and shape must be customizable with full and partial panels being an option.
6. Cabinet casework and related component parts must be either 5/8" or 3/4" thick, with a 45# industrial grade particleboard. The Power Panel Wall shall be made of 5/8" panels, while the drawer banks, open spaces, and end caps shall be constructed from 3/4" panels.
7. Countertops must be at least a 2cm composite buildup of 0.236" thick plywood with phenolic backer (resistant to environmental effects of high humidity and moisture) and 12 mm thick acrylic resin, Wilsonart Gibraltar. All particleboard must be 100% post-industrial recycled/recovered fiber. All particleboard and plywood must be CARB compliant.
8. Door and drawer fronts must be covered with vertical grade high pressure V32 laminate (HPDL) and lockable with available master key to open all doors and drawers.
9. All exposed edges must be finished with color matched 2 mm thick rigid PVC (polyvinyl chloride) edge banding.
10. Drawers shall be constructed with Blum Legrabox drawer system with integrated soft-close (required).
11. Sub-base structure shall be constructed from 10-gauge roll-formed steel rails with 16-gauge cold-rolled steel powder coated covers that are attached by rare earth neodymium magnets.
12. Leveling feet must be built into subbase structure for leveling cabinet prior to anchoring to the floor with seismic cleats designed to ASCE-05 standards.
13. All internal wiring must use health care facility (HCF) grade armored cable with separate redundant ground wires and connections. Hospital grade, tamper resistant, 20 amp protected ground fault circuit interrupt (GFCI) duplex receptacles must be provided at countertop level. All wiring must be 12 gauge for 20-amp service.
14. Units must be manufactured and assembled in USA with certificate of origin available.
15. Colors:
 - a. All cabinet laminates shall be Wilsonart Desert Zephyr 4841-60 with Pebble edgebanding.
 - b. Solid surface countertops shall be Gibraltar Baja Melange.

2.02 DENTAL SIMULATORS

- A. Description: The compact, self-contained dental patient simulation system must offer life-like training for both basic and advanced dental education. It must come fully equipped with integrated dental tools and additional devices, along with a self-contained water supply and vacuum system. The adjustable simulation patient must allow for precise anatomical

positioning, and the manikin head must conveniently fold for space-efficient storage. It must also feature integrated locking storage bins and a secure umbilical with strain relief.

B. Simulator Specifications:

1. Solid surface countertop must provide ample work surface and must be removable for access to major service components.
 - a. Solid surface countertop shall be Gibraltar Baja Melange.
2. Two large storage bins are required, each individually keyed, swing out for easy access.
3. Steel baseplate must be at least 0.5" thick, powder-coated paint finish to prevent rust.
4. Twin air lift cylinders on base that activate when unit is switched on is required, immobilizing unit for stability and safety.
5. 5-tandem urethane casters to provide stability and smooth mobility are required.
6. The following requirements must be met by the dental simulator manufacturer, simple, durable torso mechanism; push button activated, counter balancing lift cylinders for effortless patient positioning, torso brake must engage when button is released
7. Manikin mount system must be configured to accommodate all major brands of simulation heads.
8. Integrated patient headrest must automatically adjust to cranium position.
9. Control head must provide ample space to integrate up to three ancillary devices.
10. One-piece pneumatic handpiece control block must be able to operate up to four active handpiece positions and must be manufactured from solid brass. Each handpiece position must have an individual drive air and water adjustment. Removable water cartridge valves that allow for quick and easy servicing of blocks are required. A single sliding locking tab must secure the handpiece tubing to the control block requiring no tools and allow easy access to connect or disconnect tubing.
11. Water lines must be produced with anti-microbial AlphaSan® which inhibits bio-film formation in tubing.
12. Auto-air handpiece holders must automatically activate block when handpiece is lifted from holder. Holders must rotate to user preference and easily convert to accommodate right or left-handed operators.
13. Vacuum instruments (HVE, syringe) must be included, and saliva ejector is required.
14. Left/Right hand convertible without the use of tools is required.
15. Built-in Air/Water Quick Disconnect valves for external and ancillary devices are required.
16. Data Control System (DCS) must be used to control all the electrical components (fiber optics, touch pad, camera, electric micro-motors, and dental light). The DCS must allow plug. and play add-ons for the life of the unit, with the use of 6-conductor phone wire connections.
17. The quad-volt intra-oral light source must provide up to four independently adjustable output voltages to accommodate intra-oral illumination.
18. Integrated 300-Watt power supply is required, that provides power for dental light and other dental ancillaries and devices.
19. CP5i must be provided for expanded range of controls and required for electric motors.
20. Third hand is required to assist the students in positioning and holding the HVE in the oral cavity during a procedure.
21. Units must be manufactured and assembled in USA – certificate of origin must be provided.
22. Must be UL Classified in USA, CE compliant.

2.03 LED DENTAL LIGHTS

- A. Description: The simulation dental light must offer both intra-oral and extra-oral illumination for pre-clinical procedures. It must be able to be controlled using manual switches on the light head or through a remote touch pad on the simulator. The dental light must be LED.
- B. Dental Light Specifications:
1. Three axis barycentric positioning is required. The entire light head must rotate a full 540 degrees (1 ½ turns) of horizontal rotation. The Optics Head must rotate a minimum of 120° total (15° up, 105° down), the Optics Head rotate must rotate a minimum of 80° (±40° from vertical).
 2. Three intensity settings are required (15,000/25,000/30,000 lux) (1,394/2,323/2,787fc).
 3. Cure-safe composite setting (25,000lux (2,323fc)/yellow) is required.
 4. Color Temperature/Color Rendering Index: 5,000K/~94 CRI for accurate color rendering and tissue analysis is required.
 5. Ability/ease of positioning is required: Rotation axis about the rigid arm to flex arm interface should be around 315° of travel. The vertical travel shall be achieved via the parallel link system in the flex arm. This travel should be a minimum of 27.5 inches.
 6. Flexible, fracture resistant handles are required and must stay cool to touch, positive tactile feel, and protection of head from potential impact damage is required.
 7. Thermal energy output: 24 BTU/hr. nominal at High intensity. 15-Watt power consumption. No bulb replacement is required.
 8. Orbital LED array on aluminum-cored chassis that dissipates heat passively is required, no hot surfaces or handles and does not require a cooling system or fan.
 9. Full touchpad control of light modes on DCS touch pads is required.
 10. Pattern and shadowing: “Stadium” style LED is required. When properly focused, the light pattern at 700 mm must be 100mm x 145mm at 10% of the maximum intensity. The illumination shall decrease in intensity progressively and smoothly toward the pattern edge.
 11. Smooth surface exterior parts must be able to be cleaned, and barrier protected without damage to the light surface or markings.
 12. Furnish and install retrofit kit to covert Owner's existing halogen dental lights to matching LED lights.

2.04 DENTAL CHAIR

- A. Dental Chair requirements:
1. Ultra-thin flexible back rest, measuring 1” thick on the seamless upholstery providing superior operator access to the oral cavity, reduces the chance of repetitive stress injury and provides excellent patient comfort and support over extended treatment periods.
 2. Headrest, standard dual articulating with gliding cushion and knob design or quick-release adjustment lever version that includes memory foam.
 3. 2-position armrests, cantilevered hinge design articulates towards toe of chair to improve patient access and reduce interference with the dental provider team. Robust design with durable Santoprene surface for comfort and ease of asepsis.
 4. Lift range 13.75”-31.5” (Note: measurements are made from the floor to the bottom of the seat cushion.) Low point: 14.75” when dual mounting.
 5. Chair swivels 60° (30° each side of center) enhances patient and operator accessibility.
 6. Automatic Chair-Stop reduces risk of injury or damage to equipment when sensors detect obstruction. Lock-out feature disables chair movement when handpiece is in use.

7. Integrated 300-Watt power supply included provides power for chair-mounted dental light and integrated ancillary dental devices, without the need for additional transformers.
8. UL rated to 400LB. (181 kg) maximum patient load.
9. Hybrid Drive System- Electromechanical back-lift, hydraulic base-lift provide for smooth, quiet, trouble-free operation. Includes base down speed adjustment. Hydraulic lift cylinder guaranteed for ten years.
10. Electronic-Inclinometer sensor technology controls chair position with greater precision and reliability; robust technology with fewer moving parts.
11. Self-diagnosing circuit board that is easily programmable with “limpalong” lift activation.
12. Uni-directional hydraulic motor pump.
13. Cast iron base-plate, powder coat painted and sealed with an elastomeric polymer finish to prevent rust and scratch damage to the floor.
14. Vacuum-formed seamless upholstery is constructed of 40 ounce per square yard/67gauge superior grade vinyl.
 - a. Color: Dauphine Taupe.
15. Virtual-Pivot design aligns the natural spine rotation of the seated patient with the chair’s rotational axis. This unique design feature maintains patient position and comfort throughout the chair’s entire range of motion.
16. Units must be manufactured and assembled in USA – certificate of origin must be provided..
17. UL Classified in USA and Canada. CE compliant.

2.05 TREATMENT AND CENTRAL CONSOLES

A. Cabinet Construction:

1. Panel Core Material
 - a. Countertop is a 2 cm composite build-up of 0.236” plywood with phenolic back and 12mm thick acrylic resin, Wilsonart Gibraltar solid surface with threaded inserts for installation and service
 - b. Cabinet Shell and related component parts are 5/8” or 3/4” thick Industrial Grade (45 pounds or more per cubic foot) particleboard
 - c. Curved panels are Medium Density Fiberboard
 - d. All particleboard shall consist of 100% pre-consumer grade recycled material and is California Air Resources Board (CARB) Phase 1 Compliant. All Plywood shall be CARB Phase II compliant (Title 3 17, California Code of Regulations 93120-93120.12)
2. Cabinet columns constructed of e-coated 12-gauge cold rolled steel for strength and rigidity
3. Surface and Edge Treatment
 - a. All heavy wear parts such as door and drawer fronts are covered with vertical grade high pressure decorative laminate (HPDL)
 - b. Countertops are finished with Solid Surface
 - c. Fixed and Floating mid-section work surface are hard coated acrylic
 - d. All panel edges are finished with rigid 2mm thick color matched PVC (polyvinyl chloride) edge banding
 - e. Bottom side of the Solid Surface countertop shall utilize a phenolic backer to create a sealed countertop that is resistant to environmental effects of high humidity and moisture

B. Door and Drawer Construction

1. Drawers are constructed using the Blum Tandembox drawer system with integrated soft-close.
2. Slides are tested to 75-150 lb. dynamic load
3. Door hinges shall use Blum CLIP top Blumotion hinges constructed of nickel-plated steel with integrated soft-close and three-way adjustments
4. All doors and drawers fitted with manufacturer's proprietary handle
5. Extruded anodized aluminum frame upper doors with 1/8" thick infills
6. All drawers except the bottom drawers receive an organization drawer liner and bin system

C. Sub-base Construction

1. 10-gauge roll formed steel support structure
2. Leveling feet with adjustments from the top or sides
3. Seismic anchoring to ASCE-05
4. Sub-base covers manufactured from 16-gauge cold rolled steel and powder coated on all sides with polyester powder coat
5. Sub-base consists of straight run parts capped with rounded or square end pieces
6. Sub-base covers attached to cabinet using rare-earth neodymium magnets
7. Sub-base cut-out and cabinet mounted bracket options available to properly and firmly attach delivery systems

D. Colors:

1. All cabinet laminates shall be Wilsonart Desert Zephyr 4841-60 with Pebble edgebanding.
2. Solid surface countertops shall be Gibraltar Baja Melange.
3. No color substitutions permitted. Colors must match owner's existing units.

E. Plumbing Fixtures:

1. Sink: Provide 20 gauge type 304 stainless steel undermount sink of 12.5 inch interior diameter and 6 inch nominal depth with scotch-brite finish. Polar Ware model 900956 or equal.
2. Trim: Provide Delta Trinsic 9959-DST single handle deck mount with 2-function pull-down sprayer in stainless finish. Provide manufacturer's standard accessories including drain, P-trap, and clamp assembly.

2.06 ACCESSORIES

- A. Installation Accessories: Provide necessary accessories and closure trim as required for complete installation.
- B. Fasteners: Manufacturer's standard inserts, anchors, bolts, rivets, and screws appropriate for project conditions; corrosion-resistant.
- C. Fittings: Provide all required fittings, transitions, etc as may be required for a complete operational installation.

PART 3 EXECUTION

3.01 EXAMINATION

- A. Verification of Conditions: Examine areas and conditions, with installer present, for compliance with requirements of utilities, installation tolerances, and other conditions that may impact performance of equipment.
- B. Proceed with installation only after unsatisfactory conditions have been corrected.

3.02 INSTALLATION

- A. Install equipment in accordance with manufacturer's instructions and approved shop drawings.
- B. Set components plumb, level, and rigid.
- C. Install anchors in accordance with anchor manufacturer's installation guidelines.
- D. Connect plumbing lines to utilities. Use appropriate fittings to avoid kinking, binding, or leaks.
- E. Provide final electrical connections to comply with NEC.

3.03 ADJUSTING

- A. Adjust all (new and existing) operating equipment for smooth and efficient operation throughout full operating cycle.

3.04 CLOSEOUT ACTIVITIES

- A. Demonstration: Demonstrate operation of equipment to Owner's personnel.
 - 1. Use operation and maintenance data as reference during demonstration.
 - 2. Briefly describe function, operation, and maintenance of each component.
- B. Training: Train Owner's personnel on operation and maintenance of system.
 - 1. Use operation and maintenance manual as training reference, supplemented with additional training materials as required.
 - 2. Provide minimum of two hours of training.
- C. Cleaning: Remove labels, fingerprints; clean surfaces. Repair any marred or damaged surfaces that effect appearance in manner not acceptable to Owner. Replace any parts that cannot be repaired in such a manner. Remove all shipping and packaging materials and dispose off site.

3.05 SCHEDULE OF EXISTING INSTALLED DENTAL EQUIPMENT

- A. Equipment currently in use in Caldwell Hall, to be disconnected, disassembled as needed, relocated to Sugar Hall, and reinstalled shall include:
 - 1. Four (4) Leeson Buffalo Model Trimmers
 - 2. Three (3) A-dec Radius 2122 Dental Chairs
 - 3. Three (1) Progeny Preva Intraoral X-ray
 - 4. Two (2) Midmark M11 Autoclaves
 - 5. One (1) Sirona Orthophos XG3 DS Pano Machine


6. One (1) A-Dec 41L DH Simulator
7. One (1) Miele Professional Dental Instrument Dishwasher
8. Two (2) A-Dec C4C17D218E Model Trimmers
9. One (1) Scan X Air Techniques Intra-oral X-ray Scanner

3.06 SCHEDULE OF NEW DENTAL EQUIPMENT

A. New equipment previously purchased by the University, stored at 205 University Ave, Monroe, LA 71209, to be uncrated, set in place and installed shall include:

1. Twelve (10) A-dec Radius 1221 Dental Chairs
2. Eight (8) A-dec 5543 Central Consoles
3. Three (3) Preva DC Ioral Xray 76" Arm
4. Ten (10) A-dec Radius 2122 Dental Chairs
5. Ten (10) A-dec Radius 7115 Assistants Instrumentation
6. Ten (10) A-dec Radius 6300 Lights
7. Four (4) A-dec Central Consoles
8. Seven (7) A-dec Accessory Consoles
9. Twenty-Six (26) A-dec Treatment Consoles
10. Twenty-Two (23) A-dec 41L Simulators
11. One (1) DXTTR-III Manikin
12. One (1) Pedo X-ray Manikin
13. Two (2) X-ray Manikins
14. Ten Doctor Stools


A. END OF SECTION



01 DENTAL - HYGIENE CLINIC
SECOND FLOOR PLAN
1/4" = 1'-0"

DENTAL FIXTURE / EQUIPMENT LIST					TO BE VERIFIED BY OWNER	
SYMBOL	DESCRIPTION	MANUFACTURER/PRODUCT NO.	QTY	CURRENT LOCATION		
DENTAL CHAIRS						
(D-1A)	A-DEC RADIUS DENTAL CHAIR	ADEC 121	10	INVENTORY		
(D-1B)	A-DEC RADIUS DENTAL CHAIR	ADEC 212	3	CALDWELL HALL		
(D-1C)	A-DEC RADIUS DENTAL CHAIR	ADEC 212	10	INVENTORY		
(D-1D)	NEW DENTAL CHAIR	TBD	10	ADDITIONAL REQUIRED		
DENTAL CHAIR SYSTEMS AND ACCESSORIES						
(D-1E)	NEW DENTAL CHAIR SYSTEMS	ADEC 115	10	INVENTORY		
(D-1F)	A-DEC RADIUS LIGHT	ADEC 6300	10	INVENTORY		
(D-1G)	NEW RADIUS DENTAL LIGHT	-	10	ADDITIONAL REQUIRED		
(D-1H)	-	-	-	-		
(D-1I)	-	-	-	-		
OPERATOR DENTAL FURNITURE						
(D-1J)	TREATMENT CONSOLE	ADEC 5580/42	16	INVENTORY		
(D-1K)	A-DEC CENTRAL CONSOLE	ADEC 5543	12	INVENTORY		
(D-1L)	-	-	-	-		
(D-1M)	-	-	-	-		
(D-1N)	NEW CENTRAL CONSOLE	TBD	3	ADDITIONAL REQUIRED		
(D-1O)	-	-	-	-		
X-RAY						
(D-1P)	SIRONA ORTHOPHOS PANO MACHINE	SIRONA ORTHOPHOS X93	1	CALDWELL HALL		
(D-1Q)	INTRACORAL XRAY	PRECIDENT PREVA	3	CALDWELL HALL - ONLY 1 REQUIRED		
(D-1R)	PREVA DL 10RA X-RAY 16" ARY	PREVA DL	3	INVENTORY		
(D-1S)	-	-	-	-		
(D-1T)	-	-	-	-		
LAB EQUIPMENT						
(D-1U)	MODEL TRIMMER	PATTERSON CAPTIV/BE	2	CALDWELL HALL		
(D-1V)	LEECON BUFFALO MODEL - TRIMMER	-	4	CALDWELL HALL		
STERILIZATION CENTER						
(D-1W)	AUTOCLAVE STERILIZER	MIDMARK M-11 STERILIZER	2	CALDWELL HALL		
(D-1X)	DETAIL WASHER	MIELE G1881	1	CALDWELL HALL		
(D-1Y)	MIDMARK AUTOCLAVE	MII	1	ADDITIONAL REQUIRED		
(D-1Z)	WASHER	MIELE G1881	1	ADDITIONAL REQUIRED		
(D-2A)	-	-	-	-		
DENTAL UTILITY						
(D-2B)	-	-	-	-		
(D-2C)	-	-	-	-		

NOTE:
1. THE EQUIPMENT NOTED IS BASED ON THE INFORMATION PROVIDED BY THE USER.
THE QUANTITIES WILL NEED TO BE VERIFIED BY THE BIDDER.



02 DENTAL - SIM LAB
SECOND FLOOR PLAN
1/4" = 1'-0"

EXHIBIT A

INSURANCE REQUIREMENTS FOR CONTRACTORS

The Contractor shall purchase and maintain for the duration of the contract insurance against claims for injuries to persons or damages to property which may arise from or in connection with the performance of the work hereunder by the Contractor, its agents, representatives, employees or subcontractors.

A. MINIMUM SCOPE AND LIMITS OF INSURANCE

1. **Workers Compensation**

Workers Compensation insurance shall be in compliance with the Workers Compensation law of the State of the Contractor's headquarters. Employers Liability is included with a minimum limit of \$1,000,000 per accident/per disease/per employee. If work is to be performed over water and involves maritime exposure, applicable LHWCA, Jones Act, or other maritime law coverage shall be included. A.M. Best's insurance company rating requirement may be waived for workers compensation coverage only.

2. **Commercial General Liability**

Commercial General Liability insurance, including Personal and Advertising Injury Liability and Products and Completed Operations, shall have a minimum limit per occurrence of \$1,000,000 and a minimum general annual aggregate of \$2,000,000. The Insurance Services Office (ISO) Commercial General Liability occurrence coverage form CG 00 01 (current form approved for use in Louisiana), or equivalent, is to be used in the policy. Claims-made form is unacceptable.

3. **Automobile Liability**

Automobile Liability Insurance shall have a minimum combined single limit per accident of \$1,000,000. ISO form number CA 00 01 (current form approved for use in Louisiana), or equivalent, is to be used in the policy. This insurance shall include third-party bodily injury and property damage liability for owned, hired and non-owned automobiles.

B. DEDUCTIBLES AND SELF-INSURED RETENTIONS

Any deductibles or self-insured retentions must be declared to and accepted by the Agency. The Contractor shall be responsible for all deductibles and self-insured retentions.

C. OTHER INSURANCE PROVISIONS

The policies are to contain, or be endorsed to contain, the following provisions:

1. Commercial General Liability and Automobile Liability Coverages

- a. The Agency, its officers, agents, employees and volunteers shall be named as an additional insured as regards negligence by the contractor. ISO Forms CG 20 10 (for ongoing work) AND CG 20 37 (for completed work) (current forms approved for use in Louisiana), or equivalents, are to be used when applicable. The coverage shall contain no special limitations on the scope of protection afforded to the Agency.
- b. The Contractor's insurance shall be primary as respects the Agency, its officers, agents, employees and volunteers for any and all losses that occur under the contract. Any insurance or self-insurance maintained by the Agency shall be excess and non-contributory of the Contractor's insurance.

2. Workers Compensation and Employers Liability Coverage

To the fullest extent allowed by law, the insurer shall agree to waive all rights of subrogation against

the Agency, its officers, agents, employees and volunteers for losses arising from work performed by the Contractor for the Agency.

3. All Coverages

- a. All policies must be endorsed to require 30 days written notice of cancellation to the Agency. Ten-day written notice of cancellation is acceptable for non-payment of premium. Notifications shall comply with the standard cancellation provisions in the Contractor's policy. In addition, Contractor is required to notify Agency of policy cancellations or reductions in limits.
- b. The acceptance of the completed work, payment, failure of the Agency to require proof of compliance, or Agency's acceptance of a non-compliant certificate of insurance shall not release the Contractor from the obligations of the insurance requirements or indemnification agreement.
- c. The insurance companies issuing the policies shall have no recourse against the Agency for payment of premiums or for assessments under any form of the policies.
- d. Any failure of the Contractor to comply with reporting provisions of the policy shall not affect coverage provided to the Agency, its officers, agents, employees and volunteers.

D. ACCEPTABILITY OF INSURERS

1. All required insurance shall be provided by a company or companies lawfully authorized to do business in the jurisdiction in which the Project is located. Insurance shall be placed with insurers with an A.M. Best's rating of **A-:VI or higher**. This rating requirement may be waived for workers compensation coverage only.
2. If at any time an insurer issuing any such policy does not meet the minimum A.M. Best rating, the Contractor shall obtain a policy with an insurer that meets the A.M. Best rating and shall submit another Certificate of Insurance within 30 days.

E. VERIFICATION OF COVERAGE

1. Contractor shall furnish the Agency with Certificates of Insurance reflecting proof of required coverage. The Certificates for each insurance policy are to be signed by a person authorized by that insurer to bind coverage on its behalf. The Certificates are to be received and approved by the Agency before work commences and upon any contract renewal or insurance policy renewal thereafter.
2. The Certificate Holder Shall be listed as follows:

State of Louisiana
Agency Name, Its Officers, Agents, Employees and Volunteers
Address, City, State, Zip
Project or Contract #:
3. In addition to the Certificates, Contractor shall submit the declarations page and the cancellation provision for each insurance policy. The Agency reserves the right to request complete certified copies of all required insurance policies at any time.
4. Upon failure of the Contractor to furnish, deliver and maintain required insurance, this contract, at the election of the Agency, may be suspended, discontinued or terminated. Failure of the Contractor to purchase and/or maintain any required insurance shall not relieve the Contractor from any liability or indemnification under the contract.

F. SUBCONTRACTORS

Contractor shall include all subcontractors as insureds under its policies OR shall be responsible for verifying and maintaining the Certificates provided by each subcontractor. Subcontractors shall be subject to all of the requirements stated herein. The Agency reserves the right to request copies of subcontractor's Certificates at any time.

G. WORKERS COMPENSATION INDEMNITY

In the event Contractor is not required to provide or elects not to provide workers compensation coverage, the parties hereby agree that Contractor, its owners, agents and employees will have no cause of action against, and will not assert a claim against, the State of Louisiana, its departments, agencies, agents and employees as an employer, whether pursuant to the Louisiana Workers Compensation Act or otherwise, under any circumstance. The parties also hereby agree that the State of Louisiana, its departments, agencies, agents and employees shall in no circumstance be, or considered as, the employer or statutory employer of Contractor, its owners, agents and employees. The parties further agree that Contractor is a wholly independent contractor and is exclusively responsible for its employees, owners, and agents. Contractor hereby agrees to protect, defend, indemnify and hold the State of Louisiana, its departments, agencies, agents and employees harmless from any such assertion or claim that may arise from the performance of this contract.

H. INDEMNIFICATION/HOLD HARMLESS AGREEMENT

1. Contractor agrees to protect, defend, indemnify, save, and hold harmless, the State of Louisiana, all State Departments, Agencies, Boards and Commissions, its officers, agents, servants, employees, and volunteers, from and against any and all claims, damages, expenses, and liability arising out of injury or death to any person or the damage, loss or destruction of any property which may occur, or in any way grow out of, any act or omission of Contractor, its agents, servants, and employees, or any and all costs, expenses and/or attorney fees incurred by Contractor as a result of any claims, demands, suits or causes of action, except those claims, demands, suits, or causes of action arising out of the negligence of the State of Louisiana, all State Departments, Agencies, Boards, Commissions, its officers, agents, servants, employees and volunteers.
2. Contractor agrees to investigate, handle, respond to, provide defense for and defend any such claims, demands, suits, or causes of action at its sole expense and agrees to bear all other costs and expenses related thereto, even if the claims, demands, suits, or causes of action are groundless, false or fraudulent. The State of Louisiana may, but is not required to, consult with the Contractor in the defense of claims, but this shall not affect the Contractor's responsibility for the handling of and expenses for all claims.

INDEMNIFICATION AGREEMENT

_____ {Contractor/Lessee} agrees to protect, defend, indemnify, save, and hold harmless, the State of Louisiana, all State Departments, Agencies, Boards and Commissions, its officers, agents, servants, employees, and volunteers, from and against any and all claims, damages, expenses, and liability arising out of injury or death to any person or the damage, loss or destruction of any property which may occur, or in any way grow out of, any act or omission of Contractor/Lessee, its agents, servants, and employees, or any and all costs, expenses and/or attorney fees incurred by Contractor/Lessee as a result of any claims, demands, suits or causes of action, except those claims, demands, suits, or causes of action arising out of the negligence of the State of Louisiana, all State Departments, Agencies, Boards, Commissions, its officers, agents, servants, employees and volunteers.

Contractor/Lessee agrees to investigate, handle, respond to, provide defense for and defend any such claims, demands, suits, or causes of action at its sole expense and agrees to bear all other costs and expenses related thereto, even if the claims, demands, suits, or causes of action are groundless, false or fraudulent. The State of Louisiana may, but is not required to, consult with the Contractor in the defense of claims, but this shall not affect the Contractor's responsibility for the handling of and expenses for all claims.

Accepted by _____
Company Name

Signature

Title

Date Accepted _____

Is Certificate of Insurance Attached? ☐ Yes ☐ No

Bid No. 50006-033 for University of Louisiana at Monroe
State Agency Name

PURPOSE OF CONTRACT: Delivery and Installation of Dental Hygiene Equipment

Invitation to Bid

Bid #50006-033

Prices quoted are for A-dec standard colors. Any color selected outside of the standard product offering will have an additional charge.
In accordance with L.A. R.S. 39:1655, items 1-13 listed in this bid have been approved as proprietary and only the Brand(s) Number(s) specified will be considered for award.

Line#	Item #	Description	QTY	Price (USD)	Extended (USD)
1	411	411 - A-dec 411 Chair	20		
	V0313.0015	PriceBook 2025 (2/3/25 thru Present)			
	411	Model 411 Patient Chair			
	V0412.0001	Quick Ship Not Eligible			
	V0592.0002	300 Pro / 500 Pro Compatible Yes			
	V0074.0002	Voltage 120 Volts			
	V0195.0083	Foundation Price 411 Chair			
	V0035.0002	Headrest Style Double-articulating with Locking Knob			
	V0075.0014	Upholstery Color Type Formed/Seamless			
	V0073.0008	Upholstery Style 411 Formed			
	V0072.9998	Upholstery Color To Follow			
	V0040.0001	Contoured Floor Box			
	V0327.0004	Packaging Standard (Boxed)			
2	332	332 - A-dec 332 TRAD Radius Delivery System	20		
	V0313.0015	PriceBook 2025 (2/3/25 thru Present)			
	332	Model 332 Radius Traditional Delivery System			
	V0195.0023	Foundation Price 332 No Touchpad			
	V0412.0001	Quick Ship Not Eligible			
	V0055.0041	Mounting Style 311B/ 311FLT/ 311XLC/ 411 Chair			
	V0627.0075	Dual Mounting Yes			
	V0070.0011	Tray Holder Standard			
	V0573.0001	Stainless Steel Tray One Standard Tray			
	V0041.0002	Foot Control Disc (with chip blower/accessory button)			
	V0080.0001	Second Handle Kit Second Brake Handle Kit			
	V0327.0004	Packaging Standard (Boxed)			

Line#	Item #	Description	QTY	Price (USD)	Extended (USD)
	V0128.0001	Handing Right			
	V0036.0006	Doctor's Touchpad Deluxe Touchpad			
	V0086.0003	Intraoral Light Source Quad Volt			
	V0330.0002	Handpiece Tubing Style Silicone Handpiece Tubing			
	V0267.0005	Position 0 Autoclavable QD Syringe			
	V0267.0003	Position 1 No Tubing			
	V0267.0002	Position 2 4-Hole Tubing			
	V0267.0002	Position 3 4-Hole Tubing			
	V0267.0002	Position 4 4-Hole Tubing			
	V0101.0010	No Additional Block Position (3 Position Control Block)			
	V0504.0002	USB Hub None			
	V0504.0002	Floor Box USB hub None			
3	551	551 - A-dec 551 ASST Instrumentation	20		
	V0313.0015	PriceBook 2025 (2/3/25 thru Present)			
	551	Model 551 Assistant's Instrumentation			
	V0412.0001	Quick Ship Not Eligible			
	V0195.0146	Foundation Price 551 Assistant's Instrumentation			
	V0055.0009	Mounting Style A-dec 411 Chair			
	V0030.0004	Arm Length Long Arm			
	V0327.0004	Packaging Standard (Boxed)			
	V0105.0005	Autoclavable QD Syringe			
	V0004.0023	No Curing Light			
	V0462.0002	Assistant's Curing Light Holder None			
	V0403.0002	No Dual Turret			
	V0200.0005	HVE Standard 11mm HVE			
	V0500.0004	Vacuum Tubing Style EasyFlex Tubing			
	V0090.0002	Support Link Support Link			
4	572L	572L - A-dec 572L LED Dental Light, Radius Mt	20		
	V0313.0015	PriceBook 2025 (2/3/25 thru Present)			
	572L	Model 572L LED Dental Lt, Radius Mt			
	V0009.0002	Base Color White			
	V0412.0001	Quick Ship Not Eligible			
	V0055.0014	Mounting Style Dual Mount - 300 Delivery System			

Line#	Item #	Description	QTY	Price (USD)	Extended (USD)
	V0096.0017	Chair Style 411 Dental Chair			
	V0195.0186	Foundation Price 572 LED Light, Radius Mount			
	V0327.0004	Packaging Standard (Boxed)			
5	521	521 - A-dec 521 Doctor's Stool	20		
	Clinic Stools				
	V0313.0015	PriceBook 2025 (2/3/25 thru Present)			
	521	Model 521 Doctor's Stool			
	V0195.0246	Foundation Price 521 Doctors Stool			
	V0032.0003	Cylinder Type Tall			
	V0012.0002	Caster Type Tile			
	V0083.0005	Armrest Options No Armrests			
	V0075.0009	Upholstery Color Type Sewn			
	V0072.9998	Upholstery Color To Follow			
	V0327.0085	Packaging Fully Assembled (Boxed)			
6	591	591 - Inspire Treatment Console	4		
	Lower Only Rear Console				
	V0313.0015	PriceBook 2025 (2/3/25 thru Present)			
	591	Model 591- Inspire Twelve O'clock Console			
	V0452.0001	Product Version A			
	V0335.0002	Starting Point 42" Lower Only			
	V0599.0002	Hall Side Back Panel Finished Back			
	V0357.0002	X-Ray Attenuation No X-Ray Attenuation			
	V0336.0002	Delivery System No Delivery			
	V0344.0004	Base Module Width 42"			
	V0341.0389	Base Module Name SB1001-- 42" Base Without a Delivery System			
	V0344.0001	Lower Position 1 Module Width 14"			
	V0413.0016	Lower Position 1 Module Option 2 Interior Drawers			
	V0341.0374	Lower Position 1 Module Name DR1103-- Bi-Fold, Front-Open, 2 Interior Drawers			
	V0339.0002	Lower Position 1 Hinge Location Left Hinge			
	V0344.0001	Lower Position 2 Module Width 14"			
	V0413.0016	Lower Position 2 Module Option 2 Interior Drawers			
	V0341.0374	Lower Position 2 Module Name DR1103-- Bi-Fold, Front-Open, 2 Interior Drawers			

Line#	Item #	Description	QTY	Price (USD)	Extended (USD)
	V0339.0002	Lower Position 2 Hinge Location Left Hinge			
	V0344.0001	Lower Position 3 Module Width 14"			
	V0413.0016	Lower Position 3 Module Option 2 Interior Drawers			
	V0341.0374	Lower Position 3 Module Name DR1103-- Bi-Fold, Front-Open, 2 Interior Drawers			
	V0339.0001	Lower Position 3 Hinge Location Right Hinge			
	V0344.0004	Countertop Module Width 42"			
	V0352.0002	Countertop Material Solid Surface			
	V0600.0001	Countertop Thickness 1/2" Thickness			
	V0341.0060	Countertop Module Name CS1101-- 42" Solid Surface Countertop, 1/2"			
	V0344.0004	Power Panel Module Width 42"			
	V0350.0001	Power Panel Option None			
	V0341.0381	Power Panel Module Name WA1007-- Wall, Lower Only			
	V0567.0004	ICV Configuration Option No ICV			
	V0473.0143	Countertop Color Solid Surface Color To Follow			
	V0466.0144	Cabinet Laminate Color Laminate Color To Follow			
	V0468.0144	Interior Wall Laminate Color Laminate Color To Follow			
	V0470.0144	Exterior Wall Laminate Color Laminate Color To Follow			
	V0421.0002	Air/Water Quick Disconnects None			
	V0422.0001	Packaging Standard			
7	592	592 - Inspire Central Console	3		
	Central Console				
	V0313.0015	PriceBook 2025 (2/3/25 thru Present)			
	592	Model 592- Inspire Central			
	V0452.0001	Product Version A			
	V0335.0010	Starting Point 114" Full Central			
	V0357.0002	X-Ray Attenuation No X-Ray Attenuation			
	V0420.0003	Soap And Sanitizer Option Soap and Sanitizer Dispensers			
	V0336.0002	Delivery System No Delivery			
	V0344.0012	Base Module Width 114"			
	V0341.0410	Base Module Name SB2000-- Base			
	V0344.0005	Sink Module Width 26"			
	V0415.0002	Faucet Activation Front Only			
	V0341.0217	Sink Module Name SK2001-- Sink Module w/Toe Activation			
	V0344.0017	Dispenser Module Width 10"			
	V0347.0003	DS1 Dispenser Door Style Wood Doors with 2 Glove Dispensers			
	V0341.0180	Dispenser Module Name DS2002-- T-Wall Dispenser, Wood Doors, 2X Gloves			

Line#	Item #	Description	QTY	Price (USD)	Extended (USD)
	V0344.0003	Lower Position 1 Module Width 28"			
	V0413.0032	Lower Position 1 Module Option 5"-- 5"-- 5"-- 7.5" Drawer Module			
	V0341.0107	Lower Position 1 Module Name DB2001-- 5"-- 5"-- 5"-- 7.5" Drawer Bank / False Panel			
	V0353.0002	Lower Position 1 Module Orientation Bottom Drawer/Door Opens To A side			
	V0344.0003	Privacy Panel Module Width 28"			
	V0416.0003	Privacy Panel Location Centered			
	V0344.0003	Midsection Module Width 28"			
	V0341.0460	Midsection Module Name WA2106-- 28" Midsection Privacy Panel, Centered, 2 Fixed Shelf			
	V0418.0002	Sink Wall Power Panel Option None			
	V0341.0230	Power Panel Module Name WA2001-- Sink Wall, Power Panel			
	V0567.0004	ICV Configuration Option No ICV			
	V0344.0003	Upper Module Width 28"			
	V0419.0001	Upper Glove Dispenser 4 (2 On A-Side and 2 on B-Side)			
	V0414.0003	Upper Doors Style Standard Height Wood Doors			
	V0341.0284	Upper Module Name UP2005-- Upper Storage, Wood Door, 4x Gloves			
	V0344.0003	Top Extension Module Width 28"			
	V0341.0214	Top Extension Module Name EX2002-- 28" Clerestory			
	V0344.0002	Equip. Lower Position 1 Module Width 21"			
	V0413.0032	Equip. Lower Position 1 Module Option 5"-- 5"-- 5"-- 7.5" Drawer Module			
	V0341.0107	Equip. Lower Position 1 Module Name DB2001-- 5"-- 5"-- 5"-- 7.5" Drawer Bank / False Panel			
	V0353.0001	Equip. Lower Position 1 Module Orientation Bottom Drawer/Door Opens To B side			
	V0344.0002	Equip. Lower Position 2 Module Width 21"			
	V0413.0022	Equip. Lower Position 2 Module Option 1 Shelf with Backside Door			
	V0341.0159	Equip. Lower Position 2 Module Name DR2002-- Door Storage, Shelf / Door			
	V0344.0006	Equip. Storage Module Width 56"			
	V0566.0002	Equip. Storage Bi-Fold X-ray Door Style Wood Doors			
	V0341.0191	Equip. Storage Module Name EQ2003-- Split Storage System, Wood Door			
	V0344.0005	Countertop Module Width 26"			
	V0352.0002	Countertop Material Solid Surface			
	V0351.0003	Sink Package Undermount Stainless Steel			
	V0600.0001	Countertop Thickness 1/2" Thickness			
	V0341.0441	Countertop Module Name CS2301-- 26" Solid Surface Countertop, Under Mount SS, 1/2"			
	V0344.0003	Mid Countertop Module Width 28"			

Line#	Item #	Description	QTY	Price (USD)	Extended (USD)
	V0600.0001	Countertop Thickness 1/2" Thickness			
	V0341.0440	Mid Countertop Module Name CS2202-- 28" Solid Surface Countertop, 1/2"			
	V0473.0143	Countertop Color Solid Surface Color To Follow			
	V0466.0144	Cabinet Laminate Color Laminate Color To Follow			
	V0468.0144	Interior Wall Laminate Color Laminate Color To Follow			
	V0470.0144	Exterior Wall Laminate Color Laminate Color To Follow			
	V0473.0888	Clerestory Infill Color Color To Follow Infill			
	V0421.0002	Air/Water Quick Disconnects None			
	V0422.0001	Packaging Standard			
8	41L	41L - 41L Mobile Simulator 2	7		
	V0313.0015	PriceBook 2025 (2/3/25 thru Present)			
	41L	Model 41L Mobile Simulator			
	V0074.0002	Voltage 120 Volts			
	V0195.0086	Foundation Price 41L Simulator			
	V0161.0002	Work Surface Material Solid Surface			
	V0162.0143	Work Surface Color Solid Surface Color To Follow			
	V0564.9998	Work Surface Color To Follow			
	V0334.0091	Countertop Price Gibraltar Price			
	V0070.0012	Tray Holder Standard			
	V0023.0002	Water Source Self-Contained Water			
	V0024.0002	Vacuum Source Central Vacuum			
	V0327.0004	Packaging Standard (Boxed)			
	V0036.0002	Doctor's Touchpad No Touchpad			
	V0330.0002	Handpiece Tubing Style Silicone Handpiece Tubing			
	V0267.0033	Position 1 Autoclavable Syringe			
	V0267.0002	Position 2 4-Hole Tubing			
	V0267.0002	Position 3 4-Hole Tubing			
	V0267.0025	Position 4 None			
	V0101.0010	No Additional Block Position (3 Position Control Block)			
	V0504.0002	USB Hub None			
	V0460.0055	Assistants Position 1 Saliva Ejector (SE)			
	V0460.0053	Assistants Position 2 Blank Holder			
	V0460.0057	Assistants Position 3 High Volume Evacuator (HVE)			
	V0077.0006	Manikin Adapter Kilgore II; Includes Mask Drain Only. Adapter and Manikin Head Not Included.			
	V0078.0001	Storage Bins Storage Bins			

Line#	Item #	Description	QTY	Price (USD)	Extended (USD)
	V0103.0001	Storage Bin Locks Storage Bin Locks			
	V0104.0002	Third-Hand Holder			
	V0034.0001	Light (for power supply requirements) LED Light			
	V0060.0006	300W 120V Power Supply			
9	578L	578L - A-dec 578L LED Dental Light, Specialty Mt	30		
	V0313.0015	PriceBook 2025 (2/3/25 thru Present)			
	578L	Model 578L LED Dental Lt, Simulator Mt			
	V0055.0071	Mounting Style A-dec Sim Bench			
	V0074.0002	Voltage 120 Volts			
	V0118.0007	No Post Required			
	V0195.0215	Foundation Price 578 LED Light			
	V0327.0004	Packaging Standard (Boxed)			
10	521	521 - A-dec 521 Doctor's Stool	30		
	Sim Lab Stools				
	V0313.0015	PriceBook 2025 (2/3/25 thru Present)			
	521	Model 521 Doctor's Stool			
	V0195.0246	Foundation Price 521 Doctors Stool			
	V0032.0003	Cylinder Type Tall			
	V0012.0002	Caster Type Tile			
	V0083.0005	Armrest Options No Armrests			
	V0075.0009	Upholstery Color Type Sewn			
	V0072.9998	Upholstery Color To Follow			
	V0327.0085	Packaging Fully Assembled (Boxed)			
11	591	591 - Inspire Treatment Console	3		
	598 Bench: Dual Left Side				
	V0313.0015	PriceBook 2025 (2/3/25 thru Present)			
		Model 591- Inspire Twelve O'clock Console			
	0518558	Refer to Product Spec Config ID (CID) 0518558			
	TS Upcharge	Tailored Solutions 598 Bench Dual Left Side			
12	591	591 - Inspire Treatment Console	9		

Line#	Item #	Description	QTY	Price (USD)	Extended (USD)
-------	--------	-------------	-----	-------------	----------------

598 Bench: Dual Middle

V0313.0015	PriceBook 2025 (2/3/25 thru Present)
0518560	Model 591- Inspire Twelve O'clock Console
TS Upcharge	Refer to Product Spec Config ID (CID) 0518560
	Tailored Solutions 598 Bench Dual Middle

13	591	591 - Inspire Treatment Console	3		
----	-----	---------------------------------	---	--	--

598 Bench: Dual Right side


V0313.0015	PriceBook 2025 (2/3/25 thru Present)
591	Model 591- Inspire Twelve O'clock Console
0518561	Refer to Product Spec Config ID (CID) 0518561
TS Upcharge	Tailored Solutions 598 Bench Dual Right

Products & Services
Grand Total

Visual Document

Line Item Label


6 591 Lower Only Rear Console



Hall View



Treatment Room



Hinge Orientation

Visual Document

Line Item Label

7 592 Central Console



A Side



B Side



Hinge Orientation

Visual Document


Line Item Label

9 578L



CID 0518558 - 0518560 - 0518561

Drawing is not to scale, unless otherwise specified. dimensions are in inches -
Tolerances are: X $\pm$.5, X $\pm$.25, XX $\pm$.05



AIR NOZZLE	No
LED TASK LIGHT	No
VACUUM DRAWER	No
DRAWER BANK	Yes
LOCKS	Yes
USB/CORD DROP	No
LAB GAS VLV	No




REQUIRED

I AUTHORIZE A-dec TO BUILD
THE CUSTOM PRODUCT AS SHOWN
NAME: _____
DATE: _____

This Quote is the confidential information of A-dec, Inc.. It cannot be disclosed or used except as authorized in writing by A-dec. Inventions and/or customizations represented in this document are the intellectual property of A-dec. A-dec reserves all rights to preserve its intellectual property rights. This Quote is not intended to be, and should not be, used as a substitute for the compliance with local, state, federal code, and Americans with Disabilities Act. It is the responsibility of the user to integrate the A-dec equipment specifications presented herein with the regulations and codes overseen by local planning and inspection authorities. A-dec shall not be held liable for any errors contained herein or any consequential or other damages concerning, the furnishings, performance, or use this material. The information in this Quote is subject to change without notice. If you find any problems with this Quote, please report them to us in writing.

CID: VARIOUS
Drawing Rev: C
Designer: S.Durgan

Drawing is not to scale, Unless otherwise specified, dimensions are in inches -
Tolerances are: X = .5, .X ± .25, XX ± .03




REQUIRED

I AUTHORIZE A-dec TO BUILD
THE CUSTOM PRODUCT AS SHOWN
NAME: _____
DATE: _____

This Quote is the confidential information of A-dec, Inc.. It cannot be disclosed or used except as authorized in writing by A-dec. Inventions and/or customizations represented in this document are the intellectual property of A-dec. A-dec reserves all rights to preserve its intellectual property rights. This Quote is not intended to be, and should not be, used as a substitute for the compliance with local, state, federal code, and Americans with Disabilities Act. It is the responsibility of the user to integrate the A-dec equipment specifications presented herein with the regulations and codes overseen by local planning and inspection authorities. A-dec shall not be held liable for any errors contained herein or any consequential or other damages concerning, the furnishings, performance, or use this material. The information in this Quote is subject to change without notice. If you find any problems with this Quote, please report them to us in writing.

CID: VARIOUS
Drawing Rev: C
Designer: S.Durgan

Drawing is not to scale. Unless otherwise specified, dimensions are in inches -
Tolerances are: X $\pm$.5, XX $\pm$.25, XXX $\pm$.05



REQUIRED

I AUTHORIZE A-dec TO BUILD
THE CUSTOM PRODUCT AS SHOWN

NAME: _____

DATE: _____

This Quote is the confidential information of A-dec, Inc.. It cannot be disclosed or used except as authorized in writing by A-dec. Inventions and/or customizations represented in this document are the intellectual property of A-dec. A-dec reserves all rights to preserve its intellectual property rights. This Quote is not intended to be, and should not be, used as a substitute for the compliance with local, state, federal code, and Americans with Disabilities Act. It is the responsibility of the user to integrate the A-dec equipment specifications presented herein with the regulations and codes overseen by local planning and inspection authorities. A-dec shall not be held liable for any errors contained herein or any consequential or other damages concerning, the furnishings, performance, or use this material.

The information in this Quote is subject to change without notice. If you find any problems with this Quote, please report them to us in writing.

CID: VARIOUS
Drawing Rev: C
Designer: S.Durgan

