	Description	Qty	Unit	Unit Price	Extended Price
ine 1	Silver color badge: Badge to be made of 14 gauge silver-tone material with 2.5 mils polished rhodium finish material.	600	EA		
	To have a pin back safety catch (F-36), to be made of nickel-silver material.				
	Below eagle on top of badge will be agency acronym as per Attachment C - Agency List				
	At bottom of badge will be badge number to be assigned by agency.				
	State of Louisiana Seal: The recessed circle in the center of the blank to receive an 11/16" full color hard fired enamel State of Louisiana Seal. V.H. Blackinton die #8 (A2769). Border of seal to bear the lettering of "STATE OF LOUISIANA" on a dark blue (DR6-17) enamel background. Inner circle of seal to be the Louisiana State Seal showing the pelican in white enamel on a light blue (DR6-63) enamel background, with pelican sitting on a brown (DR8-1) enamel nest encircled with "UNION JUSTICE CONFIDENCE". (See Attachment B for picture)				
	Badge is approx. 1-1/2"W X 2-1/2"H Blackinton B38, MTM Elite, Smith & Warren #M180, or equaliavent.				
	Specify brand bidding (& number if applicable):				

	Description	Qty	Unit	Unit Price	Extended Price
ne 2	Gold color badge: Badge to be made of 14 gauge brass with copper flash & nickel plate.	125	EA		
	Preparations for a 24K gold plate finish 0.9 mils thickness.				
	To have a pin back safety catch (F-36), to be made of nickel-silver material.				
	Below eagle on top of badge will be unit rank assigned by agency spelled out as follows: LIEUTENANT, MAJOR, CAPTAIN, LT. COLONEL OR COLONEL.				
	At bottom of badge will be agency acronym as per Attachment C - Agency List.				
	State of Louisiana Seal: The recessed circle in the center of the blank to receive an 11/16" full color hard fired enamel State of Louisiana Seal. V.H. Blackinton die #8 (A2769). Border of seal to bear the lettering of "STATE OF LOUISIANA" on a dark blue (DR6-17) enamel background. Inner circle of seal to be the Louisiana State Seal showing the pelican in white enamel on a light blue (DR6-63) enamel background, with pelican sitting on a brown (DR8-1) enamel nest encircled with "UNION JUSTICE CONFIDENCE". (See Attachment B for picture)				
	Badge is approx. 1-1/2"W X 2-1/2"H				
	Blackinton B38, MTM Elite, Smith & Warren #M180, or equalivalent				
	Specify brand bidding (& number if applicable):				

	Description	Qty	Unit	Unit Price	Extended Price
Line 3	Unit Insignia:	200	EA		
	Lieutenant bar (1-bar), smooth, small size				
	Color: Gold Plated metal				
	Approx. 3/4"W X 1/4"H				
	To be made of 14 gauge brass with copper flash & nickel plate				
	preparations for a 24K gold plate finish 0.9 mils in thickness.				
	To have a clutch back safety catch (2-F9), to be made of nickel-				
	silver material. (See Attachment B for picture)				
	, ,				
	Blackinton J61, MTM Elite, Smith & Warren W Series, or equalivalent				
	Specify brand bidding (& number if applicable):				
Line 4	Unit Insignia:	100	EA		
Lino	Lieutenant bar (1-bar), smooth large size				
	Color: Gold plated metal				
	Approx. 1"W X 3/8"H				
	To be made of 14 gauge brass with copper flash & nickel plate				
	preparations for a 24K gold plate finish 0.9 mils in thickness.				
	To have a clutch back safety catch (2-F9), to be made of nickel-				
	silver material. (See Attachment B for picture)				
	Blackinton J62, MTM Elite, Smith & Warren W Series, or equalivalent				
	Specify brand bidding (& number if applicable):				
		422			<u> </u>
Line 5	Unit Insignia:	100	EA		
	Captain bars (2-bars), smooth, small size Color: Gold plated metal				
	Approx. 13/16"W X 3/4"H				
	To be made of 14 gauge brass with copper flash & nickel plate				
	preparations for a 24K gold plate finish 0.9 mils in thickness.				
	To have a clutch back safety catch (2-F9), to be made of nickel-				
	silver material. (See Attachment B for picture)				

	Description	Qty	Unit	Unit Price	Extended Price
	Blackinton J63, MTM Elite, Smith & Warren W Series, or equalivalent				
	Specify brand bidding (& number if applicable):				
ine 6	Unit Insignia:	100	EA		
	Calari, Cald plated motal				
	Color: Gold plated metal Approx. 1-1/16"W X 1"H				
	To be made of 14 gauge brass with copper flash & nickel plate				
	To have a clutch back safety catch (2-F9), to be made of nickel-silver material. (See Attachment B for picture)				
	Blackinton J64, MTM Elite, Smith & Warren W Series, or equalivalent				
	Specify brand bidding (& number if applicable):				

	Description	Qty	Unit	Unit Price	Extended Price
Line 7	Unit Insignia: Sergeant chevrons (3-chevrons), smooth, small size Color: Silver plated metal Approx. 3/4"W X 3/4"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture) Blackinton J59, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable):	600	EA		
Line 8	Unit Insignia: Sergeant chevrons (3-chevrons), smooth, size large Color: Silver plated metal Approx. 1"W X 15/16"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture) Blackinton J60, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable):	500	EA		
Line 9	Unit Insignia: Colonel eagle, small size Color: Silver plated metal Approx. 1"W X 1/2"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture)	1	EA		

				omiomi Baagoo ai
Description	Qty	Unit	Unit Price	Extended Price
Blackinton J67, MTM Elite, Smith & Warren W Series, or equalivalent				
Specify brand bidding (& number if applicable):				
3 (************************************				
Unit Insignia:	1	EA		
Colonel eagle, large size				
Color: Silver plated metal				
Approx. 1-5/8"W X 3/4"H				
To be made of 14 gauge brass with copper flash preparation for a				
nickel plate finish minimum of 2.5 mils thickness				
To have a clutch back safety catch (2-F9), to be nickel-silver				
material (See Attachment B for picture)				
Blackinton J68, MTM Elite, Smith & Warren W Series, or equalivalent				
Specify brand bidding (& number if applicable):				
	Blackinton J67, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable): Unit Insignia: Colonel eagle, large size Color: Silver plated metal Approx. 1-5/8"W X 3/4"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture) Blackinton J68, MTM Elite, Smith & Warren W Series, or equalivalent	Blackinton J67, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable): Unit Insignia: Colonel eagle, large size Color: Silver plated metal Approx. 1-5/8"W X 3/4"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture) Blackinton J68, MTM Elite, Smith & Warren W Series, or equalivalent	Blackinton J67, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable): Unit Insignia: Colonel eagle, large size Color: Silver plated metal Approx. 1-5/8"W X 3/4"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture) Blackinton J68, MTM Elite, Smith & Warren W Series, or equalivalent	Description

	Description	Qty	Unit	Unit Price	Extended Price
Line 11	Unit Insignia: Major oak leaves, embossed, small size Color: Gold plated metal Approx. 1"W X 1"H To be made of 14 gauge brass with copper flash & nickel plate preparations for a 24K gold plate finish 0.9 mils in thickness. To have a clutch back safety catch (2-F9), to be made of nickel- silver material. (See Attachment B for picture) Blackinton J65, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable):	100	EA		
Line 12	Unit Insignia: Major oak leaves, embossed, large size Color: Gold plated metal Approx. 1"W X 1-1/8"H To be made of 14 gauge brass with copper flash & nickel plate preparations for a 24K gold plate finish 0.9 mils in thickness. To have a clutch back safety catch (2-F9), to be made of nickel- silver material. (See Attachment B for picture) Blackinton J66, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable):	126	EA		
Line 13	Unit Insignia: Lt. Colonel oak leaves, embossed, small size Color: Silver plated metal Approx. 1"W X 1"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture)	50	EA		

		I I		
Description	Qty	Unit	Unit Price	Extended Price
Blackinton J65, MTM Elite, Smith & Warren W Series, or equalivalent				
Specify brand bidding (& number if applicable):				
Unit Insignia:	1	EA		
Lt. Colonel oak leaves, embossed, large size				
Color: Silver plated metal				
Approx. 1"W X 1-1/8"H				
To be made of 14 gauge brass with copper flash preparation for a				
nickel plate finish minimum of 2.5 mils thickness				
To have a clutch back safety catch (2-F9), to be nickel-silver				
material (See Attachment B for picture)				
Blackinton J66, MTM Elite, Smith & Warren W Series, or equalivalent				
Specify brand bidding (& number if applicable):				
	Blackinton J65, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable): Unit Insignia: Lt. Colonel oak leaves, embossed, large size Color: Silver plated metal Approx. 1"W X 1-1/8"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture) Blackinton J66, MTM Elite, Smith & Warren W Series, or equalivalent	Blackinton J65, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable): Unit Insignia: Lt. Colonel oak leaves, embossed, large size Color: Silver plated metal Approx. 1"W X 1-1/8"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture) Blackinton J66, MTM Elite, Smith & Warren W Series, or equalivalent	Blackinton J65, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable): Unit Insignia: Lt. Colonel oak leaves, embossed, large size Color: Silver plated metal Approx. 1"W X 1-1/8"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture) Blackinton J66, MTM Elite, Smith & Warren W Series, or equalivalent	Blackinton J65, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable): Unit Insignia: Lt. Colonel oak leaves, embossed, large size Color: Silver plated metal Approx. 1"W X 1-1/8"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture) Blackinton J66, MTM Elite, Smith & Warren W Series, or equalivalent

	Description	Qty	Unit	Unit Price	Extended Price
Line 15	Unit Insignia: Master Sergeant chevrons (3 chevrons and an arc of 1 bar forming a tie to the lower chevron), smooth Color: Silver plated metal Approx. 3/4"W X 1-1/4"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness. To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture) MTM Elite or Smith & Warren #E528, or equivalent Specify brand bidding (& number if applicable):	100	EA		
Line 16	Unit Insignia: Cadet chevron, smooth, small size (This is the same as a U.S. Army Private) Color: Silver plated metal Approx. 3/4"W X 7/16"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness To have a clutch back safety catch (2-F9), to be nickel-silver material (See Attachment B for picture) Blackinton J56, MTM Elite, Smith & Warren W Series, or equalivalent Specify brand bidding (& number if applicable):	400	EA		
Line 17	Unit Insignia: Cadet Chevron, smooth, large size (This is the same as a U.S. Army Private) Color: Silver plated metal Approx. 1"W X 7/16"H To be made of 14 gauge brass with copper flash preparation for a nickel plate finish minimum of 2.5 mils thickness.	500	EA		

RFX 3000025691	Attachment D- Price S	He	eι	Title. DOC 0	Uniform Badges an	
Description	Qt	у	Unit	Unit Price	Extended Price	
To have a clutch back safety catch (2-F9), temperature material (See Attachment B for picture)	o be nickel-silver					
Blackinton J89, MTM Elite, Smith & Warren	W Series, or equalivalent					
Specify brand bidding (& number if appl	icable):					
Line 18 Gold color badge:			EA			
Badge to be die struck from 16 gauge (.050 "HIGLO" material (CDA425) using pneumathydraulic presses. Design per attached images (See Attachme piece. Badge to be designed in the geogra State of Louisiana with custom center designent part of badge to be approximately 1/4" panels to be below the seal in the lower por approximately 1/4" wide to bear the lettering Probation and Parole"	ent B). Badge to be all one phically shaped outline of the gn. Raised top panel at upper wide to bear Agent. Two ribbon rtion of the badge to be					
State of Louisiana Seal: The center of the color replica of the Louisiana State Seal, the the lettering "STATE OF LOUISIANA" on a The inner circle of the seal to be the Louisia pelican in white enamel on a light blue enar sitting on a brown enamel crest.	e border of the seal to bear blue enamel background. ana State Seal showing the					
Badge is approx. 2-1/4"W X 2-1/8"H Blackinton Model B-1114A, or equalivalent						
Specify brand bidding (& number if appl	icable):					