

Attachment B - Specifications

RFx # 3000025683

Title: *Rebid*Fax Bid* Boat Trailers for LDWF

Location: LDWF WLF/MF/CSA I
61384 Fish Hatchery Rd
Lacombe, La 70445

Line #1 – Trailer (26 Foot – Reno Lake Skiff - 2013 Model)

Brand: Sport Trail or Equal

Model: TAL2528 or Equal

Length: 26”

Specify Brand Bidding: _____

Specify Model Bidding: _____

Specify Length Bidding: _____

- Tandem axle all welded aluminum construction
- GVWR Capacity Rating: 11,320 lb.
- Aluminum C-Channel frame, 80” Wide
- 6000 lb. torsion axles with Vortex Hubs
- ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels
- 12” 6 lug Kodiak Brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler
- 4 Treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 26’ Reno Lake Skiff boat (2013 Model).
- ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle.
- All stainless steel hardware.
- 2000 lb. 2-speed winch with heavy-duty strap.
- LED tail and marker lights with full length ground and heat shrink connectors.
- Heavy duty side guides (1 ½” x 1 ½” square tubing covered by capped schedule 40 PVC pipe).
- Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included.
- Bow ladder

If the awarded vendor is located beyond a 75-mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for the delivery of the trailer and all associated costs to the LDWF Lacombe Office.

If awarded and the vendor needs a vessel to fit/weld bunk configuration on trailer, and the vendor is located beyond a 75-mile radius from the LDWF Lacombe Office located at 61384 Fish

Attachment B - Specifications

RFx # 3000025683

Title: *Rebid*Fax Bid* Boat Trailers for LDWF

Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for pickup and return, and all associated costs, of 26' Reno Skiff to the LDWF Lacombe office.

Specify if model bidding is Tandem axle all welded aluminum construction:

Yes: _____ No: _____

Specify GVWR Capacity Rating Bidding: _____

Specify if model bidding is Aluminum C-Channel frame, 80" Wide:

Yes: _____ No: _____

Specify if model bidding has 6000 lb. rated torsion axles with Vortex Hubs:

Yes: _____ No: _____

Specify if model bidding has ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels: Yes: _____ No: _____

Specify if model bidding has 12" 6 lug Kodiak brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler: Yes: _____ No: _____

Specify if model bidding has 4 treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 26' Reno Lake Skiff boat (2013 Model): Yes: _____ No: _____

Specify if model bidding has ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle: Yes: _____ No: _____

Specify if model bidding has all stainless steel hardware: Yes: _____ No: _____

Specify if model bidding has 2000 lb. 2-speed winch with heavy-duty strap:

Yes: _____ No: _____

Specify if model bidding has LED tail and marker lights with full length ground and heat shrink connectors: Yes: _____ No: _____

Specify if model bidding has heavy duty side guides (1 ½" x 1 ½" square tubing covered by capped schedule 40 PVC pipe): Yes: _____ No: _____

Specify if model bidding has Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included): Yes: _____ No: _____

Specify if model bidding has Bow ladder: Yes: _____ No: _____

Attachment B - Specifications

RFx # 3000025683

Title: *Rebid*Fax Bid* Boat Trailers for LDWF

Specify Distance in Miles from LDWF Lacombe Office Bidding: _____

Specify Delivery Days ARO Bidding: _____

Line #2 – Trailer (26 Foot – Reno Lake Skiff - 2011 Model)

Brand: Sport Trail or Equal

Model: TAL2528 or Equal

Length: 26”

Specify Brand Bidding: _____

Specify Model Bidding: _____

Specify Length Bidding: _____

- Tandem axle all welded aluminum construction
- GVWR Capacity Rating: 11,320 lb.
- Aluminum C-Channel frame, 80” Wide
- 6000 lb. rated torsion axles with Vortex Hubs
- ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels
- 12” 6 lug Kodiak Brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler
- 4 Treated 4 treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 26’ Reno Lake Skiff boat (2011 Model).
- ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle.
- All stainless steel hardware.
- 2000 lb. 2-speed winch with heavy-duty strap.
- LED tail and marker lights with full length ground and heat shrink connectors.
- Heavy duty side guides (1 ½” x 1 ½” square tubing covered by capped schedule 40 PVC pipe).
- Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included.
- Bow ladder

If the awarded vendor is located beyond a 75-mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for delivery of the trailer and all associated costs to the LDWF Lacombe office.

Attachment B - Specifications

RFx # 3000025683

Title: *Rebid*Fax Bid* Boat Trailers for LDWF

If awarded and the vendor needs a vessel to fit/weld bunk configuration on trailer, and the vendor is located beyond a 75-mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for pickup and return, and all associated costs, of 26' Reno Skiff to the LDWF Lacombe office.

Specify if model bidding is Tandem axle all welded aluminum construction:

Yes: _____ No: _____

Specify GVWR Capacity Rating Bidding: _____

Specify if model bidding is Aluminum C-Channel frame, 80" Wide:

Yes: _____ No: _____

Specify if model bidding has 6000 lb. rated torsion axles with Vortex Hubs:

Yes: _____ No: _____

Specify if model bidding has ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels: Yes: _____ No: _____

Specify if model bidding has 12" 6 lug Kodiak brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler: Yes: _____ No: _____

Specify if model bidding has 4 treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 26' Reno Lake Skiff boat (2011 Model): Yes: _____ No: _____

Specify if model bidding has ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle: Yes: _____ No: _____

Specify if model bidding has all stainless steel hardware: Yes: _____ No: _____

Specify if model bidding has 2000 lb. 2-speed winch with heavy-duty strap:

Yes: _____ No: _____

Specify if model bidding has LED tail and marker lights with full length ground and heat shrink connectors: Yes: _____ No: _____

Specify if model bidding has heavy duty side guides (1 ½" x 1 ½" square tubing covered by capped schedule 40 PVC pipe): Yes: _____ No: _____

Specify if model bidding has Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included): Yes: _____ No: _____

Attachment B - Specifications

RFx # 3000025683

Title: *Rebid*Fax Bid* Boat Trailers for LDWF

Specify if model bidding has Bow ladder: Yes: _____ No: _____

Specify Distance in Miles from LDWF Lacombe Office Bidding: _____

Specify Delivery Days ARO Bidding: _____

Line #3 – Trailer (27 Foot – Lifetyme Net Boat - 2011 Model)

Brand: Sport Trail or Equal

Model: CTTAL2528 or Equal

Length: 27”

Specify Brand Bidding: _____

Specify Model Bidding: _____

Specify Length Bidding: _____

- Triple axle all welded aluminum construction
- GVWR Capacity Rating: 11,320 lb.
- Aluminum C-Channel frame, 108” Wide
- 6000 lb. rated torsion axles with Vortex Hubs
- ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels
- 12” 6 lug Kodiak Brakes with stainless steel calipers on both axles, with a 20,000 lb. brake coupler.
- 4 Treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 27’ Lifetyme net boat (2011 Model).
- ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle.
- All stainless steel hardware.
- 2000 lb. 2-speed winch with heavy-duty strap.
- LED tail and marker lights with full length ground and heat shrink connectors.
- Heavy duty side guides (1 ½” x 1 ½” square tubing covered by capped schedule 40 PVC pipe).
- Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included.
- Boat trailer tongue step

If the awarded vendor is located beyond a 75-mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for delivery of the trailer and all associated costs to the LDWF Lacombe office.

Attachment B - Specifications

RFx # 3000025683

Title: *Rebid*Fax Bid* Boat Trailers for LDWF

If awarded and the vendor needs a vessel to fit/weld bunk configuration on trailer, and vendor is located beyond a 75 mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for pickup and return, and all associated costs, of 27' Lifetyme net boat (2011 Model) to the LDWF Lacombe office.

Specify if model bidding is Triple axle all welded aluminum construction:

Yes: _____ No: _____

Specify GVWR Capacity Rating Bidding: _____

Specify if model bidding is Aluminum C-Channel frame, 108" Wide:

Yes: _____ No: _____

Specify if model bidding has 6000 lb. rated torsion axles with Vortex Hubs:

Yes: _____ No: _____

Specify if model bidding has ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels: Yes: _____ No: _____

Specify if model bidding has 12" 6 lug Kodiak brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler: Yes: _____ No: _____

Specify if model bidding has 4 treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 27' Lifetyme net boat (2011 Model): Yes: _____ No: _____

Specify if model bidding has ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle: Yes: _____ No: _____

Specify if model bidding has all stainless steel hardware: Yes: _____ No: _____

Specify if model bidding has 2000 lb. 2-speed winch with heavy-duty strap:

Yes: _____ No: _____

Specify if model bidding has LED tail and marker lights with full length ground and heat shrink connectors: Yes: _____ No: _____

Specify if model bidding has heavy duty side guides (1 ½" x 1 ½" square tubing covered by capped schedule 40 PVC pipe): Yes: _____ No: _____

Attachment B - Specifications

RFx # 3000025683

Title: *Rebid*Fax Bid* Boat Trailers for LDWF

Specify if model bidding has Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included): Yes: _____ No: _____

Specify if model bidding has Boat trailer tongue step: Yes: _____ No: _____

Specify Distance in Miles from LDWF Lacombe Office Bidding: _____

Specify Delivery Days ARO Bidding: _____