

## Attachment B - Specifications

**RFx # 3000025717**

**Title: \*Rebid\*Fax Bid\* Boat Trailers for LDWF**

**Location:** LDWF WLF/MF/CSA I  
61384 Fish Hatchery Rd  
Lacombe, La 70445

### **Line #1 – Trailer (26 Foot – Reno Lake Skiff - 2013 Model)**

Brand: Sport Trail or Equal

Model: TAL2528 or Equal

Length: 26’

Specify Brand Bidding: \_\_\_\_\_

Specify Model Bidding: \_\_\_\_\_

Specify Length Bidding: \_\_\_\_\_

- Tandem axle all welded aluminum construction
- GVWR Capacity Rating: 11,320 lb.
- Aluminum C-Channel frame, 80” Wide
- 6000 lb. torsion axles with Vortex Hubs
- ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels
- 12” 6 lug Kodiak Brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler
- 4 Treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 26’ Reno Lake Skiff boat (2013 Model).
- ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle.
- All stainless steel hardware.
- 2000 lb. 2-speed winch with heavy-duty strap.
- LED tail and marker lights with full length ground and heat shrink connectors.
- Heavy duty side guides (1 ½” x 1 ½” square tubing covered by capped schedule 40 PVC pipe).
- Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included.
- Bow ladder

If the awarded vendor is located beyond a 75-mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for the delivery of the trailer and all associated costs to the LDWF Lacombe Office.

If awarded and the vendor needs a vessel to fit/weld bunk configuration on trailer, and the vendor is located beyond a 75-mile radius from the LDWF Lacombe Office located at 61384 Fish

## Attachment B - Specifications

**RFx # 3000025717**

**Title: \*Rebid\*Fax Bid\* Boat Trailers for LDWF**

Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for pickup and return, and all associated costs, of 26' Reno Skiff to the LDWF Lacombe office.

Specify if model bidding is Tandem axle all welded aluminum construction:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify GVWR Capacity Rating Bidding: \_\_\_\_\_

Specify if model bidding is Aluminum C-Channel frame, 80" Wide:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 6000 lb. rated torsion axles with Vortex Hubs:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 12" 6 lug Kodiak brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 4 treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 26' Reno Lake Skiff boat (2013 Model): Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has all stainless steel hardware: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 2000 lb. 2-speed winch with heavy-duty strap:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has LED tail and marker lights with full length ground and heat shrink connectors: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has heavy duty side guides (1 1/2" x 1 1/2" square tubing covered by capped schedule 40 PVC pipe): Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included): Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has Bow ladder: Yes: \_\_\_\_\_ No: \_\_\_\_\_

## Attachment B - Specifications

**RFx # 3000025717**

**Title: \*Rebid\*Fax Bid\* Boat Trailers for LDWF**

Specify Distance in Miles from LDWF Lacombe Office Bidding: \_\_\_\_\_

Specify Delivery Days ARO Bidding: \_\_\_\_\_

### **Line #2 – Trailer (26 Foot – Reno Lake Skiff - 2011 Model)**

Brand: Sport Trail or Equal

Model: TAL2528 or Equal

Length: 26’

Specify Brand Bidding: \_\_\_\_\_

Specify Model Bidding: \_\_\_\_\_

Specify Length Bidding: \_\_\_\_\_

- Tandem axle all welded aluminum construction
- GVWR Capacity Rating: 11,320 lb.
- Aluminum C-Channel frame, 80” Wide
- 6000 lb. rated torsion axles with Vortex Hubs
- ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels
- 12” 6 lug Kodiak Brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler
- 4 Treated 4 treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 26’ Reno Lake Skiff boat (2011 Model).
- ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle.
- All stainless steel hardware.
- 2000 lb. 2-speed winch with heavy-duty strap.
- LED tail and marker lights with full length ground and heat shrink connectors.
- Heavy duty side guides (1 ½” x 1 ½” square tubing covered by capped schedule 40 PVC pipe).
- Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included.
- Bow ladder

If the awarded vendor is located beyond a 75-mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for delivery of the trailer and all associated costs to the LDWF Lacombe office.

## Attachment B - Specifications

**RFx # 3000025717**

**Title: \*Rebid\*Fax Bid\* Boat Trailers for LDWF**

If awarded and the vendor needs a vessel to fit/weld bunk configuration on trailer, and the vendor is located beyond a 75-mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for pickup and return, and all associated costs, of 26' Reno Skiff to the LDWF Lacombe office.

Specify if model bidding is Tandem axle all welded aluminum construction:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify GVWR Capacity Rating Bidding: \_\_\_\_\_

Specify if model bidding is Aluminum C-Channel frame, 80" Wide:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 6000 lb. rated torsion axles with Vortex Hubs:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 12" 6 lug Kodiak brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 4 treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 26' Reno Lake Skiff boat (2011 Model): Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has all stainless steel hardware: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 2000 lb. 2-speed winch with heavy-duty strap:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has LED tail and marker lights with full length ground and heat shrink connectors: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has heavy duty side guides (1 1/2" x 1 1/2" square tubing covered by capped schedule 40 PVC pipe): Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included): Yes: \_\_\_\_\_ No: \_\_\_\_\_

## Attachment B - Specifications

**RFx # 3000025717**

**Title: \*Rebid\*Fax Bid\* Boat Trailers for LDWF**

Specify if model bidding has Bow ladder: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify Distance in Miles from LDWF Lacombe Office Bidding: \_\_\_\_\_

Specify Delivery Days ARO Bidding: \_\_\_\_\_

### **Line #3 – Trailer (27 Foot – Lifetyme Net Boat - 2011 Model)**

Brand: Sport Trail or Equal

Model: CTTAL2528 or Equal

Length: 27’

Specify Brand Bidding: \_\_\_\_\_

Specify Model Bidding: \_\_\_\_\_

Specify Length Bidding: \_\_\_\_\_

- Triple axle all welded aluminum construction
- GVWR Capacity Rating: 11,320 lb.
- Aluminum C-Channel frame, 108” Wide
- 6000 lb. rated torsion axles with Vortex Hubs
- ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels
- 12” 6 lug Kodiak Brakes with stainless steel calipers on both axles, with a 20,000 lb. brake coupler.
- 4 Treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 27’ Lifetyme net boat (2011 Model).
- ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle.
- All stainless steel hardware.
- 2000 lb. 2-speed winch with heavy-duty strap.
- LED tail and marker lights with full length ground and heat shrink connectors.
- Heavy duty side guides (1 ½” x 1 ½” square tubing covered by capped schedule 40 PVC pipe).
- Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included.
- Boat trailer tongue step

If the awarded vendor is located beyond a 75-mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for delivery of the trailer and all associated costs to the LDWF Lacombe office.

## Attachment B - Specifications

**RFx # 3000025717**

**Title: \*Rebid\*Fax Bid\* Boat Trailers for LDWF**

If awarded and the vendor needs a vessel to fit/weld bunk configuration on trailer, and vendor is located beyond a 75 mile radius from the LDWF Lacombe Office located at 61384 Fish Hatchery Road, Lacombe, LA, the awarded vendor shall be responsible for pickup and return, and all associated costs, of 27' Lifetyme net boat (2011 Model) to the LDWF Lacombe office.

Specify if model bidding is Triple axle all welded aluminum construction:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify GVWR Capacity Rating Bidding: \_\_\_\_\_

Specify if model bidding is Aluminum C-Channel frame, 108" Wide:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 6000 lb. rated torsion axles with Vortex Hubs:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has ST225-75R15 Load range D tires mounted on galvanized 6 lug wheels: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 12" 6 lug Kodiak brakes with stainless steel calipers on both axles, with a 12,000 lb. brake coupler: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 4 treated pine bunks (covered with bunk slicks) to be supported by aluminum brackets welded in place to fit hull configuration of a 27' Lifetyme net boat (2011 Model): Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has ST225/75 R15 load range D spare tire, 6 lug Vortex hub carrier complete with a quick change spindle: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has all stainless steel hardware: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has 2000 lb. 2-speed winch with heavy-duty strap:

Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has LED tail and marker lights with full length ground and heat shrink connectors: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has heavy duty side guides (1 1/2" x 1 1/2" square tubing covered by capped schedule 40 PVC pipe): Yes: \_\_\_\_\_ No: \_\_\_\_\_

## Attachment B - Specifications

**RFx # 3000025717**

**Title: \*Rebid\*Fax Bid\* Boat Trailers for LDWF**

Specify if model bidding has Heavy-duty 2,500 lb. telescoping non-wheeled trailer jack to be included): Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify if model bidding has Boat trailer tongue step: Yes: \_\_\_\_\_ No: \_\_\_\_\_

Specify Distance in Miles from LDWF Lacombe Office Bidding: \_\_\_\_\_

Specify Delivery Days ARO Bidding: \_\_\_\_\_