



Bid Number 50-00149869

Two (2) Year Contract for Street Lighting Maintenance for Major Roadways for the Jefferson Parish Engineering Department

BID DUE: May 21, 2026 AT 2:00 PM

ATTENTION VENDORS!!!


Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Purchasing Specialist: Sean Dumas
Email: Sean.Dumas@jeffparish.gov
Phone: 504-364-2808**

Bid Bond

An Electronic Bid Bond must be submitted with this bid, through one of the respective clearing houses at <https://www.centralbidding.com/bid-bonds/>. To access the bonding companies on Central Bidding, hover over the “Central Bidding” link at the top of the page and select the “Bid Bonds” link.

The electronic bid bond number is to be placed in the required section listed on the standard envelope. Scanned copies of bid bonds will not be accepted with your submission.



The screenshot shows the Central Bidding website interface. At the top, there is a navigation bar with the following links: ABOUT US, TESTIMONIALS, CENTRAL BIDDING, and @PROCUREMENT SOLUTIONS. A dropdown menu is open under 'CENTRAL BIDDING', showing options: Bids by Agency, Search Bids, Bid Bonds, and Contact Us. Below the navigation is a hero section with a background image of hands holding a document. The text reads: 'Central Bidding is the leading provider of online bidding services to local agencies.' Below this are three buttons: 'CENTRAL BIDDING', 'SURPLUS SALES', and 'REGISTER NOW!'. To the left, there are four statistics: '\$41.6 Billion', '38,136 Bid Opportunities', '18,123 Vendors', and '568 Agencies'. To the right, there is a section titled 'Browse Thousands of Public Bids today!' with a paragraph of text and a 'Learn More >' button. The URL in the browser address bar is 'https://www.centralauctionhouse.com'.

\$41.6 Billion

38,136 Bid Opportunities

18,123 Vendors

568 Agencies

Browse Thousands of Public Bids today!

Central Bidding, founded in 2007, is one of the largest providers of electronic bidding services to public and private buying entities. Vendors have trusted Central Bidding to securely deliver more than \$31.2 Billion worth of electronic bids for more than 450 buying entities since their founding. Central Bidding works under exclusive contract with each of these buying entities and in each instance Central Bidding is the only official electronic location to receive the bid documents, the automated updates and allowance of electronic bids.

[Learn More >](#)

<https://www.centralauctionhouse.com/central-bidding/bid-bonds/>

**CONTRACT SPECIFICATIONS
FOR
STREET LIGHTING MAINTENANCE AND REPAIR
MAJOR ROADWAY LIGHTING
TWO-YEAR CONTRACT
JEFFERSON PARISH DEPARTMENT OF ENGINEERING
BID NUMBER: 50-00149869**

PREPARED BY:

**JEFFERSON PARISH DEPARTMENT OF ENGINEERING
1221 ELMWOOD PARK BLVD. SUITE 802
JEFFERSON, LA 70123**

TABLE OF CONTENTS

PAGE 2:	TABLE OF CONTENTS
PAGE 3:	PRE-BID CONFERENCE, LICENSE REQUIREMENTS,
SECTION A, PAGE 3-4:	STATEMENT OF PURPOSE
SECTION B, PAGE 4:	BACKGROUND INFORMATION
SECTION C, PAGE 4-6:	SCOPE, QUALITY OF WORK, GUARANTEE
SECTION D, PAGE 6:	CONTRACT TERM
SECTION E, PAGE 6-7:	DOCUMENTATION
SECTION F, PAGE 8:	GENERAL SCOPE OF WORK
SECTION G, PAGE 8-21:	REPAIR AND MAINTENANCE STANDARDS AND SPECIFICATIONS
SECTION H, PAGE 21-24:	SPECIAL WORK ORDERS
SECTION I, PAGE 24-26	SERVICE AND REPORTING REQUIREMENTS
SECTION J, PAGE 26-28:	SCHEDULE OF FEES, PAYMENTS, AND PENALTIES
SECTION K, PAGE 28:	HURRICANE PLAN
SECTION L, PAGE 28-33:	STANDARD MATERIAL LISTING
SECTION M, PAGE 33-35:	DEFINITIONS
SECTION N, PAGE 36:	LIST OF MAJOR ROADWAYS
ATTACHMENT 1:	LIGHTING INVENTORY
ATTACHMENT 2:	ARTICLES OF DESCRIPTION
ATTACHMENT 3:	PARTS LIST

TWO (2) YEAR CONTRACT FOR STREET LIGHTING MAINTENANCE AND REPAIR OF EXISTING AND NEW STREET LIGHT INSTALLATIONS ON MAJOR ROADWAYS

PRE-BID CONFERENCE

All prospective bidders are invited to attend this Non-Mandatory Pre-Bid Conference which will be held at 10:00 AM on April 10, 2026 at Joseph S. Yenni Building located at 1221 Elmwood Park Blvd. Room 405, Elmwood, LA 70123.

LICENSE REQUIREMENTS

1. **A Louisiana State Commercial Contractor's License in ELECTRICAL.**

The above LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply shall cause the bid to be rejected.

2. **A Jefferson Parish Electrical Class "A" Contractor's license.**

Bidders must submit a copy of their Jefferson Parish Electrical Class "A" Contractor's license with their bid submission. Failure to submit with your bid shall result in a bid rejection. **Any Supervisor assigned to manage, coordinate or supervise the work assigned on any Jefferson Parish work site for the Division of Street Lighting shall possess a Jefferson Parish Class "A" Electrician License.**

SECTION A – STATEMENT OF PURPOSE

The Parish of Jefferson is requesting bids for the repair and maintenance of Jefferson Parish's Major Roadways lighting system for the Eastbank and Westbank of Jefferson Parish as well as for other electrical installations and repairs on a Parish-wide basis. This will allow the Parish to secure a licensed and qualified repair and maintenance Electrical Contractor for the Major Roadways lighting system and other electrical needs throughout the Parish identified in the attached documents.

In an attempt to ensure the maximum effectiveness of the Major Roadways lighting system at the minimum cost, the Parish of Jefferson is soliciting bids from all interested licensed and qualified Contractors. The selected Contractor shall provide all labor, materials, and equipment for the repair and maintenance of the Major Roadways lighting system and new installations. Materials shall be provided by the Contractor unless otherwise stated in the attached contract documents. An inventory of any Parish-owned materials shall be maintained by the Contractor and confirmed on a monthly basis. The Bid shall include provisions for regular repair and maintenance of the Jefferson Parish Major Roadways Lighting System as described in Section G of the attached documents, as well as preventive maintenance which shall include the re-lamping of specific Major Roadways, and the rebuilding of underground conduit and wire where such wiring has deteriorated beyond repair. Additionally, the bid may provide for the installation of

new systems when approved by the Director of the Department of Engineering or his designated representative.

SECTION B – BACKGROUND INFORMATION

Jefferson Parish’s Major Roadways lighting system consists of approximately 3,943 streetlights of which the Contractor shall be responsible for those owned by Jefferson Parish (see List of Major Roadways Section -M). An amount of approximately 3,943 unmetered streetlights, including approximately 85 metered lights (LED, Induction, Metal Halide, and HPS), and accompanying underground conduit, wiring, and service points (feed points). Also, of the 3,943 Parish Owned streetlights there are approximately 2200 LED Roadway lights, and 183 Solar LED lights, see the Lighting Inventory Major Roadways.

SECTION C – SCOPE, QUALITY OF WORK, GUARANTEE

1. System Sites

The Jefferson Parish Major Roadways lighting system equipment is located throughout the Eastbank and the Westbank of Jefferson Parish and includes service connections points, controllers, underground conduit, wiring, foundations, and poles (with accompanying materials as specified).

NOTE: As-built Drawings, Plans and Specifications shall be available to the contractor on an as needed basis. Any changes or modifications to the system(s) drawings shall require inspections, documentation and returned the Street Lighting Division.

2. Examination before Bid.

At the time of submitting a Bid, each Contractor shall be presumed to have inspected the Parish-owned Major Roadway street light system to be informed of existing conditions, and to have read thoroughly and be familiar with the specifications and requirements so that the Contractor fully understands the scope and all requirements, limitations, restrictions and coordination of the work.

It is expected that the bidders are aware of the number of Parish-owned poles, the general locations of the poles; the type of poles and an inventory of types of poles and fixtures (See Section L Pages 29-33), Appendix-1 Streetlight Inventory, Appendix-2 Articles of Description, as well as Appendix-3 Parts List. The failure or omission of any Contractor to examine any form, instrument or document, or the existing condition of the Major Roadway lighting system shall in no way relieve any Contractor from any obligation in respect to its Bid. **Each Contractor shall include in its respective Bid a sum sufficient to cover the cost of all items with mark-ups, overhead, equipment, material, tools and labor required to maintain the Major Roadway lighting system in accordance with the standards and specifications set forth herein and in the resultant contract, if any.**

3. Scope, Quality of Work, Guarantee

The Contractor shall furnish all labor, tools, materials, and equipment necessary to perform and complete the work called for in the specifications, plans, or other instructions referred to in the resultant contract unless otherwise specified in Section G of the attached documents. All work shall be done in a quality manner by workers skilled in their respective trades. It is required that each work crew has at least one (1) Jefferson Parish-licensed electrician (Class C maintenance or higher) who shall monitor/supervise ongoing work locations. Verification shall be furnished to Jefferson Parish Engineering Department upon request. A certificate or other proof of licensing shall be provided to the Jefferson Parish Street Lighting Division for each licensed electrician to be employed for work covered by this contract and each "Special Work Order". Jefferson Parish will accept Louisiana Electrical License and Jefferson Parish Electrical Class "A" license or a Jefferson Parish Licensed Electrical Supervisor, which shall be sufficient to cover skilled workers on crews or project site.

All work shall be performed by employees of the contractor. Subcontractors may be employed for specific tasks such as road boring and concrete work. Such subcontractors shall be coordinated with the Street Lighting Division and approved by the Director of the Department of Engineering, or his designated representative prior to any such work being assigned by the Contractor. Assignment of basic electrical maintenance work shall not be permitted unless approved in writing by the Division of Street Lighting. The work shall be completed within the time stated in the contract, but the Contractor shall not be liable for delays due to causes beyond its reasonable control, all of which must be properly documented to be considered. The Contractor shall comply with the Parish's performance schedule unless the Parish formally declares and approves an extended time interval for work completion and system acceptance. The Contractor shall be responsible for the immediate repair or replacement, at its expense, of any defective equipment or materials furnished by the Contractor in the duration of this contract (24 Months). In the event an existing underground conduit for drainage, water, sewer, cable TV, telephone, gas or fiber optic equipment that has been properly identified, is damaged by the Contractor, the Contractor shall be responsible for repairs at his expense.

4. Surety Bond, Performance Bond and a Labor and Material Payment Bond

A 5% Electronic Surety Bond is required with bid submission. Simultaneously with its delivery of the executed Contract, the Contractor shall be required to deliver to Jefferson Parish, a Performance Bond and a Labor and Material Payment Bond fully executed by the surety in the amount equal to 50% of the contract price. These are two separate bonds.

SECTION D – CONTRACT TERM

The contract shall be effective for a period of Two (2) Years, twenty-four (24) months beginning on September 26, 2026 and ending at midnight on September 25, 2028.

SECTION E – DOCUMENTATION

1. Documents and Exhibits

- a. The Parish of Jefferson reserves the right to determine whether a Contractor is responsible and has the ability and resources to perform the requirements of the contract in full, including compliance with all specifications.
- b. The Bidder's current or planned service capability as related to satisfying the requirements of this document may be requested. This includes but is not limited to: previous Major Roadway lighting contracts which included the repair or replacement of underground systems, the installation of new Major Roadway lighting systems, or previous roadway lighting and maintenance experience which included repair and/or replacement of underground systems.
- c. The Bidder may add or include other pertinent information, not specifically requested, which they feel may serve to substantiate the Bidder's capabilities or the Bidder's ability to fulfill the obligations imposed. Jefferson Parish reserves the right to request additional information from any Bidder to satisfy any responsibility requirements.
- d. Insurance – Contractor shall furnish Jefferson Parish Government with certificates of insurance evidencing the coverage and conditions required by this agreement, and such certificates shall comply with the Jefferson Parish Government Standard Insurance Requirements, per Resolution No. 113646 and No. 113647 as applicable. Commencement of project/work without the required certificates of insurance, or without compliance with any other provision of this agreement, shall not constitute a waiver by Government of any rights to this agreement.

2. Additions, Deletions and Alternatives

- a. Jefferson Parish reserves the right to make nominal quantitative and qualitative changes on an as needed basis in the requirements set forth in this Bid Request. Appendix # 1, 2, 3 are an Inventory of Major Roadway lights, Articles of Description for Major Roadways, and Major Roadways Parts List in Jefferson Parish. However, Jefferson Parish may install lighting on new Major Roadways, or may upgrade existing Parish-owned to decorative Parish-owned systems. Any additional lights shall be absorbed into the system, should Jefferson Parish convert a system or retrofit part of a system to LED, Induction, etc., or in the event of a knocked down, damaged or vandalized pole, Jefferson Parish shall furnish a replacement pole/fixture or by way of contractor re-imburement. However, if any repairs are deemed major, the Street Lighting Division may consider this repair as a Special Work Order.

- b. The materials, products, and equipment described in this Bid Request establish a standard of required function, appearance, and quality to be met by the specified material or product and by any proposed substitution. Any substitutions shall be approved by Jefferson Parish.
- c. Bidders desiring to substitute items for products not specified, and which they believe to be equivalent in kind, maintenance, quality, function, inventory and appearance/aesthetics, shall submit their requests with complete specifications, drawings, performance certification, tests, warranty and any other pertinent supporting to the Division of Street Lighting. Such supporting data shall include samples, when so requested. **No substitutions shall be approved without a sample being submitted and/or visually inspected by the Division of Streetlighting.**

Data shall also include citation of several situations wherein the proposed substitute material or product has been successfully used. Any proposed substitute item shall comply in all respects with the manufacturer's specifications. If required by Jefferson Parish as a condition of accepting the proposed substitute, Bidder shall furnish special guarantees warranting the qualities of the substituted item as required. Jefferson Parish reserves the right to reject substitutions that will compromise the maintenance, quality, function, inventory, warranty and appearance/aesthetics of the system. Bidders shall recognize that the function, performance, capacity, accessories, and utility service requirements are based upon the equipment referenced in the specifications and that:

1. If a substitute product varies in this respect and is approved, the Bidder shall be notified of such approval by Jefferson Parish.
2. Approval of substitute(s), if and when given, does not relieve the Contractor, the material/product supplier or the manufacturer from any responsibility in the performance of said substitute. It shall be the responsibility of the Contractor that the material/product installed shall serve the functions and intent of all drawings and specification requirements.
3. Delays in delivery of substituted items shall not be cause for change of installation or construction schedule or stipulated contract completion unless specifically granted by the Director of the Department of Engineering or his designated representative.
4. Delay in submittal of proposed substitute items, as noted in schedule above, or items submitted with inadequate data shall be subject to rejection without review. No Fixture submittal shall be approved without the inspection and physical review of the requested product.

SECTION F – GENERAL SCOPE OF WORK

The work performed under this contract shall consist of providing the following maintenance and repair for all Parish-owned Major Roadway lighting systems on the Eastbank and the Westbank of Jefferson Parish (see List of Major Roadways Section - M). Maintenance services shall include 2 Bucket Trucks, 2 daily crews Minimum (crew shall consist of 1 Electrician) as specified in **Section**

H, Item 1 – Work Hours, as well as all labor, supervision, tools, equipment, materials, overhead, insurance, and administration necessary to provide the services described in these specifications unless specifically excluded in Section G. The Contractor shall also be responsible for the initial investigation of all HPS, LED, Metal Halide, Induction and/or Solar lighting.

The specific scope, terms, and conditions of the foregoing work are set forth in Section G.

SECTION G – REPAIR AND MAINTENANCE STANDARDS AND SPECIFICATIONS

1. General

- a. **The Street Lighting Division reserves the right to determine the order in which the work orders are scheduled. Regular Maintenance Work Orders will be issued as per roadway and/or “Spot Outage” location.**
- b. The Street Lighting Division reserves the right to approve manufacturers and specifications of all materials and equipment used, including lamps and photoelectric cells, as well as all Solar, HPS/Metal Halide and LED fixtures/lighting, see Section E, 2- a, b, and c- items 1 thru 4 for any substitutions.
- c. Roadway classifications shall be as defined in the Illuminating Engineering Society Recommended Practice for Roadway Lighting (ANSI/IES RP-8-14) or as directed by Jefferson Parish Department of Engineering, Division of Street Lighting.
- d. Disposal of spent or damaged system components shall be the sole responsibility of the Contractor.
- e. Recycling of used materials shall comply with all EPA guidelines regarding the disposal of hazardous materials, particularly with the disposal of HPS, Mercury Vapor, Metal Halide and Solar lamps/fixtures.

2. Requirements and Specifications of Regular Maintenance Work Orders

The following requirements, specifications and investigations for repairs shall be performed by the Contractor as part of Regular Maintenance of the Roadway Lighting system, with cost included in the unit price of Items No. 0010 and items 0240 thru 0280 Regular Maintenance Spot outage Work Order.

Contractor shall be available to schedule and begin work within 5 to 10 days of contract execution with Lane closure, if required, labor, materials and equipment to undertake the repair and maintenance work order requirements from the date of work order issue.

Line Item 0010 Work Order shall be issued on a “Per-Roadway basis” for initial investigation of “Major or Multiple” outages ONLY to include, Power failures/Circuit Failures/ Outages caused by Breaker tripped, blown fuses, Bad Contactors/Relays at controllers, shorted circuits or loose connections shall be included in the Primary investigation of the outage, Line Item 0010 in the Articles of Description. Infrastructure or System damage and/or major repairs shall be by Special Work Order.

Additional Spot Outage work/repairs, Fixture, Photocell, Fuses/Fuse Holder, wiring change, may/shall be assigned once Streetlighting power is restored and working, see Articles of Description Items for Labor and Materials and shall be billed at “Line Item cost only”.

Items 0020 thru 0200 of the Articles of Description shall only be billed for Special Work Orders.

Items included in Section 2, a thru j below shall be considered “Spot Outages”, regular repairs and maintenance work orders with all cost for a “Repair/Re-lamp, Photocell or Fuse change, Per Each Pole”. Individual repairs and maintenance work shall be included in “Spot outage” and billed for Items No. 0240 thru Item 0280 Maintenance Work Order. For multiple part change use corresponding Line Items for billing. All completed Work Orders shall include the pole number, GPS location or address of the repair, “No exceptions”. Three (3) or more consecutive outages shall be considered for a Group Re-lamp, and or LED Retrofit.

- a. Spot outages, or single light outages, or bad fixtures, which may include High Pressure Sodium, Metal Halide, Induction, LED and Solar as reported by citizens, Entergy, or others shall be investigated/repared by the Contractor according to the service schedule in Section F, G, H and I. The Contractor shall include all cost, labor, tools and equipment, and other material costs associated with the repair or replacement, to include: ballasts, LED drivers, transformers, luminaries, lamps, LED Lamp (COBBS), hand hole covers, globes, photoelectric controls, brackets, conduit, conductors, fuses, fuse holders, fuse boots, 3M underground splice kits (shrink tubes and compression butt splices may be used in readily accessible areas such as Hand Holes, Bases, E-boxes, Junction boxes, and in areas associated with the repair or replacement. (See Description of Articles). These Items shall be included in line item quote.

ALL labor, tools equipment and materials shall be the responsibility of the contractor as a normal “bad head” repair /spot outage replacement as part of the contract Item 0240 thru 0280 “Per Each Unit” cost. As stated in this contract, LED replacement lamps (COBBS) can be used for ballast by-pass and Lamp replacement with Warranty/Guarantee, and shall be allowed in comparable Wattage/Lumen rating, and 4 K color rating. For All LED Fixtures warranted/ non-warranted, the contractor shall be responsible to identify if the fixture is defective and/or can the driver be replaced to restore the operation. If it is determined that the fixture is defective, Jefferson Parish shall provide a replacement fixture or the contractor shall purchase said fixture and be reimbursed as per the Articles of Description.

NOTE: It shall be the responsibility of the Contractor/Electrician/Technician when replacing/retrofitting fixtures, parts, etc;, to date, mark and/or record the date on the fixture/fixture housing (VIA permanent marker/tag/decals) for replacement and warranty purposes.

Defective fixture shall be returned to Jefferson Parish in a timely manner however this does **NOT** apply to fixtures in Section G – 3, below, i.e.-items bought/furnished in the duration of this contract, warranted by the contractor.

NOTE: There were approximately 2000-2200 Commercial (Cobra type 250 Watt HPS) retrofitted to 200-watt LED, some have a 5 and 10 yr. warranty. Other Roadways have been converted to LED in recent years, see Lighting Inventory – Appendix 2 and may or may not be under warranty. See Section G, 2, j below for warranty instructions.

- b. Circuit faults - Identify Circuit faults that require replacement or repair of underground lines or lines contained in conduit, or direct buried, including cut wire/cables. In the event of a shorted ballast or part in the fixture or pole, a ballast by-pass may be applied and a LED lamp (COBB) as stated above can be used (if possible) and utilized as ballast/ballast kit and Lamp replacement. Should any additional repairs be needed, pole shall be disconnected from the circuit allowing the circuitry to continue to be energized for the operation of the remainder of the lights on said circuit until repairs can be made. All replacement of poles or foundation repair/replacement shall be issued on an “as needed basis” or Special Work Order, and verified by the Division of Street Lighting. Exceptions to this requirement are contained in Special Work Orders (See Section H).
- c. Bad Contactor/relay controller boxes which are central service points/controller boxes for any Roadway shall be repaired/replaced when necessary and billed under a “Special Work Order”. All identification information, Controller, contactor or circuit number, breaker number shall be recorded on the work order.
- d. All High Mast Lighting on I-10, Veterans, and Earhart Blvd’s repairs and the changing of lamps on high mast fixtures unless specifically exempt as stated in Section G, 4 & 5. All I-10 High Mast and Low Mast repairs shall be billed under a “Special Work Order”, as well as Veterans and Earhart Blvd High Mast.
- e. The regular and routine maintenance of all Standard & Decorative Commercial Major Roadway poles, Aluminum, Steel and/or Concrete, arms & fixtures HPS, MH, LED, Solar or Induction.
- f. Locating and/or marking underground cables. Jefferson Parish is **NOT** on Louisiana One Call, Jefferson Parish must be contacted for all Parish owned utilities, roadway lighting, water, sewerage, drainage, etc., and shall be billed and included under line item 0131 for locating and marking. Line Item 0010 shall not be used in conjunction with this Line Item.
- g. Tree trimming – Minor tree trimming shall be authorized only as required to make a safe operating system. Only limbs that are under 2” in diameter shall be trimmed away from the light to insure the light will shine on the street. Prior to working in any areas requiring more than minor tree trimming, or for the repair of underground circuits which may cause damage to trees, the Contractor shall contact the Street Lighting Division and the Jefferson Parish Arborist, prior to any tree trimming.
- h. Underground, overhead or in conduit circuit repairs – Contractor shall maintain, repair, and replace underground street light circuits, and any portion of the entire circuit to correct Major Roadway light outages. All repairs shall be of a permanent nature and inspected by the Division of Streetlighting before concealed/buried except as specifically allowed in Section H. Reasonable effort shall be taken to protect pedestrians and vehicular traffic from all contact regarding excavations. The contractor shall be responsible for the initial investigation/troubleshooting of any overhead/underground circuitry/wiring. Any controller breaker, fuse replacement or relay/contactor reset shall be covered under a Line Item 0010 Repair and Maintenance Work Order. Restoration of

service shall be made as soon as reasonably possible, major repairs shall be repaired as a "Special Work Order". As used in this section and throughout this contract, the term underground, overhead or in conduit for Major Roadway light circuits shall mean such circuits that are owned by Jefferson Parish. When permanent repairs are made, the excavation shall be filled and the original surface condition shall be restored.

NOTE:

Daily Lane closures on all Major Roadways will require approval from the Division of Street Lighting as well as DOTD District 02 on State owned Roadways, that the standard roadway lane closure procedures are met; i.e.-arrow board, cones etc. Communications and closures shall be strictly adhered to for all maintenance and repairs. Weekend or night work may be required, the shoulder lane may be used for portions of the Roadway between the hours of 9am to 3pm, however arrow board and cones will still be necessary for proper lane closures. THE STREET LIGHTING DIVISION SHALL BE NOTIFIED AND INSPECT ANY AND ALL UNDERGROUND WORK BEFORE BEING CONCEALED.

- i. The replacement ordering of all commercial or decorative poles, fixtures and shades: The successful bidder and after contract execution, shall have a "Grace Period" of 10 working days and be required to discuss/meet with the Street Lighting Department Manager for the ordering and replacement for Poles and materials and/ or submit a copy of an order/invoice to the Street Lighting Division with delivery time/date for approval on Section G, 3 below. All orders and or partial orders shall be approved by the Director of Engineering or her designated representative.
- j. The repair/troubleshooting, replacement and purchase of LED, Induction and Solar type fixtures, drivers, parts, etc., shall be investigated as "spot outages" and addressed as specified in Section G, 2, a, or as under warranty. If the fixture cannot be repaired by replacement Parts, the contractor shall notify/confirm with the parish and bill by receipt or invoice from the supplier/manufacture, if any. However, if the fixture is found to be defective and/or beyond repair and not under warranty, Jefferson Parish shall supply new fixture, i.e. warehouse stock or contractor reimbursement. The defective fixture shall be returned to Jefferson Parish in a timely manner. ALL labor, materials and subsequent items shall be the responsibility of the contractor as a normal "bad head" or "Spot Outage" replacement as part of the contract bid, this replacement is not covered under Section G – 3 below.
- k. Miscellaneous Services
 - i. Contractor shall be required to pick up and temporarily store poles, bases, luminaries, and related material removed for Capital projects, per Section H, and Section I, and billed under Line Item 0220, Pole pick-up/removal.
 - ii. Contractor shall be required to dispose of damaged poles, bases, luminaries, and related hardware at no charge to Jefferson Parish.

Items included in Section G, 2, a thru k above shall be considered regular maintenance "Spot Outage" work orders with a unit cost for an individual maintenance repair work

included in Items 0240 thru 0290, unless otherwise noted, which shall be paid at the unit bid price.

Line-Item No. 0180 Boring, shall include costs for all labor, materials, equipment, supervision, profit and overhead necessary to perform the work.

3. INVENTORY, ASSOCIATED TYPE, GUIDELINES AND DESCRIPTION

The contractor shall be required for the purchase, storage and delivery of Standard and/or Decorative Poles (if needed), Fixtures, Arms and Bases which shall be included in the cost as outlined in Section H and billed under a "Special Work Order". Multiple Roadways may be included in one cost or Pole order depending on pole sizes. All labor, equipment, Delivery, Administrative and incidentals necessary to install the following items (a – k) shall be included in the unit price and paid on an "as-needed basis", see Section H, 1 - a & b.

- a. The Repair of Major Roadway or Commercial Roadway Fixtures including Lamps, Bulbs, Ballast, Fuses, PE, Etc.; Cobra, Box Style/Mongoose, for wattages of 50 watt to 100watt HPS, Metal Halide damaged, vandalized and/or missing, or any combination thereof for the term of this contract, and shall be repaired under Items No. 0010 DAILY and 0240 thru 0280, Repairs and "Spot Outage" Maintenance Work Order. (See Standard Material List Section L Pages 29-32, as well as Articles of Description. In the event of Lamps, Ballast, etc.; not being available in HPS/MH and/or Induction, etc.; is the only option, LED Lamp (cobb) type shall be allowed for by-pass and Ballast replacement and included in Line Items 0960 thru 0990. All specifications must be equal to existing lamp, Lumens, Wattage, color scheme 3K or 4K shall be equaled with IES File submitted with Warranty and Guarantee, and approved by the Division of Streetlighting. Should the Fixture require changing, Jefferson Parish will supply the fixture or the contractor shall supply the approved Fixture and Jefferson Parish will pay the contractor the Line Item cost only. The Contractor shall still be responsible for labor and equipment as well as all other material costs as a normal bad head/fixture change. Before any repairs/changes are made, Jefferson Parish shall approve any retrofits/replacements as per the "or equal" substitute item, See Section E, Item 2, a, b, and c above.

NOTE: During the 2020-2022 contract term approximately 50 Standard major/commercial roadway poles were knocked down and either needed to be replaced.

- b. The Repair of Major Roadway or Commercial Roadway Fixtures including Lamps, Bulbs, Ballast, Fuses, PE, Etc.; Cobra, Box Style/Mongoose, for 150 to 250watt HPS, Metal Halide damaged, vandalized and/or missing, or any combination thereof for the term of this contract, shall be repaired under Item No. 0010 Daily, 0240 and 0280 and 0960 thru 0990. Repairs and Maintenance Work Order. (See Standard Material List Section L Pages 29-33, as well as Labor and Materials Articles of Description. In the event of Lamps, Ballast, etc.; not being available in HPS/MH and/or LED/Induction, etc.; is the only option, LED Lamp

(cobb) type shall be allowed for by-pass and Ballast replacement and included in Line Items. All specifications must be equal to existing lamp, Lumens, Wattage, color scheme 3K or 4K shall be equaled with IES File submitted with Warranty and Guarantee, and approved by the Division of Streetlighting. Should the Fixture require changing, the contractor will supply the approved Fixture and Jefferson Parish will pay the contractor the Line Item cost only. The Contractor shall still be responsible for labor and equipment as well as all other material costs as a normal bad head change. Before any repairs/changes are made, Jefferson Parish shall approve any retrofits/replacements as per the "or equal" substitute item, See Section E, Item 2, a, b, and c above.

- c. The Repair of Major Roadway or Commercial Roadway Fixtures including Lamps, Bulbs, Ballast, Fuses, PE, Etc.; Cobra, Box Style/Mongoose, for 250 to 400watt HPS, Metal Halide damaged, vandalized and/or missing, or any combination thereof for the term of this contract, shall be repaired under Item No. 0010 DAILY, 0240 thru 0280 and 0960 thru 0990. Repairs and Maintenance Work Order. (See Standard Material List Section L Pages 29-33, as well as Labor and Materials Articles of Description. In the event of Lamps, Ballast, etc.; not being available in HPS/MH and/or LED/Induction, etc.; is the only option, LED Lamp (cobb) type shall be allowed for by-pass and Ballast replacement and included in Line Items. All specifications must be equal to existing lamp, Lumens, Wattage, color scheme 3K or 4K shall be equaled with IES File submitted with Warranty and Guarantee, and approved by the Division of Streetlighting. Should the Fixture require changing, the contractor will supply the approved Fixture and Jefferson Parish will pay the contractor the Line Item cost only. The Contractor shall still be responsible for labor and equipment as well as all other material costs as a normal bad head change. Before any repairs/changes are made, Jefferson Parish shall approve any retrofits/replacements as per the "or equal" substitute item, See Section E, Item 2, a, b, and c above.
- d. The repair/troubleshooting, replacement and purchase of warranted/unwarranted LED, Solar or Induction fixtures, drivers, parts, etc. shall be investigated under this contract as stated in Section G-2, j and addressed under warranty. However, should the fixture be found defective, and under warranty, Jefferson Parish shall investigate and/or supply a new fixture. The defective fixture shall be returned to Jefferson Parish in a timely manner. Unwarranted Fixtures shall be replaced by the contractor and subject to Section G, 3, a, b and c above. ALL labor shall be the responsibility of the contractor as a normal "bad head/fixture" and Line Item replacement as part of the contract bid.
- e. The purchase and reinstallation of Major Roadway Commercial-Cobra lenses, shades/globes, any combination there-of, after which the Parish shall be responsible for the cost of the lens, shade/globe only Line Item 48. All labor, equipment, and other material costs associated with the repair or replacement shall be billed as per the Articles of Description.
- f. The purchase and reinstallation of hand-hole covers under initial work order issued and shall be invoiced from Line Item 0510 of the Articles of Description. All labor, equipment,

and other material costs associated with the repair included with replacement as per the Articles of Description.

- g. Missing, damaged or broken hand-hole covers shall be replaced with properly fitting covers as per Line Item 51. Taping is **NOT** allowed.

Line Items and re-imburement – Missing Poles or Knocked down Poles

NOTE: Missing Poles and/or Knocked Down pole replacement shall be issued as a Special Work Order and an “as needed basis”. It shall be required to submit a job/cost estimate, and itemized unit price as per Section H, “Special Work Orders”: Special Work Orders shall NOT include nor be included in Line Item 0010.

See Section H and I, see Item 0220 for pole pickup and knockdowns.

Standard Commercial and Major Roadway Pole Replacement and Installation:

The cost for the purchase, as well as storage and delivery of Standard Poles, Arms and Base shall be included in the appropriate Line Items as outlined below. For all Installations, all labor, equipment and incidental/miscellaneous materials necessary to install the following items shall be included in the Job Cost Estimate price, as per Section H, “Special Work Orders”.

Decorative Commercial and Major Roadway Pole Replacement and Installation:

All Decorative Major Roadway pole replacements shall be issued by Special Work Order Only and a required “Not to Exceed cost Estimate” must be submitted before NTP and work order issued! See Section H.

NOTE: During the contract term approximately 50 Standard major/commercial roadway poles are knocked down and/or need to be replaced.

- h. The contractor shall be required to purchase and install Fifty (50) Standard Commercial & Major Roadway Aluminum poles, arms and base packages, HPS, MH, and LED or Solar that are missing and/or knock down and as part of the regular maintenance in the 2-year contract term. Quantities and sizes shall be issued/determined by Jefferson Parish. Additionally, these shall be considered a Lump Sum Re-imburement as per Item k below and shall be stored at the contractors’ facility. Any unused quantities shall become property of Jefferson Parish as Inventory. The Contract price for this item shall include all costs associated with Standard Commercial & Major Roadway Aluminum, Steel or Concrete poles including arms and bases. All re-installation labor, materials and equipment shall be included in the Job Cost Estimate. Items in the Standard Materials List Section L, shall be the contractor’s responsibility and included in the Job Cost Estimate. Jefferson Parish also reserves the right for any substitutions for any pole and fixture for any roadway included in Section G-2 & 3 as well as any other Commercial & Major

Roadway installations in Jefferson Parish. Should additional foundation replacement/repairs be needed, they shall be addressed by the Division of Streetlighting, the Director of Engineering for the additional work/cost, etc., and the work covered under this item shall be issued as a "Special Work Order".

- i. The contractor shall be required to purchase and deliver a minimum of twenty-five (25) Decorative Commercial & Major Roadway poles, fixtures, etc.; HPS/MH/LED/ or Solar that are presently missing, vandalized or knock down to include pole, arms and base on various roadways but not limited to other installations in Jefferson Parish. Items, Quantities and sizes shall be issued/determined by Jefferson Parish. Additionally, these shall be considered a Lump Sum Re-imbusement as per Item k below. These Items shall be delivered to the Jefferson Parish warehouse. The Contract price for this item shall include all costs associated with Decorative Commercial & Major Roadway Aluminum, Steel or Concrete poles. Arms, bases and fixtures shall be ordered and billed under designated items in the Articles of Description. All re-installation materials and equipment shall be based on Standard Materials List and included in the Job Cost Estimate. Items in the Standard Materials Listings Section – K, shall be the contractor's responsibility and included in this Estimate. Jefferson Parish also reserves the right for any substitutions for any pole and fixture for any roadway included in Section G, 2 and G, 3 as well as any other decorative installations in Jefferson Parish. Should additional foundation replacement/repairs be needed, they shall be addressed by the Division of Streetlighting, the Director of Engineering for the additional work/cost, etc. The work covered under this item shall be issued as a "Special Work Order".
- j. The contractor shall be required to purchase and deliver Fifty (50) Standard Cobra type Commercial/Major Roadway HPS, MH or LED and Or Solar fixtures, arms, scrolls, etc., that are presently missing, knocked down or vandalized on various roadways but not limited to other installations in Jefferson Parish: Items, Quantities and sizes shall be issued by Jefferson Parish and delivered to the Jefferson Parish warehouse as inventory, and shall be issued as a "Special Work Order" as part of this contract and Lump Sum re-imbusement. Any unused quantities shall become property of Jefferson Parish Inventory. Lumens shall be specified accordingly; any substitutions shall be approved by the Division of Streetlighting. Jefferson Parish shall supply the fixture or the Contractor shall charge Jefferson Parish the cost to supply the fixture, and billed as per section H. However, the Contractor shall still be responsible for labor, equipment and materials (as in Standard materials list Section - K) and Line Item 28 - Fixture change for re-installation. The replacement fixture, drivers, all parts, etc.; shall be approved by Jefferson Parish before installation. ALL labor shall be the responsibility of the contractor as a normal bad head/fixture replacement as part of the contract bid.
- k. The ordering and delivery of all commercial or decorative poles, fixtures and packages: The successful bidder and after contract execution shall have a "Grace Period" of 10 days and be required to discuss/meet with the Street Lighting Department Manager for priority/preference for the ordering of poles and materials, and/or for submitting a copy

of an order/invoice to the Street Lighting Division with delivery time/date for approval on Section G-3, a thru f, AND h thru j, and shall be considered as a Lump Sum Re-imbusement. All partial orders shall be approved by the Director of Engineering or his designated representative. Any penalties associated shall be at the discretion of the Department of Engineering, Street Lighting Division.

NOTE: Item h. thru j. above are Line Items for re-imbusement as per Section H, a thru e.

4. Regular Emergency Work Orders

Regular Emergency Work Orders are those which shall be undertaken immediately and completed during the standard workday as established by mutual consent of the Parish and the Contractor and utilizing no overtime. These include, but are not limited to: cut cables, downed poles, falling fixtures, exposed wires, or other situations which may endanger the public if not immediately addressed. The contractor shall be responsible for Emergency situations for Capital projects that require any streetlighting investigations on Major Roadways and billed under Line Item 0010. Should the initial investigation require extensive repairs a Special Work Order shall be issued and billed under the Articles of Description.

5. Group Re-Lamp/Retrofit Replacement Procedures – See Bid Item No. 23

In the event of 3 or more consecutive outages on a Major Roadway, the issuance of a Group Retrofit work order for that certain portion of Major Roadways may/shall be issued, the Contractor shall Retrofit each HPS, MH or Mercury Vapor fixture in that Controller or Controller circuit system as per the instructions and location on the Work Order. In order to ensure that Mercury Vapor, Metal Halide, and/or High-Pressure Sodium lamps are replaced as well as LED (COBB) equivalent lamps, may be used for multiple outages, three (3) or more consecutive outages on a roadway system controller/circuit may/shall be considered a Group Re-lamp/Retrofit and shall be billed as such. "Spot outages" throughout one Major Roadway system shall be considered regular maintenance. The Group Re- Lamps shall be billed under the Articles of Description Line Item 0230 as assigned by the Division of Streetlighting and shall require pole stations and/or numbers, addresses or GPS locations, **NO** exceptions. The specific responsibilities for a Group Re-lamp/Retrofit include and shall be adhered to are:

- a. Group Re-Lamp/Retrofit Program shall be implemented on Major Roadways where the poles are owned and maintained by Jefferson Parish. See Section - N of the Contract Documents for List of Major Roadways. Locations shall be determined by the Division of Streetlighting.
- b. The replacement of lamps and photoelectrical controls with new 120/240 Volt or 240/480 Volt LED Fixtures or LED COBB lamps and new photoelectrical controls for Three (3) or more consecutively.
- c. Ensure that the photoelectrical control window on each fixture being re-lamped is not obstructed or triggered by other illumination.

- d. Luminaires shall be cleaned and damaged or missing glassware shall be replaced.
- e. Physical damage discovered during re-lamping shall be noted and repaired promptly. Such damage may include, but is not limited to, broken lenses, globes, missing hand-hole covers, and bent or broken support structures. In prioritizing and scheduling repairs, the safety of the public shall be the primary concern.
- f. Lamps and photoelectric controls removed from service through group Replacement shall not be reused and shall be disposed of per EPA guidelines.
- g. Re-lamping and/or retrofitting in any contract term shall be at the discretion of the Street Lighting Division. Fixtures shall be semi-cutoff unless otherwise specified.

6. Pole Alignment

- a. Contractor shall plumb street light standards needing minimal adjustment which will be those that require shimming, minor excavation, straightening, and sand backfill.
- b. Standards shall be set within 2.5 degrees of vertical.
- c. All Leaning pole request shall require inspection before work/straightening commences.

7. Service Requirements

- a. Outages – All regular maintenance work orders shall require written documentation of work completed and shall be forwarded to the Jefferson Parish Street Lighting Division in a timely manner. No work orders shall be closed without this documentation. All outages shall be completed using methods and requirements of the Jefferson Parish Code of Ordinances, Electrical Code and shall conform to the National Electrical Code.
- b. Pole setting procedures and leaning standards – A pole setting and leaning standard procedure shall conform to Section G, 6, b as well as the Jefferson Parish Code of Ordinances, Electrical Code, OSHA Guidelines on Major Roadway Lighting or LADOTD standards. All Leaning pole request/work orders shall require inspection and approval before work commences.
- c. Downed poles – In addition to the above requirement, downed pole procedures shall include the removal of debris, and if the pole cannot immediately be repaired, the pole shall be moved to a safe location out of the immediate area so as not to obstruct vehicular or pedestrian traffic. Any exposed conductors shall be made safe and a cone shall be secured to the top of the foundation. The Street Lighting Division shall be notified in order to issue the proper work order for repair.
- d. Circuit locations/fault finding shall be required for the location and determination of broken or cut cables as well as for the location of underground utilities owned by others.
- e. As-built maps, cut cable repairs or splices or other underground changes, relocations, feed point relocations, etc., shall be documented and reported to the Street Lighting Division.

8. Inventory and Material Requirements

- a. Contractor shall furnish all materials for the fulfillment of the Contract unless otherwise indicated in Section G, 2 & G, 3 of this Contract. Materials installed in the System shall become the property of the Parish. In addition, the Parish owns certain material which has been made available to the Contractor for the performance of the work. The Contractor shall maintain a record of Contractor-owned material and Parish-owned material.
- b. Contractor shall maintain at least a one (1) month inventory at all times in its Jefferson Parish supply area, or deliverable the same day from a local vendor, of materials needed for the maintenance and repairs of any Major Roadway Lighting System including, but not limited to: ballasts, luminaries, lamps, starters, globes, photoelectric controls, conduit, conductors, fuses, fuse holders, fuse boots, 3M underground splice kits (shrink tubes and compression butt splices may be used in readily accessible areas such as E-boxes, Junction boxes and pole hand-hole areas, at the discretion of the Street Lighting Electrical Inspector), MG Squared termination kits, or approved equal, and hand-hole covers (see Standard Materials List Section - K). In the cases of rarely used items, receipt or invoice of order or reorder shall satisfy the inventory stocking requirements. Should the Parish make changes to the material specifications, the Parish shall give the Contractor sufficient notice to use the old materials in his inventory.
- c. Material specifications are subject to approval by the Director of the Department of Engineering or his designated representative. The current approved materials for the items listed herein are set forth in Section G, also Standard Materials List Section - L attached hereto. The Director of the Department of Engineering or his designated representative shall approve materials used in routine work orders.
- d. Used material shall **NOT** be allowed, except certain salvageable materials authorized by the Director or his designated representative. Lamps, electronic photo controls, and plastic refractors shall **NOT** be reused.
- e. Refractors shall be acrylic. Polycarbonate plastic may be used upon approval from the Director in areas of high vandalization.

9. Inspections and Acceptance

- a. All work shall be done in a skillful and competent manner. All electrical work shall be inspected by the Electrical Inspector for the Department of Engineering, Division of Street Lighting. An application for the electrical inspection shall be filed with the Street Lighting Division with all fees waived by that department before commencement of work or before concealment of work. Fees shall be waived for all work orders issued by the Street Lighting Division. ALL CONSTRUCTION AND UNDERGROUND REPAIRS SHALL BE INSPECTED BY THE STREET LIGHTING DIVISION'S ELECTRICAL INSPECTOR.
- b. All work shall meet Jefferson Parish Code of Ordinances, the National Electric Code specifications, and the Division of Street Lighting guidelines. The Department of Engineering, Division of Street Lighting shall authorize any specific change.

10. Safety

The Contractor shall comply with all OSHA guidelines and safety requirements including but not limited to, the use of hard hats, safety vests, gloves, safety glasses and any other safety precautions/equipment necessary to ensure a safe working environment.

11. Radio Communications

- a. Contractor shall maintain dependable and properly functioning mobile two-way facilities and/or cell phones at each work location.
- b. Contractor shall furnish two (2) hand-held, battery operated radios/Cell Phones or equal, complete with quick charging units and capable of full communications with all other radios, to designated Parish personnel authorized by the Director. All radio equipment shall be provided and maintained by the Contractor and shall be returned at the completion of the Contract. Any lost, stolen, or damaged equipment shall be the responsibility of the Parish to replace.
- c. Contractor's field service personnel shall have hand-held, battery-operated radios capable of full communications with all other radios if used. Contractor's radio equipment shall have a panic feature which will allow its employee to alert for immediate police and/or emergency attention.
- d. Cell phone communication can be used in lieu of two-way radios for communication between contractor, the contractor's field service personnel, designated parish personnel, and emergency personnel (i.e. police, ambulance, firemen, etc.)

12. Vehicle Requirements

- a. Contractor's trucks shall be able to service lights mounted from 15 to 45 feet, with at least one (1) truck able to service lights mounted 65 feet. Each truck shall be kept in good, clean physical condition.
- b. On each of the Contractor's trucks, the Contractor's name shall be clearly visible on both sides of the truck. An identification number shall be clearly visible at night on at least two sides of the truck. The Street Lighting complaint telephone number shall be visible from at least two sides of the truck.
- c. Each service truck shall be fully equipped to handle the jobs assigned for the day. Equipment shall include, but is not limited to, appropriate tools, locators, and clean-up equipment.

13. Maintenance and Protection of Traffic

- a. Contractor shall furnish barricades, traffic controls (including arrow boards and bumper trucks), police details when authorized, traffic cones, and safety devices to protect the work, the workers, and the general public.
- b. Posted traffic regulations shall be followed by field personnel and are subject to police enforcement. Exceptions shall be submitted through the Office of the Director of Engineering or the Division of Street Lighting.

- c. Contractor shall obtain from the Jefferson Parish Department of Public Works and the Louisiana Department of Transportation and Development current traffic control guidelines and shall maintain copies of said guidelines at their main and operations offices at all times.
- d. "Road Closure" notices shall be completed for all work areas where required for public safety and for the safety of the crews working on the street lights. Notices shall be prepared and forwarded to the Street Lighting Division two (2) weeks prior to the scheduled work.

14. Facilities and Personnel

- a. The Contractor shall maintain an Operations Office within Jefferson Parish, open to Parish personnel at all times and the Contractor's employees are present for the administration of the contract.
- b. The Contractor shall maintain a supply yard, within Jefferson Parish, open to authorized Parish personnel for inspection purposes at all times that the Contractor's employees are present.
- c. The Contractor shall have a supervisor accessible to the Director or his designated representative at all times. Contractor's employee who is responsible for all contract administration and performance shall maintain a full-time office at the Operations Facility and shall be available during normal daytime business hours.

15. Other Requirements

- a. The Parish shall perform a follow-up night patrol inspection and/or follow-up daytime patrol inspection to note maintenance failures. The Parish is not obligated to provide notice to the Contractor of the follow-up inspections, but shall, not later than three (3) working days after any such inspection, provide Contractor with a written inspection report detailing any purported violations of this contract noted by the Street Lighting Electrical Inspector.
- b. The Contractor shall review current environmental regulations concerning the disposal of materials removed from the street lighting system and shall dispose of such materials properly. The materials include, but are not limited to, luminaire ballasts and HID lamps. Environmental regulations shall be reviewed annually.
- c. The Contractor shall comply with rules, regulations, ordinances, codes and laws relating to the work or the conduct thereof; shall adhere to applicable NEC and OSHA guidelines; shall adhere to the provisions of any Social Security and unemployment insurance laws, state, local or federal, as now and hereafter enforced, and the provisions of Applicable Workmen's Compensation Laws.
- d. Each Contractor's service crew working on electrical systems shall be supervised by an electrician licensed by Jefferson Parish.
- e. Work shall be performed using the Contractor's own personnel and resources, except as shown on the Subcontractor Disclosure Report supplied to the Division of Streetlighting, or as agreed upon by the Division of Streetlighting.

- f. The Contractor shall supervise and be responsible for the quality and quantity of work performed by its subcontractor. The fact that the Contractor may have subcontracted a portion of the work shall not relieve the Contractor of its liability and responsibility to the Parish for the full and timely performance of its obligations under the contract.
- g. The Contractor, its employees, subcontractors, and the subcontractor's employees shall not use or possess, be intoxicated, or under the influence of any alcoholic or other intoxicating beverages, illegal drugs, or controlled substances while on the job.
- h. The Contractor shall be an independent Contractor, having the duty and obligations to supervise and direct the work, and having control over construction means, methods, technique, sequence, quality procedures, programs, safety precautions and training.
- i. Jefferson Parish shall have the continuing right to enter the Contractor's facility and/or the worksite(s) at any time when a representative of the Contractor is present to inspect, observe, or test any aspect of the Contractor's work including, but not limited to, backfill compression, pole assembly workmanship, splicing, depth of cable or conduit, voltage and voltage drop, current, and insulation resistance, provided that any such actions by the Parish's representative do not unreasonably or materially interfere with the Contractor's performance of the work or any of its obligations hereunder. Jefferson Parish's exercise of its rights of access and inspection at the beginning of this contract and quarterly thereafter and shall not relieve the Contractor of its duty, as independent Contractor, to properly perform and functionally complete all work in accordance with specifications and terms of the contract, nor shall it render the Parish responsible or liable for any acts, errors, omissions, or negligence of the Contractor or its subcontractors, employees, or agents.
- j. All equipment and services to be delivered under the contract shall carry a minimum ninety (90) day warranty and a maximum one (1) year warranty that shall commence upon completion of the work in which the equipment is installed. During this period, the Contractor shall provide maintenance and make all necessary repairs, adjustments, and provide parts replacement to the Parish at no charge to the extent that any of the foregoing repairs, adjustments, or replacements are needed as a result of defective equipment or any act or omission of the Contractor.
- k.

SECTION H – SPECIAL WORK ORDERS

1. Requirements and Specifications of Special Work Orders -

- a. Special Work Orders – Line Item 0010 Used for investigation (once per Roadway/Estimate) - shall be issued at the discretion of the Division of Street Lighting for work **NOT** deemed to be included in the scope of the Regular Maintenance Spot Outage Work Orders. Special Work Orders shall be accomplished with a "Not to Exceed" job estimate to be provided prior to the NTP or work order being issued and on an "as needed basis". Special Work Orders shall not interfere with regularly assigned repair and maintenance work orders and shall be accomplished with fully licensed and qualified crews hired specifically for this purpose. Special Work Orders shall not be completed at overtime rates, except for Special Work Orders

issued under Section H- 3-a. ALL SPECIAL WORK ORDERS SHALL REQUIRE DAILY TIME SHEETS FOR LABOR, SUPERVISION, MATERIALS, EQUIPMENT.

- b. ALL SPECIAL WORK ORDERS FOR EXISTING OR NEW INSTALLATIONS, PROJECTS OR MAJOR RETROFITS shall be issued/assigned at the discretion of the Division of Street Lighting for work not deemed to be included in the scope of Regular Maintenance or Repair work orders. New installations, Projects, Subdivisions or Retrofits shall require a written "NOT TO EXCEED" Job Cost Estimate, Start Date, and "Timeline of Completion", which shall be approved by the Director of Engineering and/or his designated representative. Special Work Orders shall not be completed at overtime rates, except for Special Work Orders issued under Section H- 3-a. All labor, materials, equipment, vehicle, etc. shall be INCLUDED IN THE COST ESTIMATE. All other items, Rental Equipment, Subcontractor's cost shall be billed at Contractors cost only. All work issued under this section shall not interfere with regularly assigned work orders for Regular Maintenance Repairs or Special Maintenance work orders. Also, any daily work crews assigned to Eastbank or Westbank Maintenance repairs shall not be assigned, billed or invoiced on any new construction or Retrofit Project unless otherwise approved by the Division of Street Lighting. ALL SPECIAL WORK ORDERS SHALL REQUIRE DAILY TIME SHEETS FOR LABOR, SUPERVISION, MATERIALS, EQUIPMENT, AND SUBCONTRACTORS, ON ALL NEW INSTALLATIONS, PROJECTS OR RETROFIT SPECIALS. The final 10% of the Total Project Estimate amount shall be withheld until the project is complete.

- c. Budget Limitation:

The construction budget for all Special Work Orders/Projects shall be determined by the Owner. The Contractor shall be advised of the budget limitation by the Director or his designated representative, by which the Contractor shall indicate his acceptance of same in writing. Any subsequent budget revisions shall be confirmed in writing.

- d. Notice to Proceed:

The Director or his designated representative shall notify the Contractor in writing to undertake the work/job cost estimate as stated in Section H - 1, 2 & 3 and issuing a "Notice to Proceed (NTP)". The Contractor shall commence the work within 15 days after receipt of such notification. If the Director desires to divide the project into various parts, a Notice to Proceed shall be issued for each part, and the Director or his designated representative, and the Contractor shall mutually agree upon the period of time which work for each part shall be performed. The Contractor shall be given extensions for delays beyond their control, inclement weather, deliveries, disasters beyond construction control, but no additional compensation shall be allowed for such delays.

- e. Payments:

For Special Maintenance Work Orders the Owner shall pay the Contractor on the basis in accordance with the rates as established in the Contract Bid as outlined in Section H, Item 1 & 2.

For all services outlined in Section H Item 1 & 2, and any other services required in this section, except those in Section G Item 2 & 3, the Owner shall pay the contractor in accordance with contract unit prices.

FOR Section H - 1, 2 and 3, LIQUIDATED DAMAGES, SECTION I – 3, a – e, shall apply to this SECTION in accordance with this contract.

2. Special Work Orders shall include but not limited to:

- i. Installation of new underground wired Major Roadway lighting systems and/or Capital Projects.
- ii. The substantial replacement of the underground wiring, or the re-installation of underground systems due to the major rebuilding of other Parish infrastructure, i.e. streets, drainage, water, or sewerage.
- iii. The replacement of the underground wiring which has deteriorated.
- iv. The maintenance of the low mast lights on Interstate 10 and the maintenance of any high mast lighting which would require the closure of a traffic lane to repair.
- v. The replacement of systems or parts of systems that are accomplished at the request of the Jefferson Parish Street Lighting Division for the enhancement of lighting in the area rather than for the repair or maintenance of the lighting or lighting systems.
- vi. Feed Point replacements which require separate panels and controllers and associated equipment and contactors, i.e. Major Roadways.
- vii. Circuits which are not accessible by regular excavation, i.e. extra wide driveways more than twenty-five (25) Feet, trees, substantial decorative landscaping, and other exceptions to the regular maintenance sections which are to be determined by the Division of Streetlighting and/or their designated representative.
- viii. Relays, previously owned by Entergy or SLECA, shall be permanent (tied in flat) unless otherwise controlled and shall be made to operate from dusk to dawn.
- ix. Major Roadways; i.e. I-10 repairs requiring underground connections, pole replacement, and foundation or foundation/piling repairs and as assigned by the Jefferson Parish Street Lighting Division. All Major Roadways and Interstate Roadway foundations repairs/replacement shall be a Special work order, and based on the Articles of Description. and shall be invoiced in accordance with Section I - 2.
- x. The *en masse* replacement of lenses/ shades and/or hand-hole covers (in excess of 5) in an area determined to be replaced by the Jefferson Parish Street Lighting Division shall be deemed a Special Work Order. **NOTE:** The replacement of individual lenses/ shades and/or hand-hole covers (5 or less) shall be considered a Regular Work Order.
- xi. **NOTE:** The recent installation of All-In-One type Solar Fixtures on Live Oak Blvd will require yearly scheduled maintenance such as the cleaning and wiping of the Solar panels which shall be issued by "Special Work Order" and will require a "Job Cost Estimate.
- xii. Night inspections shall be scheduled in the first week of each month or at the request of the Street Lighting Division. **NOTE:** See Section - N of the Contract Documents for the List of Major Roadways as Jefferson Parish-owned as well as Entergy owned for routes to be assigned. Night inspections shall be considered a Special Work Order and shall be invoiced as such, 1.5 x the rates in the Labor Articles of Description and shall include one (1) Licensed driver / Electrician, Mechanic, or Equipment Operator and one (1) Laborer.

- xiii. Night inspections shall involve the notation of outages using, addresses, building/business name, or flagging the pole for outage locations. Reports shall be turned in to the Street Lighting Division within two to three working days and repaired within 5 to 7 working days.

The Director of the Department of Engineering or his designated representative shall make all decisions regarding other maintenance and installation Special Work Order inclusions. Jefferson Parish reserves the right to outsource/bid out any Retrofits, "Special Work Orders" or new installations as deemed or when needed, in whole, sections or phases.

3. Requirements and Specifications of After-Hours Emergency Work Orders

Certain situations pose an increased danger to public safety and, accordingly, shall be handled as emergencies. Situations requiring emergency restoration include, but are not limited to: Pole knock-downs, cut cables, hanging fixtures, and outages of three or more consecutive luminaries and an outage of an entire circuit.

- a. Emergency work after normal working hours, on weekends, and/or on Holidays shall be done on an overtime basis, billable as a Special Work Order, only with prior approval from the Street Lighting Division.
- b. All emergency work shall be approved by and issued through Jefferson Parish Division of Streetlighting.
- c. In the event of a natural disaster declared by the Parish, State, or Federal Government, including, but not limited to hurricanes, tornadoes, mass flooding, and earthquake contractor shall:
 - Make one licensed Jefferson Parish electrician available to the Parish.
 - Contractor shall invoice the Parish separately for the cost of the electrician, and for the repairs made as a result of the declared natural disaster, and maintain whatever records are required for the Parish to receive Federal and State disaster assistance.
 - Daily time sheets for labor, materials, and equipment are required.
- d. In emergency situations, the service restoration personnel shall arrive at the site within twenty-four hours of the notification of the situation, restore service to the extent possible and/or make the area safe for the public and make permanent repairs according to Section H.

SECTION I – SERVICE AND REPORTING REQUIREMENTS

All work orders shall be issued and completed by the contractor in accordance with this section.

1. Work Hours

Work hours shall be determined by the Contractor with approval of Jefferson Parish at the beginning of the contract, however, personnel for emergency repairs must be made available Monday through Friday during the hours of **8:00 a.m.** through **4:00 p.m.** unless otherwise approved by the Street Lighting Division.

There shall be **TWO (2)** Bucket trucks (capable of reaching 45 Ft height) **Minimum**, available on a daily basis with 1 (one-man crew), 1 Electrician per truck for all East Bank repairs and West Bank repairs. Additionally, 1 truck with the capability of reaching 65 Ft heights for I-10 maintenance. **They shall be required to check in to the Street Lighting Division each workday morning (Daily) via hand held radio or Cell phone for any and all requests made by the Street Lighting Division.** Daily Maintenance crews shall not be utilized, billed or any part of an assigned Capital Project/Special Project in progress.

NOTE: Additional work crews shall be provided to respond to and maintain any increased volume of work order request.

2. Holidays

A list of the Holidays observed by Jefferson Parish will be provided to the Contractor. The Contractor may request approval to work on these holidays on work not requiring inspection of underground repairs or improvements.

3. Service Time Requirements

- a. Regular Maintenance Work Orders/Spot Outages shall be completed within 3 to 5 working days after notification or the issuance of a written Work Order. The exceptions to this are Special Work Orders for Night Runs and Emergency Work Orders which are subject to immediate call out.
- b. Downed Poles: The Contractor shall arrive at the site within 24 hours -or one (1) hour when deemed an emergency , with Inspector for Decorative recycle/reuse of undamaged parts (to be accounted for if any and returned to the Warehouse), or issuance of Work Order for a knocked down or fallen pole to remove the pole from the public right of way and make the area safe. The pole shall be removed from the area by 12 noon or the end of the following day. If the pole is not removed by the end of the following day and a completed work order is not received by Street Lighting Division and shall be subject to Section – J, 3- Liquidated Damages.
- c. The restoration of knocked down Poles: Parish Owned on Major Roadways shall be completed within Five (5) working days for Major Roadway poles from the day after which the work order was issued. However, if still not completed within an additional Five (5) working day time frame, Liquidated Damages shall be implemented and automatically deducted from Monthly maintenance payment. Should any Decorative Pole parts be deemed recyclable or reusable, they shall be inspected by the Division of Streetlighting before re-installation.

- d. Emergency Restorations (including cut cables): The Contractor shall arrive at the site within one hour of notification to make emergency restorations, to make the area safe or to repair and reset feed points.
- e. Locate and Mark Underground Cables: The Contractor shall locate and mark underground cables within 24 hours or by the date requested.

4. Reports

- a. Routine Maintenance Reports:
Contractor shall provide monthly reports with each monthly pay application detailing the routine maintenance work order completed during the pay period.

Reports shall include the following:

- i. Work Order Number/Location
 - ii. Date Work Order Issued
 - iii. Date Work Order Completed
 - iv. Description of Work Performed
- b. Night Run Reports shall be submitted by the 10th of each month.
 - c. Group Re-lamp/Retrofit Reports to be provided monthly if applicable - Status report showing the locations completed.

- a. Material Usage report to be provided monthly – Report on the material usage per month.

- b. Daily reports

- 1. Final inspection Report/Service man's Report showing work required for the completion of the repair as well as updated underground circuit schematics.
- 2. All Entergy Problem Reports SHALL BE submitted to the Jefferson Parish Street Lighting Division at the end of each day.

All reports are to be provided to the Division of Street Lighting by FAX or E-Mail. (See Section J regarding Penalties for Non-compliance.)

SECTION J – SCHEDULE OF FEES, PAYMENTS, AND LIQUIDATED DAMAGES

1. Regular Maintenance Fees

- a. The Regular maintenance fees shall be processed and paid on a monthly basis, and shall be billed at the contract unit prices for completed work orders. The Work Order invoices shall be paid monthly for the 24-month contract period and is inclusive of all costs including labor, materials, equipment, tools, overhead, insurance and administration costs, etc., unless specifically excluded by Jefferson Parish. Fees quoted in the bid document shall be for the term of the contract.
 - b. On or before the 10th day of each month, the Contractor shall submit a bill for the amount due for the preceding month. Jefferson Parish shall on or before the last day of each calendar month make payment to the Contractor of amounts due.
2. The Inventory Summary (See Lighting Inventory Major Roadways Attachment 2) identifies approximate quantities and types of Major Roadway lighting units to be maintained under

this contract and are shown for Contractor's use in calculating the Per Each Unit cost for Bid Items. On past contracts, work orders have averaged approximately 75 per month.

3. Special Work Order Invoices

- a. For payment of invoices for Special Work Orders or Re-Lamping/Retrofit Work Orders, the Contractor shall submit invoices at any time of the month that the work was performed, but no later than the end of the 15th day of the following month, to the Division of Street Lighting. After review, the Street Lighting Division shall submit the invoice for payment and Jefferson Parish shall make payment to the Contractor.
- b. Daily time sheets for labor and equipment, and invoices for materials are required for all Special Work Orders and must be submitted and approved prior to payment.
- c. "Not to Exceed" job estimate, "Schedule of Payment/Percentage of Completion" and "Timeline of Completion" shall be required for all Special Work Orders on "Capital Projects or Major Retrofit Specials" and shall be submitted and approved prior to Material Order and Notice to Proceed before any payment may be issued. Any unforeseen or omitted circumstances shall be included/addressed in the job estimate for Capital or Major Retrofit Project Specials before a "Notice to Proceed" is issued and shall be the responsibility of the Contractor/Contractors.
- d. Payment for subcontractors including, but not limited to, Police Escort detail (line no. 2), Directional Boring Contractor (line no. 18) work shall be the invoice price only for Special work orders on regular Maintenance repair Specials. Supervisor for oversight and coordination of approved Subcontractor (line no. 0040) shall be approved for this item.
- e. Contractor shall supply subcontractor's invoice upon request for payment.
- f. Special projects schedule of payments shall be by approved by percentage of completion. The final 10% of total project cost shall be withheld until project is 100% complete.

4. Summary of Liquidated Damages

- a. Failure to complete requirements of the contract shall result in the delay of payment to the Contractor by the Parish in the amount otherwise due.
- b. Failure to meet the requirement specifications each month shall result in specific amounts deducted in Liquidated Damages from the monthly payment due from the Parish to the Contractor (See Item C). The Streetlighting Division will send a monthly list of delinquent/incomplete work orders as well as notification (via: email) that certify the default procedure and penalties to be assessed.
- c. The Director of Engineering shall submit a list of such amounts to be deducted based on the Contractor's failure to perform during the previous calendar month only (together with documentation setting forth the basis for such fines) on or before the 10th of each month to the Contractor. Explanations by the Contractor for failure to meet contract specifications shall be considered by the Director of Engineering or his designated Representative.
- d. **Liquidated Damages of \$200.00 per day** can be assessed for the following:

- i. Work Orders not completed by the commit date wherein Contractor is required to complete the work (after the 5th day allowed from receipt of Work Order).
- ii. Knocked down poles not picked up within the service time required (within 24 hours following notification). The Street Lighting Division shall issue a Work Order and the completed Work Order shall be submitted to Street Lighting Division verifying the pole was picked up in the time frame allotted, Section I, 3-b & c. If not completed, the \$200 per day shall be deducted from the payment of the invoice billing for the removal of the knocked down pole.
- iii. Pole replacements shall be issued as per Section H, Special Work Orders. If there is a problem with a backorder, an invoice or order invoice from the supplier or manufacturer, the Contractor shall notify the Street Lighting Division immediately with a copy of the invoiced order submitted, and MAY be considered as reasonable delay. It shall be the Contractors responsibility to stock and/or supply all items as per the contract. See Appendix # 1, 2, 3, Major Roadways, Streetlight Inventory, Articles of Description, and Parts List. As well as Sections G, 2 & 3, and Standard Materials List, Section - L.
- iv. Contractor not arriving at the site within 24 hours of notification, 24 hours per day/7 days per week to pick-up or relocate pole and make area safe, or repair and reset feed points.
- v. AT THE FINAL 3 MONTH TERM OF THIS CONTRACT, ANY/ALL PARISH OWNED POLES THAT HAVE **NOT** BEEN PICKED UP, REPLACED, REPAIRED AND IN WORKING ORDER ISSUED DURING THE TERM OF THIS CONTRACT SHALL HAVE THE ABOVE \$200.00 PER DAY LIQUIDATED DAMAGES APPLIED/CONSIDERED FROM DATE OF WORK ORDER ISSUANCE. (ALL OPEN WORK ORDERS DURING THIS CONTRACT TERM SHALL BE COMPLETED.)
- vi. WORK ORDERS UNDER THIS CONTRACT DURING THE FINAL 3 MONTHS FOR ANY KNOCKDOWN POLES THAT HAVE NOT BEEN PICKED UP, REPAIRED AND/OR REPLACED, ISSUED and/or SCHEDULED DURING THIS CONTRACT TERM.
- e. Liquidated Damages for outages and defects not addressed within the service time requirement may not be assessed due to circumstances beyond the control of the Contractor, i.e. weather, emergencies, rescheduling of work and/or supplies/delivery; etc.
- f. Results of any follow-up inspection or report by a complainant that the light is not working shall be made to the Contractor the next working day to allow the Contractor to make repairs.

WAIVER OF THE ABOVE PENALTIES IS AT THE DISCRETION OF THE DIRECTOR OF ENGINEERING OR HIS/HER DESIGNATED REPRESENTATIVE.

SECTION K – HURRICANE PLAN

No personnel shall be deployed until Jefferson Parish President or the Director of Engineering declares the area safe for re-entry.

In the event of a declared hurricane disaster, the Director of Engineering or his designated representative shall determine whether the street lighting system was damaged enough to warrant an increase in the base maintenance fee. The increase shall be a percentage based on the intensity of the storm and the preliminary estimate of damage and shall be determined by the Director of Engineering and his designees. Any increase shall be for a period of three months after which the Director of Engineering with the recommendation of the Division of Streetlighting may grant an additional extension not to exceed three months depending on the number of repairs to be accomplished. Any further extension of time must be made/approved by Director of Engineering. Additionally, Special Work Orders can be issued for the straightening of leaning standards, the rebuilding of feed points, the cost of decorative fixtures and decorative shades (labor and equipment costs not included) if it is deemed that the damage was caused by the hurricane.

Contractor shall track and document all storm related repairs separate from routine maintenance. Storm repairs may be eligible for FEMA reimbursement; therefore, contractor will be required to perform work accordingly.

SECTION L – STANDARD MATERIALS LIST

(Included but not limited to)

Unless otherwise provided for in this specification, the bidder represents and warrants that the goods, materials, supplies, or components offered to Jefferson Parish under this bid solicitation are new, not used or reconditioned, and are not of such age or so deteriorated as to impair their usefulness or safety and that the goods, materials, supplies, or components offered are current production models of the respective manufacturer.

The following material manufacturers have been specified. This list does not include all material needed in fulfillment of the contract. Contractor shall notify any proposed changes for approval by the Director or His/Her designated representative. The items identified below may vary in description, name and/or identification number but, shall be replaced/used as per their descriptive/type/application purpose.

Note: Any/all part numbers/description may or may not be valid, the contractor shall be responsible for forwarding, submitting or advising the correct item or part numbers for ordering materials for the assigned roadway/roadways.

Poles: Interstate or Major Highway

1. Poles shall be smooth seamless spun aluminum (Valmont 2708-45805T4D1SBF or equal), 30-foot mounting height with an 8-foot, clamp-mounted, single member, truss-type arm (Valmont 1TA0832CSBF or equal) to receive the fixtures noted below.
Note: All poles shall be round tapered and include factory installed vibration dampers.
2. Poles shall be smooth seamless spun aluminum (Valmont 2708-45806T4D2SBF or equal), 30-foot mounting height with a 10-foot, clamp-mounted, double member, truss-type arm (Valmont 2TA1032CSBF or equal) to receive fixtures noted below.
Note: All poles shall be round tapered and include factory installed vibration dampers.

3. Poles shall be smooth seamless aluminum alloy 100 grit satin finish (Valmont RTA360845906T4D1SBF [to accommodate single or double-arm] or equal), 40-foot mounting height with a 10-foot, bolt-mounted, etched satin finish, (truss-type double-arm Valmont 2TA1032CSBF-Valmont 1TA1032CSBF for single arm or equal) to receive fixtures noted below.

Note: All poles shall be round tapered and include factory installed vibration dampers.

Poles: Residential

1. Poles shall be smooth seamless spun aluminum (Valmont 1708-40605T4D1SBF or equal), 20-foot mounting height with a 6-foot, bolt-mounted, single member arm (Valmont IMA0632SSBF or equal) to receive fixtures noted below.
2. Poles shall be smooth seamless spun aluminum (Valmont 1708-40606T4D2SBF or equal), 20-foot mounting height with an 8-foot, bolt-mounted, double member arm (Valmont 2MA0832SSBF or equal) to receive fixtures noted below.

Poles: Deco Poles & Fixtures

1. Valmont Pole with top tenon, 4524TP60R, Dark Bronze, KIM Fixture 1A-AR3-250HPS-277-DB-PVSF-1A.
2. Valmont Pole: 3408-45805T4D1SBF
3. Valmont Pole: 3408-45806T4D2SBF
4. Valmont Poles: 3008-45806T4D2SBF
5. Holophane-300058108T4F-BKY-HN24CSB-BK-BHC96/2-AB-27-4-RFD161702-WLLF-----
Barataria Blvd
6. Holophane-300045808T4-5330TP90R,4VBC7-10, WA24AC083280 - Manhattan Blvd
7. Holophane Pole: 3408-45805T4D1SBF
8. Holophane Pole: 3408-45806T4D2SBF
9. Holophane Pole: 3408-8601083T9WA30CSB-BKWYBK-RFD260861
10. Holophane Pole: 280045805T4 VD #t9 TBASE BK (A208284B)
11. Holophane Pole: 270062108LTABBSE3T9-BK
12. Holophane Pole: 230845808T4-bk TBASE BK
13. Holophane Pole: 220760107T4XX1VDALX41067 BAN ARMA-BK
14. Holophane Music Scroll: Holophane Part ID: RFD175344 BK

Fixtures: American Electric, GE, Holophane, or approved equal

1. 250W HPS Cobra Head with semi-cut-off precision refractor, with PE cell, 240V(+ or – 5%) volts, including bulb.
2. 400W HPS Cobra Head with semi-cut-off precision refractor, with PE cell, 480V (+ or – 5%) volts, including bulb.
3. 100W HPS NEMA fixture with precision refractor with PE cell, 240V (+ or – 5%) volts, including bulb.

4. 100W HPS NEMA fixture with precision refractor with PE cell 120V (+ or – 5%) volts, including bulb.
5. 150 W HPS wall mounted fixtures 480V (+ or – 5%) volts – Interstate use only, including bulb.
6. 400W Holophane Mongoose Luminaire, including bulb or approved equal.
7. 1000W Holophane High Mast Luminaire, including bulb or approved equal.
8. G E LED Fixture: ERS2525E140DBLCK
9. Phillips LED-Brilliant Efficiencies SLB200-T3L-4K-GR-120-277V AC, Harvey Canal Bridge
10. PHILLIPS LED Brilliant Efficiencies – SLB200-T3L-4K-GR-480V AC, Harvey Canal Bridge
11. Phillips LED-Brilliant Efficiencies SLB200-T3L-4K-GR-120-277V AC, Segnette Blvd
12. PHILLIPS LED Brilliant Efficiencies – SLB200-T3L-4K-GR-480V AC, Segnette Blvd & Bridge
13. Acuity Brand – ATBM G MVOLT/480 R3 4B P7 AO PCLL, Airline Dr
14. Acuity Brand : ATBL E MVOLT/480 R3 4B 4K P7 20 PCLL
15. Acuity Brand : ATB2 60BLEDE10 MVOLT/480V R3 4K BK P7 PCLL
16. Acuity Brand : ATB2 40BLEDE10 MVOLT/48V R3 P7 PCLL
17. Holophane – ESL150 4K AS B 4 BHDF13 200 BK, Barataria Blvd
18. Acuity Brand: MGLEDM P6 40K 480/MVOLT FT/AR VH BKSD PR7 PCLL, Manhattan Blvd
19. HOLOPHANE – ATB2 40BLEDE10 MVOLT/480V R3 P7 PCLL
- 20.

Transformer Bases:

1. Transformer bases shall be Valmont TB-1, TB-2, and TB-3 or approved equal.
2. Helical (Screw-in) Foundations

Other Miscellaneous Material:

1. Aluminum Butt Splices No. 4
2. Aluminum Direct Burial Cable, No. 4
3. Anchor Bolts (3/4 inch x 30 inches x 3 inches)
4. Anchor Bolts (1 inch x 36 inches x 4 inches)
5. Ballast for 250W Cobra Head
6. Boots
7. Butt Splices, No. 6cu
8. Connectors – Blackburn or Burndy
9. Direct Burial Cable, No. 6 XLP USE
10. Fuse holders – Bussmann HEB Series
11. Fuse holders (2-piece)
12. Fuses, 10 Amp
13. Fuses, 30 Amp
14. Ground Rod Clamps
15. Ground Rods
16. Hand hole covers, universal, molded plastic, to fit 6” to 12” pole dia.
17. Submersible Connector Polaris Edge – Pre-insulated ISPB350-4 or approved equal

18. Submersible Connector NSI Industries IPLW4-3, 4 – 6AWG 3port 600v or approved equal
19. KTK Fuses
20. Marking Paint
21. MG Squared termination kits
22. Photoelectric cells – Dark-to-Light DE 124-1.5 MOV or approved equal
23. Photo control LED – Dark to Light- Acuity Controls DLL127 1.5 CUL Fail-on or approved equal
24. Plastic Tape, 33+
25. PVC Conduit, 1 inch
26. PVC Couplings, 1 inch
27. PVC Conduit, 1-1/4 inch
28. PVC Couplings, 1-1/4 inch
29. PVC Conduit, 2 inch
30. PVC Couplings, 2 inch
31. PVC 90-degree Elbow, 2 inch
32. Quazite/Concrete Box roadway approved with cover – 12 inches x 12 inches
33. Quazite Box/Concrete roadway approved with cover – 12 inches x 18 inches
34. Rubber Tape, 130C
35. Scotch 33 Vinyl tape
36. Scotch Locks
37. Shades, NEMA
38. Shrink tubes
39. 3M underground splice kits
40. Wire Nuts, Blue
41. Wire Nuts, Brown
42. Wire Nuts, Yellow
43. Wire No. 4 AWG THWN-2
44. Wire No. 6 AWG THWN-2
45. Wire No. 8 AWG THWN-2
46. Wire No. 10 AWG THWN
47. Wire No. 12 AWG THWN

All above items shall be as stated unless an equal is approved by the Street Lighting Division.

All traffic control via State Police or Parish/local deputies shall be billed at the actual cost. (See line number 0020 on bid form.)

The cost of any other miscellaneous items necessary for the completion of this contract shall be approved when the cost of said items are identified and quoted. Materials used in the completion of the job not listed as line items on the bid shall be invoiced at Contractor's cost only.

SECTION M - DEFINITIONS

As used in this Request for Bid, the following terms shall have the following meanings:

Parish has the meaning Jefferson Parish Street Lighting Division.

Contract Year means each successive period of one (1) year during the term of the contract, commencing on the Effective Date. The First Contract Year shall commence on the Effective Date and shall end on the day prior to the first annual anniversary of the Effective Date, and the Second Contract Year shall commence on the first annual anniversary of the Effective Date and shall end one (1) year later and so on.

Conversion is the complete replacement of fixtures and lamps and includes the complete rewiring of poles, and the installation of fuses, fuse holders, and boots.

Director means the Director of the Department of Engineering, Street Lighting Division, or a designated representative.

Emergency After Hours Work Orders are issued for work performed after normal working hours for situations that pose an increased danger to public safety and, accordingly, must be handled immediately. Situations requiring emergency restoration include, but are not limited to, pole knockdowns, cut cables, hanging fixtures, and outages of three or more consecutive luminaires, and an outage of an entire circuit.

Emergency Restoration means a situation that poses an increased danger to public safety, including, but not limited to, street light hardware that has fallen, is in danger of falling or that could cause injury, and exposed wiring that may or may not be energized that could cause injury.

Fixtures include the head and the light bulb.

Hazardous Maintenance Service means work that cannot be performed during the standard service times of the Contractor, and/or within the service time requirements because Contractor's employees or the general public would be endangered by the rendering of such work.

Materials include, in addition to materials incorporated in the project, equipment and other material used and/or consumed in the performance of the work.

Or-Equal: Wherever a brand name, make, manufacturer, model, or catalog number is specified, it is used only to denote the quality standard of product desired and does not restrict bidders to that brand or manufacturer. Such references are intended solely to convey the general style, type, character, and minimum quality of product required. Equivalent products may be acceptable if, in the Parish's sole discretion, they meet all specifications and project needs. Required documentation for proposed equivalents shall be submitted in accordance with these specifications. **No substitutions shall be approved without a sample being submitted and/or visually inspected by the Division of Streetlighting.**

Pole Alignment (minor adjustment) applies to those poles that require minor excavation, straightening and sand backfill.

Pole Alignment (major adjustment) applies to those poles that require underground connections, pole replacement, and foundation or foundation/piling repairs and are assigned by the Jefferson Parish Street Lighting Division.

Priority Work Orders are those work orders which the Street Lighting Division has determined must be worked immediately.

Qualified Bidder is one whose current or planned service capability can satisfy the requirements of this document. This includes but is not limited to: previous street lighting contracts which included the repair or replacement of underground systems, the installation of new Major Roadway lighting systems, or previous roadway lighting and maintenance experience which included underground repair and/or replacement of systems.

Regular Emergency Work Orders are those which shall be undertaken immediately and completed during the standard workday as established by mutual consent of the Parish and the Contractor and utilizing no overtime. These include, but are not limited to: cut cables, downed poles, falling fixtures, exposed wires, or other situations which may endanger the public if not immediately addressed.

Special Work Orders shall include the installation of new Underground Major Roadway lighting systems, the substantial replacement (more than 25%) of the underground wiring, or the reinstallation of underground systems due to the major rebuilding of other Parish infrastructure, i.e. streets, drainage, water, or sewerage, or the replacement of more than 50 feet of the underground wiring which has deteriorated. Special Work Orders shall also include the replacement of systems or parts of systems that are accomplished at the request of the Jefferson Parish Street Lighting Division for the enhancement of lighting in the area rather than for the repair or maintenance of the lighting or lighting systems. All Special Work Orders shall be accomplished with a job/cost estimate to be provided at the time the work order is issued and submitted prior to the time the work commences. Special Work Orders shall not interfere with regularly assigned repair and maintenance work orders and shall be accomplished with fully licensed and qualified crews hired specifically for this purpose. Special Work Orders shall not be completed at overtime rates. ALL SPECIAL WORK ORDERS SHALL REQUIRE DAILY TIME SHEETS FOR LABOR, MATERIALS, AND EQUIPMENT.

Spot Outages means an outage of an individual light for any reason.

Major Roadway Lighting System or Systems means the Roadway lighting system of the Parish and includes, but is not limited to, the weather heads, fuses, breakers, feed points, feed point covers, disconnects, relays, conduits, conductors, junction boxes, insulators, taps, ground rods, foundations (including foundation-encased conduit stub), underground wiring, anchor bolts, nuts, poles and internal wiring, hand hole covers, bracket arms and internal wiring, fixtures,

ballasts, photo controls, lamps, reflectors, refractors, and associated hardware and wiring, installed on public highways, streets, expressways (I-10, 17th Street canal to Kenner city limits), boulevards, avenues, alleys, bridges, overpasses, underpasses, places, squares, circles, and unmetered parks owned by the Parish in service as of the date of execution of the contract, as well as any subsequent additions thereto or deletions therefrom ordered by the Manager or Director.

Trouble Report means a report of a street light outage or defect which requires repair and requires authorization and issuance of a work order by Jefferson Parish Street Lighting Division.

Work means work performed under the general terms of the contract, including work performed under a Regular Maintenance Work Order or Special Work Order.

Work Order means authorization for the repair and maintenance operation for all Routine Maintenance and/or any other work that is authorized by the Director to be accomplished at a specific location(s).

SECTION N – LIST OF MAJOR ROADWAYS (Includes all lighting and Entergy wood poles)

EASTBANK

Airline Dr – Severn to Labarre
Airline Dr – Labarre to Orleans Line
Causeway Blvd – 6th St to Veterans
CAX – Causeway & Airline Circle & Ramps
Causeway Blvd – J Hook
Causeway Blvd – W Napoleon to 22nd St
Clearview Pkwy – Mounes to Airline
Citrus Blvd – Clearview to Dickory
Cleary Ave – I-10 Overpass
David Dr – Veterans to W Napoleon
David Dr / Power Blvd Overpass
Dickory Ave – Airline to Gardner
Elmwood Industrial Park – Clearview to Dickory-Citrus to Jefferson Hwy
Earhart Expressway – Orleans to Dickory
I-10 – Orleans to Kenner Line
Severn Ave Median – Veterans to W Esplanade
Severn Ave – W Napoleon to 41st St
Veterans Blvd - Severn to Orleans
Veterans Blvd – Clearview to Roosevelt
Veterans Blvd High Mast- Clearview Mall

WESTBANK

Ames Blvd – W B Expressway to Lapalco
Barataria Blvd – Westbank Expressway to Alice St
Belle Chasse Hwy 23 – Whitney Ave to Lapalco Blvd
Betty Blvd – Lapalco to Rue Louis Phillipe
Churchill Pkwy – Nicolle to Deadend
Cousins Blvd – Oakmere Dr to Woodmere Blvd
Destrehan Ave and Loop – Leo Kerner Pkwy to Keithway Dr
Harvey Blvd – Whisper Ln to Drainage Canal
Holmes Blvd – Terry Pkwy to Berhman Hwy
Jamie Blvd – Hwy 90 to Nicolle Blvd
Lapalco Harvey Canal Bridge, Exits and Entrances
Leo Kerner Pkwy & Bridge – Barataria Blvd to Jean Lafitte Blvd, (including Intercoastal Bridge)
Leo Kerner Pkwy - Exit 3134 to Barataria Blvd & Estell Playground Entrance
Live Oak Blvd – Hwy 90 to S Kenner RD
Manhattan Blvd – 12th St to Lapalco Blvd
Nicolle Blvd – Ruth to Lapalco Blvd (excluding Entergy wood Poles)
Segnette Blvd – W B Expressway to Lapalco, including Bayou Segnette Bridge
U S Hwy 90 – Lapalco to RR Overpass
West Bank Expressway

Jefferson Parish Major Roadway Lighting Inventory

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
						High Mast	Low Mast Sing	Low Mast Doub	30 Ft Single Poles	30 Ft Doub Mast	30 Ft Quad Mast	35 Ft Single Poles	35 Ft Doub Mast	40Ft Sing Mast	150 Watts	250 Watts	200-300 LED	400 Watts	1000 Watts	Total Lights	Pole Parts List Item #	Fixture Parts List Item #
1	UNMETERED - HPS, MH, LED & SOLAR																					
2	EASTBANK																					
3	Arline Dr - Severn to Labarre - HPS 30 Ft																					
4	Arline Dr - Labarre to Orleans - LED 30 Ft x 10"																					
5	Causeway Blvd - 6th St to Veterans - LED 34 Ft x 10"																					
6	CAX Causeway - Circle & Ramps - HPS 25 Ft																					
7	Causeway - W Napoleon to 22nd St - HPS 25 Ft																					
8	Causeway Blvd - J Hook - HPS 20 Ft																					
9	Clearview Pkwy/Mounes to Citrus - LED 30 Ft																					
10	Clearview - Citrus to Arline - HPS 30 Ft																					
11	Citrus Blvd - Clearview to Dickory - LED 30 Ft																					
12	Cleary Ave I-10 Overpass - LED 30 Ft																					
13	David Dr - Power Blvd Overpass - LED 30 Ft																					
14	David Dr - W Napoleon to Vets - LED 23.8 Ft x 8"																					
15	Dickory Ave - Arline to Gardner LED 30 Ft																					
16	Elmwood Industrial Park - Clearview to Dickory - LED 30 Ft																					
17	Earhart Expressway - Dickory to Clearview - HPS 30 Ft																					
18	Earhart Expressway - Clearview to Central Ave - HPS 30 Ft																					
19	Earhart Expressway - Central Ave to Orleans - HPS 30 Ft																					
20	I-10 - Causeway to Orleans - HPS Low Mast																					
21	I-10 - Clearview to Causeway - HPS Low Mast																					
22	I-10 Clearview to Veterans - HPS Low Mast																					
23	I-10 Veterans to Kenner - HPS Low Mast																					
24	Severn Ave Median - Veterans to W Esplanade - LED 22.7 Ft x 10"																					
25	Severn Ave - W Napoleon to 41st St - LED 30 Ft																					
26	West Esplanade - Homestead to Nunsory - LED 30 Ft																					
27	Veterans Blvd - Bonabel to Orleans line - LED 30 Ft																					
28	Veterans Blvd - Causeway to Bonabel LED 30 Ft																					
29	Veterans Blvd - Severn to Causeway - HPS 30 Ft																					
30	Veterans Blvd High Mast - Clearview Mall - HPS																					
31	Veterans Blvd - David Dr to Roosevelt Kenner Line - LED 34 Ft																					
32	Veterans Blvd - Clearview to David Dr - LED 34 Ft																					
33	Total																					
34	UNMETERED - HPS, MH, LED, SOLAR																					
35	WESTBANK																					
36	Ames Blvd - Westbank Express to Lapalco Blvd - LED 30 Ft																					
37	Barataria Blvd - Westbank Expressway to Allie St - LED 30 Ft x 10"																					
38	Belle Chasse Hwy - Whitney Ave to Lapalco Blvd - HPS 30 Ft x 10"																					
39	Betty Blvd - Lapalco to Rue Louis Philippe - LED 28 Ft																					
40	Churchill Pkwy - Nicole Blvd to Deadend - LED 34 Ft																					
41	Cousins Blvd - Oakmere Dr to Woodmere Blvd - LED 30 Ft																					
42	Destrahan Ave - Leo Kerner to Kellway - HPS 34 Ft																					
43	Destrahan Loop - Harvey Bridge to Destrahan Ave - LED 20 Ft																					
44	Harvey Blvd - Whisper Ln to Drainage Canal - HPS 30 Ft & 20 Ft																					
45	Holmes Blvd - Terry Pkwy to Berthman Hwy - LED 25 Ft x 8"																					
46	Jamie Blvd - Hwy 90 to Nicole Blvd - LED 30 Ft																					
47	Lapalco Harvey Canal Bridge, Exits and Entrances - LED 25 Ft																					
48	Leo Kerner - Barataria Blvd to Jean Lafitte Blvd - HPS 34 Ft																					
49	Leo Kerner - 3134 to Barataria Blvd - HPS 34 Ft																					
50	Leo Kerner Intercoastal Bridge - HPS 25 Ft																					
51	Live Oak Blvd - Hwy 90 to S Kenner Rd - SOLAR 25 Ft																					
52	Manhattan Blvd - 12th St to Lapalco Blvd - LED 30 Ft x 8"																					
53	Nicole Blvd - Lapalco to Ruth Dr - LED 30 Ft x 10"																					
54	Park D'Amille Entrances, Estate - LED 25 Ft																					
55	Segnette Blvd & Bridge - WB Express to Lapalco Blvd - LED 25 Ft																					
56	U S Hwy 90 - Lapalco Blvd to RR Overpass - LED 34 Ft																					
57	Sub Total																					
58	Total																					
59	Unmetered - HPS																					
60	Causeway/Veterans - Underpass																					
61	Total																					
62	METERED - HPS, MH																					
63	Veterans Purple Heart Loop - Roadway 30 Ft																					
64	Veterans Purple Heart Loop - Area 30 Ft																					
65	Veterans Family Gras - Roadway 30 Ft																					
66	Veterans Family Gras - Area 30 Ft																					
67	Total																					
68	LED/Metal Halide - Unmetered																					
69	Causeway/Metairie Rd - Underpass																					
70	Total																					
71	LED - Commercial 200 watt, 240V/480v																					
72	Veterans Blvd - Clearview to David LED 30 Ft																					
73	Veterans Blvd - Roosevelt to David LED 30 Ft																					
74	Total																					
75	Total Owned By Jefferson Parish																					
76	All Numbers are approximate																					
77	Table may not include lighting under construction																					

ATTACHMENT 2

Articles of Description

ITEM NUMBER	QUANTITY	U/M	C/C	ARTICLES OF DESCRIPTION	UNIT PRICE QUOTE	UNIT PRICE EXTENSION (Quantity times unit price)
1	400	HR		0010 TWO (2) YEAR CONTRACT FOR MAJOR ROADWAY LIGHTING MAINTENANCE AND REPAIR 0010 -Hourly rate for initial/primary investigation/cause of Major/Multiple outage, per Assigned Roadway to include power to the Controller-Breaker reset/Fuse blown, service point, underground/overhead and conduit circuits, poles, fixtures and foundations within jefferson Parish. Investigate regular maintenance and repairs on Roadway units as set forth in the attached specification summary, Section G. And to be used ONCE daily when assigned and not on "Special Work Orders" to include Job Cost Estimates. The current number of Parish-owned Major Roadway light units is approximately 3761 (See inventory summary). The approximate number of work orders per month has been in the range of 75 more or less; however, no adjustments shall be made to the Unit cost.		
2	40	HR		0020 Traffic Control - Police Detail - shall only be used when approved by the Division of Streetlightng.		
3	24	HR		0030 Night Runs (Eastbank & Westbank) (Monthly)		
4	250	HR		0040 - Supervisor for oversight and coordination when using approved subcontractors		
5	150	HR		0050 - Labor - Licensed Electrician		
6	150	HR		0060 - Labor - Mechanic		
7	150	HR		0070 - Labor - Laborer		
8	150	HR		0080 - Labor - Equipment Operator (CDL)		
9	100	HR		0090 - Bucket truck with tools and equipment necessary to undertake work in conjunction with the repair and maintenance of a street lighting system.		
10	100	HR		0100 - 65 Ft Bucket truck with tools and equipment necessary to undertake work in conjunction with the repair and maintenance of an Interstate Low Mast lighting system.		
11	8	HR		0110 - Backhoe and loader combination (if rented, equipment shall be charged at direct cost)		
12	8	HR		0120 - Truck mounted crane (if rented, equipment shall be charged at direct cost)		

ATTACHMENT 2

Articles of Description

13	8	HR	0130 - Service truck equipped with tools and equipment necessary to undertake work in conjunction with the repair and maintenance of a street lighting system		
14	8	HR	0140 - Flatbed truck (If rented, equipment shall be charged at direct cost)		
15	8	HR	0150 - Backhoe/Loader Transport (if rented, equipment shall be charged at direct cost)		
16	8	HR	0160 - Air compressor (If rented, equipment shall be charged at direct cost)		
17	8	HR	0170 - Welding machine (If rented, equipment shall be charged at direct cost)		
18	1,250	LF	0180 - Directional underground borer - Shall be paid as per line item, cost per foot		
19	8	HR	0190 - Jack Hammer - per hour (if rented, equipment shall be charged at direct cost)		
20	8	HR	0200 Utility and/or pole trailer (If rented, equipment shall be charged at direct cost)		
21	10	EA	0210 - Leaning poles needing minimal adjustment		
22	10	EA	0220 - Knock down Pole pick-up/removal. All knockdown Decorative poles shall be inspected for recycled/reusable parts (if any), and accounted for by the Electrical Inspector.		
23	150	EA	0230 - Group/Retrofit Labor Cost Only per unit, (Three (3 +) or more consecutive outages) on the Major Roadway assigned.		
24	250	EA	0240 - Maintenance Repair/troubleshoot Labor and equipment cost per each initial "spot outage", assigned location, to Include Lamp, Photocell or Fuse(s) change. For additional or multiple part change, use line items. Not to be billed in addition to Line Item 0010		
25	225	EA	0250 - Maintenance Repair Labor cost for "Additional repairs" "Per Each Fixture Driver, Ballast, or Ballast Bypass or LED Cobb Lamp Retrofit Labor Only", bill Driver/Ballast under Miscellaneous Line Item 142.		
26	100	EA	0260 - Maintenance Repair Labor cost for "Additional repairs" "Per Fuse Holders ", labor only, bill materials under Line Item.		
27	100	EA	0270 - Maintenance Repair for "Additional repairs" "Labor Cost Only Per Each Pole wiring ". See wiring line item 93 and 94 listed for billing materials.		

ATTACHMENT 2

Articles of Description

28	100	EA	0280 - Maintenance Repair Labor Only cost for "Additional repairs" "Per single/spot Fixture change/Retrofit ". See line Items for fixture and materials..		
29	200	EA	0290 - Fuses, 5 amp KTK type or equal		
30	200	EA	0300 - Fuses, 30 amp barrel type		
31	200	EA	0310 - Fuses, 60 amp, barrel type		
32	200	EA	0320 - Fuses, 100 amp, barrel type		
33	10	EA	0330 - Acuity Brand LED Fixture Cost Only: ATBL E MVOLT/480V R3 4B 4K BK 20 P7 PCCL, 26433 Lumens, Or Equal		
34	10	EA	0340 - Acuity Brand Teardrop LED Fixture Cost Only: ESL2 P30S 40K MVOLT/480 TG3 QSM BK PR7 PCLL, 14300 Lumens, Or Equal		
35	10	EA	0350 - Acuity Brand LED Cobra Type Fixture Cost Only: ATBO P304 MVOLT/480V R3 4K P7 PCLL, 18230 Lumens, 124 Watts, Or Equal		
36	10	EA	0360 - Acuity Brand Lighting LED Cobra Type Fixture Cost Only: ATB2 P601 R3L MVOLT/480V 4K R3L P7 PCLL, TYPE III Or Equal		
37	10	EA	0370 -Phillips LED Type Fixture Cost Only: Brilliant Efficiencies or Equal SLB200-T3L-GR-480V AC, or Equal		
38	10	EA	0380 - Fixture Cost Only: - MGLEDM P6 40K MVOLT MR VH BKSD PCLL PR7, 34392 Lumens, Or Equal		
39	10	EA	0390 - Fixture Cost Only: Acuity Brand ATBM P40 MVOLT/480 R3 4B 4K GY 20 P7 AO PCLL, LED Fixture Cobra type, Lumens 17368 Or Equal		
40	10	EA	0400 - Fixture Cost Only: Acuity Brand MGLEDM P6 40K 480/MVOLT FT/AR VH BKSD PR7 PCLL, 35927 Lumens LED Fixture, Or Equal		
41	10	EA	0410 - Fixture Cost Only: Acuity Brand MGLEDM P3 40K 480/MVOLT FT/AR VH BKSD PR7 PCLL, 25219 Lumens LED Fixture, Or Equal		
42	10	EA	0420 - Fixture Cost Only: LED - ATBL B 40K 480V R3 4B BK HSS P7 SH, Lumens 21128 Or Equal		
48	25	EA	0480 - Replacement Commercial Cobra type lenses/shades/globes, Labor and Material.		

ATTACHMENT 2

Articles of Description

49	50	EA	0490 - LED Photocontrol, Acuity, DLL127 120-277V Fail ON, Or Equal, Cost Only.		
50	50	EA	0500 - LED Photocontrol, Acuity, DLL127 480V Fail ON, Or Equal, Cost Only		
51	1	EA	0510 - Hand Hole cover - Sur-Lok SLO/SLR, Quantum Engineering, Labor and Item cost.		
52	1	EA	0520 - Hubbell Power Systems Helical Screw-In Foundation Cat. No. T1121751		
53	1	EA	0530 - QUAZITE BOX 12" X 12", Cost Only		
54	1	EA	0540 - QUAZITE BOX 11" X 17", Cost Only		
55	100	EA	0550 - NON FUSABLE BREAKAWAY HOLDER, item cost only		
56	100	EA	0560 - FUSE HOLDER BREAKAWAY, cost only		
57	2	EA	0570 - PEDESTAL MOUNT CONTROLLER, Cost Only, issued by Special Work Order		
58	2	EA	0580 - DISCONNECT 120V-240V FUSABLE, Cost Only		
59	2	EA	0590 - DISCONNECT STAINLESS STEEL (FUSABLE) 600 V, Cost Only		
60	1	EA	0600 - Submersible Connector - Polaris Edge, Pre-insulated, ISPB350-4, Labor and Item cost		
61	1	EA	0610 - Poles shall be smooth seamless spun Aluminum (Valmont 4508-45805T4D1SBF or equal), 50-foot mounting height with a 10-foot clamp-mounted single member truss-type arm (Valmont 1TA1032CSBF or equal) TB2 / TB3 Base, to receive the fixtures noted above, Note: All poles shall be round tapered and include factory installed vibration dampeners.		
62	20	EA	0620 - Poles shall be smooth seamless spun Aluminum (Valmont 3408-45805T4D1SBF or equal), 40-foot mounting height with a 10-foot clamp-mounted single member truss-type arm (Valmont 1TA1032CSBF or equal) TB2 / TB3 Base, to receive the fixtures noted above, Note: All poles shall be round tapered and include factory installed vibration dampeners.		

ATTACHMENT 2

Articles of Description

63	10	EA	<p>0630 - Poles shall be smooth seamless spun Aluminum (Valmont 3408-45806T4D2SBF or equal), 40-foot mounting height with a 10-foot clamp-mounted double member truss-type arm (Valmont 2TA1032CSBF or equal) TB2/ TB3 Base, to receive fixtures noted above. Note: All poles shall be round tapered and include factory installed vibration dampeners.</p>		
64	10	EA	<p>0640 - Poles shall be smooth seamless spun Aluminum (Valmont 3008-45806T4D1SBF or equal), 33-foot mounting height with a 10-foot clamp-mounted single member truss-type arm (Valmont 1TA1032CSBF - or equal) TB2 / TB3 Base, to receive fixtures noted above. Note: All poles shall be round tapered and include factory installed vibration dampeners. Poles requiring shorter lengths shall be included/absorbed in this article.</p>		
65	10	EA	<p>0650 - Poles shall be smooth seamless spun Aluminum (Valmont 3008-45806T4D2SBF or equal), 33-foot mounting height with a 10-foot clamp-mounted double member truss-type arm (Valmont - 2TA1032CSBF or equal) TB2 / TB3 Base, to receive fixtures noted above. Note: All poles shall be round tapered and include factory installed vibration dampeners. Poles requiring shorter lengths shall be included/absorbed in this article.</p>		
66	10	EA	<p>0660 - Poles shall be smooth seamless spun Aluminum (Valmont 2708-45806T4D1SBF or equal), 30-foot mounting height with a 10-foot clamp-mounted single member truss-type arm (Valmont 1TA1032CSBF - or equal) TB2 / TB3 Base, to receive fixtures noted above. Note: All poles shall be round tapered and include factory installed vibration dampeners. Poles requiring shorter lengths shall be included/absorbed in this article.</p>		

ATTACHMENT 2

Articles of Description

67	10	EA	<p>0670 - Poles shall be smooth seamless spun Aluminum (Valmont 2708-45806T4D2SBF or equal), 30-foot mounting height with a 10-foot clamp-mounted double member truss-type arm (Valmont -2TA1032CSBF or equal) TB2 / TB3 Base, to receive fixtures noted above. Note: All poles shall be round tapered and include factory installed vibration dampeners. Poles requiring shorter lengths shall be included/absorbed in this article.</p>		
68	10	EA	<p>0680 - Poles shall be smooth seamless spun Aluminum (Valmont 2508-45806T4D1SBF or equal), 30-foot mounting height with a 10-foot clamp-mounted single member truss-type arm (Valmont 1TA1032CSBF - or equal) TB2 / TB3 Base, to receive fixtures noted above. Note: All poles shall be round tapered and include factory installed vibration dampeners. Poles requiring shorter lengths shall be included/absorbed in this article.</p>		
69	10	EA	<p>0690 - Poles shall be smooth seamless spun Aluminum (Valmont 2508-45806T4D2SBF or equal), 30-foot mounting height with a 10-foot clamp-mounted double member truss-type arm (Valmont -2TA1032CSBF or equal) TB2 / TB3 Base, to receive fixtures noted above. Note: All poles shall be round tapered and include factory installed vibration dampeners. Poles requiring shorter lengths shall be included/absorbed in this article.</p>		
70	5	EA	<p>0700 - Pole Package shall be 34 FT smooth seamless spun Aluminum alloy, Black (Holophane: 34088601083T9WA30CSB-BKWYBK RFD260861 OR Equal, to accomodate West Liberty One (1)Piece type single WLC72IN 1A TN BK Arm, HOLOPHANE BASE WA30AC100370-BK RFD263852, 38 Ft 6IN mounting height Or Equal, to receive fixtures noted above, bolt circle to match accordingly. Note: All poles shall be round tapered and include factory installed vibration dampeners.</p>		

ATTACHMENT 2

Articles of Description

71	5	EA	<p>0710 - Pole Package shall be 34 FT smooth seamless spun Aluminum alloy, Black (Hologhane: 34088601083T9WA30CSB-BKWYBK RFD260861 OR Equal, to accomodate West Liberty One (1)Piece type double WLC72IN 2A TN BK Arm, HOLOPHANE BASE WA30AC100370-BK RFD263852, 38 Ft 6IN mounting height Or Equal, to receive fixtures noted above, bolt circle to match accordingly. Note: All poles shall be round tapered and include factory installed vibration dampeners.</p>		
72	10	EA	<p>0720 - Pole Package shall be 30 Ft Smooth Round Tapered Aluminum alloy, Black (Hologhane - 300058100TFABBSE3T9-BK Or Equal, 33-foot mounting height, to accomodate a West Liberty one (1) piece WLC72IN 1A TN BK single arm, to accomodate fixtures listed above, with Base style WA30AC100370-BK RFD263852 or as needed, bolt circle to match accordingly. Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.</p>		
73	10	EA	<p>0720 - Pole Package shall be 30 Ft Smooth Round Tapered Aluminum alloy, Black (Hologhane - 300058100TFABBSE3T9-BK Or Equal, 33-foot mounting height, to accomodate a West Liberty one (1) piece WLC72IN 2A TN BK double arm, to accomodate fixtures listed above, with Base style WA30AC100370-BK RFD263852 or as needed, bolt circle to match accordingly. Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.</p>		
74	10	EA	<p>0740 - Pole Package 30 Ft Smooth Aluminum poles Part # Hologhane: 300045808T4A Or Equal, bolt circle to match existing, Black, West Liberty Single WLC72IN 1A TN BK Arm, to accomodate fixtures listed above , Clamshell Base WA24ACO83280 AB BK or WA30AC-DBL or as needed: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.</p>		

ATTACHMENT 2

Articles of Description

75	10	EA	<p>0750 - Pole Package 30 Ft Smooth Aluminum poles Part # Holophane: 300045808T4A Or Equal, bolt circle to match existing, Black, West Liberty Double Arm (WLC96IN 2A TN BK), to accomodate fixturtes listed above , Clamshell Base WA24ACO83280 AB BK or WA30AC-DBL or as needed: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.</p>		
76	10	EA	<p>0760 - Pole Package 28 FT Smooth Poles Aluminum, Black - Holophane# 280045805T4 VD 3T9 TBASE BK (A208284B) Or Equal, West Liberty Single Arm WLC72IN 1A TN BK, to accommodate Fixtures listed above: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.</p>		
77	10	EA	<p>0770 - Pole Package 28 FT Smooth Poles Aluminum, Black -Holophane # 280045805T4 VD 3T9 TBASE BK (A208284B) Or Equal, West Liberty Double Arm WLC72IN 2A TN BK, to accommodate Fixtures listed above: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.</p>		
78	10	EA	<p>0780 - Pole Package 27 Ft Poles Smooth Aluminum, Black - Holophane # 270062108LTABBSE3T9-BK, Or Equal, West Liberty Single Arm WLC72IN 1A TN BK, HOLOPHANE BASE # WA30AC100370-BK Or Equal, and to accommodate Fixtures listed above: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.</p>		

ATTACHMENT 2

Articles of Description

79	10	EA	0790 - Pole Package 27 Ft Poles Smooth Aluminum, Black - Holophane #270062108LTABBSE3T9-BK, Or Equal, West Liberty Double Arm WLC72IN 2A TN BK, HOLOPHANE BASE WA30AC100370-BK Or Equal, and to accommodate Fixtures listed above: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.		
80	5	EA	0800 - Pole Package 23.8 FT Poles Holophane Smooth Aluminum, Black - Holophane # 230845808T4-BK, Or Equal, West Liberty Single Arm WLC72IN 1A TN BK, TB2 or TB3 Base as needed, and to accommodate Fixtures listed above: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.		
81	5	EA	0810 - 23.8 FT Pole Package, Holophane Smooth Aluminum, Black - 230845808T4-BK, West Liberty Double Arm WLC72IN 2A TN BK, Or Equal, TB2 or TB3 Base as needed, and to accommodate Fixtures listed above: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.		
82	5	EA	0820 - 22.7 FT Pole Package Smooth round Tapered Aluminum, Black - Holophane # 220760107T4XX 1VDALX41067 BAN ARMA-BK, Or Equal, WA30CSBBK AB27-4 (2), MUSIC SCROLL-BK 4VB7-10 West Liberty Double Arm WLC72IN 2A, CABKH RFD181887, and to accommodate Fixtures listed above: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.		
83	5	EA	0830 - 22.7 FT Pole Package, Smooth round Tapered Aluminum, Black - Holophane # 220760107T4XX 1VDALX41067 BAN ARMA-BK, Or Equal, WA30CSBBK AB27-4 (2), MUSIC SCROLL-BK 4VB7-10 West Liberty Single Arm WLC72IN 1A, CABKH RFD181887, and to accommodate Fixtures listed above: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.		
84	1	EA	0840 - West Liberty Single 6FT Arm, WLC 72IN 1A TN BK, and to accommodate Fixtures listed above		

ATTACHMENT 2

Articles of Description

85	1	EA	0850 - West Liberty Dual 6FT Arm, WLC 72 2A TN BK, and to accommodate Fixtures listed above		
86	1	EA	0860 - West Liberty Dual 8FT Arm, WLC 96 2A BK, and to accommodate Fixtures listed above		
87	1	EA	0870 - West Liberty Single 8FT Arm, WLC 96 1A BK, and to accommodate Fixtures listed above		
88	10	EA	0880 - Holophane Music Scroll Assembly BK RFD175344, Or Equal		
89	10	EA	0890 - Holophane Base - WA30AC100370-BK, 30" X 37 "X 10" neck, Clamshell Base, Black		
90	10	EA	0900 - Holophane Base - WA30AC080370-BK, 30" X 37 "X 8" neck, Clamshell Base, Black		
91	20	EA	0910 - MG Squared Fuse Block assembly cost and labor		
92	24	HR	0920 - LABOR FOR DELIVERY & MATERIAL PICKUP FROM WAREHOUSE, Used once daily.		
93	1	FT	0930 - SO Cord type 12-3 THW		
94	1	FT	0940 - #12 THWN-2 or THHN-2 Stranded Type wire, Black, White, Green and Red		
95	1	EA	0950 - LED Driver Replacement Kit		
96	1	EA	0960 - 100 WATT LED COBB replacement lamp, (min to Max) 6000 to 8000 Lumens, 4K color		
97	1	EA	0970 - 250 WATT LED COBB Replacement Lamp, minimum 17,000 Lumens, 4K color temp		
98	1	EA	0980 - 250 WATT LED COBB Replacement Lamp, minimum 21,000 Lumens, 4K color temp		
99	1	EA	0990 - 250 WATT LED COBB Replacement Lamp, minimum 26,000 Lumens, 4K color temp		
100	1	HR	0100 - HYDROVAC MACHINE - HOURLY RATE		
101	10	EA	0101 - TB-2 Transformer Base, 11.5" inch to 13" inch Pole mounting bolt circle.		
102	10	EA	0102 - TB-3 Transformer Base, 13" inch to 15" inch Pole mounting bolt circle.		
103	10	EA	0103 - Valmont Pole ONLY shall be smooth seamless spun Aluminum (Valmont 4508-45805T4D1SBF or equal)		

ATTACHMENT 2

Articles of Description

104	10	EA	0104 - Valmont Pole ONLY shall be smooth seamless spun Aluminum (Valmont 3408-45805T4D1SBF or equal)		
105	10	EA	0105 - Valmont Pole ONLY shall be smooth seamless spun Aluminum (Valmont 3408-45806T4D2SBF or equal)		
106	10	EA	0106 - Valmont Pole ONLY shall be smooth seamless spun Aluminum (Valmont 3008-45806T4D1SBF or equal)		
107	10	EA	seamless spun Aluminum (Valmont 3008-45806T4D2SBF or equal)		
108	10	EA	0108 - Valmont Pole ONLY shall be smooth seamless spun Aluminum (Valmont 2708-45806T4D1SBF or equal)		
109	10	EA	0109 - Valmont Pole ONLY shall be smooth seamless spun Aluminum (Valmont 2708-45806T4D2SBF or equal)		
110	10	EA	0110 - Valmont Pole ONLY shall be smooth seamless spun Aluminum (Valmont 2508-45806T4D1SBF or equal)		
111	10	EA	0111 - Valmont Pole ONLY shall be smooth seamless spun Aluminum (Valmont 2508-45806T4D2SBF or equal)		
112	10	EA	0112 - Pole ONLY shall be 34 FT smooth round tapered Aluminum alloy, Black, Part # 34088601083T9WA30CSB-BKWYBK, Holophane		
113	10	EA	0113 - Pole ONLY shall be 30 Ft Smooth Round Tapered Aluminum, Black (Holophane - 300058100TFABBSE3T9-BK Or Equal, 33-foot mounting height, to accommodate a West Liberty one (1) piece WLC72IN 1A TN BK single Or WLC72IN 2A TN BK double Arm, Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.		
114	10	EA	0114 - Pole ONLY - Shall be 28 FT Smooth round Tapered Aluminum, Black - Holophane # 280045805T4 VD 3T9 TBASE BK (A208284B), to accommodate West Liberty Single WLC72IN 1A TN BK or double WLC72IN 2A TN BK, and Fixtures listed above: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.		

ATTACHMENT 2

Articles of Description

115	10	EA	0115 - Pole ONLY - Shall be 27 Ft Poles Smooth round Tapered Aluminum, Black - Holophane # 270062108LTABBSE3T9-BK, Or Equal, to accomodate West Liberty Single WLC72IN 1A TN BK or double WLC72IN 2A TN BK , and Fixtures listed above, Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.		
116	10	EA	0116 - Pole ONLY Shall be 23.8 FT Smooth round Tapered Aluminum, Black - Holophane # 230845808T4-BK, Or Equal, to accomodate West Liberty Single WLC72IN 1A TN BK or Double WLC72IN 2A TN BK Arms, TB2 or TB3 Base as needed, and Fixtures listed above: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.		
117	10	EA	0117 - Pole ONLY 22.7 FT Smooth round Tapreed Aluminum, Black - Holophane # 220760107T4XX 1VDALX41067 BAN ARMA-BK, Or Equal, to accomodate WA30CSBBK AB27-4 (2), MUSIC SCROLL-BK 4VB7-10, and West Liberty Single WLC72IN 1A TN BK or Double Arm WLC72IN 2A, CABKH RFD181887, and to accomodate Fixtures listed above: Note: All poles shall be smooth round tapered and shall include factory installed vibration dampeners.		
118	10	EA	0118 - Valmont 10-foot clamp-mounted single member truss-type arm (Valmont 1TA1032CSBF or equal)		
119	10	EA	0119 - Valmont 10-foot clamp-mounted double member truss-type arm (Valmont 2TA1032CSBF or equal)		
120	10	EA	0120 - Music Scroll BK 4VB7-10 Holophane Or Equal		
121	10	EA	0121 - Acuity Brand LED Fixture: ATBL E MVOLT/480V R3 4B 4K BK 20 P7 PCCL, 24067 Lumens, Or Equal		
122	1	EA	0122 - I-10 LOW MAST Acuity Brand LED Cobra Type Fixture: ATBO P304 MVOLT/480V R4 40K P7 SH, 18230 Lumens, 124 Watts, Or Equal		
123	1	EA	0123 - I-10 LOW MAST Acuity Brand LED Cobra Type Fixture: ATBO P305 MVOLT/480V R3 40K BK P7 SH, 20440 Lumens, 145 Watts, Or Equal		
124	1	EA	0124 - I-10 HIGHMAST - HMLED P4 40K XVOLT HGR AW P7 SH- 82761 Lumens, 582 Watts, Or Equal		

ATTACHMENT 2

Articles of Description

125	1	EA	HGR AW P7 SH-0 65559 Lumens, 429 Watts, Or Equal		
126	1	EA	0340 - American Electric Lighting LED Cobra Type Fixture: ATBM P30 XXXXX R2 4K/5K LUMEN OUTPUT 15515, 118 WATTS, Conversion/Retrofit- Multiple Fixture cost Only, Or Equal.		
127	1	EA	0127 - I-10 Wallflasher - WCNG P2 40K U4W 480/MVOLT ZT 20KV GYSDP SCRW NPR DF, 4314 Lumens, 34.7 Watts Or Equal		
128	1	EA	0128 - I-10 Wallflasher - WCNG P2 40K U4W 480/MVOLT ZT 20KV GYSDP SCRW NPR DF, 4100 Lumens, 35Watts Or Equal		
129	1	EA	0129 - I-10 LOW MAST - MGLEDM P7 40K XXXXX WR, 36690 Lumens, 254.9 Watts, Or Equal		
130	1	EA	0130 - ECP HELIOCAL SCREW-IN FOUNDATION, Helical ECP - LPS-1075-120-14		
131	40	HR	0131 - Cable Locates - Major Roadways in Jefferson Parish		
132	1	EA	0132 - Fuses 200 amp barrel type		
133	10	EA	0133 - 24.8 Ft Maverick Aluminum Pole, round smooth Black, Hapco # /Valmont # 240845806T4		
134	10	EA	0134 - Valmont Arm 6' x 32" x 3.5" - 10 degree tilt, SGL MS ARM CLP EX 4.5"		
135	10	EA	0134 - 50W -100W HPS Nema, Cobra or Wallflasher Fixture with semi-cut-off precision refractor, cost of Fixture only, with PE cell,		
136	10	EA	0135 - 150W -250W HPS Nema, Cobra or Wallflasher Fixture with semi-cut-off precision refractor, cost of Fixture only, with PE cell, including bulb.		
137	20	EA	0136 - 250W HPS Cobra or Wallflasher Fixture with semi-cut-off precision refractor, cost of Fixture only,with PE cell, including bulb.		
138	20	EA	0137 - 400W HPS Cobra Head Type III Fixture with semi-cut-off precision refractor, cost of Fixture only with PE cell, including bulb.		
139	20	EA	0139 - Solar Light Fixture All-in-one type, Cypress Lighting Technologies, LLC, Model # CL-85/180AIOSF, lumens 8500 Or equal		

ATTACHMENT 2

Articles of Description

140	20	EA		0139 - Solar Light Fixture All-in-one type, Cypress Lighting Technologies, LLC, Model # CL-95/180AIOF, Lumens 9500 Or Equal		
141	1	EA		0140 - NON-BIDDABLE ITEM (FOR BIDDING PURPOSES PLEASE LEAVE BLANK) THE COST OF ANY OTHER MISCELLANEOUS ITEMS NECESSARY FOR THE COMPLETION OF THIS CONTRACT SHALL BE APPROVED BY JEFFERSON PARISH, WHEN THE COST OF SAID ITEMS ARE IDENTIFIED AND QUOTED.		
142	1	EA		0141 - NON-BIDDABLE ITEM (FOR BIDDING PURPOSES PLEASE LEAVE BLANK) SPECIAL WORK ORDER INVOICES: "NOT TO EXCEED0890 NON-BIDDABLE ITEM (FOR BIDDING PURPOSES PLEASE LEAVE BLANK) THE COST OF ANY OTHER MISCELLANEOUS ITEMS NECESSARY FOR THE COMPLETION OF THIS CONTRACT SHALL BE APPROVED BY JEFFERSON PARISH, WHEN THE COST OF SAID ITEMS ARE IDENTIFIED AND QUOTED. COST ESTIMATE, MUST BE APPROVED BY JEFFERSON PARISH. (SECTION I, PART 2B)		

Parts List

GROUP RELAMP REPLACEMENT 100W TO 400 W HPS			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0100	FIXTURE	PHILLIPS	100 TO 400 WATT HPS LAMP
		GE	

COMMERCIAL ROADWAY LIGHTING - 100 WATT HPS REPLACEMENT			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0110	FIXTURE	AMERICAN ELECTRIC	100 WATT HPS WALLFLASHER OR NEMA FIXTURE
		GE	
		HOLOPHANE	

COMMERCIAL ROADWAY LIGHTING - 150 WATT HPS REPLACEMENT			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0120	FIXTURE	AMERICAN ELECTRIC	150 WATT HPS WALLFLASHER FIXTURE
		GE	
		HOLOPHANE	

COMMERCIAL ROADWAY LIGHTING - 250 WATT HPS REPLACEMENT			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0130	FIXTURE	AMERICAN ELECTRIC	250W HPS COBRA TYPE III, SEMI CUTOFF PRECISION REFRACTOR WITH PE 120/240V
		GE	250W HPS COBRA TYPE III, SEMI CUTOFF PRECISION REFRACTOR WITH PE 240/480V

COMMERCIAL ROADWAY LIGHTING - 400 WATT HPS REPLACEMENT			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0140	FIXTURE	AMERICAN ELECTRIC	400W HPS COBRA TYPE III, SEMI CUTOFF PRECISION REFRACTOR WITH PE 120/240V
	FIXTURE	GE	400W HPS COBRA TYPE III, SEMI CUTOFF PRECISION REFRACTOR WITH PE 240/480V

MISCELLANEOUS FIXTURES

REFERENCE NO.	TYPE	MANUFACTURER	PART
0150	FIXTURE LED	PHILLIPS BRILLIANT EFFICIENCIES	SLB200-T3L-GR-480V AC
	FIXTURE LED		SLB200-T3L-GR-120/240V AC

MISCELLANEOUS FIXTURES

REFERENCE NO.	TYPE	MANUFACTURER	PART
0160	FIXTURE LED	ACQUITY BRAND HOLOPHANE	ATB2 60BLEDE10 M VOLT/480V R3 P7 PCLL

MISCELLANEOUS FIXTURES

REFERENCE NO.	TYPE	MANUFACTURER	PART
0170	FIXTURE LED	ACQUITY BRAND HOLOPHANE	ATB2 40BLEDE10 MVOLT R3 P7 PCLL

MISCELLANEOUS FIXTURES

Parts List

REFERENCE NO.	TYPE	MANUFACTURER	PART
0180	FIXTURE LED	ACUITY BRAND HOLOPHANE	ATBM E MVOLT/480V R3 4B P7 AO PCLL
MISCELLANEOUS FIXTURES			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0190	FIXTURE LED	ACUITY BRAND HOLOPHANE	ATBM G MVOLT/480V R3 4B P7 AO PCLL
MISCELLANEOUS FIXTURES			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0200	FIXTURE HPS	HOLOPHANE TEARDROP	HOL ESU 250HP 48 S B 4 R P48 WLDF13200BK
MISCELLANEOUS FIXTURES			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0210	FIXTURE LED	GE LIGHTING SOLUTIONS	LED Type Fixture ER52525E140DBLCK
MISCELLANEOUS FIXTURES			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0220	FIXTURE LED	ACUITY	ATBM P40 MVOLT R3 4B 4K GY 20 P7 AO PCLL
MISCELLANEOUS FIXTURES			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0230	FIXTURE LED	ACUITY	MGLEDM P6 40K 480/MVOLT FT/AR VH BKSD PR7 PCLL
MISCELLANEOUS FIXTURES			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0240	FIXTURE LED	ACUITY	MGLEDM P3 40K 480/MVOLT FT/AR VH BKSD PR7 PCLL
PARISH-WIDE - 500 PHOTOCONTROLS			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0250	LED PHOTOCONTROL	ACUITY	DLL127 120-277V FAIL ON
PARISH-WIDE - 500 PHOTOCONTROLS			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0260	LED PHOTOCONTROL	ACUITY	DLL127 480V FAIL ON
SCREW IN TYPE FOUNDATIONS			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0270	HELICAL SCREW FOUNDATION	HUBBELL POWER SYSTEMS	CATALOG # T1121751
MISCELLANEOUS FIXTURES			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0280	FIXTURE LED	CYPRESS LIGHTING TECHNOLOGIES	85W INTERGRATED SOLAR LIGHT ALL-IN-ONE CL-85/180AIO5F
UNDERGROUND JUNCTION BOX			

Parts List

REFERENCE NO.	TYPE	MANUFACTURER	PART
0290	PC STYLE STACKABLE ASSEMBLY COVER	QUAZITE - HUBBELL	PC1212BA12 PC1212CA00

UNDERGROUND JUNCTION BOX

REFERENCE NO.	TYPE	MANUFACTURER	PART
0300	PC STYLE STACKABLE ASSEMBLY COVER	QUAZITE - HUBBELL	PC1218A18 PC1218CA18

FUSE HOLDER

REFERENCE NO.	TYPE	MANUFACTURER	PART
0310	NON FUSABLE HOLDER	IDEAL/BUCHANAN BREAKAWAY	S1212D OR S2212D (NON FUSIBLE)

FUSE HOLDER

REFERENCE NO.	TYPE	MANUFACTURER	PART
0320	FUSE HOLDER	IDEAL/BUCHANAN BREAKAWAY	S1212D OR S2212D (FUSIBLE)

CONTROLLER ASSEMBLY

REFERENCE NO.	TYPE	MANUFACTURER	PART
0330	PEDESTAL MOUNT CONTROL 120/240 OR 480-600V	CENTRAL SYSTEMS & CONTROL COR	MFG#20026031042, DEWSBURY MFG#60310422002 SEE DIVISION OF STREET LIGHTING FOR SPEC SHEET

DISCONNECT

REFERENCE NO.	TYPE	MANUFACTURER	PART
0340	DISCONNECT		120V-240V V STAINLESS STEEL

DISCONNECT

REFERENCE NO.	TYPE	MANUFACTURER	PART
0350	DISCONNECT		600V STAINLESS STEEL

COMMERCIAL ROADWAY POLE-STEEL, ALUMINUM OR CONCRETE

REFERENCE NO.	TYPE	MANUFACTURER	PART
0360	POLE COMMERCIAL 30FT	VALMONT	VALMONT 2708-45805T4D1S8F
	POLE ARM 8 FT	VALMONT	1TA0832CSBF
	POLE ARM 10 FT	VALMONT	1TA1092CSBF

COMMERCIAL ROADWAY POLE-STEEL, ALUMINUM OR CONCRETE

REFERENCE NO.	TYPE	MANUFACTURER	PART
0370	POLE COMMERCIAL 30FT	VALMONT	VALMONT 3008-45806T4D2S8F
	POLE ARM 8 FT	VALMONT	1TA0832CSBF
	POLE ARM 10 FT	VAALMONT	1TA1092CSBF

COMMERCIAL ROADWAY POLE-STEEL, ALUMINUM OR CONCRETE

Parts List

REFERENCE NO.	TYPE	MANUFACTURER	PART
0380	POLE COMMERCIAL 40FT	VALMONT	VALMONT RTA360845906T4D1SBF
	POLE COMMERCIAL 40FT	VALMONT	VALMONT RTA360845906T4D2SBF
COMMERCIAL ROADWAY POLE-STEEL, ALUMINUM OR CONCRETE			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0390	POLE COMMERCIAL 40FT	VALMONT	VALMONT RTA3408-45805T4D1SBF
	POLE COMMERCIAL 40FT	VALMONT	VALMONT RTA3408-45806T4D2SBF
COMMERCIAL DECORATIVE ROADWAY POLE-STEEL, ALUMINUM OR CONCRETE			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0400	POLE COMMERCIAL 30FT	HOLOPHANE	300058100TFABBSE3T9-BK
	ARM	HOLOPHANE - WEST LIBERTY	WLC96IN 2A TN BK, WLC72IN 2A BK
	BASE	HOLOPHANE	WA30AC100370-BK
	BASE	HOLOPHANE	WA24ACC083280 AB BK
COMMERCIAL DECORATIVE ROADWAY POLE-STEEL, ALUMINUM OR CONCRETE			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0410	POLE COMMERCIAL 30FT	HOLOPHANE	300045808T4A
	ARM	HOLOPHANE - WEST LIBERTY	WLC96IN 2A TN BK
	BASE	HOLOPHANE	WA24ACC083280 AB BK
COMMERCIAL DECORATIVE ROADWAY POLE-STEEL, ALUMINUM OR CONCRETE			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0420	POLE COMMERCIAL 28FT	HOLOPHANE	280045805T4 VD 3T9 TBASE BK (A208284B)
	ARM	HOLOPHANE - WEST LIBERTY	WLC72IN 1A/2A TN BK
COMMERCIAL DECORATIVE ROADWAY POLE-STEEL, ALUMINUM OR CONCRETE			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0430	POLE COMMERCIAL 28FT	HOLOPHANE	270062108LTABBSE3T9-BK
	ARM	HOLOPHANE - WEST LIBERTY	WLC72IN 1A/2A TN BK
	BASE	HOLOPHANE	WA30AC100370-BK
COMMERCIAL DECORATIVE ROADWAY POLE-STEEL, ALUMINUM OR CONCRETE			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0440	POLE COMMERCIAL 23.8 FT	HOLOPHANE	230845808T4-BK
	ARM	HOLOPHANE - WEST LIBERTY	WLC72IN 1A/2A TN BK
	BASE	HOLOPHANE	TB3
COMMERCIAL DECORATIVE ROADWAY POLE-STEEL, ALUMINUM OR CONCRETE			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0450	POLE COMMERCIAL 22.7 FT	HOLOPHANE	220760107T4XX 1VDALX41067 BAN ARMA-BK
	ARM	HOLOPHANE - WEST LIBERTY	WLC144IN 2A CABKH RFD181887
	BASE	HOLOPHANE	WA30CSBK AB27-4 (2)
COMMERCIAL DECORATIVE ROADWAY POLE-STEEL, ALUMINUM OR CONCRETE			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0460	POLE COMMERCIAL 34FT	HOLOPHANE	34088601083T9-WA30CSB-BKWY-BK - RFD260846
	ARM	HOLOPHANE	WLC72IN 1A/2A TN BK
	BASE	HOLOPHANE	
COMMERCIAL DECORATIVE ROADWAY ARM ONE (1) PIECE ASSEMBLY			

Parts List

REFERENCE NO.	TYPE	MANUFACTURER	PART
0470	WEST LIBERTY TWIN ARM	HOLOPHANE	WLC96IN 2ATN BK
	WEST LIBERTY SINGLE ARM	HOLOPHANE	WLC96IN 1A TN BK
	WEST LIBERTY TWIN ARM	HOLOPHANE	WLC72IN 2A TN BK
	WEST LIBERTY SINGLE ARM	HOLOPHANE	WLC72IN 1A TN BK

COMMERCIAL DECORATIVE ROADWAY SCROLL

REFERENCE NO.	TYPE	MANUFACTURER	PART
0480	SCROLL	HOLOPHANE	MUSIC SCROLL-BK 4VB7-10

COMMERCIAL DECORATIVE CLAMHELL BASE

REFERENCE NO.	TYPE	MANUFACTURER	PART
0490	BASE	HOLOPHANE	WA30AC100370-BK, 30" Clamshell Base, Black
	BASE	HOLOPHANE	WA24ACO83280 AB BK, 24" Clamshell Base, Black

COMMERCIAL DECORATIVE TEARDROP FIXTURE

REFERENCE NO.	TYPE	MANUFACTURER	PART
0500	TEARDROP FIXTURE	HOLOPHANE TEARDROP	ESL2 P30S 40K AS BK MVOLT/480V TG3 S P7 PCS
	TEARDROP FIXTURE	HOLOPHANE TEARDROP	ESL2 P50S 40K AS BK MVOLT/480V TG3 S P7 PCS

COMMERCIAL DECORATIVE TEARDROP FIXTURE

REFERENCE NO.	TYPE	MANUFACTURER	PART
0510	FIXTURE LED	ACUITY BRAND	ATB2 P601 480 R4 P7 SH - ALSO: ATB2 P601 480 R3 P7 SH

MISCELLANEOUS PARTS

REFERENCE NO.	TYPE	MANUFACTURER	PART
0520	SCHEDULE 40 PVC		SIZE 2"

MISCELLANEOUS PARTS

REFERENCE NO.	TYPE	MANUFACTURER	PART
0530	SCHEDULE 80 PVC		SIZE 2"

MISCELLANEOUS PARTS

REFERENCE NO.	TYPE	MANUFACTURER	PART
0540	WIRE TERMINAL	THOMAS & BETTS	JSB8835

MISCELLANEOUS PARTS

REFERENCE NO.	TYPE	MANUFACTURER	PART
0550	WIRE TERMINAL	POLARIS EDGE	ISPB & ISPC SERIES DIRECT BURY SUBMERSIBLE CONNECTORS

COMMERCIAL ROADWAY LIGHTING - 1000 WATT HPS HIGH MAST FIXTURE

REFERENCE NO.	TYPE	MANUFACTURER	PART
0560	FIXTURE	AMERICAN ELECTRIC	1000 WATT HPS HIGH MAST LUMINAIRE
		HOLOPHANE	1000 WATT HPS HIGH MAST LUMINAIRE

Parts List

COMMERCIAL ROADWAY LIGHTING - 1000 WATT HIGH MAST LED FIXTURE REPLACEMENT			
REFERENCE NO.	TYPE	MANUFACTURER	PART
0560	FIXTURE	AMERICAN ELECTRIC	1000 WATT LED HIGH MAST LUMINAIRE
		HOLOPHANE	1000 WATT LED HIGH MAST LUMINAIRE

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

DATE: 4/15/2026

BID NO: 50-00149869

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

PURCHASING SPECIALIST:
Sean.Dumas@jeffparish.gov

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 5/21/2026 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit their bid via Jefferson Parish's electronic procurement page. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES FOR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN La. R.S. 9:2602(8) ARE ACCEPTABLE. IN ACCORDANCE WITH La. R.S. 9:2602(8), JEFFERSON PARISH REQUIRES A SECURED DIGITAL SIGNATURE AND BIDDERS MUST PROVIDE PROOF OF THE SECURED SIGNATURE WITH BID SUBMISSION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- A. All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, and in the terms and conditions of Resolution No. 136353 and/or Resolution No. 141125, all of which are made part of this bid proposal and ensuing contract by reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances ("JPCO"), Louisiana Code of Ethics, and applicable Jefferson Parish ethical standards.
- B. The General Conditions for construction projects (141125) and the General Conditions for the purchase of materials, services and/or supplies (136353) are those adopted by the Jefferson Parish Council by Resolution No. 136353 and Resolution No. 141125, respectively. The General Conditions adopted by these resolutions shall be considered as much a part of this document and the ensuing contract or P.O. as if they were written wholly herein. A copy of each may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy of each by visiting the Purchasing Department webpage at <http://www.jeffparish.gov/464/Purchasing> and clicking on Online Forms.
- C. Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in La. R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.
- D. All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://www.jeffparish.gov/464/Purchasing> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.
- E. All quotations shall be based on F.O.B. Agency warehouse or job site (see Additional Requirements section), anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to Public Works projects.
- F. Jefferson Parish requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated on the bid form with bid submission. Supporting documentation may be required upon request.

Visit our website at [HTTP://JEFFPARISH.GOV/464/PURCHASING](http://JEFFPARISH.GOV/464/PURCHASING)

DATE: 4/15/2026

BID NO: 50-00149869

- G. Bidders should submit all questions in writing via email to the Purchasing Specialist's email address as indicated above, no later than five (5) working days prior to the bid opening. Bid numbers must be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than five (5) working days prior to the bid opening. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.
- H. All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge any Addendum on the bid form shall cause the bid to be rejected. Jefferson Parish reserves the right to award bid to next lowest responsive and responsible bidder in this event.
- I. If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions.
- J. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH WILL ACCEPT ONE PRICE FOR EACH ITEM UNLESS OTHERWISE INDICATED. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line-item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.
- K. Written evidence of the authority of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. Acceptable written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer or a manager. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection. A sample corporate resolution can be downloaded from our website <http://www.jeffparish.gov/464/Purchasing> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://www.jeffparish.gov/464/Purchasing> or you may provide your own document.
- L. AWARD OF CONTRACT: Jefferson Parish reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of Jefferson Parish. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.
- All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar day increments.
 - PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)
 - PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"
- M. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.
- N. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.
- For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.
- O. PRICES: Jefferson Parish is exempt from paying sales tax under La. R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and, unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures no more than four (4) decimal points. In the event there is a difference in unit prices and totals, the unit price shall prevail.
- Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Visit our website at [HTTP://JEFFPARISH.GOV/464/PURCHASING](http://JEFFPARISH.GOV/464/PURCHASING)

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- P. ANTI- DISCRIMINATION: Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).
- a. In accordance with La. R.S. 38:2216.1, Jefferson Parish is prohibited from entering into a contract with a value of \$100,000 or more with a company for the purchase of goods or services unless the contract contains a written verification from the company of both of the following: 1) The company does not have a practice, policy, guidance, or directive that discriminates against a firearm entity or firearm trade association based solely on the entity's or association's status as a firearm entity or firearm trade association. 2) The company will not discriminate against a firearm entity or firearm trade association during the term of the contract based solely on the entity's or association's status as a firearm entity or firearm trade association. As a result, the awarded bidder will be required to verify the above in the ensuing contract.
- Q. INSPECTOR GENERAL: It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.
- R. Proof of Cyber Security Training may be required for the successful bidder. Pursuant to La. R.S. 42:1267, any contractor who has access to state or local government information technology assets is required to complete cybersecurity training during the term of the contract and during any renewal period. As a Parish contractor, you are responsible for taking the cyber training, whether from the State or another source. After completion of said training please forward proof to your contract monitor/Parish contact.

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder after nine (9) working days.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS**

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://www.jeffparish.gov/464/Purchasing>.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW. IF THE NUMBER IS NOT SPECIFIED IN THIS BOX, IT IS NOT APPLICABLE FOR THIS BID.

2,3,4,5,6,8,9,10,11,12,13,14

1. **MANDATORY PRE-BID** - All bidders must attend the **MANDATORY** pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LA.R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the **MANDATORY** pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. **NON-MANDATORY PRE-BID** - Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. **JP LICENSE** - Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Building Permits. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Building Permits. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable municipality, Federal and/or State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. **LSCB LICENSE** - A LA State Contractor's License will be required in accordance with LA.R.S. 37:2150 et. seq. and such license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. **SITE VISIT** - It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. **JOB SITE CLEANLINESS** - Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

Visit our website at [HTTP://JEFFPARISH.GOV/464/PURCHASING](http://JEFFPARISH.GOV/464/PURCHASING)

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. PUBLIC WORKS BIDS - All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS - A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS - A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. INSURANCE - All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Any deviation from the Standard Insurance Requirements must be requested in writing prior to bid opening. Proof of coverage will be required prior to award. Failure to comply with this instruction will result in bid rejection.
11. BID BOND - A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. AS-NEEDED WORK - This is a requirements-based contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. FREIGHT - Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. AFFIDAVIT - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations in conformity with the provisions contained in LA.R.S. 38:2212.9, LA.R.S. 38:2212.10, LA.R.S. 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled GENERIC BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. FEDERAL FUNDING - The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents and ensuing contract. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications per the appendix instruction will result in bid rejection.
16. TAX EXEMPT - For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session – Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.
17. TECH AFFIDAVIT - The Technology Affidavit is required for this solicitation and shall be submitted with the bid submission. Failure to do so will result in your bid being rejected. Pursuant to La. R.S. 38:2237.1, prior to the procurement of telecommunications or video surveillance equipment or services, the vendor shall provide documentation by affidavit that the equipment or services to be procured are not prohibited telecommunications or video surveillance equipment or services as defined in R.S. 39:1753.1(A). This affidavit is supplied as a courtesy to Affiant. It is the responsibility of the affiant to insure the affidavit submitted to Jefferson Parish complies, in both form and content, with federal, state and parish laws. No procurement shall be made from a vendor or other entity who fails to provide the documentation; any procurement in contravention to this requirement shall be null and void by law.

DATE: 4/15/2026

BID NO: 50-00149869

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm throughout the entirety of the contract. However, bidders may request that an escalation provision be added to their contract by selecting "yes" below. The escalation provision in the contract will state that only one escalation will be allowed during the term of the contract, and the escalation shall take effect only after the initial 12 month period of the contract. A vendor with an escalation provision in their contract must submit a request in writing to activate the provision, but should not do so any sooner than the first day of the 13th month of their contract. The escalation percentage shall be limited to the most recently published CPI figure issued at the time an adjustment is requested by bidder based on the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure.

Are you requesting an escalation provision?

YES _____ NO _____

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: _____

ADDRESS: _____

CITY, STATE: _____ ZIP: _____

TELEPHONE: () _____

E-MAIL: _____

In the event that addenda are issued with this bid, bidders **MUST** acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ _____

AUTHORIZED

SIGNATURE: _____

Printed Name

TITLE: _____

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	400.00	HR	<p>Two (2) Year Contract for Street Lighting Maintenance for Major Roadways for the Jefferson Parish Engineering Department</p> <p>0010 TWO (2) YEAR CONTRACT FOR MAJOR ROADWAY LIGHTING MAINTENANCE AND REPAIR</p> <p>0010 HOURLY RATE FOR INITIAL/PRIMARY INVESTIGATION/CAUSE OF MAJOR/MULTIPLE OUTAGE, PER ASSIGNED ROADWAY TO INCLUDE POWER TO THE CONTROLLER-BREAKER RESET/ FUSE BLOWN, SERVICE POINT, UNDERGROUND/ OVERHEAD AND CONDUIT CIRCUITS, POLES, FIXTURES AND FOUNDATIONS WITHIN JEFFERSON PARISH. INVESTIGATE REGULAR MAINTENANCE AND REPAIRS ON ROADWAY UNITS AS SET FORTH IN THE ATTACHED SPECIFICATION SUMMARY, SECTION G. AND TO BE USED ONCE DAILY WHEN ASSIGNED AND NOT ON "SPECIAL WORK ORDERS" TO INCLUDE JOB COST ESTIMATES. THE CURRENT NUMBER OF PARISH-OWNED MAJOR ROADWAY LIGHT UNITS IS APPROXIMATELY 3761 (SEE INVENTORY SUMMARY). THE APPROXIMATE NUMBER OF WORK ORDERS PER MONTH HAS BEEN IN THE RANGE OF 75 MORE OR LESS; HOWEVER, NO ADJUSTMENTS SHALL BE MADE TO THE UNIT COST.</p>	\$	\$
2	40.00	HR	<p>0020 TRAFFIC CONTROL - POLICE DETAIL - SHALL ONLY BE USED WHEN APPROVED BY THE DIVISION OF STREETLIGHTING.</p>	\$	\$
3	24.00	HR	<p>0030 NIGHT RUNS (EASTBANK & WESTBANK) (MONTHLY)</p>	\$	\$
4	250.00	HR	<p>0040 SUPERVISOR FOR OVERSIGHT AND COORDINATION WHEN USING APPROVED SUBCONTRACTORS.</p>	\$	\$
5	150.00	HR	<p>0050 LABOR-LICENSED ELECTRICIAN</p>	\$	\$
6	150.00	HR	<p>0060 LABOR MECHANIC</p>	\$	\$
7	150.00	HR	<p>0070 LABOR - LABORER</p>	\$	\$
8	150.00	HR	<p>0080 LABOR - EQUIPMENT OPERATOR (CDL)</p>	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
9	100.00	HR	0090 BUCKET TRUCK WITH TOOLS AND EQUIPMENT NECESSARY TO UNDERTAKE WORK IN CONJUNCTION WITH THE REPAIR AND MAINTENANCE OF A STREET LIGHTING SYSTEM.	\$ _____	\$ _____
10	100.00	HR	0100 65 FT BUCKET TRUCK WITH TOOLS AND EQUIPMENT NECESSARY TO UNDERTAKE WORK IN CONJUNCTION WITH THE REPAIR AND MAINTENANCE OF AN INTERSTATE LOW MAST LIGHTING SYSTEM.	\$ _____	\$ _____
11	8.00	HR	0110 BACKHOE AND LOADER COMBINATION (IF RENTED, EQUIPMENT SHALL BE CHARGED AT DIRECT COST.)	\$ _____	\$ _____
12	8.00	HR	0120 TRUCK MOUNTED CRANE (IF RENTED, EQUIPMENT SHALL BE CHARGED AT DIRECT COST.)	\$ _____	\$ _____
13	8.00	HR	0130 SERVICE TRUCK EQUIPPED WITH TOOLS AND EQUIPMENT NECESSARY TO UNDERTAKE WORK IN CONJUNCTION WITH THE REPAIR AND MAINTENANCE OF A STREET LIGHTING SYSTEM.	\$ _____	\$ _____
14	8.00	HR	0140 FLATBED TRUCK (IF RENTED, EQUIPMENT SHALL BE CHARGED AT DIRECT COST.)	\$ _____	\$ _____
15	8.00	HR	0150 BACKHOE/LOADER TRANSPORT (IF RENTED, EQUIPMENT SHALL BE CHARGED AT DIRECT COST.)	\$ _____	\$ _____
16	8.00	HR	0160 AIR COMPRESSOR (IF RENTED, EQUIPMENT SHALL BE CHARGED AT DIRECT COST.)	\$ _____	\$ _____
17	8.00	HR	0170 WELDING MACHINE (IF RENTED, EQUIPMENT SHALL BE CHARGED AT DIRECT COST.)	\$ _____	\$ _____
18	1,250.00	LF	0180 DIRECTIONAL UNDERGROUND BORER - SHALL BE PAID AS PER LINE ITEM, COST	\$ _____	\$ _____

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PER FOOT.		
19	8.00	HR	0190 JACK HAMMER - PER HOUR (IF RENTED, EQUIPMENT SHALL BE CHARGED AT DIRECT COST.)	\$	\$
20	8.00	HR	0200 UTILITY AND/OR POLE TRAILER (IF RENTED, EQUIPMENT SHALL BE CHARGED AT DIRECT COST.)	\$	\$
21	10.00	EA	0210 LEANING POLES NEEDING MINIMAL ADJUSTMENT.	\$	\$
22	10.00	EA	0220 KNOCK DOWN POLE PICK UP/REMOVAL. ALL KNOCKDOWN DECORATIVE POLES SHALL BE INSPECTED FOR RECYCLED/REUSABLE PARTS (IF ANY), AND ACCOUNTED FOR BY THE ELECTRICAL INSPECTOR.	\$	\$
23	150.00	EA	0230 GROUP/RETROFIT LABOR COST ONLY PER UNIT, (THREE (3+) OR MORE CONSECUTIVE OUTAGES) ON THE MAJOR ROADWAY ASSIGNED.	\$	\$
24	250.00	EA	0240 MAINTENANCE REPAIR/TROUBLESHOOT LABOR AND EQUIPMENT COST PER EACH INITIAL "SPOT OUTAGE", ASSIGNED LOCATION TO INCLUDE LAMP, PHOTOCCELL OR FUSE(S) CHANGE. FOR ADDITIONAL OR MULTIPLE PART CHANGE, USE LINE ITEMS. NOT TO BE BILLED IN ADDITION TO LINE ITEM 0010.	\$	\$
25	225.00	EA	0250 MAINTENANCE REPAIR LABOR COST FOR "ADDITIONAL REPAIRS" PER EACH FIXTURE DRIVER, BALLAST, OR BALLAST BYPASS OR LED COBB LAMP RETROFIT LABOR ONLY," BILL DRIVER/BALLAST UNDER MISCELLANEOUS LINE ITEM 142.	\$	\$
26	100.00	EA	0260 MAINTENANCE REPAIR LABOR COST FOR "ADDITIONAL REPAIRS" PER FUSE HOLDERS", LABOR ONLY, BILL MATERIALS UNDER LINE ITEM.	\$	\$
27	100.00	EA	0270 MAINTENANCE REPAIR FOR "ADDITIONAL REPAIRS" "LABOR COST ONLY PER EACH POLE	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
28	100.00	EA	<p>WIRING". SEE WIRING LINE ITEM 93 AND 94 LISTED FOR BILLING MATERIALS.</p> <p>0280 MAINTENANCE REPAIR LABOR ONLY COST FOR "ADDITIONAL REPAIRS" PER SINGLE/SPOT</p>	\$	\$
29	200.00	EA	<p>FIXTURE CHANGE/RETROFIT". SEE LINE ITEMS FOR FIXTURE AND MATERIALS.</p> <p>0290 FUSES, 5 AMP KTK TYPE OR EQUAL</p>	\$	\$
30	200.00	EA	0300 FUSES, 30 AMP BARREL TYPE	\$	\$
31	200.00	EA	0310 FUSES, 60 AMP, BARREL TYPE	\$	\$
32	200.00	EA	0320 FUSES, 100 AMP, BARREL TYPE	\$	\$
33	10.00	EA	<p>0330 ACUITY BRAND LED FIXTURE COST ONLY: ATBL E MVOLT/480V R3 4B 4K BK 20 P7</p> <p>PCCL, 26433 LUMENS, OR EQUAL</p>	\$	\$
34	10.00	EA	<p>0340 ACUITY BRAND TEARDROP LED FIXTURE COST: ESL2 P30S 40K MVOLT/480 TG3 QSM</p> <p>BK PR7 PCLL, 14300 LUMENS, OR EQUAL</p>	\$	\$
35	10.00	EA	<p>0350 ACUITY BRAND LED COBRA TYPE FIXTURE COST ONLY: ATBO P304 MVOLT/480V R3 4K P7</p> <p>PCLL, 18230 LUMENS, 124 WATTS, OR EQUAL</p>	\$	\$
36	10.00	EA	<p>0360 ACUITY BRAND LIGHTING LED COBRA TYPE FIXTURE COST ONLY: ATB2 P601 R3L</p> <p>MVOLT/480V 4K R3L PCLL, TYPE III OR EQUAL</p>	\$	\$
37	10.00	EA	<p>0370 PHILLIPS LED TYPE FIXTURE COST ONLY: BRILLIANT EFFICIENCES OR EQUAL</p> <p>SLB200-T3L-GR-480V AC, OR EQUAL</p>	\$	\$
38	10.00	EA	0380 FIXTURE COST ONLY: MGLEDM P6 40K MVOLT MR VH BKSD PCLL PR7, 3492 LUMENS,	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			OR EQUAL		
39	10.00	EA	0390 FIXTURE COST ONLY: ACUITY BRAND ATBM P40 MVOLT/480 R3 4B 4K GY 20 P7 AO PCLL, LED FIXTURE COBRA TYPE, LUMENS 17368 OR EQUAL	\$	\$
40	10.00	EA	0400 FIXTURE COST ONLY: ACUITY BRAND MGLEDM P6 40K 480/MVOLT FT/AR VH BKSD PR7 PCLL, 35927 LUMENS LED FIXTURE, OR EQUAL	\$	\$
41	10.00	EA	0410 FIXTURE COST ONLY: ACUITY BRAND MGLEDM P3 40K 480/MVOLT FT/AR VH BKSD PR7 PCLL, 25219 LUMENS LED FIXTURE, OR EQUAL	\$	\$
42	10.00	EA	0420 FIXTURE COST ONLY: LED - ATBL B 40K 480V R3 4B BK HSS P7 SH, LUMENS 21128 OR EQUAL	\$	\$
43	25.00	EA	0430 REPLACEMENT COMMERCIAL COBRA TYPE LENSES/SHADES/GLOBES, LABOR AND MATERIAL.	\$	\$
44	50.00	EA	0440 LED PHOTOCONTROL, ACUITY, DLL127 120-277V FAIL ON, OR EQUAL, COST ONLY	\$	\$
45	50.00	EA	0450 LED PHOTOCONTROL, ACUITY, DLL127 480V FAIL ON, OR EQUAL, COST ONLY	\$	\$
46	1.00	EA	0460 HAND HOLE COVER - SUR-LOCK SLO/SLR, QUANTUM ENGINEERING, LABOR AND ITEM COST.	\$	\$
47	1.00	EA	0470 HUBBELL POWER SYSTEMS HELICAL SCREW-IN FOUNDATION CAT. NO. T1121751	\$	\$
48	1.00	EA	0480 QUAZITE BOX 12" X 12", COST ONLY	\$	\$
49	1.00	EA	0490 QUAZITE BOX 11" X 17", COST ONLY	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
50	100.00	EA	0500 NON FUSABLE BREAKAWAY HOLDER, ITEM COST ONLY	\$ _____	\$ _____
51	100.00	EA	0510 FUSE HOLDER BREAKAWAY, COST ONLY	\$ _____	\$ _____
52	2.00	EA	0520 PEDESTAL MOUNT CONTROLLER, COST ONLY, ISSUED BY SPECIAL WORK ORDER	\$ _____	\$ _____
53	2.00	EA	0530 DISCONNECT 120V-240V FUSABLE, COST ONLY	\$ _____	\$ _____
54	2.00	EA	0540 DISCONNECT STAINLESS STEEL (FUSABLE) 600 V, COST ONLY	\$ _____	\$ _____
55	1.00	EA	0550 SUBMERSIBLE CONNECTOR - POLARIS EDGE, PRE-INSULATED, ISPB350-4. LABOR AND ITEM COST	\$ _____	\$ _____
56	1.00	EA	0560 POLES SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 4508-45805T4D1SBF OR EQUAL), 50-FOOT MOUNTING HEIGHT WITH A 10-FOOT CLAMP-MOUNTED SINGLE MEMBER TRUSS-TYPE ARM (VALMONT 1TA1032CSBF OR EQUAL) TB2/TB3 BASE, TO RECEIVE THE FIXTURES NOTED ABOVE, NOTE: ALL POLES SHALL BE ROUND TAPERED AND INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.	\$ _____	\$ _____
57	20.00	EA	0570 POLES SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 3408-45805T4D1SBF OR EQUAL), 40-FOOT MOUNTING HEIGHT WITH A 10-FOOT CLAMP-MOUNTED SINGLE MEMBER TRUSS-TYPE ARM (VALMONT 1TA1032CSBF OR EQUAL) TB2/TB3 BASE, TO RECEIVE THE FIXTURES NOTED ABOVE, NOTE: ALL POLES SHALL BE ROUND TAPERED AND INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.	\$ _____	\$ _____
58	10.00	EA	0580 POLES SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 3408-45806T4D2SBF OR EQUAL), 40-FOOT MOUNTING HEIGHT WITH A 10-FOOT CLAMP-MOUNTED DOUBLE MEMBER TRUSS-TYPE ARM (VALMONT 2TA1032CSBF OR	\$ _____	\$ _____

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
59	10.00	EA	<p>EQUAL) TB2/TB3 BASE, TO RECEIVE THE FIXTURES NOTED ABOVE, NOTE: ALL POLES SHALL BE ROUND TAPERED AND INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>0590 POLES SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 3008-45806T4D1SBF OR</p>	<p>⌘</p>	<p>⌘</p>
60	10.00	EA	<p>EQUAL), 33-FOOT MOUNTING HEIGHT WITH A 10-FOOT CLAMP-MOUNTED SINGLE MEMBER TRUSS-TYPE ARM (VALMONT 1TA1032CSBF OR EQUAL) TB2/TB3 BASE, TO RECEIVE THE FIXTURES NOTED ABOVE. NOTE: ALL POLES SHALL BE ROUND TAPERED AND INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS. POLES REQUIRING SHORTER LENGTHS SHALL BE INCLUDED/ABSORBED IN THIS ARTICLE.</p> <p>0600 POLES SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 3008-45806T4D2SBF OR</p>	<p>⌘</p>	<p>⌘</p>
61	10.00	EA	<p>EQUAL), 33-FOOT MOUNTING HEIGHT WITH A 10-FOOT CLAMP-MOUNTED DOUBLE MEMBER TRUSS-TYPE ARM (VALMONT 2TA1032CSBF OR EQUAL) TB2/TB3 BASE, TO RECEIVE THE FIXTURES NOTED ABOVE. NOTE: ALL POLES SHALL BE ROUND TAPERED AND INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS. POLES REQUIRING SHORTER LENGTHS SHALL BE INCLUDED/ABSORBED IN THIS ARTICLE.</p> <p>0610 POLES SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 2708-45806T4D1SBF OR</p>	<p>⌘</p>	<p>⌘</p>
62	10.00	EA	<p>EQUAL), 30-FOOT MOUNTING HEIGHT WITH A 10-FOOT CLAMP-MOUNTED SINGLE MEMBER TRUSS-TYPE ARM (VALMONT 1TA1032CSBF OR EQUAL) TB2/TB3 BASE, TO RECEIVE THE FIXTURES NOTED ABOVE. NOTE: ALL POLES SHALL BE ROUND TAPERED AND INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS. POLES REQUIRING SHORTER LENGTHS SHALL BE INCLUDED/ABSORBED IN THIS ARTICLE.</p> <p>0620 POLES SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 2708-45806T4D2SBF OR</p>	<p>⌘</p>	<p>⌘</p>
63	10.00	EA	<p>EQUAL), 30-FOOT MOUNTING HEIGHT WITH A 10-FOOT CLAMP-MOUNTED DOUBLE MEMBER TRUSS-TYPE ARM (VALMONT 2TA1032CSBF OR EQUAL) TB2/TB3 BASE, TO RECEIVE THE FIXTURES NOTED ABOVE. NOTE: ALL POLES SHALL BE ROUND TAPERED AND INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS. POLES REQUIRING SHORTER LENGTHS SHALL BE INCLUDED/ABSORBED IN THIS ARTICLE.</p> <p>0630 POLES SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 2508-45806T4D1SBF OR</p>	<p>⌘</p>	<p>⌘</p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
64	10.00	EA	<p>EQUAL), 30-FOOT MOUNTING HEIGHT WITH A 10-FOOT CLAMP-MOUNTED SINGLE MEMBER TRUSS-TYPE ARM (VALMONT 1TA1032CSBF OR EQUAL) TB2/TB3 BASE, TO RECEIVE THE FIXTURES NOTED ABOVE. NOTE: ALL POLES SHALL BE ROUND TAPERED AND INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS. POLES REQUIRING SHORTER LENGTHS SHALL BE INCLUDE/ABSORBED IN THIS ARTICLE.</p> <p>0640 POLES SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 2708-45806T4D2SBF OR</p>	<p>⌘</p> <hr/>	<p>⌘</p> <hr/>
65	5.00	EA	<p>EQUAL), 30-FOOT MOUNTING HEIGHT WITH A 10-FOOT CLAMP-MOUNTED DOUBLE MEMBER TRUSS-TYPE ARM (VALMONT 2TA1032CSBF OR EQUAL) TB2/TB3 BASE, TO RECEIVE THE FIXTURES NOTED ABOVE. NOTE: ALL POLES SHALL BE ROUND TAPERED AND INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS. POLES REQUIRING SHORTER LENGTHS SHALL BE INCLUDE/ABSORBED IN THIS ARTICLE.</p> <p>0650 POLE PACKAGE SHALL BE 34 FT SMOOTH SEAMLESS SPUN ALUMINUM ALLOY, BLACK</p>	<p>⌘</p> <hr/>	<p>⌘</p> <hr/>
66	5.00	EA	<p>(HOLOPHANE: 34088601083T9WA30CSB-BKWBK RFD260861 OR EQUAL, TO ACCOMODATE WEST LIBERTY ONE (1) PIECE TYPE SINGLE WLC72IN 1A TN BK ARM, HOLOPHANE BASE WA30AC100370-BK RFD263852, 38 FT 6IN MOUNTING HEIGHT OR EQUAL, TO RECEIVE FIXTURES NOTED ABOVE, BOLT CIRCLE TO MATCH ACCORDINGLY. NOTE: ALL POLES SHALL BE ROUND TAPERED AND INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>0660 POLE PACKAGE SHALL BE 34 FT SMOOTH SEAMLESS SPUN ALUMINUM ALLOY, BLACK</p>	<p>⌘</p> <hr/>	<p>⌘</p> <hr/>
67	10.00	EA	<p>(HOLOPHANE: 34088601083T9WA30CSB-BKWBK RFD260861 OR EQUAL, TO ACCOMODATE WEST LIBERTY ONE (1) PIECE TYPE DOUBLE WLC72IN 2A TN BK ARM, HOLOPHANE BASE WA30AC100370-BK RFD263852, 38 FT 6IN MOUNTING HEIGHT OR EQUAL, TO RECEIVE FIXTURES NOTED ABOVE, BOLT CIRCLE TO MATCH ACCORDINGLY. NOTE: ALL POLES SHALL BE ROUND TAPERED AND INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>0670 POLE PACKAGE SHALL BE 30 FT SMOOTH ROUND TAPERED ALUMINUM ALLOY, BLACK</p> <p>(HOLOPHANE: 300058100TFABBSE3T9-BK OR EQUAL, 33-FOOT MOUNTING HEIGHT, TO ACCOMODATE A WEST LIBERTY ONE (1) PIECE</p>	<p>⌘</p> <hr/>	<p>⌘</p> <hr/>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
68	10.00	EA	<p>WLC72IN 1A TN BK SINGLE ARM, TO ACCOMODATE FIXTURES LISTED ABOVE, WITH BASE STYLE WA30AC100370-BK RFD263852 OR AS NEEDED, BOLT CIRCLE TO MATCH ACCORDINGLY. NOTE: ALL POLES SHALL BE SMOOTH TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>0680 POLE PACKAGE SHALL BE 30 FT SMOOTH ROUND TAPERED ALUMINUM ALLOY, BLACK</p>	\$	\$
69	10.00	EA	<p>(HOLOPHANE: 300058100TFABBSE3T9-BK OR EQUAL, 33-FOOT MOUNTING HEIGHT TO ACCOMODATE A WEST LIBERTY ONE (1) PIECE WLCIN 2A TN BK DOUBLE ARM, TO ACCOMODATE FIXTURES LISTED ABOVE, WITH BASE STYLE WA30AC100370-BK RFD263852 OR AS NEEDED, BOLT CIRCLE TO MATCH ACCORDINGLY. NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>0690 POLE PACKAGE SHALL BE 30 FT SMOOTH ALUMINUM POLES PART # HALOPHANE:</p> <p>300045808T4A OR EQUAL, BOLT CIRCLE TO MATCH EXISTING, BLACK, WEST LIBERTY SINGLE WLC72IN 1A TN BK ARM, TO ACCOMODATE FIXTURES LISTED ABOVE, CLAMSHELL BASE WA24ACO83280 AB BK OR WA30AC-DBL OR AS NEEDED: NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p>	\$	\$
70	10.00	EA	<p>0700 POLE PACKAGE SHALL BE 30 FT SMOOTH ALUMINUM POLES PART # HOLOPHANE:</p> <p>300045808T4A OR EQUAL, BOLT CIRCLE TO MATCH EXISTING, BLACK. WEST LIBERTY DOUBLE ARM (WLC96IN 2A TN BK), TO ACCOMODATE FIXTURES LISTED ABOVE, CLAMSHELL BASE WA24AC083280 AB BK OR WA30AC-DBL OR AS NEEDED: NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p>	\$	\$
71	10.00	EA	<p>0710 POLE PACKAGE 28FT SMOOTH POLES ALUMINUM, BLACK - HOLOPHANE #280045805T4</p> <p>VD 3T9 TBASE BK (A208284B) OR EQUAL, WEST LIBERTY SINGLE ARM WLC72IN 1A TN BK TO ACCOMODATE FIXTURES LISTED ABOVE: NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p>	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
72	10.00	EA	0720 POLE PACKAGE 28 FT POLES SMOOTH ALUMINUM, BLACK - HOLOPHANE #280045805T4 VD 3T9 TBASE BK (A208284B) OR EQUAL, WEST LIBERTY DOUBLE ARM WLC72IN 2A TN BK, TO ACCOMODATE FIXTURES LISTED ABOVE: NOTE ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.	\$ _____	\$ _____
73	10.00	EA	0730 POLE PACKAGE SHALL BE 27 FT POLES SMOOTH ALUMINUM, BLACK - HOLOPHANE# 270062108LTABBSE3T9-BK, OR EQUAL WEST LIBERTY SINGLE ARM WLC72IN 1A TN BK, HOLOPHANE BASE# WA30AC100370-BK OR EQUAL, AND TO ACCOMODATE FIXTURES LISTED ABOVE. NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.	\$ _____	\$ _____
74	10.00	EA	0740 POLE PACKAGE SHALL BE 27 FT SMOOTH ALUMINUM, BLACK - HOLOPHANE #2700621086TABBSE3T9-BK, OR EQUAL, WEST LIBERTY DOUBLE ARM WLC72IN 2A TN BK, HOLOPHANE BASE WA30AC100370-BK OR EQUAL, AND TO ACCOMODATE FIXTURES LISTED ABOVE. NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.	\$ _____	\$ _____
75	5.00	EA	0750 POLE PACKAGE SHALL BE 23.8FT POLES SMOOTH ALUMINUM, BLACK-HOLOPHANE #230845808T4-BK, OR EQUAL, WEST LIBERTY SINGLE ARM WLC72IN 1A TN BK, TB2 OR TB3 BASE AS NEEDED, AND TO ACCOMODATE FIXTURES LISTED ABOVE. NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.	\$ _____	\$ _____
76	5.00	EA	0760 23.8FT POLE PACKAGE, HOLOPHANE SMOOTH ALUMINUM, BLACK - #230845808T4-BK, WEST LIBERTY DOUBLE ARM WLC72IN 2A TN BK, OR EQUAL, TB2 OR TB3 BASE AS NEEDED, AND TO ACCOMODATE FIXTURES LISTED ABOVE. NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.	\$ _____	\$ _____
77	5.00	EA	0770 22.7 FT POLE PACKAGE SMOOTH ROUND TAPERED ALUMINUM, BLACK-HOLOPHANE #	\$ _____	\$ _____

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
78	5.00	EA	<p>220760107T4XX 1VDALX41067 BAN ARMA-BK, OR EQUAL, WA30CSBBK AB27-4 (2), MUSIC SCROLL-BK 4VB7-10 WEST LIBERTY DBL ARM WLC72IN 2A, CABKH RFD181887, AND TO ACCOMODATE FIXTURES LISTED ABOVE. NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>0780 22.7 FT POLE PACKAGE, SMOOTH ROUND TAPERED ALUMINUM, BLACK - HOLOPHANE</p>	\$	\$
79	1.00	EA	<p>#220760107T4XX 1VDALX41067 BAN ARMA-BK OR EQUAL, WA30CSBBK AB27-4 (2), MUSIC SCROLL-BK4VB7-10 WEST LIBERTY-SINGLE ARM WLC72IN 1A, CABKH RFD181887, AND TO ACCOMODATE FIXTURES LISTED ABOVE: NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>0790 WEST LIBERTY SINGLE 6FT ARM,WLC72IN 1A TN BK, AND TO ACCOMODATE FIXTURES LISTED ABOVE.</p>	\$	\$
80	1.00	EA	<p>0800 WEST LIBERTY DUAL 6FT ARM, WLC72 2A TN BK, AND TO ACCOMODATE FIXTURES LISTED ABOVE.</p>	\$	\$
81	1.00	EA	<p>0810 WEST LIBERTY DUAL 8FT ARM, WLC96 2A BK, AND TO ACCOMODATE FIXTURES LISTED ABOVE.</p>	\$	\$
82	1.00	EA	<p>0820 WEST LIBERTY SINGLE 8FT ARM,WLC 96 1A BK, AND TO SCCOMODATE FIXTURES LISTED ABOVE</p>	\$	\$
83	10.00	EA	<p>0830 HOLOPHANE MUSIC SCROLL ASSEMBLY BK RFD175344, OR EQUAL</p>	\$	\$
84	10.00	EA	<p>0840 HOLOPHANE BASE - WA30AC100370-BK, 30" x 37" X 10" NECK, CLAMSHELL BASE, BLACK</p>	\$	\$
85	10.00	EA	<p>0850 HOLOPHANE BASE - WA30AC080370-BK, 30" X 37" X 8" NECK, CLAMSHELL BASE,</p>	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
86	20.00	EA	BLACK 0860 MG SQUARED FUSE BLOCK ASSEMBLY COST AND LABOR.	\$	\$
87	24.00	HR	0870 LABOR FOR DELIVERY & MATERIAL PICKUP FROM WAREHOUSE, USED ONCE DAILY.	\$	\$
88	1.00	FT	0880 SO CORD TYPE 12-3 THW	\$	\$
89	1.00	FT	0890 #12 THWN-2 OR THHN-2 STRANDED TYPE WIRE, BLACK, WHITE, GREEN AND RED	\$	\$
90	1.00	EA	0900 LED DRIVER REPLACEMENT KIT	\$	\$
91	1.00	EA	0910 100 WATT LED COBB REPLACEMENT LAMP, (MIN TO MAX) 6000 TO 8000 LUMENS, 4K COLOR	\$	\$
92	1.00	EA	0920 250 WATT LED COBB REPLACEMENT LAMP, MINIMUM 17,000 LUMENS, 4K COLOR TEMP	\$	\$
93	1.00	EA	0930 250 WATT LED COBB REPLACEMENT LAMP, MINIMUM 21,000 LUMENS, 4K COLOR TEMP	\$	\$
94	1.00	EA	0940 250 WATT LED COBB REPLACEMENT LAMP, MINIMUM 26,000 LUMENS, 4K COLOR TEMP	\$	\$
95	1.00	HR	0950 HYDROVAC MACHINE - HOURLY RATE	\$	\$
96	10.00	EA	0960 TB-2 TRANSFORMER BASE, 11.5" INCH TO 13" POLE MOUNTING BOLT CIRCLE.	\$	\$
97	10.00	EA	0970 TB-3 TRANSFORMER BASE, 13" INCH TO 15" INCH POLE MOUNTING BOLT CIRCLE.	\$	\$
98	10.00	EA	0980 VALMONT POLE ONLY SHALL BE SMOOTH SEAMLESS SPUN ALUMUINUM (VALMONT 4508-	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
99	10.00	EA	45805T4D1SBF OR EQUAL) 0990 VALMONT POLE ONLY SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 3408-45805T4D1SBF OR EQUAL)	\$	\$
100	10.00	EA	1110 VALMONT POLE ONLY SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 3408-45806T4D2SBF OR EQUAL)	\$	\$
101	10.00	EA	1120 VALMONT POLE ONLY SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 3008-45806T4D1SBF OR EQUAL)	\$	\$
102	10.00	EA	1130 SEAMLESS SPUN ALUMINUN (VALMONT 3008-45806T4D2SBF OR EQUAL)	\$	\$
103	10.00	EA	1140 VALMONT POLE ONLY SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 2708-45806T4D1SBF OR EQUAL)	\$	\$
104	10.00	EA	1150 VALMONT POLE ONLY SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 2708-45806T4D2SBF OR EQUAL)	\$	\$
105	10.00	EA	1160 VALMONT POLE ONLY SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 2508-45806T4D1SBF OR EQUAL)	\$	\$
106	10.00	EA	1170 VALMONT POLE ONLY SHALL BE SMOOTH SEAMLESS SPUN ALUMINUM (VALMONT 2508-45806T4D2SBF OR EQUAL)	\$	\$
107	10.00	EA	1180 POLE ONLY SHALL BE 34 FT SMOOTH ROUND TAPERED ALUMINUM ALLOY, BLACK, PART #34088601083T9WA30CSB-BKWYBK HOLOPHANE	\$	\$
108	10.00	EA	1190 POLE ONLY SHALL BE 30 FT SMOOTH ROUND TAPERED ALUMINUM, BLACK (HOLOPHANE 300058100TFABBSEET9-BK OR EQUAL, 33-FT	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
109	10.00	EA	<p>MOUNTING HEIGHT, TO ACCOMODATE A WEST LIBERTY ONE (1) PIECE WLC72IN TN BK SINGLE OR WLC72IN 2A TN BK DOUBLE ARM, NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>1200 POLE ONLY SHALL BE 28 FT SMOOTH ROUND TAPERED ALUMINUM, BLACK (HOLOPHANE</p>	\$	\$
110	10.00	EA	<p>280045805T4VD 3T9-TBASE BK (A208284b), TO ACCOMODATE WEST LIBERTY SINGLE WLC72IN 1A TN BK OR DOUBLE WLC72IN 2A TN BK, AND FIXTURES LISTED ABOVE: NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>1210 POLE ONLY SHALL BE 27 FT SMOOTH ROUND TAPERED ALUMINUM, BLACK (HOLOPHANE</p>	\$	\$
111	10.00	EA	<p>2700062108LTABBSE3T9-BK. OR EQUAL TO TO ACCOMODATE WEST LIBERTY SINGLE WLC72IN 1A TN BK OR DOUBLE WLC72IN 2A TN BK, AND FIXTURES LISTED ABOVE: NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>1220 POLE ONLY SHALL BE 23.8 FT SMOOTH ROUND TAPERED ALUMINUM, BLACK (HOLOPHANE</p>	\$	\$
112	10.00	EA	<p>230845808T4-BK, OR EQUAL TO ACCOMODATE WEST LIBERTY SINGLE WLC72IN 1A TN BK OR DBL WLC72IN 2A TN BK ARMS, TB2 OR TB3 BASE AS NEEDED, AND FIXTURES LISTED ABOVE. NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>1230 POLE ONLY SHALL BE 22.7 FT SMOOTH ROUND TAPERED ALUMINUM, BLACK (HOLOPHANE</p>	\$	\$
113	10.00	EA	<p>2206010T4XX 1VDALX41067 BAN ARMA-BK, OR EQUAL, TO ACCOMODATE WA30CSBBK AB27-4 (2), MUSIC SCROLL-BK 4VB7-10, AND WEST LIBERTY SINGLE WLC72IN 1A TN BK OR DBL ARM WLC72IN 2A, CABKH RFD181887, AND TO ACCOMODATE FIXTURES LISTED ABOVE. NOTE: ALL POLES SHALL BE SMOOTH ROUND TAPERED AND SHALL INCLUDE FACTORY INSTALLED VIBRATION DAMPENERS.</p> <p>1240 VALMONT 10-FT CLAMP-MOUNTED SINGLE MEMBER TRUSS-TYPE ARM (VALMONT</p>	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
114	10.00	EA	1TA1032CSBF OR EQUAL) 1250 VALMONT 10-FT CLAMP-MOUNTED DOUBLE MEMBER TRUSS-TYPE ARM (VALMONT 2TA1032CSBF OR EQUAL)	\$	\$
115	10.00	EA	1260 MUSIC SCROLL BK 4VB7-10 HOLOPHANE OR EQUAL	\$	\$
116	10.00	EA	1270 ACUITY BRAND LED FIXTURE: ATBL E MVOLT/480V R3 4B 4K BK 20 P7 PCCL, 24067 LUMENS, OR EQUAL	\$	\$
117	1.00	EA	1280 1-10 LOW MAST ACUITY BRAND LED COBRA TYPE FIXTURE: ATBO P304 MVOLT/480V R4 40K P7 SH, 18230 LUMENS, 124 WATTS, OR EQUAL	\$	\$
118	1.00	EA	1290 1-10 LOW MAST ACUITY BRAND LED COBRA TYPE FIXTURE: ATBO P305 MVOLT/480V R3 40K BK P7 SH, 20440 LUMENS, 145 WATTS OR EQUAL	\$	\$
119	1.00	EA	1300 1-10 HIGHMAST - HMLD P4 40K XVOLT HGR AW P7 SH - 82761 LUMENS, 582 WATTS OR EQUAL	\$	\$
120	1.00	EA	1310 HGR AW P7 SH-0 65559 LUMENS, 429 WATTS, OR EQUAL	\$	\$
121	1.00	EA	1320 AMERICAN ELECTRIC LIGHTING COBRA TYPE FIXTURE: ATBM P30 XXXX R2 4K/5K LUMEN OUTPUT 15515, 118 WATTS, CONVERSION/RETROFIT-MULTIPLE FIXTURE COST ONLY, OR EQUAL	\$	\$
122	1.00	EA	1330 1-10 WALLFLASHER - WCNG P2 40K U4W 480/MVOLT ZT 20KV GYSDP SCRW NPR DF, 4314 LUMENS, 34.7 WATTS OR EQUAL	\$	\$
123	1.00	EA	1340 1-10 WALLFLASHER - WCNG P2 40K U4W 480/MVOLT ZT 20KV GYSDP SCRW NPR DF,	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
124	1.00	EA	4100 LUMENS, 35 WATTS OR EQUAL 1350 1-10 LOW MAST - MGLEDM P7 40K XXXX WR, 36690 LUMENS, 254.9 WATTS, OR EQUAL	\$	\$
125	1.00	EA	1360 ECP HELIOCAL SCREW-IN FOUNDATION HELICAL ECP LPS - 1075 - 120-14	\$	\$
126	40.00	HR	1370 CABLE LOCATES - MAJOR ROADWAYS IN JEFFERSON PARISH	\$	\$
127	1.00	EA	1380 FUSES 200 AMP BARREL TYPE	\$	\$
128	10.00	EA	1390 24.8 FT MAVERICK ALUMINUM POLE, ROUND SMOOTH BLACK, HAPCO#/VALMONT # 240845806T4	\$	\$
129	10.00	EA	1400 VALMONT ARM 6" X 32' X 3.5 - 10 DEGREE TILT, SGL MS ARM CLP EX 4.5"	\$	\$
130	10.00	EA	1410 50W-100W HPS NEMA, COBRA OR WALLFLASHER FIXTURE WITH SEMI-CUT OFF PRECISION REFRACTOR, COST OF FIXTURE ONLY, WITH PE CELL	\$	\$
131	10.00	EA	1420 150W - 250W HPS NEMA, COBRA OR WALLFLASHER FIXTURE WITH SEMI-CUT OFF PRECISION REFRACTOR, COST OF FIXTURE ONLY WITH PE CELL INCLUDING BULB	\$	\$
132	20.00	EA	1430 250W HPS COBRA OR WALLFLASHER FIXTURE WITH SEMI-CUT OFF PRECISION REFRACTOR, COST OF FIXTURE ONLY WITH PE CELL INCLUDING BULB	\$	\$
133	20.00	EA	1440 400W HPS COBRA HEAD TYPE 3 FIXTURE WITH SEMI-CUT OFF PRECISION REFRACTOR, COST OF FIXTURE ONLY WITH PE CELL, INCLUDING BULB	\$	\$
134	20.00	EA	1450 SOALR LIGHT FIXTURE ALL-IN-ONE TYPE, CYPRESS LIGHTING TECHNOLOGIES,	\$	\$

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00149869

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
135	20.00	EA	LLC MODEL #CL-85/180A10SF, LUMENS 8500 OR EQUAL 1460 SOLAR LIGHT FIXTURE ALL-IN-ONE TYPE, CYPRESS LIGHTING TECHNOLOGIES	\$ _____	\$ _____
136	1.00	EA	LLC, MODEL #CL-95/180A10SF, LUMENS 9500 OR EQUAL 1470 NON BIDDABLE ITEM (FOR BIDDING PURPOSES PLEASE LEAVE BLANK) THE COST OF	<u>\$XXXXXXXXXX</u>	<u>\$XXXXXXXXXX</u>
137	1.00	EA	ANY OTHER MISCELLANEOUS ITEMS NECESSARY FOR THE COMPLETION OF THIS CONTRACT SHALL BE APPROVED BY JEFFERSON PARISH, WHEN THE COST OF SAID ITEMS ARE IDENTIFIED AND QUOTED. 1480 NON BIDDABLE ITEM (FOR BIDDING PURPOSES PLEASE LEAVE BLANK) SPECIAL WORK ORDER INVOICES.: "NOT TO EXCEED	<u>\$XXXXXXXXXX</u>	<u>\$XXXXXXXXXX</u>
			890 NON BIDDABLE ITEM (FOR BIDDING PURPOSES PLEASE LEAVE BLANK) THE COST OF ANY OTHER MISCELLANEOUS ITEMS NECESSARY FOR THE COMPLETION OF THIS CONTRACT SHALL BE APPROVED BY JEFFERSON PARISH WHEN THE COST OF SAID ITEMS ARE IDENTIFIED AND QUOTED. COST ESTIMATE MUST BE APPROVED BY JEFFERSON PARISH (SECTION 1, PART 2B)		

Evidence of Authority Instructions

Only an authorized Agent shall sign this proposal. Each Proposer is required to provide satisfactory evidence of the authority of the person signing for the agency, corporation, partnership or other legal entity, which shall be attached to the proposal.

The following page is a sample Corporate Resolution. This sample is supplied as a courtesy to Proposers, but it is the responsibility of the Proposer to ensure the evidence of authority they submit to Jefferson Parish complies, in both form and content, with federal, state and Parish laws. Additionally, a sample Sole Proprietorship Certification may be found at <https://www.jeffparish.gov/466/Document-Library>.

Instruction sheet may be omitted when submitting.

CORPORATE RESOLUTION

Excerpt from minutes of meeting of the Board of Directors of

Incorporated.

At the meeting of Directors of _____
Incorporated, duly noticed and held on _____,
A quorum being there present, on motion duly made and seconded. It was:

Resolved that _____, be and is hereby appointed, constituted and designated as agent and Attorney-In-Fact of the corporation with full power and authority to act on behalf of this corporation in all negotiations, bidding, concerns and transactions with the Parish of Jefferson or any of its agencies, departments, employees or agents, including but not limited to, the execution of all bids, papers, documents, affidavits, bonds, sureties, contracts and acts and to receive all purchase orders and notices issued pursuant to the provisions of any such bid or contract, this corporation hereby ratifying, approving, confirming, and accepting each and every such act performed by said agent and Attorney-In-Fact.

I hereby certify the foregoing to be a true and correct copy of an excerpt of the minutes of the above dated meeting of the Board of Directors of said corporation, and the same has not been revoked or rescinded.

Secretary-Treasurer

Date

Bid Affidavit Instructions

This affidavit is supplied as a courtesy to Affiant. It is the responsibility of the affiant to insure the affidavit submitted to Jefferson Parish complies, in both form and content, with federal, state and parish laws. It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

The Affidavit MUST comply with the following requirements to be accepted.

- Must be signed by an authorized representative of the entity.
- Must be notarized by a notary with proper jurisdiction who must sign and print name, and include bar/notary number.
- Location where the notarization is taking place should be filled in at the top of the affidavit – not the location of the contract services.
- MUST select either Choice A or B when required.
- If choice A is selected, it must include an attachment.

Affidavits with the following WILL NOT be accepted.

- If both choice A and B are selected, the affidavit will not be accepted.
- An affidavit marked N/A will not be accepted.
- An affidavit missing attachment(s) when required will not be accepted.
- An affidavit that is notarized by a notary who does not have jurisdiction in the place where notarized or is not active will not be accepted.
- Affidavits that are older than six (6) months will not be accepted.

Instruction sheet may be omitted when submitting the affidavit.

BID AFFIDAVIT

STATE OF _____

PARISH/COUNTY OF _____

BEFORE ME, the undersigned authority, personally came and appeared:

_____ (Affiant) who after being duly sworn by me, deposed and

said that he/she is the fully authorized _____ (Title) of

_____ (Entity), who submitted a bid to the Parish of Jefferson, and who attested as follows:

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B _____ There are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Affiant further said:

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish of Jefferson to the Affiant.

Choice B _____ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

LA. R.S. 38:2227 PAST CRIMINAL CONVICTIONS OF BIDDERS

A. No sole proprietor or individual partner, incorporator, director, manager, officer, organizer, or member who has a minimum of a ten percent (10%) ownership in the bidding entity named below has been convicted of, or has entered a plea of guilty or nolo contendere to any of the following state crimes or equivalent federal crimes:

- (a) Public bribery (R.S. 14:118)
- (b) Corrupt influencing (R.S. 14:120)
- (c) Extortion (R.S. 14:66)
- (d) Money laundering (R.S. 14:230)

B. Within the past five years from the project bid date, no sole proprietor or individual partner, incorporator, director, manager, officer, organizer, or member who has a minimum of a ten percent (10%) ownership in the bidding entity named below has been convicted of, or has entered a plea of guilty or nolo contendere to any of the following state crimes or equivalent federal crimes, during the solicitation or execution of a contract or bid awarded pursuant to the provisions of Chapter 10 of Title 38 of the Louisiana Revised Statutes:

- (a) Theft (R.S. 14:67)
- (b) Identity Theft (R.S. 14:67.16)
- (c) Theft of a business record (R.S.14:67.20)
- (d) False accounting (R.S. 14:70)
- (e) Issuing worthless checks (R.S. 14:71)
- (f) Bank fraud (R.S. 14:71.1)
- (g) Forgery (R.S. 14:72)
- (h) Contractors; misapplication of payments (R.S. 14:202)
- (i) Malfeasance in office (R.S. 14:134)

Affiant further said:

LA. R.S. 38:2212.10 VERIFICATION OF EMPLOYEES

- A. At the time of bidding, Appearer is registered and participates in a status verification system to verify that all new hires in the state of Louisiana are legal citizens of the United States or are legal aliens.
- B. If awarded the contract, Appearer shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the state of Louisiana.
- C. If awarded the contract, Appearer shall require all subcontractors to submit to it a sworn affidavit verifying compliance with Paragraphs (A) and (B) of this Subsection.

Affiant further said:

**LA. R.S. 23:1726(B) CERTIFICATION REGARDING UNPAID WORKERS
COMPENSATION INSURANCE**

- A. R.S. 23:1726 prohibits any entity against whom an assessment under Part X of Chapter 11 of Title 23 of the Louisiana Revised Statutes of 1950 (Alternative Collection Procedures & Assessments) is in effect, and whose right to appeal that assessment is exhausted, from submitting a bid or proposal for or obtaining any contract pursuant to Chapter 10 of Title 38 of the Louisiana Revised Statutes of 1950 and Chapters 16 and 17 of Title 39 of the Louisiana Revised Statutes of 1950.

- B. By signing this Affidavit, Affiant certifies that no such assessment is in effect against the bidding /proposing entity.

Signature of Affiant

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME,
NOTARY PUBLIC ON THE _____ DAY
OF _____, 20_____.

Notary Public

Printed Name of Notary

Notary/Bar Roll Number

My commission expires _____.

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 136353 or No. 141125, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Specifications**. Except as where otherwise precluded by law, the Parish Attorney or her designee, with the concurrence of the Director of Risk Management or her designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. **Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date.** Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

Within ten (10) calendar days of bid opening, the apparent low bidder will be required to provide final insurance certificates that fully comply with these requirements and any additional requirements set forth in the specifications to the Parish. Failure to provide final insurance certificates within the ten (10) calendar days of bid opening shall result in the Parish rejecting your bid and moving on to the next lowest bidder.

Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

WORKER'S COMPENSATION INSURANCE

As required by Worker's Compensation Law of the State of the Contractor's headquarters. Employer's Liability is included, with minimum limits of \$500,000 per occurrence, except it shall be \$1,000,000 per occurrence when Work is to be overwater and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act.

Waiver of Subrogation endorsement in favor of **the Parish of Jefferson, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council.**

Note: If your company is not required by law to carry worker's compensation insurance, i.e. sole employee of the company, then bidders must request a

worker's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized within ten (10) calendar days of the bid opening. A scanned copy may be submitted initially; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

COMMERCIAL GENERAL LIABILITY

Commercial General Liability Form CG 00 01, or pre-approved equivalent; Minimal acceptable limits: \$1,000,000 per occurrence; \$1,000,000 personal & advertising injury; \$2,000,000 general aggregate; and \$2,000,000 products/completed operations aggregate.

Waiver of Transfer of Rights of Recovery Against Others endorsement in favor of the Parish of Jefferson, its Districts, Departments, Agencies and Employees under the direction of the Parish President and the Parish Council.

BUSINESS AUTOMOBILE LIABILITY

Minimal acceptable limit for bodily injury and property damage liability: \$1,000,000 Combined Single Limit.

Liability coverage to be provided for Any Auto OR for ALL Owned Autos and Hired and Non-owned Autos. **If contractor owns no vehicles, then a Hired and Non-owned Auto Liability policy is required.**

Waiver of Transfer of Rights of Recovery Against Others to Us endorsement in favor of the Parish of Jefferson, its Districts, Departments, Agencies and Employees under the direction of the Parish President and the Parish Council.

Note: This category may be omitted if bidders do not/will not utilize vehicles for the project AS DETERMINED BY Risk Management and Parish Attorney's Office after properly requesting a deviation as discussed above. Bidder must request a deviation prior to bid opening and may be given an automobile insurance declaration affidavit to execute. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted within ten (10) calendar days of the bid opening. A scanned copy of the completed, signed and properly notarized affidavit may be submitted initially; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE - An umbrella policy or excess may be used to meet minimum requirements. If you are purporting to use an umbrella policy or excess to meet minimum requirements, then you must provide the Umbrella Schedule of Underlying Policies with the Certificate of Insurance evidencing which policies the Umbrella sits over.

FOR CONSTRUCTION AND RENOVATION PROJECTS: The following are required if selected below. Such insurance is due upon contract execution.

OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.