

# Approved Materials List



## Product Category : Gasket Materials for Culvert Pipe

**MATERIAL : 1006M08300 Pipe Flexible Plastic Gasket**

**APS00001580 — Concrete Sealants, Inc. - Tipp City, OH**  
9325 State Route 201  
Tipp City, OH 45371

**Phone :** 800-332-7325 **Ext. # :**  
**Fax :** 937-845-3587  
**Contact :** Chuck Overbay

**Additional Info :** Contact person's mailing address: P.O. Box 176, New Carlisle, OH 45344

### Product

### Approved On Remarks

CS-102 - Concrete Sealants

7- 1-2008 Primer & Lubricant: Concrete Sealant Primer; Joints: 1,2

**APS00001600 — Hamilton Kent Manufacturing Co. - Ontario, Canada**  
77 Carlingview Drive  
Toronto, ON M9W 5E6 CANADA

**Phone :** 416-675-9873 **Ext. # :**  
**Fax :** 416-674-6960  
**Contact :** Randy Reimer

**Additional Info :** Contact person's mailing address: 740 Baxter Lane, Winchester, TN 37398

### Product

### Approved On Remarks

Kent-Seal No.2 - Hamilton Kent

4-14-2002 Primer & Lubricant: Kent Seal Primer Joints: 1,2,3

**APS00001610 — Henry Company - Houston, TX**  
1277 Boyles Street  
Houston, TX 77020

**Phone :** 713-671-9564 **Ext. # :**  
**Fax :** 713-673-7702  
**Contact :** Tommy Harreld

### Product

### Approved On Remarks

Ram-Nek - Henry Co.

3-14-2005 Primer & Lubricant: Ram-Nek Primer or Ram-Nek Special Primer (none reqd for round or arch pipe) Joints: 1,2,3  
Ram-Nek Special Primer may be sprayed with approved spraying equipment. This equipment shall be capable of dispensing enough primer to sufficiently cover the pipe joints.

**APS00010660 — Martin Asphalt Company - South Houston, TX**  
300 Christy Place  
South Houston, TX 77587

**Phone :** 713-941-4410 **Ext. # :**  
**Fax :** 713-947-4906  
**Contact :** Juan Hemosillo  
(juan.hemosillo@martinmlp.com)

### Product

### Approved On Remarks

Evergrip 990 - Martin Asphalt Co.

1- 6-2011 Primer & Lubricant: Concrete Primer (none reqd for round or arch pipe) Joints: 1,2,3

**APS00001710 — Press-Seal Gasket Corp. - Fort Wayne, IN**  
2424 West State Blvd.  
Fort Wayne, IN 46808

**Phone :** 260-436-0521 **Ext. # : 1314**  
**Fax :** 260-436-1908  
**Contact :** Mark Emmons (mark@press-seal.com)

### Product

### Approved On Remarks

Crete Stik - Press-Seal Gasket Corp

6-18-2025 Primer & Lubricant: EZ #4 Primer if necessary; Joints: 1, 2, 3

**Product Category :** Gasket Materials for Culvert Pipe

**MATERIAL : 1006M08300 Pipe Flexible Plastic Gasket**

|                          |                                                                         |                                |                 |
|--------------------------|-------------------------------------------------------------------------|--------------------------------|-----------------|
| <b>APS00010940</b>       | <b>— Trelleborg Pipe Seals Park Hills,Inc-BonneTerre,MO</b>             | <b>Phone :</b> 603-732-2238    | <b>Ext. # :</b> |
|                          | 108 Industrial Drive                                                    | <b>Fax :</b> 573-431-1035      |                 |
|                          | Bonne Terre, MO 63628                                                   | <b>Contact :</b> Grant Whittle |                 |
| <b>Additional Info :</b> | Contact Mailing Address: P. O. Box 301, Milford, NH 03055, 800-626-2180 |                                |                 |

**Product**

## Bidco C-56 Joint Sealant - Trelleborg MO

| Approved On | Remarks |
|-------------|---------|
|-------------|---------|

4-13-2016 Primer & lubricant: Use primer if needed. Joints: 1, 2, 3

**MATERIAL : 1006M08310 Pipe Rubber Gasket**

**APS00012270 — C Tech Rubber USA - N. Charleston, SC**  
7206 Pepermill Parkway  
North Charleston, SC 29418

**Phone :** 843-552-4496      **Ext. # :**  
**Fax :** 843-552-0040  
**Contact :** Sean Pitcairn  
(ctechrubber@gmail.com)

**Product**

## B-Series Profile Gasket - C Tech Rubber

Pre Lubricated Gasket - C Tech Rubber

| Approved On | Remarks |
|-------------|---------|
|-------------|---------|

12- 8-2016

12- 8-2016

|                                                            |                                    |                 |
|------------------------------------------------------------|------------------------------------|-----------------|
| <b>APS00000690 — County Materials Corp. - Astatula, FL</b> | <b>Phone :</b> 352-343-8488        | <b>Ext. # :</b> |
| 25726 CR 561                                               | <b>Fax :</b> 352-343-8422          |                 |
| P.O. Box 435                                               | <b>Contact :</b> Minerva V. Garner |                 |
| Astatula, FL 34705                                         | (minerva.garner@countyma           |                 |

**Product**

IR/SBR Gasket (w/StormSeal bell/spigot)

| Approved On | Remarks |
|-------------|---------|
|             |         |

5-18-2006 Primer & Lubricant: Water Dispersible Spray; Joints: 1, 2, 3

|                          |                                                                         |                               |                 |
|--------------------------|-------------------------------------------------------------------------|-------------------------------|-----------------|
| <b>APS00001600</b>       | <b>— Hamilton Kent Manufacturing Co. - Ontario, Canada</b>              | <b>Phone :</b> 416-675-9873   | <b>Ext. # :</b> |
|                          | 77 Carlingview Drive                                                    | <b>Fax :</b> 416-674-6960     |                 |
|                          | Toronto, ON M9W 5E6 CANADA                                              | <b>Contact :</b> Randy Reimer |                 |
| <b>Additional Info :</b> | Contact person's mailing address: 740 Baxter Lane, Winchester, TN 37398 |                               |                 |

| Product   | Price | Quantity | Total |
|-----------|-------|----------|-------|
| Product A | 10    | 100      | 1000  |
| Product B | 20    | 50       | 1000  |
| Product C | 30    | 33.33    | 1000  |
| Product D | 40    | 25       | 1000  |
| Product E | 50    | 20       | 1000  |
| Product F | 60    | 16.67    | 1000  |
| Product G | 70    | 14.29    | 1000  |
| Product H | 80    | 12.5     | 1000  |
| Product I | 90    | 11.11    | 1000  |
| Product J | 100   | 10       | 1000  |

Tylox 3SOCL - Hamilton Kent

Tylox 7SOCL - Hamilton Kent

Tylox 9SOCL - Hamilton Kent

## Tylox Super Seal - Hamilton Kent

| Approved On | Remarks |
|-------------|---------|
|-------------|---------|

6-22-2018

6-22-2018

6-22-2018

2-28-2011 Primer& Lubricant: None Rquired, Joints: 1,2,3

|                                                                                                                |                                                                                                                |                      |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------------------|
| <b>APS00001710 — Press-Seal Gasket Corp. - Fort Wayne, IN</b><br>2424 West State Blvd.<br>Fort Wayne, IN 46808 | <b>Phone :</b> 260-436-0521<br><b>Fax :</b> 260-436-1908<br><b>Contact :</b> Mark Emmons (mark@press-seal.com) | <b>Ext. # :</b> 1314 |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------------------|

| Product   | Price | Quantity | Total |
|-----------|-------|----------|-------|
| Product A | 10    | 100      | 1000  |
| Product B | 20    | 50       | 1000  |
| Product C | 30    | 33.33    | 1000  |
| Product D | 40    | 25       | 1000  |
| Product E | 50    | 20       | 1000  |
| Product F | 60    | 16.67    | 1000  |
| Product G | 70    | 14.29    | 1000  |
| Product H | 80    | 12.5     | 1000  |
| Product I | 90    | 11.11    | 1000  |
| Product J | 100   | 10       | 1000  |

O-Ring - Press-Seal Gasket Corp

RFS Pre-Lubr. Gasket - Press-Seal Gasket

Type 290-4F - Press-Seal Gasket Corp

Type 4G Profile - Press-Seal Gasket Corp

| Approved On | Remarks |
|-------------|---------|
|-------------|---------|

3- 2-2010 Primer & Lubricant: Water Dispersible; Joints: 1, 2, 3

1-23-2015

5-21-2001 Primer & Lubricant: Water Dispersible; Joints: 1, 2, 3

5-21-2001 Primer & Lubricant: Water Dispersible; Joints: 1, 2, 3

**Product Category : Gasket Materials for Culvert Pipe****MATERIAL : 1006M08310 Pipe Rubber Gasket****APS00010960 — Rinker Materials - Gainesville, GA**

Concrete Pipe Division  
1627 Oakbrook Parkway  
Gainesville, GA 30507

**Phone :****Ext. # :****Fax :****Product****Approved On Remarks**

Delta Seal Profile Gasket - RinkerGA

1-6-2011 Primer &amp; Lubricant: Water Dispersible; Joints: 1, 2, 3

**APS00011010 — Spring Seal - Streetsboro, OH**

9330 Market Square Drive  
Suite 200  
Streetsboro, OH 44241

**Phone :** 330-626-0673**Ext. # :****Fax :** 330-626-5850**Contact :** Mark Knapp**Additional Info :** Manufacturing Address: 10404 Industrial Drive, Garrettsville, OH 44231**Product****Approved On Remarks**

Water Lok Gasket(w/EagleCorPE bell/spig)

2-28-2011 Primer &amp; Lubricant: None Required; Joints: 1, 2, 3

**APS00001620 — Universal Polymer & Rubber-Middlefield, OH**

15730 South Madison Road  
Middlefield, OH 44062

**Phone :** 440-632-1691**Ext. # :** 202**Fax :** 440-632-5761**Contact :** Joe Derico  
(dericoj@universalpolymer.com)**Product****Approved On Remarks**

CR-012 Profile Gasket - Univ Polymers

4-14-1999 Primer &amp; Lubricant: Custom Pipe Joint (Water Dispersible); Joints: 1, 2, 3

Contech D-2000 (24&amp;30in. pipe)-UnivPoly

8-13-2013 Primer &amp; Lubricant: Water Dispersible; Joints: 1, 2, 3

O-Ring Gasket - Univ. Polymers

12-10-2001 Primer &amp; Lubricant: (Water Dispersible); Joints: 1, 2, 3

**APS00001740 — Vertex, Inc. - Mogadore, OH**

3956 Mogadore Industrial Parkway  
Mogadore, OH 44260

**Phone :** 330-638-6230**Ext. # :****Fax :** 330-638-6231**Contact :** William Andrick**Product****Approved On Remarks**

Vertite Profile Pipe Gasket (w/Corr-21)

8-26-2007 Primer &amp; Lubricant: Water Dispersible; Joints: 1, 2, 3

Vertite Profile Pipe Gasket (w/Nflow)

4-5-2010 Primer &amp; Lubricant: Water Dispersible Lubricant; Joints: 1, 2, 3

**MATERIAL : 1006M08320 Connections to Precast Units****APS00001750 — A-LOK Products, Inc. - Tullytown, PA**

697 Main Street  
Tullytown, PA 19007

**Phone :** 215-547-3366**Ext. # :****Fax :** 215-547-5260**Contact :** Tom Weller**Product****Approved On Remarks**

STM Connector - A-LOK Products

3-2-2010 Primer &amp; Lubricant: Pro-Lube

X-CEL Gasket - A-LOK Products

3-2-2010 Primer &amp; Lubricant: Pro-Lube

**APS00001710 — Press-Seal Gasket Corp. - Fort Wayne, IN**

2424 West State Blvd.  
Fort Wayne, IN 46808

**Phone :** 260-436-0521**Ext. # :** 1314**Fax :** 260-436-1908**Contact :** Mark Emmons (mark@  
press-seal.com)**Product****Approved On Remarks**

Press Boot - Press-Seal Gasket Corp

3-2-2010 Primer &amp; Lubricant: None required

**Product Category : Gasket Materials for Culvert Pipe****MATERIAL : 1006M08320 Connections to Precast Units****APS00010950 — Trelleborg Pipe Seals Milford, Inc - Milford, NH****Phone : 603-732-2238****Ext. # :**

P. O. Box 301

**Fax : 603-672-7271**

250 Elm Street

**Contact : Grant Whittle**

Millford, NH 03055

**Product****Approved On Remarks**

Kor-N-Seal - TrollebergPipeSealsMilford

1- 6-2011 Primer &amp; Lubricant: None required